




# **The Hella Online Catalogue** **Faster – better – more efficient**



In addition to this catalogue you have the opportunity to research Hella products directly in the Internet catalogue. The functions have been adapted to the special requirements of an online enquiry. The major advantage of the Online Catalogue is that it is always up to date. New products are documented immediately.



No matter where you are when you start the product enquiry: the search system will get you to the right answer in the quickest possible way. The vehicle-independent search function has to be emphasised in particular. It allows you to research very quickly products which are for universal use.

As well as detailed basic facts the Online Catalogue offers additional information and links to further documents.

**Use the opportunities: [www.hella.com/catalogue](http://www.hella.com/catalogue)**

**Hella KGaA** Hueck & Co.  
Rixbecker Straße 75  
59552 Lippstadt/Germany  
Tel.: +49 2941 38-0  
Fax: +49 2941 38-7133  
Internet: [www.hella.com](http://www.hella.com)



<b>Application Chart - Headlights, Signal and Sundry Lights for Cars and Light Trucks</b>	<b>1.01-1.270</b>	<b>1</b>
<b>Application chart - Headlights, Signal and Sundry Lights for Commercial Vehicles</b>	<b>2.01-2.138</b>	<b>2</b>
<b>Application chart - Headlights, Signal and Sundry Lights for Tractors</b>	<b>3.01-3.132</b>	<b>3</b>
<b>Fog Lights, Driving Lights, Headlights, Work Lights and Search Lights</b>	<b>4.01-4.118</b>	<b>4</b>
<b>Signal and Sundry Lights, Reflectors and Cabling</b>	<b>5.01-5.228</b>	<b>5</b>
<b>Optical and Acoustic Warning Systems</b>	<b>6.01-6.64</b>	<b>6</b>
<b>Beamsetters</b>	<b>7.01-7.05</b>	<b>7</b>
<b>Bulbs</b>	<b>8.01-8.22</b>	<b>8</b>
<b>List of Part Numbers Vehicle Manufacturer's No. - Hella No.</b>	<b>9.01-9.58</b>	<b>9</b>

<b>A</b>				
Accessories for beamsetters series IV		7.02-7.04		
Accessories for built-in headlights		4.37		
Accessories for fog- and driving lights		4.28		
Accessories for old-type of rotating/flashing beacons		6.17-6.19		
Accessories for rotating/flashing beacons		6.15-6.16		
Accessories for work lights		4.114-4.117		
Additional lights and cabling		5.194-5.196		
Assortments of bulbs for garages		8.06		
Auxiliary indicator		5.138-5.140		
<b>B</b>				
Beamsetters series IV and Economy		7.02-7.05		
Built-in headlights		4.30-4.48		
Bulb with glass socket		8.18		
Bulb overview		8.02		
Bulbs with plastic sockets		8.18-8.21		
Bulb holders		8.22		
Bulb sets		8.03-8.05		
Bulbs for headlights		8.07-8.11		
Bulbs for signal lights		8.12-8.18		
<b>C</b>				
Clearance lights		5.117-5.121		
Combinable lights	Series "001 240"	5.74		
	Series "001 259"	5.75-5.76		
	Series "001 423"	5.67		
	Series "002 582"	5.39		
	Series "002 776"	5.45		
	Series "003 014"	5.80-5.81		
	Series "003 057"	5.78		
	Series "003 167"	5.23		
	Series "003 182"	5.44		
	Series "003 184"	5.40		
	Series "003 236"	5.24-5.25		
	Series "003 389"	5.117		
	Series "003 734"	5.86-5.87		
	Series "003 748"	5.91		
	Series "004 119"	5.85		
	Series "004 361"	5.95		
	Series "004 431/004 432"	5.27		
	Series "005 200"	5.26		
	Series "005 603"	5.84		
	Series "006 040"	5.20-5.21		
	Series "006 717"	5.89		
	Series "007 547"	5.22		
	Series "008 221"	5.54-5.55		
Series "008 645"	5.98-5.99			
Series "008 805"	5.83			
Series "008 982"	5.82			
Series "009 001"	5.56-5.59			
Series "340 000"	5.95-5.97			
Series "340 001"	5.93			
			Series "343 130"	5.68-5.73
			Series "343 640"	5.18-5.19
			Series "959 037"	5.38
			Series "959 050"	
			Series "959 060"	
			Series "959 070"	
			Series "959 590"	5.108
			Series "959 610"	
			Series "959 640"	
			Series "959 790"	
			Series "959 820"	5.53
			Series "959 821"	
			Series "959 822"	
			Series "959 950"	
			Series "962 964"	5.88
			Series "963 639"	5.92-5.93
			Series "963 959"	5.94
			Series "964 169"	5.62-5.66
			Series "964 295"	5.100-5.101
			Series "965 039"	5.60-5.61
			Series "996 012"	5.77
			Series "997 006"	5.43
			Series "997 027"	5.90
			Series "997 131"	5.42
			Series "998 232"	5.34-5.35
			Series "998 233"	5.36-5.37
			Connectors	8.22
<b>D</b>				
			Daytime running lights	5.111-5.112
			Door lights	5.158-5.160
			Driving lights	4.03-4.27
<b>E</b>				
			Emergency triangles	5.164
			External-fitting headlights	4.49-4.56
<b>F</b>				
			Flashing beacons	6.10-6.13
			Flashing spotlight	6.20
			Fog lights	4.03-4.27, 4.29
<b>H</b>				
			Handlamps	5.155-5.158
			Handlebar indicator lights	5.138
			Hazard flasher lights	5.162-5.163
			Headlights, signal and sundry lights - application chart for cars and light trucks	1.01-1.270
			Headlights, signal and sundry lights - application chart for tractors	3.01-3.132
			Headlights, signal and sundry lights - application chart for commercial vehicles	2.01-2.138
<b>I</b>				
			Indicator lights	5.133-5.138
			Interior lights	5.141-5.152



# Alphabetical Index

<b>L</b>			
LED beacons	6.14	Spare parts for beamsetters series III	7.05
Licence plate lights	5.113-5.117	Spare parts for beamsetters series IV and Economy	7.02-7.05
Light series "5760"	4.57-4.58	Spare parts for old-type rotating beacons	6.17-6.19
Light series "Oval 100"	4.59-4.66	Strobe beacons	6.20-6.22
Light series "Oval 120"	4.67		
Light series "Module 120"	4.68-4.72		
Light series "7145"	4.79	<b>T</b>	
Light series "Module 6213"	4.73-4.78	Track-control lights	5.122
List of part numbers	9.02-9.17		
<b>M</b>		<b>V</b>	
Multifunction lights	5.05-5.17, 5.28-5.33, 5.50	Vehicle manufacturer's no. - Hella no.	9.18-9.58
<b>O</b>		<b>W</b>	
Optical warning system OWS 4: Spare parts for old-type systems	6.38	Warning equipment	6.267-6.27
Optical warning systems OWS 540 up to 1600: Product descriptions, accessories and spare parts	6.32-6.37	Warning lights	5.160-5.161
Optical warning systems OWS-QS : Product descriptions, accessories and spare parts	6.27-6.31	Work lights	4.02, 4.80-4.113
<b>R</b>			
Reading lights	5.153-5.154		
Rear lights	5.105, 5.107, 5.109		
Rear fog lights	5.123-5.125		
Rear side light	5.122		
Reflectors	5.165-5.169		
Reverse lights	5.123-5.127		
Rotating beacon and siren combination RTK 6 SL: Product descriptions, modules and spare parts	6.42-6.52		
Rotating beacon and siren combination RTK-VE: Product descriptions and accessories	6.62-6.64		
Rotating beacons, accessories and spare parts	6.03-6.09		
Rotating beacon and siren combination RTK 5: Product descriptions, spare parts and accessories	6.39-6.41		
Rotating beacon and siren combination RTK-QS: Product descriptions, modules and spare parts	6.53-6.61		
<b>S</b>			
Safety brake lights	5.128-5.131		
Search lights	4.118		
Side lights	5.104-5.110		
Side-marker lights	5.102-5.104		
Signal lights	6.26		
Signal lights and cabling - front	5.187-5.189		
Signal lights and cabling - rear	5.172-5.186		
Signal lights and cabling - side	5.190-5.193		
Signal lights and cabling for trailers and semi-trailers	5.215-5.222		
Signal lights for trucks	5.207-5.214		
Signal lights for buses	5.223		
Signal lights and cabling for car trailers	5.224-5.225		



### What does GGVS/ADR mean?

Some headlights and lights in the range are marked with this symbol. This means that these products are approved for mounting to transport equipment which complies with the requirements of GGVS/ADR B Rn 10251 and Rn 11251 for electrical equipment.

#### GGVS

Gefahrgutverordnung Straße

#### ADR

Accord européen relatif au transport international des marchandises dangereuses par route

### What do the IP protective ratings mean?

#### Protective rating IP5K4K

Dust may only penetrate to such an extent that function and safety are not impaired. Water being sprayed against the housing at increased pressure may not have a harmful effect; water pressure approx. 4 bar.

#### Protective rating IP6K4K

Dust must not penetrate. Water being sprayed against the housing at increased pressure may not have a harmful effect; water pressure approx. 4 bar.

#### Protective rating IPX9K

Water that is directed against the housing during high-pressure/steam jet cleaning may not have a harmful effect; water pressure approx. 80 bar.

#### Decisive for the specification of the protective rating are the splashwater test and the dust test.

The splash-water test provides information about how headlights, lights and beacons resist rain, splashwater, mud and high-pressure cleaners.

For this purpose, water is sprayed constantly onto the test specimen in a closed chamber as if through a high-pressure cleaner.

The dust test examines the degree to which the test specimen is protected against penetration by solid particles including dust.

For this purpose, the test sample is exposed to a flow of dust/air mixture for a certain length of time in the chamber.

### Lighting technology - examples for terminal descriptions according to DIN 72552

54	Trailer signals, trailer plug fitting and light combinations, stop light
54g	Trailer signals, compressed air valve for permanent brake in the trailer, electromagnetic actuation
55	Fog lights
56	Headlight
56a	Headlight, spotlight and spotlight control
56b	Headlight, low beam
56d	Headlight, flashing lights
57	Parking light for motorbikes (outside Germany also for cars and trucks)
57a	Parking light
57L	Parking light left
57R	Parking light right
58	Position light, tail light, licence plate lighting and instrument lighting
58b	Tail light switchover for single-axle tractors
58c	Trailer plug fitting for tail light laid with a single wire and fused in the trailer
58d	Adjustable instrument lighting, tail light and position light
58L	Position light left
58R	Position light right



# Headlights, Signal and Sundry Lights for Cars and Light Trucks



1



List of Manufacturers/Page

1.02 - 1.05

Headlights, Signal and Sundry Lights -  
Application Chart for Cars and Light Trucks

1.06 - 1.270



# List of Manufacturers/Page



Manufacturer Model	Model year	Page	Manufacturer Model	Model year	Page
<b>Alfa Romeo</b>			<b>BMW</b>		
145, 146 (930)	07/94->01/01	1.06	5 (E60, E61)	07/03->03/07	1.53 - 1.56
<b>Audi</b>			6 (E24)	04/76->09/90	1.56
A2 (8Z0)	02/00->	1.06	7 (E23)	05/77->08/86	1.57
A3 (8L1)	09/96->04/03	1.07 - 1.08	7 (E32)	09/86->09/94	1.57 - 1.58
A3 (8P1)	05/03->	1.08	7 (E38)	10/94->11/01	1.58
A4 (8D2, 8D5, B5)	01/95->09/01	1.09 - 1.10	7 (E65, E66)	11/01->04/05	1.59 - 1.60
A4 (8E2, 8E5, B6)	11/00->12/04	1.10	<b>Citroën</b>		
A4 (8EC, 8ED)	11/04->	1.11	Berlingo (MF, M_)	11/02->	1.61
A4 Cabriolet (8H7, 8HE)	09/06->	1.11	C1	06/05->	1.61
A6 (4A, C4)	06/94->12/97	1.12 - 1.13	C2	09/03->07/05	1.62
A6 (4B, C5)	01/97->01/05	1.13 - 1.17	C4	11/04->	1.62 - 1.63
A6 allroad (4BH)	05/00->08/05	1.17	C4 Coupé	11/04->	1.63
A6 (4F2, 4F5)	05/04->	1.18 - 1.19	C4 Picasso	02/07->	1.63
A6 Allroad (4FH)	05/06->	1.19 - 1.20	Jumper (244)	04/02->	1.64
A8 (4D2, 4D8)	99->	1.20 - 1.21	<b>Fiat</b>		
A8 (4E_)	10/02->05/05	1.21 - 1.22	Multipla (186)	04/99->09/04	1.65
Cabriolet (B4)	05/91->08/00	1.22 - 1.23	Punto (176)	09/93->09/99	1.65 - 1.66
Coupé (89, 8B)	10/88->12/96	1.23 - 1.24	126, 127, 128	09/72->09/00	1.66
Q7	03/06->	1.24	Ducato (244)	04/02->	1.67
TT (8N)	10/98->	1.24	<b>Ford</b>		
V8 (D1)	10/88->02/94	1.25	Escort IV	10/85->10/90	1.68
80 (81, 85, B2)	08/78->08/86	1.25	Escort V	07/90->09/92	1.68
80 (89, 89Q, 8A, B3)	06/86->10/91	1.26 - 1.27	Escort VI	09/92->01/95	1.69
80 (8C, B4)	09/91->01/96	1.27 - 1.28	Escort VII	01/95->02/99	1.69 - 1.70
90 (81, 85, B2)	10/84->03/87	1.28 - 1.29	F-150	04/04->	1.70
90 (89, 89Q, 8A, B3)	04/87->09/91	1.29	Fiesta III (GFJ)	01/89->12/95	1.70 - 1.71
100 (44, 44Q, C3)	08/82->11/90	1.30	Fiesta IV (JA_, JB_)	08/95->01/02	1.71 - 1.72
100 (4A, C4)	12/90->07/94	1.31 - 1.33	Fiesta V (JH_)	11/01->10/05	1.72 - 1.73
200 (44, 44Q)	06/83->12/91	1.34	Fiesta Courier, Box	02/96->	1.73
<b>BMW</b>			Focus	10/98->11/04	1.73 - 1.79
X5 (E53)	12/03->01/07	1.34 - 1.35	Focus II	11/04->02/08	1.79 - 1.83
3 (E21)	09/79->03/84	1.35	Focus C-MAX	10/03->03/07	1.83 - 1.84
3 (E30)	09/82->06/94	1.35 - 1.36	Fusion (JU_)	08/02->11/05	1.84
3 (E36)	09/90->08/00	1.37 - 1.39	Galaxy (VX, VY)	03/95->04/00	1.84 - 1.85
3 (E46) Saloon, Touring	02/98->02/05	1.39 - 1.41	Galaxy	05/06->	1.86
3 (E90) Saloon	01/05->	1.41	Maverick (UDS, UNS)	02/93->04/98	1.86
5 (E28)	06/81->12/87	1.41 - 1.42	Mondeo II	09/96->11/00	1.86 - 1.87
5 (E34)	01/88->01/97	1.42 - 1.44	Mondeo III	11/00->05/05	1.87 - 1.88
5 (E39)	11/95->06/04	1.44 - 1.52			



Manufacturer Model	Model year	Page	Manufacturer Model	Model year	Page
<b>Ford</b>			<b>Mercedes-Benz</b>		
Orion II (AFF)	12/85->07/90	1.88 - 1.89	SLK (R 170)	09/96->04/04	1.117
Orion III (GAL)	09/91->12/93	1.89	SLK (R 171)	03/04->	1.118
S-MAX	05/06->	1.89	Vaneo (414)	02/02->	1.119
Transit (T_)	09/85->09/92	1.90	Viano, Vito (W 639)	09/03->	1.119
Transit (E_)	01/91->07/00	1.90 - 1.91	190 (W 201)	10/82->08/93	1.120 - 1.121
Transit (F_)	01/00->07/06	1.91 - 1.92	200 - 280 (W 114, 115)	01/68->01/76	1.121
Transit	07/06->	1.93	200 - 300 (W 123)	02/76->02/06	1.122 - 1.123
<b>Honda</b>			200 - 500 (W 124)	12/84->06/93	1.124 - 1.125
Accord V (CC7)	03/93->02/96	1.93	L 206 D - L 307 (T1)	01/72->04/77	1.126
<b>Hyundai</b>			MB 100	09/87->08/91	1.126 - 1.127
Accent (LC)	01/00->07/02	1.93	Sprinter 901/902/903/904	02/95->05/06	1.127 - 1.128
<b>KIA</b>			Sprinter (906)	06/06->12/06	1.129
Cee'd	12/06->	1.94	207 D - 410 (T1, TN)	05/77->02/96	1.129 - 1.131
<b>Lancia</b>			<b>Mini</b>		
Ypsilon (843)	10/03->08/06	1.94	Mini One, Mini Cooper	06/01->	1.132
<b>Land Rover</b>			<b>Moskvich</b>		
Freelander II	02/06->	1.94 - 1.95	214241, 214141, 21414	08/97->	1.132
<b>Mazda</b>			<b>Nissan</b>		
121 III (JASM, JBSM)	03/96->02/00	1.96	Terrano II (R20)	02/93->03/05	1.132 - 1.133
<b>Mercedes-Benz</b>			<b>Opel</b>		
A-Class (A 168)	07/97->02/01	1.96	Astra F	09/91->03/01	1.134
C-Class (W/S 202)	03/93->03/01	1.96 - 1.98	Astra G	02/98->10/05	1.135 - 1.137
C-Class (W/S 203)	05/00->02/04	1.99 - 1.100	Astra H	03/04->02/07	1.137 - 1.140
C-Class Sports Coupé (CL 203)	03/01->02/04	1.101 - 1.102	Calibra	06/90->07/97	1.140
CLK (C 208)	06/97->02/03	1.102 - 1.104	Combo I	07/94->10/01	1.140
CLK (C 209)	06/02->05/05	1.104 - 1.105	Combo II	10/01->02/03	1.141
CLS (C 219)	10/04->	1.105 - 1.106	Corsa B	03/93->09/00	1.141
E-Class (W/S 124)	06/93->03/98	1.106 - 1.107	Corsa C	10/00->02/03	1.141
E-Class (W/S 210)	06/95->03/03	1.108 - 1.109	Corsa D	07/06->	1.142
E-Class (W/S 211)	03/02->06/06	1.110 - 1.113	Kadett E	09/84->08/91	1.142 - 1.143
G-Class (W 460)	05/79->07/93	1.113 - 1.114	Omega A	09/86->05/94	1.143 - 1.144
G-Class (W 461)	02/90->	1.114	Omega B	03/94->07/03	1.144 - 1.146
G-Class (W 463)	09/89->	1.115	Signum	05/03->08/05	1.146 - 1.147
M-Class (W 163)	02/98->06/05	1.115 - 1.116	Vectra A	04/88->11/95	1.147 - 1.148
R-Class (W 251)	01/06->	1.117	Vectra B	02/99->07/03	1.148
S-Class Coupé (C 215)	03/99->03/06	1.117	Vectra C	04/02->08/05	1.148 - 1.149
			Zafira (F75_)	04/99->	1.150
			Zafira	07/05->	1.150



# List of Manufacturers/Page



Manufacturer Model	Model year	Page	Manufacturer Model	Model year	Page
<b>Peugeot</b>			<b>Seat</b>		
107	06/05->	1.150 - 1.151	Alhambra (7V8, 7V9)	04/96->	1.171 - 1.172
206 (2A/C)	09/98->	1.151	Altea (5P1)	03/04->	1.172
207	02/06->	1.151	Altea XL (5P5)	10/06->	1.172 - 1.173
407 Coupé	10/05->	1.152	Arosa (6H)	05/97->06/04	1.173 - 1.174
Boxer (244)	04/02->	1.152 - 1.153	Cordoba I	02/93->06/99	1.174
Partner (5F, 5)	11/02->	1.153	Cordoba II	06/99->10/02	1.175
<b>Puch</b>			Cordoba II Vario (6K5)	06/99->12/03	1.175
G-Class (W 460)	05/79->07/93	1.154	Cordoba III (6L2)	09/02->	1.175 - 1.176
G-Class (W 461)	02/90->	1.155	Ibiza I (021A)	03/91->12/93	1.176
G-Class (W 463)	09/89->	1.155	Ibiza II (6K1)	03/93->08/99	1.176 - 1.177
<b>Renault</b>			Ibiza III (6K1)	08/99->02/02	1.177 - 1.178
Avantime (DE0)	09/01->05/03	1.156	Ibiza IV (6L1)	02/02->	1.178 - 1.179
Clio II (B/C/B0/1_)	09/98->12/03	1.156 - 1.158	Inca (6K9)	11/95->	1.179
Espace III (JE_)	11/96->10/02	1.158	Leon (1M1)	11/99->	1.179
Espace IV (JK0_)	11/02->04/06	1.159	Leon (1P1)	09/05->	1.179 - 1.180
Grand Scénic	04/04->07/06	1.160 - 1.161	Toledo I (1L)	05/91->03/99	1.180 - 1.183
Kangoo (FC0/1_, KC0/1_)	03/98->	1.161	Toledo II (1M2)	04/99->05/06	1.183 - 1.184
Laguna (B56_, 556_, K56_)	11/93->03/01	1.162	Toledo III (5P2)	10/04->	1.184
Laguna II (BG0/1_, KG0/1_)	03/01->	1.162	<b>Skoda</b>		
Mastermaxi (FH/HH/UH)	04/98->	1.163	Fabia (6Y)	08/99->08/04	1.184 - 1.186
Mégane	01/96->08/03	1.163	Fabia II	03/07->	1.186
Mégane II	09/03->12/05	1.164	Felicia I	10/94->03/98	1.187
Safrane I (B54_)	04/92->07/96	1.164	Felicia II (6U1/6U5)	01/98->06/01	1.187 - 1.188
Safrane II (B54_)	07/96->12/00	1.165	Octavia (1U2/1U5)	09/96->08/00	1.188 - 1.190
Scénic (JA0/1_)	09/99->08/03	1.165	Octavia (1Z3/1Z5)	06/04->	1.190 - 1.191
Scénic II (JM0/1_)	06/03->07/06	1.165 - 1.167	Roomster (5J), Praktik	09/06->	1.192
Thalia	08/00->12/03	1.167 - 1.168	Superb (3U4)	02/02->08/06	1.192 - 1.194
Twingo (C06_/S06_)	03/93->	1.168	<b>Toyota</b>		
Twingo	03/07->	1.169	RAV 4 II (XA2)	08/03->04/06	1.194
Vel Satis (BJ0)	06/02->	1.169	<b>Volkswagen</b>		
18 (135_)	05/79->07/86	1.169	Bora (1J2, 1J6)	10/98->05/05	1.194 - 1.197
19 II	04/92->12/95	1.170	Caddy I (14)	08/82->07/92	1.197
Master II	07/98->10/03	1.170	Caddy II (9K9, 9U7)	11/95->	1.197 - 1.198
Trafic (JL/EL/FL)	03/01->	1.170	Caddy III (2KA, 2KB)	03/04->12/04	1.198 - 1.199
<b>Saab</b>			Corrado (53I)	09/88->12/95	1.199 - 1.200
900 I	08/86->06/94	1.170	Derby II (86C, 80)	08/81->12/84	1.200 - 1.201
9000	04/88->08/94	1.171	Eos	05/06->	1.201
			Golf I (17, 155)	07/74->08/93	1.201 - 1.202



# List of Manufacturers/Page

**1**

Manufacturer Model	Model year	Page	Manufacturer Model	Model year	Page
<b>Volkswagen</b>			<b>Volvo</b>		
Golf II (19E, 1G1)	08/83->12/92	1.202 - 1.204	V40 (VW)	07/95->06/04	1.267 - 1.268
Golf III (1H1, 1H5, 1E7)	08/91->	1.204 - 1.212	V70 I Estate	01/97->11/00	1.268
Golf IV (1J1, 1J5)	08/97->06/05	1.212 - 1.217	440 K (445), 460 L (464)	08/88->08/93	1.268
Golf V (1K1)	10/03->	1.217 - 1.222	850 (LS, LW)	08/93->10/97	1.269
Golf V Plus (5M1), CrossGolf	01/05->	1.222 - 1.223	940 (944)	08/90->12/94	1.269
Jetta I (17)	08/78->02/84	1.224	960 (964)	08/90->07/94	1.269 - 1.270
Jetta II (19E, 1G2)	01/84->10/91	1.224 - 1.225			
Jetta (1J2, 1J6)	10/98->08/05	1.225			
Jetta III (1K2)	08/05->	1.226 - 1.227			
Lupo (6X1, 6E1)	09/98->07/05	1.227			
Passat (32B)	08/80->03/88	1.228			
Passat (3A2, 3A5, 35I)	02/88->05/97	1.228 - 1.232			
Passat (3B2, 3B5)	08/96->11/00	1.232 - 1.233			
Passat (3B3, 3B6)	11/00->08/05	1.234			
Passat (3C2, 3C5)	03/05->	1.235 - 1.236			
Polo I (86)	03/75->09/81	1.236			
Polo II (86C, 80)	10/81->09/94	1.237 - 1.239			
Polo III (6N1)	10/94->10/99	1.240 - 1.242			
Polo III (6N2)	10/99->09/01	1.243 - 1.244			
Polo IV (9N_)	10/01->04/05	1.245 - 1.246			
Polo IV (9N2)	05/05->	1.246 - 1.248			
Scirocco (53B)	06/81->07/92	1.248			
Sharan (7M8, 7M9, 7M6)	09/95->	1.248 - 1.250			
Tiguan	09/07->	1.250			
Touran, CrossTouran	02/03->10/06	1.251			
Vento (1H2)	11/91->09/98	1.252 - 1.255			
1200 - 1500 (Beetle)	08/60->12/85	1.255 - 1.256			
Crafter (2E)	04/06->	1.256			
LT I	04/75->82/00	1.257 - 1.258			
LT II	05/96->	1.259			
Transporter (T2)	08/71->07/79	1.259 - 1.260			
Transporter (T3)	05/79->07/92	1.260 - 1.261			
Transporter (T4)	09/90->04/03	1.261 - 1.262			
Multivan, Transporter (T5)	04/03->	1.263 - 1.264			
Transporter (T5)	04/03->	1.264			
<b>Volvo</b>					
C70	03/97->09/02	1.265			
S40 I (VS)	07/95->12/03	1.265 - 1.266			
S70	01/97->11/00	1.266 - 1.267			



# Alfa Romeo - Audi



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Alfa Romeo</b>				
145, 146 (930)		1AL 006 970-091	1	DE-H1 headlight, left, with bulbs
145 (930)	10/94->12/98	1AL 006 970-101	1	DE-H1 headlight, right, with bulbs
146 (930)	05/95->12/98			 42  2x12V55W (H1) 8GH 002 089-231 UV-cut  1x12V5W (W5W) 8GP 003 594-121
				
145, 146 (930)	01/99->01/01	1EL 006 970-191	1	DE-H1 headlight, left, with electr. headlight leveller actuator, with bulbs
		1EL 006 970-201	1	DE-H1 headlight, right, with electr. headlight leveller actuator, with bulbs
				 42  2x12V55W (H1) 8GH 002 089-231 UV-cut  1x12V5W (W5W) 8GP 003 594-121
				
145 (930)	07/94->01/01	2BA 007 042-031	1	Indicator light (white), left
146 (930)	12/94->01/01	2BA 007 042-041	1	Indicator light (white), right
				 0126  1x12V21W (PY21W) 8GA 006 841-121
				
<b>Audi</b>				
A2 (8Z0)		6NM 007 878-041	1	Setting element, headlight levelling
A2	02/00->12/03			
				
A2	02/00->	9EL 270 107-011	1	Body/lens for auxiliary indicator light (white)
				 002  1x12V5W (W5W) 8GP 003 594-121
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Audi</b>				
<b>A3 (8L1)</b> A3 (-) S3	09/96->08/00	<b>1AF 963 030-291</b>	1	<b>FF®-H7/H1 headlight, left, without fog light</b>
		<b>1AF 963 030-301</b>	1	<b>FF®-H7/H1 headlight, right, without fog light</b> (E4) 9345 left (E4) 9346 right (E4) 9349 left and right 1x12V55W (H7) 8GH 007 157-121 1x12V55W (H1) 8GH 002 089-133 1x12V5W (W5W) 8GP 003 594-121
		<b>1EF 963 030-271</b>	1	<b>FF®-H7/H4 headlight, left, with H4 fog light</b>
		<b>1EF 963 030-281</b>	1	<b>FF®-H7/H4 headlight, right, with H4 fog light</b> (E4) 9345 left (E4) 9346 right 1x12V55W (H7) 8GH 007 157-121 1x12V60/55W (H4) 8GJ 002 525-131 1x12V5W (W5W) 8GP 003 594-121
<b>A3</b>	09/00->04/03	<b>1EL 008 306-031</b>	1	<b>DE-H1/H7 headlight, left, with indicator light, without headlight leveller actuator, with bulbs</b>
		<b>1EL 008 306-041</b>	1	<b>DE-H1/H7 headlight, right, with indicator light, without headlight leveller actuator, with bulbs</b> (E1) 1077 1x12V55W (H1) 8GH 002 089-133 1x12V55W (H7) 8GH 007 157-121 1x12V5W (W5W) 8GP 003 594-121 1x12V21W (PY21W) 8GA 006 841-121
<b>A3</b>	09/00->04/03	<b>1EL 008 307-011</b>	1	<b>Xenon/H7 headlight, left, with indicator light, with electr. headlight leveller actuator, with xenon ballast, with gas discharge bulb, with bulbs</b>
		<b>1EL 008 307-021</b>	1	<b>Xenon/H7 headlight, right, with indicator light, with electr. headlight leveller actuator, with xenon ballast, with gas discharge bulb, with bulbs</b> (E1) 1077 1x35W (D2S) 8GS 007 949-101 1x12V55W (H7) 8GH 007 157-121 1x12V5W (W5W) 8GP 003 594-121 1x12V21W (PY21W) 8GA 006 841-121



**Audi**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Audi</b>				
<b>A3 (8L1)</b> A3	09/96->08/00	6NM 007 878-531	1	Setting element, headlight levelling
				
A3	09/00->04/03	6NM 007 878-541	1	Setting element, headlight levelling
				
A3 (-) S3	09/96->08/00	9EL 963 111-011 9EL 963 112-011	1 1	Body/lens for indicator light (clear), left Body/lens for indicator light (clear), right  E1 390  1x12V21W (PY21W) 8GA 006 841-121
				
A3	09/96->08/00	9EL 156 099-811	1	Body/lens set for auxiliary indicator lights (clear), with 2 amber bulbs  E13 550  2x12V5W (WY5W) 8GP 003 594-541
	 <b>Design</b>			
A3	01/99->04/03	9EL 270 107-011	1	Body/lens for auxiliary indicator light (white)  E26 002  1x12V5W (W5W) 8GP 003 594-121
				
<b>A3 (8P1)</b> A3 A3 Sportback for PR no. 2JB, 2JW (standard bumper, not painted)	05/03-> 09/04->	1N0 247 003-011 1N0 247 003-021	1 1	FF®-H7 fog light, left, with bulb FF®-H7 fog light, right, with bulb  E1 1559  1x12V55W (H7) 8GH 007 157-121
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Audi</b>				
<b>A4 (8D2, 8D5, B5)</b> A4	01/95->05/99	1AE 008 564-011 1AE 008 564-021	1 1	<b>H4 headlight, left, for vehicles with or without headlight leveller</b> <b>H4 headlight, right, for vehicles with or without headlight leveller</b>  E4 10051  1x12V60/55W (H4) 8GJ 002 525-131 1x12V5W (W5W) 8GP 003 594-121
A4	01/95->05/99	1EE 008 685-011 1EE 008 685-021	1 1	<b>H7 headlight, left, with H1 fog light</b> <b>H7 headlight, right, with H1 fog light</b>  E13 4722 left E13 4722 right  2x12V55W (H7) 8GH 007 157-121 1x12V55W (H1) 8GH 002 089-133 1x12V5W (W5W) 8GP 003 594-121
A4 from chassis no. 8D-X-200 001	06/99->09/01	6NM 007 878-041	1	<b>Setting element, headlight levelling (for halogen headlight)</b>
A4 chassis no. 8D-X-200 001 -> 8D-1-200 000	06/99->09/01	6NM 007 878-041	1	<b>Setting element, headlight levelling (for xenon headlight)</b>
A4	01/95->05/99	9EL 158 254-011 9EL 158 254-021	1 1	<b>Body/lens for indicator light (white), left</b> <b>Body/lens for indicator light (white), right</b>  E4 474  1x12V21W (PY21W) 8GA 006 841-121



**Audi**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Audi</b>				
<b>A4 (8D2, 8D5, B5)</b> A4	01/95->05/99	9EL 156 099-811	1	<b>Body/lens set for auxiliary indicator lights (clear), with 2 amber bulbs</b>  550  2x12V5W (W5W) 8GP 003 594-121
				
A4	05/99->09/01	9EL 270 107-011	1	<b>Body/lens for auxiliary indicator light (white)</b>  002  1x12V5W (W5W) 8GP 003 594-121
				
<b>A4 (8E2, 8E5, B6)</b> A4	11/00->12/04	6NM 007 878-041	1	<b>Setting element, headlight levelling (for halogen headlight)</b>
up to chassis no. 8E-5-400 000				
A4 (-) S4 quattro	11/00->12/04	1N0 009 594-011 1N0 009 594-021	1 1	<b>FF®-H11 fog light, left, with bulb</b> <b>FF®-H11 fog light, right, with bulb</b>  19259  1x12V55W (H11) 8GH 008 358-121
				
A4 (-) Avant, S4	11/00->12/04	9EL 153 923-021 9EL 153 924-021	1 1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight, right, with reverse and rear fog light</b>  1110 1x12V5W (R5W) 8GA 002 071-121 1x12V21W (P21W) 8GA 002 073-121  1x12V21W (PY21W) 8GA 006 841-121 1x12V21/5W (P21/5W) 8GD 002 078-121
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Audi</b>				
<b>A4 (8EC, 8ED)</b> A4	09/05->	1N0 009 594-011 1N0 009 594-021	1 1	<b>H11 fog light, left, with bulb</b> <b>H11 fog light, right, with bulb</b> <b>Manufacturer: AL</b>  19259  1x12V55W (H11) 8GH 008 358-121
A4 (-) Avant	11/04->	2VP 965 037-051 2VP 965 037-061	1 1	<b>Combination rearlight with reverse light, left, with bulbs</b> <b>Combination rearlight with reverse light, right, with bulbs</b>  1789  4x12V21W (P21W) 8GA 002 073-121
A4 (-) Avant	11/04->	2SA 965 038-031 2SA 965 038-041	1 1	<b>Rear-rear fog light, left, with bulb</b> <b>Rear-rear fog light, right, with bulb</b>  1789  1x12V21W (P21W) 8GA 002 073-121
<b>A4 Cabriolet (8H7, 8HE)</b> A4 Cabriolet	09/06->	1N0 009 594-011 1N0 009 594-021	1 1	<b>H11 fog light, left, with bulb</b> <b>H11 fog light, right, with bulb</b>  19259  1x12V55W (H11) 8GH 008 358-121



**Audi**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Audi</b>				
<b>A6 (4A, C4)</b> A6 	06/94->12/97	1AL 007 270-171	1	DE-H1 headlight, left, without DE-H3 fog light, suitable for headlight leveller, with bulbs
		1AL 007 270-181	1	DE-H1 headlight, right, without DE-H3 fog light, suitable for headlight leveller, with bulbs
		1EL 007 270-151	1	DE-H1 headlight, left, with DE-H3 fog light, suitable for headlight leveller, with bulbs
		1EL 007 270-161	1	DE-H1 headlight, right, with DE-H3 fog light, suitable for headlight leveller, with bulbs
		9ES 145 599-001 9ES 145 600-001	1 1	Lens, left Lens, right
A6	06/94->12/97	6NM 007 282-211	1	Setting element, headlight levelling
A6	06/94->12/97	9EL 145 833-021 9EL 145 834-021	1 1	Body/lens for indicator light (white), left Body/lens for indicator light (white), right
A6	06/94->12/97	2BM 003 647-021	1	Auxiliary indicator light
A6 (-) Avant	06/94->02/97	9EL 138 567-061 9EL 138 568-061	1 1	Body/lens for combination rearlight, left Body/lens for combination rearlight, right



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Audi</b>				
<b>A6 (4A, C4)</b> A6 Avant	06/94->12/97	9EL 140 063-021 9EL 140 064-021	1 1	<b>Body/lens for combination rearlight, left</b> <b>Body/lens for combination rearlight, right</b>  E1 63256  1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V21W (P21W) 8GA 002 073-121
				
<b>A6</b> (-) S6 <b>A6 Avant</b> (-) S6	06/94->02/97  06/94->12/97	9EL 145 997-021 9EL 145 998-021	1 1	<b>Body/lens for rear fog and reverse light, left</b> <b>Body/lens for rear fog and reverse light, right</b>  E4 281  2x12V21W (P21W) 8GA 002 073-121
				
<b>A6, S6</b> <b>A6, S6 Avant</b>	06/94->02/97  06/94->12/97	9EL 145 909-041	1	<b>Body/lens for rear panel, with reverse light left and right and rear fog light, left</b>  E4 283  3x12V21W (P21W) 8GA 002 073-121
				
<b>A6 (4B, C5)</b> A6 except 8 cyl.	01/97->08/99	1EL 007 821-091 1EL 007 821-101	1 1	<b>DE-H1/FF®-H7 headlight, left, with indicator light, with bulbs</b> <b>DE-H1/FF®-H7 headlight, right, with indicator light, with bulbs</b>  E1 590  1x12V55W (H1) 8GH 002 089-133 1x12V55W (H7) 8GH 007 157-121 1x12V5W (W5W) 8GP 003 594-121 1x12V21W (PY21W) 8GA 006 841-121
				



**Audi**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Audi</b>				
<b>A6 (4B, C5)</b>	01/97->08/99	1EL 007 823-051	1	<b>Xenon/H7 headlight, left, with indicator light, without xenon ballast, without gas discharge bulb, without bulbs</b>
A6 except 8 cyl. Special equipment		1EL 007 823-061	1	<b>Xenon/H7 headlight, right, with indicator light, without xenon ballast, without gas discharge bulb, without bulbs</b>
		<p>(E1) 590</p> <p> 1x35W (D2S) 8GS 007 949-101</p> <p> 1x12V55W (H7) 8GH 007 157-121</p> <p> 1x12V5W (W5W) 8GP 003 594-121</p> <p> 1x12V21W (PY21W) 8GA 006 841-121</p>		
<b>A6</b>	09/99->05/01	1EL 008 309-071	1	<b>DE-H1/FF@-H7 headlight, left, with indicator light</b>
except 8 cyl.		1EL 008 309-081	1	<b>DE-H1/FF@-H7 headlight, right, with indicator light</b>
		<p>(E1) 590</p> <p> 1x12V55W (H1) 8GH 002 089-133</p> <p> 1x12V55W (H7) 8GH 007 157-121</p> <p> 1x12V5W (W5W) 8GP 003 594-121</p> <p> 1x12V21W (PY21W) 8GA 006 841-121</p>		
<b>A6</b>	09/99->05/01	1EL 008 310-071	1	<b>Xenon/H7 headlight, left, with indicator light, without xenon ballast, without gas discharge bulb, without bulbs</b>
except 8 cyl. Special equipment		1EL 008 310-081	1	<b>Xenon/H7 headlight, right, with indicator light, without xenon ballast, without gas discharge bulb, without bulbs</b>
		<p>(E1) 590</p> <p> 1x35W (D2S) 8GS 007 949-101</p> <p> 1x12V55W (H7) 8GH 007 157-121</p> <p> 1x12V5W (W5W) 8GP 003 594-121</p> <p> 1x12V21W (PY21W) 8GA 006 841-121</p>		



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Audi</b>				
<b>A6 (4B, C5)</b> A6 except 8 cyl.	06/01->01/05	1EL 008 472-011  1EL 008 472-021	1  1	<b>DE-H7/FF®-H7 headlight, left, with indicator light, with electr. headlight leveller actuator, with bulbs</b> <b>DE-H7/FF®-H7 headlight, right, with indicator light, with electr. headlight leveller actuator, with bulbs</b>  E1 1247 2x12V55W (H7) 8GH 007 157-121 1x12V5W (W5W) 8GP 003 594-121 1x12V21W (PY21W) 8GA 006 841-121
A6 except 8 cyl. Special equipment	06/01->01/05	1EL 008 473-071  1EL 008 473-081	1  1	<b>Bi-Xenon®/FF®-H7 headlight, left, with indicator light, with electr. headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bulbs</b> <b>Bi-Xenon®/FF®-H7 headlight, right, with indicator light, with electr. headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bulbs</b>  E1 1247 1x35W (D2S) 8GS 007 949-101 1x12V55W (H7) 8GH 007 157-121 1x12V5W (W5W) 8GP 003 594-121 1x12V21W (PY21W) 8GA 006 841-121
A6 except 8 cyl. except Allroad	01/97->05/01	6NM 007 878-531	1	<b>Setting element, headlight levelling</b>
A6	05/01->05/03	6NM 007 878-521	1	<b>Setting element, headlight levelling (for halogen headlight)</b>
A6 except 8 cyl. A6 8 cyl.	01/97->08/99  11/98->01/05	1NL 007 906-031 1NL 007 906-041	1  1	<b>DE-H3 fog light, left</b> <b>DE-H3 fog light, right</b>  E1 123 1x12V55W (H3) 8GH 002 090-133



**Audi**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Audi</b>				
<b>A6 (4B, C5)</b> A6 except 8 cyl.	06/01->01/05	1N0 246 039-011 1N0 246 039-021	1 1	<b>FF®-H7 fog light, left, with bulb</b> <b>FF®-H7 fog light, right, with bulb</b>  E1 1266  1x12V55W (H7) 8GH 007 157-121
<b>A6</b>	01/99->01/05	9EL 270 107-011	1	<b>Body/lens for auxiliary indicator light (white)</b>  E26 002  1x12V5W (W5W) 8GP 003 594-121
<b>A6</b> (-) Avant	01/97->05/01	9EL 148 141-021 9EL 148 142-021	1 1	<b>Body/lens for combination rearlight (grey/red), left, with reverse light</b> <b>Body/lens for combination rearlight (grey/red), right, with reverse light</b>  E1 475  1x12V21/5W (P21/5W) 8GD 002 078-121  2x12V21W (P21W) 8GA 002 073-121
<b>A6</b> (-) Avant	06/01->01/05	2VP 008 468-051 2VP 008 468-061	1 1	<b>Combination rearlight, left, with reverse light, with bulbs</b> <b>Combination rearlight, right, with reverse light, with bulbs</b>  E1 1142  1x12V21/5W (P21/5W) 8GD 002 078-121  2x12V21W (P21W) 8GA 002 073-121
<b>A6</b> (-) Avant	01/97->01/05	9EL 007 727-801  9EL 148 141-031 9EL 148 142-031 8RA 004 412-041	1  1 1 10	<b>Design combination rearlight set (black) without bulb holder</b>  E1 475  <b>Spare Parts:</b> Body/lens (black), left Body/lens (black), right Reflex-reflector (red)   2x12V21/5W (P21/5W) 8GD 002 078-121  4x12V21W (P21W) 8GA 002 073-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Audi</b>				
<b>A6 (4B, C5)</b> A6 (-) Avant	01/97->01/05	9EL 007 727-811  8RA 004 412-041	1  10	<b>Design combination rearlight set (brilliant silver) without bulb holder</b>  (E1) 475  <b>Spare Parts:</b> Reflex-reflector (red)  2x12V21/5W (P21/5W) 8GD 002 078-121 4x12V21W (P21W) 8GA 002 073-121
				
<b>A6 allroad (4BH)</b> A6 allroad (4BH)	05/00->08/05	1EL 008 313-131  1EL 008 313-141	1  1	<b>H1/H9 headlight, left, with indicator light, with electr. headlight leveller actuator, with bulbs</b> <b>H1/H9 headlight, right, with indicator light, with electr. headlight leveller actuator, with bulbs</b>  (E1) 590 (E1) 591  1x12V55W (H1) 8GH 002 089-133 1x12V65W (H9) 8GH 008 357-001 1x12V5W (W5W) 8GP 003 594-121 1x12V21W (PY21W) 8GA 006 841-121
				
<b>A6 allroad (4BH)</b>	05/00->08/05	1EL 008 314-071  1EL 008 314-081	1  1	<b>Xenon/H9 headlight, left, with indicator light, with electr. headlight leveller actuator, with xenon ballast, with gas discharge bulb, with bulbs</b> <b>Xenon/H9 headlight, right, with indicator light, with electr. headlight leveller actuator, with xenon ballast, with gas discharge bulb, with bulbs</b>  (E1) 590 (E1) 591  1x35W (D2S) 8GS 007 949-101 1x12V65W (H9) 8GH 008 357-001 1x12V5W (W5W) 8GP 003 594-121 1x12V21W (PY21W) 8GA 006 841-121
				
<b>A6 allroad (4BH)</b>	05/00->08/05	9EL 270 107-011	1	<b>Body/lens for auxiliary indicator light (white)</b>  (E26) 002 1x12V5W (W5W) 8GP 003 594-121
				



**Audi**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Audi</b>				
<b>A6 (4F2, 4F5)</b> A6 (-) S6, RS6	05/04->	1EE 008 880-011  1EE 008 880-021	1  1	<b>FF®-H7/H1 headlight, left, with indicator light, with electr. headlight leveller actuator, with bulbs</b> <b>FF®-H7/H1 headlight, right, with indicator light, with electr. headlight leveller actuator, with bulbs</b>  E1 1754  1x12V55W (H7) 8GH 007 157-121  1x12V55W (H1) 8GH 002 089-133  1x12V21W (PY21W) 8GA 006 841-121  1x12V5W (W5W) 8GP 003 594-121
A6 Special equipment (-) S6, RS6	05/04->	1EL 008 881-411  1EL 008 881-421	1  1	<b>Bi-Xenon® headlight, left, with indicator light, with daytime running light, with headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs</b> <b>Bi-Xenon® headlight, right, with indicator light, with daytime running light, with headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs</b>  E1 1754  2x35W (D2S) 8GS 007 949-101  1x12V21W (P21W) 8GA 002 073-121  1x12V21W (PY21W) 8GA 006 841-121  1x12V5W (W5W) 8GP 003 594-121
A6 Special equipment (-) S6, RS6	05/04->	1ZS 009 701-111  1ZS 009 701-121	1  1	<b>Bi-Xenon® headlight, left, with indicator light, with dynam. bend lighting, with daytime running light, with headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs</b> <b>Bi-Xenon® headlight, right, with indicator light, with dynam. bend lighting, with daytime running light, with headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs</b>  E1 1754  2x35W (D2S) 8GS 007 949-101  1x12V21W (P21W) 8GA 002 073-121  1x12V21W (PY21W) 8GA 006 841-121  1x12V5W (W5W) 8GP 003 594-121
A6	05/04->	5DV 008 855-017	70	<b>Ballast unit</b>



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Audi</b>				
A6 (4F2, 4F5) A6	05/04->	1N0 354 013-011 1N0 354 013-021	1 1	H7 fog light, left H7 fog light, right  E4 19052  1x12V55W (H7) 8GH 007 157-121
A6 Allroad (4FH) A6 Allroad	05/06->	1EE 008 880-011  1EE 008 880-021	1  1	H7/H1 headlight, left, with indicator light, with electr. headlight leveller actuator, with bulbs H7/H1 headlight, right, with indicator light, with electr. headlight leveller actuator, with bulbs  E1 1754  1x12V55W (H7) 8GH 007 157-121  1x12V55W (H1) 8GH 002 089-133  1x12V21W (PY21W) 8GA 006 841-121  1x12V5W (W5W) 8GP 003 594-121
A6 Allroad	05/06->	1EL 008 881-411  1EL 008 881-421	1  1	Bi-Xenon® headlight, left, with indicator light, with daytime running light, with headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs Bi-Xenon® headlight, right, with indicator light, with daytime running light, with headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs  E1 1754  2x35W (D2S) 8GS 007 949-101  1x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121  1x12V5W (W5W) 8GP 003 594-121



**Audi**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Audi</b>				
<b>A6 Allroad (4FH)</b> A6 Allroad	05/06->	1ZS 009 701-111  1ZS 009 701-121	1  1	<b>Bi-Xenon® headlight, left, with indicator light, with dynam. bend lighting, with daytime running light, with headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs Bi-Xenon® headlight, right, with indicator light, with dynam. bend lighting, with daytime running light, with headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs</b>  (E1) 1754  2x35W (D2S) 8GS 007 949-101  1x12V21W (P21W) 8GA 002 073-121  1x12V21W (PY21W) 8GA 006 841-121  1x12V5W (W5W) 8GP 003 594-121
A6 Allroad	05/06->	5DV 008 855-017	70	<b>Ballast unit</b>
A6 Allroad	05/06->	1N0 354 013-011 1N0 354 013-021	1 1	<b>H7 fog light, left H7 fog light, right</b>  (E4) 19052  1x12V55W (H7) 8GH 007 157-121
<b>A8 (4D2, 4D8)</b> A8 from chassis no. 4D-X-005 001	99->09/02	6NM 007 878-531	1	<b>Setting element, headlight levelling (for xenon headlight)</b>
A8	->12/98	9EL 156 099-811	1	<b>Body/lens set for auxiliary indicator lights (clear), with 2 amber bulbs</b>  (E13) 550  2x12V5W (WY5W) 8GP 003 594-541





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Audi</b>				
A8 (4D2, 4D8) A8	01/99->	9EL 270 107-011	1	Body/lens for auxiliary indicator light (white) E26 002 1x12V5W (W5W) 8GP 003 594-121
A8 (4E_) (-) W12	10/02->05/05	1EL 008 540-551 1EL 008 540-561	1 1	Bi-Xenon®/H7 headlight, left, with indicator light, with dynam. headlight leveller, without xenon ballast, without gas discharge bulb, without bulbs Bi-Xenon®/H7 headlight, right, with indicator light, with dynam. headlight leveller, without xenon ballast, without gas discharge bulb, without bulbs E1 1475  E1 1476 1x35W (D2S) 8GS 007 949-101 1x12V55W (H7) 8GH 007 157-121 1x12V5W (W5W) 8GP 003 594-121
A8 (-) W12	10/02->05/05	1ZS 008 540-651 1ZS 008 540-661	1 1	Bi-Xenon®/H7 headlight, left, with indicator light, with bend lighting, with headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs Bi-Xenon®/H7 headlight, right, with indicator light, with bend lighting, with headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs E1 1773  E1 1996 E1 1997 1x35W (D2S) 8GS 007 949-101 1x12V55W (H7) 8GH 007 157-121 1x12V35W (H8) 8GH 008 356-121 1x12V5W (W5W) 8GP 003 594-121
A8 (-) W12	06/05->	1EL 009 236-011 1EL 009 236-021	1 1	H7 headlight, left, with indicator light, with bulbs H7 headlight, right, with indicator light, with bulbs E1 1475  E1 1476 E1 1773 2x12V55W (H7) 8GH 007 157-121 1x12V5W (W5W) 8GP 003 594-121



**Audi**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Audi</b>				
<b>A8 (4E_)</b> A8 (-) W12	06/05->		1EL 009 236-611 1EL 009 236-621	1 <b>Bi-Xenon® headlight, left, with indicator light, with daytime running light, with headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs</b> 1 <b>Bi-Xenon® headlight, right, with indicator light, with daytime running light, with headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs</b>  Ⓔ1 1773 Ⓔ1 1994 Ⓔ1 1995  1x35W (D2S) 8GS 007 949-101  1x12V21W (P21W) 8GA 002 073-121  1x12V5W (W5W) 8GP 003 594-121
<b>S8</b>	06/06->		1N0 354 013-011 1N0 354 013-021	1 <b>H7 fog light, left</b> 1 <b>H7 fog light, right</b>  Ⓔ4 19052  1x12V55W (H7) 8GH 007 157-121
<b>Cabriolet (B4)</b> Cabriolet	05/91->08/00		1DJ 006 442-211 1DJ 006 442-221	1 <b>H4/H1 headlight, left, for vehicles with or without headlight leveller</b> 1 <b>H4/H1 headlight, right, for vehicles with or without headlight leveller</b>  Ⓔ1 44453 left Ⓔ1 44454 right  1x12V60/55W (H4) 8GJ 002 525-131  1x12V55W (H1) 8GH 002 089-133  1x12V5W (W5W) 8GP 003 594-121
<b>Cabriolet</b> (for conversion)	05/91->08/00		1AL 007 140-071 1AL 007 140-081  9ES 138 835-031 9ES 138 836-031	1 <b>DE-H1 headlight, left, for vehicles with or without headlight leveller, with bulbs</b> 1 <b>DE-H1 headlight, right, for vehicles with or without headlight leveller, with bulbs</b>  Ⓔ1 44512 <b>Spare Parts:</b> 2 Lens, left 2 Lens, right  2x12V55W (H1) 8GH 002 089-133  1x12V5W (W5W) 8GP 003 594-121
<b>Cabriolet</b>	05/91->08/00		6NM 007 282-211	1 <b>Setting element, headlight levelling</b>



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Audi</b>				
<b>Cabriolet (B4)</b> Cabriolet	05/91->01/98	1NL 005 150-111 1NL 005 150-121	1 1	<b>DE-H3 fog light, left</b> <b>DE-H3 fog light, right</b>  18242 1x12V55W (H3) 8GH 002 090-133
<b>Cabriolet</b> all models with auxiliary indicators as standard feature	05/91->08/00	2BM 003 647-021	1	<b>Auxiliary indicator light</b>  151 1x12V5W (W5W) 8GP 003 594-121
<b>Coupé (89, 8B)</b> Coupé (-) S2	10/88->08/91	1DJ 005 995-071 1DJ 005 995-081  9ES 136 143-001 9ES 136 144-001	1 1  1 1	<b>H4/H1 headlight, left, for vehicles with or without headlight leveller</b> <b>H4/H1 headlight, right, for vehicles with or without headlight leveller</b>  44434 left    44435 right <b>Spare Parts:</b> 1 Lens, left 1 Lens, right 1x12V60/55W (H4) 8GJ 002 525-131 1x12V55W (H1) 8GH 002 089-133 1x12V4W (T4W) 8GP 002 067-121
<b>Coupé</b>	10/88->08/91	1NL 005 150-051 1NL 005 150-061	1 1	<b>DE-H3 fog light, left</b> <b>DE-H3 fog light, right</b>  18208 1x12V55W (H3) 8GH 002 090-133
<b>Coupé</b> <b>Coupé S2</b>	09/91->12/96 10/88->12/96	1DJ 006 442-211 1DJ 006 442-221	1 1	<b>H4/H1 headlight, left, for vehicles with or without headlight leveller</b> <b>H4/H1 headlight, right, for vehicles with or without headlight leveller</b>  44453 left    44454 right 1x12V60/55W (H4) 8GJ 002 525-131 1x12V55W (H1) 8GH 002 089-133 1x12V5W (W5W) 8GP 003 594-121



**Audi**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Audi</b>				
<b>Coupé (89, 8B)</b> Coupé (The coupé models 09/91->12/95 can be converted)	09/91->12/96	1AL 007 140-071 1AL 007 140-081  9ES 138 835-031 9ES 138 836-031	1 1  2 2	<b>DE-H1 headlight, left, for vehicles with or without headlight leveller, with bulbs</b> <b>DE-H1 headlight, right, for vehicles with or without headlight leveller, with bulbs</b>  <b>Spare Parts:</b> Lens, left Lens, right 2x12V55W (H1) 8GH 002 089-133 1x12V5W (W5W) 8GP 003 594-121
<b>Coupé</b> <b>Coupé S2</b>	09/91->12/96 10/88->12/96		1	<b>Setting element, headlight levelling</b>
<b>Coupé</b>	09/91->12/96		1 1	<b>DE-H3 fog light, left</b> <b>DE-H3 fog light, right</b>  <b>E1</b> 18242  1x12V55W (H3) 8GH 002 090-133
<b>Q7</b> Q7	03/06->		1	<b>Setting element, headlight levelling (for halogen headlight)</b>
<b>Q7</b>	03/06->		1 1	<b>FF@-H7 fog light, left, with bulb</b> <b>FF@-H7 fog light, right, with bulb</b>  <b>E1</b> 1559  1x12V55W (H7) 8GH 007 157-121
<b>TT (8N)</b> TT (8N)	10/98->		1	<b>Body/lens for auxiliary indicator light (white)</b>  <b>E26</b> 002  1x12V5W (W5W) 8GP 003 594-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Audi</b>				
<b>V8 (D1)</b> V8 all models with auxiliary indicators as standard feature	10/88->02/94	2BM 003 647-021	1	<b>Auxiliary indicator light</b> E1 151 1x12V5W (W5W) 8GP 003 594-121
V8	10/88->02/94	9EL 126 339-061 9EL 126 340-061	1 1	<b>Body/lens for combination rearlight, left</b> <b>Body/lens for combination rearlight, right</b> E1 42762 E1 53344 1x12V10W (R10W) 8GA 002 071-131 1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V21W (P21W) 8GA 002 073-121
<b>80 (81, 85, B2)</b> 80	08/84->08/86	9EL 129 161-011 9EL 129 162-011	1 1	<b>Body/lens for indicator light, left</b> <b>Body/lens for indicator light, right</b> E1 42691 1x12V21W (P21W) 8GA 002 073-121
80 all models with auxiliary indicators as standard feature	08/84->08/86	2BM 003 647-021	1	<b>Auxiliary indicator light</b> E1 151 1x12V5W (W5W) 8GP 003 594-121
80	08/84->08/86	9EL 129 149-021 9EL 129 150-021	1 1	<b>Body/lens for combination rearlight, left</b> <b>Body/lens for combination rearlight, right</b> E1 53367 1x12V10W (R10W) 8GA 002 071-131 1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V21W (P21W) 8GA 002 073-121
80	08/78->08/86	2JA 002 931-031	5	<b>Interior light</b> 1x12V10W (K) 8GM 002 091-131



**Audi**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Audi</b>				
80 (89, 89Q, 8A, B3) 80	06/86->10/91	1AH 005 295-131 1AH 005 295-141  9ES 132 891-001 9ES 132 892-001	1 1  6 6	<b>H4 headlight, left, for vehicles with or without headlight leveller</b> <b>H4 headlight, right, for vehicles with or without headlight leveller</b>  (E1) 34578 left (E1) 34579 right  <b>Spare Parts:</b> Lens, left Lens, right 1x12V60/55W (H4) 8GJ 002 525-131 1x12V4W (T4W) 8GP 002 067-121
80	06/86->10/91	9EL 135 007-001 9EL 135 008-001	1 1	<b>Body/lens for indicator light (amber), left</b> <b>Body/lens for indicator light (amber), right</b>  (E1) 42750 1x12V21W (P21W) 8GA 002 073-121
80	06/86->10/91	2BA 005 296-031 2BA 005 296-041	1 1	<b>Indicator light (white), left, with bulb</b> <b>Indicator light (white), right, with bulb</b>  (E1) 52610 1x12V21W (PY21W) 8GA 006 841-121
80 all models with auxiliary indicators as standard feature	06/86->10/91	2BM 003 647-021	1	<b>Auxiliary indicator light</b>  (E1) 151 1x12V5W (W5W) 8GP 003 594-121
80	06/86->10/91	9EL 131 651-031 9EL 131 652-031	1 1	<b>Body/lens for combination rearlight, left</b> <b>Body/lens for combination rearlight, right</b>  (E1) 53399 1x12V10W (R10W) 8GA 002 071-131 1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V21W (P21W) 8GA 002 073-121





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Audi</b>				
80 (89, 89Q, 8A, B3) 80	06/86->10/91	9EM 131 613-021 9EM 131 614-021 9EL 131 613-031 9EL 131 614-031	1 1 1 1	Body/lens for rear fog and reverse light, left Body/lens for rear fog and reverse light, right Body/lens for reverse light, left Body/lens for reverse light, right  E1 8760 E1 18430 2x12V21W (P21W) 8GA 002 073-121
80 (8C, B4) 80 4/5 cyl. (-) S2	09/91->01/96	1AE 006 659-111 1AE 006 659-121  9ES 141 179-001 9ES 141 180-001	1 1  4 4	H4 headlight, left, for vehicles with or without headlight leveller H4 headlight, right, for vehicles with or without headlight leveller  E1 44481 left E1 44482 right  <b>Spare Parts:</b> Lens, left Lens, right 1x12V60/55W (H4) 8GJ 002 525-131 1x12V4W (T4W) 8GP 002 067-121
80 6 cyl.	09/91->01/96	1DJ 006 442-211 1DJ 006 442-221	1 1	H4/H1 headlight, left, for vehicles with or without headlight leveller H4/H1 headlight, right, for vehicles with or without headlight leveller  E1 44453 left E1 44454 right  1x12V60/55W (H4) 8GJ 002 525-131 1x12V55W (H1) 8GH 002 089-133 1x12V5W (W5W) 8GP 003 594-121
80 S2 (The 80 6 cyl. models 09/91-> can be converted)	07/93->01/96	1AL 007 140-071 1AL 007 140-081  9ES 138 835-031 9ES 138 836-031	1 1  2 2	DE-H1 headlight, left, for vehicles with or without headlight leveller, with bulbs DE-H1 headlight, right, for vehicles with or without headlight leveller, with bulbs  E1 44512  <b>Spare Parts:</b> Lens, left Lens, right 2x12V55W (H1) 8GH 002 089-133 1x12V5W (W5W) 8GP 003 594-121
80	09/91->01/96	6NM 007 282-211	1	Setting element, headlight levelling  






**Audi**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Audi</b>				
<b>80 (8C, B4)</b> 80	09/91->01/96	1NL 005 150-111 1NL 005 150-121	1 1	<b>DE-H3 fog light, left</b> <b>DE-H3 fog light, right</b>  E1 18242   1x12V55W (H3) 8GH 002 090-133
				
<b>80 4/5 cyl.</b>	09/91->01/96	9EL 141 605-011 9EL 141 606-011	1 1	<b>Body/lens for indicator light (white), left</b> <b>Body/lens for indicator light (white), right</b>  E1 52627   1x12V21W (PY21W) 8GA 006 841-121
				
<b>80</b> all models with auxiliary indicators as standard feature	09/91->01/96	2BM 003 647-021	1	<b>Auxiliary indicator light</b>  E1 151   1x12V5W (W5W) 8GP 003 594-121
				
<b>80</b> (-) Avant	09/91->12/94	9EL 140 347-021 9EL 140 348-021	1 1	<b>Body/lens for combination rearlight, left</b> <b>Body/lens for combination rearlight, right</b>  E1 63269   1x12V21/5W (P21/5W) 8GD 002 078-121  1x12V21W (P21W) 8GA 002 073-121
				
<b>80</b> (-) Avant	09/91->12/94	9EL 141 115-021 9EL 141 116-021	1 1	<b>Body/lens for rear fog and reverse light, left</b> <b>Body/lens for reverse light, right</b>  E13 1298   2x12V21W (P21W) 8GA 002 073-121
				
<b>90 (81, 85, B2)</b> 90 all models with auxiliary indicators as standard feature	10/84->03/87	2BM 003 647-021	1	<b>Auxiliary indicator light</b>  E1 151   1x12V5W (W5W) 8GP 003 594-121
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Audi</b>				
90 (81, 85, B2) 90	10/84->03/87 	9EL 129 149-021 9EL 129 150-021	1 1	<b>Body/lens for combination rearlight, left</b> <b>Body/lens for combination rearlight, right</b>  E1 53367  1x12V10W (R10W) 8GA 002 071-131 1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V21W (P21W) 8GA 002 073-121
90	10/84->03/87 	2JA 002 931-031	5	<b>Interior light</b>  1x12V10W (K) 8GM 002 091-131
90 (89, 89Q, 8A, B3) 90	04/87->09/91 	1DJ 005 995-071 1DJ 005 995-081  9ES 136 143-001 9ES 136 144-001	1 1  1 1	<b>H4/H1 headlight, left,</b> <b>for vehicles with or without headlight leveller</b> <b>H4/H1 headlight, right,</b> <b>for vehicles with or without headlight leveller</b>  E1 44434 left E1 44435 right  <b>Spare Parts:</b> Lens, left Lens, right  1x12V60/55W (H4) 8GJ 002 525-131  1x12V55W (H1) 8GH 002 089-133  1x12V4W (T4W) 8GP 002 067-121
90	04/87->09/91 	1NL 005 150-051 1NL 005 150-061	1 1	<b>DE-H3 fog light, left</b> <b>DE-H3 fog light, right</b>  E1 18208  1x12V55W (H3) 8GH 002 090-133
90 all models with auxiliary indicators as standard feature	04/87->09/91 	2BM 003 647-021	1	<b>Auxiliary indicator light</b>  E1 151  1x12V5W (W5W) 8GP 003 594-121
90	04/87->09/91 	9EL 131 651-031 9EL 131 652-031	1 1	<b>Body/lens for combination rearlight, left</b> <b>Body/lens for combination rearlight, right</b>  E1 53399  1x12V10W (R10W) 8GA 002 071-131 1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V21W (P21W) 8GA 002 073-121



**Audi**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Audi</b>				
100 (44, 44Q, C3) 100	08/82->11/90	1AH 004 089-071 1AH 004 089-081 1AH 004 089-291 1AH 004 089-301  9ES 131 955-001 9ES 131 956-001	1 1 1 1  6 6	H4 headlight, left, with manual headlight leveller H4 headlight, right, with manual headlight leveller H4 headlight, left, with electr. headlight leveller H4 headlight, right, with electr. headlight leveller  E1 34551 left E1 34552 right E1 34457 left E1 34458 right  <b>Spare Parts:</b> Lens, left Lens, right 1x12V60/55W (H4) 8GJ 002 525-131 1x12V4W (T4W) 8GP 002 067-121
100	08/82->11/90	9EL 127 353-011 9EL 127 354-011	1 1	Body/lens for indicator light (amber), left Body/lens for indicator light (amber), right  E1 42246 1x12V21W (P21W) 8GA 002 073-121
100 all models with auxiliary indicators as standard feature	08/82->11/90	2BM 003 647-021	1	Auxiliary indicator light  E1 151 1x12V5W (W5W) 8GP 003 594-121
100 (-) Avant	08/82->11/90	9EL 126 339-021 9EL 126 340-021	1 1	Body/lens for combination rearlight, left Body/lens for combination rearlight, right  E1 53344 1x12V10W (R10W) 8GA 002 071-131 1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V21W (P21W) 8GA 002 073-121
100 (-) Avant	08/82->11/90	9EM 126 345-021 9EM 126 346-021	1 1	Body/lens for rear fog and reverse light, left Body/lens for rear fog and reverse light, right  E1 8734 E1 18419 2x12V21W (P21W) 8GA 002 073-121




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Audi</b>				
<b>100 (4A, C4)</b> 100 (-) S4, TDI	12/90->07/94	<b>1AF 006 120-191</b> <b>1AF 006 120-201</b>  9ES 137 169-001 9ES 137 170-001	1 1  1 1	<b>H4 headlight, left, for vehicles with or without headlight leveller</b> <b>H4 headlight, right, for vehicles with or without headlight leveller</b>  (E1) 44451 left (E1) 44452 right  <b>Spare Parts:</b> Lens, left Lens, right 1x12V60/55W (H4) 8GJ 002 525-131 1x12V4W (T4W) 8GP 002 067-121
<b>100 S4, TDI</b>	08/91->06/94	<b>1EL 006 640-151</b> <b>1EL 006 640-161</b>  9ES 137 169-031 9ES 137 170-031	1 1  1 1	<b>DE-H1 headlight, left, with DE-H3 fog light, for vehicles with or without headlight leveller, with bulbs</b> <b>DE-H1 headlight, right, with DE-H3 fog light, for vehicles with or without headlight leveller, with bulbs</b>  (E1) 44478  <b>Spare Parts:</b> Lens, left Lens, right 2x12V55W (H1) 8GH 002 089-133 UV-Cut 1x12V55W (H3) 8GH 002 090-133 1x12V5W (W5W) 8GP 003 594-121
100	12/90->06/94	<b>6NM 007 282-211</b> 	1	<b>Setting element, headlight levelling</b>
100 (-) S4, TDI	12/90->06/94	<b>1NL 006 150-071</b> <b>1NL 006 150-081</b>  	1 1	<b>DE-H3 fog light, left, with bulb</b> <b>DE-H3 fog light, right, with bulb</b>  (E1) 18235  1x12V55W (H3) 8GH 002 090-133
100 (-) S4, TDI	12/90->06/94	<b>9EL 139 383-031</b> <b>9EL 139 384-031</b>  	1 1	<b>Body/lens for indicator light (amber), left</b> <b>Body/lens for indicator light (amber), right</b>  (E1) 52604  1x12V21W (P21W) 8GA 002 073-121




**Audi**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Audi</b>				
<b>100 (4A, C4)</b> 100 (-) S4, TDI	12/90->06/94	2BA 006 386-071 2BA 006 386-081	1 1	Indicator light (white), left, with bulb, for conversion Indicator light (white), right, with bulb, for conversion E1 52617 1x12V21W (PY21W) 8GA 006 841-121
				
<b>100 S4, TDI</b>	09/91->06/94	2BA 006 386-071 2BA 006 386-081	1 1	Indicator light (white), left, with bulb Indicator light (white), right, with bulb E1 52617 1x12V21W (PY21W) 8GA 006 841-121
				
<b>100</b> all models with auxiliary indicators as standard feature	12/90->06/94	2BM 003 647-021	1	Auxiliary indicator light E1 151 1x12V5W (W5W) 8GP 003 594-121
				
<b>100</b> (-) Avant, S4	12/90->06/94	9EL 138 567-031 9EL 138 568-031	1 1	Body/lens for combination rearlight, left Body/lens for combination rearlight, right E1 63256 1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V21W (P21W) 8GA 002 073-121
				
<b>100</b> (-) Avant, S4	12/90->06/94	9EL 138 567-061 9EL 138 568-061	1 1	Body/lens for combination rearlight (red), left, for conversion Body/lens for combination rearlight (red), right, for conversion E1 63256 E1 63266 1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V21W (P21W) 8GA 002 073-121
				




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Audi</b>				
<b>100 (4A, C4)</b> <b>100 S4</b> (-) Avant 	09/91->06/94	9EL 138 567-061 9EL 138 568-061	1 1	<b>Body/lens for combination rearlight (red), left</b> <b>Body/lens for combination rearlight (red), right</b> (E1) 63256 (E1) 63266 1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V21W (P21W) 8GA 002 073-121
<b>100 Avant</b> 	09/91->06/94	9EL 140 063-021 9EL 140 064-021	1 1	<b>Body/lens for combination rearlight, left</b> <b>Body/lens for combination rearlight, right</b> (E1) 63256 1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V21W (P21W) 8GA 002 073-121
<b>100, Avant</b> (-) S4 	09/91->06/94	9EL 138 463-031 9EL 138 464-031	1 1	<b>Body/lens for rear fog and reverse light, left</b> <b>Body/lens for rear fog and reverse light, right</b> (E1) 8787 (E1) 18444 2x12V21W (P21W) 8GA 002 073-121
<b>100</b> (-) Avant 	12/90->06/94	9EL 139 263-041	1	<b>Body/lens for rear panel (red), with reverse light left and right, and rear fog light, left</b> (E1) 8788 (E1) 18445 3x12V21W (P21W) 8GA 002 073-121
<b>100</b> (-) Avant  	12/90->06/94	9EL 145 909-041	1	<b>Body/lens for rear panel (red/grey), with reverse light left and right and rear fog light, left</b> (E4) 283 3x12V21W (P21W) 8GA 002 073-121




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Audi</b>				
200 (44, 44Q) 200 all models with auxiliary indicators as standard feature	06/83->12/91	2BM 003 647-021	1	<b>Auxiliary indicator light</b> 151 1x12V5W (W5W) 8GP 003 594-121
200	06/83->12/91	9EL 126 339-021 9EL 126 340-021	1 1	<b>Body/lens for combination rearlight, left</b> <b>Body/lens for combination rearlight, right</b> 53344 1x12V10W (R10W) 8GA 002 071-131 1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V21W (P21W) 8GA 002 073-121
<b>BMW</b>				
X5 (E53) X5 (E53)	12/03->01/07	1EL 224 486-211 1EL 224 486-221	1 1	<b>DE-H7/FF®-H1 headlight, left, with indicator light (white lens), with electr. headlight leveller actuator, with bulbs</b> <b>DE-H7/FF®-H1 headlight, right, with indicator light (white lens), with electr. headlight leveller actuator, with bulbs</b> 1x12V55W (H7) 8GH 007 157-121 1x12V55W (H1) 8GH 002 089-133 1x12V21W (PY21W) 8GA 006 841-121 1x12V10W (H10W)
X5 (E53)	12/03->01/07	1EL 224 485-411 1EL 224 485-421	1 1	<b>Bi-Xenon®/H1 headlight, left, with indicator light (clear lens), with dynam. headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bulbs</b> <b>Bi-Xenon®/H1 headlight, right, with indicator light (clear lens), with dynam. headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bulbs</b> 1x35W (D2S) 8GS 007 949-101 1x12V55W (H1) 8GH 002 089-133 1x12V21W (PY21W) 8GA 006 841-121 1x12V10W (H10W)



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>BMW</b>				
<b>X5 (E53)</b> X5 (E53)	12/03->01/07	5DV 008 855-017	70	Ballast unit
				
<b>3 (E21)</b> 3 (E21)	09/79->03/84	2JA 003 388-001	1	Interior light 1x12V10W (K) 8GM 002 091-131
				
<b>3 (E30)</b> 3 (E30) 316, 318i, 320i, 323i, 324d, 325e, 325i 325i Convertible	09/82->08/87 09/82->08/87 04/86->08/87	1D3 004 105-501	1	<b>H1 headlight, left, not suitable for headlight leveller, for vehicles without headlight lens cleaning system, spare parts available only</b> <b>H1 headlight, right, not suitable for headlight leveller, for vehicles without headlight lens cleaning system</b> (E1) 14464/1 (E1) 34419 (E4) 1043 <b>Spare Parts:</b> 1 Dipped-beam light unit, left 1 Dipped-beam light unit, right 1 Main-beam unit, right  2x12V55W (H1) 8GH 002 089-133  1x12V4W (T4W) 8GP 002 067-121
				
<b>3 (E30)</b> M3, 316i, 318i, 320i, 324d, 324td, 325i Saloon, Cabriolet Touring	09/87->08/88 09/87->08/88 04/88->08/88	1DL 005 630-011 1DL 005 630-021 9BG 134 888-011 1K3 134 855-011 1K3 134 856-011	1 1 1 1 1	<b>DE-H1 headlight, left, not suitable for headlight leveller</b> <b>DE-H1 headlight, right, not suitable for headlight leveller</b> (E1) 7405 (E1) 34572 <b>Spare Parts:</b> 1 Body with lens for dipped-beam, right 1 Main-beam unit, left 1 Main-beam unit, right  2x12V55W (H1) 8GH 002 089-133  1x12V5W (W5W) 8GP 003 594-121
				

**BMW**

Manufacturer Model	Model year	Part no.	Pk.	Note
<b>BMW</b>				
<b>3 (E30)</b>		<b>1DL 005 930-371</b>	1	<b>Super DE-H1 headlight, left, for vehicles with or without headlight leveller</b> <b>Super DE-H1 headlight, right, for vehicles with or without headlight leveller</b> (E1) 7407 (E1) 34572  <b>Spare Parts:</b> Body with lens for dipped-beam, left Body with lens for dipped-beam, right Reflector with lens (module) for dipped-beam light Main-beam unit, left Main-beam unit, right  2x12V55W (H1) 8GH 002 089-133  1x12V5W (W5W) 8GP 003 594-121
3 (E30)	09/88->06/94	<b>1DL 005 930-381</b>	1	
M3, 316i, 318i, 320i, 324d, 324td, 325i, 325iX Saloon	09/88->01/92			
Convertible	09/88->10/93	9BG 135 941-011 9BG 135 942-011 9DR 136 958-021	1 1 1	
Touring	09/88->06/94	1K3 134 855-011 1K3 134 856-011	1 1	
				
3 (E30)	09/82->08/87	<b>1NB 123 581-001</b> <b>1NB 123 582-001</b>	1 1	<b>H3 fog light unit, left</b> <b>H3 fog light unit, right</b> (E1) 8358 left (E1) 8359 right  1x12V55W (H3) 8GH 002 090-133
				
3 (E30)	09/82->08/87	<b>9EL 146 607-001</b>	5	<b>Lens for indicator light</b>  1x12V21W (P21W) 8GA 002 073-121
				
3 (E30) (-) M3	09/87->06/94	<b>2BA 007 275-011</b> <b>2BA 007 275-021</b>	1 1	<b>Indicator light (amber), left</b> <b>Indicator light (amber), right</b> (E1) 42766  1x12V21W (P21W) 8GA 002 073-121
				
3 (E30)	09/82->06/94	<b>2BM 003 933-031</b> <b>2BM 003 933-041</b>	1 1	<b>Auxiliary indicator light, left</b> <b>Auxiliary indicator light, right</b> (E1) 42627  1x12V5W (W5W) 8GP 003 594-121
				
3 (E30)	09/82->06/94	<b>2KA 004 331-031</b>	4	<b>Licence plate light</b> (E1) 22890  1x12V5W (C5W) 8GM 002 092-121
				
3 (E30) Saloon, Touring	09/82->06/94	<b>2JA 003 388-001</b>	1	<b>Interior light</b>  1x12V10W (K) 8GM 002 091-131
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>BMW</b>				
<b>3 (E36)</b>		<b>1AL 007 045-011</b>	1	<b>DE-H1 headlight, left</b>
<b>3 (E36)</b>	09/90->09/94	<b>1AL 007 045-021</b>	1	<b>DE-H1 headlight, right</b>
<b>M3, 316i, 318i, 318tds, 320i, 325i, 325td, 325tds Saloon</b>	09/90->09/94			(E12) 8026
<b>Coupé</b>	01/92->09/94			<b>The spare parts can be used for both Hella and ZKW headlights.</b>
<b>Convertible</b>	05/93->09/94	9ES 143 409-001	1	<b>Spare Parts:</b>
		9ES 143 410-001	1	Cover lens, left
		9GD 143 248-001	10	Cover lens, right
				Seal
				2x12V55W (H1) 8GH 002 089-133
				1x12V5W (W5W) 8GP 003 594-121
<b>3 (E36)</b>	10/94->10/99	<b>1AH 007 045-031</b>	1	<b>FF®-H7 headlight, left</b>
<b>M3, 316i, 318i, 318tds, 320i, 325i, 325td, 325tds Saloon</b>	10/94->02/98	<b>1AH 007 045-041</b>	1	<b>FF®-H7 headlight, right</b>
<b>Coupé</b>	10/94->04/99			(E12) 8044
<b>Convertible</b>	10/94->04/99			2x12V55W (H7) 8GH 007 157-121
<b>Touring</b>	05/95->10/99			1x12V5W (W5W) 8GP 003 594-121
<b>3 (E36) Compact</b>	03/94->08/00	<b>1AJ 007 143-091</b>	1	<b>FF®-HB4/HB3 headlight, left, suitable for headlight leveller, with bulbs</b>
<b>316i, 318ti, 318tds, 323ti Compact</b>	03/94->08/00	<b>1AJ 007 143-101</b>	1	<b>FF®-HB4/HB3 headlight, right, suitable for headlight leveller, with bulbs</b>
				(E1) 80 left (E1) 81 right
		9ES 145 251-005	4	<b>Spare Parts:</b>
		9ES 145 252-005	4	Cover lens, left (without optical pattern)
		9GD 142 757-031	4	Cover lens, right (without optical pattern)
			4	Seal
				1x12V51W (HB4) 8GH 005 636-121
				1x12V60W (HB3) 8GH 005 635-121
				1x12V5W (W5W) 8GP 003 594-121





**BMW**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>BMW</b>				
<b>3 (E36)</b>		<b>1AL 008 875-801</b>	<b>1</b>	<b>DE-H7/FF®-H7 headlight set (Upgrade) bright-metallized, with CELIS® position lights, with bulbs</b>
3 (E36)	09/90->08/00			Ⓔ1 1563 left Ⓔ1 1564 right
M3, 316i, 318i, 318is, 318tds, 320i, 323i 2.5, 325i, 325td, 325tds, 328i Saloon	09/90->02/98	1AL 008 875-011 1AL 008 875-021	1 1	<b>Spare Parts:</b> DE-H7/FF®-H7 headlight, left DE-H7/FF®-H7 headlight, right
Coupé	03/92->04/99			 4x12V55W (H7) 8GH 007 157-121
Convertible	03/93->04/99			
Compact	03/94->08/00			
Touring	01/95->10/99			
 <b>Design</b>				
<b>3 (E36)</b>		<b>1AL 008 875-851</b>	<b>1</b>	<b>DE-H7/FF®-H7 headlight set (Upgrade), black, with CELIS® position lights, with bulbs</b>
3 (E36)	09/90->08/00			Ⓔ1 1593 left Ⓔ1 1594 right
M3, 316i, 318i, 318is, 318tds, 320i, 323i 2.5, 325i, 325td, 325tds, 328i Saloon	09/90->02/98	1AL 008 875-111 1AL 008 875-121	1 1	<b>Spare Parts:</b> DE-H7/FF®-H7 headlight, left DE-H7/FF®-H7 headlight, right
Coupé	03/92->04/99			 4x12V55W (H7) 8GH 007 157-121
Convertible	03/93->04/99			
Compact	03/94->08/00			
Touring	01/95->10/99			
 <b>Design</b>				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>BMW</b>				
<b>3 (E36)</b>		<b>6NM 004 375-311</b>	1	<b>Setting element, headlight levelling</b>
3 (E36)	09/90->08/00			
Saloon	09/90->02/98			
Coupé	03/92->04/99			
Convertible	03/93->04/99			
Compact	03/94->08/00			
Touring	01/95->10/99			
				
<b>3 (E36)</b>	09/90->08/00	<b>1NB 006 270-051</b>	1	<b>FF®-H1 fog light, left</b>
Saloon	09/90->02/98	<b>1NB 006 270-061</b>	1	<b>FF®-H1 fog light, right</b>
Coupé	03/92->04/99			Ⓔ1 18236
Convertible	03/93->04/99			 1x12V55W (H1) 8GH 002 089-133
Compact	03/94->08/00			
Touring	01/95->10/99			
				
<b>3 (E36)</b>	09/90->09/96	<b>9EL 156 099-831</b>	1	<b>Body/lens set for auxiliary indicator lights (clear), with 2 amber bulbs</b>
Saloon	09/90->09/96			Ⓔ13 550
Coupé	03/92->09/96			 2x12V5W (WY5W) 8GP 003 594-541
Convertible	03/93->09/96			
Compact	03/94->09/96			
Touring	01/95->09/96			
		 		
<b>3 (E46) Saloon, Touring</b>		<b>1AL 008 403-011</b>	1	<b>H7 headlight, left, with electr. headlight leveller actuator, with bulbs</b>
3 (E46)	02/98->09/01	<b>1AL 008 403-021</b>	1	<b>H7 headlight, right, with electr. headlight leveller actuator, with bulbs</b>
316i, 318i, 320d, 320i, 323i Saloon	02/98->09/01			Ⓔ13 9175 left Ⓔ13 9176 right
Touring	10/99->09/01			 2x12V55W (H7) 8GH 007 157-121  1x12V5W (R5W) 8GA 002 071-121
				



**BMW**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>BMW</b>				
<b>3 (E46) Saloon, Touring</b> 3 (E46) 316i, 318i, 320d, 320i, 323i Saloon Touring	02/98->09/01 02/98->09/01 10/99->09/01	1AL 009 554-801	1	Upgrade headlight set, with integrated cornering light DynaView® Evo2, with bulbs  4x12V55W (H7) 8GH 007 157-121
				
<b>3 (E46)</b> 316i, 318d, 318i, 320d, 320i, 325i, 325iX, 330d, 330dX, 330i, 330iX Saloon, Touring	09/01->02/05 09/01->02/05	1AG 009 059-011 1AG 009 059-021	1 1	<b>H7 headlight, left, with electr. headlight leveller, with headlight leveller actuator, with bulbs</b> <b>H7 headlight, right, with electr. headlight leveller, with headlight leveller actuator, with bulbs</b>  9175  2x12V55W (H7) 8GH 007 157-121  1x12V5W (W5W) 8GP 003 594-121
				
<b>3 (E46) Saloon</b> Touring	02/98->09/01 02/98->09/01 10/99->09/01	1ND 007 646-011 1ND 007 646-021	1 1	<b>FF®-HB4 fog light, left, with bulb</b> <b>FF®-HB4 fog light, right, with bulb</b>  0305  1x12V51W (HB4) 8GH 005 636-121
				
<b>3 (E46) Saloon</b> Touring	02/98->09/01 02/98->09/01 10/99->09/01	2BA 008 404-011 2BA 008 404-021	1 1	<b>Indicator light (amber), left, with bulb</b> <b>Indicator light (amber), right, with bulb</b>  193 left  194 right  1x12V21W (P21W) 8GA 002 073-121
				





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>BMW</b>				
<b>3 (E46) Saloon, Touring</b>		<b>2BA 008 404-031</b>	1	<b>Indicator light (white), left, with bulb, for conversion</b>
3 (E46)	02/98->09/01	<b>2BA 008 404-041</b>	1	<b>Indicator light (white), right, with bulb, for conversion</b>
Saloon	02/98->09/01			1x12V21W (PY21W) 8GA 006 841-121
Touring	10/99->09/01			
<b>3 (E90) Saloon</b>		<b>2SK 010 083-801</b>	1	<b>LED Upgrade combination rearlight set (white/red)</b>
3 (E90) Saloon	01/05->			2334
318d, 318i, 320d, 320i, 320si, 325d, 325i, 325xi, 330d, 330i, 330xd, 330xi, 335d, 335i				10x12V21W (P21W) 8GA 002 073-121 2x12V21W (PY21W) 8GA 006 841-121
				2x12V21W (H21W) 8GH 008 417-001
<b>5 (E28)</b>				<b>H4/H1 headlight, spare parts available only</b>
5 (E28)	06/81->12/87			14464/1  24455
518, 518i, 520i, 524d, 524td, 525e, 525i, 528i		1A6 125 801-011	1	<b>Spare Parts:</b>
		1A6 125 792-011	1	H4 dipped-beam unit, left
			1	H4 dipped-beam unit, right
				1x12V60/55W (H4) 8GJ 002 525-131
				1x12V55W (H1) 8GH 002 089-133
				1x12V4W (T4W) 8GP 002 067-121
<b>5 (E28)</b>				<b>H3 fog light, spare parts available only</b>
	06/81->12/87			8358 left  8359 right
		1NB 123 581-001	1	<b>Spare Parts:</b>
		1NB 123 582-001	1	Light unit, left
			1	Light unit, right
				1x12V55W (H3) 8GH 002 090-133
<b>5 (E28)</b>				<b>Auxiliary indicator light, left</b>
	06/81->12/87	<b>2BM 003 933-031</b>	1	42627
		<b>2BM 003 933-041</b>	1	1x12V5W (W5W) 8GP 003 594-121

**BMW**

Manufacturer Model	Model year	Part no.	Pk.	Note
<b>BMW</b>				
5 (E28) 5 (E28)	06/81->12/87	9EL 156 099-831	1	<b>Body/lens set for auxiliary indicator lights (clear), with 2 amber bulbs</b> (E13) 550  2x12V5W (WY5W) 8GP 003 594-541
5 (E28) 518, 518i, 520i, 524d, 524td, 525e, 525i, 528i	06/81->12/87	2VP 003 685-071 2VP 003 685-081	1 1	<b>Combination rearlight, left, with reverse and rear fog light</b> <b>Combination rearlight, right, with reverse and rear fog light</b> (E1) 53321  1x12V5W (R5W) 8GA 002 071-121  4x12V21W (P21W) 8GA 002 073-121
5 (E28)	06/81->12/87	2KA 004 331-031	4	<b>Licence plate light</b> (E1) 22890  1x12V5W (C5W) 8GM 002 092-121
5 (E34) 5 (E34) 520i, 524td, 525i, 530i, 535i	01/88->08/88	9BG 136 027-011 9BG 136 028-011 1K3 132 253-011 1K3 132 266-011 9AH 131 741-011 9AH 131 740-011	1 1 1 1 2 2	<b>DE-H1 headlight, spare parts available only</b> (E1) 7401 (E1) 34572 <b>Spare Parts:</b> 1 Body with lens for dipped-beam, left 1 Body with lens for dipped-beam, right 1 Main-beam unit, left 1 Main-beam unit, right 2 Supporting frame, left 2 Supporting frame, right  2x12V55W (H1) 8GH 002 089-133  1x12V5W (W5W) 8GP 003 594-121
5 (E34) M5, 518i, 520i, 524td, 525td, 525tds, 525i, 525iX, 530i, 535i, 540i Saloon Touring	09/88->01/97 09/88->11/95 01/92->01/97	1DL 006 020-391 1DL 006 020-401 9BG 135 927-011 9BG 135 928-011 9DR 136 958-021 1K3 132 253-011 1K3 132 266-011 9AH 131 741-011 9AH 131 740-011	1 1 1 1 1 1 1 2 2	<b>Super DE-H1 headlight, left, for vehicles with or without headlight leveller</b> <b>Super DE-H1 headlight, right, for vehicles with or without headlight leveller</b> (E1) 7407 (E1) 34572 <b>Spare Parts:</b> 1 Body with lens for dipped-beam, left 1 Body with lens for dipped-beam, right 1 Reflector with lens (module) for dipped-beam light 1 Main-beam unit, left 1 Main-beam unit, right 2 Supporting frame, left 2 Supporting frame, right  2x12V55W (H1) 8GH 002 089-133  1x12V5W (W5W) 8GP 003 594-121




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>BMW</b>				
5 (E34) 5 (E34)	09/88->01/97	6NM 004 375-311	1	Setting element, headlight levelling
				
5 (E34)	01/88->12/88	1NL 005 680-011 1NL 005 680-021	1 1	DE-H1 fog light, left DE-H1 fog light, right
		9BG 135 163-011 9BG 135 164-011	1 1	Ⓔ1 18215 Ⓔ1 18222 <b>Spare Parts:</b> Body with lens, left Body with lens, right  1x12V55W (H1) 8GH 002 089-133
5 (E34)	01/89->01/97	1NL 005 680-111 1NL 005 680-121	1 1	Super DE-H1 fog light, left Super DE-H1 fog light, right
		9BG 135 163-011 9BG 135 164-011	1 1	Ⓔ1 18215 Ⓔ1 18222 <b>Spare Parts:</b> Body with lens, left Body with lens, right  1x12V55W (H1) 8GH 002 089-133
5 (E34)	01/88->01/97	9EL 156 099-831	1	Body/lens set for auxiliary indicator lights (clear), with 2 amber bulbs
	 <b>Design</b>			Ⓔ13 550  2x12V5W (WY5W) 8GP 003 594-541
5 (E34) M5, 518i, 520i, 524td, 525td, 525tds, 525i, 525iX, 530i, 535i, 540i Saloon	01/88->11/95 01/88->11/95	2VA 005 553-111 2VA 005 553-121	1 1	Combination rearlight (amber/red), left Combination rearlight (amber/red), right
				Ⓔ1 63215  1x12V10W (R10W) 8GA 002 071-131  2x12V21W (P21W) 8GA 002 073-121

**BMW**

Manufacturer Model	Model year	Part no.	Pk.	Note
<b>BMW</b>				
<b>5 (E34)</b>		<b>2VA 005 553-131</b>	1	<b>Combination rearlight (red/white), left, for conversion</b> <b>Combination rearlight (red/white), right, for conversion</b> (E1) 237 (E1) 63215  1x12V10W (R10W) 8GA 002 071-131 1x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121
5 (E34)	01/88->11/95	<b>2VA 005 553-141</b>	1	
M5, 518i, 520i, 524td, 525td, 525tds, 525i, 525iX, 530i, 535i, 540i Saloon	01/88->11/95			
				
<b>5 (E34)</b>		<b>2NR 005 554-111</b>	1	<b>Rear fog and reverse light, left</b> <b>Rear fog and reverse light, right</b> (E1) 8769 (E1) 18437  1x12V10W (K) 8GM 002 091-131 1x12V21W (P21W) 8GA 002 073-121
5 (E34)	01/88->11/95	<b>2NR 005 554-121</b>	1	
M5, 518i, 520i, 524td, 525td, 525tds, 525i, 525iX, 530i, 535i, 540i Saloon	01/88->11/95			
				
<b>5 (E39)</b>		<b>1EJ 007 400-051</b>	1	<b>FF@-H7/HB3 headlight, left, with body/lens for indicator light, with electr. headlight leveller actuator</b> <b>FF@-H7/HB3 headlight, right, with body/lens for indicator light, with electr. headlight leveller actuator</b> (E1) 297 <b>Spare Parts:</b> Cover lens, left (without optical pattern) Cover lens, right (without optical pattern)  1x12V55W (H7) 8GH 007 157-121  1x12V60W (HB3) 8GH 005 635-121  1x12V5W (W5W) 8GP 003 594-121  1x12V21W (P21W) 8GA 002 073-121
5 (E39)	11/95->08/00	<b>1EJ 007 400-061</b>	1	
520d, 520i, 523i, 525d, 525td, 525tds, 528i, 530d, 535i, 540i Saloon	11/95->08/00			
Touring	03/97->08/00	9ES 148 749-001	1	
except M5		9ES 148 750-001	1	
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>BMW</b>				
<b>5 (E39)</b>		<b>1EL 007 410-111</b>	1	<b>Xenon/HB3 headlight, left, with body/lens for indicator light, with headlight leveller actuator, with xenon ballast, with gas discharge bulb, without bulbs</b>
5 (E39)	11/95->08/00			
520d, 520i, 523i, 525d, 525td, 525tds, 528i, 530d, 535i, 540i Saloon	11/95->08/00	<b>1EL 007 410-121</b>	1	<b>Xenon/HB3 headlight, right, with body/lens for indicator light, with headlight leveller actuator, with xenon ballast, with gas discharge bulb, without bulbs</b>
Touring	03/97->08/00			
Special equipment except M5				
		5DV 007 760-651	1	Xenon ballast (2x)
		9ES 148 749-001	1	Cover lens, left (without optical pattern)
		9ES 148 750-001	1	Cover lens, right (without optical pattern)
				1x35W (D2S) 8GS 007 949-101
				1x12V60W (HB3) 8GH 005 635-121
				1x12V6W (H6W) 8GH 007 643-121
				1x12V21W (P21W) 8GA 002 073-121



**BMW**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>BMW</b>				
<b>5 (E39)</b>				<b>Conversion for vehicles -&gt;08/2000 with halogen dipped-beam light as standard</b>
5 (E39)	11/95->08/00			<b>DE-H7/FF®-H7 headlight with amber indicator light lenses, the following components must be ordered:</b>
520d, 520i, 523i, 525d, 525td, 525tds, 528i, 530d, 535i, 540i Saloon	11/95->08/00			
Touring	03/97->08/00	1EL 008 053-511	1	<b>DE-H7/FF®-H7 headlight, left, with indicator light (amber lens), with headlight leveller actuator, with bulbs</b>
		1EL 008 053-521	1	<b>DE-H7/FF®-H7 headlight, right, with indicator light (amber lens), with headlight leveller actuator, with bulbs</b>
		8KB 157 198-801	1	<b>Harness</b> E1 1182
		9DX 153 746-011	1	<b>Spare Parts:</b> Reflectorgroup (CELIS®)  2x12V55W (H7) 8GH 007 157-121  1x12V21W (H21W) 8GH 008 417-001
				<b>DE-H7/FF®-H7 headlight with clear indicator light lenses, the following components must be ordered:</b>
		1EL 008 053-571	1	<b>DE-H7/FF®-H7 headlight, left, with indicator light (clear lens), with headlight leveller actuator, with bulbs</b>
		1EL 008 053-581	1	<b>DE-H7/FF®-H7 headlight, right, with indicator light (clear lens), with headlight leveller actuator, with bulbs</b>
		8KB 157 198-801	1	<b>Harness</b> E1 1182
		9DX 153 746-011	1	<b>Spare Parts:</b> Reflectorgroup (CELIS®)  2x12V55W (H7) 8GH 007 157-121  1x12V21W (PY21W) 8GA 006 841-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>BMW</b>				
<b>5 (E39)</b>				<b>Conversion for vehicles -&gt;08/2000 with xenon dipped-beam as standard</b>
5 (E39)	11/95->08/00			<b>Xenon/FF®-H7 headlights with amber indicator light lenses:</b>
M5, 520d, 520i, 523i, 525d, 525td, 525tds, 528i, 530d, 535i, 540i Saloon	11/95->08/00	1EL 008 052-511	1	<b>Xenon/FF®-H7 headlight, left, with indicator light (amber lens), with headlight leveller actuator, without xenon ballast, with gas discharge bulb, with bulbs</b>
Touring	03/97->08/00	1EL 008 052-521	1	<b>Xenon/FF®-H7 headlight, right, with indicator light (amber lens), with headlight leveller actuator, without xenon ballast, with gas discharge bulb, with bulbs</b>
		1EL 008 052-571	1	<b>Xenon/FF®-H7 headlight, left, with indicator light (clear lens), with headlight leveller actuator, without xenon ballast, with gas discharge bulb, with bulbs</b>
		1EL 008 052-581	1	<b>Xenon/FF®-H7 headlight, right, with indicator light (clear lens), with headlight leveller actuator, without xenon ballast, with gas discharge bulb, with bulbs</b>
				ⓔ1 1182
				<b>The following additional components must be ordered:</b>
		5DV 007 760-651	1	<b>Xenon ballast (2x for vehicles -&gt;09/98)</b>
		8KB 157 198-801	1	<b>Harness</b>
		9DX 153 746-011	1	<b>Spare Parts:</b> Reflectorgroup (CELIS®)
				 1x35W (D2S) 8GS 007 949-101
				 2x12V55W (H7) 8GH 007 157-121
				 1x12V21W (PY21W) 8GA 006 841-121
				 1x12V21W (H21W) 8GH 008 417-001
<b>5 (E39)</b>	09/00->06/04	1EL 008 053-511	1	<b>DE-H7/FF®-H7 headlight, left, with indicator light (amber lens), with headlight leveller actuator, with bulbs</b>
520i, 525d, 525i, 525td, 525tds, 530d, 535i, 540i Saloon	09/00->07/03	1EL 008 053-521	1	<b>DE-H7/FF®-H7 headlight, right, with indicator light (amber lens), with headlight leveller actuator, with bulbs</b>
(-) M5				ⓔ1 1182
Touring	09/00->06/04	9DX 153 746-011	1	<b>Spare Parts:</b> Reflectorgroup (CELIS®)
				 2x12V55W (H7) 8GH 007 157-121
				 1x12V21W (H21W) 8GH 008 417-001



**BMW**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>BMW</b>				
<b>5 (E39)</b>		<b>1EL 008 053-571</b>	1	<b>DE-H7/FF®-H7 headlight, left, with indicator light (clear lens), with headlight leveller actuator, with bulbs</b>
5 (E39)	09/00->06/04	<b>1EL 008 053-581</b>	1	<b>DE-H7/FF®-H7 headlight, right, with indicator light (clear lens), with headlight leveller actuator, with bulbs</b>
M5, 520i, 525d, 525i, 525td, 525tds, 530d, 535i, 540i Saloon	09/00->07/03			Ⓔ1 1182
Touring	09/00->06/04	9DX 153 746-011	1	<b>Spare Parts:</b> Reflectorgroup (CELIS®)  2x12V55W (H7) 8GH 007 157-121  1x12V21W (PY21W) 8GA 006 841-121
				
<b>5 (E39)</b>		<b>1EL 008 052-511</b>	1	<b>Xenon/FF®-H7 headlight, left, with indicator light (amber lens), with headlight leveller actuator, without xenon ballast, with gas discharge bulb, with bulbs</b>
520i, 525d, 525i, 525td, 525tds, 530d, 535i, 540i Saloon	09/00->07/03	<b>1EL 008 052-521</b>	1	<b>Xenon/FF®-H7 headlight, right, with indicator light (amber lens), with headlight leveller actuator, without xenon ballast, with gas discharge bulb, with bulbs</b>
(-) M5				Ⓔ1 1182
Touring	09/00->06/04	9DX 153 746-011	1	<b>Spare Parts:</b> Reflectorgroup (CELIS®)  1x35W (D2S) 8GS 007 949-101  2x12V55W (H7) 8GH 007 157-121  1x12V21W (H21W) 8GH 008 417-001
				
<b>5 (E39)</b> M5	09/00->07/03	<b>1EL 008 052-571</b>	1	<b>Xenon/FF®-H7 headlight, left, with indicator light (clear lens), with headlight leveller actuator, without xenon ballast, with gas discharge bulb, with bulbs</b>
		<b>1EL 008 052-581</b>	1	<b>Xenon/FF®-H7 headlight, right, with indicator light (clear lens), with headlight leveller actuator, without xenon ballast, with gas discharge bulb, with bulbs</b>
		9DX 153 746-011	1	Ⓔ1 1182 <b>Spare Parts:</b> Reflectorgroup (CELIS®)  1x35W (D2S) 8GS 007 949-101  2x12V55W (H7) 8GH 007 157-121  1x12V21W (PY21W) 8GA 006 841-121
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>BMW</b>				
5 (E39)		5DV 007 760-651	1	Ballast unit
5 (E39)	11/95->06/04			
5 (E39)	11/95->08/00	9ES 152 179-801	1	<b>Cover lens set for headlights (without optical pattern), with lenses for indicator light (clear) and 12V21W (PY21W)-Long Life-bulbs, for conversion</b>
		9ES 152 179-001	1	<b>Spare Parts:</b> Cover lens (without optical pattern), left, with lens for indicator light (clear) and 12V21W (PY21W)-Long Life-bulb
		9ES 152 180-001	1	Cover lens (without optical pattern), right, with lens for indicator light (clear) and 12V21W (PY21W)-Long Life-bulb 2x12V21W (PY21W) Long Life
5 (E39)	09/97->08/00	1NA 009 026-011	1	<b>FF®-H7 fog light, left, with bulb</b>
		1NA 009 026-021	1	<b>FF®-H7 fog light, right, with bulb</b>
				19094 1x12V55W (H7) 8GH 007 157-121
5 (E39)	11/95->08/00	9EL 146 293-031	1	<b>Body/lens for combination rearlight (amber/red), left, with reverse and rear fog light</b>
520d, 520i, 523i, 525d, 525td, 525tds, 528i, 530d, 535i, 540i Saloon	11/95->08/00	9EL 146 294-031	1	<b>Body/lens for combination rearlight (amber/red), right, with reverse and rear fog light</b>
(-) M5				
				285 2x12V5W (R5W) 8GA 002 071-121 4x12V21W (P21W) 8GA 002 073-121

**BMW**

Manufacturer Model	Model year	Part no.	Pk.	Note
<b>BMW</b>				
<b>5 (E39)</b> 5 (E39) 520d, 520i, 523i, 525d, 525td, 525tds, 528i, 530d, 535i, 540i Saloon (-) M5	11/95->08/00 11/95->08/00	<b>2VP 007 240-091</b>  <b>2VP 007 240-101</b>	1  1	<b>Combination rearlight (red/white), left, with reverse and rear fog light, with 12V21W (PY21W) bulb, for conversion</b> <b>Combination rearlight (red/white), right, with reverse and rear fog light, with 12V21W (PY21W) bulb, for conversion</b> (E1) 567  2x12V5W (R5W) 8GA 002 071-121 1x12V21W (PY21W) 8GA 006 841-121 3x12V21W (P21W) 8GA 002 073-121
<b>5 (E39)</b> M5 Saloon	12/98->08/00	<b>2VP 007 240-091</b>  <b>2VP 007 240-101</b>	1  1	<b>Combination rearlight (red/white), left, with reverse and rear fog light, with 12V21W (PY21W) bulb</b> <b>Combination rearlight (red/white), right, with reverse and rear fog light, with 12V21W (PY21W) bulb</b> (E1) 567  2x12V5W (R5W) 8GA 002 071-121 1x12V21W (PY21W) 8GA 006 841-121 3x12V21W (P21W) 8GA 002 073-121
<b>5 (E39)</b> 520d, 520i, 523i, 525d, 525td, 525tds, 528i, 530d, 535i, 540i Saloon	11/95->08/00 11/95->08/00	<b>2VP 008 272-821</b>  9EL 153 567-061 9EL 153 568-061	1  1 1	<b>CELIS® LED combination rearlight set (black/red), with LED tail light</b> (E1) 1070 (E1) 1071 <b>Spare Parts:</b> Body/lens, left Body/lens, right  4x12V21W (P21W) 8GA 002 073-121 2x12V21W (PY21W) 8GA 006 841-121  2x12V16W (W16W) 8GA 008 246-001



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>BMW</b>				
<b>5 (E39)</b> 5 (E39) 520d, 520i, 523i, 525d, 525td, 525tds, 528i, 530d, 535i, 540i Saloon	11/95->08/00 11/95->08/00	2VP 008 272-861  9EL 153 567-101 9EL 153 568-101	1  1 1	<b>CELIS® LED combination rearlight set (white/red), with LED tail light</b> (E1) 1070 (E1) 1071 <b>Spare Parts:</b> Body/lens, left Body/lens, right 6x12V21W (P21W) 8GA 002 073-121 2x12V21W (PY21W) 8GA 006 841-121
				
<b>5 (E39)</b> 520d, 520i, 523i, 525d, 525td, 525tds, 528i, 530d, 535i, 540i Saloon	11/95->08/00 11/95->08/00	2SK 008 272-831  9EL 153 567-071 9EL 153 568-071	1  1 1	<b>CELIS® LED combination rearlight set (brilliant silver), with LED tail light</b> (E1) 1070 (E1) 1071 <b>Spare Parts:</b> Body/lens, left Body/lens, right 6x12V21W (P21W) 8GA 002 073-121 2x12V21W (PY21W) 8GA 006 841-121
				
<b>5 (E39)</b> 520i, 525d, 525i, 525td, 525tds, 530d, 535i, 540i Saloon  (-) M5	09/00->07/03	2VP 008 272-231  2VP 008 272-241	1  1	<b>Combination rearlight, left, with reverse and rear fog light, with LED tail light, with bulbs, indicator with amber lens</b> <b>Combination rearlight, right, with reverse and rear fog light, with LED tail light, with bulbs, indicator with amber lens</b> (E1) 1070 4x12V21W (P21W) 8GA 002 073-121
				

**BMW**

Manufacturer Model	Model year	Part no.	Pk.	Note
<b>BMW</b>				
<b>5 (E39)</b> 5 (E39) 520i, 525d, 525i, 525td, 525tds, 530d, 535i, 540i Saloon (-) M5	09/00->07/03	2VP 008 272-211	1	<b>Combination rearlight, left, with reverse and rear fog light, with LED tail light, with bulbs, indicator with clear lens, for conversion</b> <b>Combination rearlight, right, with reverse and rear fog light, with LED tail light, with bulbs, indicator with clear lens, for conversion</b> (E1) 1070 (E1) 1071  3x12V21W (P21W) 8GA 002 073-121  1x12V21W (PY21W) 8GA 006 841-121
		2VP 008 272-221	1	
<b>5 (E39)</b> M5 Saloon	09/00->07/03	2VP 008 272-211	1	<b>Combination rearlight, left, with reverse and rear fog light, with LED tail light, with bulbs, indicator with clear lens</b> <b>Combination rearlight, right, with reverse and rear fog light, with LED tail light, with bulbs, indicator with clear lens</b> (E1) 1070 (E1) 1071  3x12V21W (P21W) 8GA 002 073-121  1x12V21W (PY21W) 8GA 006 841-121
		2VP 008 272-221	1	
<b>5 (E39)</b> 520i, 525d, 525i, 525td, 525tds, 530d, 535i, 540i Saloon	09/00->07/03	2VP 008 272-811	1	<b>CELIS® LED combination rearlight set (grey/red), with LED tail light</b> (E1) 1070 (E1) 1071 <b>Spare Parts:</b> 1 Body/lens, left 1 Body/lens, right  6x12V21W (P21W) 8GA 002 073-121  2x12V21W (PY21W) 8GA 006 841-121
		9EL 153 567-051 9EL 153 568-051	1 1	
<b>5 (E39)</b> 520i, 525d, 525i, 525td, 525tds, 530d, 535i, 540i Saloon	09/00->07/03	2SK 008 272-801	1	<b>CELIS® LED combination rearlight set (brilliant silver), with LED tail light</b> (E1) 1070 (E1) 1071 <b>Spare Parts:</b> 1 Body/lens, left 1 Body/lens, right  6x12V21W (P21W) 8GA 002 073-121  2x12V21W (PY21W) 8GA 006 841-121
		9EL 153 567-041 9EL 153 568-041	1 1	



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>BMW</b>				
<b>5 (E60, E61)</b>		<b>1EF 008 673-071</b>	1	<b>FF®-H7 headlight, left, with indicator light (white lens), with white LED side-marker light, with dynam. headlight leveller actuator, with bulbs</b>
5 (E60, E61)	07/03->03/07			
520d, 520i, 523i, 525d, 525i, 525xi, 530d, 530i, 530xd, 530xi, 535d, 540i, 545i, 550i Saloon	07/03->03/07	<b>1EF 008 673-081</b>	1	<b>FF®-H7 headlight, right, with indicator light (white lens), with white LED side-marker light, with dynam. headlight leveller actuator, with bulbs</b>
Touring	06/04->03/07			
				(E1) 1490 left (E1) 1491 right 2x12V55W (H7) 8GH 007 157-121 1x12V21W (PY21W) 8GA 006 841-121 2x12V5W (W5W) 8GP 003 594-121
<b>5 (E60, E61)</b>		<b>1EL 160 295-001</b>	1	<b>Bi-Xenon®/FF®-H7 headlight, left, with indicator light (white lens), with white LED side-marker light, with dynam. headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs</b>
M5, 520i, 525d, 525i, 530d, 530i, 530xd, 535d, 545i Saloon	07/03->12/04			
Touring	06/04->12/04	<b>1EL 160 296-001</b>	1	<b>Bi-Xenon®/FF®-H7 headlight, right, with indicator light (white lens), with white LED side-marker light, with dynam. headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs</b>
				(E1) 1490 left (E1) 1491 right (E1) 1494 left and right 1x35W (D2S) 8GS 007 949-101 1x12V55W (H7) 8GH 007 157-121 1x12V21W (PY21W) 8GA 006 841-121
<b>5 (E60, E61)</b>		<b>1EL 160 287-011</b>	1	<b>Bi-Xenon®/FF®-H7 headlight, left, with indicator light (white lens), with bend lighting, with white LED side-marker light, with dynam. headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs</b>
M5, 520i, 525d, 525i, 530d, 530i, 530xd, 535d, 545i Saloon	07/03->12/04			
Touring	06/04->12/04	<b>1EL 160 288-011</b>	1	<b>Bi-Xenon®/FF®-H7 headlight, right, with indicator light (white lens), with bend lighting, with white LED side-marker light, with dynam. headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs</b>
				(E1) 1494 1x35W (D2S) 8GS 007 949-101 1x12V55W (H7) 8GH 007 157-121 1x12V21W (PY21W) 8GA 006 841-121



**BMW**




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>BMW</b>				
<b>5 (E60, E61)</b>	01/05->03/07	1EL 163 079-001	1	Bi-Xenon®/FF®-H7 headlight, left, with indicator light (white lens), with static bend lighting, with white LED side-marker light, with dynam. headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs
5 (E60, E61) 520d, 520i, 523i, 525d, 525i, 525xi, 530d, 530i, 530xd, 530xi, 535d, 540i, 545i, 550i Saloon, Touring		1EL 163 080-001	1	Bi-Xenon®/FF®-H7 headlight, right, with indicator light (white lens), with static bend lighting, with white LED side-marker light, with dynam. headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs
		 E1 1494  E1 1495  1x35W (D1S) 8GS 009 028-001  1x12V55W (H7) 8GH 007 157-121  1x12V21W (PY21W) Silver Vision		
<b>5 (E60, E61)</b>	01/05->03/07	1EL 163 073-011	1	Bi-Xenon®/FF®-H7 headlight, left, with indicator light (white lens), with dynam. bend lighting, with white LED side-marker light, with electr. headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs
5 (E60, E61) 520d, 520i, 523i, 525d, 525i, 525xi, 530d, 530i, 530xd, 530xi, 535d, 540i, 545i, 550i Saloon, Touring		1EL 163 074-011	1	Bi-Xenon®/FF®-H7 headlight, right, with indicator light (white lens), with dynam. bend lighting, with white LED side-marker light, with electr. headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs
		 E1 1494  1x35W (D1S) 8GS 009 028-001  1x12V55W (H7) 8GH 007 157-121  1x12V21W (PY21W) Silver Vision  1x12V10W (R10W) 8GA 002 071-121		
<b>5 (E60, E61)</b> Saloon, Touring	07/03->12/04	5DV 008 855-017	70	<b>Ballast unit</b>
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>BMW</b>				
<b>5 (E60, E61)</b>	07/03->03/07	<b>2VP 008 679-111</b>	1	<b>Combination rearlight (clear/red), left, with reverse and rear fog light, with bulbs</b>
5 (E60) M5, 520d, 520i, 523i, 525d, 525i, 525xi, 530d, 530i, 530xd, 530xi, 535d, 540i, 545i, 550i Saloon		<b>2VP 008 679-121</b>	1	<b>Combination rearlight (clear/red), right, with reverse and rear fog light, with bulbs</b>
				(E4) 10139 1x12V16W (W16W) 8GA 008 246-001
<b>5 (E60)</b>	07/03->03/07	<b>2SK 008 679-811</b>	1	<b>Upgrade combination rearlight set (brilliant), with Diadem bulbs</b>
5 (E60) M5, 520d, 520i, 523i, 525d, 525i, 525xi, 530d, 530i, 530xd, 530xi, 535d, 540i, 545i, 550i Saloon		9EL 158 251-061	1	Body/lens, left
		9EL 158 252-061	1	Body/lens, right
<b>5 (E60)</b>	07/03->03/07	<b>2SK 008 679-831</b>	1	<b>Upgrade combination rearlight set (brilliant/red), with Diadem bulbs</b>
5 (E60) M5, 520d, 520i, 523i, 525d, 525i, 525xi, 530d, 530i, 530xd, 530xi, 535d, 540i, 545i, 550i Saloon		9EL 158 251-071	1	Body/lens, left
		9EL 158 252-071	1	Body/lens, right

**BMW**

Manufacturer Model	Model year	Part no.	Pk.	Note
<b>BMW</b>				
<b>5 (E60, E61)</b> 5 (E60) M5, 520d, 520i, 523i, 525d, 525i, 525xi, 530d, 530i, 530xd, 530xi, 535d, 540i, 545i, 550i Saloon	07/03->03/07	9EL 008 679-841  9EL 158 251-101 9EL 158 252-101	1  1 1	<b>Upgrade combination rearlight set (black), without bulb holder</b>  E4 10139  <b>Spare Parts:</b> Body/lens, left Body/lens, right
				
<b>6 (E24)</b> 6 (E24) 628 CSi, 635 CSi	06/82->05/87	1K3 126 680-001	1	<b>H1 spotlight unit, right</b>  E1 14464
				
<b>6 (E24)</b>	06/82->05/87	1NB 123 581-001 1NB 123 582-001	1 1	<b>H3 fog light unit, left</b> <b>H3 fog light unit, right</b>  E1 8358 left E1 8359 right   1x12V55W (H3) 8GH 002 090-133
				
<b>6 (E24)</b>	04/76->09/90	2BM 003 933-031 2BM 003 933-041	1 1	<b>Auxiliary indicator light, left</b> <b>Auxiliary indicator light, right</b>  E1 42627   1x12V5W (W5W) 8GP 003 594-121
				
<b>6 (E24)</b>	04/76->09/90	9EL 156 099-831	1	<b>Body/lens set for auxiliary indicator lights (clear), with 2 amber bulbs</b>  E13 550   2x12V5W (WY5W) 8GP 003 594-541
				
<b>6 (E24)</b>	04/76->09/90	2KA 004 331-031	4	<b>Licence plate light</b>  E1 22890   1x12V5W (C5W) 8GM 002 092-121
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>BMW</b>				
<b>7 (E23)</b> 7 (E23) 728i, 732i, 735i, 745i	07/82->08/86	<b>1A6 125 801-011</b> <b>1A6 125 792-011</b>	1 1	<b>H4 dipped-beam unit, left</b> <b>H4 dipped-beam unit, right</b> 24455 1x12V60/55W (H4) 8GJ 002 525-131 1x12V4W (T4W) 8GP 002 067-121
<b>7 (E23)</b>	07/82->08/86	<b>1NB 123 581-001</b> <b>1NB 123 582-001</b>	1 1	<b>H3 fog light unit, left</b> <b>H3 fog light unit, right</b> 8358 left  8359 right 1x12V55W (H3) 8GH 002 090-133
<b>7 (E23)</b>	05/77->08/86	<b>2KA 004 331-031</b>	4	<b>Licence plate light</b> 22890 1x12V5W (C5W) 8GM 002 092-121
<b>7 (E32)</b> 7 (E32) 730i, 735i, 750i	09/86->08/88	9BG 136 027-011 9BG 136 028-011 1K3 132 253-011 1K3 132 266-011 9AH 131 741-011 9AH 131 740-011		<b>DE-H1 headlight, spare parts available only</b> 7401  34572 <b>Spare Parts:</b> 1 Body with lens for dipped-beam, left 1 Body with lens for dipped-beam, right 1 Main-beam unit, left 1 Main-beam unit, right 2 Supporting frame, left 2 Supporting frame, right 2x12V55W (H1) 8GH 002 089-133 1x12V5W (W5W) 8GP 003 594-121
<b>7 (E32)</b> 730i, 735i, 740i, 750i	09/88->09/94	<b>1DL 005 900-451</b> <b>1DL 005 900-461</b>	1 1	<b>Super DE-H1 headlight, left, for vehicles with or without headlight leveller</b> <b>Super DE-H1 headlight, right, for vehicles with or without headlight leveller</b> 7407  34572 <b>Spare Parts:</b> 1 Body with lens for dipped-beam, left 1 Body with lens for dipped-beam, right 1 Reflector with lens (module) for dipped-beam light 1 Main-beam unit, left 1 Main-beam unit, right 2 Supporting frame, left 2 Supporting frame, right 2x12V55W (H1) 8GH 002 089-133 1x12V5W (W5W) 8GP 003 594-121

**BMW**

Manufacturer Model	Model year	Part no.	Pk.	Note
<b>BMW</b>				
7 (E32) 7 (E32)	09/88->09/94	6NM 004 375-311	1	Setting element, headlight levelling 
7 (E32)	09/86->12/88	1NL 005 230-051 1NL 005 230-061	1 1	DE-H1 fog light, left DE-H1 fog light, right  E1 18206 E1 18221  1x12V55W (H1) 8GH 002 089-133
7 (E32)	01/89->09/94	1NL 005 230-111 1NL 005 230-121	1 1	DE-H1 fog light, left DE-H1 fog light, right  E1 18206 E1 18221  1x12V55W (H1) 8GH 002 089-133
7 (E32)	09/86->09/94	2BM 003 933-031 2BM 003 933-041	1 1	Auxiliary indicator light, left Auxiliary indicator light, right  E1 42627  1x12V5W (W5W) 8GP 003 594-121
7 (E32)	09/86->09/94	9EL 156 099-831	1	Body/lens set for auxiliary indicator lights (clear), with 2 amber bulbs  E13 550  2x12V5W (WY5W) 8GP 003 594-541 <b>Design</b>
7 (E32)	09/86->09/94	2KA 004 331-031	4	Licence plate light  E1 22890  1x12V5W (C5W) 8GM 002 092-121
7 (E38) 7 (E38) (-) Diesel	10/94->11/01	1NA 007 039-011 1NA 007 039-021	1 1	FF®-H3 fog light, left, with bulb FF®-H3 fog light, right, with bulb  E1 41  1x12V55W (H3) 8GH 002 090-133



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>BMW</b>				
<b>7 (E65, E66)</b> 7 (E65, E66) 730d, 730i, 735i, 740d, 745d, 745i, 760i	11/01->04/05	1EL 008 420-311  1EL 008 420-321	1  1	<b>DE-H7/FF®-H7 headlight, left, with indicator light (amber lens), with headlight leveller actuator, with bulbs</b> <b>DE-H7/FF®-H7 headlight, right, with indicator light (amber lens), with headlight leveller actuator, with bulbs</b> (E1) 1284 2x12V55W (H7) 8GH 007 157-121 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (W5W) 8GP 003 594-121
<b>7 (E65, E66)</b> 730d, 730i, 735i, 740d, 745d, 745i, 760i	11/01->04/05	1EL 158 075-011  1EL 158 076-011	1  1	<b>Bi-Xenon®/H7 headlight, left, with indicator light (amber lens), with electr. headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs</b> <b>Bi-Xenon®/H7 headlight, right, with indicator light (amber lens), with electr. headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs</b> (E1) 1284 1x35W (D2S) 8GS 007 949-101 1x12V55W (H7) 8GH 007 157-121 1x12V21W (P21W) 8GA 002 073-121
<b>7 (E65, E66)</b> 730d, 730i, 735i, 740d, 745d, 745i, 760i	11/01->04/05	1EL 158 083-011  1EL 158 084-011	1  1	<b>Bi-Xenon®/H7 headlight, left, with indicator light (clear lens), with electr. headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs</b> <b>Bi-Xenon®/H7 headlight, right, with indicator light (clear lens), with electr. headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs</b> (E1) 1284 (E1) 1285 1x35W (D2S) 8GS 007 949-101 1x12V55W (H7) 8GH 007 157-121 1x12V21W (PY21W) 8GA 006 841-121

**BMW**

Manufacturer Model	Model year	Part no.	Pk.	Note
<b>BMW</b>				
<b>7 (E65, E66)</b> 7 (E65, E66) 730d, 730i, 735i, 740d, 740i, 745d, 745i, 750i, 760i	05/05->	1EL 009 043-411	1	<b>Bi-Xenon®/H7 headlight, left, with indicator light (clear lens), with electr. headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs</b>
		1EL 009 043-421	1	<b>Bi-Xenon®/H7 headlight, right, with indicator light (clear lens), with electr. headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs</b>
		(E1) 1914  1x35W (D1S) 8GS 009 028-001  1x12V55W (H7) 8GH 007 157-121  1x12V21W (PY21W) 8GA 006 841-121  1x12V10W (H10W)		
<b>7 (E65, E66)</b> 730d, 730i, 735i, 740d, 740i, 745d, 745i, 750i, 760i	05/05->	1ZS 009 044-511	1	<b>Bi-Xenon®/H7 headlight, left, with indicator light (clear lens), with dynam. bend lighting, with electr. headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs</b>
		1ZS 009 044-521	1	<b>Bi-Xenon®/H7 headlight, right, with indicator light (clear lens), with dynam. bend lighting, with electr. headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs</b>
		(E1) 1914  1x35W (D1S) 8GS 009 028-001  1x12V55W (H7) 8GH 007 157-121  1x12V21W (PY21W) 8GA 006 841-121  1x12V10W (H10W)		
<b>7 (E65, E66)</b>	11/01->04/05	5DV 008 855-017	70	<b>Ballast unit</b>
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Citroën</b>				
<b>Berlingo (MF, M_)</b> Berlingo	11/02->	1EG 010 196-011 1EG 010 196-021	1 1	<b>H4 headlight, left, with indicator light, with electr. headlight leveller actuator</b> <b>H4 headlight, right, with indicator light, with electr. headlight leveller actuator</b> (E4) 9849 1x12V60/55W (H4) 8GJ 002 525-131 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
<b>C1</b> C1	06/05->	2SK 010 133-801	1	<b>Upgrade combination rearlight set (brilliant silver)</b> (E1) 4043 2x12V21/5W (P21/5W) 8GD 002 078-121 4x12V21W (P21W) 8GA 002 073-121
<b>C1</b>	06/05->	2SK 010 133-811	1	<b>Combination rearlight set (black)</b> (E1) 4043 2x12V21/5W (P21/5W) 8GD 002 078-121 4x12V21W (P21W) 8GA 002 073-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Citroën</b>				
<b>C2</b>		<b>2VP 354 030-011</b>	1	<b>Combination rearlight, left, with reverse and rear fog light</b>
<b>C2</b>	09/03->07/05	<b>2VP 354 030-021</b>	1	<b>Combination rearlight, right, with reverse and rear fog light</b>   1x12V21/5W (P21/5W) 8GD 002 078-121  2x12V21W (P21W) 8GA 002 073-121  1x12V21W (PY21W) 8GA 006 841-121
				
<b>C2</b>	08/05->	<b>2VP 354 030-031</b>	1	<b>Combination rearlight, left, with reverse and rear fog light</b>
		<b>2VP 354 030-041</b>	1	<b>Combination rearlight, right, with reverse and rear fog light</b>   1x12V21/5W (P21/5W) 8GD 002 078-121  2x12V21W (P21W) 8GA 002 073-121  1x12V21W (PY21W) 8GA 006 841-121
				
<b>C4</b>		<b>9EL 354 050-011</b>	1	<b>Body/lens for combination rearlight, left</b>
<b>C4 5-doors</b>	11/04->	<b>9EL 354 050-021</b>	1	<b>Body/lens for combination rearlight, right</b>   1x12V21/5W (P21/5W) 8GD 002 078-121  1x12V21W (PY21W) 8GA 006 841-121   1x12V5W (W5W) 8GP 003 594-121
				
<b>C4 5-doors</b>	11/04->	<b>2NE 354 051-011</b>	1	<b>Rear fog light, left</b>   1x12V21W (P21W) 8GA 002 073-121
				
<b>C4 5-doors</b>	11/04->	<b>2ZR 354 052-021</b>	1	<b>Reverse light, right</b>   1x12V21W (P21W) 8GA 002 073-121
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Citroën</b>				
<b>C4</b> C4 5-doors	11/04->	2XX 354 033-011 2XX 354 033-021	1 1	Reflex-reflector (red), left Reflex-reflector (red), right
				
<b>C4 Coupé</b> C4 Coupé 3-doors	11/04->	2SK 354 032-011 2SK 354 032-021	1 1	Body/lens for combination rearlight, left Body/lens for combination rearlight, right
				<ul style="list-style-type: none"> <li> 1x12V21/5W (P21/5W) 8GD 002 078-121</li> <li>1x12V21W (P21W) 8GA 002 073-121</li> <li>1x12V21W (PY21W) 8GA 006 841-121</li> </ul>
<b>C4 Coupé 3-doors</b>	11/04->	2NE 354 053-011 2NE 354 053-021	1 1	Rear fog light, left Rear fog light, right
				<ul style="list-style-type: none"> <li> 1x12V21W (P21W) 8GA 002 073-121</li> </ul>
<b>C4 Picasso</b> C4 Picasso C4 Grand Picasso	02/07-> 10/06->	1EF 009 237-011 1EF 009 237-021	1 1	FF®-H7/FF®-H1 headlight, left, with indicator light, with electr. headlight leveller actuator, with bulbs FF®-H7/FF®-H1 headlight, right, with indicator light, with electr. headlight leveller actuator, with bulbs
				<ul style="list-style-type: none"> <li> 1x12V55W (H7) 8GH 007 157-121</li> <li> 1x12V55W (H1) 8GH 002 089-133</li> <li>1x12V6W (H6W) 8GH 007 643-121</li> <li> 1x12V21W (H21W) 8GH 008 417-001</li> </ul>



Citroën



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Citroën</b>				
<b>Jumper (244)</b>	04/02->	1DL 008 945-891	1	<b>H7 double headlight set (DE-H7 dipped-beam/FF®-H7 main-beam), with indicator lights, position lights, electr. headlight leveller actuators and bulbs</b>
Jumper (244)		1BL 008 193-001	1	DE-H7 dipped-beam headlight with bulb
		1K0 008 191-017	36	FF®-H7 main-beam unit with bulbs
		2PF 003 563-151	10	Side light
		2BA 008 221-001	1	Indicator light
		9GH 152 654-007	252	Cap (to be ordered separately)
		9GT 137 236-007	20	Grommet for indicator light (to be ordered separately)
		9HB 161 283-001	1	Outer trim, left
		9HB 161 284-001	1	Outer trim, right
				4x12V55W (H7) 8GH 007 157-121
				2x12V21W (PY21W) 8GA 006 841-121
				2x12V5W (W5W) 8GP 003 594-121
<b>Jumper (244)</b>	04/02->	1DL 008 945-911	1	<b>Xenon/H7 double headlight set (xenon dipped-beam/FF®-H7 main-beam), with indicator lights, position lights, xenon ballasts, gas discharge bulb, with bulbs.</b>
				<b>The autom. headlight leveller and the lens cleaning system are including in the scope of supply.</b>
				<b>Spare Parts:</b>
		1BL 008 194-007	8	Xenon dipped-beam light with xenon ballast, with gas discharge bulb
		1BL 158 060-021	1	Light unit for dipped-beam headlight, without xenon ballast, without gas discharge bulb
		5DV 007 760-631	1	Ballast unit
		1K0 008 191-017	36	FF®-H7 main-beam unit with bulbs
		2BA 008 221-001	1	Indicator light (white)
		2PF 003 563-151	10	Side light
		9GH 152 654-007	252	Cap (to be ordered separately)
		9GT 137 236-007	20	Grommet for indicator light (to be ordered separately)
				2x35W (D2S) 8GS 007 949-101
				4x12V55W (H7) 8GH 007 157-121
				2x12V21W (PY21W) 8GA 006 841-121
				2x12V5W (W5W) 8GP 003 594-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Fiat</b>				
<b>Multipla (186)</b> Multipla (186)	04/99->09/04	1BA 963 667-051 1BA 963 667-061	1 1	<b>FF®-H7 dipped-beam headlight, left, with bulbs</b> <b>FF®-H7 dipped-beam headlight, right, with bulbs</b> 018 left  019 right 1x12V55W (H7) 8GH 007 157-121 1x12V5W (W5W) 8GP 003 594-121
<b>Multipla (186)</b>	04/99->09/04	2BA 270 016-031 2BA 270 016-041	1 1	<b>Indicator light (amber), left, with bulb</b> <b>Indicator light (amber), right, with bulb</b> 004 1x12V21W (H21W) 8GH 008 417-001
<b>Punto (176)</b> Punto (176) EL, S, SX	09/93->09/99	1AF 006 827-171 1AF 006 827-181 1AF 006 827-251 1AF 006 827-261	1 1 1 1	<b>H4 headlight, left, with manual headlight leveller, also suitable for vehicles with electr. headlight leveller</b> <b>H4 headlight, right, with manual headlight leveller, also suitable for vehicles with electr. headlight leveller</b> <b>H4 headlight, left, with electr. headlight leveller actuator</b> <b>H4 headlight, right, with electr. headlight leveller actuator</b> 16 left  17 right 1x12V60/55W (H4) 8GJ 002 525-131 1x12V5W (W5W) 8GP 003 594-121
<b>Punto (176) AP, Elegant, Elegant XL, ELX, GT</b> (-) Sporting	09/93->09/99	1AF 006 826-171 1AF 006 826-181 1AF 006 826-271 1AF 006 826-281	1 1 1 1	<b>FF®-H1 headlight, left, with manual headlight leveller, also suitable for vehicles with electr. headlight leveller</b> <b>FF®-H1 headlight, right, with manual headlight leveller, also suitable for vehicles with electr. headlight leveller</b> <b>FF®-H1 headlight, left, with electr. headlight leveller actuator</b> <b>FF®-H1 headlight, right, with electr. headlight leveller actuator</b> 44513 left  44514 right 2x12V55W (H1) 8GH 002 089-133 1x12V5W (W5W) 8GP 003 594-121
<b>Punto (176)</b>	09/93->09/99	6NM 007 282-661	1	<b>Setting element, headlight levelling</b>



**Fiat**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Fiat</b>				
<b>Punto (176)</b> Punto (176) EL, S, SX (-) Sporting	09/93->09/99	2BA 006 749-071 2BA 006 749-081	1 1	Indicator light (amber), left Indicator light (amber), right 017 1x12V21W (P21W) 8GA 002 073-121
				
<b>Punto (176) EL, S, SX</b> (-) Sporting	09/93->09/99	2BA 006 749-051 2BA 006 749-061	1 1	Indicator light (white), left, for conversion Indicator light (white), right, for conversion 017 1x12V21W (P21W) 8GA 002 073-121
 <b>Design</b>				
<b>Punto (176) AP, Elegant, Elegant XL, ELX, GT</b> (-) Sporting	09/93->09/99	2BA 006 749-051 2BA 006 749-061	1 1	Indicator light (white), left Indicator light (white), right 017 1x12V21W (P21W) 8GA 002 073-121
				
<b>126, 127, 128</b> 126 127 128	09/72->09/00 06/71-> 07/76->12/84	1AD 003 305-001 9GH 126 647-011	1 10	H4 headlight 22 <b>Spare Parts:</b> Cap 1x12V60/55W (H4) 8GJ 002 525-131 1x12V4W (T4W) 8GP 002 067-121
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Fiat</b>				
<b>Ducato (244)</b>		<b>1DL 008 945-891</b>	<b>1</b>	<b>H7 double headlight set (DE-H7 dipped-beam/FF®-H7 main-beam), with indicator lights, position lights, electr. headlight leveller actuators and bulbs</b>
Ducato (244)	04/02->			
		1BL 008 193-001	1	DE-H7 dipped-beam headlight with bulb
		1K0 008 191-017	36	FF®-H7 main-beam unit with bulbs
		2PF 003 563-151	10	Side light
		2BA 008 221-001	1	Indicator light
		9GH 152 654-007	252	Cap (to be ordered separately)
		9GT 137 236-007	20	Grommet for indicator light (to be ordered separately)
		9HB 161 283-001	1	Outer trim, left
		9HB 161 284-001	1	Outer trim, right
				 4x12V55W (H7) 8GH 007 157-121  2x12V21W (PY21W) 8GA 006 841-121  2x12V5W (W5W) 8GP 003 594-121
<b>Ducato (244)</b>		<b>1DL 008 945-911</b>	<b>1</b>	<b>Xenon/H7 double headlight set (xenon dipped-beam/FF®-H7 main-beam), with indicator lights, position lights, xenon ballasts, gas discharge bulb, with bulbs.</b>
Ducato (244)	04/02->			
		1BL 008 194-007	8	Xenon dipped-beam light with xenon ballast, with gas discharge bulb
		1BL 158 060-021	1	Light unit for dipped-beam headlight, without xenon ballast, without gas discharge bulb
		5DV 007 760-631	1	Ballast unit
		1K0 008 191-017	36	FF®-H7 main-beam unit with bulbs
		2BA 008 221-001	1	Indicator light (white)
		2PF 003 563-151	10	Side light
		9GH 152 654-007	252	Cap (to be ordered separately)
		9GT 137 236-007	20	Grommet for indicator light (to be ordered separately)
				 2x35W (D2S) 8GS 007 949-101  4x12V55W (H7) 8GH 007 157-121  2x12V21W (PY21W) 8GA 006 841-121  2x12V5W (W5W) 8GP 003 594-121




Ford



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Ford</b>				
<b>Escort IV</b> Escort IV	10/85->10/90	1AF 960 723-111 1AF 960 723-121  9GH 116 966-011	1 1  10	<b>H4 headlight, left, for vehicles with or without headlight leveller</b> <b>H4 headlight, right, for vehicles with or without headlight leveller</b>  (E1) 34540 left (E1) 34541 right  <b>Spare Parts:</b> Cap  1x12V60/55W (H4) 8GJ 002 525-131  1x12V4W (T4W) 8GP 002 067-121
<b>Escort IV</b>	10/85->10/90	9EL 145 284-011 9EL 145 284-021	1 1	<b>Body/lens for indicator light (amber), left</b> <b>Body/lens for indicator light (amber), right</b>  (E3) 47869  1x12V21W (P21W) 8GA 002 073-121
<b>Escort V</b> Escort V	07/90->09/91	9EL 148 347-011 9EL 148 347-021	1 1	<b>Body/lens for indicator light (amber), left</b> <b>Body/lens for indicator light (amber), right</b>  (E1) 259  1x12V21W (P21W) 8GA 002 073-121
<b>Escort V Hatchback</b>	09/91->09/92	9EL 148 345-011 9EL 148 345-021	1 1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight, right, with reverse and rear fog light</b>  (E1) 223  1x12V5W (R5W) 8GA 002 071-121  3x12V21W (P21W) 8GA 002 073-121
<b>Escort V Estate</b>	07/90->09/92	9EM 137 819-021 9EL 137 820-031	1 1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight, right, with reverse light</b>  (E1) 63257  1x12V5W (R5W) 8GA 002 071-121  3x12V21W (P21W) 8GA 002 073-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Ford</b>				
<b>Escort VI</b> Escort VI 	09/92->01/95	1AF 007 786-041	1	<b>H4 headlight, right, for vehicles with or without headlight leveller</b> (E9) 5134  1x12V60/55W (H4) 8GJ 002 525-131  1x12V5W (W5W) 8GP 003 594-121
<b>Escort VI Saloon</b> 	08/93->01/95	9EL 148 345-011 9EL 148 345-021	1 1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight, right, with reverse and rear fog light</b> (E1) 223  1x12V5W (R5W) 8GA 002 071-121  3x12V21W (P21W) 8GA 002 073-121
<b>Escort VI Estate</b> 	09/92->01/95	9EM 137 819-021 9EL 137 820-031	1 1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight, right, with reverse light</b> (E1) 63257  1x12V5W (R5W) 8GA 002 071-121  3x12V21W (P21W) 8GA 002 073-121
<b>Escort VII</b> Escort VII 	01/95->02/99	1EE 008 388-011 1EE 008 388-021	1 1	<b>H4 headlight, left, with indicator light</b> <b>H4 headlight, right, with indicator light</b> (E4) 9706  1x12V60/55W (H4) 8GJ 002 525-131  1x12V21W (PY21W) 8GA 006 841-121  1x12V5W (W5W) 8GP 003 594-121
<b>Escort VII</b> 	01/95->10/98	1NE 007 517-051 1NE 007 517-061	1 1	<b>FF@-H3 fog light, left</b> <b>FF@-H3 fog light, right</b> (E1) 215  1x12V55W (H3) 8GH 002 090-133



**Ford**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Ford</b>				
<b>Escort VII</b> Escort VII Estate	01/95->02/99	9EM 137 819-021 9EL 137 820-031	1 1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight, right, with reverse light</b>  E1 63257  1x12V5W (R5W) 8GA 002 071-121 3x12V21W (P21W) 8GA 002 073-121
				
<b>F-150</b> F-150	04/04->	1F3 009 906-001  1F3 009 906-011	1  1	<b>Grille with halogen H1 spotlight, with bulbs</b>  <b>Grille set with Xenon spotlight, with xenon ballasts, with gas discharge bulbs</b>  2x12V55W (H1) 8GH 002 089-133  1x35W (D1S) 8GS 009 028-001
				
<b>Fiesta III (GFJ)</b> Fiesta III (GFJ)	01/89->12/95	1AG 007 752-011 1AG 007 752-021	1 1	<b>H4 headlight, left, for vehicles with electr. or manual headlight leveller</b> <b>H4 headlight, right, for vehicles with electr. or manual headlight leveller</b>  E1 551 left E1 552 right  1x12V60/55W (H4) 8GJ 002 525-131 1x12V5W (W5W) 8GP 003 594-121
				
<b>Fiesta III (GFJ)</b>	01/89->12/93	9EL 919 370-111 9EL 919 370-121	1 1	<b>Body/lens for indicator light (amber), left</b> <b>Body/lens for indicator light (amber), right</b>  E1 42777  1x12V21W (P21W) 8GA 002 073-121
				
<b>Fiesta III (GFJ)</b>	01/89->12/93	2BA 919 370-051 2BA 919 370-061	1 1	<b>Indicator light, left, with bulb</b> <b>Indicator light, right, with bulb</b>  E9 5048  2x12V21W (PY21W) 8GA 006 841-121
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Ford</b>				
<b>Fiesta III (GFJ)</b> Fiesta III (GFJ)	01/94->12/95	2BA 919 370-051 2BA 919 370-061	1 1	Indicator light (white), left, with bulb Indicator light (white), right, with bulb E9 5048 1x12V21W (PY21W) 8GA 006 841-121
				
<b>Fiesta III (GFJ)</b>	01/89->12/95	9EL 961 255-001 9EL 961 256-001	1 1	Body/lens for combination rearlight (amber/red), left, with rear fog light Body/lens for combination rearlight (amber/red), right, with reverse light E1 63220 1x12V21/5W (P21/5W) 8GD 002 078-121 2x12V21W (P21W) 8GA 002 073-121
				
<b>Fiesta IV (JA_, JB_)</b> Fiesta IV (JA_, JB_)	08/95->09/99	1EJ 008 041-011 1EJ 008 041-021 9ES 150 869-001 9ES 150 870-001	1 1 1 1	H7/H1 headlight, left, with indicator light H7/H1 headlight, right, with indicator light E13 4021 left and right E13 4746 left E13 4747 right <b>Spare Parts:</b> Lens, left Lens, right 1x12V55W (H7) 8GH 007 157-121 1x12V55W (H1) 8GH 002 089-133 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
				



**Ford**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Ford</b>				
<b>Fiesta IV (JA_, JB_)</b> Fiesta IV (JA_, JB_)	09/99->01/02	1EE 009 058-011 1EE 009 058-021 1EE 009 058-051 1EE 009 058-061	1 1 1 1	<p><b>H4 headlight, left, with indicator light, without headlight leveller, without headlight leveller actuator</b></p> <p><b>H4 headlight, right, with indicator light, without headlight leveller, without headlight leveller actuator</b></p> <p><b>H4 headlight, left, with indicator light, with electr. headlight leveller, with headlight leveller actuator</b></p> <p><b>H4 headlight, right, with indicator light, with electr. headlight leveller, with headlight leveller actuator</b></p> <p>(E1) 931 left (E1) 932 right</p> <p> 1x12V60/55W (H4) 8GJ 002 525-131</p> <p> 1x12V21W (PY21W) 8GA 006 841-121</p> <p> 1x12V5W (W5W) 8GP 003 594-121</p>
<b>Fiesta V (JH_)</b> Fiesta V (JH_)	11/01->10/05	1EF 010 197-011 1EF 010 197-021	1 1	<p><b>H4 headlight, left, with indicator light, with electr. headlight leveller actuator</b></p> <p><b>H4 headlight, right, with indicator light, with electr. headlight leveller actuator</b></p> <p>(E4) 9818</p> <p> 1x12V60/55W (H4) 8GJ 002 525-131</p> <p> 1x12V21W (PY21W) 8GA 006 841-121</p> <p> 1x12V5W (W5W) 8GP 003 594-121</p>
<b>Fiesta V (JH_)</b> 3-doors	10/05->	9EL 354 055-011 9EL 354 055-021	1 1	<p><b>Body/lens for combination rearlight, left, with reverse and rear fog light</b></p> <p><b>Body/lens for combination rearlight, right, with reverse and rear fog light</b></p> <p> 1x12V21W (PY21W) 8GA 006 841-121</p> <p> 1x12V21W (P21W) 8GA 002 073-121</p> <p> 1x12V5W (W5W) 8GP 003 594-121</p> <p> 1x12V16W (W16W) 8GA 008 246-001</p>



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Ford</b>				
<b>Fiesta V (JH_)</b> Fiesta V (JH_) 5-doors	10/05->	9EL 354 054-011 9EL 354 054-021	1 1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight, right, with reverse and rear fog light</b>  1x12V21W (PY21W) 8GA 006 841-121  1x12V21W (P21W) 8GA 002 073-121  1x12V5W (W5W) 8GP 003 594-121  1x12V16W (W16W) 8GA 008 246-001
<b>Fiesta Courier, Box</b> Fiesta Courier (J5_, J3_) Fiesta Box (JV_)	02/96-> 05/98->	2VP 354 034-011 2VP 354 034-021	1 1	<b>Combination rearlight, left, with reverse and rear fog light</b> <b>Combination rearlight, right, with reverse and rear fog light</b>  1x12V21/5W (P21/5W) 8GD 002 078-121  3x12V21W (P21W) 8GA 002 073-121
<b>Focus</b> Focus	10/98->09/01	1AE 010 199-011 1AE 010 199-021	1 1	<b>H4 headlight, left</b> <b>H4 headlight, right</b>  (E4) 9798  1x12V60/55W (H4) 8GJ 002 525-131  1x12V21/5W (P21/5W) 8GD 002 078-121





**Ford**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Ford</b>				
<b>Focus</b> Focus (-) ST170/RS	10/01->11/04	1EE 010 198-011 1EE 010 198-021	1 1	<b>H7/H1 headlight, left, with indicator light, for vehicles with headlight leveller</b> <b>H7/H1 headlight, right, with indicator light, for vehicles with headlight leveller</b> (E4) 9797 1x12V55W (H7) 8GH 007 157-121 1x12V55W (H1) 8GH 002 089-133 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (W5W) 8GP 003 594-121
<b>Focus</b> (-) ST170/RS	10/01->11/04	1EE 010 198-031 1EE 010 198-041	1 1	<b>H7/H1 headlight, left, with indicator light, for vehicles without headlight leveller</b> <b>H7/H1 headlight, right, with indicator light, for vehicles without headlight leveller</b> (E4) 9797 1x12V55W (H7) 8GH 007 157-121 1x12V55W (H1) 8GH 002 089-133 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
<b>Focus RS</b>	10/02->11/04	1EE 010 198-071 1EE 010 198-081	1 1	<b>H7/H1 headlight, left, with indicator light</b> <b>H7/H1 headlight, right, with indicator light</b> (E4) 9797 1x12V55W (H7) 8GH 007 157-121 1x12V55W (H1) 8GH 002 089-133 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
<b>Focus ST170</b>	03/02->11/04	1EE 010 198-111 1EE 010 198-121	1 1	<b>H7/H1 headlight, left, with indicator light, for vehicles with headlight leveller</b> <b>H7/H1 headlight, right, with indicator light, for vehicles with headlight leveller</b> (E4) 9797 1x12V55W (H7) 8GH 007 157-121 1x12V55W (H1) 8GH 002 089-133 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (W5W) 8GP 003 594-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Ford</b>				
<b>Focus</b>		<b>1EE 010 198-131</b>	1	<b>H7/H1 headlight, left, with indicator light, for vehicles without headlight leveller</b>
Focus ST170	03/02->11/04	<b>1EE 010 198-141</b>	1	<b>H7/H1 headlight, right, with indicator light, for vehicles without headlight leveller</b>
		 9797		
		 1x12V55W (H7) 8GH 007 157-121		
		 1x12V55W (H1) 8GH 002 089-133		
		 1x12V21W (P21W) 8GA 002 073-121		
		 1x12V5W (W5W) 8GP 003 594-121		
<b>Focus</b>	10/98->11/04	<b>1ZL 009 488-841</b>		<b>Upgrade headlight set with halogen dipped-beam/main-beam, with dynam. bend lighting Dynabeam, with bulbs</b>
		<b>1EL 009 488-801</b>	1	<b>Upgrade headlight set with halogen dipped-beam/main-beam, without dynam. bend lighting, with bulbs</b>
		<b>Spare Parts:</b>		
		1ZL 009 488-091	1	Upgrade headlight, left (for -841), with bulbs
		1ZL 009 488-101	1	Upgrade headlight, right (for -841), with bulbs
		1EL 009 488-011	1	Upgrade headlight, left (for -801), with bulbs
		1EL 009 488-021	1	Upgrade headlight, right (for -801), with bulbs
		9XX 166 909-001	1	Indicator light adapter set for vehicles 10/98 -> 09/01 (to be ordered separately)
 2x12V55W (H7) 8GH 007 157-201 Long Life				
 2x12V21W (PY21W) Silver Vision				




**Ford**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Ford</b>				
<b>Focus</b> Focus 	10/98->11/04	1EL 009 488-821		<b>Upgrade headlight set with xenon dipped-beam, halogen main-beam, without dynam. bend lighting, with bulbs</b>
		8WS 008 559-001	1	<b>Lens cleaning system (If vehicle is already equipped with lens cleaning system as standard equipment, it is not necessary to order this item)</b>
		1EL 009 488-451	1	<b>Spare Parts:</b> Upgrade headlight, left, with bulbs
		1EL 009 488-461	1	Upgrade headlight, right, with bulbs
		9XX 166 909-001	1	Indicator light adapter set for vehicles 10/98 -> 09/01 (to be ordered separately)
				 2x12V35W (D2S) 8GS 007 949-101  2x12V55W (H7) 8GH 007 157-201 Long Life  2x12V21W (PY21W) Silver Vision
<b>Focus</b> 	03/02->11/04	1EL 246 045-111	1	<b>Bi-Xenon®/H7 headlight, left, with indicator light, without headlight leveller actuator, without xenon ballast, without gas discharge bulb, with H7 bulb</b>
		1EL 246 045-121	1	<b>Bi-Xenon®/H7 headlight, right, with indicator light, without headlight leveller actuator, without xenon ballast, without gas discharge bulb, with H7 bulb</b>
				 1x35W (D2S) 8GS 007 949-101  1x12V55W (H7) 8GH 007 157-121  1x12V5W (W5W) 8GP 003 594-121  1x12V21W (PY21W) Silver Vision
<b>Focus</b> 	03/02->11/04	5DV 008 855-017	70	<b>Ballast unit</b>
<b>Focus</b> 	10/98->09/01	1NA 354 015-011	1	<b>H1 fog light, left</b>
		1NA 354 015-021	1	<b>H1 fog light, right</b>
				 19013  1x12V55W (H1) 8GH 002 089-133



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Ford</b>				
<b>Focus</b> Focus (-) ST170/RS	10/01->11/04	1NA 010 205-011 1NA 010 205-021	1 1	H1 fog light, left H1 fog light, right  E4 19038  1x12V55W (H1) 8GH 002 089-133
				
<b>Focus</b> (-) RS	10/98->09/01	9EL 354 059-011 9EL 354 059-021	1 1	Body/lens for indicator light (amber), left Body/lens for indicator light (amber), right  1x12V21W (P21W) 8GA 002 073-121
				
<b>Focus</b> (-) RS	10/01->11/04	9EL 354 060-011 9EL 354 060-021	1 1	Body/lens for indicator light (clear), left Body/lens for indicator light (clear), right  1x12V21W (PY21W) 8GA 006 841-121
				
<b>Focus</b> (-) RS	10/98->09/01	2BA 008 467-801  2BA 008 221-001	1  1	Indicator light set (white), with bulbs  E1 878  <b>Spare Parts:</b> Indicator light  2x12V21W (PY21W) 8GA 006 841-121
				
<b>Focus</b>	10/98->09/01	9EL 354 056-001	1	Body/lens for auxiliary indicator light (amber)  1x12V5W (W5W) 8GP 003 594-121
				
<b>Focus</b>	10/01->11/04	9EL 354 058-001	1	Body/lens for auxiliary indicator light (clear)  1x12V5W (WY5W) 8GP 003 594-541
				



**Ford**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Ford</b>				
<b>Focus</b>		9EL 354 061-011	1	<b>Body/lens for combination rearlight, left</b>
Focus hatchback	10/98->11/04	9EL 354 061-021	1	<b>Body/lens for combination rearlight, right</b>
				2x12V21W (P21W) 8GA 002 073-121
				1x12V5W (W5W) 8GP 003 594-121
Focus hatchback	10/98->11/04	2NE 354 062-011	1	<b>Rear fog light, left</b>
				1x12V21W (P21W) 8GA 002 073-121
Focus hatchback	10/98->11/04	2ZR 354 063-021	1	<b>Reverse light, right</b>
				1x12V21W (P21W) 8GA 002 073-121
<b>Focus Saloon</b>	02/99->11/04	9EL 354 057-011	1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b>
		9EL 354 057-021	1	<b>Body/lens for combination rearlight, right, with reverse and rear fog light</b>
				3x12V21W (P21W) 8GA 002 073-121
				1x12V5W (W5W) 8GP 003 594-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Ford</b>				
<b>Focus</b>		9EL 171 556-011	1	<b>Body/lens for combination rearlight, left, with rear fog light</b>
Focus Estate	02/99->11/04	9EL 171 556-021	1	<b>Body/lens for combination rearlight, right, with reverse light</b>
				 2x12V21W (P21W) 8GA 002 073-121
				 1x12V5W (W5W) 8GP 003 594-121
				
<b>Focus II</b>		1EL 010 201-011	1	<b>H7/H1 headlight, left, with indicator light, with chrome-plated cover, with electr. headlight leveller actuator</b>
Focus II	11/04->02/08	1EL 010 201-021	1	<b>H7/H1 headlight, right, with indicator light, with chrome-plated cover, with electr. headlight leveller actuator</b>
				 10178  10179
				 1x12V55W (H7) 8GH 007 157-121
				 1x12V55W (H1) 8GH 002 089-133
				 1x12V5W (W5W) 8GP 003 594-121
				 1x12V5W (W5W) 8GP 003 594-121
				
<b>Focus II</b>		1EL 010 201-051	1	<b>H7/H1 headlight, left, with indicator light, with black cover, with electr. headlight leveller actuator</b>
Focus II	11/04->02/08	1EL 010 201-061	1	<b>H7/H1 headlight, right, with indicator light, with black cover, with electr. headlight leveller actuator</b>
				 10178  10179
				 1x12V55W (H7) 8GH 007 157-121
				 1x12V55W (H1) 8GH 002 089-133
				 1x12V5W (W5W) 8GP 003 594-121
				 1x12V5W (W5W) 8GP 003 594-121
				



**Ford**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Ford</b>				
<b>Focus II</b>	11/04->02/08	1EL 010 201-171	1	H7/H1 headlight, left, with indicator light, with cornering light (AFS), with chrome-plated cover, with electr. headlight leveller actuator
Focus II		1EL 010 201-181	1	H7/H1 headlight, right, with indicator light, with cornering light (AFS), with chrome-plated cover, with electr. headlight leveller actuator
		E4 10178 E4 10179		
		1x12V55W (H7) 8GH 007 157-121		
		1x12V55W (H1) 8GH 002 089-133		
		1x12V5W (W5W) 8GP 003 594-121		
		1x12V5W (W5W) 8GP 003 594-121		
Focus II	11/04->02/08	1EL 010 201-211	1	H7/H1 headlight, left, with indicator light, with cornering light (AFS), with black cover, with electr. headlight leveller actuator
		1EL 010 201-221	1	H7/H1 headlight, right, with indicator light, with cornering light (AFS), with black cover, with electr. headlight leveller actuator
		E4 10178 E4 10179		
		1x12V55W (H7) 8GH 007 157-121		
		1x12V55W (H1) 8GH 002 089-133		
		1x12V5W (W5W) 8GP 003 594-121		
		1x12V5W (W5W) 8GP 003 594-121		
Focus II	11/04->02/08	1EL 010 201-091	1	Xenon/H1 headlight, left, with indicator light, with chrome-plated cover, with electr. headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bulbs
		1EL 010 201-101	1	Xenon/H1 headlight, right, with indicator light, with chrome-plated cover, with electr. headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bulbs
		E4 10178 E4 10179		
		1x35W (D1S) 8GS 009 028-001		
		1x12V55W (H1) 8GH 002 089-133		
		1x12V21W (PY21W) 8GA 006 841-121		
		1x12V5W (W5W) 8GP 003 594-121		



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Ford</b>				
<b>Focus II</b> Focus II	11/04->02/08	1EL 010 201-131  1EL 010 201-141	1  1	<b>Xenon/H1 headlight, left, with indicator light, with black cover, with electr. headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bulbs</b>  <b>Xenon/H1 headlight, right, with indicator light, with black cover, with electr. headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bulbs</b>  (E4) 10178 (E4) 10179  1x35W (D1S) 8GS 009 028-001 1x12V55W (H1) 8GH 002 089-133 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
<b>Focus II</b> (-) ST	11/04->02/08	1N0 354 016-011 1N0 354 016-021	1 1	<b>H8 fog light, left</b> <b>H8 fog light, right</b>  1x12V35W (H8) 8GH 008 356-121
<b>Focus II</b>	11/04->02/08	1N0 009 436-811  1N0 009 295-011 1N0 009 295-021	1  1 1	<b>H7 fog light set with covers, with bulbs</b>  (E1) 1951  <b>Spare Parts:</b> Fog light, left, with standard bracket and bulb Fog light, right, with standard bracket and bulb  2x12V55W (H7) 8GH 007 157-121
<b>Focus II</b>	11/04->02/08	1N0 009 436-821  1N0 009 295-011 1N0 009 295-021 5DF 009 244-007	1  1 1 24	<b>DynaView® Evo2 additive cornering light set, with fog light function, with covers, control unit, harness and bulbs</b>  (E1) 1951  <b>Spare Parts:</b> Fog light, left, with standard bracket and bulb Fog light, right, with standard bracket and bulb IntelliBeam® control electronics  2x12V55W (H7) 8GH 007 157-121



**Ford**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Ford</b>				
<b>Focus II</b>		9EL 354 067-011	1	<b>Body/lens for combination rearlight, left</b>
<b>Focus II hatchback</b>	11/04->02/08	9EL 354 067-021	1	<b>Body/lens for combination rearlight, right</b>  1x12V21W (PY21W) 8GA 006 841-121  1x12V5W (W5W) 8GP 003 594-121
<b>Focus II hatchback</b>	11/04->02/08	2NE 354 068-011	1	<b>Rear fog light, left</b>  1x12V21W (P21W) 8GA 002 073-121
<b>Focus II hatchback</b>	11/04->02/08	2ZR 354 069-021	1	<b>Reverse light, right</b>  1x12V21W (P21W) 8GA 002 073-121
<b>Focus II Saloon</b>	11/04->02/08	9EL 354 066-011	1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b>
		9EL 354 066-021	1	<b>Body/lens for combination rearlight, right, with reverse and rear fog light</b>  1x12V21/4W (P21/4W) 8GD 004 772-121 1x12V21W (PY21W) 8GA 006 841-121 2x12V21W (P21W) 8GA 002 073-121
<b>Focus II Estate</b>	11/04->02/08	9EL 354 064-011	1	<b>Body/lens for combination rearlight, left, with rear fog light</b>
		9EL 354 064-021	1	<b>Body/lens for combination rearlight, right, with reverse light</b>  1x12V21W (PY21W) 8GA 006 841-121  1x12V21W (P21W) 8GA 002 073-121  1x12V5W (W5W) 8GP 003 594-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Ford</b>				
<b>Focus II</b>		<b>2SD 010 230-011</b>	1	<b>Combination rearlight, left, with bulbs</b>
Focus II Convertible	10/06->02/08	<b>2SD 010 230-021</b>	1	<b>Combination rearlight, right, with bulbs</b>
				1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
<b>Focus II Convertible</b>	10/06->02/08	<b>2NR 010 229-011</b>	1	<b>Rear fog and reverse light, left, with bulbs</b>
		<b>2NR 010 229-021</b>	1	<b>Rear fog and reverse light, right, with bulbs</b>
				2x12V21W (P21W) 8GA 002 073-121
<b>Focus C-MAX</b>		<b>1EE 270 600-171</b>	1	<b>FF®-H7/FF®-H1 headlight, left, with indicator light, without headlight leveller</b>
Focus C-MAX	10/03->03/07	<b>1EE 270 600-181</b>	1	<b>FF®-H7/FF®-H1 headlight, right, with indicator light, without headlight leveller</b>
				(E1) 1589 left (E1) 1590 right 1x12V55W (H7) 8GH 007 157-121 1x12V55W (H1) 8GH 002 089-133 1x12V5W (W5W) 8GP 003 594-121 1x12V5W (W5W) 8GP 003 594-121
<b>Focus C-MAX</b>	10/03->03/07	<b>1EL 270 600-371</b>	1	<b>Bi-Xenon®/FF®-H1 headlight, left, with indicator light, without headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bulbs</b>
		<b>1EL 270 600-381</b>	1	<b>Bi-Xenon®/FF®-H1 headlight, right, with indicator light, without headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bulbs</b>
				(E1) 1589 left (E1) 1590 right (E1) 1591 left (E1) 1592 right 1x35W (D2S) 8GS 007 949-101 1x12V55W (H1) 8GH 002 089-133 1x12V5W (W5W) 8GP 003 594-121 2x12V21W (PY21W) 8GA 006 841-121
<b>Focus C-MAX</b>	10/03->03/07	<b>5DV 008 855-017</b>	70	<b>Ballast unit</b>
				



**Ford**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Ford</b>				
<b>Focus C-MAX</b> Focus C-MAX	10/03->03/07	1N0 354 016-011 1N0 354 016-021	1 1	<b>H8 fog light, left</b> <b>H8 fog light, right</b>  1x12V35W (H8) 8GH 008 356-121
				
<b>Focus C-MAX</b>	10/03->03/07	8RA 354 031-011 8RA 354 031-021	1 1	<b>Reflex-reflector (red), left</b> <b>Reflex-reflector (red), right</b>
				
<b>Fusion (JU_)</b> Fusion (JU_)	08/02->11/05	1ED 246 044-211 1ED 246 044-221	1 1	<b>H4 headlight, left, with indicator light, with electr. headlight leveller actuator</b> <b>H4 headlight, right, with indicator light, with electr. headlight leveller actuator</b>   1x12V60/55W (H4) 8GJ 002 525-131  1x12V21W (PY21W) 8GA 006 841-121  1x12V5W (W5W) 8GP 003 594-121
				
<b>Fusion (JU_)</b>	11/05->	9EL 354 070-011 9EL 354 070-021	1 1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight, right, with reverse and rear fog light</b>  1x12V21W (P21W) 8GA 002 073-121  1x12V21W (PY21W) 8GA 006 841-121  1x12V5W (W5W) 8GP 003 594-121  1x12V16W (W16W) 8GA 008 246-001
				
<b>Galaxy (VX, VY)</b> Galaxy (VX, VY)	03/95->04/00	1AF 008 560-011 1AF 008 560-021	1 1	<b>H4 headlight, left, for vehicles with headlight leveller</b> <b>H4 headlight, right, for vehicles with headlight leveller</b>   1x12V60/55W (H4) 8GJ 002 525-131  1x12V5W (W5W) 8GP 003 594-121
				
<b>Galaxy (VX, VY)</b>	03/95->	9EL 147 073-001	2	<b>Body/lens for auxiliary indicator light (amber)</b>   1x12V5W (W5W) 8GP 003 594-121
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Ford</b>				
Galaxy (VX, VY) Galaxy (VX, VY)	03/95->	9EL 147 073-801	1	<b>Body/lens set for auxiliary indicator lights (grey)</b> (E1) 105 2x12V5W (W5W) 8GP 003 594-121
Galaxy (VX, VY)	03/95->04/00	9EL 962 585-051 9EL 962 586-051	1 1	<b>Body/lens for combination rearlight (grey/red), left</b> <b>Body/lens for combination rearlight (grey/red), right</b> (E1) 153 (E1) 391 1x12V5W (R5W) 8GA 002 071-121 1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V21W (P21W) 8GA 002 073-121
Galaxy (VX, VY)	03/95->04/00	9EL 962 584-131	1	<b>Body/lens for rear panel (red/grey), with reverse light left and right and rear fog light, left</b> (E1) 151 (E1) 152 3x12V21W (P21W) 8GA 002 073-121
Galaxy (VX, VY)	04/00->	9EL 964 483-011 9EL 964 484-011	1 1	<b>Body/lens for combination rearlight (red/clear), left</b> <b>Body/lens for combination rearlight (red/clear), right</b> (E1) 1062 1x12V5W (R5W) 8GA 002 071-121 2x12V21W (P21W) 8GA 002 073-121
Galaxy (VX, VY)	04/00->	9EL 964 479-011 9EL 964 480-011	1 1	<b>Body/lens for combination rearlight (red/clear), left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight (red/clear), right, with reverse and rear fog light</b> (E1) 1063 4x12V21W (P21W) 8GA 002 073-121



**Ford**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Ford</b>				
<b>Galaxy</b> Galaxy	05/06->	1EJ 009 250-731 1EJ 009 250-741	1 1	FF®-H7/FF®-H1 headlight, left, with indicator light, with electr. headlight leveller actuator, with bulbs FF®-H7/FF®-H1 headlight, right, with indicator light, with electr. headlight leveller actuator, with bulbs E1 2105 1x12V55W (H7) 8GH 007 157-121 1x12V55W (H1) 8GH 002 089-133 2x12V21W (PY21W) 8GA 006 841-121
<b>Maverick (UDS, UNS)</b> Maverick (UDS, UNS)	02/93->06/96	1ED 962 060-111 1ED 962 060-121	1 1	H4 headlight, left, for vehicles with or without headlight leveller H4 headlight, right, for vehicles with or without headlight leveller E1 44485 left E1 44486 right 1x12V60/55W (H4) 8GJ 002 525-131 1x12V5W (W5W) 8GP 003 594-121
<b>Maverick (UDS, UNS)</b>	07/96->04/98	1D7 963 100-011 1D7 963 100-021	1 1	H4 headlight, left, with HB4 fog light, with bulbs H4 headlight, right, with HB4 fog light, with bulbs E4 9356 E4 19002 1x12V60/55W (H4) 8GJ 002 525-131 1x12V51W (HB4) 8GH 005 636-121 1x12V5W (W5W) 8GP 003 594-121
<b>Mondeo II</b> Mondeo II	09/96->12/97	1EJ 008 401-011 1EJ 008 401-021 1EJ 008 401-031 1EJ 008 401-041	1 1 1 1	H7/H1 headlight, left, with indicator light, for vehicles without electr. headlight leveller H7/H1 headlight, right, with indicator light, for vehicles without electr. headlight leveller H7/H1 headlight, left, with indicator light, for vehicles with electr. headlight leveller H7/H1 headlight, right, with indicator light, for vehicles with electr. headlight leveller E13 9022 left E13 9023 right 1x12V55W (H7) 8GH 007 157-121 1x12V55W (H1) 8GH 002 089-133 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (W5W) 8GP 003 594-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Ford</b>				
<b>Mondeo II</b> Mondeo II	01/98->11/00	1EJ 008 401-051 1EJ 008 401-061 1EJ 008 401-071 1EJ 008 401-081	1 1 1 1	<b>H7/H1 headlight, left, with indicator light, for vehicles without electr. headlight leveller</b> <b>H7/H1 headlight, right, with indicator light, for vehicles without electr. headlight leveller</b> <b>H7/H1 headlight, left, with indicator light, for vehicles with electr. headlight leveller</b> <b>H7/H1 headlight, right, with indicator light, for vehicles with electr. headlight leveller</b>  (E13) 9022 left (E13) 9023 right  1x12V55W (H7) 8GH 007 157-121  1x12V55W (H1) 8GH 002 089-133  1x12V21W (P21W) 8GA 002 073-121  1x12V5W (W5W) 8GP 003 594-121
<b>Mondeo II</b>	01/98->11/00	1NL 007 594-031 1NL 007 594-041	1 1	<b>DE-H3 fog light, left</b> <b>DE-H3 fog light, right</b> (E1) 440  1x12V55W (H3) 8GH 002 090-133
<b>Mondeo III</b> Mondeo III	11/00->	1EF 009 057-011 1EF 009 057-021	1 1	<b>H7/H1 headlight, left, with indicator light, with electr. headlight leveller, with headlight leveller actuator</b> <b>H7/H1 headlight, right, with indicator light, with electr. headlight leveller, with headlight leveller actuator</b>  (E1) 1098 left and right (E1) 1099 right  1x12V55W (H7) 8GH 007 157-121  1x12V55W (H1) 8GH 002 089-133  1x12V21W (PY21W) 8GA 006 841-121  1x12V5W (W5W) 8GP 003 594-121
<b>Mondeo III</b> (-) Estate	11/00->06/03	9EL 171 558-011 9EL 171 558-021	1 1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight, right, with reverse and rear fog light</b>   1x12V21W (H21W) 8GH 008 417-001  1x12V21/4W (P21/4W) 8GD 004 772-121  2x12V21W (P21W) 8GA 002 073-121  2x12V5W (W5W) 8GP 003 594-121



**Ford**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Ford</b>				
<b>Mondeo III</b> Mondeo III (-) Estate	06/03->05/05	9EL 171 558-051 9EL 171 558-061	1 1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight, right, with reverse and rear fog light</b> 1x12V21W (H21W) 8GH 008 417-001 1x12V21/4W (P21/4W) 8GD 004 772-121 2x12V21W (P21W) 8GA 002 073-121 2x12V5W (W5W) 8GP 003 594-121
<b>Mondeo III</b> (-) Estate	05/05->	9EL 171 558-031 9EL 171 558-041	1 1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight, right, with reverse and rear fog light</b> 1x12V21W (H21W) 8GH 008 417-001 1x12V21/4W (P21/4W) 8GD 004 772-121 2x12V21W (P21W) 8GA 002 073-121 2x12V5W (W5W) 8GP 003 594-121
<b>Mondeo III Estate</b>	11/00->	9EL 354 071-011 9EL 354 071-021	1 1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight, right, with reverse and rear fog light</b> 1x12V21/4W (P21/4W) 8GD 004 772-121 3x12V21W (P21W) 8GA 002 073-121
<b>Orion II (AFF)</b> Orion II (AFF)	12/85->07/90	1AF 960 723-111 1AF 960 723-121 9GH 116 966-011	1 1 10	<b>H4 headlight, left, for vehicles with or without headlight leveller</b> <b>H4 headlight, right, for vehicles with or without headlight leveller</b> (E1) 34540 left (E1) 34541 right <b>Spare Parts:</b> Cap 1x12V60/55W (H4) 8GJ 002 525-131 1x12V4W (T4W) 8GP 002 067-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Ford</b>				
Orion II (AFF) Orion II (AFF)	12/85->07/90	9EL 145 284-011 9EL 145 284-021	1 1	<b>Body/lens for indicator light (amber), left</b> <b>Body/lens for indicator light (amber), right</b> E3 47869 1x12V21W (P21W) 8GA 002 073-121
Orion III (GAL) Orion III (GAL)	10/92->12/93	1AF 007 786-041	1	<b>H4 headlight, right,</b> <b>for vehicles with or without headlight leveller</b> E9 5134 1x12V60/55W (H4) 8GJ 002 525-131 1x12V5W (W5W) 8GP 003 594-121
Orion III (GAL)	09/91->12/93	9EL 148 345-011 9EL 148 345-021	1 1	<b>Body/lens for combination rearlight, left,</b> <b>with reverse and rear fog light</b> <b>Body/lens for combination rearlight, right,</b> <b>with reverse and rear fog light</b> E1 223 1x12V5W (R5W) 8GA 002 071-121 3x12V21W (P21W) 8GA 002 073-121
S-MAX S-MAX	05/06->	1EJ 009 250-731 1EJ 009 250-741	1 1	<b>FF®-H7/FF®-H1 headlight, left,</b> <b>with indicator light,</b> <b>with electr. headlight leveller actuator,</b> <b>with bulbs</b> <b>FF®-H7/FF®-H1 headlight, right,</b> <b>with indicator light,</b> <b>with electr. headlight leveller actuator,</b> <b>with bulbs</b> E1 2105 1x12V55W (H7) 8GH 007 157-121 1x12V55W (H1) 8GH 002 089-133 2x12V21W (PY21W) 8GA 006 841-121



**Ford**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Ford</b>				
<b>Transit (T_)</b> Transit Bus, Box	09/85->09/92	2VP 354 034-011 2VP 354 034-021	1 1	<b>Combination rearlight, left, with reverse and rear fog light</b> <b>Combination rearlight, right, with reverse and rear fog light</b>    1x12V21/5W (P21/5W) 8GD 002 078-121  3x12V21W (P21W) 8GA 002 073-121
<b>Transit (E_)</b> Transit	01/91->07/00	1AG 008 563-011 1AG 008 563-021	1 1	<b>H4 headlight, left, for vehicles with or without headlight leveller (grey body, glas lens)</b> <b>H4 headlight, right, for vehicles with or without headlight leveller (grey body, glas lens)</b>    9724  1x12V60/55W (H4) 8GJ 002 525-131  1x12V5W (W5W) 8GP 003 594-121
Transit	08/94->07/00	1AG 354 023-011 1AG 354 023-021	1 1	<b>H4 headlight, left, for vehicles with headlight leveller (black body, plastic lens)</b> <b>H4 headlight, right, for vehicles with headlight leveller (black body, plastic lens)</b>    489  1x12V60/55W (H4) 8GJ 002 525-131  1x12V5W (W5W) 8GP 003 594-121
Transit	08/94->07/00	1AG 354 023-051 1AG 354 023-061	1 1	<b>H4 headlight, left, for vehicles without headlight leveller (black body, plastic lens)</b> <b>H4 headlight, right, for vehicles without headlight leveller (black body, plastic lens)</b>    489  1x12V60/55W (H4) 8GJ 002 525-131  1x12V5W (W5W) 8GP 003 594-121
Transit	06/94->07/00	1NE 007 517-051 1NE 007 517-061	1 1	<b>FF®-H3 fog light, left</b> <b>FF®-H3 fog light, right</b>    215  1x12V55W (H3) 8GH 002 090-133



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Ford</b>				
<b>Transit (E_)</b> Transit	01/91->07/00	9EL 354 072-011 9EL 354 072-021	1 1	<b>Body/lens for indicator light (amber), left</b> <b>Body/lens for indicator light (amber), right</b>   1x12V21W (P21W) 8GA 002 073-121
<b>Transit Bus, Box</b>	01/91->07/00	2VP 354 034-011 2VP 354 034-021	1 1	<b>Combination rearlight, left, with reverse and rear fog light</b> <b>Combination rearlight, right, with reverse and rear fog light</b>   1x12V21/5W (P21/5W) 8GD 002 078-121  3x12V21W (P21W) 8GA 002 073-121
<b>Transit (F_)</b> Transit	12/01->07/06	1EG 354 024-011 1EG 354 024-021	1 1	<b>H4 headlight, left, with indicator light, with black cover, for vehicles without headlight leveller</b> <b>H4 headlight, right, with indicator light, with black cover, for vehicles without headlight leveller</b>   8478  1x12V60/55W (H4) 8GJ 002 525-131  1x12V21/5W (P21/5W) 8GD 002 078-121  1x12V5W (W5W) 8GP 003 594-121
<b>Transit</b>	12/01->07/06	1EG 354 024-031 1EG 354 024-041	1 1	<b>H4 headlight, left, with indicator light, with black cover, with electr. headlight leveller actuator, for vehicles with headlight leveller</b> <b>H4 headlight, right, with indicator light, with black cover, with electr. headlight leveller actuator, for vehicles with headlight leveller</b>   8478  1x12V60/55W (H4) 8GJ 002 525-131  1x12V21/5W (P21/5W) 8GD 002 078-121  1x12V5W (W5W) 8GP 003 594-121

**Ford**

Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Ford</b>				
<b>Transit (F_)</b> Transit	01/00->07/06	1EG 354 024-091 1EG 354 024-101	1 1	<b>H4 headlight, left, with indicator light, with chrome-plated cover, for vehicles without headlight leveller</b> <b>H4 headlight, right, with indicator light, with chrome-plated cover, for vehicles without headlight leveller</b> 9476 1x12V60/55W (H4) 8GJ 002 525-131 1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V5W (W5W) 8GP 003 594-121
<b>Transit</b>	01/00->07/06	1EG 354 024-111 1EG 354 024-121	1 1	<b>H4 headlight, left, with indicator light, with chrome-plated cover, with electr. headlight leveller actuator, for vehicles with headlight leveller</b> <b>H4 headlight, right, with indicator light, with chrome-plated cover, with electr. headlight leveller actuator, for vehicles with headlight leveller</b> 9476 1x12V60/55W (H4) 8GJ 002 525-131 1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V5W (W5W) 8GP 003 594-121
<b>Transit</b> Flatbed, Chassis with long wheelbase 350 R series	01/00->	2BA 010 231-011 2BA 010 231-021	1 1	<b>Auxiliary indicator light (amber), left</b> <b>Auxiliary indicator light (amber), right</b> 1x12V5W (W5W) 8GP 003 594-121
<b>Transit</b> Flatbed, Chassis 2-doors	09/02->	2BA 010 232-011 2BA 010 232-021	1 1	<b>Auxiliary indicator light (amber), left</b> <b>Auxiliary indicator light (amber), right</b> 1x12V5W (W5W) 8GP 003 594-121
<b>Transit Bus, Box</b>	01/00->	2VP 354 037-011 2VP 354 037-021	1 1	<b>Combination rearlight, left, with reverse and rear fog light</b> <b>Combination rearlight, right, with reverse and rear fog light</b> 1x12V21/5W (P21/5W) 8GD 002 078-121 3x12V21W (P21W) 8GA 002 073-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Ford</b>				
<b>Transit</b> Transit Bus, Box Transit Tourneo	07/06->	9EL 171 968-011 9EL 171 968-021	1 1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight, right, with reverse and rear fog light</b>  2x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
<b>Honda</b>				
<b>Accord V (CC7)</b> Accord V (CC7)	03/93->02/96	1AG 236 004-091 1AG 236 004-101	1 1	<b>H1 headlight, left, for vehicles with or without headlight leveller</b> <b>H1 headlight, right, for vehicles with or without headlight leveller</b>  44500 left  44501 right  2x12V55W (H1) 8GH 002 089-133 1x12V5W (W5W) 8GP 003 594-121
<b>Accord V (CC7)</b>	03/93->02/96	9EL 236 217-011 9EL 236 218-011	1 1	<b>Body/lens for indicator light (white), left</b> <b>Body/lens for indicator light (white), right</b>  52633 1x12V21W (PY21W) 8GA 006 841-121
<b>Accord V (CC7)</b>	03/93->02/96	9EL 236 237-011 9EL 236 238-011	1 1	<b>Body/lens for combination rearlight, left</b> <b>Body/lens for combination rearlight, right</b>  63285 1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V21W (P21W) 8GA 002 073-121
<b>Hyundai</b>				
<b>Accent (LC)</b> Accent (LC)	01/00->07/02	1EJ 010 045-011 1EJ 010 045-021	1 1	<b>FF®-H4 headlight, left, with indicator light, with bulbs</b> <b>FF®-H4 headlight, right, with indicator light, with bulbs</b>  1x12V60/55W (H4) 8GJ 002 525-131 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>KIA</b>				
Cee'd		1EJ 009 547-211	1	FF®-H7 headlight, left, with indicator light, with electr. headlight leveller actuator, with bulbs
Cee'd	12/06->	1EJ 009 547-221	1	FF®-H7 headlight, right, with indicator light, with electr. headlight leveller actuator, with bulbs
		 2x12V55W (H7) 8GH 007 157-121  1x12V21W (H21W) 8GH 008 417-001  1x12V5W (W5W) 8GP 003 594-121		
<b>Lancia</b>				
Ypsilon (843)		1EB 270 521-231	1	H7/FF®-H3 headlight, left, with indicator light, with electr. headlight leveller actuator
Ypsilon	10/03->08/06	1EB 270 521-241	1	H7/FF®-H3 headlight, right, with indicator light, with electr. headlight leveller actuator
		(E4) 10161  1x12V55W (H7) 8GH 007 157-121  1x12V55W (H3) 8GH 002 090-133  1x12V21W (PY21W) 8GA 006 841-121  1x12V5W (W5W) 8GP 003 594-121		
Ypsilon	09/06->	1EB 270 521-431	1	H7/FF®-H3 headlight, left, with indicator light, with electr. headlight leveller actuator
		1EB 270 521-441	1	H7/FF®-H3 headlight, right, with indicator light, with electr. headlight leveller actuator
		(E4) 10161  1x12V55W (H7) 8GH 007 157-121  1x12V55W (H3) 8GH 002 090-133  1x12V21W (PY21W) 8GA 006 841-121  1x12V5W (W5W) 8GP 003 594-121		
<b>Land Rover</b>				
Freelander II		1EF 354 025-091	1	H7 headlight, left, with indicator light, with electr. headlight leveller actuator
Freelander II	02/06->	1EF 354 025-101	1	H7 headlight, right, with indicator light, with electr. headlight leveller actuator
		(E4) 10233 left (E4) 10234 right  2x12V55W (H7) 8GH 007 157-121  1x12V21W (PY21W) 8GA 006 841-121  1x12V5W (W5W) 8GP 003 594-121		



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Land Rover</b>				
Freelander II Freelander II	02/06->	1EL 354 025-051  1EL 354 025-061	1  1	<p><b>Xenon/H7 headlight, left, with indicator light, with dynam. headlight leveller actuator, with xenon ballast, with gas discharge bulb, with bulbs</b></p> <p><b>Xenon/H7 headlight, right, with indicator light, with dynam. headlight leveller actuator, with xenon ballast, with gas discharge bulb, with bulbs</b></p> <p>ⓔ4 10233</p> <p> 1x35W (D1S) 8GS 009 028-001</p> <p> 1x12V55W (H7) 8GH 007 157-121</p> <p> 1x12V21W (PY21W) 8GA 006 841-121</p> <p> 1x12V5W (W5W) 8GP 003 594-121</p>
Freelander II	02/06->	1EL 354 025-011  1EL 354 025-021	1  1	<p><b>Xenon/H7 headlight, left, with indicator light, with bend lighting, with dynam. headlight leveller actuator, with xenon ballast, with gas discharge bulb, with bulbs</b></p> <p><b>Xenon/H7 headlight, right, with indicator light, with bend lighting, with dynam. headlight leveller actuator, with xenon ballast, with gas discharge bulb, with bulbs</b></p> <p>ⓔ4 10233</p> <p> 1x35W (D1S) 8GS 009 028-001</p> <p> 1x12V55W (H7) 8GH 007 157-121</p> <p> 1x12V21W (PY21W) 8GA 006 841-121</p> <p> 1x12V5W (W5W) 8GP 003 594-121</p>
Freelander II	02/06->	2SK 354 035-011 2SK 354 035-021	1 1	<p><b>Combination rearlight, left, with reverse and rear fog light</b></p> <p><b>Combination rearlight, right, with reverse and rear fog light</b></p> <p> 1x12V21/5W (P21/5W) 8GD 002 078-121</p> <p>2x12V21W (P21W) 8GA 002 073-121</p> <p>1x12V21W (PY21W) 8GA 006 841-121</p>




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mazda</b>				
121 III (JASM, JBSM)		1EJ 008 041-011	1	H7/H1 headlight, left, with indicator light
121 III (JASM, JBSM)	03/96->02/00	1EJ 008 041-021	1	H7/H1 headlight, right, with indicator light
		9ES 150 869-001	1	(E13) 4021 left and right
		9ES 150 870-001	1	(E13) 4746 left (E13) 4747 right
		<b>Spare Parts:</b>		
			1	Lens, left
			1	Lens, right
				 1x12V55W (H7) 8GH 007 157-121
				 1x12V55W (H1) 8GH 002 089-133
				 1x12V21W (PY21W) 8GA 006 841-121
				 1x12V5W (W5W) 8GP 003 594-121
<b>Mercedes-Benz</b>				
A-Class (A 168)		1EJ 008 402-011	1	FF®-H7 headlight, left, with H1 fog light, with indicator light, with bulbs
A 140 - A 190 (A-Class, A 168)	07/97->02/01	1EJ 008 402-021	1	FF®-H7 headlight, right, with H1 fog light, with indicator light, with bulbs
				(E1) 540 left (E1) 541 right
				 2x12V55W (H7) 8GH 007 157-121
				 1x12V55W (H1) 8GH 002 089-133
				 1x12V5W (W5W) 8GP 003 594-121
				 1x12V21W (PY21W) 8GA 006 841-121
<b>C-Class (W/S 202)</b>				
C 180 - C 280 (C-Class, W/S 202)	03/93->08/96	1EJ 008 040-011	1	H1 headlight, left, with H3 fog light, with body/lens for indicator light (amber), with headlight leveller, with bulbs
C 180, C 200, C 200 D, C 220, C 220 D, C 230 Kompressor, C 250 D, C 250 Turbodiesel, C 280		1EJ 008 040-021	1	H1 headlight, right, with H3 fog light, with body/lens for indicator light (amber), with headlight leveller, with bulbs
Saloon	03/93->08/96			(E13) 2565 left (E13) 2566 right
Estate	06/96->08/96			(E1) 52637 left and right
		9AH 150 865-001	1	Lens retaining rim with lens, left
		9AH 150 866-001	1	Lens retaining rim with lens, right
		9EL 150 987-001	1	Body/lens for indicator light (amber), left
		9EL 150 988-001	1	Body/lens for indicator light (amber), right
				 2x12V55W (H1) 8GH 002 089-133
				 1x12V55W (H3) 8GH 002 090-133
				 1x12V21W (P21W) 8GA 002 073-121
				 1x12V5W (W5W) 8GP 003 594-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>C-Class (W/S 202)</b>				
C 180 - C 280 (C-Class, W/S 202)	03/93->08/96	1EJ 008 040-031	1	H1 headlight, left, with H3 fog light, with body/lens for indicator light (white), with headlight leveller, with bulbs
C 180, C 200, C 200 D, C 220, C 220 D, C 230 Kompressor, C 250 D, C 250 Turbodiesel, C 280		1EJ 008 040-041	1	H1 headlight, right, with H3 fog light, with body/lens for indicator light (white), with headlight leveller, with bulbs  (E13) 2565 left (E13) 2566 right (E1) 52638 left and right
Saloon	03/93->08/96			<b>Spare Parts:</b>
Estate	06/96->08/96	9AH 150 865-001	1	Lens retaining rim with lens, left
		9AH 150 866-001	1	Lens retaining rim with lens, right
		9EL 150 867-001	1	Body/lens for indicator light (white), left
		9EL 150 868-001	1	Body/lens for indicator light (white), right
				2x12V55W (H1) 8GH 002 089-133
				1x12V55W (H3) 8GH 002 090-133
				1x12V21W (PY21W) 8GA 006 841-121
				1x12V5W (W5W) 8GP 003 594-121
C 180 - C 280 (C-Class, W/S 202)	09/96->03/01	1EJ 008 040-051	1	H7/H1 headlight, left, with H1 fog light, with body/lens for indicator light (white), with headlight leveller
C 180, C 200, C 200 CDI, C 220 D, C 220 CDI, C 230, C 230 Kompressor, C 240, C 250 D, C 250 Turbodiesel C 280		1EJ 008 040-061	1	H7/H1 headlight, right, with H1 fog light, with body/lens for indicator light (white), with headlight leveller  (E13) 2565 left (E13) 2566 right (E1) 52638 left and right
Saloon	09/96->05/00			<b>Spare Parts:</b>
Estate	09/96->03/01	9AH 150 865-011	1	Lens, left (without retaining rim)
		9AH 150 866-011	1	Lens, right (without retaining rim)
		9EL 150 867-001	1	Body/lens for indicator light (white), left
		9EL 150 868-001	1	Body/lens for indicator light (white), right
				1x12V55W (H7) 8GH 007 157-201 Long Life
				2x12V55W (H1) 8GH 002 089-133
				1x12V21W (PY21W) 8GA 006 841-121
				1x12V5W (W5W) 8GP 003 594-121
C 180 - C 280 (C-Class, W/S 202)	03/93->08/96	9EL 150 987-001	1	Body/lens for indicator light (amber), left
		9EL 150 988-001	1	Body/lens for indicator light (amber), right  (E1) 52637 1x12V21W (P21W) 8GA 002 073-121





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>C-Class (W/S 202)</b> C 180 - C 280 (C-Class, W/S 202)	03/93->03/01	9EL 150 867-001 9EL 150 868-001	1 1	<b>Body/lens for indicator light (white), left</b> <b>Body/lens for indicator light (white), right</b> (E1) 52638 1x12V21W (PY21W) 8GA 006 841-121
				
<b>C 180 T - C 250 T</b> Turbodiesel (C-Class, S 202) Estate  C 180 T, C 200 T, C 200 T Diesel, C 220 T Diesel, C 230 T, C 250 T Turbodiesel	06/96->05/97	9EL 146 525-021 9EL 146 526-021	1 1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight, right, with reverse light</b> (E1) 283 1x12V21/4W (P21/4W) 8GD 004 772-121 2x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121
				
<b>C 180 T - C 280 T</b> (C-Class, S 202) Estate  C 180 T, C 200 T, C 200 T Diesel, C 220 T Diesel  <b>C 220 T CDI</b>  <b>C 230 T, C 230 T</b> Kompressor, C 240 T, C 250 T Turbodiesel, C 280 T	06/97->03/01  09/97->03/01  06/97->03/01	9EL 146 525-041 9EL 146 526-041	1 1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight, right, with reverse light</b> (E1) 283 1x12V21/4W (P21/4W) 8GD 004 772-121 2x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121
				
<b>C 180 - C 280</b> (C-Class, W 202)  up to chassis no. A 406838, F 419816	03/93->05/00	2KA 004 983-011	4	<b>Licence plate light</b> (E1) 22870 1x12V5W (C5W) 8GM 002 092-121
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>C-Class (W/S 203)</b>				
C 180 - C 320 4-matic (C-Class, W 203, S 203) Saloon, Estate	05/00->02/04	1EE 009 055-011	1	H7 headlight, left, with indicator light, with pneum. headlight leveller actuator, with bulbs
C 180	10/00->05/02	1EE 009 055-021	1	H7 headlight, right, with indicator light, with pneum. headlight leveller actuator, with bulbs
C 180 Kompressor	05/02->02/04			(E1) 867 left (E1) 868 right
C 200 CDI	09/00->02/04			2x12V55W (H7) 8GH 007 157-121
C 200 Kompressor, C 220 CDI, C 240	05/00->02/04			1x12V5W (W5W) 8GP 003 594-121
C 240 4-matic	07/02->02/04			1x12V21W (PY21W) 8GA 006 841-121
C 270 CDI	12/00->02/04			
C 320	05/00->02/04			
C 320 4-matic	07/02->02/04			
C 30 CDI	01/03->02/04			
C 32 AMG	02/01->02/04			
Saloon, Estate				
C 180 - C 320 (C-Class, W 203) Saloon	05/00->05/02	1NA 007 976-071	1	HB4 fog light, left, with bulb
C 180 T - C 320 T 4-matic (C-Class, S 203) Estate	03/01->05/02	1NA 007 976-081	1	HB4 fog light, right, with bulb
				(E1) 839
				1x12V51W (HB4) 8GH 005 636-121
C 180 Kompressor - C 320 4-matic (C-Class, W 203) Saloon	05/02->02/04	1NA 007 976-111	1	HB4 fog light, left, with bulb
C 180 T Kompressor - C 320 T 4-matic (C-Class, S 203) Estate	05/02->02/04	1NA 007 976-121	1	HB4 fog light, right, with bulb
				(E1) 1215
				1x12V51W (HB4) 8GH 005 636-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>C-Class (W/S 203)</b>		<b>1NA 007 976-231</b>	1	<b>HB4 fog light, left, with bulb</b>
C 180 Kompressor - C 350 4-matic (C-Class, W 203) Saloon	03/04->	<b>1NA 007 976-241</b>	1	<b>HB4 fog light, right, with bulb</b>
				(E1) 839
				 1x12V51W (HB4) 8GH 005 636-121
C 180 T Kompressor - C 350 T 4-matic (C-Class, S 203) Estate	03/04->			
				
C 180 T - C 320 T 4-matic (C-Class, S 203) Estate	03/01->02/04	<b>2VP 008 048-051</b>	1	<b>Combination rearlight, left, with reverse and rear fog light, with side-marker reflex-reflector, with bulbs</b>
		<b>2VP 008 048-061</b>	1	<b>Combination rearlight, right, with reverse and rear fog light, with side-marker reflex-reflector, with bulbs</b>
C 180 T	03/01->03/02			(E1) 1091
C 180 Kompressor T	05/02->02/04			
C 200 CDI T	03/01->02/04			 1x12V21/4W (P21/4W) 8GD 004 772-121
C 200 CGI T	07/03->02/04			2x12V21W (P21W) 8GA 002 073-121
				1x12V21W (PY21W) 8GA 006 841-121
C 200 Kompressor T, C 220 CDI T, C 240 T	03/01->02/04			
C 240 4-matic T	09/02->02/04			
C 270 CDI T, C 320 T	03/01->02/04			
C 320 4-matic T	09/02->02/04			
C 32 AMG T	03/01->02/04			
Estate				
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>C-Class Sports Coupé (CL 203)</b>		1DR 007 984-091	1	H7 headlight, left, with indicator light, with pneum. headlight leveller actuator, with bulbs
C 180 - C 320 (C-Class, CL 203) Sports Coupé	03/01->02/04	1DR 007 984-101	1	H7 headlight, right, with indicator light, with pneum. headlight leveller actuator, with bulbs
C 180	03/01->05/02			Ⓔ1 1010 left Ⓔ1 1011 right
C 180 Kompressor	05/02->02/04			2x12V55W (H7) 8GH 007 157-121
C 200 CDI	07/03->02/04			1x12V5W (W5W) 8GP 003 594-121
C 200 CGI	09/02->02/04			1x12V21W (PY21W) 8GA 006 841-121
C 200 Kompressor	03/01->02/04			
C 220	05/02->02/04			
C 220 CDI	03/01->02/04			
C 230 Kompressor	03/01->05/02			
C 30 CDI	09/02->02/04			
C 32 AMG	05/02->02/04			
C 320 Sports Coupé	09/02->02/04			
C 180 - C 230 Kompressor (C-Class, CL 203) Sports Coupé	03/01->05/02	1NA 007 976-071	1	HB4 fog light, left, with bulb
		1NA 007 976-081	1	HB4 fog light, right, with bulb
				Ⓔ1 839
				1x12V51W (HB4) 8GH 005 636-121
C 180 Kompressor - C 320 (C-Class, CL 203) Sports Coupé	05/02->02/04	1NA 007 976-111	1	HB4 fog light, left, with bulb
		1NA 007 976-121	1	HB4 fog light, right, with bulb
				Ⓔ1 1215
				1x12V51W (HB4) 8GH 005 636-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>C-Class Sports Coupé (CL 203)</b>		<b>2VP 008 031-051</b>	1	<b>Combination rearlight, left, with reverse and rear fog light, with bulbs</b> <b>Combination rearlight, right, with reverse and rear fog light, with bulbs</b> (E1) 1014  1x12V21/4W (P21/4W) 8GD 004 772-121  3x12V21W (P21W) 8GA 002 073-121
C 180 - C 320 (C-Class, CL 203) Sports Coupé	03/01->02/04	<b>2VP 008 031-061</b>	1	
C 180	03/01->05/02			
C 180 Kompressor	05/02->02/04			
C 200 CDI	07/03->02/04			
C 200 CGI	09/02->02/04			
C 200 Kompressor	03/01->02/04			
C 220	05/02->02/04			
C 220 CDI	03/01->02/04			
C 230 Kompressor	03/01->05/02			
C 30 CDI	09/02->02/04			
C 32 AMG	05/02->02/04			
C 320 Sports Coupé	09/02->02/04			
				
<b>CLK (C 208)</b>		<b>1D9 007 450-131</b>	1	<b>H7 headlight, left, with indicator light, with pneum. headlight leveller actuator, with bulbs</b> <b>H7 headlight, right, with indicator light, with pneum. headlight leveller actuator, with bulbs</b> (E1) 503 left and right (E1) 504 right (E1) 510 left and right (E1) 511 right  2x12V55W (H7) 8GH 007 157-201 Long Life  1x12V6W (H6W) 8GH 007 643-171 Long Life  1x12V21W (PY21W) Long Life
CLK 200 - CLK 430 (CLK, C 208)	06/97->02/03	<b>1D9 007 450-141</b>	1	
CLK 200, CLK 230 Kompressor, CLK 320	06/97->02/03			
CLK 430	09/98->02/03			
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>CLK (C 208)</b> CLK 200 - CLK 430 (CLK, C 208) CLK 200, CLK 230 Kompressor, CLK 320 CLK 430 Special equipment 	06/97->02/03 06/97->02/03 08/98->02/03	1D9 007 450-151 1D9 007 450-161 5DV 007 760-651	1 1 1	<b>Xenon/H7 headlight, left, with indicator light, with electr. headlight leveller actuator, with xenon ballast, with gas discharge bulb, with bulbs</b> <b>Xenon/H7 headlight, right, with indicator light, with electr. headlight leveller actuator, with xenon ballast, with gas discharge bulb, with bulbs</b> (E1) 503 left and right (E1) 510 left and right <b>Spare Parts:</b> Ballast unit  1x35W (D2R) 8GS 007 001-121  1x12V55W (H7) 8GH 007 157-201 Long Life  1x12V6W (H6W) 8GH 007 643-171 Long Life
CLK 200 - CLK 430 (CLK, C 208) 	06/97->02/03	5DV 007 760-651	1	<b>Ballast unit</b>
CLK 200 - CLK 430 (CLK, C 208) 	06/97->02/03	1NB 007 555-031 1NB 007 555-041	1 1	<b>H1 fog light, left, with bulb</b> <b>H1 fog light, right, with bulb</b> (E13) 141  1x12V55W (H1) 8GH 002 089-133
CLK 200 - CLK 430 (CLK, C 208) CLK 200, CLK 230 Kompressor, CLK 320 CLK 430 	06/97->02/03 06/97->02/03 08/98->02/03	9EL 147 845-021 9EL 147 846-021	1 1	<b>Body/lens for combination rearlight, left</b> <b>Body/lens for combination rearlight, right</b> (E1) 487  1x12V5W (R5W) 8GA 002 071-121  1x12V21W (P21W) 8GA 002 073-121  1x12V21W (PY21W) 8GA 006 841-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>CLK (C 208)</b> CLK 200 - CLK 430 (CLK, C 208) CLK 200, CLK 230 Kompressor, CLK 320 CLK 430	06/97->02/03 06/97->02/03 08/98->02/03	9EL 147 605-021 9EL 147 606-021	1 1	Body/lens for rear fog and reverse light, left Body/lens for reverse light, right E1 479  2x12V21W (P21W) 8GA 002 073-121
<b>CLK (C 209)</b> CLK 200 - CLK 500 (CLK, C 209) CLK 200 CGI, CLK 240, CLK 270 CDI, CLK 320, CLK 320 CDI, CLK 500, CLK 32 AMG	06/02->05/05	1DB 007 988-191 1DB 007 988-201	1 1	H7 headlight, left, with indicator light, with pneum. headlight leveller actuator, with bulbs H7 headlight, right, with indicator light, with pneum. headlight leveller actuator, with bulbs E1 1300 left E1 1301 right  2x12V55W (H7) 8GH 007 157-121  1x12V5W (W5W) 8GP 003 594-121  1x12V21W (PY21W) 8GA 006 841-121
CLK 200 - CLK 500 (CLK, C 209) CLK 200 CGI, CLK 240, CLK 270 CDI, CLK 320, CLK 320 CDI, CLK 500, CLK 32 AMG	06/02->05/05	1DL 007 988-211 1DL 007 988-221	1 1	Bi-Xenon®/H7 headlight, left, with indicator light, with automat. headlight leveller actuator, with xenon ballast, with gas discharge bulb, with bulbs Bi-Xenon®/H7 headlight, right, with indicator light, with automat. headlight leveller actuator, with xenon ballast, with gas discharge bulb, with bulbs E1 1300 left E1 1301 right E1 1302 left E1 1303 right  1x35W (D2S) 8GS 007 949-101  1x12V55W (H7) 8GH 007 157-121  1x12V5W (W5W) 8GP 003 594-121  1x12V21W (PY21W) 8GA 006 841-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>CLK (C 209)</b> CLK 200 - CLK 500 (CLK, C 209)	06/02->05/05	1NA 007 976-111 1NA 007 976-121	1 1	<b>HB4 fog light, left, with bulb</b> <b>HB4 fog light, right, with bulb</b> (E1) 1215 1x12V51W (HB4) 8GH 005 636-121
<b>CLK 200 - CLK 500 (CLK, C 209)</b> CLK 200 CGI, CLK 240, CLK 270 CDI, CLK 320, CLK 320 CDI, CLK 500, CLK 32 AMG	06/02->05/05	2VP 008 326-051 2VP 008 326-061	1 1	<b>Combination rearlight, left, with reverse and rear fog light, with side-marker reflex-reflector, with bulbs</b> <b>Combination rearlight, right, with reverse and rear fog light, with side-marker reflex-reflector, with bulbs</b> (E1) 1152 1x12V5W (R5W) 8GA 002 071-121 1x12V21/4W (P21/4W) 8GD 004 772-121 3x12V21W (P21W) 8GA 002 073-121
<b>CLS (C 219)</b> CLS 350 - CLS 500 (CLS, C 219) CLS 350, CLS 500 CLS 55 AMG CLS 63 AMG	10/04-> 10/04-> 01/05-> 04/06->	1EL 008 821-011 1EL 008 821-021	1 1	<b>H7 headlight, left, with indicator light, with electr. headlight leveller actuator, with bulbs</b> <b>H7 headlight, right, with indicator light, with electr. headlight leveller actuator, with bulbs</b> (E1) 1814 2x12V55W (H7) 8GH 007 157-121 1x12V5W (W5W) 8GP 003 594-121 1x12V21W (PY21W) 8GA 006 841-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>CLS (C 219)</b>		<b>1ES 008 821-311</b>	1	<b>Bi-Xenon®/H7 headlight, left, with indicator light, with bend lighting, with electr. headlight leveller actuator, with xenon ballast, with gas discharge bulb, with bulbs</b>
CLS 350 - CLS 500 (CLS, C 219)	10/04->			
CLS 350, CLS 500	10/04->	<b>1ES 008 821-321</b>	1	<b>Bi-Xenon®/H7 headlight, right, with indicator light, with bend lighting, with electr. headlight leveller actuator, with xenon ballast, with gas discharge bulb, with bulbs</b>
CLS 55 AMG	01/05->			
CLS 63 AMG	04/06->			
		5DV 008 855-017	70	<b>Spare Parts:</b> Ballast unit  1x35W (D2S) 8GS 007 949-101  1x12V55W (H7) 8GH 007 157-201  1x12V5W (W5W) 8GP 003 594-121  1x12V21W (PY21W) Osram Diadem
CLS 350 - CLS 500 (CLS, C 219)	10/04->	<b>5DV 008 855-017</b>	70	<b>Ballast unit</b>
				
<b>E-Class (W/S 124)</b>		<b>1EJ 007 219-051</b>	1	<b>H4 headlight, left, with H3 fog light, with white indicator light, with headlight leveller</b>
E 200 - E 320 (E-Class, W/S 124)	06/93->03/98			
E 200, E 200 D, E 220, E 250 D, E 250 TD, E 280, E 300, E 300 D, E 300 TD, E 320		<b>1EJ 007 219-061</b>	1	<b>H4 headlight, right, with H3 fog light, with white indicator light, with headlight leveller</b>
Saloon	06/93->06/95			
Estate	06/93->06/96	2BA 004 693-031	1	Indicator light (white), left, with bulb
Convertible	06/93->03/98	2BA 004 693-041	1	Indicator light (white), right, with bulb
Coupé	06/93->06/97	9EL 129 615-021	1	Lens for indicator light (white), left
		9EL 129 614-021	1	Lens for indicator light (white), right
		9AH 144 815-021	1	Lens retaining rim with lens, left
		9AH 144 816-021	1	Lens retaining rim with lens, right
		9DE 129 975-021	1	Reflector for H4 headlight, left
		9DE 129 974-021	1	Reflector for H4 headlight, right
		9FF 137 580-005	200	Bulb socket for side light
				 1x12V60/55W (H4) 8GJ 002 525-131  1x12V55W (H3) 8GH 002 090-133  1x12V21W (PY21W) 8GA 006 841-121  1x12V4W (T4W) 8GP 002 067-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>E-Class (W/S 124)</b>				
E 200 - E 500 (E-Class, W/S 124)	06/93->03/98	2BA 004 693-031	1	Indicator light (white), left, with bulb
		2BA 004 693-041	1	Indicator light (white), right, with bulb
Saloon	06/93->06/95			(E1) 52609
Estate	06/93->06/96			<b>Spare Parts:</b>
Convertible	06/93->03/98	9EL 129 615-021	1	Lens, left
		9EL 129 614-021	1	Lens, right
Coupé	06/93->06/97			1x12V21W (PY21W) 8GA 006 841-121
E 200 - E 500 (E-Class, W/S 124)	06/93->03/98	2VP 004 686-151	1	Combination rearlight (grey/red), left, with reverse and rear fog light
		2VP 004 686-181	1	Combination rearlight (grey/red), right, with reverse and rear fog light
E 200, E 200 D, E 220, E 250 D, E 250 TD, E 280, E 300, E 300 D, E 300 TD, E 320, E 420, E 500				(E1) 53378 (E1) 63290
Saloon	06/93->06/95	9EL 129 763-021	1	Lens, left
Convertible	06/93->03/98	9EL 129 762-031	1	Lens, right
Coupé	06/93->06/97			1x12V10W (R10W) 8GA 002 071-131 3x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121
E 200 - E 500 (E-Class, W/S 124) Saloon, Coupé, Convertible	06/93->03/98	2KA 004 983-011	4	Licence plate light
				(E1) 22870
				1x12V5W (C5W) 8GM 002 092-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>E-Class (W/S 210)</b>		<b>1D9 007 095-091</b>	1	<b>H7 headlight, left, with indicator light, with bulbs</b>
E 200 - E 430 (E-Class, W/S 210)	06/95->06/99	<b>1D9 007 095-101</b>	1	<b>H7 headlight, right, with indicator light, with bulbs</b>
E 200, E 200 D, E 200 CDI, E 220 D, E 220 CDI, E 230, E 240, E 250 D, E 280, E 290 Turbo-D, E 300 D, E 300 Turbo-D, E 320, E 420, E 430		9AH 144 231-031	1	(E1) 227 left and right
Saloon	06/95->06/99	9AH 144 232-031	1	(E1) 228 right
Estate	05/96->06/99			<b>Spare Parts:</b> Lens retaining rim with double lens, left Lens retaining rim with double lens, right
				
<b>E 200 - E 430 (E-Class, W/S 210)</b>		<b>1D9 007 380-051</b>	1	<b>Xenon/H7 headlight, left, with indicator light, with electr. headlight leveller actuator, with gas discharge bulb, with bulbs</b>
E 50, E 55, E 200, E 200 D, E 200 CDI, E 220 D, E 220 CDI, E 230, E 240, E 250 D, E 280, E 290 Turbo-D, E 300 D, E 300 Turbo-D, E 320, E 420, E 430	06/95->06/99	<b>1D9 007 380-061</b>	1	<b>Xenon/H7 headlight, right, with indicator light, with electr. headlight leveller actuator, with gas discharge bulb, with bulbs</b>
Saloon	06/95->06/99	9AH 146 735-041	1	(E1) 277 left and right
Estate	05/96->06/99	9AH 146 736-041	1	<b>Spare Parts:</b> Lens retaining rim with double lens, left Lens retaining rim with double lens, right
				
				1x35W (D2R) 8GS 007 001-121
				1x12V55W (H7) 8GH 007 157-201 Long Life
				1x12V6W (H6W) 8GH 007 643-171 Long Life
				1x12V21W (PY21W) 8GA 006 841-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>E-Class (W/S 210)</b>				
E 200 - E 430 (E-Class, W/S 210)	07/99->03/03	1D9 007 970-031	1	H7 headlight, left, with indicator light, with pneum. headlight leveller actuator, with bulbs
E 200, E 200 CDI, E 220 CDI, E 240, E 270 CDI, E 280, E 320, E 320 CDI, E 430		1D9 007 970-041	1	H7 headlight, right, with indicator light, with pneum. headlight leveller actuator, with bulbs
Saloon	07/99->03/02			(E1) 228 right (E1) 229 left and right
Estate	07/99->03/03			2x12V55W (H7) 8GH 007 157-201 Long Life 1x12V6W (H6W) 8GH 007 643-171 Long Life 1x12V21W (PY21W) 8GA 006 841-121
E 200 - E 430 (E-Class, W/S 210)	07/99->03/03	1D9 007 970-071	1	Xenon/H7 headlight, left, with indicator light, with electr. headlight leveller actuator, with xenon ballast, with gas discharge bulb, with bulbs
E 55, E 200, E 200 CDI, E 220 CDI, E 240, E 270 CDI, E 280, E 320, E 320 CDI, E 430		1D9 007 970-081	1	Xenon/H7 headlight, right, with indicator light, with electr. headlight leveller actuator, with xenon ballast, with gas discharge bulb, with bulbs
Saloon	07/99->03/02			(E1) 229 left and right (E1) 277 left and right
Estate	07/99->03/03			1x35W (D2R) 8GS 007 001-121 1x12V55W (H7) 8GH 007 157-201 Long Life 1x12V6W (H6W) 8GH 007 643-171 Long Life 1x12V21W (PY21W) 8GA 006 841-121
E 200 - E 430 (E-Class, W/S 210)	07/99->03/03	1NB 007 555-031	1	H1 fog light, left, with bulb
Saloon	07/99->03/02	1NB 007 555-041	1	H1 fog light, right, with bulb
Estate	07/99->03/03			(E13) 141 1x12V55W (H1) 8GH 002 089-133



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>E-Class (W/S 211)</b>				
E 200 CDI - E 500 (E-Class, W/S 211)	03/02->05/06	1EL 008 369-071	1	H7 headlight, left, with indicator light, with electr. headlight leveller actuator, with bulbs
E 200 CDI, E 200 CGI, E 200 Kompressor, E 200 NGT, E 220 CDI, E 240, E 240 4-matic, E 270 CDI, E 280, E 280 CDI, E 320, E 320 4-matic, E 320 CDI, E 350, E 400 CDI, E 420 CDI, E 500, E 500 4-matic, E 55 AMG		1EL 008 369-081	1	H7 headlight, right, with indicator light, with electr. headlight leveller actuator, with bulbs
Saloon	03/02->05/06			(E1) 1313 2x12V55W (H7) 8GH 007 157-201 Long Life 1x12V5W (W5W) 8GP 003 594-121 1x12V21W (PY21W) 8GA 006 841-121
Estate	03/03->05/06			
				
E 200 CDI - E 500 (E-Class, W/S 211)	03/02->05/06	1EL 008 369-091	1	Bi-Xenon®/H7 headlight, left, with indicator light, with electr. headlight leveller actuator, with xenon ballast, with gas discharge bulb, with bulbs
E 200 CDI, E 200 CGI, E 200 Kompressor, E 200 NGT, E 220 CDI, E 240, E 240 4-matic, E 270 CDI, E 280, E280 CDI, E 320, E 320 4-matic, E 320 CDI, E 350, E 400 CDI, E 420 CDI, E 500, E 500 4-matic, E 55 AMG		1EL 008 369-101	1	Bi-Xenon®/H7 headlight, right, with indicator light, with electr. headlight leveller actuator, with xenon ballast, with gas discharge bulb, with bulbs
Saloon	03/02->05/06			(E1) 1313 (E1) 1314
Estate	03/03->05/06			
				
		5DV 008 855-017	70	<b>Spare Parts:</b> Ballast unit 1x35W (D2S) 8GS 007 949-101 1x12V55W (H7) 8GH 007 157-121 1x12V5W (W5W) 8GP 003 594-121 1x12V21W (PY21W) 8GA 006 841-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>E-Class (W/S 211)</b>				
E 200 CDI - E 500 (E-Class, W/S 211)	03/02->05/06	1ES 008 369-471	1	Bi-Xenon®/H7 headlight, left, with indicator light, with bend lighting, with electr. headlight leveller actuator, with xenon ballast, with gas discharge bulb, with bulbs
E 200 CDI, E 200 CGI, E 200 Kompressor, E 200 NGT, E 220 CDI, E 240, E 240 4-matic, E 270 CDI, E 280, E280 CDI, E 320, E 320 4-matic, E 320 CDI, E 350, E 400 CDI, E 420 CDI, E 500, E 500 4-matic, E 55 AMG		1ES 008 369-481	1	Bi-Xenon®/H7 headlight, right, with indicator light, with bend lighting, with electr. headlight leveller actuator, with xenon ballast, with gas discharge bulb, with bulbs  Ⓔ1 1313 Ⓔ1 1314
Saloon	03/02->05/06	5DV 008 855-017	70	<b>Spare Parts:</b> Ballast unit  1x35W (D2S) 8GS 007 949-101  1x12V55W (H7) 8GH 007 157-121 1x12V5W (W5W) 8GP 003 594-121 1x12V21W (PY21W) 8GA 006 841-121
Estate	03/03->05/06			
E 200 K - E 500 (E-Class, W/S 211)	06/06->	1EL 009 260-071	1	H7 headlight, left, with indicator light, with electr. headlight leveller actuator, with bulbs
E 200 CDI, E 200 K, E 220 CDI, E 280, E 280 4M, E 280 CDI, E 280 CDI 4M, E 320 CDI, E 320 4M, E 350 , E 350 4M, E 500, E 500 4M, E 63 AMG		1EL 009 260-081	1	H7 headlight, right, with indicator light, with electr. headlight leveller actuator, with bulbs
Saloon, Estate	06/06->			2x12V55W (H7) 8GH 007 157-121 1x12V5W (W5W) 8GP 003 594-121 1x12V21W (PY21W) 8GA 006 841-121




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>E-Class (W/S 211)</b>				
E 200 K - E 500 (E-Class, W/S 211)	06/06->	1EL 009 260-551	1	Bi-Xenon®/H7 headlight, left, with indicator light, with electr. headlight leveller actuator, without xenon ballast, with gas discharge bulb, with bulbs
E 220 CDI, E 200 K, E 220 CDI, E 280, E 280 4M, E 280 CDI, E 280 CDI 4M, E 320 CDI, E 320 4M, E 350, E 350 4M, E 500, E 500 4M, E 63 AMG		1EL 009 260-561	1	Bi-Xenon®/H7 headlight, right, with indicator light, with electr. headlight leveller actuator, without xenon ballast, with gas discharge bulb, with bulbs
Saloon, Estate	06/06->			  1x35W (D1S) 8GS 009 028-001  2x12V55W (H7) 8GH 007 157-121  1x12V21W (PY21W) 8GA 006 841-121
E 200 K - E 500 (E-Class, W/S 211)	06/06->	1ZT 009 260-671	1	Bi-Xenon®/H7-AFS headlight, left, with indicator light, with bend lighting, with electr. headlight leveller actuator, without xenon ballast, with gas discharge bulb, with bulbs
E 220 CDI, E 200 K, E 220 CDI, E 280, E 280 4M, E 280 CDI, E 280 CDI 4M, E 320 CDI, E 320 4M, E 350, E 350 4M, E 500, E 500 4M, E 63 AMG		1ZT 009 260-681	1	Bi-Xenon®/H7-AFS headlight, right, with indicator light, with bend lighting, with electr. headlight leveller actuator, without xenon ballast, with gas discharge bulb, with bulbs
Saloon, Estate	06/06->			 (E1) 2077  1x35W (D1S) 8GS 009 028-001  2x12V55W (H7) 8GH 007 157-121  1x12V21W (PY21W) 8GA 006 841-121
E 200 CDI - E 500 (E-Class, W/S 211)	03/02->06/06	5DV 008 855-017	70	Ballast unit
Saloon	03/02->06/06			
Estate	03/03->06/06			
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>E-Class (W/S 211)</b>		<b>1NB 008 275-031</b>	1	<b>H11 fog light, left, with bulb</b>
<b>E 200 CDI - E 500 (E-Class, W/S 211)</b>	03/02->05/04	<b>1NB 008 275-041</b>	1	<b>H11 fog light, right, with bulb</b>
<b>Saloon</b>	03/02->05/04			(E1) 1325
<b>Estate</b>	03/03->05/04			1x12V55W (H11) 8GH 008 358-121
<b>E 200 CDI - E 500 (E-Class, W/S 211)</b>	06/04->06/06	<b>1NB 008 275-071</b>	1	<b>H11 fog light, left, with bulb</b>
<b>Saloon</b>	06/04->06/06	<b>1NB 008 275-081</b>	1	<b>H11 fog light, right, with bulb</b>
<b>Estate</b>	06/04->06/06			(E1) 1325
				1x12V55W (H11) 8GH 008 358-121
<b>G-Class (W 460)</b>		<b>1A8 003 060-541</b>	1	<b>Headlight, not suitable for headlight leveller</b>
<b>230 G - 300 GD (G-Class, W 460)</b>	05/79->08/89			(E1) 14559
<b>230 G, 230 GE, 240 GD, 250 GD, 280 GE, 300 GD</b>		<b>1A8 121 149-001</b>	1	<b>Spare Parts:</b> Light unit
		<b>9GH 116 966-011</b>	10	Cap
		<b>9FF 126 444-001</b>	10	Bulb socket for side light
				1x12V45/40W (R2) 8GD 002 088-131
				1x12V4W (T4W) 8GP 002 067-121
		<b>1A8 003 060-761</b>	1	<b>H4 headlight, not suitable for headlight leveller</b>
				(E1) 14551 (E1) 34495
		<b>9GH 116 966-011</b>	10	<b>Spare Parts:</b> Cap
		<b>9FF 126 444-001</b>	10	Bulb socket for side light
				1x12V60/55W (H4) 8GJ 002 525-131
				1x12V4W (T4W) 8GP 002 067-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>G-Class (W 460)</b> 230 G - 300 GD (G-Class, W 460) 09/89->07/93 230 G, 230 GE, 250 GD, 300 GD 09/89->07/93 		<b>1A8 004 148-007</b>  9GH 116 966-011 9FF 126 444-001	120  10 10	<b>H4 headlight, suitable for headlight leveller</b> (E1) 14551 (E1) 34495 <b>Spare Parts:</b> Cap Bulb socket for side light  1x12V60/55W (H4) 8GJ 002 525-131  1x12V4W (T4W) 8GP 002 067-121
230 G - 300 GD (G-Class, W 460) 05/79->03/90 		<b>2NE 002 589-047</b>  9EL 112 763-001	10  5	<b>Rear fog light</b> (E1) 8444 <b>Spare Parts:</b> Lens with screws  1x12V21W (P21W) 8GA 002 073-121
<b>G-Class (W 461)</b> 230 GE - G 290 TD (G-Class, W 461) 02/90-> 230 GE, 250 GD, 290 GD, 290 GD, G 290 D, G 290 TD 		<b>1A8 004 148-007</b>  9GH 116 966-011 9FF 126 444-001	120  10 10	<b>H4 headlight, suitable for headlight leveller</b> (E1) 14551 (E1) 34495 <b>Spare Parts:</b> Cap Bulb socket for side light  1x12V60/55W (H4) 8GJ 002 525-131  1x12V4W (T4W) 8GP 002 067-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>G-Class (W 463)</b> 230 GE - G 55 AMG (G-Class, W 463) 230 GE, 250 GD, G 270 CDI, 300 GD, 300 GE, G 300 TD, G 320, G 320 CDI, 350 G Turbo D, G 36 AMG, G 400 CDI, G 500, G 500 E, G 55 AMG	09/89->	<b>1A8 004 148-007</b>  9GH 116 966-011 9FF 126 444-001	120  10 10	<b>H4 headlight, suitable for headlight leveller</b> (E1) 14551 (E1) 34495  <b>Spare Parts:</b> Cap Bulb socket for side light  1x12V60/55W (H4) 8GJ 002 525-131 1x12V4W (T4W) 8GP 002 067-121
<b>G 320 CDI - G 55 AMG (G-Class, W 463)</b> G 320 CDI, G 500, G 55 AMG	07/06->	<b>1ZS 271 531-111</b>	1	<b>Bi-Xenon® headlight, left and right, with indicator light, with dynam. headlight leveller actuator, with xenon ballast, with gas discharge bulb, with bulbs</b>  1x35W (D1S) 8GS 009 028-001 1x12V5W (W5W) 8GP 003 594-121
<b>M-Class (W 163)</b> ML 230 - ML 430 (M-Class, W 163) ML 230 ML 270 CDI ML 320, ML 430	02/98->09/01  02/98->09/01 12/99->09/01 02/98->09/01	<b>1EA 963 130-451</b>  <b>1EA 963 130-461</b>	1  1	<b>H7/H1 headlight, left, with indicator light, with H3 fog light, with electr. headlight leveller acuator, with bulbs</b>  <b>H7/H1 headlight, right, with indicator light, with H3 fog light, with electr. headlight leveller actuator, with bulbs</b>  (E4) 9364 left (E4) 9365 right  1x12V55W (H7) 8GH 007 157-121 1x12V55W (H3) 8GH 002 090-133 1x12V55W (H1) 8GH 002 089-133 1x12V5W (W5W) 8GP 003 594-121 1x12V21W (PY21W) 8GA 006 841-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>M-Class (W 163)</b>		<b>1EL 223 151-171</b>	1	<b>DE-H7/FF®-H7 headlight, left, with indicator light, with electr. headlight leveller actuator, with bulbs</b>
ML 230 - ML 500 (M-Class, W 163)	09/01->06/05			
ML 230, ML 270 CDI, ML 320	09/01->06/05	<b>1EL 223 151-181</b>	1	<b>DE-H7/FF®-H7 headlight, right, with indicator light, with electr. headlight leveller actuator, with bulbs</b>
ML 350	08/02->06/05			
ML 400 CDI, ML 430, ML 500	09/01->06/05			
				(E4) 9815  2x12V55W (H7) 8GH 007 157-121  1x12V5W (W5W) 8GP 003 594-121  1x12V21W (PY21W) 8GA 006 841-121
ML 230 - ML 500 (M-Class, W 163)	09/01->06/05	<b>1EL 223 151-191</b>	1	<b>Bi-Xenon®/H7 headlight, left, with indicator light, with electr. headlight leveller actuator, with xenon ballast, with gas discharge bulb, with bulbs</b>
ML 230, ML 270 CDI, ML 320	09/01->06/05			
ML 350	08/02->06/05	<b>1EL 223 151-201</b>	1	<b>Bi-Xenon®/H7 headlight, right, with indicator light, with electr. headlight leveller actuator, with xenon ballast, with gas discharge bulb, with bulbs</b>
ML 400 CDI, ML 430, ML 500	09/01->06/05			
		<b>5DV 008 855-017</b>	70	(E4) 9815 <b>Spare Parts:</b> Ballast unit  1x35W (D2S) 8GS 007 949-101  1x12V55W (H7) 8GH 007 157-121  1x12V5W (W5W) 8GP 003 594-121  1x12V21W (PY21W) 8GA 006 841-121
ML 230 - ML 500 (M-Class, W 163)	09/01->06/05	<b>5DV 008 855-017</b>	70	<b>Ballast unit</b>
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>R-Class (W 251)</b> R 280 CDI - R 63 AMG (R-Class, W 251) R 280, R 320 CDI, R 350, R 500, R 63 AMG	01/06->	1EL 263 037-411  1EL 263 037-421	1  1	<b>H7 headlight, left, with indicator light, with electr. headlight leveller actuator, with bulbs</b>  <b>H7 headlight, right, with indicator light, with electr. headlight leveller actuator, with bulbs</b>  (E1) 1879  2x12V55W (H7) 8GH 007 157-121 1x12V21W (PY21W) 8GA 006 841-121
<b>S-Class Coupé (C 215)</b> CL 55 - CL 600 (S-Class Coupé, C 215) (-) AMG Styling	03/99->09/02	1NA 007 976-071  1NA 007 976-081	1  1	<b>HB4 fog light, left, with bulb</b> <b>HB4 fog light, right, with bulb</b>  (E1) 839  1x12V51W (HB4) 8GH 005 636-121
CL 55 - CL 600 (S-Class Coupé, C 215) (-) AMG Styling	10/02->03/06	1NA 007 976-111  1NA 007 976-121	1  1	<b>HB4 fog light, left, with bulb</b> <b>HB4 fog light, right, with bulb</b>  (E1) 1215  1x12V51W (HB4) 8GH 005 636-121
<b>SLK (R 170)</b> SLK 200 - SLK 230 (R 170)	09/96->03/00	1NB 007 555-031  1NB 007 555-041	1  1	<b>H1 fog light, left, with bulb</b> <b>H1 fog light, right, with bulb</b>  (E13) 141  1x12V55W (H1) 8GH 002 089-133
SLK 200 - SLK 230 (R 170)	04/00->04/04	1NA 007 976-071  1NA 007 976-081	1  1	<b>HB4 fog light, left, with bulb</b> <b>HB4 fog light, right, with bulb</b>  (E1) 839  1x12V51W (HB4) 8GH 005 636-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>SLK (R 171)</b> SLK 200 Kompressor - SLK 55 AMG (R 171) SLK 200 Kompressor, SLK 280, SLK 350, SLK 55 AMG	03/04	1EL 008 361-611 1EL 008 361-621	1 1	<b>H7 headlight, left, with indicator light, with electr. headlight leveller actuator, with bulbs</b> <b>H7 headlight, right, with indicator light, with electr. headlight leveller actuator, with bulbs</b> (E1) 1675  2x12V55W (H7) 8GH 007 157-121  1x12V5W (W5W) 8GP 003 594-121  1x12V21W (PY21W) 8GA 006 841-121
SLK 200 Kompressor - SLK 55 AMG (R 171) SLK 200 Kompressor, SLK 280, SLK 350, SLK 55 AMG	03/04	1EL 008 361-711 1EL 008 361-721 5DV 008 855-017	1 1 70	<b>Bi-Xenon®/H7 headlight, left, with indicator light, with electr. headlight leveller actuator, with xenon ballast, with gas discharge bulb, with bulbs</b> <b>Bi-Xenon®/H7 headlight, right, with indicator light, with electr. headlight leveller actuator, with xenon ballast, with gas discharge bulb, with bulbs</b> (E1) 1675 <b>Spare Parts:</b> Ballast unit  1x35W (D2S) 8GS 007 949-101  1x12V55W (H7) 8GH 007 157-121  1x12V5W (W5W) 8GP 003 594-121  1x12V21W (PY21W) Osram Diadem
SLK 200 - SLK 55 (R 171)	03/04	5DV 008 855-017	70	<b>Ballast unit</b>
SLK 200 Kompressor - SLK 55 AMG (R 171) SLK 200 Kompressor SLK 280, SLK 350, SLK 55 AMG	03/04->	2VP 008 427-091 2VP 008 427-101	1 1	<b>Combination rearlight, left, with reverse and rear fog light, with bulbs</b> <b>Combination rearlight, right, with reverse and rear fog light, with bulbs</b> (E1) 1571  2x12V21W (P21W) 8GA 002 073-121  1x12V21W (PY21W) 8GA 006 841-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>Vaneo (414)</b> Vaneo (414)	02/02->	2VP 008 406-031 2VP 008 406-041	1 1	<b>Combination rearlight, left, with reverse and rear fog light, with bulbs</b> <b>Combination rearlight, right, with reverse and rear fog light, with bulbs</b> (E1) 1236 1x12V5W (R5W) 8GA 002 071-121 1x12V21/4W (P21/4W) 8GD 004 772-121 2x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121
<b>Viano, Vito (W 639)</b> Viano, Vito (W 639)	09/03->	1EG 246 041-011 1EG 246 041-021	1 1	<b>H7 headlight, left, with indicator light, with H7 fog light, with electr. headlight leveller actuator, with bulbs</b> <b>H7 headlight, right, with indicator light, with H7 fog light, with electr. headlight leveller actuator, with bulbs</b> (E1) 1516 left (E1) 1517 right 3x12V55W (H7) 8GH 007 157-121 1x12V5W (W5W) 8GP 003 594-121 1x12V21W (P21W) 8GA 002 073-121
<b>Viano, Vito (W 639)</b>	09/03->	2SK 964 596-011 2SK 964 596-021	1 1	<b>Combination rearlight, left, with reverse and rear fog light, with bulbs</b> <b>Combination rearlight, right, with reverse and rear fog light, with bulbs</b> (E1) 1480 1x12V21/5W (P21/5W) 8GD 002 078-121 2x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
190 (W 201) 190 (W 201) 190, D, E	10/82->08/93	1EJ 004 070-071  1EJ 004 070-081  2BA 004 257-011 2BA 004 257-021 9EL 127 689-001 9EL 127 688-001 9FT 129 176-001 9AH 127 703-051 9AH 127 704-051	1  1  1 1 1 1 1 1 1	<b>H4 headlight, left, with H3 fog light, with indicator light, with headlight leveller</b> <b>H4 headlight, right, with H3 fog light, with indicator light, with headlight leveller</b> (E1) 8383 left and right (E1) 34466 left (E1) 34467 right (E1) 34575 left (E1) 34576 right (E1) 42665 left and right <b>Spare Parts:</b> 1 Indicator light, left 1 Indicator light, right 1 Body/lens for indicator light, left 1 Body/lens for indicator light, right 10 Bulb holder 1 Lens retaining rim with lens, left 1 Lens retaining rim with lens, right  1x12V60/55W (H4) 8GJ 002 525-131  1x12V55W (H3) 8GH 002 090-133  1x12V21W (P21W) 8GA 002 073-121  1x12V4W (T4W) 8GP 002 067-121
190 (W 201)	10/82->08/93	2BA 004 257-011 2BA 004 257-021  9EL 127 689-001 9EL 127 688-001 9FT 129 176-001	1 1  1 1 10	<b>Indicator light (amber), left</b> <b>Indicator light (amber), right</b> (E1) 42665 <b>Spare Parts:</b> 1 Body/lens, left 1 Body/lens, right 10 Bulb holder  1x12V21W (P21W) 8GA 002 073-121
190 (W 201)	10/82->08/93	2BA 004 257-801  2BA 004 257-031 2BA 004 257-041	1  1 1	<b>Indicator light set (white), with bulbs</b> (E1) 52611 <b>Spare Parts:</b> 1 Indicator light (white), left, with bulb 1 Indicator light (white), right, with bulb  2x12V21W (PY21W) 8GA 006 841-121
190 (W 201) 190, D, E	10/82->08/93	2VP 007 167-011 2VP 007 167-021  9EL 144 375-011 9EL 144 375-021	1 1  1 1	<b>Combination rearlight, left, with reverse and rear fog light</b> <b>Combination rearlight, right, with reverse light</b> (E1) 53364 <b>Spare Parts:</b> 1 Lens, left 1 Lens, right  1x12V10W (R10W) 8GA 002 071-131  4x12V21W (P21W) 8GA 002 073-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
190 (W 201) 190 (W 201)	09/85->08/93	2KA 004 983-011	4	<b>Licence plate light</b> E1 22870 1x12V5W (C5W) 8GM 002 092-121
190 (W 201) Special equipment	10/82->03/87	2JA 004 252-031	1	<b>Front interior light, with delayed action switch-off</b> 1x12V10W (K) 8GM 002 091-131
<b>200 - 280 (W 114, 115)</b> 200 - 280 (W 114, 115) 200, 200 D, 220, 220 D 230, 230/4, 230/6, 240 D, 240 D 3.0, 250 250 C, 250 CE 280, 280 C, 280 CE, 280 E	01/68->01/76 01/68->01/76 ->01/76 01/69->01/76 05/72->01/76	9DR 112 547-001 9EV 101 125-001	1 10	<b>H4 headlight, with H3 fog light, with indicator light, spare parts available only</b> E4 23  E4 921 E1 14469  E1 32679 <b>Spare Parts:</b> Reflector for H4 headlight Lens for indicator 1x12V60/55W (H4) 8GJ 002 525-131 1x12V55W (H3) 8GH 002 090-133 1x12V21W (P21W) 8GA 002 073-121 2x12V4W (T4W) 8GP 002 067-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>200 - 300 (W 123)</b>		<b>1EJ 003 050-171</b>	1	<b>H4 headlight, left, with H3 fog light, without indicator light, with headlight leveller (conversion headlight with rectangular reflectors)</b>
200 - 300 (W 123)	09/79->08/82			
200, 200 D	09/79->08/82			
200 T	06/80->08/82	<b>1EJ 003 050-181</b>	1	<b>H4 headlight, right, with H3 fog light, without indicator light, with headlight leveller (conversion headlight with rectangular reflectors)</b>
230	09/79->06/80			
230 E	07/80->08/82			
230 T	09/79->05/80			
230 TE	06/80->08/82			
240 D, 240 TD, 250	09/79->08/82			
250 T	06/80->08/82	9ES 127 153-001	1	Lens, left
300 D	09/79->08/82	9ES 127 154-001	1	Lens, right
300 TD	06/80->08/82	9GD 117 670-001	10	Seal
300 TD Turbo-Diesel	09/80->08/82			
				
				<p>ⓔ1 34461 left and right</p> <p>ⓔ1 34462 right</p> <p><b>Spare Parts:</b></p> <p>Lens, left</p> <p>Lens, right</p> <p>Seal</p> <p> 1x12V60/55W (H4) 8GJ 002 525-131</p> <p> 1x12V55W (H3) 8GH 002 090-133</p> <p> 1x12V4W (T4W) 8GP 002 067-121</p>
<b>200 - 300 (W 123)</b>	09/79->12/85	<b>1EJ 003 050-111</b>	1	<b>H4 headlight, left, with H3 fog light, with indicator light, with headlight leveller</b>
200, 200 D, 200 T	09/82->12/85			
230 C	09/79->06/80	<b>1EJ 003 050-121</b>	1	<b>H4 headlight, right, with H3 fog light, with indicator light, with headlight leveller</b>
230 CE	07/80->12/85			
230 E, 230 TE	09/82->12/85			
240 D, 240 TD	09/82->12/85			
250	09/82->12/85	2BA 003 110-011	1	Indicator light, left
280, 280 C	09/79->08/82	2BA 003 110-021	1	Indicator light, right
280 CE, 280 E	09/79->12/85	9EL 120 651-001	1	Lens for indicator light, left
280 TE	09/79->12/85	9EL 120 652-001	1	Lens for indicator light, right
300 D	09/82->12/85	9ES 127 153-001	1	Lens, left
300 TD Turbo-Diesel	09/82->12/85	9ES 127 154-001	1	Lens, right
		9GD 117 670-001	10	Seal
				<p>ⓔ1 34461 left and right</p> <p>ⓔ1 34462 right</p> <p><b>Spare Parts:</b></p> <p>Indicator light, left</p> <p>Indicator light, right</p> <p>Lens for indicator light, left</p> <p>Lens for indicator light, right</p> <p>Lens, left</p> <p>Lens, right</p> <p>Seal</p> <p> 1x12V60/55W (H4) 8GJ 002 525-131</p> <p> 1x12V55W (H3) 8GH 002 090-133</p> <p> 1x12V21W (P21W) 8GA 002 073-121</p> <p> 1x12V4W (T4W) 8GP 002 067-121</p>



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
200 - 300 (W 123)		2BA 003 110-011	1	Indicator light, left
200 - 300 (W 123)	02/76->12/85	2BA 003 110-021	1	Indicator light, right
				(E1) 32744
				<b>Spare Parts:</b>
		9EL 120 651-001	1	Lens, left
		9EL 120 652-001	1	Lens, right
				1x12V21W (P21W) 8GA 002 073-121
200 - 300 (W 123)	02/76->12/85	2VP 003 069-011	1	Combination rearlight, left, with reverse and rear fog light
200, 200 D	02/76->12/85	2VP 003 069-061	1	Combination rearlight, right, with reverse and rear fog light
220 D	02/76->03/79			
230	02/76->06/80	2VP 003 069-021	1	Combination rearlight, right, with reverse light
230 C	03/77->06/80			(E1) 53248
230 CE, 230 E	07/80->12/85			<b>Spare Parts:</b>
240 D, 250	02/76->12/85	9EL 118 059-001	1	Lens for 2VP 003 069-011
280	02/76->08/82	9EL 118 062-001	1	Lens for 2VP 003 069-061
280 C	03/77->08/82	9EL 118 060-001	1	Lens for 2VP 003 069-021
280 CE	03/77->12/85	9EM 117 795-001	1	Lens with reflector for 2VP 003 069-011
280 E, 300 D	02/76->12/85	9EM 117 798-001	1	Lens with reflector for 2VP 003 069-061
		9GD 117 451-006	160	Seal
				1x12V10W (R10W) 8GA 002 071-131
				4x12V21W (P21W) 8GA 002 073-121
200 - 300 (W 123)		2KA 003 102-011	4	Licence plate light
Saloon, Coupé	02/76->05/79			(E1) 22803
Estate	09/77->12/85			1x12V5W (C5W) 8GM 002 092-121
200 - 300 (W 123)	02/76->08/82	2JA 003 115-001	2	Interior light
				1x12V10W (K) 8GM 002 091-131
200 - 300 (W 123)	09/82->12/85	2JA 004 252-031	1	Interior light, with delayed action switch-off
				1x12V10W (K) 8GM 002 091-131



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>200 - 500 (W 124)</b> 200 - 300 (W 124) 12/84->08/89 200, 200 D, 200 E, 200 T, 200 TD, 200 TE, 230 CE, 230 E, 230 E, 230 TE, 250 D, 250 D Turbo, 250 TD, 260 E, 300 CE, 300 D, 300 D Turbo, 300 E, 300 TD, 300 TD Turbo, 300 TE		<b>1EJ 004 440-591</b>  <b>1EJ 004 440-601</b>  9AH 130 137-021 9AH 130 138-021 9DE 129 975-021 9DE 129 974-021 9FF 137 580-005	1  1  1 1 1 200	<b>H4 headlight, left, with H3 fog light, without indicator light, with headlight leveller (grey cover behind lens)</b> <b>H4 headlight, right, with H3 fog light, without indicator light, with headlight leveller (grey cover behind lens)</b> (E1) 34531 left and right (E1) 34532 right <b>Spare Parts:</b> 1 Lens retaining rim with lens, left 1 Lens retaining rim with lens, right 1 Reflector for H4 headlight, left 1 Reflector for H4 headlight, right Bulb socket for side light  1x12V60/55W (H4) 8GJ 002 525-131  1x12V55W (H3) 8GH 002 090-133  1x12V4W (T4W) 8GP 002 067-121
<b>200 - 320 (W 124)</b> 200 D, 200 E, 200 TE 220 CE, 220 E, 220 TE 230 CE, 230 E, 230 TE 250 D, 250 D Turbo, 250 TD 260 E 280 E, 280 TE 300 CE, 300 D, 300 D Turbo, 300 E, 300 TD, 300 TD Turbo, 300 TE 320 CE, 320 E, 320 TE	09/89->06/93 09/89->06/93 10/92->06/93 09/89->09/92 09/89->06/93 09/89->09/92 10/92->06/93 09/89->06/93 10/92->06/93	<b>1EJ 004 440-251</b>  <b>1EJ 004 440-261</b>  9EL 129 615-011 9EL 129 614-011 9FT 129 176-001 9AH 138 299-021 9AH 138 300-021 9DE 129 975-021 9DE 129 974-021 9FF 137 580-005	1  1  1  1  1  1  1  1  1  1  1  10  1  1  1  1  200	<b>H4 headlight, left, with H3 fog light, with indicator light, with headlight leveller (silver cover behind lens)</b> <b>H4 headlight, right, with H3 fog light, with indicator light, with headlight leveller (silver cover behind lens)</b> (E1) 34531 left and right (E1) 34532 right <b>Spare Parts:</b> 1 Body/lens for indicator light, left 1 Body/lens for indicator light, right Bulb holder 1 Lens retaining rim with lens, left 1 Lens retaining rim with lens, right 1 Reflector for H4 headlight, left 1 Reflector for H4 headlight, right Bulb socket for side light  1x12V60/55W (H4) 8GJ 002 525-131  1x12V55W (H3) 8GH 002 090-133  1x12V21W (P21W) 8GA 002 073-121  1x12V4W (T4W) 8GP 002 067-121
<b>200 - 500 (W 124)</b>	12/84->06/93	<b>9EL 129 615-011</b> <b>9EL 129 614-011</b>  <b>9FT 129 176-001</b>	1 1  10	<b>Body/lens for indicator light (amber), left</b> <b>Body/lens for indicator light (amber), right</b>  <b>Bulb holder</b> (E1) 42706  1x12V21W (P21W) 8GA 002 073-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>200 - 500 (W 124)</b> 200 - 500 (W 124)	12/84->06/93	<b>2BA 004 693-801</b>  2BA 004 693-031 2BA 004 693-041 9EL 129 615-021 9EL 129 614-021	1  1 1 1 1	<b>Indicator light set (white), with bulbs</b>  (E1) 52609  <b>Spare Parts:</b> Indicator light (white), left, with bulb Indicator light (white), right, with bulb Body/lens (white), left Body/lens (white), right  2x12V21W (PY21W) 8GA 006 841-121
<b>200 - 500 (W 124)</b> 200, 200 D, 200 E, 220 CE, 220 E, 230 CE, 230 E, 250 D, 250 D Turbo, 260 E, 280 E, 300 CE, 300 D, 300 D Turbo, 300 E, 300 TD Turbo, 320 CE, 320 E, 400 E, 500 E  Saloon, Convertible, Coupé	12/84->06/93	<b>2VP 004 686-111</b>  <b>2VP 004 686-141</b>  <b>2VP 004 686-131</b>  <b>2VP 004 686-121</b>  9EL 129 763-001 9EL 129 762-001	1 1  1 1  1 1	<b>Combination rearlight, left, with reverse and rear fog light</b> <b>Combination rearlight, right, with reverse and rear fog light</b>  <b>Combination rearlight, left, with reverse light</b> <b>Combination rearlight, right, with reverse light</b>  (E1) 53378  <b>Spare Parts:</b> Lens, left Lens, right  1x12V10W (R10W) 8GA 002 071-131 4x12V21W (P21W) 8GA 002 073-121
<b>200 - 500 (W 124)</b> 200, 200 D, 200 E, 220 CE, 220 E, 230 CE, 230 E, 250 D, 250 D Turbo, 260 E, 280 E, 300 CE, 300 D, 300 D Turbo, 300 E, 300 TD Turbo, 320 CE, 320 E, 400 E, 500 E  Saloon, Convertible, Coupé	12/84->06/93	<b>2VP 004 686-151</b>  <b>2VP 004 686-181</b>  9EL 129 763-021 9EL 129 762-031	1 1  1 1	<b>Combination rearlight (grey/red), left, with reverse and rear fog light</b> <b>Combination rearlight (grey/red), right, with reverse and rear fog light</b>  (E1) 53378 (E1) 63290  <b>Spare Parts:</b> Lens, left Lens, right  1x12V10W (R10W) 8GA 002 071-131 3x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121
<b>200 - 500 (W 124)</b> Saloon, Coupé, Convertible	12/84->06/93	<b>2KA 004 983-011</b>	4	<b>Licence plate light</b>  (E1) 22870  1x12V5W (C5W) 8GM 002 092-121







Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>L 206 D - L 307 (T1)</b> L 206 D - L 307 (T1-series) L 206 D, L 207, L 306 D, L 307	-->04/77	9ES 094 588-001 9GD 094 601-001  1AE 001 103-031 1AE 001 103-041  9ES 116 061-005 9ES 116 062-005 9GD 094 601-001 9DE 116 065-001 9DE 116 066-001	6 10  1 1  5 5 10 1 1	<b>Headlight, spare parts available only</b> (E1) 4489 left (E1) 4490 right  <b>Spare Parts:</b> Lens, right Seal 1x12V45/40W (R2) 8GD 002 088-131 1x12V4W (T4W) 8GP 002 067-121  <b>H4 headlight, left</b> <b>H4 headlight, right</b> (E1) 14579 left (E1) 14580 right  <b>Spare Parts:</b> Lens, left Lens, right Seal Reflector, left Reflector, right 1x12V60/55W (H4) 8GJ 002 525-131 1x12V4W (T4W) 8GP 002 067-121
<b>L 206 D - L 307 (T1-series)</b> L 206 D, L 207, L 306 D, L 307  Flatbed	01/72->04/77	2SE 002 578-701  9EL 146 491-001	2  2	<b>Combination rearlight with licence plate light (supplies limited)</b> (E17) 9401  <b>Spare Parts:</b> Body/lens with screws (supplies limited) 1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121
<b>L 206 D - L 307 (T1-series)</b>  Van	-->04/77	2KA 001 610-001	1	<b>Licence plate light</b> (E1) 12949 2x12V5W (C5W) 8GM 002 092-121
<b>MB 100</b> MB 100	09/87->08/91	1AD 960 725-311 1AD 960 725-321  9GH 116 966-011	1 1  10	<b>H4 headlight, left, for vehicles with or without headlight leveller</b> <b>H4 headlight, right, for vehicles with or without headlight leveller</b> (E4) 184  <b>Spare Parts:</b> Cap 1x12V60/55W (H4) 8GJ 002 525-131 1x12V4W (T4W) 8GP 002 067-121




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>MB 100</b> MB 100	09/87->08/91	1ND 122 390-001	1	<b>H3 fog light unit</b> 8336 1x12V55W (H3) 8GH 002 090-133
<b>Sprinter 901/902/903/904</b> Sprinter 901/902/903/904 208 D, 210 D, 212 D, 214 308 D, 310 D, 312 D, 314 408 D, 410 D, 412 D, 414	02/95->03/00	1AH 006 900-011 1AH 006 900-021 1EH 006 900-051 1EH 006 900-061 9ES 143 775-001 9ES 143 776-001	1 1 1 1 1 1	<b>H1 headlight, left, without fog light, with pneum. headlight leveller actuator, with bulbs</b> <b>H1 headlight, right, without fog light, with pneum. headlight leveller actuator, with bulbs</b> <b>H1 headlight, left, with H1 fog light, with pneum. headlight leveller actuator, with bulbs</b> <b>H1 headlight, right, with H1 fog light, with pneum. headlight leveller actuator, with bulbs</b> 44 left  45 right <b>Spare Parts:</b> 1 Lens, left 1 Lens, right 3x12V55W (H1) 8GH 002 089-133 1x12V5W (W5W) 8GP 003 594-121
<b>Sprinter 901/902/903/904</b> 208 CDI, 211 CDI, 213 CDI, 214, 216 CDI 308 CDI, 311 CDI, 313 CDI, 314, 316 CDI 408 CDI, 411 CDI, 413 CDI, 414, 416 CDI	04/00->08/02	1EH 008 010-011 1EH 008 010-021 1EH 008 010-051 1EH 008 010-061	1 1 1 1	<b>H7/H1 headlight, left, with indicator light, without fog light, with electr. headlight leveller actuator, with bulbs</b> <b>H7/H1 headlight, right, with indicator light, without fog light, with electr. headlight leveller actuator, with bulbs</b> <b>H7/H1 headlight, left, with indicator light, with H1 fog light, with electr. headlight leveller actuator, with bulbs</b> <b>H7/H1 headlight, right, with indicator light, with H1 fog light, with electr. headlight leveller actuator, with bulbs</b> 924 left and right 925 right 1x12V55W (H7) 8GH 007 157-121 2x12V55W (H1) 8GH 002 089-133 1x12V5W (W5W) 8GP 003 594-121 1x12V21W (PY21W) 8GA 006 841-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>Sprinter 901/902/903/904</b>		1EH 246 047-011	1	FF®-H7/H3 headlight, left, with indicator light, without fog light, with electr. headlight leveller actuator, with bulbs
Sprinter 901/902/903/904	08/02->05/06	1EH 246 047-021	1	FF®-H7/H3 headlight, right, with indicator light, without fog light, with electr. headlight leveller actuator, with bulbs
208 CDI, 211 CDI, 213 CDI, 214, 216 CDI 308 CDI, 311 CDI, 313 CDI, 314, 316 CDI 408 CDI, 411 CDI, 413 CDI, 414, 416 CDI		1EH 246 047-051	1	FF®-H7/H3 headlight, left, with indicator light, with H7 fog light, with electr. headlight leveller actuator, with bulbs
		1EH 246 047-061	1	FF®-H7/H3 headlight, right, with indicator light, with H7 fog light, with electr. headlight leveller actuator, with bulbs
				(E1) 1524 left (E1) 1525 right  2x12V55W (H7) 8GH 007 157-121  1x12V55W (H3) 8GH 002 090-133  1x12V5W (W5W) 8GP 003 594-121  1x12V21W (PY21W) 8GA 006 841-121
<b>Sprinter 901/902/903/904</b>		2BA 007 016-031	1	Indicator light (white), left
	02/95->03/00	2BA 007 016-041	1	Indicator light (white), right
				(E13) 3561  1x12V21W (PY21W) 8GA 006 841-121
<b>Sprinter 901/902/903/904</b>		2BM 006 692-011	1	Auxiliary indicator light, left
	02/95->05/06	2BM 006 692-021	1	Auxiliary indicator light, right
				(E1) 52621  1x12V21W (P21W) 8GA 002 073-121
<b>Sprinter 901/902/903/904</b>		2VD 008 204-111	1	Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector, without centre plug
208 D, 210 D, 212 D, 214 308 D, 310 D, 312 D, 314 408 D, 410 D, 412 D, 414	02/95->03/00	2VP 008 204-101	1	Combination rearlight, right, with reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector, without centre plug
Flatbed				(E4) 3179 (E4) 4060 (E4) 9809 (E4) 9810
<b>Sprinter 901/902/903/904</b>		9EL 152 891-001	1	Spare Parts: Lens with screws
208 CDI, 211 CDI, 213 CDI, 214, 216 CDI 308 CDI, 311 CDI, 313 CDI, 314, 316 CDI 408 CDI, 411 CDI, 413 CDI, 414, 416 CDI	04/00->05/06			 3x12V5W (R5W) 8GA 002 071-121  4x12V21W (P21W) 8GA 002 073-121
Flatbed				





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>Sprinter (906)</b>				
Sprinter (906)	06/06->	1EB 247 012-011	1	FF®-H7 headlight, left, with indicator light, without fog light, with electr. headlight leveller actuator, with bulbs
209 CDI, 211 CDI, 215 CDI, 218 CDI, 224		1EB 247 012-021	1	FF®-H7 headlight, right, with indicator light, without fog light, with electr. headlight leveller actuator, with bulbs
309 CDI, 311 CDI, 315 CDI, 318 CDI, 324		1EB 247 012-051		FF®-H7 headlight, left, with indicator light, with H7 fog light, with electr. headlight leveller actuator, with bulbs
		1EB 247 012-061		FF®-H7 headlight, right, with indicator light, with H7 fog light, with electr. headlight leveller actuator, with bulbs
				(E1) 10881  3x12V55W (H7) 8GH 007 157-121  1x12V5W (W5W) 8GP 003 594-121  1x12V21W (PY21W) 8GA 006 841-121
Sprinter (906)	06/06->12/06	1NB 008 275-031	1	H11 fog light, left, with bulb
		1NB 008 275-041	1	H11 fog light, right, with bulb
				(E1) 1325  1x12V55W (H11) 8GH 008 358-121
<b>207 D - 410 (T1, TN)</b>				
207 D - 308 (T1, TN-series)	05/77->12/80			Headlight, spare parts available only
207 D, 208, 307 D, 308		9ES 094 588-001	6	(E1) 4489 left (E1) 4490 right
		9GD 094 601-001	10	Spare Parts: Lens, right Seal
				 1x12V45/40W (R2) 8GD 002 088-131  1x12V4W (T4W) 8GP 002 067-121
		1AE 001 103-031	1	H4 headlight, left
		1AE 001 103-041	1	H4 headlight, right
				(E1) 14579 left (E1) 14580 right
		9ES 116 061-005	5	Spare Parts: Lens, left
		9ES 116 062-005	5	Lens, right
		9GD 094 601-001	10	Seal
		9DE 116 065-001	1	Reflector, left
		9DE 116 066-001	1	Reflector, right
				 1x12V60/55W (H4) 8GJ 002 525-131  1x12V4W (T4W) 8GP 002 067-121





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>207 D - 410 (T1, TN)</b>		<b>1AE 003 440-611</b>	1	<b>Headlight, left</b>
<b>207 D - 410 (T1, TN-series)</b>	01/81->02/96	<b>1AE 003 440-621</b>	1	<b>Headlight, right</b>
<b>207 D, 208, 307 D, 308</b>	01/81->12/88			Ⓔ 24483 left Ⓔ 24484 right
<b>209 D, 210, 309 D, 310, 310 D, 407 D, 409 D, 410</b>	08/81->12/88	9ES 120 719-005	7	<b>Spare Parts:</b>
		9ES 120 720-005	7	Lens, left
		9FH 113 447-011	5	Lens, right
		9HD 121 297-001	5	Bulb holder
			5	Cap
<b>208 D, 210 D, 210, 308 D, 310 D, 310, 408 D, 410 D, 410</b>	01/89->02/96			 1x12V45/40W (R2) 8GD 002 088-131
				 1x24V55/50W (R2) 8GD 002 088-251
				 1x12V4W (T4W) 8GP 002 067-121
				 1x24V4W (T4W) 8GP 002 067-241
		<b>1AE 003 440-631</b>	1	<b>H4 headlight, left</b>
		<b>1AE 003 440-641</b>	1	<b>H4 headlight, right</b>
				Ⓔ 24489 left Ⓔ 24490 right
				<b>Spare Parts:</b>
		9ES 120 721-001	2	Lens, left
		9ES 120 722-001	2	Lens, right
		9DE 122 228-011	1	Reflector, left
		9DE 122 228-021	1	Reflector, right
		9FH 113 447-011	5	Bulb holder
		9HD 121 297-001	5	Cap
				 1x12V60/55W (H4) 8GJ 002 525-131
				 1x24V75/70W (H4) 8GJ 002 525-251
				 1x12V4W (T4W) 8GP 002 067-121
				 1x24V4W (T4W) 8GP 002 067-241
<b>207 D - 410 (T1, TN-series)</b>	01/81->02/96	<b>1ND 122 390-001</b>	1	<b>H3 fog light unit</b>
				Ⓔ 8336
				 1x12V55W (H3) 8GH 002 090-133
				 1x24V70W (H3) 8GH 002 090-251
<b>207 D - 410 (T1, TN-series)</b>	05/77->02/96	<b>2BA 003 197-011</b>	1	<b>Indicator light, left</b>
		<b>2BA 003 197-021</b>	1	<b>Indicator light, right</b>
				Ⓔ 32757
				 1x12V21W (P21W) 8GA 002 073-121
				 1x24V21W (P21W) 8GA 002 073-241
<b>207 D - 410 (T1, TN-series)</b>	05/77->02/96	<b>2BM 002 652-051</b>	1	<b>Auxiliary indicator light</b>
				Ⓔ 32785
				 1x12V21W (P21W) 8GA 002 073-121
				 1x24V21W (P21W) 8GA 002 073-241



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>207 D - 410 (T1, TN)</b> 208 D - 410 (T1, TN-series)	05/94->02/96	2BM 006 692-011 2BM 006 692-021	1 1	<b>Auxiliary indicator light, left</b> <b>Auxiliary indicator light, right</b> (E1) 52621 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241
				
<b>207 D - 410 (T1, TN-series)</b> 207 D, 208, 307 D, 308 209 D, 210, 309 D, 310, 407 D, 409 D, 410 Chassis, Dump truck, Flatbed	05/77->02/89 05/77->02/89 08/81->02/89	2SE 001 680-291 2SD 001 680-281 9EL 107 368-001 9EL 111 647-001	1 1 2 2	<b>Combination rearlight, left, with licence plate light</b> <b>Combination rearlight, right, with licence plate light</b> (E1) 31482 (E1) 43222 (E1) 53335 <b>Spare Parts:</b> Lens with seal and screws, left Lens with seal and screws, right 1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121
				
<b>208 D - 410 (T1, TN-series)</b> 208 D, 210 D, 210, 308 D, 310 D, 310, 408 D, 410 D, 410 Chassis, Dump truck, Flatbed	03/89->02/96	2VB 004 887-011 2VA 004 887-031 2VP 004 887-021 9EL 131 420-001 9EL 131 420-011 9GT 141 941-001	1 1 1 1 1 10	<b>Combination rearlight, left, with licence plate and rear fog light</b> <b>Combination rearlight, left, with rear fog light</b> <b>Combination rearlight, right, with reverse light</b> (E1) 53384 <b>Spare Parts:</b> Lens with screws, left Lens with screws, right Grommet (to be ordered separately) 1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251 3x12V21W (P21W) 8GA 002 073-121 3x24V21W (P21W) 8GA 002 073-241
				
<b>207 D - 410 (T1, TN-series)</b>	05/77->02/96	2JA 001 357-012	6	<b>Interior light without switch</b> 2x12V10W (K) 8GM 002 091-131 2x24V10W (K) 8GM 002 091-251
				
<b>207 D - 410 (T1, TN-series)</b> Van, Estate	11/78->02/96	2JA 001 364-041	1	<b>Interior light</b> 2x12V10W (K) 8GM 002 091-131 2x24V10W (K) 8GM 002 091-251
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mini</b>				
<b>Mini One, Mini Cooper</b>		<b>1F4 007 893-891</b>	1	<b>Comet FF 200 Chromium H3 spotlight set with bulbs</b>
Mini One, Mini Cooper	06/01->			(E1) 651
(-) Mini Cooper S		1F4 007 893-191	1	<b>Spare Parts:</b> H3 spotlight
		9HG 150 259-001	1	Protective grid (to be ordered separately)
				 2x12V55W (H3) 8GH 002 090-133
<b>Moskvich</b>				
<b>214241, 214141, 21414</b>		<b>1AF 246 017-051</b>	1	<b>H4 headlight, left, suitable for headlight leveller, with bulbs</b>
Fürst Wladimir (214241)		<b>1AF 246 017-061</b>	1	<b>H4 headlight, right, suitable for headlight leveller, with bulbs</b>
Jurij Dolgorukij (214141)	08/97->			(E4) 9429 left (E4) 9430 right
Swjatogor (21414)	01/98->			<b>Spare Parts:</b> Lens, left
		9ES 246 223-001	1	 1x12V60/55W (H4) 8GJ 002 525-131
				 1x12V5W (W5W) 8GP 003 594-121
<b>Nissan</b>				
<b>Terrano II (R20)</b>		<b>1ED 962 060-111</b>	1	<b>H4 headlight, left, for vehicles with or without headlight leveller</b>
Terrano II (R20)	02/93->06/96	<b>1ED 962 060-121</b>	1	<b>H4 headlight, right, for vehicles with or without headlight leveller</b>
				(E1) 44485 left (E1) 44486 right
				 1x12V60/55W (H4) 8GJ 002 525-131
				 1x12V5W (W5W) 8GP 003 594-121
<b>Terrano II (R20)</b>		<b>1D7 963 100-011</b>	1	<b>H4 headlight, left, with HB4 fog light, with bulbs</b>
	07/96->08/99	<b>1D7 963 100-021</b>	1	<b>H4 headlight, right, with HB4 fog light, with bulbs</b>
				(E4) 9356 (E4) 19002
				 1x12V60/55W (H4) 8GJ 002 525-131
				 1x12V51W (HB4) 8GH 005 636-121
				 1x12V5W (W5W) 8GP 003 594-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Nissan</b>				
<b>Terrano II (R20)</b>	09/99->03/05	1ED 964 210-011	1	H4 headlight, left, with HB4 fog light, with electr. headlight leveller, with bulbs (black panel behind lens)
Terrano II (R20)		1ED 964 210-021	1	H4 headlight, right, with HB4 fog light, with electr. headlight leveller, with bulbs (black panel behind lens)
		1ED 964 210-211	1	H4 headlight, left, with HB4 fog light, with electr. headlight leveller, with bulbs (chrome-plated panel behind lens)
		1ED 964 210-221	1	H4 headlight, right, with HB4 fog light, with electr. headlight leveller, with bulbs (chrome-plated panel behind lens)
				(E1) 980 left (E1) 981 right
				1x12V60/55W (H4) 8GJ 002 525-131
				1x12V51W (HB4) 8GH 005 636-121
				1x12V5W (W5W) 8GP 003 594-121
Terrano II (R20)	09/99->03/05	2BA 964 255-011	1	Indicator light (black), left, with bulb
		2BA 964 255-021	1	Indicator light (black), right, with bulb
				(E1) 01968
				1x12V21W (PY21W) 8GA 006 841-121
Terrano II (R20)	09/99->03/05	2BA 964 255-031	1	Indicator light (chrome-plated), left, with bulb
		2BA 964 255-041	1	Indicator light (chrome-plated), right, with bulb
				(E1) 01968
				1x12V21W (PY21W) 8GA 006 841-121



Opel



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Opel</b>				
Astra F Astra F	09/91->08/94	1AG 007 573-051	1	H4 headlight, left, with manual headlight leveller
		1AG 007 573-061	1	H4 headlight, right, with manual headlight leveller (Headlights are interchangeable with Bosch, Carello and Valeo main headlights)
		1AG 007 573-011	1	H4 headlight, left, suitable for electr. headlight leveller
		1AG 007 573-021	1	H4 headlight, right, suitable for electr. headlight leveller (Main headlights only interchangeable with Carello headlights)
		1AG 007 573-091	1	H4 headlight, left, with electr. headlight leveller actuator
		1AG 007 573-101	1	H4 headlight, right, with electr. headlight leveller actuator (Headlights are interchangeable with Bosch, Carello and Valeo main headlights)
				(E1) 459 left (E1) 460 right  1x12V60/55W (H4) 8GJ 002 525-131  1x12V5W (W5W) 8GP 003 594-121
Astra F	09/94->03/01	1AG 007 573-111	1	H4 headlight, left, suitable for electr. headlight leveller
		1AG 007 573-121	1	H4 headlight, right, suitable for electr. headlight leveller
				(E13) 1277 left (E13) 1276 right  1x12V60/55W (H4) 8GJ 002 525-131  1x12V5W (W5W) 8GP 003 594-121
Astra F GSi	09/91->01/98	1NL 006 580-051	1	DE-H3 fog light, left
		1NL 006 580-061	1	DE-H3 fog light, right
				(E1) 18239  1x12V55W (H3) 8GH 002 090-133
Astra F	09/91->08/94	2BM 003 563-111	1	Auxiliary indicator light
				(E1) 42621
		9EL 122 482-001	2	Spare Parts: Body/lens
				 1x12V5W (W5W) 8GP 003 594-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Opel</b>				
<b>Astra G</b> Astra G (-) Convertible, Coupé	02/98->04/05	1EG 007 640-311 1EG 007 640-321	1 1	<b>FF®-H7/HB3 headlight, left, with body/lens for indicator light</b> <b>FF®-H7/HB3 headlight, right, with body/lens for indicator light</b> Ⓔ1 615 left Ⓔ1 616 right 1x12V60W (HB3) 8GH 005 635-121 1x12V55W (H7) 8GH 007 157-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
<b>Astra G</b> (-) Convertible, Coupé	02/98->04/05	1EG 007 640-391 1EG 007 640-401	1 1	<b>FF®-H7/HB3 headlight, left, with body/lens for indicator light and black frame behind the cover lens</b> <b>FF®-H7/HB3 headlight, right, with body/lens for indicator light and black frame behind the cover lens</b> Ⓔ1 615 left Ⓔ1 616 right 1x12V60W (HB3) 8GH 005 635-121 1x12V55W (H7) 8GH 007 157-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
<b>Astra G, CC, Estate Special models</b> Astra G Coupé Astra G Convertible	02/98->04/05 03/00->05/05 03/01->10/05	1EG 007 640-391 1EG 007 640-401	1 1	<b>FF®-H7/HB3 headlight, left, with body/lens for indicator light and black frame behind the cover lens</b> <b>FF®-H7/HB3 headlight, right, with body/lens for indicator light and black frame behind the cover lens</b> Ⓔ1 615 left Ⓔ1 616 right 1x12V60W (HB3) 8GH 005 635-121 1x12V55W (H7) 8GH 007 157-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
<b>Astra G</b>	02/98->10/05	1EG 007 640-351 1EG 007 640-361	1 1	<b>FF®-H7/HB3 headlight (black), left, with body/lens for indicator light</b> <b>FF®-H7/HB3 headlight (black), right, with body/lens for indicator light</b> Ⓔ1 615 left Ⓔ1 616 right 1x12V60W (HB3) 8GH 005 635-121 1x12V55W (H7) 8GH 007 157-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121



Opel



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Opel</b>				
<b>Astra G</b> Astra G (-) Convertible, Coupé	02/98->04/05	1EL 008 329-251  1EL 008 329-261	1  1	<b>Xenon/FF®-H7 headlight, left, with indicator light, without xenon ballast, without gas discharge bulb, without bulbs</b> <b>Xenon/FF®-H7 headlight, right, with indicator light, without xenon ballast, without gas discharge bulb, without bulbs</b>  Ⓔ1 615 left Ⓔ1 616 right Ⓔ1 617 left Ⓔ1 618 right  1x35W (D2S) 8GS 007 949-101  1x12V55W (H7) 8GH 007 157-121  1x12V5W (W5W) 8GP 003 594-121
<b>Astra G</b>	02/98->10/05		1	<b>Setting element, headlight levelling</b>
<b>Astra G</b>	02/98->10/05		70	<b>Ballast unit</b>
<b>Astra G</b> (-) Convertible, Coupé, OPC	02/98->04/05	1NA 009 029-011  1NA 009 029-021	1  1	<b>FF®-H3 fog light, left, with bulb</b> <b>FF®-H3 fog light, right, with bulb</b>  Ⓔ12 19096  1x12V55W (H3) 8GH 002 090-133
<b>Astra G</b>	03/98->10/05	9EL 156 099-821  	1	<b>Body/lens set for auxiliary indicator lights (clear), with 2 amber bulbs</b>  Ⓔ13 550  2x12V5W (WY5W) 8GP 003 594-541



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Opel</b>				
<b>Astra G</b> Astra G Hatchback	03/98->01/05	<b>2VP 008 863-801</b>	1	<b>Design combination rearlight set with LED tail light, with 8 module lights, 2 circular ring reflector modules, 2 retaining parts, lead groups and accessories</b> (E1) 878 (E1) 1196 (E1) 1048 (E1) 1049 (E1) 1050 (E1) 1051  <b>Spare Parts:</b> 1 LED rear light 1 Stop light 1 Indicator light (grey) 1 Reverse light (grey) 1 Rear fog light 1 Reflex-reflector (red) 1 Adapter for bulb monitor (to be ordered separately)  6x12V21W (P21W) 8GA 002 073-121 2x12V21W (PY21W) 8GA 006 841-121
<b>Astra H</b> Astra H Astra H Sport	03/04-> 02/07->	<b>1EG 270 370-311</b> <b>1EG 270 370-321</b>	1 1	<b>FF®-H7/H1 headlight, left, with integrated indicator light, with electr. headlight leveller actuator</b> <b>FF®-H7/H1 headlight, right, with integrated indicator light, with electr. headlight leveller actuator</b>  (E1) 1770  1x12V55W (H7) 8GH 007 157-121 1x12V55W (H1) 8GH 002 089-133 1x12V21W (H21W) 8GH 008 417-001 1x12V5W (W5W) 8GP 003 594-121
<b>Astra H</b> (-) Sport	02/07->	<b>1EG 270 370-611</b> <b>1EG 270 370-621</b>	1 1	<b>FF®-H7/H1 headlight, left, with integrated indicator light, with electr. headlight leveller actuator</b> <b>FF®-H7/H1 headlight, right, with integrated indicator light, with electr. headlight leveller actuator</b>  (E1) 1770  1x12V55W (H7) 8GH 007 157-121 1x12V55W (H1) 8GH 002 089-133 1x12V21W (H21W) 8GH 008 417-001 1x12V5W (W5W) 8GP 003 594-121



Opel



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Opel</b>				
Astra H Astra H	03/04->	1EL 008 700-311 1EL 008 700-321	1 1	<b>Bi-Xenon®/FF®-H7 headlight, left, with indicator light, without xenon ballast, without gas discharge bulb, without bulbs</b> <b>Bi-Xenon®/FF®-H7 headlight, right, with indicator light, without xenon ballast, without gas discharge bulb, without bulbs</b> (E1) 1778 (E1) 1779  1x35W (D2S) 8GS 007 949-101  1x12V55W (H7) 8GH 007 157-121  1x12V21W (PY21W) 8GA 006 841-121  1x12V5W (W5W) 8GP 003 594-121
Astra H	03/04->	1ZS 008 710-311 1ZS 008 710-321	1 1	<b>Bi-Xenon®/FF®-H7 headlight, left, with indicator light, with dynam. bend lighting, with dynam. headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bulbs</b> <b>Bi-Xenon®/FF®-H7 headlight, right, with indicator light, with dynam. bend lighting, with dynam. headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bulbs</b> (E1) 1778 (E1) 1779  1x35W (D2S) 8GS 007 949-101  1x12V55W (H7) 8GH 007 157-121  1x12V21W (PY21W) 8GA 006 841-121  1x12V5W (W5W) 8GP 003 594-121
Astra H	03/04->	5DV 008 855-017	70	<b>Ballast unit</b>
Astra H	03/04->	1ZL 009 487-801 1ZL 009 487-011 1ZL 009 487-021	1 1 1	<b>Upgrade headlight set with halogen dipped-beam/main-beam, with dynam. bend lighting Dynabeam, with bulbs</b>  <b>Spare Parts:</b> Upgrade headlight, left, with bulbs Upgrade headlight, right, with bulbs  2x12V55W (H7) 8GH 007 157-201 Long Life  2x12V21W (PY21W) Silver Vision  2x12V5W (W5W) 8GP 003 594-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Opel</b>				
<b>Astra H</b> Astra H hatchback 5-doors Astra H Estate (-) OPC	03/04->01/07 08/04->01/07	2PT 009 305-821  2PT 008 935-001	1  1	<b>Daytime running light set, 2 daytime running lights with bulbs, with harness and covers</b>  <b>Spare Parts:</b> Daytime running light
				
<b>Astra H</b>	03/04->	2BM 964 988-801	1	<b>Auxiliary indicator light set (black)</b> 2x12V5W (W5W) 8GP 003 594-121
				
<b>Astra H hatchback 5-doors</b>	03/04->02/07	9EL 160 467-011 9EL 160 468-011	1 1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight, right, with reverse and rear fog light</b>  1776 1x12V21W (PY21W) 8GA 006 841-121 4x12V21W (P21W) 8GA 002 073-121
				
<b>Astra H hatchback 5-doors</b>	03/07->	9EL 354 073-011 9EL 354 073-021	1 1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight, right, with reverse and rear fog light</b>  1x12V21W (PY21W) 8GA 006 841-121 4x12V21W (P21W) 8GA 002 073-121
				
<b>Astra H GTC 3-doors</b>	03/05->	9EL 161 421-011 9EL 161 422-011	1 1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight, right, with reverse and rear fog light</b>  1845 1x12V21W (PY21W) 8GA 006 841-121 2x12V21W (P21W) 8GA 002 073-121
				



Opel



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Opel</b>				
<b>Astra H</b> Astra H GTC 3-doors	03/05->	2SK 008 748-801	1	<b>Upgrade combination rearlight set (Icegrey)</b>   1x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121 3x12V21W (P21W) 8GA 002 073-121
<b>Calibra</b> Calibra	06/90->07/97	1EL 006 110-371 1EL 006 110-381 1EL 006 110-391 1EL 006 110-401	1 1 1 1	<b>DE-H1 headlight, left, with indicator light, suitable for headlight leveller</b> <b>DE-H1 headlight, right, with indicator light, suitable for headlight leveller</b> <b>DE-H1 headlight, left, with DE-H3 fog light, with indicator light, suitable for headlight leveller</b> <b>DE-H1 headlight, right, with DE-H3 fog light, with indicator light, suitable for headlight leveller</b> (E4) 58 (E4) 404 (E4) 59 (E4) 984  2x12V55W (H1) 8GH 002 089-133 1x12V55W (H3) 8GH 002 090-133 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (W5W) 8GP 003 594-121
<b>Calibra</b>	06/90->07/97	2BM 003 563-111 9EL 122 482-001	1 2	<b>Auxiliary indicator light</b> (E1) 42621 <b>Spare Parts:</b> Body/lens  1x12V5W (W5W) 8GP 003 594-121
<b>Combo I</b> Combo I	07/94->10/01	1EE 270 000-011 1EE 270 000-021	1 1	<b>H4 headlight, left, with indicator light, for vehicles with or without headlight leveller</b> <b>H4 headlight, right, with indicator light, for vehicles with or without headlight leveller</b> (E26) 011 left (E26) 012 right  1x12V60/55W (H4) 8GJ 002 525-131 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (W5W) 8GP 003 594-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Opel</b>				
<b>Combo II</b> Combo II	10/01->02/03	1EH 008 684-011 1EH 008 684-021	1 1	<b>H7 headlight, left, with indicator light, with electr. headlight leveller actuator, with bulbs</b> <b>H7 headlight, right, with indicator light, with electr. headlight leveller actuator, with bulbs</b>  (E1) 1103 left (E1) 1104 right 2x12V55W (H7) 8GH 007 157-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
<b>Combo II</b>	10/01->09/93	1NA 009 031-011 1NA 009 031-021	1 1	<b>FF®-H3 fog light, left, with bulb</b> <b>FF®-H3 fog light, right, with bulb</b>  (E12) 19105 1x12V55W (H3) 8GH 002 090-133
<b>Corsa B</b> Corsa B	03/93->09/00	1EE 270 000-011 1EE 270 000-021	1 1	<b>H4 headlight, left, with indicator light, for vehicles with or without headlight leveller</b> <b>H4 headlight, right, with indicator light, for vehicles with or without headlight leveller</b>  (E26) 011 left (E26) 012 right 1x12V60/55W (H4) 8GJ 002 525-131 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (W5W) 8GP 003 594-121
<b>Corsa C</b> Corsa C	10/00->02/03	1EH 008 684-011 1EH 008 684-021	1 1	<b>H7 headlight, left, with indicator light, with electr. headlight leveller actuator, with bulbs</b> <b>H7 headlight, right, with indicator light, with electr. headlight leveller actuator, with bulbs</b>  (E1) 1103 left (E1) 1104 right 2x12V55W (H7) 8GH 007 157-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
<b>Corsa C</b>	10/00->02/03	1NA 009 031-011 1NA 009 031-021	1 1	<b>FF®-H3 fog light, left, with bulb</b> <b>FF®-H3 fog light, right, with bulb</b>  (E12) 19105 1x12V55W (H3) 8GH 002 090-133



Opel



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Opel</b>				
<b>Corsa D</b> Corsa D	07/06->	2BM 964 988-801	1	<b>Auxiliary indicator light set (black)</b>  2x12V5W (W5W) 8GP 003 594-121
				
<b>Kadett E</b> Kadett E	09/84->08/91	1AH 005 148-011 1AH 005 148-021 1AH 005 148-061 9GH 116 966-011	1 1 1 10	<b>H4 headlight, left, not suitable for headlight leveller</b> <b>H4 headlight, right, not suitable for headlight leveller</b> <b>H4 headlight, right, suitable for headlight leveller</b> Ⓔ1 34558 left Ⓔ1 34559 right <b>Spare Parts:</b> Cap  1x12V60/55W (H4) 8GJ 002 525-131  1x12V5W (W5W) 8GP 003 594-121
				
<b>Kadett E</b> (-) GSi, Convertible	09/84->08/91	9EL 128 949-011 9EL 128 948-011	1 1	<b>Body/lens for indicator light (amber), left</b> <b>Body/lens for indicator light (amber), right</b> Ⓔ1 42690  1x12V21W (P21W) 8GA 002 073-121
				
<b>Kadett E GSi, Convertible</b>	09/84->08/91	9EL 128 959-011 9EL 128 958-011	1 1	<b>Body/lens for indicator light (white), left</b> <b>Body/lens for indicator light (white), right</b> Ⓔ1 42697  1x12V21W (P21W) 8GA 002 073-121
				
<b>Kadett E</b>	10/85->08/91	2BM 003 563-111 9EL 122 482-001	1 2	<b>Auxiliary indicator light</b> Ⓔ1 42621 <b>Spare Parts:</b> Body/lens  1x12V5W (W5W) 8GP 003 594-121
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Opel</b>				
<b>Kadett E</b>		<b>9EL 128 807-011</b>	1	<b>Body/lens for combination rearlight, left, with rear fog light</b>
Kadett E Estate	09/84->08/91	<b>9EL 128 804-011</b>	1	<b>Body/lens for combination rearlight, right, with reverse light</b> (E1) 53371 1x12V21/5W (P21/5W) 8GD 002 078-121 3x12V21W (P21W) 8GA 002 073-121
<b>Kadett E Hatchback, Notchback</b>	09/84->08/91	<b>2KA 003 485-021</b>	1	<b>Licence plate light with bulb</b> (E1) 22824 1x12V10W (R10W) 8GA 002 071-121
<b>Kadett E Estate, Combo</b>	09/84->08/91	<b>2KA 004 434-031</b>	1	<b>Licence plate light</b> (E1) 22851 1x12V4W (T4W) 8GP 002 067-121
<b>Omega A</b>		<b>2BA 006 091-011</b>	1	<b>Indicator light, left</b>
Omega A	09/86->09/90	<b>2BA 006 091-021</b>	1	<b>Indicator light, right</b> (E4) 361 1x12V21W (P21W) 8GA 002 073-121
<b>Omega A</b>	10/90->05/94	<b>2BA 007 249-011</b>	1	<b>Indicator light, left</b>
		<b>2BA 007 249-021</b>	1	<b>Indicator light, right</b> (E4) 467 1x12V21W (P21W) 8GA 002 073-121



Opel



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Opel</b>				
<b>Omega A</b> Omega A	09/86->05/94	2BM 003 563-111 9EL 122 482-001	1 2	<b>Auxiliary indicator light</b> 42621 <b>Spare Parts:</b> Body/lens 1x12V5W (W5W) 8GP 003 594-121
<b>Omega B</b> Omega B	03/94->08/97	1AG 006 920-211 1AG 006 920-221	1 1	<b>H1 headlight, left, with indicator light, suitable for electr. headlight leveller</b> <b>H1 headlight, right, with indicator light, suitable for electr. headlight leveller</b> 53 left and right 54 right 2x12V55W (H1) 8GH 002 089-231 UV-Cut 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
<b>Omega B</b> <b>Basic, CD</b> standard (also suitable for conversion of models 03/94->08/97)	09/97->09/99	1EL 008 020-251 1EL 008 020-261	1 1	<b>DE-H1/H7 headlight, left, with body/lens for indicator light</b> <b>DE-H1/H7 headlight, right, with body/lens for indicator light</b> 672 1x12V55W (H1) 8GH 002 089-133 1x12V55W (H7) 8GH 007 157-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
<b>Omega B</b> <b>Omega Sport, MV6</b> standard <b>Omega Basic, CD</b> Special equipment	09/97->09/99	1EL 007 950-271 1EL 007 950-281	1 1	<b>Xenon/H7 headlight, left, with body/lens for indicator light, without headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bulbs</b> <b>Xenon/H7 headlight, right, with body/lens for indicator light, without headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bulbs</b> 601 1x35W (D2S) 8GS 007 949-101 1x12V55W (H7) 8GH 007 157-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Opel</b>				
<b>Omega B</b> Omega B Basic	10/99->08/01	1EL 009 020-211 1EL 009 020-221	1 1	<b>DE-H1/H7 headlight, left, with body/lens for indicator light</b> <b>DE-H1/H7 headlight, right, with body/lens for indicator light</b>  E1 672  1x12V55W (H1) 8GH 002 089-133 1x12V55W (H7) 8GH 007 157-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
<b>Omega B</b> Basic Elegance, Executive, Sport	10/99->07/03 09/01->07/03 10/99->07/03	1EL 009 050-211 1EL 009 050-221	1 1	<b>Xenon/H7 headlight, left, with body/lens for indicator light, without headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bulbs</b> <b>Xenon/H7 headlight, right, with body/lens for indicator light, without headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bulbs</b>  E1 601  1x35W (D2S) 8GS 007 949-101 1x12V55W (H7) 8GH 007 157-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
<b>Omega B</b>	03/94->07/03	6NM 007 282-641	1	<b>Setting element, headlight levelling (for halogen headlight)</b>
<b>Omega B</b>	09/97->07/03	5DV 007 760-651	1	<b>Ballast unit</b>
<b>Omega B Estate</b>	03/94->09/99	9EL 143 579-021 9EL 143 580-021	1 1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight, right, with reverse and rear fog light</b>  E1 40  1x12V21/4W (P21/4W) 8GD 004 772-121 1x12V21W (PY21W) 8GA 006 841-121 2x12V21W (P21W) 8GA 002 073-121



Opel



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Opel</b>				
<b>Omega B</b> Omega B Estate	03/94->09/99	8RA 007 051-031 8RA 007 051-041	1 1	<b>Reflex-reflector, left</b> <b>Reflex-reflector, right</b>  (E1) 0249
				
<b>Omega B Estate</b>	10/99->07/03	9EL 152 051-011 9EL 152 052-011	1 1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight, right, with reverse and rear fog light</b>  (E1) 962  1x12V21/4W (P21/4W) 8GD 004 772-121 1x12V21W (PY21W) 8GA 006 841-121 2x12V21W (P21W) 8GA 002 073-121
				
<b>Omega B Estate</b>	10/99->07/03	8RA 008 146-031	1	<b>Reflex-reflector, left</b>  (E1) 918
				
<b>Signum</b> Signum	05/03->08/05	1EL 008 320-071 1EL 008 320-081	1 1	<b>DE-H7/FF®-H7 headlight, left, with indicator light, suitable for headlight leveller</b> <b>DE-H7/FF®-H7 headlight, right, with indicator light, suitable for headlight leveller</b>  (E1) 1356   2x12V55W (H7) 8GH 007 157-121  1x12V5W (W5W) 8GP 003 594-121  1x12V21W (PY21W) 8GA 006 841-121
				
<b>Signum</b>	05/03->08/05	1EL 008 321-071 1EL 008 321-081	1 1	<b>Xenon/FF®-H7 headlight, left, with indicator light, without xenon ballast, without gas discharge bulb, without bulbs</b> <b>Xenon/FF®-H7 headlight, right, with indicator light, without xenon ballast, without gas discharge bulb, without bulbs</b>  (E1) 1356   1x35W (D2S) 8GS 007 949-101  1x12V55W (H7) 8GH 007 157-121  1x12V5W (W5W) 8GP 003 594-121  1x12V21W (PY21W) 8GA 006 841-121
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Opel</b>				
<b>Signum</b> Signum	05/03->08/05	1EL 008 320-131  1EL 008 320-141	1  1	<b>DE-H7/FF®-H7 headlight (black) left, with indicator light, suitable for headlight leveller, for conversion</b>  <b>DE-H7/FF®-H7 headlight (black) right, with indicator light, suitable for headlight leveller, for conversion</b>  (E1) 1356  2x12V55W (H7) 8GH 007 157-121 1x12V5W (W5W) 8GP 003 594-121 1x12V21W (PY21W) 8GA 006 841-121
<b>Signum</b>	05/03->08/05	5DV 008 855-017	70	<b>Ballast unit</b>
<b>Vectra A</b> Vectra A	04/88->09/92	1AJ 007 677-011  1AJ 007 677-021	1  1	<b>H4 headlight, left, for vehicles with or without headlight leveller</b> <b>H4 headlight, right, for vehicles with or without headlight leveller</b>  (E1) 449 left (E1) 450 right  1x12V60/55W (H4) 8GJ 002 525-131 1x12V5W (W5W) 8GP 003 594-121
<b>Vectra A</b>	10/92->11/95	1AJ 007 677-031  1AJ 007 677-041	1  1	<b>H4 headlight, left, for vehicles with or without headlight leveller</b> <b>H4 headlight, right, for vehicles with or without headlight leveller</b>  (E1) 449 left (E1) 450 right  1x12V60/55W (H4) 8GJ 002 525-131 1x12V5W (W5W) 8GP 003 594-121
<b>Vectra A</b>	09/92->08/93	9EL 145 801-001 9EL 145 802-001	1  1	<b>Body/lens for indicator light (white), left</b> <b>Body/lens for indicator light (white), right</b>  (E12) 6100  1x12V21W (P21W) 8GA 002 073-121



Opel



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Opel</b>				
<b>Vectra A</b> Vectra A	09/93->11/95	9EL 146 021-001 9EL 146 022-001	1 1	Body/lens for indicator light (white), left Body/lens for indicator light (white), right 6100 1x12V21W (P21W) 8GA 002 073-121
<b>Vectra A</b>	04/88->11/95	2BM 003 563-111 9EL 122 482-001	1 2	Auxiliary indicator light 42621 <b>Spare Parts:</b> Body/lens 1x12V5W (W5W) 8GP 003 594-121
<b>Vectra B</b> Vectra B (-) Sport	02/99->07/03	1NA 009 032-011 1NA 009 032-021	1 1	FF®-H3 fog light, left, with bulb FF®-H3 fog light, right, with bulb 19099 1x12V55W (H3) 8GH 002 090-133
<b>Vectra C</b> Vectra C Saloon Vectra C Estate	04/02->08/05 10/03->08/05	1EL 008 320-071 1EL 008 320-081	1 1	DE-H7/FF®-H7 headlight, left, with indicator light, suitable for headlight leveller DE-H7/FF®-H7 headlight, right, with indicator light, suitable for headlight leveller 1356 2x12V55W (H7) 8GH 007 157-121 1x12V5W (W5W) 8GP 003 594-121 1x12V21W (PY21W) 8GA 006 841-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Opel</b>				
<b>Vectra C</b>		<b>1EL 008 321-071</b>	1	<b>Xenon/FF®-H7 headlight, left, with indicator light, without xenon ballast, without gas discharge bulb, without bulbs</b>
Vectra C Saloon	04/02->08/05			
Vectra C Estate	10/03->08/05	<b>1EL 008 321-081</b>	1	<b>Xenon/FF®-H7 headlight, right, with indicator light, without xenon ballast, without gas discharge bulb, without bulbs</b>
				(E1) 1356  1x35W (D2S) 8GS 007 949-101  1x12V55W (H7) 8GH 007 157-121  1x12V5W (W5W) 8GP 003 594-121  1x12V21W (PY21W) 8GA 006 841-121
Vectra C Saloon	04/02->08/05	<b>1EL 008 320-131</b>	1	<b>DE-H7/FF®-H7 headlight (black) left, with indicator light, suitable for headlight leveller, for conversion</b>
Vectra C Estate	10/03->08/05	<b>1EL 008 320-141</b>	1	<b>DE-H7/FF®-H7 headlight (black) right, with indicator light, suitable for headlight leveller, for conversion</b>
				(E1) 1356  2x12V55W (H7) 8GH 007 157-121  1x12V5W (W5W) 8GP 003 594-121  1x12V21W (PY21W) 8GA 006 841-121
Vectra C Edition	04->08/05	<b>1EL 008 320-131</b>	1	<b>DE-H7/FF®-H7 headlight (black) left, with indicator light, suitable for headlight leveller</b>
Vectra C GTS	08/02->08/05	<b>1EL 008 320-141</b>	1	<b>DE-H7/FF®-H7 headlight (black) right, with indicator light, suitable for headlight leveller</b>
				(E1) 1356  2x12V55W (H7) 8GH 007 157-121  1x12V5W (W5W) 8GP 003 594-121  1x12V21W (PY21W) 8GA 006 841-121
Vectra C	04/02->08/05	<b>5DV 008 855-017</b>	70	<b>Ballast unit</b>
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Opel</b>				
<b>Zafira (F75_)</b> Zafira (-) GSi, OPC	04/99->	1NA 009 033-011 1NA 009 033-021	1 1	<b>FF®-H3 fog light, left, with bulb</b> <b>FF®-H3 fog light, right, with bulb</b>  19098  1x12V55W (H3) 8GH 002 090-133
				
Zafira	04/99->	9EL 156 099-821	1	<b>Body/lens set for auxiliary indicator lights (clear), with 2 amber bulbs</b>  550  2x12V5W (WY5W) 8GP 003 594-541
 <b>Design</b>				
Zafira Zafira	07/05->	2BM 964 988-801	1	<b>Auxiliary indicator light set (black)</b>  2x12V5W (W5W) 8GP 003 594-121
 <b>Design</b>				
<b>Peugeot</b>				
107 107	06/05->	2SK 010 133-801	1	<b>Upgrade combination rearlight set (brilliant silver)</b>  4043  2x12V21/5W (P21/5W) 8GD 002 078-121  4x12V21W (P21W) 8GA 002 073-121
 <b>Design</b>				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Peugeot</b>				
107 107	06/05->	2SK 010 133-811	1	<b>Upgrade combination rearlight set (black)</b> (E1) 4043 2x12V21/5W (P21/5W) 8GD 002 078-121 4x12V21W (P21W) 8GA 002 073-121
206 (2A/C) 206 (2A/C) (-) CC, SW	09/98->	2SK 009 988-801	1	<b>LED Upgrade combination rearlight set (silver/black)</b> (E1) 11881 4x12V21W (H21W) 8GH 008 417-001
207 207 (-) CC	02/06->	2VP 354 038-011 2VP 354 038-021	1 1	<b>Combination rearlight, left, with reverse and rear fog light</b> <b>Combination rearlight, right, with reverse and rear fog light</b> 1x12V21W (PY21W) 8GA 006 841-121 3x12V21W (P21W) 8GA 002 073-121 1x12V5W (W5W) 8GP 003 594-121
207 CC	02/07->	2VP 354 039-011 2VP 354 039-021	1 1	<b>Combination rearlight, left, with reverse and rear fog light</b> <b>Combination rearlight, right, with reverse and rear fog light</b> 1x12V21W (PY21W) 8GA 006 841-121 3x12V21W (P21W) 8GA 002 073-121 1x12V5W (W5W) 8GP 003 594-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Peugeot</b>				
407 Coupé 407 Coupé	10/05->	1EL 008 950-051	1	<b>Bi-Xenon® headlight, left, with indicator light, with electr. headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs</b> <b>Bi-Xenon® headlight, right, with indicator light, with electr. headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs</b> (E4) 10228  1x35W (D1S) 8GS 009 028-001  1x12V5W (W5W) 8GP 003 594-121  1x12V21W (PY21W) Osram Diadem
		1EL 008 950-061	1	
407 Coupé	10/05->	1ZS 008 950-251	1	<b>Bi-Xenon® headlight, left, with indicator light, with bend lighting, with electr. headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bend lighting module, with bulbs</b> <b>Bi-Xenon® headlight, right, with indicator light, with bend lighting, with electr. headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bend lighting module, with bulbs</b> (E4) 10228  1x35W (D1S) 8GS 009 028-001  1x12V5W (W5W) 8GP 003 594-121  1x12V21W (PY21W) Osram Diadem
		1ZS 008 950-261	1	
Boxer (244) Boxer (244)	04/02->	1DL 008 945-891	1	<b>H7 double headlight set (DE-H7 dipped-beam/FF®-H7 main-beam), with indicator lights, position lights, electr. headlight leveller actuators and bulbs</b> (E1) 584 (E1) 878 (E1) 917 <b>Spare Parts:</b> DE-H7 dipped-beam headlight with bulb FF®-H7 main-beam unit with bulbs Side light Indicator light Cap (to be ordered separately) Grommet for indicator light (to be ordered separately) Outer trim, left Outer trim, right  4x12V55W (H7) 8GH 007 157-121  2x12V21W (PY21W) 8GA 006 841-121  2x12V5W (W5W) 8GP 003 594-121
		1BL 008 193-001 1 1K0 008 191-017 36 2PF 003 563-151 10 2BA 008 221-001 1 9GH 152 654-007 252 9GT 137 236-007 20 9HB 161 283-001 1 9HB 161 284-001 1		



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Peugeot</b>				
<b>Boxer (244)</b>	04/02->	1DL 008 945-911	1	<b>Xenon/H7 double headlight set (xenon dipped-beam/FF®-H7 main-beam), with indicator lights, position lights, xenon ballasts, gas discharge bulb, with bulbs.</b> <b>The autom. headlight leveller and the lens cleaning system are including in the scope of supply.</b>
Boxer (244)		1BL 008 194-007	8	(E1) 584 (E1) 878
		1BL 158 060-021	1	(E1) 917
		5DV 007 760-631	1	<b>Spare Parts:</b>
		1K0 008 191-017	36	Xenon dipped-beam light with xenon ballast, with gas discharge bulb
		2BA 008 221-001	1	Light unit for dipped-beam headlight, without xenon ballast, without gas discharge bulb
		2PF 003 563-151	10	Ballast unit
		9GH 152 654-007	252	FF®-H7 main-beam unit with bulbs
		9GT 137 236-007	20	Indicator light (white)
				Side light
				Cap (to be ordered separately)
				Grommet for indicator light (to be ordered separately)
				2x35W (D2S) 8GS 007 949-101
				4x12V55W (H7) 8GH 007 157-121
				2x12V21W (PY21W) 8GA 006 841-121
				2x12V5W (W5W) 8GP 003 594-121
<b>Partner (5F, 5)</b>	11/02->	1EG 010 196-011	1	<b>H4 headlight, left, with indicator light, with electr. headlight leveller actuator</b>
Partner (5F, 5)		1EG 010 196-021	1	<b>H4 headlight, right, with indicator light, with electr. headlight leveller actuator</b>
				(E4) 9849
				1x12V60/55W (H4) 8GJ 002 525-131
				1x12V21W (PY21W) 8GA 006 841-121
				1x12V5W (W5W) 8GP 003 594-121



**Puch**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Puch</b>				
<b>G-Class (W 460)</b>	05/79->08/89	<b>1A8 003 060-541</b>	1	<b>Headlight, not suitable for headlight leveller</b>
230 G - 300 GD (G-Class, W 460) 230 G, 230 GE, 240 GD, 250 GD, 280 GE, 300 GD		1A8 121 149-001 9GH 116 966-011 9FF 126 444-001	1 10 10	<p>(E1) 14559</p> <p><b>Spare Parts:</b> Light unit Cap Bulb socket for side light</p> <p> 1x12V45/40W (R2) 8GD 002 088-131  1x12V4W (T4W) 8GP 002 067-121</p>
		<b>1A8 003 060-761</b>	1	<b>H4 headlight, not suitable for headlight leveller</b>
		9GH 116 966-011 9FF 126 444-001	10 10	<p>(E1) 14551 (E1) 34495</p> <p><b>Spare Parts:</b> Cap Bulb socket for side light</p> <p> 1x12V60/55W (H4) 8GJ 002 525-131  1x12V4W (T4W) 8GP 002 067-121</p>
<b>230 G - 300 GD (G-Class, W 460)</b>	09/89->07/93	<b>1A8 004 148-007</b>	120	<b>H4 headlight, suitable for headlight leveller</b>
230 G, 230 GE, 250 GD, 300 GD	09/89->07/93	9GH 116 966-011 9FF 126 444-001	10 10	<p>(E1) 14551 (E1) 34495</p> <p><b>Spare Parts:</b> Cap Bulb socket for side light</p> <p> 1x12V60/55W (H4) 8GJ 002 525-131  1x12V4W (T4W) 8GP 002 067-121</p>
<b>230 G - 300 GD (G-Class, W 460)</b>	05/79->03/90	<b>2NE 002 589-047</b>	10	<b>Rear fog light</b>
		9EL 112 763-001	5	<p>(E1) 8444</p> <p><b>Spare Parts:</b> Lens with screws</p> <p> 1x12V21W (P21W) 8GA 002 073-121</p>




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Puch</b>				
<b>G-Class (W 461)</b> 230 GE - G 290 TD (G-Class, W 461)  230 GE, 250 GD, 290 GD, 290 GD, G 290 D, G 290 TD	02/90->	<b>1A8 004 148-007</b>  9GH 116 966-011 9FF 126 444-001	120  10 10	<b>H4 headlight, suitable for headlight leveller</b> (E1) 14551 (E1) 34495  <b>Spare Parts:</b> Cap Bulb socket for side light  1x12V60/55W (H4) 8GJ 002 525-131 1x12V4W (T4W) 8GP 002 067-121
<b>G-Class (W 463)</b> 230 GE - G 55 AMG (G-Class, W 463)  230 GE, 250 GD, G 270 CDI, 300 GD, 300 GE, G 300 TD, G 320, G 320 CDI, 350 G Turbo D, G 36 AMG, G 400 CDI, G 500, G 500 E, G 55 AMG	09/89->	<b>1A8 004 148-007</b>  9GH 116 966-011 9FF 126 444-001	120  10 10	<b>H4 headlight, suitable for headlight leveller</b> (E1) 14551 (E1) 34495  <b>Spare Parts:</b> Cap Bulb socket for side light  1x12V60/55W (H4) 8GJ 002 525-131 1x12V4W (T4W) 8GP 002 067-121
<b>G 320 CDI - G 55 AMG</b> (G-Class, W 463)  G 320 CDI, G 500, G 55 AMG	07/06->	<b>1ZS 271 531-111</b>	1	<b>Bi-Xenon® headlight, left and right, with indicator light, with dynam. headlight leveller actuator, with xenon ballast, with gas discharge bulb, with bulbs</b>  1x35W (D1S) 8GS 009 028-001 1x12V5W (W5W) 8GP 003 594-121



# Renault



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Renault</b>				
<b>Avantime (DE0)</b> Avantime (DE0)	09/01->05/03	6NM 007 878-501	1	<b>Setting element, headlight levelling (for halogen headlight)</b>
				
<b>Clio II (B/C/B0/1_)</b> Clio II (B/C/B0/1_) RN, RT, RXE, SI	09/98->05/01	1EE 007 350-091  1EE 007 350-101	1  1	<b>H4 headlight, left, with indicator light, without headlight leveller actuator, without bulbs</b>  <b>H4 headlight, right, with indicator light, without headlight leveller actuator, without bulbs</b>  (E13) 9206 left (E13) 9207 right  <b>Spare Parts:</b> Lead for converting from H4 headlight to DE-HB3/H7 headlight (to be ordered separately)  1x12V60/55W (H4) 8GJ 002 525-131  1x12V5W (W5W) 8GP 003 594-121  1x12V21W (PY21W) 8GA 006 841-121
		8KA 152 601-001	1	
<b>Clio II (B/C/B0/1_)</b> Initiale, 16V	09/98->05/01	1EL 007 510-091  1EL 007 510-101	1  1	<b>DE-HB3/H7 headlight, left, with indicator light, without headlight leveller actuator, without bulbs</b>  <b>DE-HB3/H7 headlight, right, with indicator light, without headlight leveller actuator, without bulbs</b>  (E13) 9221  <b>Spare Parts:</b> Lead for converting from H4 headlight to DE-HB3/H7 headlight (to be ordered separately)  1x12V60W (HB3) 8GH 005 635-121  1x12V55W (H7) 8GH 007 157-121  1x12V5W (W5W) 8GP 003 594-121  1x12V21W (PY21W) 8GA 006 841-121
		8KA 152 601-001	1	



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Renault</b>				
Clio II (B/C/B0/1_) Clio II (B/C/B0/1_)	06/01->12/03	1DB 008 461-191	1	H7/H1 headlight, left, with indicator light, with black cover, without electr. headlight leveller actuator, without bulbs
		1DB 008 461-201	1	H7/H1 headlight, right, with indicator light, with black cover, without electr. headlight leveller actuator, without bulbs  (E4) 9792 left (E4) 9793 right  1x12V55W (H7) 8GH 007 157-121  1x12V55W (H1) 8GH 002 089-133  1x12V5W (W5W) 8GP 003 594-121  1x12V21W (PY21W) 8GA 006 841-121
Clio II (B/C/B0/1_)	01/04->	1DB 008 461-731	1	H7/H1 headlight, left, with indicator light, with grey cover, without electr. headlight leveller actuator, with bulbs
		1DB 008 461-741	1	H7/H1 headlight, right, with indicator light, with grey cover, without electr. headlight leveller actuator, with bulbs  (E4) 9792 left (E4) 9793 right  1x12V55W (H7) 8GH 007 157-121  1x12V55W (H1) 8GH 002 089-133  1x12V5W (W5W) 8GP 003 594-121  1x12V21W (PY21W) 8GA 006 841-121
Clio II (B/C/B0/1_)	06/01->12/03	1DL 008 461-791	1	Xenon/H7 headlight, left, with indicator light, with anthracite-coloured cover, without headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs
		1DL 008 461-801	1	Xenon/H7 headlight, right, with indicator light, with anthracite-coloured cover, without headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs  (E4) 9792 left (E4) 9793 right (E4) 9794 left (E4) 9795 right  1x35W (D2S) 8GS 007 949-101  1x12V55W (H7) 8GH 007 157-121  1x12V21W (PY21W) 8GA 006 841-121  1x12V5W (W5W) 8GP 003 594-121



# Renault



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Renault</b>				
Clio II (B/C/B0/1_) Clio II (B/C/B0/1_)	01/04->	1DL 008 461-771  1DL 008 461-781	1  1	Xenon/H7 headlight, left, with indicator light, with light grey cover, without headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs  Xenon/H7 headlight, right, with indicator light, with light grey cover, without headlight leveller actuator, without xenon ballast, without gas discharge bulb, with bulbs  Ⓔ4 9792 left Ⓔ4 9793 right Ⓔ4 9794 left Ⓔ4 9795 right 1x35W (D2S) 8GS 007 949-101 1x12V55W (H7) 8GH 007 157-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
Clio II (B/C/B0/1_)	09/98->		1	Setting element, headlight levelling
Clio II (B/C/B0/1_)	06/01->		70	Ballast unit
Espace III (JE_) Espace III (JE_)	11/96->09/00	1AG 006 560-251 1AG 006 560-261  1AG 006 560-231 1AG 006 560-241	1 1  1 1	FF®-H1 headlight, left, with manual headlight leveller FF®-H1 headlight, right, with manual headlight leveller  FF®-H1 headlight, left, without headlight leveller actuator, for vehicles with electr. headlight leveller FF®-H1 headlight, right, without headlight leveller actuator, for vehicles with electr. headlight leveller  Ⓔ4 255 left Ⓔ4 256 right 2x12V55W (H1) 8GH 002 089-133 UV-cut 1x12V5W (W5W) 8GP 003 594-121
Espace III (JE_)	11/96->10/02		1	Setting element, headlight levelling (for halogen headlight)



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Renault</b>				
<b>Espace IV (JK0_)</b> Espace IV (JK0_)	11/02->04/06	1EB 008 453-091 1EB 008 453-101	1 1	<b>FF®-H7/H3 headlight, left, with indicator light, with electr. headlight leveller actuator</b> <b>FF®-H7/H3 headlight, right, with indicator light, with electr. headlight leveller actuator</b> (E1) 1372 left (E1) 1373 right 1x12V55W (H7) 8GH 007 157-121 1x12V55W (H3) 8GH 002 090-133 1x12V5W (W5W) 8GP 003 594-121 1x12V21W (PY21W) 8GA 006 841-121
<b>Espace IV (JK0_)</b>	11/02->04/06	1EL 008 454-091 1EL 008 454-101 9GH 156 191-001	1 1 1	<b>Bi-Xenon®/FF®-H1 headlight, left, with indicator light, with electr. headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bulbs</b> <b>Bi-Xenon®/FF®-H1 headlight, right, with indicator light, with electr. headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bulbs</b> (E1) 1372 left (E1) 1373 right <b>Spare Parts:</b> Cap 1x35W (D2S) 8GS 007 949-101 1x12V55W (H1) 8GH 002 089-133 1x12V5W (W5W) 8GP 003 594-121 1x12V21W (PY21W) 8GA 006 841-121
<b>Espace IV (JK0_)</b>	11/02->04/06	6NM 007 878-501	1	<b>Setting element, headlight levelling (for halogen headlight)</b>
<b>Espace IV (JK0_)</b>	11/02->04/06	5DV 008 855-017	70	<b>Ballast unit</b>




# Renault



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Renault</b>				
<b>Grand Scénic</b> Grand Scénic	04/04->07/06	1EG 008 862-171 1EG 008 862-181	1 1	<b>FF®-H7 headlight, left, with indicator light, for vehicles with electr. headlight leveller</b> <b>FF®-H7 headlight, right, with indicator light, for vehicles with electr. headlight leveller</b> <b>(E13) 9022 left (E13) 9023 right</b> 2x12V55W (H7) 8GH 007 157-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
<b>Grand Scénic</b>	04/04->07/06	1EL 008 862-191 1EL 008 862-201	1 1	<b>Bi-Xenon®/FF®-H7 headlight, left, with indicator light, with dynam. headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bulbs</b> <b>Bi-Xenon®/FF®-H7 headlight, right, with indicator light, with dynam. headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bulbs</b> <b>(E4) 10158</b> 1x35W (D2S) 8GS 007 949-101 1x12V55W (H7) 8GH 007 157-121 1x12V5W (W5W) 8GP 003 594-121 1x12V21W (PY21W) 8GA 006 841-121
<b>Grand Scénic</b>	08/06->	1EL 009 447-091 1EL 009 447-101	1 1	<b>H7/H1 headlight, left, with indicator light, without electr. headlight leveller actuator, without bulbs</b> <b>H7/H1 headlight, right, with indicator light, without electr. headlight leveller actuator, without bulbs</b> <b>(E4) 10913</b> 1x12V55W (H7) 8GH 007 157-121 1x12V55W (H1) 8GH 002 089-133 1x12V6W (H6W) 8GH 007 643-121 1x12V21W (PY21W) 8GA 006 841-121
<b>Grand Scénic</b>	04/04->07/06	6NM 007 878-501	1	<b>Setting element, headlight levelling (for halogen headlight)</b> 



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Renault</b>				
Grand Scénic Grand Scénic	04/04->	5DV 008 855-017	70	Ballast unit
				
Grand Scénic	04/04->01/05	2SK 008 659-091 2SK 008 659-101	1 1	Combination rearlight (red/pink/red), left, with reverse and rear fog light, with bulbs Combination rearlight (red/pink/red), right, with reverse and rear fog light, with bulbs  E1 1483  1x12V21/5W (P21/5W) 8GD 002 078-121 2x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121
				
Grand Scénic	01/05->07/06	2SK 008 659-111 2SK 008 659-121	1 1	Combination rearlight (red/clear/red), left, with reverse and rear fog light, with bulbs Combination rearlight (red/clear/red), right, with reverse and rear fog light, with bulbs  E1 1483  1x12V21/5W (P21/5W) 8GD 002 078-121 2x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121
				
Grand Scénic	08/06->	2SK 009 467-111 2SK 009 467-121	1 1	Combination rearlight, left, with reverse and rear fog light, with LED tail light, with bulbs Combination rearlight, right, with reverse and rear fog light, with LED tail light, with bulbs  E1 2045  2x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121
				
Kangoo (FC0/1_, KC0/1_) Kangoo (FC0/1_, KC0/1_)	03/98->	6NM 007 878-501	1	Setting element, headlight levelling
				



# Renault



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Renault</b>				
<b>Laguna (B56_, 556_, K56_)</b> Laguna (B56_, 556_, K56_)	11/93->05/98	1AG 006 560-251 1AG 006 560-261 1AG 006 560-231 1AG 006 560-241	1 1 1 1	FF®-H1 headlight, left, with manual headlight leveller FF®-H1 headlight, right, with manual headlight leveller FF®-H1 headlight, left, without headlight leveller actuator, for vehicles with electr. headlight leveller FF®-H1 headlight, right, without headlight leveller actuator, for vehicles with electr. headlight leveller  E4 255 left E4 256 right  2x12V55W (H1) 8GH 002 089-133 UV-cut  1x12V5W (W5W) 8GP 003 594-121
<b>Laguna (B56_, 556_, K56_)</b>	05/98->03/01	1EJ 007 833-091 1EJ 007 833-101	1 1	H7 headlight, left, with body/lens for indicator light H7 headlight, right, with body/lens for indicator light  E1 712 left E1 713 right E1 714 left E1 715 right  2x12V55W (H7) 8GH 007 157-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
<b>Laguna (B56_, 556_, K56_)</b>	05/98->03/01	6NM 007 878-501	1	Setting element, headlight levelling
<b>Laguna (B56_, 556_, K56_)</b>	04/94->05/98	9BG 142 247-021 9BG 142 248-021	1 1	Body/lens for indicator light, left Body/lens for indicator light, right  E4 426  1x12V21W (P21W) 8GA 002 073-121
<b>Laguna II (BG0/1_, KG0/1_)</b> Laguna II (BG0/1_, KG0/1_)	03/01->	6NM 007 878-501	1	Setting element, headlight levelling (for halogen headlight)



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Renault</b>				
<b>Mastermaxi (FH/HH/UH)</b> Mastermaxi (FH/HH/UH)	04/98->	6NM 007 878-501	1	Setting element, headlight levelling
<b>Mégane</b> Mégane Hatchback (BA0/1_) Mégane Classic (LA0/1_) Mégane Scenic (JA0/1_)	01/96->03/99 09/96->03/99 01/97->09/99	1ED 008 387-011 1ED 008 387-021	1 1	H4 headlight, left H4 headlight, right E4 9685 1x12V60/55W (H4) 8GJ 002 525-131 1x12V5W (W5W) 8GP 003 594-121
Mégane Hatchback (BA0/1_) Mégane Convertible (EA0/1_) Mégane Coach (DA0/1_) Mégane Classic (LA0/1_) Mégane Scenic (JA0/1_)	01/96->08/03 10/96->08/03 03/96->08/03 09/96->08/03 01/97->09/99	6NM 007 878-501	1	Setting element, headlight levelling
Mégane Hatchback (BA0/1_)	03/99->08/03	2VP 008 101-031 2VP 008 101-041	1 1	Combination rearlight, left, with reverse and rear fog light Combination rearlight, right, with reverse and rear fog light E1 808 1x12V5W (R5W) 8GA 002 071-121 1x12V21/5W (P21/5W) 8GD 002 078-121 2x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121





# Renault



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Renault</b>				
<b>Mégane II</b> Mégane II CC (EM0/1_)	09/03->	2VP 008 736-111 2VP 008 736-121	1 1	<b>Combination rearlight, left, with reverse and rear fog light, with bulbs</b> <b>Combination rearlight, right, with reverse and rear fog light, with bulbs</b>   1x12V21/5W (P21/5W) 8GD 002 078-121 2x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121
<b>Mégane II Sport Tourer (KM0/1_)</b>	09/03->12/05	2VP 964 892-011 2VP 964 892-021	1 1	<b>Combination rearlight, left, with reverse and rear fog light, with bulbs</b> <b>Combination rearlight, right, with reverse light, with bulbs</b>   E1 1535   1x12V21/5W (P21/5W) 8GD 002 078-121 2x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121
<b>Mégane II Sport Tourer (KM0/1_)</b>	01/06->	2VP 982 006-011 2VP 982 006-021	1 1	<b>Combination rearlight, left, with reverse and rear fog light, with bulbs</b> <b>Combination rearlight, right, with reverse and rear fog light, with bulbs</b>   E1 1949   1x12V21/5W (P21/5W) 8GD 002 078-121 2x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121
<b>Safrane I (B54_)</b> Safrane I (B54_)	04/92->07/96	6NM 007 878-501	1	<b>Setting element, headlight levelling (for halogen headlight)</b>



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Renault</b>				
<b>Safrane II (B54_)</b> Safrane II (B54_)	07/96->12/00	6NM 007 878-501	1	Setting element, headlight levelling (for halogen headlight)
				
<b>Scénic (JA0/1_)</b> Scénic (JA0/1_)	09/99->08/03	6NM 007 878-501	1	Setting element, headlight levelling
				
<b>Scénic II (JM0/1_)</b> Scénic II (JM0/1_)	06/03->07/06	1EG 008 862-171 1EG 008 862-181	1 1	FF®-H7 headlight, left, with indicator light, for vehicles with electr. headlight leveller FF®-H7 headlight, right, with indicator light, for vehicles with electr. headlight leveller Ⓔ13 9022 left Ⓔ13 9023 right  2x12V55W (H7) 8GH 007 157-121  1x12V21W (PY21W) 8GA 006 841-121  1x12V5W (W5W) 8GP 003 594-121
				
<b>Scénic II (JM0/1_)</b>	06/03->07/06	1EL 008 862-191 1EL 008 862-201	1 1	Bi-Xenon®/FF®-H7 headlight, left, with indicator light, with dynam. headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bulbs Bi-Xenon®/FF®-H7 headlight, right, with indicator light, with dynam. headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bulbs Ⓔ4 10158  1x35W (D2S) 8GS 007 949-101  1x12V55W (H7) 8GH 007 157-121  1x12V5W (W5W) 8GP 003 594-121  1x12V21W (PY21W) 8GA 006 841-121
				



# Renault



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Renault</b>				
Scénic II (JM0/1_) Scénic II (JM0/1_)	08/06->	1EL 009 447-091 1EL 009 447-101	1 1	<p>H7/H1 headlight, left, with indicator light, without electr. headlight leveller actuator, without bulbs</p> <p>H7/H1 headlight, right, with indicator light, without electr. headlight leveller actuator, without bulbs</p> <p>(E4) 10913</p> <p> 1x12V55W (H7) 8GH 007 157-121</p> <p> 1x12V55W (H1) 8GH 002 089-133</p> <p> 1x12V6W (H6W) 8GH 007 643-121</p> <p> 1x12V21W (PY21W) 8GA 006 841-121</p>
Scénic II (JM0/1_)	06/03->07/06	6NM 007 878-501	1	<p>Setting element, headlight levelling (for halogen headlight)</p>
Scénic II (JM0/1_)	06/03->	5DV 008 855-017	70	<p>Ballast unit</p>
Scénic II (JM0/1_)	06/03->01/05	2SK 008 659-091 2SK 008 659-101	1 1	<p>Combination rearlight (red/pink/red), left, with reverse and rear fog light, with bulbs</p> <p>Combination rearlight (red/pink/red), right, with reverse and rear fog light, with bulbs</p> <p>(E1) 1483</p> <p> 1x12V21/5W (P21/5W) 8GD 002 078-121</p> <p> 2x12V21W (P21W) 8GA 002 073-121</p> <p> 1x12V21W (PY21W) 8GA 006 841-121</p>
Scénic II (JM0/1_)	01/05->07/06	2SK 008 659-111 2SK 008 659-121	1 1	<p>Combination rearlight (red/clear/red), left, with reverse and rear fog light, with bulbs</p> <p>Combination rearlight (red/clear/red), right, with reverse and rear fog light, with bulbs</p> <p>(E1) 1483</p> <p> 1x12V21/5W (P21/5W) 8GD 002 078-121</p> <p> 2x12V21W (P21W) 8GA 002 073-121</p> <p> 1x12V21W (PY21W) 8GA 006 841-121</p>




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Renault</b>				
Scénic II (JM0/1_) Scénic II (JM0/1_)	08/06->	2SK 009 467-111 2SK 009 467-121	1 1	<b>Combination rearlight, left, with reverse and rear fog light, with LED tail light, with bulbs</b> <b>Combination rearlight, right, with reverse and rear fog light, with LED tail light, with bulbs</b> (E1) 2045 2x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121
Thalia Thalia	08/00->05/01	1EE 007 350-091 1EE 007 350-101 8KA 152 601-001	1 1 1	<b>H4 headlight, left, with indicator light</b> <b>H4 headlight, right, with indicator light</b> (E13) 9206 left (E13) 9207 right <b>Spare Parts:</b> Lead for converting from H4 headlight to DE-HB3/H7 headlight (to be ordered separately) 1x12V60/55W (H4) 8GJ 002 525-131 1x12V5W (W5W) 8GP 003 594-121 1x12V21W (PY21W) 8GA 006 841-121
Thalia	08/00->05/01	1EL 007 510-091 1EL 007 510-101 8KA 152 601-001	1 1 1	<b>DE-HB3/H7 headlight, left, with indicator light</b> <b>DE-HB3/H7 headlight, right, with indicator light</b> (E13) 9221 <b>Spare Parts:</b> Lead for converting from H4 headlight to DE-HB3/H7 headlight (to be ordered separately) 1x12V60W (HB3) 8GH 005 635-121 1x12V55W (H7) 8GH 007 157-121 1x12V5W (W5W) 8GP 003 594-121 1x12V21W (PY21W) 8GA 006 841-121



Renault






Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Renault</b>				
<b>Thalia</b> Thalia	06/01->12/03	 1DB 008 461-191 1DB 008 461-201	1 1	<b>H7/H1 headlight, left, with indicator light, without headlight leveller actuator, without bulbs</b> <b>H7/H1 headlight, right, with indicator light, without headlight leveller actuator, without bulbs</b>  E4 9792 left E4 9793 right  1x12V55W (H7) 8GH 007 157-121  1x12V55W (H1) 8GH 002 089-133  1x12V5W (W5W) 8GP 003 594-121  1x12V21W (PY21W) 8GA 006 841-121
<b>Thalia</b>	01/04->	 1DB 008 461-731 1DB 008 461-741	1 1	<b>H7/H1 headlight, left, with indicator light, without headlight leveller actuator, with bulbs</b> <b>H7/H1 headlight, right, with indicator light, without headlight leveller actuator, with bulbs</b>  E4 9792 left E4 9793 right  1x12V55W (H7) 8GH 007 157-121  1x12V55W (H1) 8GH 002 089-133  1x12V5W (W5W) 8GP 003 594-121  1x12V21W (PY21W) 8GA 006 841-121
<b>Thalia</b>	08/00->	 6NM 007 878-501	1	<b>Setting element, headlight levelling</b>
<b>Twingo (C06_/S06_)</b> Twingo (C06_/S06_)	03/93->	 6NM 007 878-501	1	<b>Setting element, headlight levelling</b>
<b>Twingo (C06_/S06_)</b>	03/93->04/96	 1NL 007 186-027 9HD 149 253-007 8JD 156 150-807	30 160 1	<b>DE-H3 fog light with bulb</b>  E1 20  <b>Spare Parts:</b> Plastic cap Counterplug set (to be ordered separately)  1x12V55W (H3) 8GH 002 090-133



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Renault</b>				
<b>Twingo</b> Twingo	03/07->	1E7 271 510-311  1E7 271 510-321	1  1	FF®-H4 headlight, left, with indicator light, with chrome-plated cover, without electr. headlight leveller actuator  FF®-H4 headlight, right, with indicator light, with chrome-plated cover, without electr. headlight leveller actuator  1x12V60/55W (H4) 8GJ 002 525-131 1x12V5W (W5W) 8GP 003 594-121 1x12V21W (PY21W) 8GA 006 841-121
<b>Twingo</b> Twingo	03/07->	1E7 271 510-351  1E7 271 510-361	1  1	FF®-H4 headlight, left, with indicator light, with black cover, without electr. headlight leveller actuator  FF®-H4 headlight, right, with indicator light, with black cover, without electr. headlight leveller actuator  1x12V60/55W (H4) 8GJ 002 525-131 1x12V5W (W5W) 8GP 003 594-121 1x12V21W (PY21W) 8GA 006 841-121
<b>Vel Satis (BJ0)</b> Vel Satis (BJ0)	06/02->	6NM 007 878-501	1	Setting element, headlight levelling (for halogen headlight)
<b>18 (135_)</b> 18 Break	05/79->07/86	9EL 120 800-011	1	Body/lens for combination rearlight, right, with reverse light (E1) 53297  1x12V21/5W (P21/5W) 8GD 002 078-121 3x12V21W (P21W) 8GA 002 073-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Renault</b>				
<b>19 II</b> 19 II Hatchback 16V (B/C53_) 19 II Chamade 16V (L53_) 19 II Convertible 16V (D53_, 853_)	04/92->12/95 04/92->12/95 04/92->06/96	6NM 007 878-501  6NM 007 878-501	1  1	Setting element, headlight levelling
				
19 II Hatchback (B/C53_) 19 II Convertible (D53_, 853_)	04/92->12/95 04/92->06/96	9EL 144 131-001 9EL 144 132-001	1 1	Body/lens for combination rearlight, left, with reverse light Body/lens for combination rearlight, right, with reverse light  (E4) 227   1x12V21/5W (P21/5W) 8GD 002 078-121  2x12V21W (P21W) 8GA 002 073-121
				
<b>Master II</b> Master II (ED/FD/HD/JD/ND/UD)	07/98->10/03	6NM 007 878-501	1	Setting element, headlight levelling
				
<b>Trafic (JL/EL/FL)</b> Trafic (JL/EL/FL)	03/01->	6NM 007 878-501	1	Setting element, headlight levelling
				
<b>Saab</b>				
<b>900 I</b> 900 I	08/86->06/94	1AH 005 272-011 1AH 005 272-021	1 1	H4 headlight, left, for vehicles with or without headlight leveller, with bulb H4 headlight, right, for vehicles with or without headlight leveller, with bulb  (E1) 34570 left (E1) 34571 right   1x12V60/55W (H4) 8GJ 002 525-131
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Saab</b>				
9000		1AJ 005 595-011	1	H4 headlight, left, for vehicles with or without headlight leveller, with bulb
9000	09/90->08/91	1AJ 005 595-021	1	H4 headlight, right, for vehicles with or without headlight leveller, with bulb
9000 CD	04/88->08/94			(E1) 34598 left (E1) 34599 right <b>Spare Parts:</b> Lens, left Lens, right 1x12V60/55W (H4) 8GJ 002 525-131
9000 CD	04/88->08/94	9EL 133 785-005	60	Body/lens for combination rearlight (grey/red), left, with reverse and rear fog light
		9EL 133 786-005	40	Body/lens for combination rearlight (grey/red), right, with reverse and rear fog light
				(E1) 63211 (E1) 63212 1x12V5W (R5W) 8GA 002 071-121 1x12V21/4W (P21/4W) 8GD 004 772-121 3x12V21W (P21W) 8GA 002 073-121
<b>Seat</b>				
Alhambra (7V8, 7V9)		1AG 008 763-011	1	H4 headlight, left, for vehicles with headlight leveller
Alhambra (7V8, 7V9)	04/96->06/00	1AG 008 763-021	1	H4 headlight, right, for vehicles with headlight leveller
				(E4) 10077 1x12V60/55W (H4) 8GJ 002 525-131 1x12V5W (W5W) 8GP 003 594-121
Alhambra (7V8, 7V9)	04/96->06/00	9EL 147 073-001	2	Body/lens for auxiliary indicator light (amber)
				(E1) 52636 1x12V5W (W5W) 8GP 003 594-121
Alhambra (7V8, 7V9)	04/96->06/00	9EL 147 073-801	1	Body/lens set for auxiliary indicator lights (grey)
				(E1) 105 2x12V5W (W5W) 8GP 003 594-121
Alhambra (7V8, 7V9)	06/00->	9EL 156 099-801	1	Body/lens set for auxiliary indicator lights (clear), with 2 amber bulbs
				(E13) 550 2x12V5W (WY5W) 8GP 003 594-541



# Seat



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Seat</b>				
<b>Alhambra (7V8, 7V9)</b> Alhambra (7V8, 7V9)	04/96->06/00	9EL 907 325-001 9EL 907 326-001	1 1	<b>Body/lens for combination rearlight (red), left</b> <b>Body/lens for combination rearlight (red), right</b>  E1 151 E1 392  1x12V5W (R5W) 8GA 002 071-121 1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V21W (P21W) 8GA 002 073-121
				
<b>Alhambra (7V8, 7V9)</b>	04/96->06/00	9EL 907 324-001	1	<b>Body/lens for rear panel (red), with reverse light left and right, and rear fog light, left</b>  E1 153 E1 391  3x12V21W (P21W) 8GA 002 073-121
				
<b>Alhambra (7V8, 7V9)</b>	06/00->	9EL 964 501-011 9EL 964 502-011	1 1	<b>Body/lens for combination rearlight (red/pink), left</b> <b>Body/lens for combination rearlight (red/pink), right</b>  E1 1060  1x12V5W (R5W) 8GA 002 071-121 2x12V21W (P21W) 8GA 002 073-121
				
<b>Altea (5P1)</b> Altea	03/04->	1N0 271 022-051 1N0 271 022-061	1 1	<b>H3 fog light, left, with bulb</b> <b>H3 fog light, right, with bulb</b>  E26 004  1x12V55W (H3) 8GH 002 090-133
				
<b>Altea XL (5P5)</b> Altea XL	10/06->	1N0 271 022-051 1N0 271 022-061	1 1	<b>H3 fog light, left, with bulb</b> <b>H3 fog light, right, with bulb</b>  E26 004  1x12V55W (H3) 8GH 002 090-133
				




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Seat</b>				
<b>Altea XL (5P5)</b> Altea XL (-) Sport	10/06->	9EL 354 080-011 9EL 354 080-021	1 1	<b>Body/lens for combination rearlight, left</b> <b>Body/lens for combination rearlight, right</b>  1x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121
				
<b>Altea XL</b> (-) Sport	10/06->	9EL 354 082-011	1	<b>Body/lens for rear fog light, left</b>  1x12V21W (P21W) 8GA 002 073-121 1x12V5W (W5W) 8GP 003 594-121
				
<b>Altea XL</b> (-) Sport	10/06->	9EL 354 081-021	1	<b>Body/lens for reverse light, right</b>  1x12V21W (P21W) 8GA 002 073-121 1x12V5W (W5W) 8GP 003 594-121
				
<b>Arosa (6H)</b> Arosa (6H)	05/97->12/03	6NM 007 878-041	1	<b>Setting element, headlight levelling</b> <b>(for halogen headlight)</b>
				
<b>Arosa (6H)</b>	05/97->06/04	1N0 270 204-051 1N0 270 204-061	1 1	<b>FF®-H3 fog light, left,</b> <b>with bulb</b> <b>FF®-H3 fog light, right,</b> <b>with bulb</b>  E26 003  1x12V55W (H3) 8GH 002 090-133
				



# Seat



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Seat</b>				
<b>Arosa (6H)</b> Arosa (6H)	05/97->06/04	9EL 156 099-801	1	<b>Body/lens set for auxiliary indicator lights (clear), with 2 amber bulbs</b>  550  2x12V5W (WY5W) 8GP 003 594-541
				
<b>Cordoba I</b> Cordoba I	02/93->03/97	1AE 008 561-011 1AE 008 561-021	1 1	<b>H4 headlight, left</b> <b>H4 headlight, right</b>  9943  1x12V60/55W (H4) 8GJ 002 525-131  1x12V5W (W5W) 8GP 003 594-121
				
<b>Cordoba I 4-doors</b>	02/93->03/97	1NA 961 557-751 1NA 961 557-761	1 1	<b>H3 fog light, left</b> <b>H3 fog light, right</b>  0019  2x12V55W (H3) 8GH 002 090-133
				
<b>Cordoba I 2/4-doors, Cordoba Vario</b> (-) Cupra	04/97->06/99	1NA 907 312-111 1NA 907 312-121	1 1	<b>H3 fog light, left</b> <b>H3 fog light, right</b>  0019  1x12V55W (H3) 8GH 002 090-133
				
<b>Cordoba I</b>	02/93->06/99	9EL 147 073-001	2	<b>Body/lens for auxiliary indicator light (amber)</b>  52636  1x12V5W (W5W) 8GP 003 594-121
				
<b>Cordoba I</b>	02/93->06/99	9EL 147 073-801	1	<b>Body/lens set for auxiliary indicator lights (grey)</b>  105  2x12V5W (W5W) 8GP 003 594-121
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Seat</b>				
<b>Cordoba II</b> Cordoba II from chassis no. 6K-X-400 000	06/99->10/02	6NM 007 878-041	1	Setting element, headlight levelling
				
<b>Cordoba II</b> (-) Cupra	06/99->10/02	1NA 963 965-051 1NA 963 965-061	1 1	FF®-H7 fog light, left, with bulb FF®-H7 fog light, right, with bulb (E1) 838  1x12V55W (H7) 8GH 007 157-121
				
<b>Cordoba II</b>	06/99->10/02	9EL 156 099-811	1	Body/lens set for auxiliary indicator lights (clear), with 2 amber bulbs (E13) 550  2x12V5W (WY5W) 8GP 003 594-541
				
<b>Cordoba II Vario (6K5)</b> Cordoba II Vario (6K5) from chassis no. 6K-X-400 000	06/99->12/03	6NM 007 878-041	1	Setting element, headlight levelling
				
<b>Cordoba III (6L2)</b> Cordoba III (6L2)	09/02->	6NM 007 878-041	1	Setting element, headlight levelling (for halogen headlight)
				
<b>Cordoba III (6L2)</b>	09/02->	9EL 964 949-001 9EL 964 950-001	1 1	Body/lens for combination rearlight, left Body/lens for combination rearlight, right (E1) 1353  1x12V21/5W (P21/5W) 8GD 002 078-121  1x12V16W (W16W) 8GA 008 246-001
				

**Seat**

Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Seat</b>				
<b>Cordoba III (6L2)</b> Cordoba III (6L2)	09/02->	9EL 964 951-001 9EL 964 952-001	1 1	<b>Body/lens for rear and rear fog light, left</b> <b>Body/lens for rear and reverse light, right</b>  1353  1x12V21W (P21W) 8GA 002 073-121  1x12V5W (W5W) 8GP 003 594-121
<b>Ibiza I (021A)</b> Ibiza I (021A)	03/91->12/93	1NA 961 557-731 1NA 961 557-741	1 1	<b>H3 fog light, left</b> <b>H3 fog light, right</b>  0019  1x12V55W (H3) 8GH 002 090-133
<b>Ibiza I (021A)</b>	03/91->12/93	9EL 961 831-011 9EL 961 832-021	1 1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight, right, with reverse and rear fog light</b>  63262  1x12V5W (R5W) 8GA 002 071-121  1x12V21/5W (P21/5W) 8GD 002 078-121  3x12V21W (P21W) 8GA 002 073-121
<b>Ibiza II (6K1)</b> Ibiza II (6K1)	03/93->03/97	1AE 008 561-011 1AE 008 561-021	1 1	<b>H4 headlight, left</b> <b>H4 headlight, right</b>  9943  1x12V60/55W (H4) 8GJ 002 525-131  1x12V5W (W5W) 8GP 003 594-121
<b>Ibiza II (6K1) 5-doors</b>	03/93->03/97	1NA 961 557-751 1NA 961 557-761	1 1	<b>H3 fog light, left</b> <b>H3 fog light, right</b>  0019  2x12V55W (H3) 8GH 002 090-133
<b>Ibiza II (6K1) 3/5-doors</b> (-) Cupra	04/97->08/99	1NA 907 312-111 1NA 907 312-121	1 1	<b>H3 fog light, left</b> <b>H3 fog light, right</b>  0019  1x12V55W (H3) 8GH 002 090-133
<b>Ibiza II (6K1)</b>	03/93->08/99	9EL 147 073-001	2	<b>Body/lens for auxiliary indicator light (amber)</b>  52636  1x12V5W (W5W) 8GP 003 594-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Seat</b>				
<b>Ibiza II (6K1)</b> Ibiza II (6K1)	03/93->08/99	9EL 147 073-801	1	<b>Body/lens set for auxiliary indicator lights (grey)</b> (E1) 105  2x12V5W (W5W) 8GP 003 594-121
<b>Ibiza II (6K1) CL, CLX</b>	03/93->03/97	2VP 962 165-131 2VP 962 165-161	1 1	<b>Combination rearlight (amber/red), left, with reverse and rear fog light</b> <b>Combination rearlight (amber/red), right, with reverse light</b> (E1) 253 (E1) 63287 (E1) 63289  1x12V5W (R5W) 8GA 002 071-121 1x12V21/5W (P21/5W) 8GD 002 078-121 3x12V21W (P21W) 8GA 002 073-121
<b>Ibiza II (6K1) CL, CLX</b>	03/93->03/97	2VP 962 165-171 2VP 962 165-201	1 1	<b>Combination rearlight (grey/red), left, with reverse and rear fog light, for conversion</b> <b>Combination rearlight (grey/red), right, with reverse light, for conversion</b> (E1) 253 (E1) 63287 (E1) 63289  1x12V5W (R5W) 8GA 002 071-121 1x12V21/5W (P21/5W) 8GD 002 078-121 3x12V21W (P21W) 8GA 002 073-121
<b>Ibiza II (6K1) GLX, GT, GTI</b> Ibiza II (6K1)	06/95->03/97 04/97->08/99	2VP 962 165-171 2VP 962 165-201	1 1	<b>Combination rearlight (grey/red), left, with reverse and rear fog light</b> <b>Combination rearlight (grey/red), right, with reverse light</b> (E1) 253 (E1) 63287 (E1) 63289  1x12V5W (R5W) 8GA 002 071-121 1x12V21/5W (P21/5W) 8GD 002 078-121 3x12V21W (P21W) 8GA 002 073-121
<b>Ibiza III (6K1)</b> Ibiza III (6K1) from chassis no. 6K-X-400 000	08/99->02/02	6NM 007 878-041	1	<b>Setting element, headlight levelling</b> 

**Seat**

Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Seat</b>				
<b>Ibiza III (6K1)</b> Ibiza III (6K1) (-) Cupra	08/99->02/02	1NA 963 965-051 1NA 963 965-061	1 1	<b>FF®-H7 fog light, left, with bulb</b> <b>FF®-H7 fog light, right, with bulb</b>  E1 838  1x12V55W (H7) 8GH 007 157-121
<b>Ibiza III (6K1)</b>	08/99->02/02	9EL 156 099-811	1	<b>Body/lens set for auxiliary indicator lights (clear), with 2 amber bulbs</b>  E13 550  2x12V5W (WY5W) 8GP 003 594-541
<b>Ibiza III (6K1)</b>	08/99->02/02	9EL 964 023-011 9EL 964 024-011	1 1	<b>Body/lens for combination rearlight, left, with reverse light</b> <b>Body/lens for combination rearlight, right, with reverse light</b>  E1 915  1x12V21/5W (P21/5W) 8GD 002 078-121 2x12V21W (P21W) 8GA 002 073-121
<b>Ibiza III (6K1)</b>	08/99->02/02	9EL 964 055-011 9EL 964 056-011	1 1	<b>Body/lens for rear fog light, left</b> <b>Body/lens for rear fog light, right</b>  E1 898  1x12V21W (P21W) 8GA 002 073-121
<b>Ibiza IV (6L1)</b> Ibiza IV (6L1)	02/02->	6NM 007 878-041	1	<b>Setting element, headlight levelling (for halogen headlight)</b>
<b>Ibiza IV (6L1)</b>	02/02->	1N0 009 617-011	1	<b>FF®-H3 fog light, left and right, with bulb</b>  E4 19289  1x12V55W (H3) 8GH 002 090-133



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Seat</b>				
<b>Ibiza IV (6L1)</b> Ibiza IV (6L1)	02/02->	8RA 354 036-011 8RA 354 036-021	1 1	Reflex-reflector (red), left Reflex-reflector (red), right
<b>Inca (6K9)</b> Inca (6K9)	11/95->	1NA 961 557-751 1NA 961 557-761	1 1	H3 fog light, left H3 fog light, right
				(E9) 0019 2x12V55W (H3) 8GH 002 090-133
<b>Inca (6K9)</b>	11/95->	9EL 147 073-001	2	Body/lens for auxiliary indicator light (amber)
				(E1) 52636 1x12V5W (W5W) 8GP 003 594-121
<b>Leon (1M1)</b> Leon (1M1)	11/99->	6NM 007 878-041	1	Setting element, headlight levelling
<b>Leon (1M1) Cupra R</b>	02/01->	1NL 007 906-031 1NL 007 906-041	1 1	DE-H3 fog light, left DE-H3 fog light, right
				(E1) 123 1x12V55W (H3) 8GH 002 090-133
<b>Leon (1M1)</b>	11/99->	9EL 156 099-801	1	Body/lens set for auxiliary indicator lights (clear), with 2 amber bulbs
				(E13) 550 2x12V5W (WY5W) 8GP 003 594-541
<b>Leon (1P1)</b> Leon (1P1)	09/05->	1N0 271 022-051 1N0 271 022-061	1 1	H3 fog light, left, with bulb H3 fog light, right, with bulb
				(E26) 004 1x12V55W (H3) 8GH 002 090-133



# Seat



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Seat</b>				
Leon (1P1) Leon (1P1)	09/05->	9EL 982 000-051 9EL 982 000-061	1 1	<b>Body/lens for combination rearlight, left</b> <b>Body/lens for combination rearlight, right</b> (E1) 1927  2x12V21/5W (P21/5W) 8GD 002 078-121
Leon (1P1)	09/05->	9EL 982 001-091 9EL 982 001-101	1 1	<b>Body/lens for rear and rear fog light, left</b> <b>Body/lens for rear and reverse light, right</b> (E1) 1927  1x12V21W (P21W) 8GA 002 073-121  1x12V5W (W5W) 8GP 003 594-121
Leon (1P1)	09/05->	2SK 982 000-821	1	<b>Upgrade combination rearlight set (stratosilver)</b>  6x12V21W (P21W) 8GA 002 073-121  2x12V5W (W5W) 8GP 003 594-121
Leon (1P1)	09/05->	2SK 982 001-821	1	<b>Upgrade combination rearlight set (Icegrey)</b>  6x12V21W (P21W) 8GA 002 073-121  2x12V5W (W5W) 8GP 003 594-121
Toledo I (1L) Toledo I (1L)	05/91->08/95	1AH 961 560-171 1AH 961 560-181	1 1	<b>H1 headlight, left,</b> <b>for vehicles with or without headlight leveller</b> <b>H1 headlight, right,</b> <b>for vehicles with or without headlight leveller</b> (E9) 473 left and right (E9) 031 left (E9) 030 right  2x12V55W (H1) 8GH 002 089-133  1x12V4W (T4W) 8GP 002 067-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Seat</b>				
<b>Toledo I (1L)</b> Toledo I (1L)	09/95->03/99	1AH 963 025-091 1AH 963 025-101	1 1	<b>H1 headlight, left, for vehicles with or without headlight leveller</b> <b>H1 headlight, right, for vehicles with or without headlight leveller</b> (E9) 473 left and right (E9) 031 left (E9) 030 right 2x12V55W (H1) 8GH 002 089-133 1x12V5W (W5W) 8GP 003 594-121
<b>Toledo I (1L)</b>	05/91->08/95	1NA 961 557-731 1NA 961 557-741	1 1	<b>H3 fog light, left</b> <b>H3 fog light, right</b> (E9) 0019 1x12V55W (H3) 8GH 002 090-133
<b>Toledo I (1L)</b>	09/95->03/99	1NA 963 022-031 1NA 963 022-041	1 1	<b>H3 fog light, left</b> <b>H3 fog light, right</b> (E9) 0019 1x12V55W (H3) 8GH 002 090-133
<b>Toledo I (1L) CL, GL</b>	05/91->08/95	9EL 144 443-001 9EL 144 444-001	1 1	<b>Body/lens for indicator light (amber), left</b> <b>Body/lens for indicator light (amber), right</b> (E1) 42796 1x12V21W (P21W) 8GA 002 073-121
<b>Toledo I (1L) CL, GL</b>	05/91->08/95	2BA 961 554-111 2BA 961 554-121	1 1	<b>Indicator light (white), left, with bulb, for conversion</b> <b>Indicator light (white), right, with bulb, for conversion</b> (E9) 15034 1x12V21W (PY21W) 8GA 006 841-121
<b>Toledo I (1L)</b> <b>GLX, GT, GT 16V</b>	05/91->08/95	2BA 961 554-111 2BA 961 554-121	1 1	<b>Indicator light (white), left, with bulb</b> <b>Indicator light (white), right, with bulb</b> (E9) 15034 1x12V21W (PY21W) 8GA 006 841-121



# Seat



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Seat</b>				
<b>Toledo I (1L)</b> Toledo I (1L)	09/95->03/99	9EL 963 261-011 9EL 963 262-011	1 1	<b>Body/lens for indicator light (white), left</b> <b>Body/lens for indicator light (white), right</b>  E1 353 1x12V21W (PY21W) 8GA 006 841-121
<b>Toledo I (1L)</b>	09/95->03/99	9EL 147 073-001	2	<b>Body/lens for auxiliary indicator light (amber)</b>  E1 52636 1x12V5W (W5W) 8GP 003 594-121
<b>Toledo I (1L)</b>	09/95->03/99	9EL 147 073-801	1	<b>Body/lens set for auxiliary indicator lights (grey)</b>  E1 105 2x12V5W (W5W) 8GP 003 594-121
<b>Toledo I (1L) CL, GL</b>	05/91->08/95	9EL 962 025-011 9EL 962 026-011	1 1	<b>Body/lens for combination rearlight (amber/red), left</b> <b>Body/lens for combination rearlight (amber/red), right</b>  E1 63251 1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V21W (P21W) 8GA 002 073-121
<b>Toledo I (1L) CL, GL</b>	05/91->08/95	9EL 962 027-011 9EL 962 028-011	1 1	<b>Body/lens for combination rearlight (red), left, for conversion</b> <b>Body/lens for combination rearlight (red), right, for conversion</b>  E1 63251 1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V21W (P21W) 8GA 002 073-121
<b>Toledo I (1L)</b> GLX, GT, GT 16V	09/91->08/95	9EL 962 027-011 9EL 962 028-011	1 1	<b>Body/lens for combination rearlight (red), left</b> <b>Body/lens for combination rearlight (red), right</b>  E1 63251 1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V21W (P21W) 8GA 002 073-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Seat</b>				
<b>Toledo I (1L)</b> Toledo I (1L)	09/95->03/99	9EL 962 025-031 9EL 962 026-031	1 1	<b>Body/lens for combination rearlight (grey/red), left</b> <b>Body/lens for combination rearlight (grey/red), right</b>  (E1) 42795 (E1) 63251  1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V21W (P21W) 8GA 002 073-121
<b>Toledo I (1L) CL, GL</b>	05/91->08/95	9EL 962 029-341	1	<b>Body/lens for rear fog and reverse light (red/white), left</b>  (E1) 8783 (E1) 18443  2x12V21W (P21W) 8GA 002 073-121
<b>Toledo I (1L)</b>	09/95->03/99	9EL 963 335-021 9EL 963 336-021	1 1	<b>Body/lens for rear fog and reverse light (red/grey), left</b> <b>Body/lens for rear fog and reverse light (red/grey), right</b>  (E1) 349 (E1) 362  2x12V21W (P21W) 8GA 002 073-121
<b>Toledo II (1M2)</b> Toledo II (1M2)	04/99->05/06	6NM 007 878-041	1	<b>Setting element, headlight levelling</b>
<b>Toledo II (1M2) Cupra R</b>	02/02->05/06	1NL 007 906-031 1NL 007 906-041	1 1	<b>DE-H3 fog light, left</b> <b>DE-H3 fog light, right</b>  (E1) 123  1x12V55W (H3) 8GH 002 090-133
<b>Toledo II (1M2)</b>	04/99->05/06	9EL 156 099-801	1	<b>Body/lens set for auxiliary indicator lights (clear), with 2 amber bulbs</b>  (E13) 550  2x12V5W (WY5W) 8GP 003 594-541



# Seat - Skoda



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Seat</b>				
<b>Toledo II (1M2)</b> Toledo II (1M2) (-) Sport	04/99->05/06	9EL 963 701-011 9EL 963 702-011	1 1	<b>Body/lens for combination rearlight (red/white), left</b> <b>Body/lens for combination rearlight (red/white), right</b>  E1 683  1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V21W (PY21W) 8GA 006 841-121
				
<b>Toledo II (1M2)</b> (-) Sport	04/99->05/06	9EL 964 599-001	1	<b>Body/lens with rear panel (red/white), with reverse and rear fog light left and right, licence plate light and auxiliary brake light</b>  E1 684 E1 685  2x12V5W (R5W) 8GA 002 071-121 4x12V21W (P21W) 8GA 002 073-121
				
<b>Toledo III (5P2)</b> Toledo III (5P2)	10/04->	1N0 271 022-051 1N0 271 022-061	1 1	<b>H3 fog light, left, with bulb</b> <b>H3 fog light, right, with bulb</b>  E26 004  1x12V55W (H3) 8GH 002 090-133
				
<b>Skoda</b>				
<b>Fabia (6Y)</b> Fabia (6Y)	12/99->	1EB 246 018-091 1EB 246 018-101	1 1	<b>H7/H3 headlight, left, with indicator light, for vehicles with electr. headlight leveller, without headlight leveller actuator</b> <b>H7/H3 headlight, right, with indicator light, for vehicles with electr. headlight leveller, without headlight leveller actuator</b>  E1 972 left E1 973 right  1x12V55W (H7) 8GH 007 157-121 1x12V55W (H3) 8GH 002 090-133 1x12V5W (W5W) 8GP 003 594-121 1x12V21W (PY21W) 8GA 006 841-121
				
<b>Fabia (6Y)</b>	12/99->12/03	6NM 007 878-041	1	<b>Setting element, headlight levelling</b>
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Skoda</b>				
<b>Fabia (6Y)</b> Fabia (6Y)  chassis no. -> 6Y-54421 759	08/04->	1N0 270 481-051 1N0 270 481-061	1 1	<b>HB4 fog light, left, with bulb</b> <b>HB4 fog light, right, with bulb</b>  (E26) 007  1x12V51W (HB4) 8GH 005 636-121
<b>Fabia RS (6Y)</b>	06/03->	1N0 270 204-051 1N0 270 204-061	1 1	<b>FF®-H3 fog light, left, with bulb</b> <b>FF®-H3 fog light, right, with bulb</b>  (E26) 003  1x12V55W (H3) 8GH 002 090-133
<b>Fabia (6Y)</b>	12/99->	9EL 156 099-811	1	<b>Body/lens set for auxiliary indicator lights (clear), with 2 amber bulbs</b>  (E13) 550  2x12V5W (WY5W) 8GP 003 594-541
<b>Fabia hatchback (6Y2)</b>	08/99->08/04	9EL 171 976-011 9EL 171 976-021	1 1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight, right, with reverse and rear fog light</b>  1x12V21/4W (P21/4W) 8GD 004 772-121 2x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121
<b>Fabia Saloon (6Y3)</b> <b>Fabia Estate (6Y5)</b> <b>Fabia Praktik</b>	10/99->08/04 04/00->08/04 04/02->08/04	9EL 171 977-011 9EL 171 977-021	1 1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight, right, with reverse and rear fog light</b>  1x12V21/4W (P21/4W) 8GD 004 772-121 2x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121





# Skoda



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Skoda</b>				
<b>Fabia (6Y)</b> Fabia hatchback (6Y2)	08/04->	9EL 171 974-011 9EL 171 974-021	1 1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight, right, with reverse and rear fog light</b>   1x12V21/4W (P21/4W) 8GD 004 772-121  2x12V21W (P21W) 8GA 002 073-121  1x12V21W (PY21W) 8GA 006 841-121
				
<b>Fabia Saloon (6Y3)</b> <b>Fabia Estate (6Y5)</b> <b>Fabia Praktik</b>	08/04-> 08/04-> 08/04->	9EL 171 975-011 9EL 171 975-021	1 1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight, right, with reverse and rear fog light</b>   1x12V21/4W (P21/4W) 8GD 004 772-121  2x12V21W (P21W) 8GA 002 073-121  1x12V21W (PY21W) 8GA 006 841-121
				
<b>Fabia II</b> Fabia II	03/07->	1ED 247 025-211 1ED 247 025-221	1 1	<b>FF®-H4 headlight, left, with indicator light, with electr. headlight leveller actuator</b> <b>FF®-H4 headlight, right, with indicator light, with electr. headlight leveller actuator</b>   4141  1x12V60/55W (H4) 8GJ 002 525-131  1x12V5W (W5W) 8GP 003 594-121  1x12V21W (PY21W) 8GA 006 841-121
				
<b>Fabia II</b>	03/07->	1N0 354 018-011 1N0 354 018-021	1 1	<b>H8 fog light, left, with cornering light</b> <b>H8 fog light, right, with cornering light</b>   4119  1x12V35W (H8) 8GH 008 356-121
				




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Skoda</b>				
<b>Felicia I</b>		<b>1AF 246 000-091</b>	1	<b>H4 headlight, left, suitable for headlight leveller, with bulbs</b>
Felicia I	10/94->03/98	<b>1AF 246 000-101</b>	1	<b>H4 headlight, right, suitable for headlight leveller, with bulbs</b>
		9ES 246 051-001	1	Lens, left
		9ES 246 052-001	1	Lens, right
				 1x12V60/55W (H4) 8GJ 002 525-131  1x12V5W (W5W) 8GP 003 594-121
<b>Felicia I</b>	10/94->03/98	<b>9EL 246 151-021</b>	1	<b>Body/lens for indicator light (white), left</b>
		<b>9EL 246 152-021</b>	1	<b>Body/lens for indicator light (white), right</b>
				 464  1x12V21W (PY21W) 8GA 006 841-121
<b>Felicia I</b>	10/94->03/98	<b>9EL 246 201-011</b>	1	<b>Body/lens for combination rearlight (grey/red), left, with reverse and rear fog light</b>
(-) Pickup		<b>9EL 246 202-011</b>	1	<b>Body/lens for combination rearlight (grey/red), right, with reverse and rear fog light</b>
				 3534 1x12V5W (R5W) 8GA 002 071-121 1x12V21/5W (P21/5W) 8GD 002 078-121  2x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121
<b>Felicia II (6U1/6U5)</b>		<b>1AF 246 014-091</b>	1	<b>H4 headlight, left, suitable for headlight leveller, with bulbs</b>
Felicia II (6U1/6U5)	01/98->06/01	<b>1AF 246 014-101</b>	1	<b>H4 headlight, right, suitable for headlight leveller, with bulbs</b>
		9ES 246 147-001	1	Lens, left
		9ES 246 148-001	1	Lens, right
				 1x12V60/55W (H4) 8GJ 002 525-131  1x12V5W (W5W) 8GP 003 594-121
<b>Felicia II (6U1/6U5)</b>	01/98->06/01	<b>1N0 270 204-051</b>	1	<b>FF®-H3 fog light, left, with bulb</b>
		<b>1N0 270 204-061</b>	1	<b>FF®-H3 fog light, right, with bulb</b>
				 003  1x12V55W (H3) 8GH 002 090-133



# Skoda



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Skoda</b>				
<b>Felicia II (6U1/6U5)</b> Felicia II (6U1/6U5)	01/98->06/01	9EL 246 151-021 9EL 246 152-021	1 1	<b>Body/lens for indicator light (white), left</b> <b>Body/lens for indicator light (white), right</b>  E4 464 1x12V21W (PY21W) 8GA 006 841-121
				
<b>Felicia II (6U1/6U5)</b> (-) Pickup	01/98->06/01	9EL 246 201-011 9EL 246 202-011	1 1	<b>Body/lens for combination rearlight (grey/red), left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight (grey/red), right, with reverse and rear fog light</b>  E13 3534  1x12V5W (R5W) 8GA 002 071-121 1x12V21/5W (P21/5W) 8GD 002 078-121 2x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121
				
<b>Octavia (1U2/1U5)</b> Octavia (1U2/1U5) LX	09/96->08/00	1AJ 246 003-191 1AJ 246 003-201	1 1	<b>H4 headlight, left, without fog light, with electr. headlight leveller actuator, without bulbs</b> <b>H4 headlight, right, without fog light, with electr. headlight leveller actuator, without bulbs</b>  E4 9350 left and right E4 9351 right  <b>Spare Parts:</b> 1 Lens, left 1 Lens, right 1x12V60/55W (H4) 8GJ 002 525-131 1x12V5W (W5W) 8GP 003 594-121
				
<b>Octavia (1U2/1U5) LX</b>	08/00->	1AJ 010 202-031 1AJ 010 202-041	1 1	<b>H4 headlight, left, without fog light, with electr. headlight leveller actuator</b> <b>H4 headlight, right, without fog light, with electr. headlight leveller actuator</b>  E4 9755 left E4 9756 right  1x12V60/55W (H4) 8GJ 002 525-131 1x12V5W (W5W) 8GP 003 594-121
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Skoda</b>				
<b>Octavia (1U2/1U5)</b> Octavia (1U2/1U5) GLX, SLX	09/96->08/00	1EL 246 003-171  1EL 246 003-181  9ES 246 077-011 9ES 246 078-011	1  1  1 1	<b>H4 headlight, left, with DE-H3 fog light, with electr. headlight leveller actuator, without bulbs</b>  <b>H4 headlight, right, with DE-H3 fog light, with electr. headlight leveller actuator, without bulbs</b>  (E4) 9350 left and right (E4) 9351 right  <b>Spare Parts:</b> Lens, left Lens, right 1x12V60/55W (H4) 8GJ 002 525-131 1x12V55W (H3) 8GH 002 090-133 1x12V5W (W5W) 8GP 003 594-121
<b>Octavia (1U2/1U5)</b> GLX, SLX	08/00->	1EL 010 202-011  1EL 010 202-021	1  1	<b>H4 headlight, left, with DE-H3 fog light, with electr. headlight leveller actuator</b> <b>H4 headlight, right, with DE-H3 fog light, with electr. headlight leveller actuator</b>  (E4) 9755 left (E4) 9756 right  1x12V60/55W (H4) 8GJ 002 525-131 1x12V55W (H3) 8GH 002 090-133 1x12V5W (W5W) 8GP 003 594-121
<b>Octavia (1U2/1U5)</b>	08/00->	1EL 010 202-091  1EL 010 202-101	1  1	<b>Xenon/H1 headlight, left, with DE-H3 fog light, with electr. headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bulbs</b> <b>Xenon/H1 headlight, right, with DE-H3 fog light, with electr. headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bulbs</b>  (E4) 9759 left (E4) 9760 right  1x35W (D2S) 8GS 007 949-101 1x12V55W (H1) 8GH 002 089-133 1x12V55W (H3) 8GH 002 090-133 1x12V5W (W5W) 8GP 003 594-121
<b>Octavia (1U2/1U5)</b> from chassis no. 1U-Y-375 001	01/00->08/00	6NM 007 878-531	1	<b>Setting element, headlight levelling</b>  



# Skoda



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Skoda</b>				
<b>Octavia (1U2/1U5)</b> Octavia (1U2/1U5)	09/96->08/00	9EL 246 175-011 9EL 246 176-011	1 1	<b>Body/lens for indicator light (clear), left</b> <b>Body/lens for indicator light (clear), right</b>  E4 6478 1x12V21W (PY21W) 8GA 006 841-121
<b>Octavia (1U2/1U5)</b>	08/00->	9EL 354 075-011 9EL 354 075-021	1 1	<b>Body/lens for indicator light (clear), left</b> <b>Body/lens for indicator light (clear), right</b>  1x12V21W (PY21W) 8GA 006 841-121
<b>Octavia (1U2/1U5)</b>	09/96->	9EL 156 099-811	1	<b>Body/lens set for auxiliary indicator lights (clear), with 2 amber bulbs</b>  E13 550 2x12V5W (WY5W) 8GP 003 594-541
<b>Octavia (1U2)</b> (-) Estate	08/00->	9EL 354 074-011 9EL 354 074-021	1 1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight, right, with reverse and rear fog light</b>  1x12V21/4W (P21/4W) 8GD 004 772-121 2x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121
<b>Octavia (1Z3/1Z5)</b> Octavia (1Z3/1Z5) Classic	06/04->	1EL 354 027-011 1EL 354 027-021	1 1	<b>H7/H1 headlight, left, with indicator light, with electr. headlight leveller actuator</b> <b>H7/H1 headlight, right, with indicator light, with electr. headlight leveller actuator</b>  E8 3575 1x12V55W (H7) 8GH 007 157-121 1x12V55W (H1) 8GH 002 089-133 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Skoda</b>				
<b>Octavia (1Z3/1Z5)</b> Octavia (1Z3/1Z5) Ambiente	06/04->	1EL 354 027-031 1EL 354 027-041	1 1	<b>H7/H1 headlight, left, with indicator light, with electr. headlight leveller actuator</b> <b>H7/H1 headlight, right, with indicator light, with electr. headlight leveller actuator</b>  E8 3575 1x12V55W (H7) 8GH 007 157-121 1x12V55W (H1) 8GH 002 089-133 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
<b>Octavia (1Z3/1Z5)</b>	06/04->	1EL 354 027-071 1EL 354 027-081	1 1	<b>Xenon/H1 headlight, left, with indicator light, with electr. headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bulbs</b> <b>Xenon/H1 headlight, right, with indicator light, with electr. headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bulbs</b>  E8 3575 1x35W (D1S) 8GS 009 028-001 1x12V55W (H1) 8GH 002 089-133 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
<b>Octavia (1Z3/1Z5)</b>	06/04->	1N0 354 017-011 1N0 354 017-021	1 1	<b>H8 fog light, left</b> <b>H8 fog light, right</b>  E8 3573 1x12V35W (H8) 8GH 008 356-121
<b>Octavia (1Z3)</b> (-) Estate	06/04->	9EL 354 076-011 9EL 354 076-021	1 1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight, right, with reverse and rear fog light</b>  2x12V21/4W (P21/4W) 8GA 004 772-121 1x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V3W (W3W) 8GP 003 594-141



# Skoda



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Skoda</b>				
<b>Roomster (5J), Praktik</b>				
Roomster (5J)	09/06->	1ED 247 025-211	1	<b>FF®-H4 headlight, left, with indicator light, with electr. headlight leveller actuator</b> <b>FF®-H4 headlight, right, with indicator light, with electr. headlight leveller actuator</b> (E8) 4141  1x12V60/55W (H4) 8GJ 002 525-131  1x12V5W (W5W) 8GP 003 594-121  1x12V21W (PY21W) 8GA 006 841-121
Praktik	06/07->	1ED 247 025-221	1	
				
<b>Roomster (5J)</b>	09/06->	1N0 354 018-011	1	<b>H8 fog light, left, with cornering light</b> <b>H8 fog light, right, with cornering light</b> (E4) 4119  1x12V35W (H8) 8GH 008 356-121
Praktik	06/07->	1N0 354 018-021	1	
				
<b>Roomster (5J)</b>	09/06->	9EL 354 077-011	1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight, right, with reverse and rear fog light</b>  1x12V21W (PY21W) 8GA 006 841-121  3x12V21W (P21W) 8GA 002 073-121  2x12V5W (W5W) 8GP 003 594-121
Praktik	06/07->	9EL 354 077-021	1	
				
<b>Superb (3U4)</b>				
Superb (3U4)	02/02->	1EL 246 042-091	1	<b>DE-H7/FF®-H3 headlight, left, with H3 fog light, with indicator light, with electr. headlight leveller actuator</b> <b>DE-H7/FF®-H3 headlight, right, with H3 fog light, with indicator light, with electr. headlight leveller actuator</b> (E1) 1376 <b>Spare Parts:</b> Setting element, headlight levelling  1x12V55W (H7) 8GH 007 157-121  2x12V55W (H3) 8GH 002 090-133  1x12V21W (PY21W) 8GA 006 841-121  1x12V5W (W5W) 8GP 003 594-121
		1EL 246 042-101	1	
		6NM 007 878-041	1	
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Skoda</b>				
<b>Superb (3U4)</b> Superb (3U4)	02/02->	 1EL 246 042-431  1EL 246 042-441  5DV 008 855-017	1  1  70	<b>Bi-Xenon®/FF®-H3 headlight, left, with H3 fog light, with indicator light, with electr. headlight leveller actuator, with lens cleaning equipment, with xenon ballast, without gas discharge bulb, without bulbs</b>  <b>Bi-Xenon®/FF®-H3 headlight, right, with H3 fog light, with indicator light, with electr. headlight leveller actuator, with lens cleaning equipment, with xenon ballast, without gas discharge bulb, without bulbs</b>  (E1) 1376 (E1) 1377  <b>Spare Parts:</b> Ballast unit   1x35W (D2S) 8GS 007 949-101   2x12V55W (H3) 8GH 002 090-133  1x12V21W (PY21W) 8GA 006 841-121  1x12V5W (W5W) 8GP 003 594-121
<b>Superb (3U4)</b>	02/02->	 6NM 007 878-041	1	<b>Setting element, headlight levelling (for halogen headlight)</b>
<b>Superb (3U4)</b>	02/02->	 5DV 008 855-017	70	<b>Ballast unit</b>
<b>Superb (3U4)</b>	02/02->08/06	 9EL 354 078-011 9EL 354 078-021	1  1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight, right, with reverse and rear fog light</b>   1x12V21/4W (P21/4W) 8GD 004 772-121  2x12V21W (P21W) 8GA 002 073-121  1x12V21W (PY21W) 8GA 006 841-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Skoda</b>				
<b>Superb (3U4)</b>		9EL 354 079-011	1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b>
Superb (3U4)	09/06->	9EL 354 079-021	1	<b>Body/lens for combination rearlight, right, with reverse and rear fog light</b>
		1x12V21/4W (P21/4W) 8GD 004 772-121 2x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121		
<b>Toyota</b>				
<b>RAV 4 II (XA2)</b>		1EJ 010 044-011	1	<b>FF®-H4 headlight, left, with indicator light,</b>
RAV 4 II (XA2)	08/03->04/06	1EJ 010 044-021	1	<b>FF®-H4 headlight, right, with indicator light</b>
		1x12V60/55W (H4) 8GJ 002 525-131 1x12V5W (W5W) 8GP 003 594-121 1x12V21W (WY21W) 8GP 009 021-002		
<b>Volkswagen</b>				
<b>Bora (1J2, 1J6)</b>		1EH 963 560-631	1	<b>FF®-H4 headlight, left, with indicator light, without fog light</b>
Bora	10/98->05/05	1EH 963 560-641	1	<b>FF®-H4 headlight, right, with indicator light, without fog light</b>
Bora Estate	05/99->05/05			(E4) 9480 left (E4) 9481 right
Basic, Trendline, Comfortline standard  		1x12V60/55W (H4) 8GJ 002 525-131 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121		



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Bora (1J2, 1J6)</b>		<b>1EH 963 560-591</b>	1	<b>FF®-H4 headlight, left, with indicator light, with DE-H3 fog light</b> <b>FF®-H4 headlight, right, with indicator light, with DE-H3 fog light</b> (E4) 9480 left (E4) 9481 right  1x12V60/55W (H4) 8GJ 002 525-131  1x12V55W (H3) 8GH 002 090-133  1x12V21W (PY21W) 8GA 006 841-121  1x12V5W (W5W) 8GP 003 594-121
<b>Bora</b>	10/98->05/05	<b>1EH 963 560-601</b>	1	
<b>Bora Estate</b>	05/99->05/05			
Basic, Trendline, Comfortline Special equipment  <b>Highline</b> standard				
				
<b>Bora</b>	10/98->05/05	<b>6NM 007 878-041</b>	1	<b>Setting element, headlight levelling</b>
				
<b>Bora (Mexico/USA)</b> (-) GTI, TDI	10/98->05/05	<b>1NL 008 383-901</b>	1	<b>Micro DE-H3 fog light set with bulbs, with covers</b> (E1) 877 <b>Spare Parts:</b> 1 Micro DE-H3 fog light 1 Outer trim, left 1 Outer trim, right  2x12V55W (H3) 8GH 002 090-133
 <b>Design</b>		1NL 008 090-031 9HB 162 205-001 9HB 162 206-001	1 1 1	
<b>Bora</b> (-) GTI, TDI	10/98->05/05	<b>1NL 008 383-861</b>	1	<b>Micro DE-H3 fog light set with bulbs, with covers and remote control system</b> (E1) 877 <b>Spare Parts:</b> 1 Micro DE-H3 fog light 1 Outer trim, left 1 Outer trim, right  2x12V55W (H3) 8GH 002 090-133
 <b>Design</b>		1NL 008 090-031 9HB 162 205-001 9HB 162 206-001	1 1 1	
<b>Bora</b>	10/98->05/05	<b>9EL 156 099-801</b>	1	<b>Body/lens set for auxiliary indicator lights (clear), with 2 amber bulbs</b> (E13) 550  2x12V5W (WY5W) 8GP 003 594-541
 <b>Design</b>				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Bora (1J2, 1J6)</b> <b>Bora</b> (-) Estate Basic, Trendline, Comfortline	10/98->05/05	9EL 963 669-081	1	<b>Body/lens for combination rearlight (red/clear), left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight (red/clear), right, with reverse and rear fog light</b>  (E4) 9457  1x12V5W (R5W) 8GA 002 071-121 4x12V21W (P21W) 8GA 002 073-121
		9EL 963 670-081	1	
<b>Bora</b> (-) Estate Basic, Trendline, Comfortline	10/98->05/05	9EL 963 669-091	1	<b>Body/lens for combination rearlight (grey/red), left, with reverse and rear fog light, for conversion</b> <b>Body/lens for combination rearlight (grey/red), right, with reverse and rear fog light, for conversion</b>  (E4) 9457  1x12V5W (R5W) 8GA 002 071-121 4x12V21W (P21W) 8GA 002 073-121
		9EL 963 670-091	1	
<b>Bora Highline</b> (-) Estate	10/98->05/05	9EL 963 669-091	1	<b>Body/lens for combination rearlight (grey/red), left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight (grey/red), right, with reverse and rear fog light</b>  (E4) 9457  1x12V5W (R5W) 8GA 002 071-121 4x12V21W (P21W) 8GA 002 073-121
		9EL 963 670-091	1	
<b>Bora</b> (-) Estate	10/98->05/05	9EL 963 561-801	1	<b>Design combination rearlight set (black) without bulb holder</b>  <b>Spare Parts:</b> Reflex-reflector (red)  2x12V5W (R5W) 8GA 002 071-121 8x12V21W (P21W) 8GA 002 073-121
		8RA 004 412-041	10	



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Bora (1J2, 1J6)</b> Bora (-) Estate	10/98->05/05	<b>9EL 963 561-811</b>  8RA 004 412-041	1  10	<b>Design combination rearlight set (brilliant silver) without bulb holder</b>  <b>Spare Parts:</b> Reflex-reflector (red)  2x12V5W (R5W) 8GA 002 071-121 8x12V21W (P21W) 8GA 002 073-121
				
<b>Caddy I (14)</b> Caddy I (14)	08/82->07/92	<b>1A8 003 060-541</b>  1A8 121 149-001 9GH 116 966-011 9FF 126 444-001  <b>1A8 003 060-551</b>  1A8 121 150-001 9GH 116 966-011 9FF 126 444-001	1  1 10 10  1  1 10 10	<b>Headlight</b>  E1 14559  <b>Spare Parts:</b> Light unit Cap Bulb socket for side light  1x12V45/40W (R2) 8GD 002 088-131 1x12V4W (T4W) 8GP 002 067-121  <b>H4 headlight</b>  E1 14551 E1 34495  <b>Spare Parts:</b> H4 headlight unit Cap Bulb socket for side light ->05/89 (to be ordered separately) 1x12V60/55W (H4) 8GJ 002 525-131 1x12V4W (T4W) 8GP 002 067-121
				
<b>Caddy I (14)</b>	08/82->07/92	<b>2BA 002 939-171</b>  9EL 116 771-031	1  2	<b>Indicator light (amber)</b>  E1 32710  <b>Spare Parts:</b> Lens 1x12V21W (P21W) 8GA 002 073-121
				
<b>Caddy II (9K9, 9U7)</b> Caddy II Pick-up (9U7)	10/97->	<b>1AF 246 000-091</b>  <b>1AF 246 000-101</b>  9ES 246 051-001 9ES 246 052-001	1  1  1 1	<b>H4 headlight, left, suitable for headlight leveller</b> <b>H4 headlight, right, suitable for headlight leveller</b>  E4 274 left E4 275 right  <b>Spare Parts:</b> Lens, left Lens, right 1x12V60/55W (H4) 8GJ 002 525-131 1x12V5W (W5W) 8GP 003 594-121
				




# Volkswagen



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Caddy II (9K9, 9U7)</b> Caddy II Pick-up (9U7)	10/97->	9EL 246 151-021 9EL 246 152-021	1 1	<b>Body/lens for indicator light (white), left</b> <b>Body/lens for indicator light (white), right</b>  E4 464 1x12V21W (PY21W) 8GA 006 841-121
<b>Caddy II (9K9, 9U7)</b>	11/95->	9EL 147 073-001	2	<b>Body/lens for auxiliary indicator light (amber)</b>  E1 52636 1x12V5W (W5W) 8GP 003 594-121
<b>Caddy III (2KA, 2KB)</b> Caddy III (2KA, 2KB)	03/04->	1EE 010 203-011 1EE 010 203-021	1 1	<b>H7/H1 headlight, left, with indicator light, with electr. headlight leveller actuator</b> <b>H7/H1 headlight, right, with indicator light, with electr. headlight leveller actuator</b>  E4 10169 1x12V55W (H7) 8GH 007 157-121 1x12V55W (H1) 8GH 002 089-133 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
<b>Caddy III (2KA, 2KB)</b> up to chassis no. 2K-5-060 000	03/04->12/04	1N0 270 596-051 1N0 270 596-061	1 1	<b>DE-H11 fog light, left, with bulb</b> <b>DE-H11 fog light, right, with bulb</b>  E26 008 1x12V55W (H11) 8GH 008 358-121
<b>Caddy III (2KA, 2KB)</b> from chassis no. 2K-5-060 001	12/04->	1N0 271 289-031 1N0 271 289-041	1 1	<b>FF®-HB4 fog light, left, with bulb</b> <b>FF®-HB4 fog light, right, with bulb</b>  E26 015 1x12V51W (HB4) 8GH 005 636-121






Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Caddy III (2KA, 2KB)</b> Caddy III Estate (2KB) Vehicles with tailgate	03/04->	2VP 354 043-011 2VP 354 043-021	1 1	<b>Combination rearlight, left, with reverse and rear fog light</b> <b>Combination rearlight, right, with reverse and rear fog light</b>  1x12V21/4W (P21/4W) 8GD 004 772-121 2x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121
				
<b>Caddy III Box (2KA)</b> Vehicles with hatch door	03/04->	2VP 354 042-011 2VP 354 042-021	1 1	<b>Combination rearlight, left, with reverse and rear fog light</b> <b>Combination rearlight, right, with reverse and rear fog light</b>  1x12V21/4W (P21/4W) 8GD 004 772-121 2x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121
				
<b>Corrado (53I)</b> Corrado (53I)	09/88->07/91	1DJ 005 377-191 1DJ 005 377-201  9FF 085 642-001	1 1  10	<b>H4/H3 headlight, left, for vehicles with or without headlight leveller</b> <b>H4/H3 headlight, right, for vehicles with or without headlight leveller</b>  (E1) 44401 left  (E1) 44402 right  <b>Spare Parts:</b> Bulb socket for side light 1x12V60/55W (H4) 8GJ 002 525-131 1x12V55W (H3) 8GH 002 090-133 1x12V4W (T4W) 8GP 002 067-121
				
<b>Corrado (53I)</b>	09/88->07/91	1NB 005 394-051 1NB 005 394-061	1 1	<b>H3 fog light, left</b> <b>H3 fog light, right</b>  (E1) 18209  1x12V55W (H3) 8GH 002 090-133
				
<b>Corrado (53I)</b>	09/88->07/91	2BA 005 398-031 2BA 005 398-041	1 1	<b>Indicator light, left</b> <b>Indicator light, right</b>  (E1) 42746  1x12V21W (P21W) 8GA 002 073-121
				



# Volkswagen



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Corrado (53I)</b> Corrado (53I) all models with auxiliary indicators as standard feature	09/88->08/91	2BM 003 647-021	1	<b>Auxiliary indicator light</b> E1 151 1x12V5W (W5W) 8GP 003 594-121 
<b>Corrado (53I)</b>	09/91->12/95	2BM 003 647-801	1	<b>Auxiliary indicator light set (amber), with bulbs</b> E1 151 <b>Spare Parts:</b> Auxiliary indicator light (amber) 2x12V5W (W5W) 8GP 003 594-121 
<b>Corrado (53I)</b>	09/91->12/95	2BM 006 759-801	1	<b>Auxiliary indicator light set (grey), with bulbs</b> E13 1299 <b>Spare Parts:</b> Auxiliary indicator light (grey), with bulbs 2x12V5W (W5W) 8GP 003 594-121 
<b>Derby II (86C, 80)</b> Derby II (86C, 80)	08/84->12/84	1A6 004 855-021	1	<b>H4 headlight</b> E1 24415 <b>Spare Parts:</b> Cap Bulb socket for side light 1x12V60/55W (H4) 8GJ 002 525-131 1x12V4W (T4W) 8GP 002 067-121 
<b>Derby II (86C, 80)</b>	08/81->12/84	2BA 002 939-171	1	<b>Indicator light (amber)</b> E1 32710 <b>Spare Parts:</b> Lens 1x12V21W (P21W) 8GA 002 073-121 
<b>Derby II (86C, 80)</b>	08/81->12/84	9EL 125 909-031 9EL 125 910-041	1 1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight, right, with reverse light</b> E1 53342 1x12V21/5W (P21/5W) 8GD 002 078-121 3x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121 



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
Derby II (86C, 80) Derby II (86C, 80)	08/81->12/84	2JA 002 931-031	5	<b>Interior light</b> 1x12V10W (K) 8GM 002 091-131 
Eos Eos	05/06->	1N0 271 289-031 1N0 271 289-041	1 1	<b>FF®-HB4 fog light, left, with bulb</b> <b>FF®-HB4 fog light, right, with bulb</b> 015 1x12V51W (HB4) 8GH 005 636-121 
Golf I (17, 155) Golf I (17) Golf I Convertible (155)	07/74->07/83 05/79->07/87	1A8 003 060-541 1A8 121 149-001 9GH 116 966-011 9FF 126 444-001  1A8 003 060-551 1A8 121 150-001 9GH 116 966-011 9FF 126 444-001	1 1 10 10  1 10 10	<b>Headlight</b> 14559 <b>Spare Parts:</b> Light unit Cap Bulb socket for side light 1x12V45/40W (R2) 8GD 002 088-131 1x12V4W (T4W) 8GP 002 067-121 <b>H4 headlight</b> 14551  34495 <b>Spare Parts:</b> H4 headlight unit Cap Bulb socket for side light (to be ordered separately) 1x12V60/55W (H4) 8GJ 002 525-131 1x12V4W (T4W) 8GP 002 067-121 
Golf I (17) Golf I Cabriolet (155)	07/74->07/83 05/79->07/87	2BA 002 939-171 9EL 116 771-031	1 2	<b>Indicator light (amber)</b> 32710 <b>Spare Parts:</b> Lens 1x12V21W (P21W) 8GA 002 073-121 
Golf I Convertible (155)	09/91->08/93	2BM 003 647-801 2BM 003 647-021	1 1	<b>Auxiliary indicator light set (amber), with bulbs</b> 151 <b>Spare Parts:</b> Auxiliary indicator light (amber) 2x12V5W (W5W) 8GP 003 594-121 



# Volkswagen



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Golf I (17, 155)</b> Golf I Convertible (155)	09/91->08/93	2BM 006 759-801  2BM 006 759-001	1  5	<b>Auxiliary indicator light set (grey), with bulbs</b>  <b>Spare Parts:</b> Auxiliary indicator light (grey), with bulbs  2x12V5W (W5W) 8GP 003 594-121
				
<b>Golf I (17)</b> Golf I Convertible (155)	10/78->07/83 05/79->08/93	2KA 002 445-111	1	<b>Licence plate light</b>  1x12V4W (T4W) 8GP 002 067-121
				
<b>Golf I (17)</b>	07/74->07/83	2JA 002 532-011	5	<b>Interior light</b>  1x12V10W (K) 8GM 002 091-131
				
<b>Golf II (19E, 1G1)</b> Golf II (19E, 1G1) (-) Golf Rallye	08/83->12/92	1A8 004 190-101  1A8 127 147-021 9GH 116 966-011 9FF 126 444-001	1  1 10 10	<b>H4 headlight for vehicles with or without headlight leveller</b>  <b>Spare Parts:</b> Light unit Cap Bulb socket for side light ->05/89 (to be ordered separately)  1x12V60/55W (H4) 8GJ 002 525-131 1x12V4W (T4W) 8GP 002 067-121
				
<b>Golf II (19E, 1G1)</b> GL, GT, GTI	09/89->12/92	1NL 006 315-051  1NL 006 315-061	1  1	<b>DE-H3 fog light, left, with bulb</b> <b>DE-H3 fog light, right, with bulb</b>  1x12V55W (H3) 8GH 002 090-133
				
<b>Golf II (19E, 1G1)</b> GL, GT, GTI	09/89->12/92	1NL 006 315-111  1NL 006 315-121	1  1	<b>DE-H3 fog light (black), left, with bulb</b> <b>DE-H3 fog light (black), right, with bulb</b>  1x12V55W (H3) 8GH 002 090-133
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Golf II (19E, 1G1)</b>		<b>2BA 002 939-171</b>	1	<b>Indicator light (amber)</b>
Golf II (19E, 1G1) C, CL	08/83->12/92			(E1) 32710
Golf II (19E, 1G1) GL, GT, GTI	08/83->08/89	9EL 116 771-031	2	<b>Spare Parts:</b> Lens 1x12V21W (P21W) 8GA 002 073-121
<b>Golf II GL, GT, GTI</b>	09/89->12/92	<b>9EL 141 701-001</b> <b>9EL 141 702-001</b>	2 2	<b>Body/lens for indicator light (amber), left</b> <b>Body/lens for indicator light (amber), right</b>
				(E15) 31
		<b>9EL 141 705-001</b> <b>9EL 141 706-001</b>	1 1	<b>Body/lens for indicator light (white), left</b> <b>Body/lens for indicator light (white), right</b>
				(E4) 402 1x12V21W (P21W) 8GA 002 073-121
<b>Golf II GL, GT, GTI</b>	09/89->12/92	<b>2BA 006 728-801</b>	1	<b>Indicator light set (white), with bulbs</b>
				(E4) 402
		9EL 141 705-001 9EL 141 706-001	1 1	<b>Spare Parts:</b> Body/lens (white), left Body/lens (white), right 2x12V21W (P21W) 8GA 002 073-121
<b>Golf II</b>	08/83->12/92	<b>2BM 003 647-801</b>	1	<b>Auxiliary indicator light set (amber), with bulbs</b>
				(E1) 151
		2BM 003 647-021	1	<b>Spare Parts:</b> Auxiliary indicator light (amber) 2x12V5W (W5W) 8GP 003 594-121
<b>Golf II</b>	08/83->12/92	<b>2BM 006 759-801</b>	1	<b>Auxiliary indicator light set (grey), with bulbs</b>
				(E13) 1299
		2BM 006 759-001	5	<b>Spare Parts:</b> Auxiliary indicator light (grey), with bulbs 2x12V5W (W5W) 8GP 003 594-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Golf II (19E, 1G1)</b> <b>Golf II (19E, 1G1)</b> except models with M-equipment and Golf Rallye	08/83->12/92	<b>2VP 004 220-051</b> <b>2VP 004 220-061</b>  <b>2VP 004 220-071</b> <b>2VP 004 220-081</b>  9EL 127 010-021 9EL 127 009-031 9EL 127 010-031	1 1  1 1  1 1 1	<b>Combination rearlight, left, with reverse light</b> <b>Combination rearlight, right, with reverse light</b>  <b>Combination rearlight, left, with reverse and rear fog light</b> <b>Combination rearlight, right, with reverse and rear fog light</b>  (E1) 53355  <b>Spare Parts:</b> 1 Body/lens for 2VP 004 220-061 1 Body/lens for 2VP 004 220-071 1 Body/lens for 2VP 004 220-081  1x12V5W (R5W) 8GA 002 071-121 4x12V21W (P21W) 8GA 002 073-121
<b>Golf II (19E, 1G1)</b> with M-equipment <b>Golf Rallye</b>	01/89->12/92  07/89->	<b>9EM 127 009-061</b>  <b>9EM 127 010-061</b>	1  1	<b>Body/lens for combination rearlight (grey/red), left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight (grey/red), right, with reverse and rear fog light</b>  (E1) 53355  1x12V5W (R5W) 8GA 002 071-121 4x12V21W (P21W) 8GA 002 073-121
<b>Golf III (1H1, 1H5, 1E7)</b> <b>Golf III</b> (-) GT, GTI, VR6	08/91->12/92	<b>1AJ 007 235-271</b> <b>1AJ 007 235-281</b>  8KA 146 152-001	1 1  2	<b>H4 headlight, left, for vehicles with or without headlight leveller</b> <b>H4 headlight, right, for vehicles with or without headlight leveller</b>  (E1) 44457 left (E1) 44458 right  <b>Spare Parts:</b> Lead with adapter 1x12V60/55W (H4) 8GJ 002 525-131 1x12V5W (W5W) 8GP 003 594-121
<b>Golf III</b> <b>Golf III Estate</b> (-) GT, GTI, VR6	01/93->08/97 07/93->04/99	<b>1AJ 007 235-231</b> <b>1AJ 007 235-241</b>	1 1	<b>H4 headlight, left, for vehicles with or without headlight leveller</b> <b>H4 headlight, right, for vehicles with or without headlight leveller</b>  (E1) 44457 left (E1) 44458 right  1x12V60/55W (H4) 8GJ 002 525-131 1x12V5W (W5W) 8GP 003 594-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Golf III (1H1, 1H5, 1E7)</b>		<b>1DJ 006 360-651</b>	1	<b>H1 headlight, left, for vehicles with or without headlight leveller</b> <b>H1 headlight, right, for vehicles with or without headlight leveller</b> (E1) 27001 left (E1) 27002 right (E1) 44468 left (E1) 44469 right <b>Spare Parts:</b> Lead with adapter for vehicles ->12/92 (to be ordered separately) 2x12V55W (H1) 8GH 002 089-133 1x12V5W (W5W) 8GP 003 594-121
Golf III GT, GTI, VR6	08/91->08/97	<b>1DJ 006 360-661</b>	1	
Golf III Convertible	07/93->05/98			
Golf III Estate GT, GTI, VR6	07/93->04/99			
Golf III	08/91->08/97	<b>6NM 007 282-211</b>	1	<b>Setting element, headlight levelling</b>
Golf III Convertible	07/93->05/98			
Golf III Estate	07/93->04/99			
Golf III Convertible	06/98->06/02	<b>6NM 007 878-041</b>	1	<b>Setting element, headlight levelling</b>
Golf III Mexico GTI/GLX	01/92->	<b>1DJ 006 649-011</b>	1	<b>HB3/HB4 headlight, left, with bulbs</b> <b>HB3/HB4 headlight, right, with bulbs</b> 1x12V60W (HB3) 8GH 005 635-121 1x12V51W (HB4) 8GH 005 636-121
		<b>1DJ 006 649-021</b>	1	
Golf III	08/91->08/97	<b>1DJ 008 187-801</b>	1	<b>H7 headlight set (chrome), with clear cover lens, with bulbs</b> (E1) 913 <b>Spare Parts:</b> H7 headlight, left, with clear cover lens, with bulbs H7 headlight, right, with clear cover lens, with bulbs Lead with adapter for vehicles ->12/92 (to be ordered separately) 4x12V55W (H7) 8GH 007 157-121 2x12V3W (W3W) 8GP 003 594-141
Golf III Convertible	07/93->05/98			
Golf III Estate	07/93->04/99			
		<b>1DJ 008 187-011</b>	1	
		<b>1DJ 008 187-021</b>	1	
		<b>8KA 146 152-001</b>	2	



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Golf III (1H1, 1H5, 1E7)</b>		<b>1DJ 008 187-811</b>	<b>1</b>	<b>H7 headlight set (black), with clear cover lens, with bulbs</b>
Golf III	08/91->08/97			(E1) 913
Golf III Convertible	07/93->05/98			<b>Spare Parts:</b>
Golf III Estate	07/93->04/99	1DJ 008 187-031	1	H7 headlight, left, with clear cover lens, with bulbs
		1DJ 008 187-041	1	H7 headlight, right, with clear cover lens, with bulbs
		8KA 146 152-001	2	Lead with adapter for vehicles ->12/92 (to be ordered separately)
				4x12V55W (H7) 8GH 007 157-121
				2x12V3W (W3W) 8GP 003 594-141
				<b>Design</b>
<b>Golf III</b>	08/91->08/97	<b>1AL 009 213-801</b>	<b>1</b>	<b>DE-H7/FF®-H7 headlight set (Upgrade), in clear glass design with CELIS® position lights, with bulbs</b>
Golf III Convertible	07/93->05/98			(E1) 913
Golf III Estate	07/93->04/99			<b>Spare Parts:</b>
		1AL 009 213-011	1	DE-H7/FF®-H7 headlight, left, with bulbs
		1AL 009 213-021	1	DE-H7/FF®-H7 headlight, right, with bulbs
				4x12V55W (H7) 8GH 007 157-121
				<b>Design</b>
<b>Golf III Convertible</b>	06/98->06/02	<b>1EJ 007 700-071</b>	<b>1</b>	<b>FF®-H7/H1 headlight, left, with indicator light, without fog light</b>
		<b>1EJ 007 700-081</b>	<b>1</b>	<b>FF®-H7/H1 headlight, right, with indicator light, without fog light</b>
		<b>1EL 007 700-051</b>	<b>1</b>	<b>FF®-H7/H1 headlight, left, with indicator light, with DE-H3 fog light</b>
		<b>1EL 007 700-061</b>	<b>1</b>	<b>FF®-H7/H1 headlight, right, with indicator light, with DE-H3 fog light</b>
				(E1) 761
				1x12V55W (H7) 8GH 007 157-121
				1x12V55W (H1) 8GH 002 089-133
				1x12V55W (H3) 8GH 002 090-133
				1x12V21W (PY21W) 8GA 006 841-121
				1x12V5W (W5W) 8GP 003 594-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Golf III (1H1, 1H5, 1E7)</b>		<b>1EL 007 700-151</b>	1	<b>FF®-H7/H1 headlight (black), left, with indicator light, with DE-H3 fog light</b>
Golf III Convertible	06/98->06/02	<b>1EL 007 700-161</b>	1	<b>FF®-H7/H1 headlight (black), right, with indicator light, with DE-H3 fog light</b>
				(E1) 761  1x12V55W (H7) 8GH 007 157-121  1x12V55W (H1) 8GH 002 089-133  1x12V55W (H3) 8GH 002 090-133  1x12V21W (PY21W) 8GA 006 841-121  1x12V5W (W5W) 8GP 003 594-121
<b>Golf III Convertible</b>	06/98->06/02	<b>1EJ 009 292-801</b>	1	<b>Upgrade headlight set with up-to-date look, with clear glass design, with chrome-plated covers, with bulbs</b>
				(E1) 1973 <b>Spare Parts:</b> Upgrade headlight, left, with chrome-plated cover Upgrade headlight, right, with chrome-plated cover  4x12V55W (H7) 8GH 007 157-121  2x12V21W (H21W) 8GH 008 417-001  2x12V5W (W5W) 8GP 003 594-121
		1EJ 009 292-011	1	
		1EJ 009 292-021	1	
<b>Golf III Convertible</b>	06/98->06/02	<b>1EL 009 300-801</b>	1	<b>Upgrade headlight set with CELIS® position light rings, without fog light, with bulbs</b>
				(E1) 2032 <b>Spare Parts:</b> Upgrade headlight, left, without fog lights, with bulbs Upgrade headlight, right, without fog lights, with bulbs Upgrade headlight, left, with fog light, with bulbs Upgrade headlight, right, with fog light, with bulbs  4x12V55W (H7) 8GH 007 157-121  2x12V35W (H8) 8GH 008 356-121  2x12V21W (PY21W) Silver Vision
		1EL 009 300-011	1	
		1EL 009 300-021	1	
		1EL 009 300-031	1	
		1EL 009 300-041	1	




# Volkswagen



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Golf III (1H1, 1H5, 1E7)</b>		<b>1NL 007 220-801</b>	<b>1</b>	<b>DE-H3 fog light set with bulbs</b>
Golf III	08/91->08/97			18238
Golf III Convertible	07/93->05/98			<b>Spare Parts:</b>
Golf III Estate	07/93->04/99	1NL 007 220-031 1NL 007 220-041 8XU 144 429-001 8XU 144 430-001 6EH 004 406-032	1 1 1 1 1	DE-H3 fog light, left DE-H3 fog light, right Cover (silver), left Cover (silver), right On/off switch (to be ordered separately)
				2x12V55W (H3) 8GH 002 090-133
<b>Golf III Mexico</b>	01/92->	<b>1NL 007 180-011</b> <b>1NL 007 180-021</b>	<b>1</b> <b>1</b>	<b>DE-H3 fog light, left</b> <b>DE-H3 fog light, right</b>
				<b>TN 53 SAE F 91</b>
				1x12V55W (H3) 8GH 002 090-133
<b>Golf III</b>	08/91->08/97	<b>2PT 008 956-801</b>	<b>1</b>	<b>Design lighting front set, 2 daytime running lights and 2 indicator lights with silver bulbs (amber signal colour). Lenses are glass clear and without pattern. With harness.</b>
Golf III Convertible	07/93->05/98			
Golf III Estate	07/93->04/99			
				2x12V21W (PY21W) silver (indicator light) 2x12V21W (P21W) 8GA 002 073-121 (daytime running light)
<b>Golf III CL, GL</b>	08/91->08/97	<b>9EL 144 425-001</b> <b>9EL 144 426-001</b>	<b>1</b> <b>1</b>	<b>Body/lens for indicator light (amber), left</b> <b>Body/lens for indicator light (amber), right</b>
Golf III Estate CL, GL	07/93->04/99			439
				1x12V21W (P21W) 8GA 002 073-121
<b>Golf III CL, GL</b>	08/91->08/97	<b>9EL 144 425-811</b>	<b>1</b>	<b>Body/lens set for indicator lights (white)</b>
Golf III Estate CL, GL	07/93->04/99			440
		9EL 144 425-011 9EL 144 426-011	1 1	<b>Spare Parts:</b> Body/lens (white), left Body/lens (white), right
				2x12V21W (P21W) 8GA 002 073-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Golf III (1H1, 1H5, 1E7)</b>		<b>9EL 144 425-011</b>	1	<b>Body/lens for indicator light (white), left</b>
Golf III GT, GTI, VR6	08/91->08/97	<b>9EL 144 426-011</b>	1	<b>Body/lens for indicator light (white), right</b>
Golf III Convertible	07/93->05/98			Ⓔ4 440
Golf III Estate	07/93->04/99			1x12V21W (P21W) 8GA 002 073-121
				
<b>Golf III</b>	08/91->08/97	<b>2BA 007 177-801</b>	1	<b>Indicator light set (black), with bulbs, with two covers</b>
Golf III Convertible	07/93->05/98			Ⓔ1 52618
Golf III Estate	07/93->04/99			<b>Spare Parts:</b>
				1 Indicator light (black), left
		2BA 007 177-011	1	1 Indicator light (black), right
		8XU 144 427-011	1	1 Cover (black), left
		8XU 144 428-011	1	1 Cover (black), right
				2x12V21W (PY21W) 8GA 006 841-121
<b>Golf III</b>	08/91->08/97	<b>8XU 144 427-001</b>	2	<b>Large cover (silver), left</b>
Golf III Convertible	07/93->05/98	<b>8XU 144 428-001</b>	2	<b>Large cover (silver), right (next to indicator light)</b>
Golf III Estate	07/93->04/99			
				
<b>Golf III</b>	08/91->08/97	<b>8XU 144 429-001</b>	1	<b>Small cover (silver), left</b>
Golf III Convertible	07/93->05/98	<b>8XU 144 430-001</b>	1	<b>Small cover (silver), right (between indicator light and fog light)</b>
Golf III Estate	07/93->04/99			
				
<b>Golf III</b>	08/91->08/95	<b>9EL 144 431-001</b>	2	<b>Body/lens for auxiliary indicator light (amber)</b>
				Ⓔ4 01441
				1x12V5W (W5W) 8GP 003 594-121
<b>Golf III</b>	08/91->08/95	<b>9EL 144 431-801</b>	1	<b>Body/lens set for auxiliary indicator lights (black)</b>
				Ⓔ4 01441
				2x12V5W (W5W) 8GP 003 594-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Golf III (1H1, 1H5, 1E7)</b> Golf III	09/95->04/99	9EL 147 073-001	2	Body/lens for auxiliary indicator light (amber) E1 52636 1x12V5W (W5W) 8GP 003 594-121
Golf III	09/95->04/99	9EL 147 073-801	1	Body/lens set for auxiliary indicator lights (grey) E1 105 2x12V5W (W5W) 8GP 003 594-121
	 Design			
Golf III CL, GL	08/91->08/97	9EL 139 137-061	1	Body/lens for combination rearlight (amber/red), left, with reverse and rear fog light
		9EL 139 138-061	1	Body/lens for combination rearlight (amber/red), right, with reverse and rear fog light
		9EL 139 137-051	1	Body/lens for combination rearlight (amber/red), left, with reverse light
		9EL 139 138-051	1	Body/lens for combination rearlight (amber/red), right, with reverse light E1 63264 1x12V5W (R5W) 8GA 002 071-121 4x12V21W (P21W) 8GA 002 073-121
Golf III CL, GL	08/91->08/97	9EL 139 137-081	1	Body/lens for combination rearlight (grey/red), left, with reverse and rear fog light
	 Design	9EL 139 138-081	1	Body/lens for combination rearlight (grey/red), right, with reverse and rear fog light
		9EL 139 137-071	1	Body/lens for combination rearlight (grey/red), left, with reverse light
		9EL 139 138-071	1	Body/lens for combination rearlight (grey/red), right, with reverse light E1 63278 1x12V5W (R5W) 8GA 002 071-121 4x12V21W (P21W) 8GA 002 073-121
Golf III GT, GTI, VR6 Golf III Convertible	08/91->08/97 07/93->06/02	9EL 139 137-081	1	Body/lens for combination rearlight (grey/red), left, with reverse and rear fog light
		9EL 139 138-081	1	Body/lens for combination rearlight (grey/red), right, with reverse and rear fog light
		9EL 139 137-071	1	Body/lens for combination rearlight (grey/red), left, with reverse light
		9EL 139 138-071	1	Body/lens for combination rearlight (grey/red), right, with reverse light E1 63278 1x12V5W (R5W) 8GA 002 071-121 4x12V21W (P21W) 8GA 002 073-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Golf III (1H1, 1H5, 1E7)</b>		<b>9EL 006 220-851</b>	1	<b>Design combination rearlight set (black) without bulb holder</b>
Golf III	08/91->08/97			
Golf III Convertible	07/93->06/02			
		9EL 139 137-091 9EL 139 138-091 8RA 004 412-041	1 1 10	<b>Spare Parts:</b> Body/lens (black), left Body/lens (black), right Reflex-reflector (red)  2x12V5W (R5W) 8GA 002 071-121 8x12V21W (P21W) 8GA 002 073-121
<b>Golf III</b>	08/91->08/97	<b>9EL 006 220-931</b>	1	<b>Design combination rearlight set (stratosilver) without bulb holder</b>
Golf III Convertible	07/93->06/02			
		9EL 139 138-171 8RA 004 412-041	1 10	<b>Spare Parts:</b> Body/lens, right Reflex-reflector (red)  2x12V5W (R5W) 8GA 002 071-121 8x12V21W (P21W) 8GA 002 073-121
<b>Golf III</b>	08/91->08/97	<b>9EL 006 220-921</b>	1	<b>Design combination rearlight set (red/white) without bulb holder</b>
Golf III Convertible	07/93->06/02			
		9EL 139 137-161 9EL 139 138-161 8RA 004 412-041	1 1 10	<b>Spare Parts:</b> Body/lens, left Body/lens, right Reflex-reflector (red)  2x12V5W (R5W) 8GA 002 071-121 8x12V21W (P21W) 8GA 002 073-121
<b>Golf III Estate C, CL</b>	07/93->04/99	<b>9EL 142 825-021</b>	1	<b>Body/lens for combination rearlight (amber/red), left, with reverse and rear fog light</b>
		<b>9EL 142 826-021</b>	1	<b>Body/lens for combination rearlight (amber/red), right, with reverse and rear fog light</b>
				<b>Spare Parts:</b> 63296 63298  1x12V21/4W (P21/4W) 8GD 004 772-121 3x12V21W (P21W) 8GA 002 073-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Golf III (1H1, 1H5, 1E7)</b> Golf III Estate C, CL	07/93->04/99	9EL 142 825-031 9EL 142 826-031	1 1	<b>Body/lens for combination rearlight (grey/red), left, with reverse and rear fog light, for conversion</b> <b>Body/lens for combination rearlight (grey/red), right, with reverse and rear fog light, for conversion</b> (E1) 63296 (E1) 63298  1x12V21/4W (P21/4W) 8GD 004 772-121  3x12V21W (P21W) 8GA 002 073-121
<b>Golf III Estate GT, 'Movie'</b>	07/93->04/99	9EL 142 825-031 9EL 142 826-031	1 1	<b>Body/lens for combination rearlight (grey/red), left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight (grey/red), right, with reverse and rear fog light</b> (E1) 63296 (E1) 63298  1x12V21/4W (P21/4W) 8GD 004 772-121  3x12V21W (P21W) 8GA 002 073-121
<b>Golf IV (1J1, 1J5)</b> Golf IV Golf IV Estate Basic, Trendline, Comfortline standard	08/97->06/05 05/99->	1EJ 007 700-071 1EJ 007 700-081	1 1	<b>FF®-H7/H1 headlight, left, with indicator light, without fog light</b> <b>FF®-H7/H1 headlight, right, with indicator light, without fog light</b> (E1) 761  1x12V55W (H7) 8GH 007 157-121  1x12V55W (H1) 8GH 002 089-133  1x12V21W (PY21W) 8GA 006 841-121  1x12V5W (W5W) 8GP 003 594-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Golf IV (1J1, 1J5)</b>		<b>1EL 007 700-051</b>	1	<b>FF®-H7/H1 headlight, left, with indicator light, with DE-H3 fog light</b> <b>FF®-H7/H1 headlight, right, with indicator light, with DE-H3 fog light</b> (E1) 761 1x12V55W (H7) 8GH 007 157-121 1x12V55W (H1) 8GH 002 089-133 1x12V55W (H3) 8GH 002 090-133 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
<b>Golf IV</b>	08/97->06/05	<b>1EL 007 700-061</b>	1	
<b>Golf IV Estate</b>	05/99->			
Basic, Trendline, Comfortline Special equipment  <b>Highline, GTI, V6</b>  standard				
<b>Golf IV</b>	08/97->	<b>1EL 007 700-151</b>	1	<b>FF®-H7/H1 headlight (black), left, with indicator light, with DE-H3 fog light</b> <b>FF®-H7/H1 headlight (black), right, with indicator light, with DE-H3 fog light</b> (E1) 761 1x12V55W (H7) 8GH 007 157-121 1x12V55W (H1) 8GH 002 089-133 1x12V55W (H3) 8GH 002 090-133 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
		<b>1EL 007 700-161</b>	1	
<b>Golf IV</b>	08/97->	<b>1EJ 009 292-801</b>	1	<b>Upgrade headlight set with up-to-date look, with clear glass design, with chrome-plated covers, with bulbs</b> (E1) 1973  <b>Spare Parts:</b> Upgrade headlight, left, with chrome-plated cover Upgrade headlight, right, with chrome-plated cover 4x12V55W (H7) 8GH 007 157-121 2x12V21W (H21W) 8GH 008 417-001 2x12V5W (W5W) 8GP 003 594-121
		1EJ 009 292-011	1	
		1EJ 009 292-021	1	



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
Golf IV (1J1, 1J5) Golf IV	08/97->	 1EL 009 300-801 1EL 009 300-811 1EL 009 300-011 1EL 009 300-021 1EL 009 300-031 1EL 009 300-041	1 1 1 1 1 1	<b>Upgrade headlight set with CELIS® position light rings, without fog light, with bulbs</b>  <b>Upgrade headlight set with CELIS® position light rings, with fog lights, with bulbs</b> (E1) 2032  <b>Spare Parts:</b> Upgrade headlight, left, without fog lights, with bulbs Upgrade headlight, right, without fog lights, with bulbs Upgrade headlight, left, with fog light, with bulbs Upgrade headlight, right, with fog light, with bulbs  4x12V55W (H7) 8GH 007 157-121  2x12V35W (H8) 8GH 008 356-121  2x12V21W (PY21W) Silver Vision
Golf IV	08/97->	 6NM 007 878-041	1	<b>Setting element, headlight levelling (for H7/H1 headlight)</b>
Golf IV (-) GTI, TDI	08/97->	 1NL 008 383-821 1NL 008 090-031 9HD 149 253-007 8JD 156 150-807 9HB 162 203-001 9HB 162 204-001	1 1 160 1 1 1	<b>Micro DE-H3 fog light set with bulbs, with covers</b> (E1) 877  <b>Spare Parts:</b> Micro DE-H3 fog light Cap Counterplug set (to be ordered separately) Outer trim, left Outer trim, right  2x12V55W (H3) 8GH 002 090-133
Golf IV	08/97->	 2PT 009 305-811 2PT 008 935-011	1 1	<b>Daytime running light set, with harness and retaining parts</b> (E1) 1722  <b>Spare Parts:</b> Daytime running light
Golf IV	08/97->	 9EL 156 099-801	1	<b>Body/lens set for auxiliary indicator lights (clear), with 2 amber bulbs</b> (E13) 550  2x12V5W (WY5W) 8GP 003 594-541



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Golf IV (1J1, 1J5)</b>		<b>9EL 151 875-021</b>	1	<b>Body/lens for combination rearlight (amber/red), left, with reverse and rear fog light</b>
<b>Golf IV (-) Estate</b>	08/97->06/05	<b>9EL 151 876-021</b>	1	<b>Body/lens for combination rearlight (amber/red), right, with reverse and rear fog light</b>
Basic				(E1) 1012 1x12V10W (R10W) 8GA 002 071-131 4x12V21W (P21W) 8GA 002 073-121
<b>Golf IV (-) Estate</b>	08/97->06/05	<b>9EL 148 179-031</b>	1	<b>Body/lens for combination rearlight (grey/red), left, with reverse and rear fog light, for conversion</b>
Basic		<b>9EL 148 180-031</b>	1	<b>Body/lens for combination rearlight (grey/red), right, with reverse light, for conversion</b>
				(E1) 630 1x12V10W (R10W) 8GA 002 071-131 4x12V21W (P21W) 8GA 002 073-121
<b>Golf IV (-) Estate</b>	08/97->06/05	<b>9EL 148 179-031</b>	1	<b>Body/lens for combination rearlight (grey/red), left, with reverse and rear fog light</b>
Trendline, Comfortline, Highline, GTI, V6		<b>9EL 148 180-031</b>	1	<b>Body/lens for combination rearlight (grey/red), right, with reverse and rear fog light</b>
				(E1) 630 1x12V10W (R10W) 8GA 002 071-131 4x12V21W (P21W) 8GA 002 073-121
<b>Golf IV (-) Estate</b>	08/97->06/05	<b>9EL 148 179-021</b>	1	<b>Body/lens for combination rearlight (black/red), left, with reverse and rear fog light</b>
		<b>9EL 148 180-021</b>	1	<b>Body/lens for combination rearlight (black/red), right, with reverse and rear fog light</b>
				(E1) 630 1x12V10W (R10W) 8GA 002 071-131 4x12V21W (P21W) 8GA 002 073-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Golf IV (1J1, 1J5)</b>	08/97->06/05	9EL 007 720-821	1	<b>Design combination rearlight set (brilliant black) without bulb holder</b>
Golf IV		9EL 007 720-831	1	<b>Design combination rearlight set (blue-white brilliant) without bulb holder</b>
(-) Estate		9EL 007 720-851	1	<b>Design combination rearlight set (red-white brilliant) without bulb holder</b>
		9EL 148 179-101	1	<b>Spare Parts:</b>
		9EL 148 180-101	1	Body/lens (brilliant black), left
		9EL 148 179-111	1	Body/lens (brilliant black), right
		9EL 148 180-111	1	Body/lens (blue-white brilliant), left
		9EL 148 179-131	1	Body/lens (blue-white brilliant), right
		9EL 148 180-131	1	Body/lens (red-white brilliant), left
8RA 004 412-041	10	Body/lens (red-white brilliant), right		
		Reflex-reflector (red)		2x12V10W (R10W) 8GA 002 071-131
				8x12V21W (P21W) 8GA 002 073-121
Golf IV	08/97->06/05	9EL 007 720-871	1	<b>Design combination rearlight set (silver) without bulb holder</b>
(-) Estate				E13 9493
				2x12V10W (R10W) 8GA 002 071-131
				8x12V21W (P21W) 8GA 002 073-121
Golf IV	08/97->06/05	9EL 008 980-801	1	<b>Design combination rearlight set in clear glass design with brilliant finish (silver) without bulb holder</b>
(-) Estate				E4 10549
				2x12V10W (R10W) 8GA 002 071-131
				8x12V21W (P21W) 8GA 002 073-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Golf IV (1J1, 1J5)</b> Golf IV (-) Estate	08/97->06/05	9EL 008 980-811	1	<b>Design combination rearlight set in clear glass design with brilliant finish (black) without bulb holder</b> (E4) 10549 2x12V10W (R10W) 8GA 002 071-131 8x12V21W (P21W) 8GA 002 073-121
				
<b>Golf V (1K1)</b> Golf V (1K1)	10/03->05/04	1EG 247 007-011 1EG 247 007-021	1 1	<b>FF®-H7 headlight, left, with indicator light, with grey cover, with electr. headlight leveller actuator, with bulbs</b> <b>FF®-H7 headlight, right, with indicator light, with grey cover, with electr. headlight leveller actuator, with bulbs</b> (E1) 1747 2x12V55W (H7) 8GH 007 157-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
				
<b>Golf V (1K1)</b> Golf V (1K1)	10/03->05/04	1EG 010 204-031 1EG 010 204-041	1 1	<b>FF®-H7 headlight, left, with indicator light, with grey cover, with electr. headlight leveller actuator</b> <b>FF®-H7 headlight, right, with indicator light, with grey cover, with electr. headlight leveller actuator</b> <b>Manufacturer: Visteon</b> (E4) 10184 2x12V55W (H7) 8GH 007 157-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
				
<b>Golf V (1K1)</b> (-) GTI	05/04->	1EG 247 007-171 1EG 247 007-181	1 1	<b>FF®-H7 headlight, left, with indicator light, with chrome-plated cover, with electr. headlight leveller actuator, with bulbs</b> <b>FF®-H7 headlight, right, with indicator light, with chrome-plated cover, with electr. headlight leveller actuator, with bulbs</b> (E1) 1747 2x12V55W (H7) 8GH 007 157-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Golf V (1K1)</b> Golf V (1K1) (-) GTI	05/04->	1EG 010 204-011 1EG 010 204-021	1 1	<b>FF®-H7 headlight, left, with indicator light, with chrome-plated cover, with electr. headlight leveller actuator</b> <b>FF®-H7 headlight, right, with indicator light, with chrome-plated cover, with electr. headlight leveller actuator</b> <b>Manufacturer: Visteon</b> (E4) 10184 2x12V55W (H7) 8GH 007 157-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
<b>Golf V (1K1)</b> (-) GTI	05/04->	1EG 247 007-871  1EG 247 007-211 1EG 247 007-221	1  1 1	<b>Upgrade headlight set (black), with indicator lights, with electr. headlight leveller actuators, with bulbs</b> (E1) 1747 <b>Spare Parts:</b> FF®-H7 headlight (black), left, with bulbs FF®-H7 headlight (black), right, with bulbs 4x12V55W (H7) 8GH 007 157-121 2x12V21W (PY21W) 8GA 006 841-121 2x12V5W (W5W) 8GP 003 594-121
<b>Golf V GTI (1K1)</b>	10/04->	1EG 247 007-211 1EG 247 007-221	1 1	<b>FF®-H7 headlight (black), left, with indicator light, with electr. headlight leveller actuator, with bulbs</b> <b>FF®-H7 headlight (black), right, with indicator light, with electr. headlight leveller actuator, with bulbs</b> (E1) 1747 2x12V55W (H7) 8GH 007 157-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
<b>Golf V (1K1)</b>	05/04->	1EL 009 476-011 1EL 009 476-021	1 1	<b>Upgrade headlight, left, with patterned lens, with bulbs</b> <b>Upgrade headlight, right, with patterned lens, with bulbs</b> <b>Note:</b> <b>For registered design reasons, the headlight may only be used to replace lenticular-shaped Golf V headlights.</b> (E1) 1663 2x12V55W (H7) 8GH 007 157-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Golf V (1K1)</b> <b>Golf V (1K1)</b> all models without xenon headlights	10/03->	1ZL 009 489-841	1	Upgrade headlight set with halogen dipped-beam/main-beam, with dynam. bend lighting Dynabeam, with bulbs
		1EL 009 489-801	1	Upgrade headlight set with halogen dipped-beam/main-beam, without dynam. bend lighting, with bulbs
		1ZL 009 489-091	1	Upgrade headlight, left (for -841), with bulbs
		1ZL 009 489-101	1	Upgrade headlight, right (for -841), with bulbs
		1EL 009 489-011	1	Upgrade headlight, left (for -801), with bulbs
		1EL 009 489-021	1	Upgrade headlight, right (for -801), with bulbs
				<b>Spare Parts:</b> Upgrade headlight, left (for -841), with bulbs Upgrade headlight, right (for -841), with bulbs Upgrade headlight, left (for -801), with bulbs Upgrade headlight, right (for -801), with bulbs  4x12V55W (H7) 8GH 007 157-201 Long Life  2x12V21W (PY21W) Silver Vision
<b>Golf V (1K1)</b> all models without xenon headlights	10/03->	1EL 009 489-821	1	Upgrade headlight set with xenon dipped-beam, halogen main-beam, without dynam. bend lighting, with bulbs
		8WT 009 904-801	1	Lens cleaning system (to be ordered separately)
		1EL 009 489-451	1	Upgrade headlight, left, with bulbs
		1EL 009 489-461	1	Upgrade headlight, right, with bulbs
				<b>Spare Parts:</b> Upgrade headlight, left, with bulbs Upgrade headlight, right, with bulbs  2x35W (D1S) 8GS 009 028-001  2x12V55W (H7) 8GH 007 157-201 Long Life  2x12V21W (PY21W) Silver Vision
<b>Golf V (1K1)</b> (-) GTI	10/03->11/04	1N0 270 595-011	1	DE-H11 fog light, left, with bulb
		1N0 270 595-021	1	DE-H11 fog light, right, with bulb
				(E26) 012  1x12V55W (H11) 8GH 008 358-121
<b>Golf V (1K1)</b> (-) GTI, Estate	11/04->	1N0 271 284-031	1	FF®-HB4 fog light, left, with bulb
		1N0 271 284-041	1	FF®-HB4 fog light, right, with bulb
				(E26) 017  1x12V51W (HB4) 8GH 005 636-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Golf V (1K1)</b> Golf V GTI (1K1) Golf V Estate	10/04-> 06/07->	1N0 271 295-031 1N0 271 295-041	1 1	<b>FF®-HB4 fog light, left, with bulb</b> <b>FF®-HB4 fog light, right, with bulb</b> E26 015 1x12V51W (HB4) 8GH 005 636-121
<b>Golf V (1K1)</b> (-) GT, GTI, R32 (-) Estate	10/03->	1NL 008 383-911  1NL 008 090-031 6ZN 160 705-001	1  1 1	<b>Micro DE-H3 fog light set with bulbs, with covers and remote control system</b> E1 877 <b>Spare Parts:</b> Micro DE-H3 fog light Radio remote control system 2x12V55W (H3) 8GH 002 090-133
<b>Golf V (1K1)</b> (-) GT, GTI, R32 (-) Estate	10/03->	1N0 009 436-801  1N0 009 295-011 1N0 009 295-021 5DF 009 244-007	1  1 1 24	<b>DynaView® Evo2 additive cornering light set, with fog light function, with covers, control unit, harness and bulbs</b> E1 1951 <b>Spare Parts:</b> Fog light, left, with standard bracket and bulb Fog light, right, with standard bracket and bulb IntelliBeam® control electronics 2x12V55W (H7) 8GH 007 157-121
<b>Golf V (1K1)</b> (-) GT, GTI, R32 (-) Estate	10/03->	2PT 009 305-801  2PT 008 935-001	1  1	<b>Daytime running light set, 2 daytime running lights with bulbs, with harness and covers</b> E1 1722 <b>Spare Parts:</b> Daytime running light



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Golf V (1K1)</b> Golf V (1K1) (-) Estate	10/03->	2SD 354 040-011 2SD 354 040-021	1 1	<b>Combination rearlight, left</b> <b>Combination rearlight, right</b> 2x12V21W (P21W) 8GA 002 073-121 1x12V6W (H6W) 8GH 007 643-121
<b>Golf V (1K1)</b> (-) R32, Estate	10/03->	2NE 354 041-011 2ZR 354 041-021	1 1	<b>Rear fog light, left</b> <b>Reverse light, right</b> 1x12V21W (P21W) 8GA 002 073-121
<b>Golf V (1K1)</b> (-) Estate	10/03->	2VP 009 500-801	1	<b>LED Upgrade combination rearlight set (silver/red)</b> 2090 2x12V21W (P21W) 8GA 002 073-121
<b>Golf V (1K1)</b> (-) Estate	10/03->	2VP 009 500-831	1	<b>LED Upgrade combination rearlight set (silver/black)</b> 2090 2x12V21W (P21W) 8GA 002 073-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Golf V (1K1)</b> Golf V (1K1) 10/03-> (-) R32, Estate 		2SD 009 597-801	1	<b>Upgrade combination rearlight set (dark-red)</b> (E3) 2200 (E3) 2201  2x12V6W (H6W) 8GH 007 643-171 Long Life  6x12V21W (P21W) 8GA 002 073-121
<b>Golf V Plus (5M1), CrossGolf</b> Golf V Plus (5M1) 01/05-> CrossGolf 01/07-> 		1EE 247 013-051 1EE 247 013-061	1 1	<b>FF®-H7 headlight, left, with indicator light, with electr. headlight leveller actuator, with bulbs</b> <b>FF®-H7 headlight, right, with indicator light, with electr. headlight leveller actuator, with bulbs</b> (E1) 10222  2x12V55W (H7) 8GH 007 157-121  1x12V21W (P21W) 8GA 002 073-121  1x12V5W (W5W) 8GP 003 594-121
<b>Golf V Plus (5M1), CrossGolf</b> Golf V Plus (5M1) 01/05-> CrossGolf 01/07-> 		1EE 247 013-841	1	<b>Upgrade headlight set in black design</b>  4x12V55W (H7) 8GH 007 157-121  2x12V21W (PY21W) Silver Vision  2x12V5W (W5W) 8GP 003 594-121
<b>Golf V Plus (5M1), CrossGolf</b> Golf V Plus (5M1) 01/05-> CrossGolf 01/07-> 		1N0 271 289-031 1N0 271 289-041	1 1	<b>FF®-HB4 fog light, left, with bulb</b> <b>FF®-HB4 fog light, right, with bulb</b> (E26) 015  1x12V51W (HB4) 8GH 005 636-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Golf V Plus (5M1), CrossGolf</b>		<b>2SD 964 961-011</b>	1	<b>LED combination rearlight, left</b>
Golf V Plus (5M1)	01/05->	<b>2SD 964 961-021</b>	1	<b>LED combination rearlight, right</b>
CrossGolf	01/07->			Ⓔ1 1868
				
<b>Golf V Plus (5M1)</b>	01/05->	<b>2NE 964 962-011</b>	1	<b>Rear fog light, left, with bulb</b>
CrossGolf	01/07->	<b>2ZR 964 962-021</b>	1	<b>Reverse light, right, with bulb</b>
				
<b>Golf V Plus (5M1)</b>	01/05->	<b>2SK 964 961-811</b>	1	<b>LED Upgrade combination rearlight set (Icegrey)</b>
CrossGolf	01/07->			Ⓔ1 2x12V21W (P21W) 8GA 002 073-121
				
<b>Golf V Plus (5M1)</b>	01/05->	<b>2SK 964 961-821</b>	1	<b>LED Upgrade combination rearlight set (brilliant/blue)</b>
CrossGolf	01/07->			Ⓔ1 2x12V21W (P21W) 8GA 002 073-121
				



# Volkswagen



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Jetta I (17)</b> Jetta I	08/78->02/84	9EL 123 323-011 9EL 123 324-011	1 1	<b>Body/lens for indicator light, left</b> <b>Body/lens for indicator light, right</b>  E1 42612 1x12V21W (P21W) 8GA 002 073-121
<b>Jetta I</b>	08/78->02/84	2JA 002 532-011	5	<b>Interior light</b>  1x12V10W (R10W) 8GA 002 071-121
<b>Jetta II (19E, 1G2)</b> Jetta II	01/84->10/91	1AH 004 565-171 1AH 004 565-181 1AH 004 565-391 1AH 004 565-401	1 1 1 1	<b>H4 headlight, left, not suitable for headlight leveller</b> <b>H4 headlight, right, not suitable for headlight leveller</b>  <b>H4 headlight, left, suitable for headlight leveller</b> <b>H4 headlight, right, suitable for headlight leveller</b>  E1 34505 left E1 34506 right 1x12V60/55W (H4) 8GJ 002 525-131 1x12V4W (T4W) 8GP 002 067-121
<b>Jetta II</b>	09/89->10/91	1NL 006 315-051 1NL 006 315-061	1 1	<b>DE-H3 fog light, left, with bulb</b> <b>DE-H3 fog light, right, with bulb</b>  E1 18226 1x12V55W (H3) 8GH 002 090-133
<b>Jetta II</b>	09/89->10/91	1NL 006 315-111 1NL 006 315-121	1 1	<b>DE-H3 fog light (black), left, with bulb</b> <b>DE-H3 fog light (black), right, with bulb</b>  E1 18226 1x12V55W (H3) 8GH 002 090-133
<b>Jetta II</b>	01/84->08/89	2BA 002 939-171 9EL 116 771-031	1 2	<b>Indicator light (amber)</b>  E1 32710 <b>Spare Parts:</b> Lens  1x12V21W (P21W) 8GA 002 073-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Jetta II (19E, 1G2)</b> Jetta II	09/89->10/91	9EL 141 701-001 9EL 141 702-001	2 2	<b>Body/lens for indicator light (amber), left</b> <b>Body/lens for indicator light (amber), right</b> (E15) 31
		9EL 141 705-001 9EL 141 706-001	1 1	<b>Body/lens for indicator light (white), left</b> <b>Body/lens for indicator light (white), right</b> (E4) 402 1x12V21W (P21W) 8GA 002 073-121
<b>Jetta II</b>	09/89->10/91	2BA 006 728-801  9EL 141 705-001 9EL 141 706-001	1  1 1	<b>Indicator light set (white), with bulbs</b> (E4) 402 <b>Spare Parts:</b> Body/lens (white), left Body/lens (white), right 2x12V21W (P21W) 8GA 002 073-121
<b>Jetta II</b>	01/84->10/91	2BM 003 647-801  2BM 003 647-021	1  1	<b>Auxiliary indicator light set (amber), with bulbs</b> (E1) 151 <b>Spare Parts:</b> Auxiliary indicator light (amber) 2x12V5W (W5W) 8GP 003 594-121
<b>Jetta II</b>	01/84->10/91	2BM 006 759-801  2BM 006 759-001	1  5	<b>Auxiliary indicator light set (grey), with bulbs</b> (E13) 11299 <b>Spare Parts:</b> Auxiliary indicator light (grey), with bulbs 2x12V5W (W5W) 8GP 003 594-121
<b>Jetta II</b>	01/84->10/91	2VP 004 401-091 2VP 004 401-101  9EL 128 385-041	1 1  1	<b>Combination rearlight, left, with reverse and rear fog light</b> <b>Combination rearlight, right, with reverse and rear fog light</b> (E1) 53360 <b>Spare Parts:</b> Body/lens, left 1x12V10W (R10W) 8GA 002 071-131 4x12V21W (P21W) 8GA 002 073-121
<b>Jetta (1J2, 1J6)</b> <b>Jetta (Mexico/USA)</b> (-) GTI, TDI	10/98->08/05	1NL 008 383-901  1NL 008 090-031 9HB 162 205-001 9HB 162 206-001	1  1 1 1	<b>Micro DE-H3 fog light set with bulbs, with covers</b> (E1) 877 <b>Spare Parts:</b> Micro DE-H3 fog light Outer trim, left Outer trim, right 2x12V55W (H3) 8GH 002 090-133



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
Jetta III (1K2) Jetta III (1K2)	08/05->	1EG 247 007-171	1	FF®-H7 headlight, left, with indicator light, with electr. headlight leveller actuator, with bulbs
		1EG 247 007-181	1	FF®-H7 headlight, right, with indicator light, with electr. headlight leveller actuator, with bulbs  E1 1747 2x12V55W (H7) 8GH 007 157-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
Jetta III (1K2)	08/05->	1EG 010 204-011	1	FF®-H7 headlight, left, with indicator light, with electr. headlight leveller actuator, with bulbs
		1EG 010 204-021	1	FF®-H7 headlight, right, with indicator light, with electr. headlight leveller actuator, with bulbs Manufacturer: Visteon  E4 10184 2x12V55W (H7) 8GH 007 157-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
Jetta III (1K2)	08/05->	1EG 247 007-871	1	Upgrade headlight set (black), with indicator lights, with electr. headlight leveller actuators, with bulbs  E1 1747
		1EG 247 007-211	1	Spare Parts: FF®-H7 headlight (black), left, with bulbs
		1EG 247 007-221	1	FF®-H7 headlight (black), right, with bulbs 4x12V55W (H7) 8GH 007 157-121 2x12V21W (PY21W) 8GA 006 841-121 2x12V5W (W5W) 8GP 003 594-121
Jetta III (1K2)	08/05->	1EL 009 476-011	1	Upgrade headlight, left, with patterned lens, with bulbs
		1EL 009 476-021	1	Upgrade headlight, right, with patterned lens, with bulbs Note: For registered design reasons, the headlight may only be used to replace lenticular-shaped Jetta III headlights.  E1 1663 2x12V55W (H7) 8GH 007 157-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Jetta III (1K2)</b> <b>Jetta III (1K2)</b> all models without xenon headlights	08/05->	<b>1ZL 009 489-841</b>  <b>1EL 009 489-801</b>  1ZL 009 489-091 1ZL 009 489-101 1EL 009 489-011 1EL 009 489-021	1  1  1  1	<b>Upgrade headlight set with halogen dipped-beam/main-beam, with dynam. bend lighting Dynabeam, with bulbs</b>  <b>Upgrade headlight set with halogen dipped-beam/main-beam, without dynam. bend lighting, with bulbs</b>  <b>Spare Parts:</b> Upgrade headlight, left (for -841) Upgrade headlight, right (for -841) Upgrade headlight, left (for -801) Upgrade headlight, right (for -801) 4x12V55W (H7) 8GH 007 157-201 Long Life 2x12V21W (PY21W) Silver Vision
<b>Jetta III (1K2)</b> all models without xenon headlights	08/05->	<b>1EL 009 489-821</b>  <b>8WT 009 904-801</b>  1EL 009 489-451 1EL 009 489-461	1  1  1	<b>Upgrade headlight set with xenon dipped-beam, halogen main-beam, without dynam. bend lighting, with bulbs</b>  <b>Lens cleaning system (to be ordered separately)</b>  <b>Spare Parts:</b> Upgrade headlight, left Upgrade headlight, right 2x35W (D1S) 8GS 009 028-001 2x12V55W (H7) 8GH 007 157-201 Long Life 2x12V21W (PY21W) Silver Vision
<b>Jetta III (1K2)</b>	08/05->	<b>1N0 271 295-031</b> <b>1N0 271 295-041</b>	1 1	<b>FF®-HB4 fog light, left, with bulb</b> <b>FF®-HB4 fog light, right, with bulb</b>  E26 015 1x12V51W (HB4) 8GH 005 636-121
<b>Lupo (6X1, 6E1)</b> <b>Lupo (6X1, 6E1)</b>	09/98->12/03	<b>6NM 007 878-041</b>	1	<b>Setting element, headlight levelling (for xenon headlight)</b>
<b>Lupo (6X1, 6E1)</b> (-) 1.2 TDI 3L	09/98->07/05	<b>1N0 270 204-051</b> <b>1N0 270 204-061</b>	1 1	<b>FF®-H3 fog light, left, with bulb</b> <b>FF®-H3 fog light, right, with bulb</b>  E26 003 1x12V55W (H3) 8GH 002 090-133



# Volkswagen





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Passat (32B)</b> Passat, S, D, L, LS, LS 5, LD Passat C, CL, CL 5 Special equipment Passat GL, GL 5 standard	08/80->07/81 08/81->01/85 08/80->01/85	1EF 003 808-211  9DF 124 655-021 9GH 116 966-011 9FF 126 444-001	1  1 10 10	<b>H4 headlight, left, with H3 fog light, spare parts available only</b>  Ⓔ 8369 left Ⓔ 8370 right Ⓔ 24576 left Ⓔ 24577 right  <b>Spare Parts:</b> Reflector with lens for H3 fog light, left Cap for H4 headlight Bulb socket for side light  1x12V60/55W (H4) 8GJ 002 525-131  1x12V55W (H3) 8GH 002 090-133  1x12V4W (T4W) 8GP 002 067-121
<b>Passat</b>	02/85->03/88	2BA 004 528-051 2BA 004 528-061	1 1	<b>Indicator light, left</b> <b>Indicator light, right</b>  Ⓔ 42689  1x12V21W (P21W) 8GA 002 073-121
<b>Passat</b>  all models with auxiliary indicators as standard feature	08/80->03/88	2BM 003 647-021	1	<b>Auxiliary indicator light</b>  Ⓔ 151  1x12V5W (W5W) 8GP 003 594-121
<b>Passat (3A2, 3A5, 35I)</b> Passat	02/88->08/93	1AH 005 454-291 1AH 005 454-301  9ES 133 467-001 9ES 133 466-001	1 1  1 1	<b>H4 headlight, left, for vehicles with or without headlight leveller</b> <b>H4 headlight, right, for vehicles with or without headlight leveller</b>  Ⓔ 34596 left Ⓔ 34597 right  <b>Spare Parts:</b> Lens, left Lens, right  1x12V60/55W (H4) 8GJ 002 525-131  1x12V4W (T4W) 8GP 002 067-121
<b>Passat</b>	08/91->08/93	6NM 007 282-211	1	<b>Setting element, headlight levelling</b>



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Passat (3A2, 3A5, 35I)</b> Passat	02/88->08/93	1NL 005 566-051 1NL 005 566-061	1 1	<b>DE-H3 fog light (white), left</b> <b>DE-H3 fog light (white), right</b>  E1 18210  1x12V55W (H3) 8GH 002 090-133
<b>Passat</b> except vehicles with air-conditioning	02/88->08/93	1DL 006 383-801  1BL 139 277-001 1BL 139 278-001 1K2 140 165-001 1K2 140 166-001	1  1 1 1 1	<b>Super DE-H1/H3 headlight set, for vehicles with or without headlight leveller, with bulbs</b>  E1 027407 E1 34447  <b>Spare Parts:</b> H1 dipped-beam unit, left H1 dipped-beam unit, right H3 main-beam unit, left H3 main-beam unit, right  2x12V55W (H1) 8GH 002 089-133  2x12V55W (H3) 8GH 002 090-133  2x12V5W (W5W) 8GP 003 594-121
<b>Passat CL</b>	02/88->08/93	9EL 133 713-011 9EL 133 714-011	1 1	<b>Body/lens for indicator light (amber), left</b> <b>Body/lens for indicator light (amber), right</b>  E1 42756  1x12V21W (P21W) 8GA 002 073-121
<b>Passat GL, GT</b>	02/88->08/93	9EL 133 719-011 9EL 133 720-011	1 1	<b>Body/lens for indicator light (white), left</b> <b>Body/lens for indicator light (white), right</b>  E1 42767  1x12V21W (P21W) 8GA 002 073-121
<b>Passat</b> (-) Estate	02/88->08/93	9EL 133 577-011 9EL 133 578-011	1 1	<b>Body/lens for combination rearlight, left</b> <b>Body/lens for combination rearlight, right</b>  E1 63213  1x12V5W (R5W) 8GA 002 071-121 1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V21W (P21W) 8GA 002 073-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Passat (3A2, 3A5, 35I)</b>		<b>9EM 133 319-031</b>	1	<b>Body/lens for rear fog and reverse light, left</b>
<b>Passat</b>	02/88->08/93	<b>9EM 133 320-031</b>	1	<b>Body/lens for rear fog and reverse light, right</b>
(-) Estate				 (E1) 8767 (E1) 18436  2x12V21W (P21W) 8GA 002 073-121
<b>Passat</b>	09/93->05/97	<b>1AH 006 840-211</b>	1	<b>FF®-H1 headlight, left, for vehicles with or without headlight leveller</b>
		<b>1AH 006 840-221</b>	1	<b>FF®-H1 headlight, right, for vehicles with or without headlight leveller</b>
				(E1) 44515 left (E1) 44516 right  2x12V55W (H1) 8GH 002 089-133  1x12V5W (W5W) 8GP 003 594-121
<b>Passat</b>	09/93->05/97	<b>6NM 007 282-211</b>	1	<b>Setting element, headlight levelling</b>
				
<b>Passat</b>	09/93->05/97	<b>9HB 006 948-031</b>	1	<b>Dummy, left</b>
		<b>9HB 006 948-041</b>	1	<b>Dummy, right (next to headlight)</b>
<b>Passat</b>	09/93->05/97	<b>1NA 006 790-811</b>	1	<b>FF®-H1 fog light set with bulbs</b>
				(E1) 11 <b>Spare Parts:</b> 1NA 006 790-071 1 FF®-H1 fog light, left 1NA 006 790-081 1 FF®-H1 fog light, right 8XU 006 945-031 1 Cover, left 8XU 006 945-041 1 Cover, right 6EH 004 406-032 1 On/off switch with bulb  2x12V55W (H1) 8GH 002 089-133
<b>Passat</b>	09/93->05/97	<b>9EL 142 459-011</b>	1	<b>Body/lens for indicator light (white), left</b>
		<b>9EL 142 460-011</b>	1	<b>Body/lens for indicator light (white), right</b>
				(E1) 019  1x12V21W (PY21W) 8GA 006 841-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Passat (3A2, 3A5, 35I)</b> Passat	09/93->05/97	8XU 006 946-031 8XU 006 946-041	1 1	Large cover (silver), left Large cover (silver), right (next to indicator light)
Passat	09/93->05/97	8XU 006 945-031 8XU 006 945-041	1 1	Small cover (silver), left Small cover (silver), right (between indicator light and fog light)
Passat	09/93->05/97	9EL 147 073-001	2	Body/lens for auxiliary indicator light (amber) E1 52636 1x12V5W (W5W) 8GP 003 594-121
Passat	09/93->05/97	9EL 147 073-801	1	Body/lens set for auxiliary indicator lights (grey) E1 105 2x12V5W (W5W) 8GP 003 594-121
Passat (-) Estate	09/93->09/96	9EL 141 889-031 9EL 141 890-031	1 1	Body/lens for combination rearlight (amber/red), left Body/lens for combination rearlight (amber/red), right E1 63294 1x12V5W (R5W) 8GA 002 071-121 2x12V21W (P21W) 8GA 002 073-121
Passat (-) Estate	09/93->09/96	9EL 141 889-041 9EL 141 890-041	1 1	Body/lens for combination rearlight (grey/red), left, for conversion Body/lens for combination rearlight (grey/red), right, for conversion E1 63294 E1 63301 1x12V5W (R5W) 8GA 002 071-121 2x12V21W (P21W) 8GA 002 073-121



# Volkswagen




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Passat (3A2, 3A5, 35I)</b> Passat Biker, Classic Line, Highland (-) Estate	09/93->09/96	9EL 141 889-041 9EL 141 890-041	1 1	<b>Body/lens for combination rearlight (grey/red), left</b> <b>Body/lens for combination rearlight (grey/red), right</b>  E1 63294 E1 63301  1x12V5W (R5W) 8GA 002 071-121 2x12V21W (P21W) 8GA 002 073-121
				
<b>Passat</b> (-) Estate	09/93->09/96	9EL 141 907-071 9EL 141 908-071	1 1	<b>Body/lens for rear fog and reverse light (amber/red), left</b> <b>Body/lens for rear fog and reverse light (amber/red), right</b>  E1 8796  2x12V21W (P21W) 8GA 002 073-121
				
<b>Passat (3B2, 3B5)</b> Passat standard	08/96->11/00	1AF 007 620-051 1AF 007 620-061	1 1	<b>FF®-H7/H1 headlight, left, without fog light, with 5W bulb for side light</b> <b>FF®-H7/H1 headlight, right, without fog light, with 5W bulb for side light</b>  E4 9375 left E4 9376 right   1x12V55W (H7) 8GH 007 157-121  1x12V55W (H1) 8GH 002 089-133  1x12V5W (W5W) 8GP 003 594-121
				
<b>Passat</b> Special equipment	08/96->11/00	1EF 007 520-051 1EF 007 520-061	1 1	<b>FF®-H7/H4 headlight, left, with H4 fog light, with pre-fitted 5W bulb for side light</b> <b>FF®-H7/H4 headlight, right, with H4 fog light, with pre-fitted 5W bulb for side light</b>  E4 9375 left E4 9376 right   1x12V55W (H7) 8GH 007 157-121  1x12V60/55W (H4) 8GJ 002 525-131  1x12V5W (W5W) 8GP 003 594-121
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Passat (3B2, 3B5)</b> Passat Special equipment 	08/96->11/00	1AF 007 850-051  1AF 007 850-061	1  1	<b>Xenon/H7 headlight, left, without headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bulbs</b> <b>Xenon/H7 headlight, right, without headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bulbs</b> (E4) 9403 (E4) 9404  1x35W (D2S) 8GS 007 949-101  1x12V55W (H7) 8GH 007 157-121  1x12V5W (W5W) 8GP 003 594-121
<b>Passat</b> 	08/96->11/00	6NM 007 282-211	1	<b>Setting element, headlight levelling (for halogen headlight)</b>
<b>Passat</b> chassis no. 3B-V-000 001 -> 3B-Y-500 000 	08/96->11/00	6NM 007 282-631	1	<b>Setting element, headlight levelling (for xenon headlight)</b>
<b>Passat</b> 	08/96->11/00	5DV 007 760-651	1	<b>Ballast unit</b>
<b>Passat</b> all models without xenon headlights 	08/96->11/00	9EL 151 829-011 9EL 151 830-011	1 1	<b>Body/lens for indicator light (white), left</b> <b>Body/lens for indicator light (white), right</b> (E1) 513  1x12V21W (PY21W) 8GA 006 841-121
<b>Passat</b>  	08/96->11/00	9EL 156 099-801	1	<b>Body/lens set for auxiliary indicator lights (clear), with 2 amber bulbs</b> (E13) 550  2x12V5W (WY5W) 8GP 003 594-541




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Passat (3B3, 3B6)</b> Passat 	11/00->08/05	1EL 008 350-011 1EL 008 350-021 6NM 007 878-041	1 1 1	<b>FF®-H7 headlight, left, with indicator light, with headlight leveller actuator, with bulbs</b> <b>FF®-H7 headlight, right, with indicator light, with headlight leveller actuator, with bulbs</b> (E1) 1186 <b>Spare Parts:</b> Setting element, headlight levelling  2x12V55W (H7) 8GH 007 157-121  1x12V5W (W5W) 8GP 003 594-121  1x12V21W (PY21W) 8GA 006 841-121
<b>Passat</b> Special equipment <b>Passat W8</b> standard 	11/00->08/05	1EL 008 340-071 1EL 008 340-081	1 1	<b>Bi-Xenon®/FF®-H7 headlight, left, with indicator light, with electr. headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bulbs</b> <b>Bi-Xenon®/FF®-H7 headlight, right, with indicator light, with electr. headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bulbs</b> (E1) 1202  1x35W (D2S) 8GS 007 949-101  2x12V55W (H7) 8GH 007 157-121  1x12V5W (W5W) 8GP 003 594-121  1x12V21W (PY21W) 8GA 006 841-121
<b>Passat</b> 	11/00->08/05	1NL 009 034-011 1NL 009 034-021	1 1	<b>DE-H3 fog light, left, with bulb</b> <b>DE-H3 fog light, right, with bulb</b> (E12) 19111  1x12V55W (H3) 8GH 002 090-133
<b>Passat</b> 	11/00->08/05	1NL 008 383-871 1NL 008 090-031 9HD 149 253-007 8JD 156 150-807	1 1 160 1	<b>Micro DE-H3 fog light set with bulbs, with covers and remote control system</b> (E1) 877 <b>Spare Parts:</b> Micro DE-H3 fog light Plastic cap Counterplug set (to be ordered separately)  2x12V55W (H3) 8GH 002 090-133



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Passat (3C2, 3C5)</b> Passat 	03/05->	1EL 247 014-011 1EL 247 014-021	1 1	<b>DE-H7/FF®-H7 headlight, left, with electr. headlight leveller actuator, with bulbs</b> <b>DE-H7/FF®-H7 headlight, right, with electr. headlight leveller actuator, with bulbs</b> (E4) 10224  2x12V55W (H7) 8GH 007 157-121  1x12V5W (W5W) 8GP 003 594-121
Passat 	03/05->	1EL 247 014-831	1	<b>Upgrade headlight set (black), with bulbs</b> (E4) 10224  4x12V55W (H7) 8GH 007 157-121  2x12V5W (W5W) 8GP 003 594-121
Passat 	03/05->	1N0 271 296-031 1N0 271 296-041	1 1	<b>FF®-HB4 fog light, left, with bulb</b> <b>FF®-HB4 fog light, right, with bulb</b> (E26) 016  1x12V51W (HB4) 8GH 005 636-121
Passat Trendline, Blue Motion, Individual Chrom 	03/05->	2BA 010 118-011 2BA 010 118-021	1 1	<b>Indicator light (amber), left, with bulb</b> <b>Indicator light (amber), right, with bulb</b>  1x12V21W (P21W) 8GA 002 073-121
Passat Trendline, Blue Motion, Individual Chrom Special equipment Comfortline, Sportline, Highline standard 	03/05->	2BA 010 118-031 2BA 010 118-041	1 1	<b>Indicator light (white), left, with bulb</b> <b>Indicator light (white), right, with bulb</b>  1x12V21W (PY21W) 8GA 006 841-121
Passat 	03/05->	2BA 010 103-801	1	<b>Upgrade indicator light set (black)</b>  2x12V21W (PY21W) 8GA 006 841-121





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Passat (3C2, 3C5)</b> Passat (-) Estate	03/05->	2SD 009 598-801	1	<b>LED Upgrade combination rearlight set (black/red)</b>  2x12V21W (P21W) 8GA 002 073-121
				
<b>Passat Estate</b>	06/05->	2SD 009 939-801	1	<b>LED Upgrade combination rearlight set (black/red)</b>  2x12V21W (P21W) 8GA 002 073-121
				
<b>Polo I (86)</b> Polo I (86)	03/79->09/81	1A6 004 855-021 9GH 116 966-011 9FF 126 444-001	1 10 10	<b>H4 headlight</b>  24415 <b>Spare Parts:</b> Cap Bulb socket for side light  1x12V60/55W (H4) 8GJ 002 525-131  1x12V4W (T4W) 8GP 002 067-121
				
<b>Polo I (86)</b>	03/75->09/81	2BA 002 939-171 9EL 116 771-031	1 2	<b>Indicator light (amber)</b>  32710 <b>Spare Parts:</b> Lens  1x12V21W (P21W) 8GA 002 073-121
				
<b>Polo I (86)</b>	03/75->09/81	2JA 002 931-031	5	<b>Interior light</b>  1x12V10W (K) 8GM 002 091-131
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
Polo II (86C, 80) Polo II (86C, 80)	10/81->09/90	1A6 004 855-021  9GH 116 966-011 9FF 126 444-001	1  10 10	<b>H4 headlight</b>  E1 24415  <b>Spare Parts:</b> Cap Bulb socket for side light  1x12V60/55W (H4) 8GJ 002 525-131 1x12V4W (T4W) 8GP 002 067-121
Polo II (86C, 80)	10/90->09/94	1AE 006 319-171 1AE 006 319-181	1 1	<b>H4 headlight, left, for vehicles with or without headlight leveller</b> <b>H4 headlight, right, for vehicles with or without headlight leveller</b>  E1 44449 left E1 44450 right  1x12V60/55W (H4) 8GJ 002 525-131 1x12V4W (T4W) 8GP 002 067-121
Polo II (86C, 80)	10/90->09/94	1NL 006 280-051 1NL 006 280-061	1 1	<b>DE-H3 fog light, left, with bulb</b> <b>DE-H3 fog light, right, with bulb</b>  E1 18234  1x12V55W (H3) 8GH 002 090-133
Polo II (86C, 80)	10/81->09/90	2BA 002 939-171  9EL 116 771-031	1  2	<b>Indicator light (amber)</b>  E1 32710  <b>Spare Parts:</b> Lens  1x12V21W (P21W) 8GA 002 073-121
Polo II CL, Fox, GT	10/90->09/94	9EL 137 839-011 9EL 137 840-011	1 1	<b>Body/lens for indicator light (amber), left</b> <b>Body/lens for indicator light (amber), right</b>  E1 42794  1x12V21W (P21W) 8GA 002 073-121
Polo II CL, Fox, GT	10/90->09/94	2BA 006 334-051 2BA 006 334-061	1 1	<b>Indicator light (white), left, with bulb</b> <b>Indicator light (white), right, with bulb</b>  E1 52624  2x12V21W (PY21W) 8GA 006 841-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Polo II (86C, 80)</b> Polo II Coupé G40	10/90->09/94	 2BA 006 334-051 2BA 006 334-061	1 1	<b>Indicator light (white), left, with bulb</b> <b>Indicator light (white), right, with bulb</b> (E1) 52624  1x12V21W (PY21W) 8GA 006 841-121
<b>Polo II</b> all models with auxiliary indicators as standard feature	10/81->08/91	 2BM 003 647-021	1	<b>Auxiliary indicator light</b> (E1) 151  1x12V5W (W5W) 8GP 003 594-121
<b>Polo II (86C, 80)</b>	09/91->09/94	 2BM 003 647-801 2BM 003 647-021	1 1	<b>Auxiliary indicator light set (amber), with bulbs</b> (E1) 0151 <b>Spare Parts:</b> Auxiliary indicator light (amber)  2x12V5W (W5W) 8GP 003 594-121
<b>Polo II (86C, 80)</b>	09/91->09/94	 2BM 006 759-801 2BM 006 759-001 	1 5	<b>Auxiliary indicator light set (grey), with bulbs</b> (E13) 1299 <b>Spare Parts:</b> Auxiliary indicator light (grey), with bulbs  2x12V5W (W5W) 8GP 003 594-121
<b>Polo II Coupé CL, Fox, GT</b>	10/90->09/94	 9EL 144 376-031 9EL 144 376-041	1 1	<b>Body/lens for combination rearlight (amber/red), left, with rear fog light</b> <b>Body/lens for combination rearlight (amber/red), right, with reverse light</b> (E13) 0263 left and right (E13) 1288 left and right (E13) 1289 right  1x12V10W (R10W) 8GA 002 071-131  3x12V21W (P21W) 8GA 002 073-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Polo II (86C, 80)</b> Polo II Coupé CL, Fox, GT	10/90->09/94	9EL 144 376-011	1	<b>Body/lens for combination rearlight (grey/red), left, with rear fog light, for conversion</b>
		9EL 144 376-021	1	<b>Body/lens for combination rearlight (grey/red), right, with reverse light, for conversion</b> (E13) 0263 left and right (E13) 1288 left and right (E13) 1289 right 1x12V10W (R10W) 8GA 002 071-131 3x12V21W (P21W) 8GA 002 073-121
<b>Polo II Coupé G40</b>	10/90->09/94	9EL 144 376-011	1	<b>Body/lens for combination rearlight (grey/red), left, with rear fog light</b>
		9EL 144 376-021	1	<b>Body/lens for combination rearlight (grey/red), right, with reverse light</b> (E13) 0263 left and right (E13) 1288 left and right (E13) 1289 right 1x12V10W (R10W) 8GA 002 071-131 3x12V21W (P21W) 8GA 002 073-121
<b>Polo II Square-back</b>	10/90->09/94	9EL 146 369-001	1	<b>Body/lens for combination rearlight, left, with rear fog light</b>
		9EL 146 370-001	1	<b>Body/lens for combination rearlight, right, with reverse light</b> (E13) 262 1x12V10W (R10W) 8GA 002 071-131 3x12V21W (P21W) 8GA 002 073-121
<b>Polo II Saloon</b>	01/85->07/88	9EL 125 909-031	1	<b>Body/lens for combination rearlight, left, with rear fog light</b>
		9EL 125 910-041	1	<b>Body/lens for combination rearlight, right, with reverse and rear fog light</b> (E1) 53342 1x12V21/5W (P21/5W) 8GD 002 078-121 3x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121
<b>Polo II Square-back, Coupé</b>	10/81->09/90	2KA 002 445-171	1	<b>Licence plate light</b> (E1) 22810 1x12V4W (T4W) 8GP 002 067-121
<b>Polo II (86C, 80)</b>	10/81->07/85	2JA 002 931-031	5	<b>Interior light</b> 1x12V10W (R10W) 8GA 002 071-131



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Polo III (6N1)</b> <b>Polo III</b> (-) Classic, Estate	10/94->10/99	1AF 962 489-131 1AF 962 489-141 1AF 962 489-111 1AF 962 489-121	1 1 1 1	<b>H4 headlight, left, without electr. headlight leveller, with 5W bulb for side light</b> <b>H4 headlight, right, without electr. headlight leveller, with 5W bulb for side light</b> <b>H4 headlight, left, with electr. headlight leveller, with 5W bulb for side light</b> <b>H4 headlight, right, with electr. headlight leveller, with 5W bulb for side light</b> (E1) 91 left (E1) 92 right  1x12V60/55W (H4) 8GJ 002 525-131  1x12V5W (W5W) 8GP 003 594-121
<b>Polo III</b> all models with small bumper, except Classic and Estate	10/94->10/99	1NA 962 530-011 1NA 962 530-021	1 1	<b>FF®-H3 fog light, left, with bulb</b> <b>FF®-H3 fog light, right, with bulb</b> (E1) 77  1x12V55W (H3) 8GH 002 090-133
<b>Polo III</b> all models with large bumper, except Classic and Estate	10/94->10/99	1NA 962 490-011 1NA 962 490-021	1 1	<b>FF®-H3 fog light, left, with bulb</b> <b>FF®-H3 fog light, right, with bulb</b> (E1) 76  1x12V55W (H3) 8GH 002 090-133
<b>Polo III Basic</b> (-) Classic, Estate	10/94->10/99	9EL 962 839-031 9EL 962 840-031	1 1	<b>Body/lens for indicator light (amber), left</b> <b>Body/lens for indicator light (amber), right</b> (E1) 101  1x12V21W (P21W) 8GA 002 073-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Polo III (6N1)</b> <b>Polo III Basic</b> (-) Classic, Estate	10/94->10/99	2BA 962 625-821  9EL 962 839-021 9EL 962 840-021	1  1 1	<b>Indicator light set (white), with bulbs</b>  (E1) 100  <b>Spare Parts:</b> Body/lens (white), left Body/lens (white), right  2x12V21W (PY21W) 8GA 006 841-121
<b>Polo III Basic with special equipment Styling</b>  except Classic and Estate	10/94->10/99	9EL 962 839-021 9EL 962 840-021	1 1	<b>Body/lens for indicator light (white), left</b> <b>Body/lens for indicator light (white), right</b>  (E1) 100  1x12V21W (PY21W) 8GA 006 841-121
<b>Polo III</b>	10/94->10/99	9EL 147 073-001	2	<b>Body/lens for auxiliary indicator light (amber)</b>  (E1) 52636  1x12V5W (W5W) 8GP 003 594-121
<b>Polo III</b>	10/94->10/99	9EL 147 073-801	1	<b>Body/lens set for auxiliary indicator lights (grey)</b>  (E1) 105  2x12V5W (W5W) 8GP 003 594-121
<b>Polo III Basic</b> (-) Classic, Estate	10/94->10/99	9EL 962 541-051  9EL 962 542-041	1  1	<b>Body/lens for combination rearlight (amber/red), left, with reverse light</b> <b>Body/lens for combination rearlight (amber/red/white), right, with reverse light</b>  (E1) 97  1x12V5W (R5W) 8GA 002 071-121 3x12V21W (P21W) 8GA 002 073-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Polo III (6N1)</b> Polo III Basic (-) Classic, Estate	10/94->10/99	9EL 962 541-071 9EL 962 542-061	1 1	<b>Body/lens for combination rearlight (grey/red with black trim stripes), left, with rear fog light, for conversion</b> <b>Body/lens for combination rearlight (grey/red with black trim stripes), right, with reverse light, for conversion</b> (E13) 4719  1x12V5W (R5W) 8GA 002 071-121  3x12V21W (P21W) 8GA 002 073-121
<b>Polo III Basic with special equipment Styling</b> except Classic and Estate	10/94->10/99	9EL 962 541-071 9EL 962 542-061	1 1	<b>Body/lens for combination rearlight (grey/red with black trim stripes), left, with rear fog light</b> <b>Body/lens for combination rearlight (grey/red with black trim stripes), right, with reverse light</b> (E13) 4719  1x12V5W (R5W) 8GA 002 071-121  3x12V21W (P21W) 8GA 002 073-121
<b>Polo III</b> (-) Classic, Estate	10/94->10/99	2VP 964 087-881 9EL 964 115-131 9EL 964 116-131 8RA 004 412-041	1 1 1 10	<b>Design combination rearlight set (grey), with LED tail light</b> (E13) 0521 <b>Spare Parts:</b> Body/lens, left Body/lens, right Reflex-reflector (red)  6x12V21W (P21W) 8GA 002 073-121
<b>Polo III</b> (-) Classic, Estate	10/94->10/99	2VP 964 087-891 9EL 964 115-141 9EL 964 116-141 8RA 004 412-041	1 1 1 10	<b>Design combination rearlight set (brilliant silver), with LED tail light</b> (E13) 0521 <b>Spare Parts:</b> Body/lens, left Body/lens, right Reflex-reflector (red)  6x12V21W (P21W) 8GA 002 073-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Polo III (6N2)</b> Polo III (-) GTI, Classic, Estate	10/99->09/01	1DF 963 709-051 1DF 963 709-061	1 1	<b>H7/H1 headlight, left, for vehicles with or without headlight leveller</b> <b>H7/H1 headlight, right, for vehicles with or without headlight leveller</b> 845 left and right 846 right 1x12V55W (H7) 8GH 007 157-121 1x12V55W (H1) 8GH 002 089-133 1x12V5W (W5W) 8GP 003 594-121
<b>Polo III GTI</b>	10/99->09/01	1DL 963 843-091 1DL 963 843-101	1 1	<b>Xenon/H1 headlight, left, with electr. headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bulbs</b> <b>Xenon/H1 headlight, right, with electr. headlight leveller actuator, without xenon ballast, without gas discharge bulb, without bulbs</b> 845 left and right 1x35W (D2S) 8GS 007 949-101 1x12V55W (H1) 8GH 002 089-133 1x12V5W (W5W) 8GP 003 594-121
<b>Polo III</b> chassis no. 6N-Y-500 001 -> 6N-2-010 000	10/99->09/01	6NM 007 878-041	1	<b>Setting element, headlight levelling</b> 
<b>Polo III</b>	10/99->09/01	5DV 007 760-651	1	<b>Ballast unit</b> 
<b>Polo III</b> (-) GTI, Classic, Estate	10/99->09/01	1NA 963 981-031 1NA 963 981-041	1 1	<b>FF®-H7 fog light, left, with bulb</b> <b>FF®-H7 fog light, right, with bulb</b> 901 1x12V55W (H7) 8GH 007 157-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Polo III (6N2)</b> Polo III (-) Classic, Estate	10/99->09/01	9EL 964 005-021 9EL 964 006-021	1 1	<b>Body/lens for indicator light (white), left</b> <b>Body/lens for indicator light (white), right</b>  E1 805 1x12V21W (PY21W) 8GA 006 841-121
				
<b>Polo III</b>	10/99->09/01	9EL 156 099-801	1	<b>Body/lens set for auxiliary indicator lights (clear), with 2 amber bulbs</b>  E13 550 2x12V5W (WY5W) 8GP 003 594-541
 <b>Design</b>				
<b>Polo III</b> (-) Classic, Estate	10/99->09/01	9EL 964 115-111 9EL 964 116-111	1 1	<b>Body/lens for combination rearlight (red), left, with rear fog light</b> <b>Body/lens for combination rearlight (red), right, with reverse light</b>  E13 9438 1x12V5W (R5W) 8GA 002 071-121 3x12V21W (P21W) 8GA 002 073-121
				
<b>Polo III</b> (-) Classic, Estate	10/99->09/01	9EL 964 087-811	1	<b>Design combination rearlight set (brilliant silver), with LED tail light, without bulb holder</b>  E13 0521 6x12V21W (P21W) 8GA 002 073-121
 <b>Design</b>				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Polo IV (9N_)</b> Polo IV 	10/01->04/05	1EE 009 056-011  1EE 009 056-021	1  1	<b>H7/H1 headlight, left, with indicator light, with electr. headlight leveller, with headlight leveller actuator, with bulbs</b> <b>H7/H1 headlight, right, with indicator light, with electr. headlight leveller, with headlight leveller actuator, with bulbs</b> <b>(Main headlights interchangeable with AL-headlights)</b>  (E1) 1309 left and right (E1) 1310 right   1x12V55W (H7) 8GH 007 157-121  1x12V55W (H1) 8GH 002 089-133  1x12V21W (PY21W) 8GA 006 841-121  1x12V5W (W5W) 8GP 003 594-121
<b>Polo IV</b> 	10/01->05/04	1N0 270 255-051 1N0 270 255-061	1 1	<b>FF®-H3 fog light, left, with bulb</b> <b>FF®-H3 fog light, right, with bulb</b>  (E26) 004   1x12V55W (H3) 8GH 002 090-133
<b>Polo IV</b>  	10/01->04/05	9EL 156 099-801	1	<b>Body/lens set for auxiliary indicator lights (clear), with 2 amber bulbs</b>  (E13) 550  2x12V5W (WY5W) 8GP 003 594-541
<b>Polo IV</b> (-) Sedan  	10/01->04/05	2VA 965 303-801	1	<b>Upgrade combination rearlight set (red)</b>  (E1) 1872   1x12V21/5W (P21/5W) 8GD 002 078-121  1x12V21W (P21W) 8GA 002 073-121  1x12V21W (PY21W) 8GA 006 841-121  1x12V5W (R5W) 8GA 002 071-121




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Polo IV (9N_)</b> Polo IV (-) Sedan	10/01->04/05	2VA 965 303-811	1	<b>Upgrade combination rearlight set (black)</b> E1 1872 1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (R5W) 8GA 002 071-121
				
<b>Polo IV</b> (-) Sedan	10/01->04/05	2VA 965 303-821	1	<b>Upgrade combination rearlight set (brilliant)</b> E1 1872 1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (R5W) 8GA 002 071-121
				
<b>Polo IV (9N2)</b> Polo IV (-) GTI	05/05->	1EE 247 019-171 1EE 247 019-181	1 1	<b>FF®-H7/H1 headlight, left, with indicator light, with electr. headlight leveller actuator, with bulbs</b> <b>FF®-H7/H1 headlight, right, with indicator light, with electr. headlight leveller actuator, with bulbs</b> E1 1974 1x12V55W (H7) 8GH 007 157-121 1x12V55W (H1) 8GH 002 089-133 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Polo IV (9N2)</b> Polo IV (-) GTI	05/05->		1EE 247 019-801 1EE 247 019-211 1EE 247 019-221	1 <b>Upgrade headlight set (black), with indicator lights, with bulbs</b>  E1 1974 E1 1975  <b>Spare Parts:</b> FF®-H7/H1 headlight (black), left, with bulbs FF®-H7/H1 headlight (black), right, with bulbs  2x12V55W (H7) 8GH 007 157-121  2x12V55W (H1) 8GH 002 089-133  2x12V21W (PY21W) 8GA 006 841-121  2x12V5W (W5W) 8GP 003 594-121
<b>Polo IV GTI</b>	11/05->		1EE 247 019-211 1EE 247 019-221	1 <b>FF®-H7/H1 headlight (black), left, with indicator light, with electr. headlight leveller actuator, with bulbs</b> 1 <b>FF®-H7/H1 headlight (black), right, with indicator light, with electr. headlight leveller actuator, with bulbs</b>  E1 1974   1x12V55W (H7) 8GH 007 157-121  1x12V55W (H1) 8GH 002 089-133  1x12V21W (PY21W) 8GA 006 841-121  1x12V5W (W5W) 8GP 003 594-121
<b>Polo IV</b>	05/05->		1N0 271 247-051 1N0 271 247-061	1 <b>FF®-HB4 fog light, left, with bulb</b> 1 <b>FF®-HB4 fog light, right, with bulb</b>  E26 004   1x12V51W (HB4) 8GH 005 636-121
<b>Polo IV</b> (-) Sedan	05/05->		2VA 965 303-071 2VP 965 303-081	1 <b>Combination rearlight, left, with rear fog light, with bulbs</b> 1 <b>Combination rearlight, right, with reverse light, with bulbs</b>  E1 1872   1x12V5W (R5W) 8GA 002 071-121  1x12V21/4W (P21/4W) 8GD 004 772-121  1x12V21W (P21W) 8GA 002 073-121  1x12V21W (PY21W) 8GA 006 841-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Polo IV (9N2)</b> Polo IV (-) Sedan	05/05->	2VA 965 303-811	1	<b>Upgrade combination rearlight set (black)</b> E1 1872 1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (R5W) 8GA 002 071-121
				
<b>Polo IV</b> (-) Sedan	05/05->	2VA 965 303-821	1	<b>Upgrade combination rearlight set (brilliant)</b> E1 1872 1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (R5W) 8GA 002 071-121
				
<b>Scirocco (53B)</b> Scirocco	06/81->07/92	2BA 003 727-071 2BA 003 727-081	1 1	<b>Indicator light, left</b> <b>Indicator light, right</b> E1 42625 1x12V21W (P21W) 8GA 002 073-121
				
<b>Sharan (7M8, 7M9, 7M6)</b> Sharan	09/95->04/00	1AG 008 763-011 1AG 008 763-021	1 1	<b>H4 headlight, left,</b> <b>for vehicles with headlight leveller</b> <b>H4 headlight, right,</b> <b>for vehicles with headlight leveller</b> E4 10077 1x12V60/55W (H4) 8GJ 002 525-131 1x12V5W (W5W) 8GP 003 594-121
				
<b>Sharan</b>	09/95->04/00	9EL 147 073-001	2	<b>Body/lens for auxiliary indicator light (amber)</b> E1 52636 1x12V5W (W5W) 8GP 003 594-121
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
Sharan (7M8, 7M9, 7M6) Sharan	09/95->04/00	9EL 147 073-801	1	<b>Body/lens set for auxiliary indicator lights (grey)</b> (E1) 105 2x12V5W (W5W) 8GP 003 594-121 
Sharan	04/00->	9EL 156 099-801	1	<b>Body/lens set for auxiliary indicator lights (clear), with 2 amber bulbs</b> (E13) 550 2x12V5W (WY5W) 8GP 003 594-541 
Sharan (-) Trendline	09/95->04/00	9EL 962 585-041 9EL 962 586-041	1 1	<b>Body/lens for combination rearlight (amber/red), left</b> <b>Body/lens for combination rearlight (amber/red), right</b> (E1) 151 1x12V5W (R5W) 8GA 002 071-121 1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V21W (P21W) 8GA 002 073-121 
Sharan (-) Trendline	09/95->04/00	9EL 962 584-101	1	<b>Body/lens for rear panel (black/red/amber), with reverse light left and right, with rear fog light, left</b> (E1) 153 (E1) 391 3x12V21W (P21W) 8GA 002 073-121 
Sharan (-) Trendline	04/00->10/03	9EL 964 501-011 9EL 964 502-011	1 1	<b>Body/lens for combination rearlight (red/pink), left</b> <b>Body/lens for combination rearlight (red/pink), right</b> (E1) 1060 1x12V5W (R5W) 8GA 002 071-121 2x12V21W (P21W) 8GA 002 073-121 
Sharan (-) Trendline	04/00->10/03	9EL 964 541-021 9EL 964 542-021	1 1	<b>Body/lens for combination rearlight (grey/red), left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight (grey/red), right, with reverse and rear fog light</b> (E1) 1061 4x12V21W (P21W) 8GA 002 073-121 



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Sharan (7M8, 7M9, 7M6)</b> Sharan	04/00->10/03	8XU 964 435-021	1	Cover (black/red) for retaining the licence plate 
Sharan	11/03->	2VA 964 957-011 2VA 964 957-021	1 1	Combination rearlight (red/white), left, with bulbs Combination rearlight (red/white), right, with bulbs E1 1668 1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V21W (P21W) 8GA 002 073-121 
Sharan	11/03->	2NE 964 958-011 2ZR 964 958-021	1 1	Rear fog light (red/white), left, with bulb Reverse light (red/white), right, with bulb E1 1669 1x12V21W (P21W) 8GA 002 073-121 
Sharan	11/03->	8XU 964 981-001	1	Cover (base-coated) for retaining the licence plate 
<b>Tiguan</b> Tiguan	09/07->	1ED 247 038-831	1	Upgrade headlight set in black design 4x12V55W (H7) 8GH 007 157-121 2x12V21W (PY21W) Silver Vision 2x12V5W (W5W) 8GP 003 594-121 
Tiguan	09/07->	1N0 271 289-031 1N0 271 289-041	1 1	FF®-HB4 fog light, left, with bulb FF®-HB4 fog light, right, with bulb E26 015 1x12V51W (HB4) 8GH 005 636-121 





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Touran, CrossTouran</b>				
Touran	02/03->10/06	1EE 010 203-011 1EE 010 203-021	1 1	<b>H7/H1 headlight, left, with indicator light, with electr. headlight leveller actuator</b> <b>H7/H1 headlight, right, with indicator light, with electr. headlight leveller actuator</b> 10169 1x12V55W (H7) 8GH 007 157-121 1x12V55W (H1) 8GH 002 089-133 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
Touran	02/03->10/04	1N0 270 596-051 1N0 270 596-061	1 1	<b>DE-H11 fog light, left, with bulb</b> <b>DE-H11 fog light, right, with bulb</b> 008 1x12V55W (H11) 8GH 008 358-121
Touran	11/04->	1N0 271 289-031 1N0 271 289-041	1 1	<b>FF®-HB4 fog light, left, with bulb</b> <b>FF®-HB4 fog light, right, with bulb</b> 015 1x12V51W (HB4) 8GH 005 636-121
Touran	02/03->10/06	2VP 008 759-051 2VP 008 759-061	1 1	<b>Combination rearlight, left, with reverse and rear fog light, with bulbs</b> <b>Combination rearlight, right, with reverse and rear fog light, with bulbs</b> 1364 1x12V5W (R5W) 8GA 002 071-121 3x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121
Touran (-) CrossTouran	11/06->	2SK 009 477-051 2SK 009 477-061	1 1	<b>Combination rearlight, left, with reverse and rear fog light, with bulbs</b> <b>Combination rearlight, right, with reverse and rear fog light, with bulbs</b> 1x12V5W (R5W) 8GA 002 071-121 3x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121




# Volkswagen



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Vento (1H2)</b>		<b>1AH 006 546-471</b>	1	<b>H4 headlight, left, for vehicles with or without headlight leveller</b> <b>H4 headlight, right, for vehicles with or without headlight leveller</b> <b>For vehicles 01/92-&gt;12/92 lead with adapter 8KA 146 152-001 (Pk. 2) to be ordered separately.</b>  (E1) 44476 left (E1) 44477 right   1x12V60/55W (H4) 8GJ 002 525-131  1x12V5W (W5W) 8GP 003 594-121
Vento	11/91->09/98	<b>1AH 006 546-481</b>	1	
				
Vento	11/91->09/98	<b>6NM 007 282-211</b>	1	<b>Setting element, headlight levelling</b>
				
Vento	11/91->09/98	<b>1NL 007 220-801</b>	1	<b>DE-H3 fog light set with bulbs</b>  (E1) 18238  <b>Spare Parts:</b> 1 DE-H3 fog light, left 1 DE-H3 fog light, right 1 Cover (silver), left 1 Cover (silver), right 1 On/off switch (to be ordered separately)   2x12V55W (H3) 8GH 002 090-133
		1NL 007 220-031 1NL 007 220-041 8XU 144 429-001 8XU 144 430-001 6EH 004 406-032		
				
Vento	11/91->09/98	<b>2PT 008 956-801</b>	1	<b>Design lighting front set, 2 daytime running lights and 2 indicator lights with silver bulbs (amber signal colour). Lenses are glass clear and without pattern. With harness.</b>  2x12V21W (PY21W) silver (indicator light)  2x12V21W (P21W) 8GA 002 073-121 (daytime running light)
				
				
Vento CL, GL	11/91->09/98	<b>9EL 144 425-001</b> <b>9EL 144 426-001</b>	1 1	<b>Body/lens for indicator light (amber), left</b> <b>Body/lens for indicator light (amber), right</b>  (E4) 439   1x12V21W (P21W) 8GA 002 073-121
				
Vento CL, GL	11/91->09/98	<b>9EL 144 425-811</b>	1	<b>Body/lens set for indicator lights (white)</b>  (E4) 440  <b>Spare Parts:</b> 1 Body/lens (white), left 1 Body/lens (white), right   2x12V21W (P21W) 8GA 002 073-121
		9EL 144 425-011 9EL 144 426-011		
				




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
Vento (1H2) Vento GT, VR6	11/91->09/98	9EL 144 425-011 9EL 144 426-011	1 1	Body/lens for indicator light (white), left Body/lens for indicator light (white), right  E4 440 1x12V21W (P21W) 8GA 002 073-121
				
Vento	11/91->09/98	2BA 007 177-801	1	Indicator light set (black), with bulbs, with two covers  E1 52618 <b>Spare Parts:</b> 1 Indicator light (black), left 1 Indicator light (black), right 1 Cover (black), left 1 Cover (black), right 2x12V21W (PY21W) 8GA 006 841-121
		2BA 007 177-011 2BA 007 177-021 8XU 144 427-011 8XU 144 428-011	1 1 1 1	
Vento	11/91->09/98	8XU 144 427-001 8XU 144 428-001	2 2	Large cover (silver), left Large cover (silver), right (next to indicator light)
				
Vento	11/91->09/98	8XU 144 429-001 8XU 144 430-001	1 1	Small cover (silver), left Small cover (silver), right (between indicator light and fog light)
				
Vento	11/91->08/95	9EL 144 431-001	2	Body/lens for auxiliary indicator light (amber)  E4 01441 1x12V5W (W5W) 8GP 003 594-121
				
Vento	11/91->08/95	9EL 144 431-801	1	Body/lens set for auxiliary indicator lights (black)  E4 01441 2x12V5W (W5W) 8GP 003 594-121
				
Vento	09/95->09/98	9EL 147 073-001	2	Body/lens for auxiliary indicator light (amber)  E1 52636 1x12V5W (W5W) 8GP 003 594-121
				
Vento	09/95->09/98	9EL 147 073-801	1	Body/lens set for auxiliary indicator lights (grey)  E1 105 2x12V5W (W5W) 8GP 003 594-121
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Vento (1H2)</b> Vento CL, GL	11/91->08/98	9EL 140 413-031 9EL 140 414-031	1 1	<b>Body/lens for combination rearlight (amber/red), left</b> <b>Body/lens for combination rearlight (amber/red), right</b> (E1) 63271  1x12V21/5W (P21/5W) 8GD 002 078-121  1x12V21W (P21W) 8GA 002 073-121
<b>Vento CL, GL</b>	11/91->09/98	9EL 140 413-041 9EL 140 414-041	1 1	<b>Body/lens for combination rearlight (grey/red), left, for conversion</b> <b>Body/lens for combination rearlight (grey/red), right, for conversion</b> (E1) 63271 (E1) 63280  1x12V21/5W (P21/5W) 8GD 002 078-121  1x12V21W (P21W) 8GA 002 073-121
<b>Vento GT, VR6</b>	11/91->09/98	9EL 140 413-041 9EL 140 414-041	1 1	<b>Body/lens for combination rearlight (grey/red), left</b> <b>Body/lens for combination rearlight (grey/red), right</b> (E1) 63271 (E1) 63280  1x12V21/5W (P21/5W) 8GD 002 078-121  1x12V21W (P21W) 8GA 002 073-121
<b>Vento CL, GL</b>	11/91->09/98	9EL 140 431-041 9EL 140 432-041 9EL 140 432-051	1 1 1	<b>Body/lens for rear fog and reverse light (amber/red), left</b> <b>Body/lens for rear fog and reverse light (amber/red), right</b> <b>Body/lens for reverse light (amber/red), right</b> (E1) 8791 (E1) 18448  2x12V21W (P21W) 8GA 002 073-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Vento (1H2)</b> Vento CL, GL	11/91->09/98 	9EL 140 431-061	1	<b>Body/lens for rear fog and reverse light (grey/red), left, for conversion</b>
		9EL 140 432-061	1	<b>Body/lens for rear fog and reverse light (grey/red), right, for conversion</b> (E1) 8793 (E1) 18448  2x12V21W (P21W) 8GA 002 073-121
<b>Vento GT, VR6</b>	11/91->09/98 	9EL 140 431-061	1	<b>Body/lens for rear fog and reverse light (grey/red), left</b>
		9EL 140 432-061	1	<b>Body/lens for rear fog and reverse light (grey/red), right</b> (E1) 8793 (E1) 18448  2x12V21W (P21W) 8GA 002 073-121
<b>1200 - 1500 (Beetle)</b> 1200 1300, 1500	08/60->07/67 ->07/67 	1A8 001 149-011	1	<b>Headlight</b> (E1) 4475
		9FH 093 887-001	10	<b>Spare Parts:</b> Bulb holder  1x6V45/40W (R2) 8GD 002 088-071  1x6V4W (T4W) 8GP 002 067-061
1200 1300 1302 1303 1500	08/67->07/73 08/67->07/73 08/70->07/72 08/72->07/73 08/67->07/73 	1A8 001 156-011	1	<b>Headlight</b> (E1) 14461
		9DR 082 351-021 9FH 093 887-001	1 10	<b>Spare Parts:</b> Reflector Bulb holder  1x6V45/40W (R2) 8GD 002 088-071  1x12V45/40W (R2) 8GD 002 088-131  1x6V4W (T4W) 8GP 002 067-061  1x12V4W (T4W) 8GP 002 067-121
		1A8 001 156-281	1	<b>H4 headlight</b> (E4) 2  1x12V60/55W (H4) 8GJ 002 525-131  1x12V4W (T4W) 8GP 002 067-121



# Volkswagen



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>1200 - 1500 (Beetle)</b>		<b>1A8 003 060-541</b>	1	<b>Headlight</b>
1200	08/73->12/85			(E1) 14559
1303	08/73->07/79	1A8 121 149-001 9GH 116 966-011 9FF 126 444-001	1 10 10	<b>Spare Parts:</b> Light unit Cap Bulb socket for side light 1x12V45/40W (R2) 8GD 002 088-131 1x12V4W (T4W) 8GP 002 067-121
		<b>1A8 003 060-551</b>	1	<b>H4 headlight</b>
				(E1) 14551 (E1) 34495
		1A8 121 150-001 9GH 116 966-011 9FF 126 444-001	1 10 10	<b>Spare Parts:</b> Light unit Cap Bulb socket for side light 1x12V60/55W (H4) 8GJ 002 525-131 1x12V4W (T4W) 8GP 002 067-121
1200	08/73->12/85	<b>2JA 002 532-011</b>	5	<b>Interior light</b>
1303	08/72->07/79			1x12V10W (K) 8GM 002 091-131
<b>Crafter (2E)</b>		<b>1ER 247 017-051</b>	1	<b>FF®-H7 headlight, left, with indicator light, with electr. headlight leveller actuator, with bulbs</b>
Crafter (2E)	04/06->	<b>1ER 247 017-061</b>	1	<b>FF®-H7 headlight, right, with indicator light, with electr. headlight leveller actuator, with bulbs</b>
				(E1) 2100 2x12V55W (H7) 8GH 007 157-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (W5W) 8GP 003 594-121
<b>Crafter (2E)</b>	04/06->	<b>1N0 271 247-051</b>	1	<b>FF®-HB4 fog light, left, with bulb</b>
		<b>1N0 271 247-061</b>	1	<b>FF®-HB4 fog light, right, with bulb</b>
				(E26) 004 1x12V51W (HB4) 8GH 005 636-121




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
LT I LT I	04/75->08/85	<p><b>1A8 003 060-541</b></p> <p>1A8 121 149-001 9GH 116 966-011 9FF 126 444-001</p> <p><b>1A8 003 060-551</b></p> <p>1A8 121 150-001 9GH 116 966-011 9FF 126 444-001</p>	1 1 10 10  1 1 10 10	<p><b>Headlight</b></p> <p>(E1) 14559</p> <p><b>Spare Parts:</b> Light unit Cap Bulb socket for side light</p> <p> 1x12V45/40W (R2) 8GD 002 088-131  1x12V4W (T4W) 8GP 002 067-121</p> <p><b>H4 headlight</b></p> <p>(E1) 14551 (E1) 34495</p> <p><b>Spare Parts:</b> Light unit Cap Bulb socket for side light (to be ordered separately)</p> <p> 1x12V60/55W (H4) 8GJ 002 525-131  1x12V4W (T4W) 8GP 002 067-121</p>
LT I	09/85->04/96	<p><b>1AG 004 873-391</b></p> <p><b>1AG 004 873-401</b></p> <p>9FF 126 444-001</p>	1 1 10	<p><b>H4 headlight, left, not suitable for headlight leveller</b></p> <p><b>H4 headlight, right, not suitable for headlight leveller</b></p> <p>(E1) 34529 left (E1) 34530 right</p> <p><b>Spare Parts:</b> Bulb socket for side light -&gt;05/89 (to be ordered separately)</p> <p> 1x12V60/55W (H4) 8GJ 002 525-131  1x12V4W (T4W) 8GP 002 067-121</p>
LT I Van	10/75->01/93	<p>9EL 113 065-001</p>	1	<p><b>Combination rearlight with reverse light, spare parts available only</b></p> <p>(E1) 43346 (E1) 2318</p> <p><b>Spare Parts:</b> Lens</p> <p> 1x12V21/5W (P21/5W) 8GD 002 078-121  2x12V21W (P21W) 8GA 002 073-121</p>



# Volkswagen



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
LT I LT I Van	83->04/96	 2KA 003 389-061 9BG 121 587-031	2 2	<b>Licence plate light</b> E1 22819 <b>Spare Parts:</b> Body/lens with screw 1x12V10W (R10W) 8GA 002 071-121
LT I Flatbed	83->04/96	 9EL 122 689-051 9EL 122 689-021	2 2	<b>Combination rearlight, spare parts available only</b> E4 377 E4 397 E4 421 E4 3880 E4 23215 <b>Spare Parts:</b> Lens for rear, reflex-reflector, stop, indicator and reverse light Lens for rear, reflex-reflector, stop, indicator, reverse and rear fog light 1x12V10W (R10W) 8GA 002 071-131 4x12V21W (P21W) 8GA 002 073-121
LT I Flatbed Chassis with cab	04/75->07/78	 2KA 001 386-231 9BG 101 230-001 9GT 005 166-001	2 2 10	<b>Licence plate light</b> E1 12820 <b>Spare Parts:</b> Body with lens Grommet 1x12V5W (C5W) 8GM 002 092-121
LT I Flatbed Chassis with cab	08/78->82	 2KA 003 389-061 9BG 121 587-031	2 2	<b>Licence plate light</b> E1 22819 <b>Spare Parts:</b> Body/lens with screw 1x12V10W (R10W) 8GA 002 071-121
LT I	04/75->04/96	 2JA 002 931-031	5	<b>Interior light</b> 1x12V10W (K) 8GM 002 091-131



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
LT II LT II Bus, Van	05/96->	9EL 270 197-011 9EL 270 198-011	1 1	<b>Body/lens for combination rearlight, left, with reverse and rear fog light</b> <b>Body/lens for combination rearlight, right, with reverse and rear fog light</b> (E26) 901 1x24V21/5W (P21/5W) 8GD 002 078-241 3x24V21W (P21W) 8GA 002 073-241
LT II Flatbed Chassis with cab	05/96->	2VD 008 204-131 2VP 008 204-121 9EL 152 889-001	1 1 1	<b>Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b> <b>Combination rearlight, right, with reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b> (E4) 3178 (E4) 4060 (E4) 9808 (E4) 9810 <b>Spare Parts:</b> Lens with screws 3x24V5W (R5W) 8GA 002 071-241 4x24V21W (P21W) 8GA 002 073-241
Transporter (T2) Transporter (T2) Bus, Transporter	08/73->07/79	1A8 003 060-541 1A8 121 149-001 9GH 116 966-011 9FF 126 444-001 1A8 003 060-551 1A8 121 150-001 9GH 116 966-011 9FF 126 444-001	1 1 10 10 1 1 10 10	<b>Headlight</b> (E1) 14559 <b>Spare Parts:</b> Light unit Cap Bulb socket for side light 1x12V45/40W (R2) 8GD 002 088-131 1x12V4W (T4W) 8GP 002 067-121 <b>H4 headlight</b> (E1) 14551 (E1) 34495 <b>Spare Parts:</b> Light unit Cap Bulb socket for side light (to be ordered separately) 1x12V60/55W (H4) 8GJ 002 525-131 1x12V4W (T4W) 8GP 002 067-121



# Volkswagen



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Transporter (T2)</b> Transporter (T2) Bus, Transporter	08/71->07/79	9EL 113 065-001	1	<b>Combination rearlight with reverse light, spare parts available only</b> (E1) 43346 (E1) 2318 <b>Spare Parts:</b> Lens 1x12V21/5W (P21/5W) 8GD 002 078-121 2x12V21W (P21W) 8GA 002 073-121
<b>Transporter (T3)</b> Transporter (T3) Bus, Caravelle, Transporter except Caravelle Carat	05/79->07/92	1A8 003 564-391 1A8 003 564-401  9DS 122 409-011 9GH 116 966-011 9FF 126 444-001	1 1  1 10 10	<b>H4 headlight, left</b> <b>H4 headlight, right</b> (E1) 14551 (E1) 34495 <b>Spare Parts:</b> Reflector with lens Cap Bulb socket for side light 1x12V60/55W (H4) 8GJ 002 525-131 1x12V4W (T4W) 8GP 002 067-121
<b>Transporter (T3)</b>	05/79->07/92	9EL 122 377-011 9EL 122 378-011	1 1	<b>Indicator light, spare parts available only</b> (E1) 32798 <b>Spare Parts:</b> Body/lens, left Body/lens, right 1x12V21W (P21W) 8GA 002 073-121
<b>Transporter (T3)</b> Bus, Caravelle, Transporter	05/79->07/92	2VP 003 529-131 2VP 003 529-141  9EL 122 149-011 9EL 122 150-011	1 1  1 1	<b>Combination rearlight, left, with reverse and rear fog light</b> <b>Combination rearlight, right, with reverse and rear fog light</b> (E1) 53300 <b>Spare Parts:</b> Body/lens, left Body/lens, right 1x12V10W (R10W) 8GA 002 071-131 4x12V21W (P21W) 8GA 002 073-121





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Transporter (T3)</b> Transporter (T3)	05/79->07/92	2JA 002 931-031	5	<b>Interior light</b> 1x12V10W (K) 8GM 002 091-131
<b>Transporter (T4)</b> Transporter (T4) California, Caravelle, Multivan, Transporter  PR no. ACO with short front-end	09/90->04/03	1AJ 006 051-211 1AJ 006 051-221  1AJ 136 501-021 1AJ 136 502-021	1 1  1 1	<b>H4 headlight, left</b> <b>H4 headlight, right</b> (E1) 44437 left (E1) 44438 right  <b>Spare Parts:</b> Light unit, left Light unit, right  1x12V60/55W (H4) 8GJ 002 525-131 1x12V4W (T4W) 8GP 002 067-121
<b>Transporter (T4)</b> California, Caravelle, Multivan  chassis no. 70-T-200 001 -> 70-1-048 000	01/96->01	6NM 007 282-211	1	<b>Setting element, headlight levelling</b>
<b>Transporter (T4)</b> California, Caravelle, Multivan up to 1.65t (short wheelbase)  <b>Transporter up to 1.65t</b> (short wheelbase)	09/90->04/03  09/90->12/95  09/90->	1NL 006 250-051 1NL 006 250-061	1 1	<b>DE-H3 fog light, left</b> <b>DE-H3 fog light, right</b> (E1) 18232  1x12V55W (H3) 8GH 002 090-133
<b>Transporter (T4)</b> California, Caravelle, Multivan	01/96->04/03	1NB 008 122-011 1NB 008 122-021	1 1	<b>FF®-H3 fog light, left</b> <b>FF®-H3 fog light, right</b> (E26) 001 left (E26) 002 right  1x12V55W (H3) 8GH 002 090-133



# Volkswagen



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Transporter (T4)</b> Transporter (T4) California, Caravelle, Multivan, Transporter  PR no. ACO with short front-end	09/90->04/03	9EL 136 401-011 9EL 136 402-011	1 1	<b>Body/lens for indicator light (amber), left</b> <b>Body/lens for indicator light (amber), right</b>  E1 42787 1x12V21W (P21W) 8GA 002 073-121
				
<b>Transporter (T4)</b> California, Caravelle, Multivan, Transporter	09/90->04/03	9EL 146 371-001 9EL 146 372-001	1 1	<b>Body/lens for combination rearlight (amber/red), left</b> <b>Body/lens for combination rearlight (amber/red), right</b>  E1 63250 1x12V21/5W (P21/5W) 8GD 002 078-121 2x12V21W (P21W) 8GA 002 073-121
				
<b>Transporter (T4)</b> California, Caravelle, Multivan, Transporter	09/90->04/03	9EL 146 373-001	1	<b>Body/lens for rear fog light</b>  E1 389 1x12V21W (P21W) 8GA 002 073-121
				
<b>Transporter (T4)</b> Flatbed	09/90->04/03	9EL 122 689-051 9EL 122 689-021	2 2	<b>Combination rearlight, spare parts available only</b>  E4 377 E4 397 E4 421 E4 3880 E4 23215  <b>Spare Parts:</b> 2 Lens for rear, reflex-reflector, stop, indicator and reverse light 2 Lens for rear, reflex-reflector, stop, indicator, reverse and rear fog light  1x12V10W (R10W) 8GA 002 071-131 4x12V21W (P21W) 8GA 002 073-121
				
<b>Transporter (T4)</b> Flatbed	09/90->04/03	2KA 003 389-061 9BG 121 587-031	2 2	<b>Licence plate light</b>  E1 22819  <b>Spare Parts:</b> 2 Body/lens with screw 1x12V10W (R10W) 8GA 002 071-121
				




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Multivan, Transporter (T5)</b>		1N0 270 481-051	1	FF®-HB4 fog light, left, with bulb
<b>Multivan, Transporter (T5)</b>	04/03->	1N0 270 481-061	1	FF®-HB4 fog light, right, with bulb
chassis no. 7H-5-000 001 -> 7H-5-060 000  7J-5-000 001 -> 7J-5-015 000				007  1x12V51W (HB4) 8GH 005 636-121
<b>Multivan, Transporter (T5)</b>	04/03->	1N0 271 247-051	1	FF®-HB4 fog light, left, with bulb
from chassis no. 7H-5-060 001, 7J-5-015 001		1N0 271 247-061	1	FF®-HB4 fog light, right, with bulb
				004  1x12V51W (HB4) 8GH 005 636-121
<b>Multivan, Transporter (T5)</b>	04/03->	2SK 008 579-091	1	Combination rearlight (amber/red), left, with reverse and rear fog light, with bulbs
Vehicles with tailgate		2SK 008 579-101	1	Combination rearlight (amber/red), right, with reverse and rear fog light, with bulbs
				515  3x12V21W (P21W) 8GA 002 073-121 1x12V21/4W (P21/4W) 8GD 004 772-121
<b>Multivan, Transporter (T5)</b>	04/03->	2SK 008 579-131	1	Combination rearlight (red/white), left, with reverse and rear fog light, with bulbs
Vehicles with tailgate		2SK 008 579-141	1	Combination rearlight (red/white), right, with reverse and rear fog light, with bulbs
				515  3x12V21W (P21W) 8GA 002 073-121 1x12V21/4W (P21/4W) 8GD 004 772-121



# Volkswagen



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volkswagen</b>				
<b>Multivan, Transporter (T5)</b>		2SK 008 579-151	1	<b>Design combination rearlight (silver/red), left, with reverse and rear fog light, with 1 21W indicator light bulb (Silver Vision)</b>
<b>Multivan, Transporter (T5)</b>	04/03->	2SK 008 579-161	1	<b>Design combination rearlight (silver/red), right, with reverse and rear fog light, with 1 21W indicator light bulb (Silver Vision)</b>
Vehicles with tailgate				 <p>Ⓔ1 515</p> <p> 1x12V21/5W (P21/5W) 8GD 002 078-121   2x12V21W (P21W) 8GA 002 073-121</p>
<b>Transporter (T5)</b>	04/03->	2SK 008 579-111	1	<b>Combination rearlight (amber/red), left, with reverse and rear fog light, with bulbs</b>
Vehicles with gull-wing doors		2SK 008 579-121	1	<b>Combination rearlight (amber/red), right, with reverse and rear fog light, with bulbs</b>
				 <p>Ⓔ1 515</p> <p> 3x12V21W (P21W) 8GA 002 073-121   1x12V21/4W (P21/4W) 8GD 004 772-121</p>
<b>Transporter (T5)</b>				<b>Licence plate light, spare parts available only</b>
<b>Transporter (T5)</b>	04/03->	9BG 121 587-031	2	<p>Ⓔ1 22819</p> <p><b>Spare Parts:</b>  Body/lens with screw</p> <p> 1x12V10W (R10W) 8GA 002 071-121</p>
Flatbed				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volvo</b>				
<b>C70</b> C70 Coupé C70 Convertible	03/97->09/02 03/98->10/05	1AH 007 600-151 *) 1AH 007 600-161 *)	1 1	<b>FF®-H7 headlight, left, for vehicles with or without headlight leveller</b> <b>FF®-H7 headlight, right, for vehicles with or without headlight leveller</b>  Ⓔ1 481 left Ⓔ1 482 right  2x12V55W (H7) 8GH 007 157-121 1x12V5W (W5W) 8GP 003 594-121
				
<b>C70 Coupé</b> C70 Convertible	03/97->09/02 03/98->10/05	9EL 147 723-071 *) 9EL 147 724-071 *)	1 1	<b>Body/lens for indicator light (white), left</b> <b>Body/lens for indicator light (white), right</b>  Ⓔ1 477  1x12V21W (PY21W) 8GA 006 841-121
				
<b>S40 I (VS)</b> S40 I (VS)	07/95->07/00	1AG 007 302-171 *) 1AG 007 302-181 *)	1 1	<b>H4 headlight, left, suitable for headlight leveller</b> <b>H4 headlight, right, suitable for headlight leveller</b>  Ⓔ1 173 left Ⓔ1 174 right  1x12V60/55W (H4) 8GJ 002 525-131 1x12V4W (T4W) 8GP 002 067-121
				
<b>S40 I (VS)</b>	08/00->12/03	1AG 007 861-411 *) 1AG 007 861-421 *)	1 1	<b>FF®-H7 headlight, left, with chrome-plated cover, with electr. headlight leveller actuator, with bulbs</b> <b>FF®-H7 headlight, right, with chrome-plated cover, with electr. headlight leveller actuator, with bulbs</b>  Ⓔ1 631 left Ⓔ1 632 right  2x12V55W (H7) 8GH 007 157-121 1x12V4W (T4W) 8GP 002 067-121
				
<b>S40 I (VS)</b>	08/00->12/03	1AG 007 861-431 *) 1AG 007 861-441 *)	1 1	<b>FF®-H7 headlight, left, with black cover, with electr. headlight leveller actuator, with bulbs</b> <b>FF®-H7 headlight, right, with black cover, with electr. headlight leveller actuator, with bulbs</b>  Ⓔ1 631 left Ⓔ1 632 right  2x12V55W (H7) 8GH 007 157-121 1x12V4W (T4W) 8GP 002 067-121
				

\*) The products marked are available only in countries of the European Union



**Volvo**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volvo</b>				
S40 I (VS) S40 I (VS)	07/95->12/03	6NM 007 282-651	1	Headlight leveller actuator, electr. (for H4 headlight)
				
S40 I (VS)	07/95->12/03	6NM 007 878-551	1	Headlight leveller actuator, electr. (for H7 and xenon headlight)
				
S40 I (VS)	07/95->07/00	2BA 007 924-071 *) 2BA 007 924-081 *)	1 1	Indicator light (white), left, with bulb Indicator light (white), right, with bulb
				Ⓔ1 635  1x12V21W (PY21W) 8GA 006 841-121
S70 S70	01/97->11/00	1AH 007 600-151 *) 1AH 007 600-161 *)	1 1	FF®-H7 headlight, left, for vehicles with or without headlight leveller FF®-H7 headlight, right, for vehicles with or without headlight leveller
				Ⓔ1 481 left Ⓔ1 482 right  2x12V55W (H7) 8GH 007 157-121  1x12V5W (W5W) 8GP 003 594-121
S70	01/97->11/00	9EL 147 723-071 *) 9EL 147 724-071 *)	1 1	Body/lens for indicator light (white), left Body/lens for indicator light (white), right
				Ⓔ1 477  1x12V21W (PY21W) 8GA 006 841-121
S70	01/97->11/00	9EL 341 325-311 *) 9EL 341 325-321 *)	1 1	Body/lens for combination rearlight, left Body/lens for combination rearlight, right
				Ⓔ17 9602  1x12V5W (R5W) 8GA 002 071-121  2x12V21W (P21W) 8GA 002 073-121

\*) The products marked are available only in countries of the European Union



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volvo</b>				
S70 S70	01/97->11/00	9EL 341 326-311 9EL 341 326-321 )	1 1	Body/lens for rear fog and reverse light, left Body/lens for rear fog and reverse light, right  E17 9603  1x12V5W (R5W) 8GA 002 071-121 2x12V21W (P21W) 8GA 002 073-121
V40 (VW) V40 (VW)	07/95->07/00	1AG 007 302-171 ) 1AG 007 302-181 )	1 1	H4 headlight, left, suitable for headlight leveller H4 headlight, right, suitable for headlight leveller  E1 173 left E1 174 right  1x12V60/55W (H4) 8GJ 002 525-131 1x12V4W (T4W) 8GP 002 067-121
V40 (VW)	08/00->06/04	1AG 007 861-411 ) 1AG 007 861-421 )	1 1	FF®-H7 headlight, left, with chrome-plated cover, with electr. headlight leveller actuator, with bulbs FF®-H7 headlight, right, with chrome-plated cover, with electr. headlight leveller actuator, with bulbs  E1 631 left E1 632 right  2x12V55W (H7) 8GH 007 157-121 1x12V4W (T4W) 8GP 002 067-121
V40 (VW)	08/00->06/04	1AG 007 861-431 ) 1AG 007 861-441 )	1 1	FF®-H7 headlight, left, with black cover, with electr. headlight leveller actuator, with bulbs FF®-H7 headlight, right, with black cover, with electr. headlight leveller actuator, with bulbs  E1 631 left E1 632 right  2x12V55W (H7) 8GH 007 157-121 1x12V4W (T4W) 8GP 002 067-121
V40 (VW)	07/95->	6NM 007 282-651	1	Headlight leveller actuator, electr. (for H4 headlight)

\*) The products marked are available only in countries of the European Union



Volvo



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volvo</b>				
V40 (VW) V40 (VW)	07/95->	6NM 007 878-551	1	Headlight leveller actuator, electr. (for H7 and xenon headlight)
				
V40 (VW)	07/95->07/00	2BA 007 924-071 *) 2BA 007 924-081 *)	1 1	Indicator light (white), left, with bulb Indicator light (white), right, with bulb E1 635  1x12V21W (PY21W) 8GA 006 841-121
				
V70 I Estate V70 I Estate	01/97->11/00	1AH 007 600-151 *) 1AH 007 600-161 *)	1 1	FF®-H7 headlight, left, for vehicles with or without headlight leveller FF®-H7 headlight, right, for vehicles with or without headlight leveller E1 481 left E1 482 right  2x12V55W (H7) 8GH 007 157-121  1x12V5W (W5W) 8GP 003 594-121
				
V70 I Estate	01/97->11/00	9EL 147 723-071 *) 9EL 147 724-071 *)	1 1	Body/lens for indicator light (white), left Body/lens for indicator light (white), right E1 477  1x12V21W (PY21W) 8GA 006 841-121
				
440 K (445), 460 L (464) 440 K (445), 460 L (464)	08/88->06/91	1AH 005 383-211 *) 1AH 005 383-221 *)	1 1	H4 headlight, left, suitable for headlight leveller H4 headlight, right, suitable for headlight leveller E1 34582 left E1 34583 right  1x12V60/55W (H4) 8GJ 002 525-131  1x12V5W (W5W) 8GP 003 594-121
				
440 K (445), 460 L (464)	07/91->08/93	1AJ 005 775-411 *) 1AJ 005 775-421 *)	1 1	H4 headlight, left, suitable for headlight leveller H4 headlight, right, suitable for headlight leveller E1 44428 left E1 44429 right  1x12V60/55W (H4) 8GJ 002 525-131  1x12V4W (T4W) 8GP 002 067-121
				

\*) The products marked are available only in countries of the European Union



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volvo</b>				
<b>850 (LS, LW)</b> 850 (LS), 850 Estate (LW)	08/93->10/97	1AH 006 850-111 *) 1AH 006 850-121 *)	1 1	<b>FF®-H1 headlight, left, for vehicles with or without headlight leveller</b> <b>FF®-H1 headlight, right, for vehicles with or without headlight leveller</b> (E4) 76 left (E4) 77 right 2x12V55W (H1) 8GH 002 089-133 1x12V5W (R5W) 8GA 002 071-121
<b>850 (LS), 850 Estate (LW)</b>	08/93->10/97	9EL 142 723-011 *) 9EL 142 724-011 *)	1 1	<b>Body/lens for indicator light (white), left</b> <b>Body/lens for indicator light (white), right</b> (E1) 477 1x12V21W (P21W) 8GA 002 073-121
<b>940 (944)</b> 940 (944)	08/90->12/94	9EL 138 601-031 *) 9EL 138 602-031 *)	1 1	<b>Body/lens for combination rearlight, left</b> <b>Body/lens for combination rearlight, right</b> (E4) 195 1x12V5W (R5W) 8GA 002 071-121 2x12V21W (P21W) 8GA 002 073-121
<b>940 (944)</b>	08/90->12/94	9EL 138 649-031 *) 9EL 138 650-031 *)	1 1	<b>Body/lens for rear fog and reverse light, left</b> <b>Body/lens for rear fog and reverse light, right</b> (E4) 410 (E4) 2319 (E4) 3884 1x12V5W (R5W) 8GA 002 071-121 2x12V21W (P21W) 8GA 002 073-121
<b>960 (964)</b> 960 (964)	08/90->07/94	9EL 138 601-041 *) 9EL 138 602-041 *)	1 1	<b>Body/lens for combination rearlight, left</b> <b>Body/lens for combination rearlight, right</b> (E4) 195 (E4) 4449 2x12V21W (P21W) 8GA 002 073-121

\*) The products marked are available only in countries of the European Union



**Volvo**




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volvo</b>				
960 (964)	08/90->07/94	9EL 138 649-041 9EL 138 650-041 *)	1 1	Body/lens for rear fog and reverse light, left Body/lens for rear fog and reverse light, right (E4) 410 (E4) 2319 (E4) 3884 2x12V21W (P21W) 8GA 002 073-121
960 (964)				
				

\*) The products marked are available only in countries of the European Union



# Headlights, Signal and Sundry Lights for Commercial Vehicles



List of Manufacturers/Page

2.02 - 2.03

Headlights, Signal and Sundry Lights -  
Application Chart for Commercial Vehicles


2.04 - 2.138




# List of Manufacturers/Page




Manufacturer Model	Model year	Page	Manufacturer Model	Model year	Page
<b>DAF</b>			<b>MAN</b>		
Older models		2.04	NG 242 - SÜ 240		2.32 - 2.33
CF 65, CF 75, CF 85	01/01->	2.04	ÜL 242, ÜL 292, Bus VÖV		2.33
F 900 - N 2800	10/74->	2.05	ÜL 313/353		2.33 - 2.34
F 2100 - F 2800		2.05	750 HO-M - 890 VO-M		2.34
LF 45, LF 55	01/01->	2.06	8.103 - 12.225 (L 2000)	10/93->	2.34 - 2.35
XF 95	09/02->	2.06 - 2.07	7.150 - 12.240 (TGL)	04/05->	2.35
XF 105	10/05->	2.07 - 2.08	10.136 F (G)	10/79->08/87	2.36
65, 75, 85	01/93->02/98	2.08 - 2.09	10.136 F, 10.150 F (G, G 90)	10/79->91	2.36 - 2.37
65 CF, 75 CF, 85 CF	02/98->12/00	2.09	11.136 - 38.320	09/69->	2.37 - 2.38
95	09/87->01/98	2.10	12.163 - 18.285 (M 2000 L)	08/95->	2.38
95 XF	01/97->09/02	2.11	14.224 - 25.264 (M 2000 M)	08/95->	2.39
<b>EvoBus</b>			<b>MAN/VW</b>		
Citaro (O 530)	01/98->	2.12	12.136 - 48.321 (F8, F9)	01/84->	2.40 - 2.42
<b>Iveco</b>			<b>Mercedes-Benz</b>		
Daily II	05/99->	2.12	12.192 - 24.272 (M 90)	08/88->	2.43 - 2.45
EuroCargo 60 E - 320 E	01/91->	2.13	19.242 - 48.462 (F 90)	06/86->91	2.46 - 2.50
EuroStar LD 190 - LD 440	01/93->	2.13	19.233 - 41.463 (F 2000)	01/94->	2.50 - 2.51
EuroTech MH 180 - MT 400	01/92->	2.13	18.310 - 41.660 (TGA)	04/00->05/05	2.52
EuroTrakker MP 190 - MP 410	01/93->	2.14	<b>Actros</b>		
Stralis	02/02->	2.14	09/96->10/02		
Turbo Star		2.14	10/02->		
<b>Iveco Magirus</b>			2.57		
M 2000	09/79->12/82	2.14 - 2.15	Atego		
75-9 A - 160 M13 FS	09/75->	2.16	01/98->10/04		
120-13 ANW - 330-30 ANW	01/83->	2.17 - 2.18	Atego II		
130 D - 310 D (P/PA-series)	01/71->12/82	2.19 - 2.21	10/04->		
130 D 9 FL - 340 D 22	05/73->	2.21 - 2.22	Axor		
130 L 81 - 230 R 120	12/68->77	2.23 - 2.24	01/02->10/04		
180-24 - 320 M (T-series)		2.24 - 2.25	Axor II		
<b>Kässbohrer</b>			10/04->		
Setra S 80 - S 150	01/75->09/76	2.26	Citaro (O 350)		
Setra S 200	10/76->	2.27 - 2.28	01/98->		
Setra S 300	09/91->	2.28	L 405 D - L 613 D (T2/L)		
Setra S 300 NC	09/91->	2.29 - 2.30	01/68->12/88		
<b>MAN</b>			Cab-behind-engine vehicles		
EL 202		2.30	911 - 2624		
Lion's Family		2.31	LP 608 - LP 1113 (LP)		
			10/69->12/84		
			LP 1113 - LP 1519		
			00/67->		
			O 303		
			10/74->		
			O 305 VÖV		
			04/73->12/83		
			O 309		
			01/68->02/89		
			O 404		
			09/91->10/99		
			O 405, O 407		
			09/84->00/03		
			O 405 VÖV II		
			01/84->		
			Unimog		
			00/84->		
			Vario 512 D - 815 DA		
			09/96->		
			2.81 - 2.82		






Manufacturer Model	Model year	Page	Manufacturer Model	Model year	Page
<b>Mercedes-Benz</b>			<b>Volvo</b>		
507 D - 814 D (T2/LN1)	04/86->12/94	2.83 - 2.85	FL	03/00->	2.133
709 - 2024 (LK/LN2)	01/84->12/98	2.86 - 2.88	FL 4, FL 6	10/85->	2.134
1013 - 3850 (NG)	08/73->08/88	2.89 - 2.94	FL 7 - FL 12	10/85->07/93	2.134 - 2.135
1222 - 4850 (MK, SK)	07/87->09/96	2.95 - 2.101	FLC	09/96->09/00	2.135
<b>Neoplan</b>			FM 7	10/98->12/01	2.135 - 2.136
Centroliner	10/98->	2.101 - 2.102	FM 9	12/01->09/05	2.136
Cityliner - Spaceliner	11/79->	2.102 - 2.108	FM 12	10/98->09/05	2.137
Euroliner N 3316	10/98->	2.108 - 2.110	FS 7		2.137 - 2.138
Bus (SK 1) N 407	83->	2.110 - 2.111	N 7 - N 12	01/73->	2.138
Bus SL II, Ü 80	82->	2.111 - 2.113			
Metroliner N 8008, N 8012		2.113 - 2.114			
Low-level-entry bus N 4010		2.114 - 2.116			
Low-level-entry bus N 4014		2.116 - 2.117			
Regioliner		2.117			
Starliner N 516	09/96->	2.118 - 2.119			
Transliner N 316	91->	2.120 - 2.121			
Unibus N 906, N 907	81->	2.121 - 2.122			
<b>Renault Trucks</b>					
Magnum	01->	2.123			
Premium		2.123			
Premium II	10/05->	2.124			
<b>Scania</b>					
Older models		2.124			
LB 81 - LBT 141 (series 1)	02/68->	2.125			
G 82 - T 142 (series 2)	05/80->03/88	2.125			
P 93 - T 143 (series 3)	01/88->12/96	2.125 - 2.126			
P 94 - T 164 (series 4)	09/95->09/04	2.126 - 2.127			
P 230 - T 470	03/04->	2.127 - 2.128			
<b>Steyr</b>					
6 S - 40 S	01/86->	2.128 - 2.129			
590 - 1490	01/68->	2.129			
791 - 1491	04/78->09/87	2.130 - 2.131			
<b>Volvo</b>					
F 4, F 6	71->09/85	2.131			
F 10 - F 16	08/77->07/93	2.131 - 2.132			
F 86 - F 89	->07/77	2.132			
FH 12, FH 16	10/93->04/05	2.132 - 2.133			

**DAF**

Manufacturer Model	Model year	Part no.	Pk.	Note
<b>DAF</b>				
Older models Older models		2SE 997 088-001	1	<b>Combination rearlight with licence plate light</b>  4035  6066  27092  2x24V10W (R10W) 8GA 002 071-251  2x24V21W (P21W) 8GA 002 073-241
CF 65, CF 75, CF 85 CF 65, CF 75, CF 85	01/01->	1EJ 247 046-031 1EJ 247 046-041 1EJ 247 046-011 1EJ 247 046-021	1 1 1 1	<b>H7/H1 headlight, left, with indicator light, without headlight leveller, with bulbs</b> <b>H7/H1 headlight, right, with indicator light, without headlight leveller, with bulbs</b> <b>H7/H1 headlight, left, with indicator light, with headlight leveller, with bulbs</b> <b>H7/H1 headlight, right, with indicator light, with headlight leveller, with bulbs</b>  1133  1x24V70W (H7) 8GH 007 157-231 Long Life  1x24V70W (H1) 8GH 002 089-251  1x24V21W (P21W) 8GA 002 073-251  1x24V5W (W5W) 8GP 003 594-251
CF 65, CF 75, CF 85	01/01->	9BG 147 497-002 9BG 147 498-002	1 1	<b>H1 fog light/H3 spotlight, with bulbs, spare parts available only</b>  518 <b>Spare Parts:</b> Body with headlight unit and bulbs, left, carrier frame is not part of scope of supply Body with headlight unit and bulbs, right, carrier frame is not part of scope of supply  1x24V70W (H1) 8GH 002 089-251  1x24V70W (H3) 8GH 002 090-251
CF 65, CF 75, CF 85	01/01->	2VD 008 204-251 2VP 008 204-241 9EL 152 889-001	1 1 1	<b>Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b> <b>Combination rearlight, left/right, with rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b>  3178  4060  9808  9810 <b>Spare Parts:</b> Lens with screws  3x24V5W (R5W) 8GA 002 071-241  4x24V21W (P21W) 8GA 002 073-241





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>DAF</b>				
<b>F 900 - N 2800</b> F 900 - F 2805 N 2800	10/74-> 10/80->	<b>2PF 001 647-031</b>	4	<b>Side light</b> E1 11780 1x24V10W (R10W) 8GA 002 071-251
				
<b>F 2100 - F 2800</b> F 2100 - F 2800 F 2100, F 2200, F 2300, F 2400, F 2500 F 2800	08/85-> ->08/87	<b>1A6 003 939-021</b>  <b>1A6 003 939-071</b>  9GH 118 017-021 9GT 104 802-001	1 1 10 10	<b>H4 headlight, not suitable for headlight leveller</b>  <b>H4 headlight, suitable for headlight leveller</b> E4 1  <b>Spare Parts:</b> Cap (to be ordered separately) Grommet (to be ordered separately) 1x24V75/70W (H4) 8GJ 002 525-251 1x24V4W (T4W) 8GP 002 067-241
				
<b>F 2100 - F 2800</b> F 2100, F 2200, F 2300, F 2400, F 2500 F 2800	08/85-> ->08/87	<b>1F6 003 939-031</b>	1	<b>H1 spotlight unit</b> E1 24565 1x24V70W (H1) 8GH 002 089-251
				
<b>F 2100 - F 2800</b>	10/86->	<b>2BA 005 407-001</b>	1	<b>Indicator light</b> E1 42743 1x24V21W (P21W) 8GA 002 073-241
				



DAF




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>DAF</b>				
LF 45, LF 55	01/01->	9BG 147 497-002	1	<b>H1 fog light/H3 spotlight, with bulbs, spare parts available only</b>
LF 45, LF 55		9BG 147 498-002	1	E1 518
<b>Spare Parts:</b>				
Body with headlight unit and bulbs, left, carrier frame is not part of scope of supply				
Body with headlight unit and bulbs, right, carrier frame is not part of scope of supply				
 1x24V70W (H1) 8GH 002 089-251				
 1x24V70W (H3) 8GH 002 090-251				
XF 95	09/02->	1EJ 247 046-031	1	<b>H7/H1 headlight, left, with indicator light, without headlight leveller, with bulbs</b>
XF 95		1EJ 247 046-041	1	<b>H7/H1 headlight, right, with indicator light, without headlight leveller, with bulbs</b>
1EJ 247 046-011				
<b>H7/H1 headlight, left, with indicator light, with headlight leveller, with bulbs</b>				
1EJ 247 046-021				
<b>H7/H1 headlight, right, with indicator light, with headlight leveller, with bulbs</b>				
E1 1133				
 1x24V70W (H7) 8GH 007 157-231 Long Life				
 1x24V70W (H1) 8GH 002 089-251				
 1x24V21W (P21W) 8GA 002 073-251				
 1x24V5W (W5W) 8GP 003 594-251				
XF 95	09/02->	9BG 147 497-002	1	<b>H1 fog light/H3 spotlight, with bulbs, spare parts available only</b>
				
9BG 147 498-002				
E1 518				
<b>Spare Parts:</b>				
Body with headlight unit and bulbs, left, carrier frame is not part of scope of supply				
Body with headlight unit and bulbs, right, carrier frame is not part of scope of supply				
 1x24V70W (H1) 8GH 002 089-251				
 1x24V70W (H3) 8GH 002 090-251				




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>DAF</b>				
XF 95 XF 95	09/02->	2VD 008 204-251 2VP 008 204-241 9EL 152 889-001	1 1 1	<p>Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</p> <p>Combination rearlight, left/right, with rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</p> <p>Ⓔ4 3178 Ⓔ4 4060 Ⓔ4 9808 Ⓔ4 9810</p> <p><b>Spare Parts:</b> Lens with screws</p> <p> 3x24V5W (R5W) 8GA 002 071-241  4x24V21W (P21W) 8GA 002 073-241</p>
XF 105 XF 105	10/05->	1EJ 247 046-031 1EJ 247 046-041 1EJ 247 046-011 1EJ 247 046-021	1 1 1 1	<p>H7/H1 headlight, left, with indicator light, without headlight leveller, with bulbs</p> <p>H7/H1 headlight, right, with indicator light, without headlight leveller, with bulbs</p> <p>H7/H1 headlight, left, with indicator light, with headlight leveller, with bulbs</p> <p>H7/H1 headlight, right, with indicator light, with headlight leveller, with bulbs</p> <p>Ⓔ1 1133</p> <p> 1x24V70W (H7) 8GH 007 157-231 Long Life</p> <p> 1x24V70W (H1) 8GH 002 089-251</p> <p> 1x24V21W (P21W) 8GA 002 073-251</p> <p> 1x24V5W (W5W) 8GP 003 594-251</p>
XF 105	10/05->	1PE 965 410-111 1PE 965 410-121	1 1	<p>H3 fog light/spotlight, left, with bulbs</p> <p>H3 fog light/spotlight, right, with bulbs</p> <p>Ⓔ1 2042</p> <p> 2x24V70W (H3) Long Life</p>






Manufacturer Model	Model year	Part no.	Pk.	Note
<b>DAF</b>				
65, 75, 85 65 75, 85	01/93->02/98 01/92->02/98	2VD 008 204-171 2VP 008 204-161	1 1	<b>Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b> <b>Combination rearlight, left/right, with rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b> (E4) 3178 (E4) 4060 (E4) 9808 (E4) 9810 <b>Spare Parts:</b> Lens with screws 3x24V5W (R5W) 8GA 002 071-241 4x24V21W (P21W) 8GA 002 073-241
		9EL 152 889-001	1	
65 CF, 75 CF, 85 CF 65 CF, 75 CF, 85 CF	02/98->12/00	1AG 007 660-011 1AG 007 660-021	1 1	<b>H4 headlight, left without electr. headlight leveller, with bulbs</b> <b>H4 headlight, right, without electr. headlight leveller, with bulbs</b> (E1) 354 left (E1) 355 right <b>Spare Parts:</b> 1 Lens, left 1 Lens, right 5 Cap 1x24V75/70W (H4) 8GJ 002 525-251 1x24V5W (W5W) 8GP 003 594-251
		9ES 147 313-001 9ES 147 314-001 9HD 121 297-001	1 1 5	
65 CF, 75 CF, 85 CF	02/98->12/00	2PF 961 167-021	2	<b>Side light</b> (E1) 31446 <b>Spare Parts:</b> 4 Lens 1x24V5W (C5W) 8GM 002 092-241
		9EL 137 241-001	4	
65 CF, 75 CF, 85 CF	02/98->12/00	2VD 008 204-251 2VP 008 204-241	1 1	<b>Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b> <b>Combination rearlight, left/right, with rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b> (E4) 3178 (E4) 4060 (E4) 9808 (E4) 9810 <b>Spare Parts:</b> Lens with screws 3x24V5W (R5W) 8GA 002 071-241 4x24V21W (P21W) 8GA 002 073-241
		9EL 152 889-001	1	





**DAF**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>DAF</b>				
95 95	09/87->10/95	1EG 005 480-011	1	<b>H4 headlight, left, with indicator light, not suitable for headlight leveller</b>
		1EG 005 480-021	1	<b>H4 headlight, right, with indicator light, not suitable for headlight leveller</b>
		1EG 005 480-051	1	<b>H4 headlight, left, with indicator light, suitable for headlight leveller</b>
		1EG 005 480-061	1	<b>H4 headlight, right, with indicator light, suitable for headlight leveller</b>
		<b>For vehicles up to chassis no. OE 338142 and OE 379839 adapter 9XD 146 600-001 (Pk. 1) is needed when replacing the headlight.</b>		
		Ⓔ1 34573 left Ⓔ1 34574 right		
		2BA 005 481-001	1	<b>Spare Parts:</b> Indicator light with 24V bulb
		9ES 133 513-001	4	Lens, left
		9ES 133 514-001	4	Lens, right
		9HD 121 297-001	5	Cap
				1x24V75/70W (H4) 8GJ 002 525-251
				1x24V21W (P21W) 8GA 002 073-241
				1x24V4W (T4W) 8GP 002 067-241
95	09/87->01/98	2BA 005 481-001	1	<b>Indicator light (amber) with 24V bulb</b>
				Ⓔ1 42745
				1x24V21W (P21W) 8GA 002 073-241
95	09/87->01/98	2VD 008 204-171	1	<b>Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b>
		2VP 008 204-161	1	<b>Combination rearlight, left/right, with rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b>
				Ⓔ4 3178 Ⓔ4 4060
				Ⓔ4 9808 Ⓔ4 9810
		9EL 152 889-001	1	<b>Spare Parts:</b> Lens with screws
				3x24V5W (R5W) 8GA 002 071-241
				4x24V21W (P21W) 8GA 002 073-241





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>DAF</b>				
95 XF 95 XF	01/97->09/02	 1AG 007 660-091  1AG 007 660-101  9ES 147 315-005 9ES 147 316-005 9HD 121 297-001	1 1 1 1 5	<b>H4 headlight, left, for vehicles with or without headlight leveller, with bulbs</b> <b>H4 headlight, right, for vehicles with or without headlight leveller, with bulbs</b> (E1) 354 left (E1) 355 right <b>Spare Parts:</b> Lens, left Lens, right Cap  1x24V75/70W (H4) 8GJ 002 525-251  1x24V5W (W5W) 8GP 003 594-251
95 XF	01/97->09/02	 9BG 147 497-002  9BG 147 498-002	1 1	<b>H1 fog light/H3 spotlight, with bulbs, spare parts available only</b> (E1) 518 <b>Spare Parts:</b> Body with headlight unit and bulbs, left, carrier frame is not part of scope of supply Body with headlight unit and bulbs, right, carrier frame is not part of scope of supply  1x24V70W (H1) 8GH 002 089-251  1x24V70W (H3) 8GH 002 090-251
95 XF	01/97->09/02	 2BA 005 481-011	1	<b>Indicator light (white) with 24V bulb</b> (E1) 42745  1x24V21W (P21W) 8GA 002 073-241
95 XF	01/97->09/02	 2VD 008 204-251  2VP 008 204-241  9EL 152 889-001	1 1 1	<b>Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b> <b>Combination rearlight, left/right, with rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b> (E4) 3178 (E4) 4060 (E4) 9808 (E4) 9810 <b>Spare Parts:</b> Lens with screws  3x24V5W (R5W) 8GA 002 071-241  4x24V21W (P21W) 8GA 002 073-241



# EvoBus - Iveco




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>EvoBus</b>				
Citaro (O 530) Citaro (O 530)	01/98->	1DL 007 859-011	1	<b>DE-H1 headlight, left, with bulbs</b> <b>DE-H1 headlight, right, with bulbs</b> (E1) 600  2x24V70W (H1) 8GH 002 089-251  1x24V4W (T4W) 8GP 002 067-241
			1DL 007 859-021	
Citaro (O 530)	05/06->	1DL 007 859-051	1	<b>DE-H1 headlight, left, with bulbs</b> <b>DE-H1 headlight, right, with bulbs</b> (E1) 600  2x24V70W (H1) 8GH 002 089-251  1x24V4W (T4W) 8GP 002 067-241
			1DL 007 859-061	
Citaro (O 530)	01/98->	2KA 001 388-097	100	<b>Licence plate light with bulb</b> (E1) 22902  1x24V5W (C5W) 8GM 002 092-241
<b>Iveco</b>				
Daily II Daily II 29 L 9 V, 29 L 10 V, 29 L 11 V, 29 L 12 V, 29 L 13 V, 35 S 9 V, 35 C 9 V, 35 S 10 V, 35 C 10 V, 35 S 11 V, 35 C 11 V, 35 S 12 V, 35 C 12 V, 35 S 13 V, 35 C 13 V, 35 S 15 V, 35 C 15 V, 50 C 11, 50 C 13  Van	05/99->	2SK 008 208-051	1	<b>Combination rearlight, left, with reverse and rear fog light, with bulbs</b> <b>Combination rearlight, right, with reverse and rear fog light, with bulbs</b> (E4) 9500  1x12V5W (R5W) 8GA 002 071-121  1x12V21W (PY21W) 8GA 006 841-121  3x12V21W (P21W) 8GA 002 073-121
			2SK 008 208-061	



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Iveco</b>				
<b>EuroCargo 60 E - 320 E</b>				
EuroCargo 60 E - 320 E 60 E, 65 E, 75 E, 80 E 95 E, 100 E, 120 E 130 E, 135 E, 150 E 170 E, 180 E, 260 E 280 E, 320 E	01/91->	2VD 008 204-191	1	Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector
		2VP 008 204-181	1	Combination rearlight, left/right, with rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector
		9EL 152 889-001	1	Spare Parts: Lens with screws  3x24V5W (R5W) 8GA 002 071-241 4x24V21W (P21W) 8GA 002 073-241
<b>EuroStar LD 190 - LD 440</b>				
EuroStar LD 190 - LD 440	01/93->	2VD 008 204-191	1	Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector
LD 190, LD 240, LD 260 LD 400, LD 440		2VP 008 204-181	1	Combination rearlight, left/right, with rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector
		9EL 152 889-001	1	Spare Parts: Lens with screws  3x24V5W (R5W) 8GA 002 071-241 4x24V21W (P21W) 8GA 002 073-241
<b>EuroTech MH 180 - MT 400</b>				
EuroTech MH 180 - MT 400	01/92->	2VD 008 204-191	1	Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector
MH 180, MH 190, MH 260, MH 400	09/98->	2VP 008 204-181	1	Combination rearlight, left/right, with rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector
MP 180, MP 190, MP 240, MP 400, MP 440	01/92->			Spare Parts: Lens with screws  3x24V5W (R5W) 8GA 002 071-241 4x24V21W (P21W) 8GA 002 073-241
MT 180, MT 190, MT 400	01/92->	9EL 152 889-001	1	





# Iveco - Iveco Magirus




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Iveco</b>				
<b>EuroTrakker MP 190 - MP 410</b> EuroTrakker MP 190 - MP 410 MP 190, MP 260, MP 340, MP 380, MP 410	01/93->	2VD 008 204-191 2VP 008 204-181 9EL 152 889-001	1 1 1	<b>Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b> <b>Combination rearlight, left/right, with rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b> Ⓔ 3179 Ⓔ 4060 Ⓔ 9809 Ⓔ 9810 <b>Spare Parts:</b> Lens with screws 3x24V5W (R5W) 8GA 002 071-241 4x24V21W (P21W) 8GA 002 073-241
<b>Stralis</b> Stralis	02/02->	2VD 008 204-191 2VP 008 204-181 9EL 152 889-001	1 1 1	<b>Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b> <b>Combination rearlight, left/right, with rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b> Ⓔ 3179 Ⓔ 4060 Ⓔ 9809 Ⓔ 9810 <b>Spare Parts:</b> Lens with screws 3x24V5W (R5W) 8GA 002 071-241 4x24V21W (P21W) 8GA 002 073-241
<b>Turbo Star</b> Turbo Star		1ND 003 590-001 1FD 003 590-017 1FD 124 291-001	1 98 1	<b>H3 fog light</b> Ⓔ 8361 <b>H3 spotlight</b> Ⓔ 24556 <b>Spare Parts:</b> Light unit 1x24V70W (H3) 8GH 002 090-251
<b>Iveco Magirus</b>				
<b>M 2000</b> M 2000	09/79->12/82	1AG 002 343-101 9AG 122 798-005	1 1	<b>H4 headlight</b> Ⓔ 26 <b>Spare Parts:</b> Lens-retaining rim with lens and adjustment device 1x24V75/70W (H4) 8GJ 002 525-251 1x24V4W (T4W) 8GP 002 067-241



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Iveco Magirus</b>				
M 2000 M 2000	09/79->12/82	2SA 003 236-041  2DA 003 236-031  9EL 119 544-031	1  1  4	<b>Rear light</b> (E1) 11591 1x24V5W (R5W) 8GA 002 071-241  <b>Stop light</b> (E1) 240  <b>Spare Parts:</b> Lens 1x24V21W (P21W) 8GA 002 073-241
M 2000	09/79->12/82	2BA 003 236-021  9EL 119 544-021	1  4	<b>Indicator light</b> (E1) 32764  <b>Spare Parts:</b> Lens (supplies limited) 1x24V21W (P21W) 8GA 002 073-241
M 2000	09/79->12/82	2NE 003 236-001  9EL 119 544-001 9DX 119 545-011	1  4 2	<b>Rear fog light</b> (e1) 18 411  <b>Spare Parts:</b> Lens Reflector 1x24V21W (P21W) 8GA 002 073-241
M 2000	09/79->12/82	2ZR 003 236-051  9EL 119 544-111 9DX 119 545-051	1  4 2	<b>Reverse light</b> (E1) 8728  <b>Spare Parts:</b> Lens Reflector 1x24V21W (P21W) 8GA 002 073-241






Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Iveco Magirus</b>				
<b>75-9 A - 160 M13 FS</b>		<b>2BA 003 022-001</b>	1	<b>Indicator light, with lead</b>
75-9 A - 160 M13 FS (MK-series)	09/75->	<b>2BA 003 022-021</b>	1	<b>Indicator light, without lead</b>
				(E1) 32719
		9EL 116 907-001	1	<b>Spare Parts:</b> Lens
		9FT 117 109-007	1	Bulb holder
				 1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241
<b>80-13 A - 160 M13 FS (MK-series)</b>	09/75->	<b>2SE 002 578-701</b>	2	<b>Combination rearlight with licence plate light (supplies limited)</b>
80-13 A, AT	01/83->07/84			(E17) 9401
80-13 AH	01/83->			<b>Spare Parts:</b> Body/lens with screws (supplies limited)
80-16 A	01/83->07/84	9EL 146 491-001	2	 1x12V10W (R10W) 8GA 002 071-131  1x24V10W (R10W) 8GA 002 071-251  2x12V21W (P21W) 8GA 002 073-121  2x24V21W (P21W) 8GA 002 073-241
90 M7 FK, FL, 90 M8 FK, FL, FS, 90 M9 FL	09/75->12/82			
90-13 A, AT	01/83->07/84			
90-13 AH	01/83->			
110-13 A	01/83->07/84			
110-13 AH	01/83->			
110-16 A, AT	01/83->07/84			
110-16 AH	01/83->			
130 M8 FK, FL, FS, 130 M9 FK, FL, FS, 130 M11 FK, FL, 130 M13 FK, FL	09/75->12/82			
130-13 A	01/83->07/84			
130-13 AH	01/83->			
130-16 A, AT	01/83->07/84			
130-16 AH	01/83->			
160 M11 FK, FL, FS, 160 M13 FK, FL, FS	09/75->12/82			
				





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Iveco Magirus</b>				
<b>120-13 ANW - 330-30 ANW</b>		<b>1AG 002 343-101</b>	1	<b>H4 headlight</b>
120-13 ANW - 330-30 ANW (P/PA-series)	01/83->			(E4) 26
120-13 ANW 120-16 ANW 150-16 AN, ANW 160-23 ANW 190-25 AN, ANW, ANT	01/83->	9AG 122 798-005	1	<b>Spare Parts:</b> Lens-retaining rim with lens and adjustment device
190-30 N, NT	05/86->			1x24V75/70W (H4) 8GJ 002 525-251
260-25 AN, ANW	01/83->			1x24V4W (T4W) 8GP 002 067-241
330-30 AN, ANW	05/86->			
<b>120-13 ANW - 330-30 ANW (P/PA-series)</b>		<b>1AG 003 434-137</b>	1	<b>H4 headlight</b>
120-13 ANW 120-16 ANW 150-16 AN, ANW 160-23 ANW 190-25 AN, ANW, ANT	01/83->			(E1) 24496 (E1) 24540
190-30 N, NT	05/86->	9ES 120 743-001	2	<b>Spare Parts:</b> Lens
260-25 AN, ANW	01/83->	9DE 122 850-005	2	Reflector
330-30 AN, ANW	05/86->	9HD 121 297-001	5	Cap
				1x24V75/70W (H4) 8GJ 002 525-251
				1x24V4W (T4W) 8GP 002 067-241
<b>120-13 ANW - 330-30 ANW (P/PA-series)</b>		<b>2BA 003 022-001</b> <b>2BA 003 022-021</b>	1 1	<b>Indicator light, with lead</b> <b>Indicator light, without lead</b>
	01/83->			(E1) 32719
		9EL 116 907-001	1	<b>Spare Parts:</b> Lens
		9FT 117 109-007	1	Bulb holder
				1x24V21W (P21W) 8GA 002 073-241




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Iveco Magirus</b>				
<b>120-13 ANW - 330-30 ANW</b>		<b>2SE 001 699-071</b>	1	<b>Combination rearlight, left, with licence plate light</b> <b>Combination rearlight, right, without licence plate light</b> (E1) 196 (E1) 43332  <b>Spare Parts:</b> Lens with screws Grommet  1x24V10W (R10W) 8GA 002 071-251 2x24V21W (P21W) 8GA 002 073-241
120-13 ANW - 330-30 ANW (P/PA-series)	01/83->	2SD 001 699-061	1	
120-13 ANW 120-16 ANW 150-16 AN, ANW 160-23 ANW 190-25 AN, ANT, ANW	01/83->	9EL 109 139-001 9GT 074 132-001	2 10	
190-30 N, NT	05/86->			
260-25 AN, ANW	01/83->			
330-30 AN, ANW	05/86->			
				
<b>120-13 ANW - 330-30 ANW (P/PA-series)</b>		<b>2SE 003 167-031</b>	1	<b>Combination rearlight, left, with licence plate light</b> <b>Combination rearlight, right, without licence plate light</b> (E1) 264  <b>Spare Parts:</b> Lens with screws Seal  1x24V10W (R10W) 8GA 002 071-251 2x24V21W (P21W) 8GA 002 073-241
120-13 ANW 120-16 ANW 150-16 AN, ANW 160-23 ANW 190-25 AN, ANT, ANW	01/83->	2SD 003 167-021	1	
190-30 N, NT	05/86->	9EL 147 747-001 9GD 087 883-355	1 10	
260-25 AN, ANW	01/83->			
330-30 AN, ANW	05/86->			
				
<b>120-13 ANW - 330-30 ANW (P/PA-series)</b>		<b>2JA 001 357-002</b> <b>2JA 001 357-012</b>	6 6	
	01/83->			
				





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Iveco Magirus</b>				
<b>130 D - 310 D (P/PA-series)</b>		<b>1AG 002 343-101</b>	1	<b>H4 headlight</b>
130 D - 310 D (P/PA-series)	01/71->12/82			Ⓔ4 26
130 D 12 AK 130 D 15 K, AK 160 D 12 AK 160 D 15 K, AK 170 D 12 AK 170 D 15 K, AK 230 D 16 AK 230 D 22 AK 230 D 26 AK 232 D 16 AK 232 D 26 K, AK 256 D 16 K, AK 256 D 26 K, AK 270 D 16 K, AK, S 310 D 16 K, AK, S 310 D 26 K, AK, AS		9AG 122 798-005	1	<b>Spare Parts:</b> Lens-retaining rim with lens and adjustment device
				 1x24V75/70W (H4) 8GJ 002 525-251  1x24V4W (T4W) 8GP 002 067-241
<b>130 D - 310 D (P/PA-series)</b>		<b>1AG 003 434-137</b>	1	<b>H4 headlight</b>
130 D - 310 D (P/PA-series)	01/71->12/82			Ⓔ1 24496 Ⓔ1 24540
130 D 12 AK 130 D 15 K, AK 160 D 12 AK 160 D 15 K, AK 170 D 12 AK 170 D 15 K, AK 230 D 16 AK 230 D 22 AK 230 D 26 AK 232 D 16 AK 232 D 26 K, AK 256 D 16 K, AK 256 D 26 K, AK 270 D 16 K, AK, S 310 D 16 K, AK, S 310 D 26 K, AK, AS		9ES 120 743-001 9DE 122 850-005 9HD 121 297-001	2 2 5	<b>Spare Parts:</b> Lens Reflector Cap
				 1x24V75/70W (H4) 8GJ 002 525-251  1x24V4W (T4W) 8GP 002 067-241




Manufacturer Model	Model year	Part no.	Pk.	Note	
<b>Iveco Magirus</b>					
<b>130 D - 310 D (P/PA-series)</b>					
130 D - 310 D (P/PA-series)	01/71->12/82	2BA 003 022-001 2BA 003 022-021	1 1	Indicator light, with lead Indicator light, without lead	
		9EL 116 907-001 9FT 117 109-007	1 1	(E1) 32719  <b>Spare Parts:</b> Lens Bulb holder   1x24V21W (P21W) 8GA 002 073-241	
		<b>130 D - 310 D (P/PA-series)</b>		01/71->12/82	2SE 001 699-071 2SD 001 699-061
130 D 12 AK 130 D 15 AK, K 160 D 12 AK 160 D 15 AK, K 170 D 12 AK 170 D 15 AK, K 230 D 16 AK 230 D 22 AK 230 D 26 AK 232 D 16 AK 232 D 26 AK, K 256 D 16 AK, K 256 D 26 AK, K 270 D 16 AK, K, S 310 D 16 AK, K, S 310 D 26 AK, AS, K			9EL 109 139-001 9GT 074 132-001	2 10	<b>Spare Parts:</b> Lens with screws Grommet   1x24V10W (R10W) 8GA 002 071-251  2x24V21W (P21W) 8GA 002 073-241






Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Iveco Magirus</b>				
<b>130 D 9 FL - 340 D 22</b>		<b>2SD 001 699-061</b>	<b>1</b>	<b>Combination rearlight</b>
130 D 9 FL - 340 D 22 (Forward-control vehicles)	05/73->			(E1) 196 (E1) 43332  <b>Spare Parts:</b> Lens with screws Grommet   1x24V10W (R10W) 8GA 002 071-251  2x24V21W (P21W) 8GA 002 073-241
130 D 9 FL, 130 D 11 FL, 130 D 14 FL, 130 D 16 FL, FLL, 160 D 11 FL	01/75->	9EL 109 139-001 9GT 074 132-001	2 10	
160 D 16 FL	05/73->			
170 D 11 FL	01/75->			
170 D 14 FL, FS, 170 D 15 FAK, FK	05/73->			
170 D 16 FL, 170 D 19 FL, 232 D 13 FL	01/75->			
232 D 15 FAK, FK, FLL, 232 D 15,5 FL, FLL, FS	05/73->			
232 D 16 FL, 232 D 19 FAK, FK, FL, 232 D 22 FAK, FK, FL, 256 D 16 FL, 256 D 22 FLL, 270 D 16 FK, FL, FLL, 270 D 22 FAK, FL, FLL, 270 D 26 FAK	01/75->			
310 D 16 FS, FSL, 310 D 16 FAK, FK	05/73->			
310 D 16 FL, FLL, 310 D 19 FL, FS	01/75->			
310 D 22 FAK, FSL	05/73->			
310 D 22 FL, FLL, FS	01/75->			
310 D 26 FK	05/73->			
340 D 16 FL, FLL, 340 D 22 FL, FLL	01/75->			
				
<b>130 D 9 FL - 340 D 22</b> (Forward-control vehicles)	05/73->	<b>2KA 001 386-231</b>	<b>2</b>	<b>Licence plate light</b>
				(E1) 12820  <b>Spare Parts:</b> Body with lens Grommet   1x12V5W (C5W) 8GM 002 092-121
		9BG 101 230-001 9GT 005 166-001	2 10	
				





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Iveco Magirus</b>				
<b>130 L 81 - 230 R 120</b> 130 L 81 - 230 R 120 130 L 81, R 81 160 R 81 170 R 100, TR 100 200 R 100, TR 100 230 R 120	10/77->12/79 12/68->09/79	9ES 094 588-001 9GD 094 601-001  <b>1AE 001 103-031</b> <b>1AE 001 103-041</b>  9ES 116 061-005 9ES 116 062-005 9GD 094 601-001 9DE 116 065-001 9DE 116 066-001	6 10  1 1  5 5 10 1 1	<b>Headlight, spare parts available only</b> (E1) 4489 left (E1) 4490 right <b>Spare Parts:</b> Lens, right Seal 1x24V55/50W (R2) 8GD 002 088-251 1x24V4W (T4W) 8GP 002 067-241  <b>H4 headlight, left</b> <b>H4 headlight, right</b> (E1) 14579 left (E1) 14580 right <b>Spare Parts:</b> Lens, left Lens, right Seal Reflector, left Reflector, right 1x24V75/70W (H4) 8GJ 002 525-251 1x24V4W (T4W) 8GP 002 067-241
<b>130 L 81 - 160 R 81</b>	10/77->12/79	 9EL 110 737-001 9EL 110 736-001	2 2	<b>Indicator light, spare parts available only</b> (E1) 32617 <b>Spare Parts:</b> Lens, left Lens, right 1x24V21W (P21W) 8GA 002 073-241
<b>130 L 81 - 160 R 81</b> 130 L 81, 130 R 81, 160 R 81	10/77->12/79	<b>2SD 001 693-011</b>  9GT 074 132-001	1  10	<b>Combination rearlight</b> (E1) 31436 (E1) 53234 <b>Spare Parts:</b> Grommet 1x24V10W (R10W) 8GA 002 071-251 2x24V21W (P21W) 8GA 002 073-241













Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Kässbohrer</b>				
<b>Setra S 80 - S 150</b> Setra S 80 - S 150 -->09/76 		<b>2PF 001 638-011</b>  9EL 107 443-011 9GD 082 716-001  9GD 100 140-001	2  2 10 10	<b>Side light</b> (E1) 11779  <b>Spare Parts:</b> Body/lens with screw Base for flat surfaces (to be ordered separately) Base for curved surfaces (to be ordered separately)  1x24V5W (R5W) 8GA 002 071-241
<b>Setra S 80 - S 150</b>  -->12/74 		<b>2BA 001 221-031</b> <b>2BA 001 221-041</b>  9EL 110 013-001 9EL 110 014-001	4 4  4 4	<b>Indicator light, left</b> <b>Indicator light, right</b> (E1) 32611  <b>Spare Parts:</b> Lens with screws, left Lens with screws, right  1x24V21W (P21W) 8GA 002 073-241
<b>Setra S 80 - S 150</b>  01/75->09/76 		<b>2BA 001 277-011</b> <b>2BA 001 277-021</b>	1 1	<b>Indicator light, left</b> <b>Indicator light, right</b> (E1) 22796  1x24V21W (P21W) 8GA 002 073-241
<b>Setra S 80 - S 150</b> -->09/76 		<b>2SA 001 638-021</b>  9EL 107 443-061 9GD 082 716-001  9GD 100 140-001	2  2 10 10	<b>Side light</b> (E1) 31450  <b>Spare Parts:</b> Body/lens with screw Base for flat surfaces (to be ordered separately) Base for curved surfaces (to be ordered separately)  1x24V5W (W5W) 8GP 003 594-251
<b>Setra S 80 - S 150</b>  -->09/76 		<b>2JA 001 205-081</b>	10	<b>Interior light</b>  1x24V5W (C5W) 8GM 002 092-241




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Kässbohrer</b>				
Setra S 200 Setra S 200	09/80->		1NB 003 367-091	1 H3 fog light E1 8345
			1FB 003 367-001	1 H3 spotlight E1 24470  1x24V70W (H3) 8GH 002 090-251
Setra S 200	10/76->		2PF 001 638-011	2 Side light E1 11779 <b>Spare Parts:</b> 2 Body/lens with screw 10 Base for flat surfaces (to be ordered separately) 10 Base for curved surfaces (to be ordered separately)  1x24V5W (R5W) 8GA 002 071-241
Setra S 200	10/76->		2ZR 002 694-001	1 Door light with bulb E1 8708 <b>Spare Parts:</b> 2 Lens  1x24V21W (P21W) 8GA 002 073-241
Setra S 200	10/76->		2BM 002 847-097 2BM 002 847-107	72 Auxiliary indicator light, left 72 Auxiliary indicator light, right E1 32692 <b>Spare Parts:</b> 5 Lens  1x24V21W (P21W) 8GA 002 073-241
Setra S 200	01/94->		2PS 006 717-051	8 Side-marker light with reflector (amber) E1 86 E17 378 <b>Spare Parts:</b> 20 Lens  1x24V5W (W5W) 8GP 003 594-251
Setra S 200	10/76->		2SA 001 638-021	2 Side light, for rear mounting E1 31450 <b>Spare Parts:</b> 2 Body/lens with screw 10 Base for flat surfaces (to be ordered separately) 10 Base for curved surfaces (to be ordered separately)  1x24V5W (W5W) 8GP 003 594-251



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Kässbohrer</b>				
Setra S 200 Setra S 200	10/76->	2JA 001 205-081	10	<b>Interior light</b>  1x12V5W (C5W) 8GM 002 092-121
				
Setra S 200	01/85->	2AB 004 532-051	5	<b>Reading light, with 28V xenon bulb</b>
		9EL 128 922-011	10	<b>Spare Parts:</b> Lens (red) (to be ordered separately)  1x28V7,5W (-) 8GP 008 285-001 (Xenon)
Setra S 300 Setra S 300	09/91->	2PF 001 647-067	80	<b>Side light</b>  21693  1x24V10W (R10W) 8GA 002 071-251
				
Setra S 300	09/91->	2BM 002 847-097 2BM 002 847-107	72 72	<b>Auxiliary indicator light, left</b> <b>Auxiliary indicator light, right</b>  32692
		9EL 115 830-001	5	<b>Spare Parts:</b> Lens  1x24V21W (P21W) 8GA 002 073-241
Setra S 300	01/94->	2PS 006 717-051	8	<b>Side-marker light with reflector (amber)</b>  86  378
		9EL 141 135-031	20	<b>Spare Parts:</b> Lens  1x24V5W (W5W) 8GP 003 594-251
Setra S 300	09/91->	2JA 001 205-081	10	<b>Interior light</b>  1x24V5W (C5W) 8GM 002 092-241
				
Setra S 300	09/91->	2JA 006 447-251	1	<b>Interior light</b>  1x24V10W (R10W) 8GA 002 071-251  1x24V21W (P21W) 8GA 002 073-241
				





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Kässbohrer</b>				
<b>Setra S 300 NC</b> Setra S 300 NC Low-level-entry bus	09/91->	1BL 005 380-011 1BL 005 380-021	1 1	<b>DE-H1 dipped-beam unit, left</b> <b>DE-H1 dipped-beam unit, right</b> (E1) 7402 (E1) 21690  1x24V70W (H1) 8GH 002 089-251  1x24V4W (T4W) 8GP 002 067-241
<b>Setra S 300 NC</b> Low-level-entry bus	09/91->	1KB 006 277-051	1	<b>H1 spotlight unit</b> (E1) 24504  1x24V70W (H1) 8GH 002 089-251
<b>Setra S 300 NC</b> Low-level-entry bus	09/91->	1NL 005 987-001	1	<b>DE-H3 fog light unit with bulb</b> (E1) 18201  1x24V70W (H3) 8GH 002 090-251
<b>Setra S 300 NC</b> Low-level-entry bus	09/91->	2BM 002 847-097 2BM 002 847-107  9EL 115 830-001	72 72  5	<b>Auxiliary indicator light, left</b> <b>Auxiliary indicator light, right</b> (E1) 32692 <b>Spare Parts:</b> Lens  1x24V21W (P21W) 8GA 002 073-241
<b>Setra S 300 NC</b> Low-level-entry bus	01/94->	2PS 006 717-051  9EL 141 135-031	8  20	<b>Side-marker light with reflector (amber)</b> (E1) 86 (E17) 378 <b>Spare Parts:</b> Lens  1x24V5W (W5W) 8GP 003 594-251




# Kässbohrer - MAN



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Kässbohrer</b>				
<b>Setra S 300 NC</b> Setra S 300 NC Low-level-entry bus	09/91->	2SA 003 236-041	1	<b>Rear light</b> (E1) 11591  1x24V5W (R5W) 8GA 002 071-241
		2BA 003 236-088	24	<b>Indicator light</b>
		9EL 119 543-082	4	<b>Spare Parts:</b> Lens  1x24V21W (P21W) 8GA 002 073-241
<b>MAN</b>				
<b>EL 202</b> EL 202		1AG 003 434-251	1	<b>H4 headlight, suitable for headlight leveller</b> (E1) 24496 (E1) 24540 <b>Spare Parts:</b> 2 Lens 2 Reflector 70 Cap  1x24V75/70W (H4) 8GJ 002 525-251  1x24V4W (T4W) 8GP 002 067-241
<b>EL 202</b>		9ES 120 743-001 9DE 132 750-015 9HD 121 297-035	2SD 003 167-531 2SD 003 167-541	1 1
<b>EL 202</b>		2KA 003 389-081	1	<b>Licence plate light</b> (E1) 22819 <b>Spare Parts:</b> 2 Body/lens with screw  1x24V10W (R10W) 8GA 002 071-251
		9BG 121 587-031	2	




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>MAN</b>				
<b>Lion's Family</b> Lion's Family Lion's Comfort Lion's Star FRH 422		1BL 005 740-091 1BL 005 740-101	1 1	<b>DE-H1 dipped-beam unit, left</b> <b>DE-H1 dipped-beam unit, right</b> (E1) 7414  1x24V70W (H1) 8GH 002 089-251  1x24V4W (T4W) 8GP 002 067-241
				
<b>Lion's Family</b> Lion's Comfort Lion's Star FRH 422		1FE 005 478-011 1FE 005 478-021	1 1	<b>H1 spotlight unit, left</b> <b>H1 spotlight unit, right</b> (E1) 44408 (E1) 34517  1x24V70W (H1) 8GH 002 089-251
				
<b>Lion's Family</b> Lion's Coach FRH 353 Lion's Comfort Lion's Star FRH 422		1NL 004 840-081	1	<b>DE-H3 fog light</b> (E1) 18212  1x24V70W (H3) 8GH 002 090-251
				
<b>Lion's Family</b> Lion's Coach FRH 353 Lion's Comfort Lion's Star FRH 422		2BA 005 603-001	1	<b>Indicator light, for front mounting</b> (E1) 42748  1x24V21W (P21W) 8GA 002 073-241
				
<b>Lion's Family</b> Lion's Coach FRH 353 Lion's Comfort Lion's Star FRH 422		2KA 001 388-051	1	<b>Licence plate light</b> (E1) 22902  1x24V5W (C5W) 8GM 002 092-241
				



**MAN**


Manufacturer Model	Model year	Part no.	Pk.	Note
<b>MAN</b>				
<b>NG 242 - SÜ 240</b> NG 242 - SL 202 NG 242, NG 272 NL 202, NM 152 SG 242, SG 292 SL 202	 07/90->  05/91->  03/88->	<b>1AG 003 434-251</b>  9ES 120 743-001 9DE 132 750-015 9HD 121 297-035	1  2 2 70	<b>H4 headlight, suitable for headlight leveller</b> (E1) 24496 (E1) 24540 <b>Spare Parts:</b> Lens Reflector Cap  1x24V75/70W (H4) 8GJ 002 525-251  1x24V4W (T4W) 8GP 002 067-241
SG 242 - SL 202 SG 242, SG 292, SL 202		<b>1NB 003 367-137</b>	36	<b>H3 fog light</b> (E1) 8345  1x24V70W (H3) 8GH 002 090-251
NG 242 - SÜ 240 NG 242, NG 272, NL 202, NM 152, SG 242, SG 292 SL 200, SL 202, SÜ 240	   07/82->	<b>2SD 003 167-531</b> <b>2SD 003 167-541</b>  9EL 147 747-001 9GD 087 883-355	1 1  1 10	<b>Combination rearlight, left (supplies limited)</b> <b>Combination rearlight, right (supplies limited)</b> (E1) 264 <b>Spare Parts:</b> Lens with screws Seal  1x24V10W (R10W) 8GA 002 071-251  2x24V21W (P21W) 8GA 002 073-241
NG 242 - SL 202 NG 242, NG 272 SG 242, SG 292, SL 202	 09/91->	<b>2KA 003 010-007</b>  9EL 075 826-001	1  10	<b>Licence plate light</b> (E1) 12809 <b>Spare Parts:</b> Lens with screws (supplies limited)  2x24V5W (R5W) 8GA 002 071-241




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>MAN</b>				
<b>NG 242 - SÜ 240</b> SG 242 - SL 202 SG 242, SG 292 SL 202	02/86->	2KA 003 389-081  9BG 121 587-031	1  2	<b>Licence plate light</b> (E1) 22819 <b>Spare Parts:</b> Body/lens with screw 1x24V10W (R10W) 8GA 002 071-251
<b>ÜL 242, ÜL 292, Bus VÖV</b> ÜL 242, ÜL 292 Bus VÖV		1NB 003 367-137	36	<b>H3 fog light</b> (E1) 8345 1x24V70W (H3) 8GH 002 090-251
<b>ÜL 313/353</b> ÜL 313/353		1BL 005 740-091 1BL 005 740-101	1 1	<b>DE-H1 dipped-beam unit, left</b> <b>DE-H1 dipped-beam unit, right</b> (E1) 7414 1x24V70W (H1) 8GH 002 089-251 1x24V4W (T4W) 8GP 002 067-241
<b>ÜL 313/353</b>		1FE 005 478-011 1FE 005 478-021	1 1	<b>H1 spotlight unit, left</b> <b>H1 spotlight unit, right</b> (E1) 44408 (E1) 34517 1x24V70W (H1) 8GH 002 089-251
<b>ÜL 313/353</b>		1NL 004 840-081	1	<b>DE-H3 fog light</b> (E1) 18212 1x24V70W (H3) 8GH 002 090-251

**MAN**

Manufacturer Model	Model year	Part no.	Pk.	Note
<b>MAN</b>				
ÜL 313/353 ÜL 313/353		2BA 005 603-001	1	Indicator light, for front mounting  E1 42748  1x24V21W (P21W) 8GA 002 073-241
				
ÜL 313/353		2KA 001 388-051	1	Licence plate light  E1 22902  1x24V5W (C5W) 8GM 002 092-241
				
750 HO-M - 890 VO-M 750 HO-M - 890 VO-M 750 HO-M, 750 HO-SL, 890 VG-Ü, 890 VO-M		9ES 091 183-001 9DR 080 691-011 9DR 080 700-011	5 1 1	Headlight, spare parts available only  E1 4466 E1 4470  Spare Parts: Lens, right Reflector, left Reflector, right   1x24V55/50W (R2) 8GD 002 088-251  1x24V4W (T4W) 8GP 002 067-241
				
8.103 - 12.225 (L 2000) 8.103 - 12.225 (L 2000-series)	10/93->	2BA 007 839-001	1	Indicator light  E12 6101  1x24V21W (P21W) 8GA 002 073-241
				
8.103 - 12.225 (L 2000-series)	10/93->	2BM 006 692-011 2BM 006 692-021	1 1	Auxiliary indicator light, left Auxiliary indicator light, right  E1 52621  1x24V21W (P21W) 8GA 002 073-241
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>MAN</b>				
<b>8.103 - 12.225 (L 2000)</b>		<b>2VD 008 204-051</b>	1	<b>Combination rearlight, left, with licence plate, rear fog, reverse and clearance light, with reflex-reflector and centre plug</b>
8.103 - 12.225 (L 2000-series)	10/93->08/00	<b>2VP 008 204-041</b>	1	<b>Combination rearlight, left/right, with rear fog, reverse and clearance light, with reflex-reflector and centre plug</b>
8.103, 8.113, 8.150, 8.153, 8.163, 8.220, 8.223, 8.224		<b>2VD 008 204-071</b>	1	<b>Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector, marker reflex-reflector and centre plug</b>
9.153, 9.163, 9.223, 9.224		<b>2VP 008 204-061</b>	1	<b>Combination rearlight, left/right, with rear fog, reverse, clearance light, side-marker light, with reflex-reflector, marker reflex-reflector and centre plug</b>
10.150, 10.153, 10.163, 10.220, 10.223, 10.224				(E4) 3178 (E4) 4060 (E4) 9808 (E4) 9810
12.225		<b>9EL 152 889-001</b>	1	<b>Spare Parts:</b> Lens with screws 3x24V5W (R5W) 8GA 002 071-241 4x24V21W (P21W) 8GA 002 073-241
				
<b>8.103 - 12.225 (L 2000-series)</b>	10/03->	<b>2XS 005 020-041</b>	10	<b>Clearance light (red)</b>
		<b>9EL 132 215-011</b>	2	<b>Spare Parts:</b> Body/lens with screws 1x24V4W (T4W) 8GP 002 067-241
				
<b>7.150 - 12.240 (TGL)</b>		<b>2KA 003 389-081</b>	1	<b>Licence plate light</b>
7.150 - 12.240 (TGL)	04/05->	<b>9BG 121 587-031</b>	2	<b>Spare Parts:</b> Body/lens with screw 1x24V10W (R10W) 8GA 002 071-251
				
<b>7.150 - 12.240 (TGL)</b>	04/05->	<b>2XS 005 020-041</b>	10	<b>Clearance light (red)</b>
		<b>9EL 132 215-011</b>	2	<b>Spare Parts:</b> Body/lens with screws 1x24V4W (T4W) 8GP 002 067-241
				






**MAN**






Manufacturer Model	Model year	Part no.	Pk.	Note
<b>MAN</b>				
<b>10.136 F (G)</b>	10/79->08/87	<b>1A8 003 060-541</b>	1	<b>Headlight</b>
10.136 F (G-series)		1A8 121 149-001 9GH 116 966-011 9FF 126 444-001	1 10 10	(E1) 14559  <b>Spare Parts:</b> Light unit Cap Bulb socket for side light  1x24V55/50W (R2) 8GD 002 088-251  1x24V4W (T4W) 8GP 002 067-241
		<b>1A8 003 060-551</b>	1	<b>H4 headlight</b> (E1) 14551 (E1) 34495
		1A8 121 150-001 9GH 116 966-011 9FF 126 444-001	1 10 10	<b>Spare Parts:</b> Light unit Cap Bulb socket for side light (to be ordered separately)  1x24V75/70W (H4) 8GJ 002 525-251  1x24V4W (T4W) 8GP 002 067-241
<b>10.136 F, 10.150 F (G, G 90)</b>	10/79->09/93	<b>1G4 004 480-001</b>	1	<b>H3 worklight</b>
10.136 F, 10.150 F (G, G 90-series)		1G4 129 089-011 9XD 130 261-001	2 5	<b>Spare Parts:</b> Light unit Bracket  1x24V70W (H3) 8GH 002 090-251
Large local authority road vehicles				





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>MAN</b>				
<b>10.136 F, 10.150 F (G, G 90)</b>				<b>Combination rearlight available as separate parts only as follows (modular system).</b>
10.136 F, 10.150 F (G, G 90-series)	10/79->91	9BG 130 945-001	2	<b>Body with central plug, left</b>
10.136 F	10/79->08/87	9BG 130 946-001	2	<b>Body with central plug, right</b>
10.150 F	09/87->91			<b>(The existing licence plate window in the body should be closed if not required with cover 9HB 126 601-001)</b>
		9EL 122 689-051	2	<b>Suitable lenses:</b> <b>Lens for rear, reflex-reflector, stop, indicator and reverse light</b>
		9EL 122 689-021	2	<b>Lens for rear, reflex-reflector, stop-indicator, reverse-rear fog light</b>
		9GP 003 995-801	1	<b>Vibration damper set (to be ordered and delivered separately)</b>
				ⓔ4 377 ⓔ4 397 ⓔ4 421
				ⓔ4 3880 ⓔ4 23215
				1x24V10W (R10W) 8GA 002 071-251 4x24V21W (P21W) 8GA 002 073-241
<b>11.136 - 38.320</b>		<b>1AG 002 343-101</b>	<b>1</b>	<b>H4 headlight</b>
11.136 - 38.320	09/69->			ⓔ4 26
11.136, 13.136, 13.168, 14.168, 14.192, 15.168, 15.192, 15.240, 16.168, 16.192, 16.240, 19.192, 19.240, 19.280, 19.320, 22.240, 22.280, 22.320, 26.240, 26.280, 26.320, 30.240, 32.320, 38.320		9AG 122 798-005	1	<b>Spare Parts:</b> Lens-retaining rim with lens and adjustment device
				1x24V75/70W (H4) 8GJ 002 525-251
				1x24V4W (T4W) 8GP 002 067-241
<b>11.136 - 38.320</b>	09/69->	<b>2PF 001 647-031</b>	<b>4</b>	<b>Side light</b>
for forward-control vehicles				ⓔ1 11780
				1x24V10W (R10W) 8GA 002 071-251

**MAN**

Manufacturer Model	Model year	Part no.	Pk.	Note
<b>MAN</b>				
<b>11.136 - 38.320</b>		<b>2SE 001 699-071</b>	1	<b>Combination rearlight, left, with licence plate light</b>
<b>11.136 - 38.320</b>	09/69->	<b>2SD 001 699-061</b>	1	<b>Combination rearlight, right, without licence plate light</b>
11.136, 13.136, 13.168, 14.168, 14.192, 15.168, 15.192, 15.240, 16.168, 16.192, 16.240, 19.192, 19.240, 19.280, 19.320, 22.240, 22.280, 22.320, 26.240, 26.280, 26.320, 30.240, 32.320, 38.320		9EL 109 139-001 9GT 074 132-001	2 10	<b>Spare Parts:</b> Lens with screws Grommet
				(E1) 196 (E1) 43332 1x24V10W (R10W) 8GA 002 071-251 2x24V21W (P21W) 8GA 002 073-241
<b>12.163 - 18.285 (M 2000 L)</b>		<b>2BA 007 839-001</b>	1	<b>Indicator light</b>
<b>12.163 - 18.285 (M 2000 L-series) with compact cab</b>	08/95->			(E12) 6101 1x24V21W (P21W) 8GA 002 073-241
				
<b>12.163 - 18.284 (M 2000 L-series)</b>	08/95->	<b>2VD 008 204-051</b>	1	<b>Combination rearlight, left, with licence plate, rear fog, reverse and clearance light, with reflex-reflector and centre plug</b>
<b>12.163, 12.224, 12.284</b>		<b>2VP 008 204-041</b>	1	<b>Combination rearlight, left/right, with rear fog, reverse and clearance light, with reflex-reflector and centre plug</b>
<b>14.163, 14.224, 14.264, 14.284</b>		<b>2VD 008 204-071</b>	1	<b>Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector, marker reflex-reflector and centre plug</b>
<b>15.163, 15.224, 15.264, 15.284</b>		<b>2VP 008 204-061</b>	1	<b>Combination rearlight, left/right, with rear fog, reverse, clearance light, side-marker light, with reflex-reflector, marker reflex-reflector and centre plug</b>
<b>18.224, 18.263, 18.264, 18.284</b>		9EL 152 889-001	1	<b>Spare Parts:</b> Lens with screws
				(E4) 3178 (E4) 4060 (E4) 9808 (E4) 9810 3x24V5W (R5W) 8GA 002 071-241 4x24V21W (P21W) 8GA 002 073-241




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>MAN</b>				
<b>14.224 - 25.264 (M 2000 M)</b>		<b>1D3 009 027-011</b>	1	<b>H7 headlight, left, with indicator light, without headlight leveller, with bulbs</b>
14.224 - 25.264 (M 2000-series)	08/95->	<b>1D3 009 027-021</b>	1	<b>H7 headlight, right, with indicator light, without headlight leveller, with bulbs</b>
14.224, 14.264, 14.284				Ⓔ 8042
18.224, 18.264, 18.284				2x24V70W (H7) 8GH 007 157-241
25.224, 25.264				1x24V5W (W5W) 8GP 003 594-251
				1x24V21W (P21W) 8GA 002 073-241
				
<b>14.224 - 25.264 (M 2000-series)</b>	08/95->	<b>2VD 008 204-051</b>	1	<b>Combination rearlight, left, with licence plate, rear fog, reverse and clearance light, with reflex-reflector and centre plug</b>
14.224, 14.264, 14.284		<b>2VP 008 204-041</b>	1	<b>Combination rearlight, left/right, with rear fog, reverse and clearance light, with reflex-reflector and centre plug</b>
18.224, 18.264, 18.284		<b>2VD 008 204-071</b>	1	<b>Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector, marker reflex-reflector and centre plug</b>
25.224, 25.264		<b>2VP 008 204-061</b>	1	<b>Combination rearlight, left/right, with rear fog, reverse, clearance light, side-marker light, with reflex-reflector, marker reflex-reflector and centre plug</b>
				Ⓔ 3178 Ⓔ 4060
				Ⓔ 9808 Ⓔ 9810
		<b>9EL 152 889-001</b>	1	<b>Spare Parts:</b> Lens with screws
				3x24V5W (R5W) 8GA 002 071-241
				4x24V21W (P21W) 8GA 002 073-241





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>MAN</b>				
<b>12.136 - 48.321 (F8, F9)</b>		<b>2VP 003 567-111</b>	1	<b>Combination rearlight, left, with reverse and rear fog light</b>
12.136 - 48.321 (F8, F9-series)	->12/83	<b>2VP 003 567-121</b>	1	<b>Combination rearlight, right, with reverse and rear fog light</b>
12.136, 12.170, 12.192				(E4) 377 (E4) 397 (E4) 421
14.170, 14.192, 14.220				(E4) 3880 (E4) 23215
15.168, 15.192, 15.220, 15.240		9EL 122 689-021	2	<b>Spare Parts:</b> Lens with screws
16.136, 16.168, 16.170, 16.192, 16.220, 16.240		9GT 074 132-001	10	Grommet (to be ordered separately)
17.136, 17.170, 17.192, 17.220, 17.240		9GP 003 995-801	1	Vibration damper set (to be ordered separately)
19.240, 19.281, 19.291, 19.321, 19.331, 19.361				1x24V10W (R10W) 8GA 002 071-251 4x24V21W (P21W) 8GA 002 073-241
20.281, 20.321, 20.361				
22.192, 22.220, 22.240, 22.281, 22.291, 22.321, 22.331, 22.361				
26.240, 26.281, 26.291, 26.321, 26.331, 26.361, 26.365				
30.281, 30.291, 30.321, 30.331				
32.240, 32.281, 32.291, 32.321, 32.331, 32.361, 32.365				
40.365, 40.400, 48.321				
48.321				






MAN



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>MAN</b>				
<b>12.136 - 48.321 (F8, F9)</b>				
12.136 - 48.321 (F8, F9-series)	01/84->	9BG 130 945-001 9BG 130 946-001	2 2	Combination rearlight available as separate parts only as follows (modular system).
12.136, 12.170, 12.192				Body with central plug, left Body with central plug, right (The existing licence plate window in the body should be closed if not required with cover 9HB 126 601-001)
14.170, 14.192, 14.220				Suitable lenses:
15.168, 15.192, 15.220, 15.240		9EL 122 689-051	2	Lens for rear, reflex-reflector, stop, indicator and reverse light
16.136, 16.168, 16.170, 16.192, 16.220, 16.240		9EL 122 689-021	2	Lens for rear, reflex-reflector, stop-indicator, reverse-rear fog light
17.136, 17.170, 17.192, 17.220, 17.240		9GP 003 995-801	1	Vibration damper set (to be ordered and delivered separately)
19.240, 19.281, 19.291, 19.321, 19.331, 19.361				ⓔ4 377 ⓔ4 397 ⓔ4 421
20.281, 20.321, 20.361				ⓔ4 3880 ⓔ4 23215
22.192, 22.220, 22.240, 22.281, 22.291, 22.321, 22.331, 22.361				1x24V10W (R10W) 8GA 002 071-251 4x24V21W (P21W) 8GA 002 073-241
26.240, 26.281, 26.291, 26.321, 26.331, 26.361, 26.365				
30.281, 30.291, 30.321, 30.331				
32.240, 32.281, 32.291, 32.321, 32.331, 32.361, 32.365				
40.365, 40.400, 48.321				
48.321				
12.136 - 48.321 (F8, F9-series)		2KA 003 389-081	1	Licence plate light
		9BG 121 587-031	2	ⓔ1 22819
				<b>Spare Parts:</b> Body/lens with screw
				1x24V10W (R10W) 8GA 002 071-251







Manufacturer Model	Model year	Part no.	Pk.	Note
<b>MAN</b>				
<b>12.192 - 24.272 (M 90)</b> 12.192 - 24.272 (M 90-series) 12.192, 12.222, 12.232, 12.262, 12.272 14.152, 14.162, 14.192, 14.222, 14.232, 14.262, 14.272 17.192, 17.232, 17.272 18.192, 18.222, 18.232, 18.262, 18.272 24.192, 24.222, 24.232, 24.262, 24.272	08/88->08/94	<b>1AG 003 434-211</b>  9ES 120 743-001 9DE 132 750-015 9HD 121 297-035	1  2 2 70	<b>H4 headlight, suitable for headlight leveller</b> (E1) 24496 (E1) 24540 <b>Spare Parts:</b> Lens Reflector Cap 1x24V75/70W (H4) 8GJ 002 525-251 1x24V4W (T4W) 8GP 002 067-241
<b>12.192 - 24.272 (M 90-series)</b> Large local authority road vehicles	08/88->	<b>1G4 004 480-001</b>  1G4 129 089-011 9XD 130 261-001	1  2 5	<b>H3 worklight</b> <b>Spare Parts:</b> Light unit Bracket 1x24V70W (H3) 8GH 002 090-251
<b>12.192 - 24.272 (M 90-series)</b>	08/88->09/90	9AG 129 328-001 9DF 112 246-001	7 1	<b>H3 fog light, spare parts available only</b> (E4) 914 <b>Spare Parts:</b> Lens-retaining rim Reflector with lens 1x24V70W (H3) 8GH 002 090-251



MAN



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>MAN</b>				
<b>12.192 - 24.272 (M 90)</b> 12.192 - 24.272 (M 90-series)	10/90->04/93	1NE 006 300-051  1NE 138 555-011 9AG 138 131-011	1  1 5	<b>H3 fog light</b>  (E1) 18231  <b>Spare Parts:</b> Light unit Lens-retaining rim  1x24V70W (H3) 8GH 002 090-251
				
<b>12.192 - 24.272 (M 90-series)</b>	05/93->	1NE 006 300-231  1NE 138 555-011 9AG 138 131-011	1  1 5	<b>H3 fog light</b>  (E1) 18231  <b>Spare Parts:</b> Light unit Lens-retaining rim  1x24V70W (H3) 8GH 002 090-251
				
<b>12.192 - 24.272 (M 90-series)</b>	08/88->	2BA 007 840-001	1	<b>Indicator light</b>  (E12) 6069   1x24V21W (P21W) 8GA 002 073-241
				
<b>12.192 - 24.272 (M 90-series)</b> 12.192, 12.222, 12.232, 12.262, 12.272 14.152, 14.162, 14.192, 14.222, 14.232, 14.262, 14.272 17.192, 17.232, 17.272 18.192, 18.222, 18.232, 18.262, 18.272 24.192, 24.232, 24.272 24.262, 24.272	08/88->91	9BG 130 945-001 9BG 130 946-001  9EL 122 689-051 9EL 122 689-021  9GP 003 995-801	2 2  2 2  1	<b>Combination rearlight available as separate parts only as follows (modular system).</b>  <b>Body with central plug, left</b> <b>Body with central plug, right</b> (The existing licence plate window in the body should be closed if not required with cover 9HB 126 601-001)  <b>Suitable lenses:</b>  <b>Lens for rear, reflex-reflector, stop, indicator and reverse light</b> <b>Lens for rear, reflex-reflector, stop-indicator, reverse-rear fog light</b>  <b>Vibration damper set (to be ordered and delivered separately)</b> (E4) 377 (E4) 397 (E4) 421 (E4) 3880 (E4) 23215   1x24V10W (R10W) 8GA 002 071-251  4x24V21W (P21W) 8GA 002 073-241
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>MAN</b>				
<b>12.192 - 24.272 (M 90)</b> 12.192 - 24.272 (M 90-series)	08/88->91	2KA 003 389-081  9BG 121 587-031	1  2	<b>Licence plate light</b> (E1) 22819 <b>Spare Parts:</b> Body/lens with screw 1x24V10W (R10W) 8GA 002 071-251
<b>12.192 - 24.272 (M 90-series)</b>	08/88->	2XS 005 020-041  9EL 132 215-011	10  2	<b>Clearance light (red)</b> (E1) 31407 <b>Spare Parts:</b> Body/lens with screws 1x24V4W (T4W) 8GP 002 067-241
<b>12.192 - 24.272 (M 90-series)</b>	08/88->	2JA 002 661-028	36	<b>Interior light</b> 2x24V21W (P21W) 8GA 002 073-241



**MAN**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>MAN</b>				
<b>19.242 - 48.462 (F 90)</b>		<b>1AG 003 434-211</b>	1	<b>H4 headlight, suitable for headlight leveller</b>
19.242 - 48.462 (F 90-series)	06/86->12/97			E1 24496 E1 24540
19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502		9ES 120 743-001 9DE 132 750-015 9HD 121 297-035	2 2 70	<b>Spare Parts:</b>
				Lens
				Reflector
				Cap
24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502				 1x24V75/70W (H4) 8GJ 002 525-251
25.272, 25.302, 25.322, 25.372, 25.422, 25.502				 1x24V4W (T4W) 8GP 002 067-241
26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502				
32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422				
33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 33.502				
35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 35.372, 35.402, 35.422				
40.372, 40.402, 40.422, 40.462, 40.502				
41.262, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422				
48.292, 48.332, 48.362, 48.462				
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>MAN</b>				
<b>19.242 - 48.462 (F 90)</b> <b>19.242 - 48.462 (F 90-series)</b> Large local authority road vehicles	06/86->	<b>1G4 004 480-001</b>  1G4 129 089-011 9XD 130 261-001	1  2 5	<b>H3 worklight</b>  <b>Spare Parts:</b> Light unit Bracket   1x24V70W (H3) 8GH 002 090-251
<b>19.242 - 48.462 (F 90-series)</b>	06/86->06/88	9DF 112 246-001	1	<b>H3 fog light, spare parts available only</b>  (E4) 914  <b>Spare Parts:</b> Reflector with lens   1x24V70W (H3) 8GH 002 090-251
<b>19.242 - 48.462 (F 90-series)</b>	07/88->09/90	9AG 129 328-001 9DF 112 246-001	7 1	<b>H3 fog light, spare parts available only</b>  (E4) 914  <b>Spare Parts:</b> Lens-retaining rim Reflector with lens   1x24V70W (H3) 8GH 002 090-251
<b>19.242 - 48.462 (F 90-series)</b>	10/90->04/93	<b>1NE 006 300-051</b>  1NE 138 555-011 9AG 138 131-011	1  1 5	<b>H3 fog light</b>  (E1) 18231  <b>Spare Parts:</b> Light unit Lens-retaining rim   1x24V70W (H3) 8GH 002 090-251



**MAN**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>MAN</b>				
<b>19.242 - 48.462 (F 90)</b> 19.242 - 48.462 (F 90-series)	05/93->12/97	<b>1NE 006 300-231</b>  1NE 138 555-011 9AG 138 131-011	1  1 5	<b>H3 fog light</b> (E1) 18231  <b>Spare Parts:</b> Light unit Lens-retaining rim   1x24V70W (H3) 8GH 002 090-251
<b>19.242 - 48.462</b> (F 90-series)	06/86->12/97	<b>2BA 007 840-001</b>	1	<b>Indicator light</b> (E12) 6069   1x24V21W (P21W) 8GA 002 073-241




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>MAN</b>				
<b>19.242 - 48.462 (F 90)</b>				<b>Combination rearlight available as separate parts only as follows (modular system).</b>
19.242 - 48.462 (F 90-series)	06/86->91	9BG 130 945-001 9BG 130 946-001	2 2	<b>Body with central plug, left</b> <b>Body with central plug, right</b> (The existing licence plate window in the body should be closed if not required with cover 9HB 126 601-001)
19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502				<b>Suitable lenses:</b>
24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502		9EL 122 689-051 9EL 122 689-021	2 2	<b>Lens for rear, reflex-reflector, stop, indicator and reverse light</b> <b>Lens for rear, reflex-reflector, stop-indicator, reverse-rear fog light</b>
25.272, 25.302, 25.322, 25.372, 25.422, 25.502		9GP 003 995-801	1	<b>Vibration damper set (to be ordered and delivered separately)</b>
26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502				Ⓔ 377 Ⓔ 397 Ⓔ 421 Ⓔ 3880 Ⓔ 23215
32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422				1x24V10W (R10W) 8GA 002 071-251 4x24V21W (P21W) 8GA 002 073-241
33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 33.502				
35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 35.372, 35.402, 35.422				
40.372, 40.402, 40.422, 40.462, 40.502				
41.262, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422				
48.292, 48.332, 48.362, 48.462				
<b>19.242 - 48.462 (F 90-series)</b>	06/86->91	<b>2KA 003 389-081</b>  9BG 121 587-031	1  2	<b>Licence plate light</b>  <b>Spare Parts:</b> Body/lens with screw 1x24V10W (R10W) 8GA 002 071-251



MAN



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>MAN</b>				
<b>19.242 - 48.462 (F 90)</b> 19.242 - 48.462 (F 90-series)	06/86->12/97	2XS 005 020-041  9EL 132 215-011	10  2	<b>Clearance light (red)</b>  E1 31407  <b>Spare Parts:</b> Body/lens with screws  1x24V4W (T4W) 8GP 002 067-241
				
<b>19.242 - 48.462 (F 90-series)</b>	06/86->12/97	<b>2JA 002 661-028</b>	36	<b>Interior light</b>  2x24V21W (P21W) 8GA 002 073-241
				
<b>19.233 - 41.463 (F 2000)</b> 19.233 - 41.463 (F 2000-series)  19.233, 19.273, 19.293, 19.314, 19.323, 19.343, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 19.603  23.293, 23.343, 23.403, 23.463  24.273, 24.293, 24.323, 24.343, 24.350, 24.373, 24.390, 24.400, 24.403, 24.423, 24.430, 24.463  26.233, 26.273, 26.293, 26.320, 26.323, 26.343, 26.350, 26.373, 26.390, 26.400, 26.403, 26.423, 26.430, 26.440, 26.463, 26.603  27.273, 27.293, 27.323, 27.343, 27.373, 27.403, 27.423, 27.463, 27.603  32.293, 32.343, 32.403, 32.463  33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 33.603  35.343, 35.403, 35.463  41.343, 41.403, 41.463	01/94->	1D3 009 027-011  1D3 009 027-021	1  1	<b>H7 headlight, left, with indicator light, without headlight leveller, with bulbs</b> <b>H7 headlight, right, with indicator light, without headlight leveller, with bulbs</b>  E12 8042  2x24V70W (H7) 8GH 007 157-241  1x24V5W (W5W) 8GP 003 594-251  1x24V21W (P21W) 8GA 002 073-241
				




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>MAN</b>				
<b>19.233 - 41.463 (F 2000)</b>		<b>2VD 008 204-051</b>	1	<b>Combination rearlight, left, with licence plate, rear fog, reverse and clearance light, with reflex-reflector and centre plug</b>
19.233 - 41.463 (F 2000-series)	01/94->	<b>2VP 008 204-041</b>	1	<b>Combination rearlight, left/right, with rear fog, reverse and clearance light, with reflex-reflector and centre plug</b>
19.233, 19.273, 19.293, 19.314, 19.323, 19.343, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 19.603		<b>2VD 008 204-071</b>	1	<b>Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector, marker reflex-reflector and centre plug</b>
23.293, 23.343, 23.403, 23.463		<b>2VP 008 204-061</b>	1	<b>Combination rearlight, left/right, with rear fog, reverse, clearance light, side-marker light, with reflex-reflector, marker reflex-reflector and centre plug</b>
24.273, 24.293, 24.323, 24.343, 24.350, 24.373, 24.390, 24.400, 24.403, 24.423, 24.430, 24.463				(E4) 3178 (E4) 4060 (E4) 9808 (E4) 9810
26.233, 26.273, 26.293, 26.320, 26.323, 26.343, 26.350, 26.373, 26.390, 26.400, 26.403, 26.423, 26.430, 26.440, 26.463, 26.603		9EL 152 889-001	1	<b>Spare Parts:</b> Lens with screws  3x24V5W (R5W) 8GA 002 071-241 4x24V21W (P21W) 8GA 002 073-241
27.273, 27.293, 27.323, 27.343, 27.373, 27.403, 27.423, 27.463, 27.603				
32.293, 32.343, 32.403, 32.463				
33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 33.603				
35.343, 35.403, 35.463 41.343, 41.403, 41.463 48.603				
				
<b>19.233 - 41.463 (F 2000)</b>	01/94->	<b>2KA 003 389-081</b>	1	<b>Licence plate light</b> (E1) 22819
		9BG 121 587-031	2	<b>Spare Parts:</b> Body/lens with screw 1x24V10W (R10W) 8GA 002 071-251
<b>19.233 - 41.463 (F 2000)</b>	01/94->	<b>2XS 005 020-041</b>	10	<b>Clearance light (red)</b> (E1) 31407
		9EL 132 215-011	2	<b>Spare Parts:</b> Body/lens with screws 1x24V4W (T4W) 8GP 002 067-241



MAN



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>MAN</b>				
<b>18.310 - 41.660 (TGA)</b>		<b>2VD 008 204-251</b>	1	<b>Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b> <b>Combination rearlight, left/right, with rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b> (E4) 3178 (E4) 4060 (E4) 9808 (E4) 9810 <b>Spare Parts:</b> Lens with screws  3x24V5W (R5W) 8GA 002 071-241  4x24V21W (P21W) 8GA 002 073-241
18.310 - 41.660 (TGA) 04/00->05/05  18.310, 18.320, 18.350, 18.360, 18.390, 18.400, 18.410, 18.430, 18.440, 18.460, 18.480, 18.510, 18.530  19.360, 19.410, 19.460, 19.480  24.350, 24.360, 24.390, 24.400, 24.410, 24.430, 24.440, 24.460, 24.480, 24.510, 24.530  26.280, 26.310, 26.320, 26.330, 26.350, 26.360, 26.390, 26.400, 26.410, 26.430, 26.440, 26.460, 26.480, 26.510, 26.530, 28.310, 28.360, 28.410, 28.460, 28.480, 28.510, 28.530  32.310, 32.350, 32.360, 32.390, 32.400, 32.410, 32.430, 32.440, 32.460, 32.480  33.350, 33.360, 33.390, 33.400, 33.410, 33.430, 33.440, 33.460, 33.480, 33.510, 33.530  35.310, 35.320, 35.350, 35.360, 35.390, 35.400, 35.410, 35.430, 35.440, 35.460, 35.480, 35.530  37.310, 37.320, 37.350, 37.360, 37.390, 37.400, 37.430, 37.440  40.390, 40.410, 40.460, 40.480  41.350, 41.360, 41.390, 41.400, 41.410, 41.430, 41.440, 41.460, 41.530, 41.660		2VP 008 204-241 1  9EL 152 889-001 1		
<b>18.310 - 41.660 (TGA)</b>	04/00->	<b>2KA 003 389-081</b>	1	<b>Licence plate light</b> (E1) 22819 <b>Spare Parts:</b> Body/lens with screw  1x24V10W (R10W) 8GA 002 071-251
			2	



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>MAN/VW</b>				
<b>6.90 F - 9.136 F</b> 6.90 F - 9.136 F Cooperation programme 6.90 F, 8.90 F, 8.136 F, 9.136 F	10/79->08/87	<b>1A8 003 060-541</b>  1A8 121 149-001 9GH 116 966-011 9FF 126 444-001  <b>1A8 003 060-551</b>  1A8 121 150-001 9GH 116 966-011 9FF 126 444-001	1  1 10 10        1 10 10	<b>Headlight</b> (E1) 14559 <b>Spare Parts:</b> Light unit Cap Bulb socket for side light  1x24V55/50W (R2) 8GD 002 088-251  1x24V4W (T4W) 8GP 002 067-241  <b>H4 headlight</b> (E1) 14551 (E1) 34495 <b>Spare Parts:</b> Light unit Cap Bulb socket for side light (to be ordered separately)  1x24V75/70W (H4) 8GJ 002 525-251  1x24V4W (T4W) 8GP 002 067-241
<b>6.90 F - 9.150 F</b> 6.90 F - 9.150 F Cooperation programme Large local authority road vehicles	10/79->09/93	<b>1G4 004 480-001</b>  1G4 129 089-011 9XD 130 261-001	1  2 5	<b>H3 worklight</b> <b>Spare Parts:</b> Light unit Bracket  1x24V70W (H3) 8GH 002 090-251






**MAN/VW**





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>MAN/VW</b>				
<b>6.90 F - 9.150 F</b>				
6.90 F - 9.150 F Cooperation programme	10/79->91	9BG 130 945-001 9BG 130 946-001	2 2	<p>Combination rearlight available as separate parts only as follows (modular system).</p> <p>Body with central plug, left Body with central plug, right (The existing licence plate window in the body should be closed if not required with cover 9HB 126 601-001)</p>
6.90 F, 8.90 F, 8.136 F, 9.136 F	10/79->08/87			<p>Suitable lenses:</p>
6.100 F, 8.100 F, 8.150 F, 9.150 F	09/87->91	9EL 122 689-051 9EL 122 689-021	2 2	<p>Lens for rear, reflex-reflector, stop, indicator and reverse light Lens for rear, reflex-reflector, stop-indicator, reverse-rear fog light</p>
		9GP 003 995-801	1	<p>Vibration damper set (to be ordered and delivered separately)</p> <p>(E4) 377 (E4) 397 (E4) 421 (E4) 3880 (E4) 23215</p> <p> 1x24V10W (R10W) 8GA 002 071-251 4x24V21W (P21W) 8GA 002 073-241</p>




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>Actros</b>				
Actros 1831 - 4148	09/96->10/02	1EH 008 688-011	1	H4 headlight, left, without indicator light, without headlight leveller
1831, 1835, 1840, 1843, 1848, 1853, 1857		1EH 008 688-021	1	H4 headlight, right without indicator light, without headlight leveller
2031, 2035, 2040, 2043, 2048, 2053		1EH 008 688-031	1	H4 headlight, left, with indicator light, without headlight leveller
2531, 2535, 2540, 2543, 2548, 2553, 2557		1EH 008 688-041	1	H4 headlight, right, with indicator light, without headlight leveller
2631, 2635, 2640, 2643, 2648, 2653, 2657		1EH 008 688-051	1	H4 headlight, left, without fog light, with electr. headlight leveller actuator for headlight leveller
3231, 3235, 3240, 3243		1EH 008 688-061	1	H4 headlight, right, without fog light, with electr. headlight leveller actuator for headlight leveller
3331, 3335, 3340, 3343, 3346, 3348, 3353, 3357		1EH 008 688-071	1	H4 headlight, left, with H1 fog light, without headlight leveller
4140, 4143, 4148		1EH 008 688-081	1	H4 headlight, right, with H1 fog light, without headlight leveller
		1EH 008 688-091	1	H4 headlight, left, with H1 fog light, with electr. headlight leveller actuator for headlight leveller
		1EH 008 688-101	1	H4 headlight, right, with H1 fog light, with electr. headlight leveller actuator for headlight leveller
				 (E1) 310 left and right (E1) 311 right  1x24V75/70W (H4) 8GJ 002 525-251  1x24V70W (H1) 8GH 002 089-251  1x24V5W (W5W) 8GP 003 594-251  1x24V21W (P21W) 8GA 002 073-241
Actros 1831 - 4148	09/96->10/02	2BM 006 692-011	1	Auxiliary indicator light, left
		2BM 006 692-021	1	Auxiliary indicator light, right
				 (E1) 52621  1x24V21W (P21W) 8GA 002 073-241





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>Actros</b>				
Actros 1831 - 4148	09/96->10/02	2VD 007 500-411	1	Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector, with bulbs and centre plug
1831, 1835, 1840, 1843, 1848, 1853, 1857		2VP 007 500-421	1	Combination rearlight, right, with reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector, with bulbs and centre plug
2031, 2035, 2040, 2043, 2048, 2053				(E1) 63217 (E1) 31432
2531, 2535, 2540, 2543, 2548, 2553, 2557				(E1) 280
2631, 2635, 2640, 2643, 2648, 2653, 2657		9EL 134 296-041	1	Lens with screws, left
3231, 3235, 3240, 3243		9EL 134 296-051	1	Lens with screws, right
3331, 3335, 3340, 3343, 3346, 3348, 3353, 3357		9EL 134 301-001	1	Lens for licence plate light
4140, 4143, 4148		9EL 146 838-001	2	Side-marker light with reflector
				 3x24V10W (R10W) 8GA 002 071-251 4x24V21W (P21W) 8GA 002 073-241
Actros 1831 - 4148	09/96->10/02	2VB 004 887-011	1	Combination rearlight, left, with licence plate and rear fog light
1831, 1835, 1840, 1843, 1848, 1853, 1857		2VA 004 887-031	1	Combination rearlight, left, with rear fog light
2031, 2035, 2040, 2043, 2048, 2053		2VP 004 887-021	1	Combination rearlight, right, with reverse light
2531, 2535, 2540, 2543, 2548, 2553, 2557				(E1) 53384
2631, 2635, 2640, 2643, 2648, 2653, 2657		9EL 131 420-001	1	Lens with screws, left
3231, 3235, 3240, 3243		9EL 131 420-011	1	Lens with screws, right
3331, 3335, 3340, 3343, 3346, 3348, 3353, 3357		9GT 141 941-001	10	Grommet (to be ordered separately)
4140, 4143, 4148				
various models				
				 1x24V10W (R10W) 8GA 002 071-251 3x24V21W (P21W) 8GA 002 073-241




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>Actros MP2</b>				
Actros MP2 1832 - 4151	10/02->	2VD 007 500-411	1	Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector, with bulbs and centre plug
1832, 1836, 1841, 1844, 1846, 1848, 1850, 1854, 1858, 1860		2VP 007 500-421	1	Combination rearlight, right, with reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector, with bulbs and centre plug
2032, 2036, 2041, 2044, 2046, 2048, 2050, 2051				Ⓔ1 63217 Ⓔ1 31432
2532, 2536, 2541, 2544, 2546, 2548				Ⓔ1 280
2632, 2636, 2641, 2644, 2646, 2650, 2654, 2658		9EL 134 296-041	1	<b>Spare Parts:</b> Lens with screws, left
3241, 3331, 3332, 3336, 3341, 3344, 3346, 3348, 3350, 3351, 3354, 3355		9EL 134 296-051	1	Lens with screws, right
4140, 4141, 4144, 4146, 4148, 4151		9EL 134 301-001	1	Lens for licence plate light
		9EL 146 838-001	2	Side-marker light with reflector
				Ⓔ1 3x24V10W (R10W) 8GA 002 071-251 Ⓔ1 4x24V21W (P21W) 8GA 002 073-241
Actros MP2 1832 - 4151	10/02->	2VB 004 887-011	1	Combination rearlight, left, with licence plate and rear fog light
1832, 1836, 1841, 1844, 1846, 1848, 1850, 1854, 1858, 1860		2VA 004 887-031	1	Combination rearlight, left, with rear fog light
2032, 2036, 2041, 2044, 2046, 2048, 2050, 2051		2VP 004 887-021	1	Combination rearlight, right, with reverse light
2532, 2536, 2541, 2544, 2546, 2548				Ⓔ1 53384
2632, 2636, 2641, 2644, 2646, 2650, 2654, 2658		9EL 131 420-001	1	<b>Spare Parts:</b> Lens with screws, left
3241, 3331, 3332, 3336, 3341, 3344, 3346, 3348, 3350, 3351, 3354, 3355		9EL 131 420-011	1	Lens with screws, right
4140, 4141, 4144, 4146, 4148, 4151		9GT 141 941-001	10	Grommet (to be ordered separately)
various models				Ⓔ1 1x24V10W (R10W) 8GA 002 071-251 Ⓔ1 3x24V21W (P21W) 8GA 002 073-241




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>Atego</b>				
Atego 1823 - 2628 1823, 1828 2523, 2528 2628	01/98->10/04			
		1EH 008 688-011	1	H4 headlight, left, without indicator light, without headlight leveller
		1EH 008 688-021	1	H4 headlamp, right, without flasher light, without headlamp leveller
		1EH 008 688-071	1	H4 headlight, left, with H1 fog light, without headlight leveller
		1EH 008 688-081	1	H4 headlight, right, with H1 fog light, without headlight leveller
		1EH 008 688-091	1	H4 headlight, left, with H1 fog light, with electr. headlight leveller actuator for headlight leveller
		1EH 008 688-101	1	H4 headlight, right, with H1 fog light, with electr. headlight leveller actuator for headlight leveller
				ⓔ1 310 left and right
				ⓔ1 311 right
				 1x24V75/70W (H4) 8GJ 002 525-251
				 1x24V70W (H1) 8GH 002 089-251
				 1x24V5W (W5W) 8GP 003 594-251
<b>Atego 712 - 1528</b>	01/98->10/04			
712, 714, 715, 717 812, 814, 815, 817, 823 917, 923, 925 1017, 1023 1214, 1215, 1217, 1223, 1225, 1228 1317, 1323, 1325, 1328 1517, 1523, 1525, 1528				
		2VD 008 204-091	1	Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector, marker reflex-reflector and centre plug (middle)
		2VP 008 204-081	1	Combination rearlight, right, with reverse, clearance light, side-marker light, with reflex-reflector, marker reflex-reflector and centre plug (middle)
				ⓔ4 3179 ⓔ4 4060
				ⓔ4 9809 ⓔ4 9810
		9EL 152 891-001	1	<b>Spare Parts:</b> Lens with screws
				 3x24V5W (R5W) 8GA 002 071-241
				 4x24V21W (P21W) 8GA 002 073-241




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>Atego</b> Atego 1823 - 2628 1823, 1828 2523, 2528 2628 except dump truck 	01/98->10/04	<b>2VD 007 500-411</b>  <b>2VP 007 500-421</b>  9EL 134 296-041 9EL 134 296-051 9EL 134 301-001 9EL 146 838-001	1  1  1  2	<b>Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector, with bulbs and centre plug</b>  <b>Combination rearlight, right, with reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector, with bulbs and centre plug</b>  (E1) 63217 (E1) 31432  (E1) 280  <b>Spare Parts:</b> 1 Lens with screws, left 1 Lens with screws, right 1 Lens for licence plate light 2 Side-marker light with reflector   3x24V10W (R10W) 8GA 002 071-251  4x24V21W (P21W) 8GA 002 073-241
<b>Atego 1823 - 2628</b> 1823, 1828 2523, 2528 2628 Dump truck 	01/98->10/04	<b>2VB 004 887-011</b>  <b>2VA 004 887-031</b>  <b>2VP 004 887-021</b>  9EL 131 420-001 9EL 131 420-011 9GT 141 941-001	1  1  1  10	<b>Combination rearlight, left, with licence plate and rear fog light</b>  <b>Combination rearlight, left, with rear fog light</b>  <b>Combination rearlight, right, with reverse light</b>  (E1) 53384  <b>Spare Parts:</b> 1 Lens with screws, left 1 Lens with screws, right 10 Grommet (to be ordered separately)   1x24V10W (R10W) 8GA 002 071-251  3x24V21W (P21W) 8GA 002 073-241
<b>Atego II</b> Atego II 712 - 1529 	10/04->	<b>2BA 247 016-031</b> <b>2BA 247 016-041</b>	1 1	<b>Indicator light, left</b> <b>Indicator light, right</b>  (E1) 1788   1x24V21W (PY21W) 8GA 006 841-241






Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>Axor</b>		<b>2VD 007 500-411</b>	1	<b>Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector, with bulbs and centre plug</b>
Axor 1823 - 3228	01/02->10/04			
1823, 1835, 1840, 1843		<b>2VP 007 500-421</b>	1	<b>Combination rearlight, right, with reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector, with bulbs and centre plug</b>
2523, 2828, 2535, 2540, 2543				Ⓔ1 63217 Ⓔ1 31432
2623, 2628				Ⓔ1 280
3228				<b>Spare Parts:</b>
		9EL 134 296-041	1	Lens with screws, left
		9EL 134 296-051	1	Lens with screws, right
		9EL 134 301-001	1	Lens for licence plate light
		9EL 146 838-001	2	Side-marker light with reflector
				3x24V10W (R10W) 8GA 002 071-251 4x24V21W (P21W) 8GA 002 073-241
<b>Axor II</b>		<b>1DB 247 011-011</b>	1	<b>H7/H1 headlight, left, without indicator light, without headlight leveller, without lens cleaning system, with bulbs</b>
Axor II 1824 - 3243	10/04->			
1824, 1826, 1828, 1829, 1833, 1836, 1840, 1843		<b>1DB 247 011-021</b>	1	<b>H7/H1 headlight, right, without indicator light, without headlight leveller, without lens cleaning system, with bulbs</b>
2529, 2533, 2536, 2540, 2543				Ⓔ1 1836
2628, 2629, 2633, 2636, 2640, 2646				<b>Spare Parts:</b>
3236, 3240, 3243		9ES 247 753-001	1	Cover lens, left
		9ES 247 754-001	1	Cover lens, right
		9XD 247 755-001	1	Base for indicator light, left
		9XD 247 756-001	1	Base for indicator light, right
		8HG 247 376-011	1	Base top
		8HG 247 377-011	1	Base bottom
		9GH 156 191-001	1	Cap
				1x24V70W (H7) 8GH 007 157-241
				1x24V70W (H1) 8GH 002 089-251
				1x24V5W (W5W) 8GP 003 594-251
<b>Axor II 1824 - 3243</b>	10/04->	<b>2BA 247 015-031</b>	1	<b>Indicator light, left, with bulb</b>
		<b>2BA 247 015-041</b>	1	<b>Indicator light, right, with bulb</b>
				Ⓔ1 1787
				1x24V21W (PY21W) 8GA 006 841-241







Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>Axor II</b> Axor II 1824 - 3243 1824, 1826, 1828, 1829, 1833, 1836, 1840, 1843 2529, 2533, 2536, 2540, 2543 2628, 2629, 2633, 2636, 2640, 2643 3236, 3240, 3243	10/04->	2VD 007 500-411  2VP 007 500-421  9EL 134 296-041 9EL 134 296-051 9EL 134 301-001 9EL 146 838-001	1  1  1 1 1 2	<b>Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector, with bulbs and centre plug</b>  <b>Combination rearlight, right, with reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector, with bulbs and centre plug</b>  (E1) 63217 (E1) 31432  (E1) 280  <b>Spare Parts:</b> 1 Lens with screws, left 1 Lens with screws, right 1 Lens for licence plate light 2 Side-marker light with reflector  3x24V10W (R10W) 8GA 002 071-251 4x24V21W (P21W) 8GA 002 073-241
<b>Citaro (O 350)</b> Citaro (O 350)	01/98->	1DL 007 859-011 1DL 007 859-021	1 1	<b>DE-H1 headlight, left, with bulbs</b>  <b>DE-H1 headlight, right, with bulbs</b>  (E1) 600  2x24V70W (H1) 8GH 002 089-251 1x24V4W (T4W) 8GP 002 067-241
<b>Citaro (O 350)</b>	05/06->	1DL 007 859-051 1DL 007 859-061	1 1	<b>DE-H1 headlight, left, with bulbs</b>  <b>DE-H1 headlight, right, with bulbs</b>  (E1) 600  2x24V70W (H1) 8GH 002 089-251 1x24V4W (T4W) 8GP 002 067-241
<b>Citaro (O 350)</b>	01/98->	2KA 001 388-097	100	<b>Licence plate light with bulb</b>  (E1) 22902  1x24V5W (C5W) 8GM 002 092-241




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>L 405 D - L 613 D (T2/L)</b>	-->07/81	9ES 094 588-001 9GD 094 601-001	6 10	<b>Headlight, spare parts available only</b> (E1) 4489 left (E1) 4490 right <b>Spare Parts:</b> Lens, right Seal  1x12V45/40W (R2) 8GD 002 088-131  1x12V4W (T4W) 8GP 002 067-121
L 405 D, L 406 D, L 407 D, L 408, L 409, L 410, L 508 D, L 608 D, L 613 D		<b>1AE 001 103-031</b> <b>1AE 001 103-041</b>	1 1	<b>H4 headlight, left</b> <b>H4 headlight, right</b> (E1) 14579 left (E1) 14580 right <b>Spare Parts:</b> Lens, left Lens, right Seal Reflector, left Reflector, right  1x12V60/55W (H4) 8GJ 002 525-131  1x12V4W (T4W) 8GP 002 067-121
<b>L 405 D - L 613 D (T2/L)</b>	08/81->12/88	<b>1AE 003 440-611</b> <b>1AE 003 440-621</b>	1 1	<b>Headlight, left</b> <b>Headlight, right</b> (E1) 24483 left (E1) 24484 right <b>Spare Parts:</b> Lens, left Lens, right Bulb holder Cap  1x12V45/40W (R2) 8GD 002 088-131  1x24V55/50W (R2) 8GD 002 088-251  1x12V4W (T4W) 8GP 002 067-121  1x24V4W (T4W) 8GP 002 067-241
L 407 D, L 409, L 410, L 508 D, L 608 D, L 613 D		<b>1AE 003 440-631</b> <b>1AE 003 440-641</b>	1 1	<b>H4 headlight, left</b> <b>H4 headlight, right</b> (E1) 24489 left (E1) 24490 right <b>Spare Parts:</b> Lens, left Lens, right Reflector, left Reflector, right Bulb holder Cap  1x12V60/55W (H4) 8GJ 002 525-131  1x24V75/70W (H4) 8GJ 002 525-251  1x12V4W (T4W) 8GP 002 067-121  1x24V4W (T4W) 8GP 002 067-241
		9ES 120 719-005 9ES 120 720-005 9FH 113 447-011 9HD 121 297-001	7 7 5 5	
		9ES 120 721-001 9ES 120 722-001 9DE 122 228-011 9DE 122 228-021 9FH 113 447-011 9HD 121 297-001	2 2 1 1 5 5	




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
L 405 D - L 613 D (T2/L) L 405 D - L 613 D (T2/L)	->03/83 	2BA 001 275-011 2BA 001 275-021  9EL 101 899-001 9EL 101 900-001	2 2  5 5	Indicator light, left Indicator light, right  Ⓔ 22764  <b>Spare Parts:</b> Lens, left Lens, right  Ⓔ 1x12V21W (P21W) 8GA 002 073-121 Ⓔ 1x24V21W (P21W) 8GA 002 073-241
L 405 D - L 613 D (T2/L)	04/83->12/88 	2BA 004 499-001	2	Indicator light  Ⓔ 42679  Ⓔ 1x12V21W (P21W) 8GA 002 073-121 Ⓔ 1x24V21W (P21W) 8GA 002 073-241
L 405 D - L 613 D (T2/L) L 405 D, L 406 D, L 407 D, L 408, L 409, L 410, L 508 D, L 608 D, L 613 D  Van	->06/77 	2SD 001 680-271 2SD 001 680-281  9EL 107 368-001 9EL 111 647-001	1 1  2 2	Combination rearlight, left Combination rearlight, right  Ⓔ 31482 Ⓔ 53335  <b>Spare Parts:</b> Lens with seal and screws, left Lens with seal and screws, right  Ⓔ 1x12V10W (R10W) 8GA 002 071-131 Ⓔ 2x12V21W (P21W) 8GA 002 073-121
L 405 D - L 613 D (T2/L) L 405 D, L 406 D, L 407 D, L 408, L 409, L 410, L 508 D, L 608 D, L 613 D  Van	07/77->12/88 	9EL 119 874-001	2	Combination rearlight, spare parts available only  Ⓔ 53276  <b>Spare Parts:</b> Lens with screws  Ⓔ 1x12V10W (R10W) 8GA 002 071-131 Ⓔ 1x24V10W (R10W) 8GA 002 071-251 Ⓔ 2x12V21W (P21W) 8GA 002 073-121 Ⓔ 2x24V21W (P21W) 8GA 002 073-241



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>L 405 D - L 613 D (T2/L)</b> L 405 D - L 613 D (T2/L) L 405 D, L 406 D, L 407 D, L 408, L 409, L 410, L 508 D, L 608 D, L 613 D  Flatbed	01/68->12/88	<b>2SE 001 680-291</b>      9EL 107 368-001 9EL 111 647-001	1 1    2 2	<b>Combination rearlight, left, with licence plate light</b> <b>Combination rearlight, right, without licence plate light</b>  Ⓔ1 31482 Ⓔ1 43222  Ⓔ1 53335  <b>Spare Parts:</b> Lens with seal and screws, left Lens with seal and screws, right  1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121
<b>L 405 D - L 613 D (T2/L)</b>  Flatbed	07/77->12/88	<b>2NE 002 589-001</b>   9EL 112 763-001	1   5	<b>Rear fog light</b>  Ⓔ1 8444  <b>Spare Parts:</b> Lens with screws  1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241
<b>L 405 D - L 613 D (T2/L)</b>  Flatbed	07/77->12/88	<b>2ZR 002 589-011</b>   9EL 112 858-011	1   2	<b>Reverse light</b>  Ⓔ1 8725  <b>Spare Parts:</b> Lens with screws  1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241
<b>L 405 D - L 613 D (T2/L)</b>  Van	01/68->12/88	<b>2KA 001 378-041</b>     9EL 112 858-011	4	<b>Licence plate light</b>  Ⓔ1 12958  1x12V5W (C5W) 8GM 002 092-121 1x24V5W (C5W) 8GM 002 092-241
<b>L 405 D - L 613 D (T2/L)</b>  Van	01/68->12/88	<b>2KA 003 389-061</b>   9BG 121 587-031	2   2	<b>Licence plate light</b>  Ⓔ1 22819  <b>Spare Parts:</b> Body/lens with screw  1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
L 405 D - L 613 D (T2/L) L 405 D - L 613 D (T2/L) Van	01/68->12/88	2JA 001 357-002 2JA 001 357-012	6 6	Interior light with switch Interior light without switch  2x12V10W (K) 8GM 002 091-131 2x24V10W (-) 8GM 002 091-251
				
<b>Cab-behind-engine vehicles 911 - 2624</b> Cab-behind-engine vehicles 911 - 1924		1A8 001 149-331 1A8 001 149-341	1 1	Headlight, left Headlight, right Lens-retaining rim chrome-plated  ⓔ1 4466 left ⓔ1 4470 right
		9ES 091 183-001 9DR 080 691-011 9DR 080 700-011	5 1 1	<b>Spare Parts:</b> Lens, right Reflector, left Reflector, right   1x12V45/40W (R2) 8GD 002 088-131   1x12V4W (T4W) 8GP 002 067-121
<b>Cab-behind-engine vehicles</b> 911 - 1924		1A8 001 149-351 1A8 001 149-361	1 1	Headlight, left Headlight, right Lens-retaining rim and grille grey coloured  ⓔ1 4466 left ⓔ1 4470 right
		9ES 091 183-001 9DR 080 691-011 9DR 080 700-011	5 1 1	<b>Spare Parts:</b> Lens, right Reflector, left Reflector, right   1x12V45/40W (R2) 8GD 002 088-131   1x12V4W (T4W) 8GP 002 067-121






Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>Cab-behind-engine vehicles 911 - 2624</b>		<b>1AG 001 108-291</b>	1	<b>Headlight, left</b>
Cab-behind-engine vehicles		<b>1AG 001 108-301</b>	1	<b>Headlight, right</b>
2624		9ES 082 415-001 9GD 052 710-021 9DE 087 430-011 9FF 085 642-001	6 10 1 10	(E1) 4446 (E1) 14527  <b>Spare Parts:</b> Lens Seal for lens Reflector Bulb socket for side light  1x12V45/40W (R2) 8GD 002 088-131  1x12V4W (T4W) 8GP 002 067-121
		<b>1AG 001 108-451</b>	1	<b>H4 headlight</b>
		9ES 112 293-001 9GD 052 710-021 9FF 085 642-001	5 10 10	(E4) 62 (E4) 308  <b>Spare Parts:</b> Lens Seal for lens Bulb socket for side light  1x12V60/55W (H4) 8GJ 002 525-131  1x12V4W (T4W) 8GP 002 067-121
<b>Cab-behind-engine vehicles</b>		<b>2BA 001 234-251</b>	2	<b>Indicator light, left</b>
911 - 2624		<b>2BA 001 234-261</b>	2	<b>Indicator light, right</b>
		9EL 109 440-002 9EL 087 005-151	5 5	(E1) 32633  <b>Spare Parts:</b> Body/lens with cap and screw Lens without cap and screw  1x12V21W (P21W) 8GA 002 073-121
<b>Cab-behind-engine vehicles</b>		<b>2PF 001 638-011</b>	2	<b>Side light (clear)</b>
911 - 2624		9EL 107 443-011	2	(E1) 11779  <b>Spare Parts:</b> Body/lens with screw  1x12V5W (R5W) 8GA 002 071-121
		<b>2SA 001 638-021</b>	2	<b>Rear light (red)</b>
		9EL 107 443-061	2	(E1) 31450  <b>Spare Parts:</b> Body/lens with screw  1x12V5W (W5W) 8GP 003 594-121
		<b>2PF 001 638-067</b>	40	<b>Side light (amber)</b>
				 1x12V5W (R5W) 8GA 002 071-121






Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>Cab-behind-engine vehicles 911 - 2624</b> Cab-behind-engine vehicles 911 - 2624 		2BA 001 259-618	90	Indicator light (amber) K 23267
		9EL 088 150-001	2	<b>Spare Parts:</b> Body/lens with screws  1x12V18W (K) 8GM 002 091-121
		2PF 001 259-631	2	<b>Side light (clear)</b> Ⓔ1 21624
		9EL 109 208-011	2	<b>Spare Parts:</b> Body/lens with screws
		2PF 001 259-677 2PF 001 259-687 2SA 001 259-757	90 90 90	<b>Side light (green)</b> <b>Side light (blue)</b> <b>Side light (red)</b>  1x12V5W (C5W) 8GM 002 092-121
<b>Cab-behind-engine vehicles</b> 911 - 2624 		2PF 001 647-031	4	<b>Side light</b> Ⓔ1 11780  1x12V10W (R10W) 8GA 002 071-121
<b>Cab-behind-engine vehicles</b> 911 - 2624 		2SE 001 685-201	1	<b>Combination rearlight, left, with licence plate light</b>
		2SD 001 685-211	1	
		9EL 113 324-001	2	<b>Spare Parts:</b> Lens with screws  1x12V5W (R5W) 8GA 002 071-121  2x12V21W (P21W) 8GA 002 073-121
<b>Cab-behind-engine vehicles</b> 911 - 2624 		2SE 001 699-071	1	<b>Combination rearlight, left, with licence plate light</b>
		2SD 001 699-061	1	
		9EL 109 139-001 9GT 074 132-001	2 10	<b>Spare Parts:</b> Lens with screws Grommet  1x12V10W (R10W) 8GA 002 071-131  2x12V21W (P21W) 8GA 002 073-121
<b>Cab-behind-engine vehicles</b> 911 - 2624 		2SE 003 167-031	1	<b>Combination rearlight, left, with licence plate light</b>
		2SD 003 167-021	1	
		9EL 147 747-001 9GD 087 883-355	1 10	<b>Spare Parts:</b> Lens with screws Seal  1x12V10W (R10W) 8GA 002 071-131  2x12V21W (P21W) 8GA 002 073-121






Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>Cab-behind-engine vehicles 911 - 2624</b> Cab-behind-engine vehicles 911 - 2624 		2JA 001 357-002	6	Interior light with switch
		2JA 001 357-012	6	Interior light without switch  2x12V10W (R10W) 8GA 002 071-131
<b>LP 608 - LP 1113 (LP)</b> LP 608 - LP 1013 (LP)      ->10/77 LP 608 LP 709 LP 808, LP 809, LP 811, LP 813 LP 911, LP 913 LP 1013 		9ES 094 588-001	6	<b>Headlight, spare parts available only</b> (E1) 4489 left (E1) 4490 right
		9GD 094 601-001	10	<b>Spare Parts:</b> Lens, right Seal  1x12V45/40W (R2) 8GD 002 088-131  1x12V4W (T4W) 8GP 002 067-121
		1AE 001 103-031	1	<b>H4 headlight, left</b>
		1AE 001 103-041	1	<b>H4 headlight, right</b> (E1) 14579 left (E1) 14580 right
		9ES 116 061-005	5	<b>Spare Parts:</b> Lens, left
		9ES 116 062-005	5	Lens, right
		9GD 094 601-001	10	Seal
		9DE 116 065-001	1	Reflector, left
		9DE 116 066-001	1	Reflector, right  1x12V60/55W (H4) 8GJ 002 525-131  1x12V4W (T4W) 8GP 002 067-121
<b>LP 709 - LP 1113 (LP)</b> 08/81->12/84 LP 608 LP 709 LP 808, LP 809, LP 813 LP 913 LP 1013 LP 1113 		1AE 003 440-611	1	<b>Headlight, left</b>
		1AE 003 440-621	1	<b>Headlight, right</b> (E1) 24483 left (E1) 24484 right
		9ES 120 719-005	7	<b>Spare Parts:</b> Lens, left
		9ES 120 720-005	7	Lens, right
		9FH 113 447-011	5	Bulb holder
		9HD 121 297-001	5	Cap  1x12V45/40W (R2) 8GD 002 088-131  1x12V4W (T4W) 8GP 002 067-121
		1AE 003 440-631	1	<b>H4 headlight, left</b>
		1AE 003 440-641	1	<b>H4 headlight, right</b> (E1) 24489 left (E1) 24490 right
		9ES 120 721-001	2	<b>Spare Parts:</b> Lens, left
		9ES 120 722-001	2	Lens, right
		9DE 122 228-011	1	Reflector, left
		9DE 122 228-021	1	Reflector, right
		9FH 113 447-011	5	Bulb holder
		9HD 121 297-001	5	Cap  1x12V60/55W (H4) 8GJ 002 525-131  1x12V4W (T4W) 8GP 002 067-121







Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>LP 608 - LP 1113 (LP)</b> LP 608 - LP 1013 (LP)	08/73->10/77	 9EL 110 737-001 9EL 110 736-001	2 2	<b>Indicator light, spare parts available only</b> (E1) 32617 <b>Spare Parts:</b> Lens, left Lens, right  1x12V21W (P21W) 8GA 002 073-121
<b>LP 709 - LP 1113 (LP)</b>	11/77->12/84	 9EL 120 920-001	1 5	<b>Indicator light</b> (E1) 32781 <b>Spare Parts:</b> Lens with screws  1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241
<b>LP 608 - LP 1113 (LP)</b>	10/69->12/84	 9EL 107 443-001 9GD 082 716-001 9GD 100 140-001	2 2 10 10	<b>Side light</b> (E1) 11770 <b>Spare Parts:</b> Body/lens with screw Base for flat surfaces (to be ordered separately) Base for curved surfaces (to be ordered separately)  1x12V5W (R5W) 8GA 002 071-121  1x24V5W (R5W) 8GA 002 071-241
<b>LP 608 - LP 1113 (LP)</b>	10/69->12/84	 9EL 132 403-001 9EL 132 404-001	2 2	<b>Rear-side light, for side mounting</b> (E1) 11553 (E1) 11554 (E1) 11786 (E1) 31416 <b>Spare Parts:</b> Lens (clear) with screw Lens (red) with screw  1x12V5W (C5W) 8GM 002 092-121  1x24V5W (C5W) 8GM 002 092-241
<b>LP 608 - LP 1013 (LP)</b> LP 608 LP 709 LP 808, LP 809, LP 811, LP 813 LP 911, LP 913 LP 1013	10/69->10/77	 9EL 113 324-001	1 1 2	<b>Combination rearlight, left, with licence plate light</b> <b>Combination rearlight, right, without licence plate light</b> (E12) 7146 <b>Spare Parts:</b> Lens with screws  1x12V5W (R5W) 8GA 002 071-121  2x12V21W (P21W) 8GA 002 073-121




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>LP 608 - LP 1113 (LP)</b> LP 608 - LP 1013 (LP) 10/69->10/77  LP 608 LP 709 LP 808, LP 809, LP 811, LP 813 LP 911, LP 913 LP 1013  		<b>2SE 001 699-071</b>  <b>2SD 001 699-061</b>   9EL 109 139-001 9GT 074 132-001	1 1   2 10	<b>Combination rearlight, left, with licence plate light</b> <b>Combination rearlight, right, without licence plate light</b>  (E1) 196 (E1) 43332  <b>Spare Parts:</b> Lens with screws Grommet   1x12V10W (R10W) 8GA 002 071-131  2x12V21W (P21W) 8GA 002 073-121
<b>LP 608 - LP 1113 (LP)</b> 11/77->12/84  LP 608 LP 709 LP 808, LP 809, LP 813 LP 913 LP 1013 LP 1113  		<b>2SE 003 167-031</b>  <b>2SD 003 167-021</b>   9EL 147 747-001 9GD 087 883-355	1 1   1 10	<b>Combination rearlight, left, with licence plate light</b> <b>Combination rearlight, right, without licence plate light</b>  (E1) 264  <b>Spare Parts:</b> Lens with screws Seal   1x12V10W (R10W) 8GA 002 071-131  1x24V10W (R10W) 8GA 002 071-251  2x12V21W (P21W) 8GA 002 073-121  2x24V21W (P21W) 8GA 002 073-241
<b>LP 608 - LP 1113 (LP)</b> 11/77->12/84  		<b>2NE 003 236-001</b>   9EL 119 544-001 9DX 119 545-011	1   4 2	<b>Rear fog light</b>  (e1) 18 411  <b>Spare Parts:</b> Lens Reflector   1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241
<b>LP 608 - LP 1113 (LP)</b> 11/77->12/84  		<b>2ZR 003 236-051</b>   9EL 119 544-111 9DX 119 545-051	1   4 2	<b>Reverse light</b>  (E1) 8728  <b>Spare Parts:</b> Lens Reflector   1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241
<b>LP 608 - LP 1113 (LP)</b> 10/69->12/84  		<b>2JA 001 357-002</b> <b>2JA 001 357-012</b>	6 6	<b>Interior light with switch</b> <b>Interior light without switch</b>   2x12V10W (K) 8GM 002 091-131  2x24V10W (-) 8GM 002 091-251








Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
LP 1113 - LP 1519 LP 1113 - LP 1519	08/73->	 9EL 110 737-001 9EL 110 736-001	2 2	<b>Indicator light, spare parts available only</b>  32617 <b>Spare Parts:</b> Lens, left Lens, right  1x12V21W (P21W) 8GA 002 073-121
LP 1113 - LP 1519	67->	 9EL 107 443-001 9GD 082 716-001 9GD 100 140-001	2 10 10	<b>Side light</b>  11770 <b>Spare Parts:</b> 2 Body/lens with screw 10 Base for flat surfaces (to be ordered separately) 10 Base for curved surfaces (to be ordered separately)  1x12V5W (R5W) 8GA 002 071-121
LP 1113 - LP 1519	67->	 9EL 132 403-001 9EL 132 404-001	2 2	<b>Rear-side light, for side mounting</b>  11553  11554  11786  31416 <b>Spare Parts:</b> 2 Lens (clear) with screw 2 Lens (red) with screw  1x12V5W (C5W) 8GM 002 092-121
LP 1113 - LP 1519 LP 1113, LP 1313, LP 1319, LP 1513, LP 1519	67->	 9EL 109 139-001 9GT 074 132-001	1 1 2 10	<b>Combination rearlight, left, with licence plate light</b> <b>Combination rearlight, right, without licence plate light</b>  196  43332 <b>Spare Parts:</b> 2 Lens with screws 10 Grommet  1x12V10W (R10W) 8GA 002 071-131  2x12V21W (P21W) 8GA 002 073-121
LP 1113 - LP 1519	67->	 2JA 001 357-002 2JA 001 357-012	6 6	<b>Interior light with switch</b> <b>Interior light without switch</b>  2x12V10W (K) 8GM 002 091-131
O 303 O 303	10/74->	 2PF 002 452-017	25	<b>Side light</b>  11791  1x24V5W (R5W) 8GA 002 071-241




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
O 303 O 303	10/74->	2PF 002 860-031  9EL 116 380-035 9GD 128 553-007	1  5 10	<b>Side light, for front mounting</b> (E1) 21688 <b>Spare Parts:</b> Body/lens Base (to be ordered separately) 1x24V10W (R10W) 8GA 002 071-251
O 303	10/74->	2SA 002 860-041  9EL 116 380-045	1  5	<b>Side light, for rear mounting</b> (E1) 31451 <b>Spare Parts:</b> Body/lens (supplies limited) 1x24V10W (R10W) 8GA 002 071-251
O 303	10/74->	2KA 001 388-051	1	<b>Licence plate light</b> (E1) 22902 1x24V5W (C5W) 8GM 002 092-241
O 305 VÖV O 305 VÖV	04/73->12/83	9EL 110 737-001 9EL 110 736-001	2 2	<b>Indicator light, spare parts available only</b> (E1) 32617 <b>Spare Parts:</b> Lens, left Lens, right 1x24V21W (P21W) 8GA 002 073-241
O 305 VÖV	04/73->12/83	2SA 001 240-331  9EM 128 229-031  2DA 001 240-341  9EM 128 229-001	1  1  1	<b>Rear light (supplies limited)</b> (E1) 11550 <b>Spare Parts:</b> Lens with reflector and rim 1x24V5W (R5W) 8GA 002 071-241  <b>Stop light (supplies limited)</b> (E1) 11551 <b>Spare Parts:</b> Lens with reflector and rim 1x24V21W (P21W) 8GA 002 073-241




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>O 305 VÖV</b> <b>O 305 VÖV</b>	04/73->12/83 	<b>2NE 002 589-001</b>	1	<b>Rear fog light</b> (E1) 8444
		9EL 112 763-001	5	<b>Spare Parts:</b> Lens with screws  1x24V21W (P21W) 8GA 002 073-241
<b>O 305 VÖV</b>	04/73->12/83 	<b>2ZR 002 589-011</b>	1	<b>Reverse light</b> (E1) 8725
		9EL 112 858-011	2	<b>Spare Parts:</b> Lens with screws  1x24V21W (P21W) 8GA 002 073-241
<b>O 305 VÖV</b>	04/73->12/83 	<b>2KA 003 010-007</b>	1	<b>Licence plate light</b> (E1) 12809
		9EL 075 826-001	10	<b>Spare Parts:</b> Lens with screws (supplies limited)  2x24V5W (R5W) 8GA 002 071-241
<b>O 309</b> <b>O 309</b>	01/68->07/81 	<b>9ES 094 588-001</b> <b>9GD 094 601-001</b>	6 10	<b>Headlight, spare parts available only</b> (E1) 4489 left (E1) 4490 right <b>Spare Parts:</b> Lens, right Seal  1x12V45/40W (R2) 8GD 002 088-131  1x12V4W (T4W) 8GP 002 067-121
		<b>1AE 001 103-031</b> <b>1AE 001 103-041</b>	1 1	<b>H4 headlight, left</b> <b>H4 headlight, right</b> (E1) 14579 left (E1) 14580 right <b>Spare Parts:</b> Lens, left Lens, right Seal Reflector, left Reflector, right  1x12V60/55W (H4) 8GJ 002 525-131  1x12V4W (T4W) 8GP 002 067-121




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
O 309 O 309	08/81->02/89	1AE 003 440-611 1AE 003 440-621	1 1	<b>Headlight, left</b> <b>Headlight, right</b>  Ⓔ 24483 left Ⓔ 24484 right  <b>Spare Parts:</b> 7 Lens, left 7 Lens, right 5 Bulb holder 5 Cap  1x12V45/40W (R2) 8GD 002 088-131 1x24V55/50W (R2) 8GD 002 088-251  1x12V4W (T4W) 8GP 002 067-121 1x24V4W (T4W) 8GP 002 067-241
		9ES 120 719-005 9ES 120 720-005 9FH 113 447-011 9HD 121 297-001  1AE 003 440-631 1AE 003 440-641	1 1	<b>H4 headlight, left</b> <b>H4 headlight, right</b>  Ⓔ 24489 left Ⓔ 24490 right  <b>Spare Parts:</b> 2 Lens, left 2 Lens, right 1 Reflector, left 1 Reflector, right 5 Bulb holder 5 Cap  1x12V60/55W (H4) 8GJ 002 525-131 1x24V75/70W (H4) 8GJ 002 525-251  1x12V4W (T4W) 8GP 002 067-121 1x24V4W (T4W) 8GP 002 067-241
O 309	01/68->03/83	2BA 001 275-011 2BA 001 275-021	2 2	<b>Indicator light, left</b> <b>Indicator light, right</b>  Ⓔ 22764  <b>Spare Parts:</b> 5 Lens, left 5 Lens, right  1x12V21W (P21W) 8GA 002 073-121
O 309	04/83->02/89	2BA 004 499-001	2	<b>Indicator light</b>  Ⓔ 42679  1x12V21W (P21W) 8GA 002 073-121
O 309	01/68->06/77	2SD 001 680-271 2SD 001 680-281	1 1	<b>Combination rearlight, left</b> <b>Combination rearlight, right</b>  Ⓔ 31482 Ⓔ 53335  <b>Spare Parts:</b> 2 Lens with seal and screws, left 2 Lens with seal and screws, right  1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121
O 309	01/68->06/77	2KA 001 378-041	4	<b>Licence plate light</b>  Ⓔ 12958  1x12V5W (C5W) 8GM 002 092-121






Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
O 309 O 309	07/77->02/89	9EL 119 874-001	2	<b>Combination rearlight, spare parts available only</b> (E1) 53276 <b>Spare Parts:</b> Lens with screws 1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251 2x12V21W (P21W) 8GA 002 073-121 2x24V21W (P21W) 8GA 002 073-241
O 309	07/77->02/89	2NE 002 589-001 9EL 112 763-001	1 5	<b>Rear fog light</b> (E1) 8444 <b>Spare Parts:</b> Lens with screws 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241
O 309	07/77->02/89	2ZR 002 589-011 9EL 112 858-011	1 2	<b>Reverse light</b> (E1) 8725 <b>Spare Parts:</b> Lens with screws 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241
O 309	07/77->02/89	2KA 003 389-061 9BG 121 587-031	2 2	<b>Licence plate light</b> (E1) 22819 <b>Spare Parts:</b> Body/lens with screw 1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251
O 309	01/68->02/89	2JA 001 357-002 2JA 001 357-012	6 6	<b>Interior light with switch</b> <b>Interior light without switch</b> 2x12V10W (K) 8GM 002 091-131 2x24V10W (-) 8GM 002 091-251
O 404 O 404	09/91->10/99	2BA 003 236-541 9EL 139 898-005 9BG 139 863-007	1 4 150	<b>Indicator-clearance light (supplies limited)</b> (E1) 63253 <b>Spare Parts:</b> Lens (supplies limited) Body (supplies limited) 1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
O 404		2BM 006 692-011	1	Auxiliary indicator light, left
O 404	09/91->10/99	2BM 006 692-021	1	Auxiliary indicator light, right
				(E1) 52621 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241
O 404	09/91->10/99	2AB 004 532-051	5	Reading light, with 28V xenon bulb
		9EL 128 922-011	10	<b>Spare Parts:</b> Lens (red) (to be ordered separately) 1x28V7,5W (-) 8GP 008 285-001 (Xenon)
O 405, O 407		2BA 004 119-001	1	Indicator light, for front mounting
O 405	09/84->			(E1) 42680
O 407	03/87->11/01			1x24V21W (P21W) 8GA 002 073-241
				
O 405	09/84->	2BA 003 236-021	1	Indicator light, for rear mounting
O 407	03/87->11/01			(E1) 32764
		9EL 119 544-021	4	<b>Spare Parts:</b> Lens (supplies limited) 1x24V21W (P21W) 8GA 002 073-241
O 405	09/84->	2NE 003 236-001	1	Rear fog light
O 407	03/87->11/01			(e1) 18 411
		9EL 119 544-001 9DX 119 545-011	4 2	<b>Spare Parts:</b> Lens Reflector 1x24V21W (P21W) 8GA 002 073-241




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
O 405, O 407 O 405 O 407	09/84-> 03/87->11/01	2ZR 003 236-051  9EL 119 544-111 9DX 119 545-051	1  4 2	<b>Reverse light</b>  (E1) 8728  <b>Spare Parts:</b> Lens Reflector 1x24V21W (P21W) 8GA 002 073-241
				
O 405 VÖV II O 405 VÖV II	01/84->	2PF 002 860-031  9EL 116 380-035 9GD 128 553-007	1  5 10	<b>Side light, for front mounting</b>  (E1) 21688  <b>Spare Parts:</b> Body/lens Base (to be ordered separately) 1x24V10W (R10W) 8GA 002 071-251
				
O 405 VÖV II	01/84->	2BA 002 324-011 2BA 002 324-021  9EL 110 918-001 9EL 110 918-011	1 1  5 5	<b>Indicator light, left</b> <b>Indicator light, right</b>  (E1) 32621  <b>Spare Parts:</b> Lens with screws, left Lens with screws, right 1x24V21W (P21W) 8GA 002 073-241
				
O 405 VÖV II	01/84->	2SA 002 860-041  9EL 116 380-045	1  5	<b>Side light, for rear mounting</b>  (E1) 31451  <b>Spare Parts:</b> Body/lens (supplies limited) 1x24V10W (R10W) 8GA 002 071-251
				
O 405 VÖV II	01/84->	9EL 118 445-001 9GD 087 883-355 9GD 118 983-021	1 10 10	<b>Combination rearlight, spare parts available only</b>  (E1) 53250  <b>Spare Parts:</b> Lens with screws Seal Bodywork seal for flush-fitting (to be ordered separately) 1x24V10W (R10W) 8GA 002 071-251 2x24V21W (P21W) 8GA 002 073-241
				




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
O 405 VÖV II O 405 VÖV II	01/84->	2BA 003 236-027	6	<b>Indicator light, for rear, top mounting</b> (E1) 32764  1x24V21W (P21W) 8GA 002 073-241
O 405 VÖV II	01/84->	2KA 003 389-061 9BG 121 587-031	2 2	<b>Licence plate light</b> (E1) 22819 <b>Spare Parts:</b> Body/lens with screw  1x24V10W (R10W) 8GA 002 071-251
O 405 VÖV II	01/84->	2AB 004 532-051 9EL 128 922-011	5 10	<b>Reading light, with 28V xenon bulb</b> <b>Spare Parts:</b> Lens (red) (to be ordered separately)  1x28V7,5W (-) 8GP 008 285-001 (Xenon)
<b>Unimog</b> Unimog U 52 - U 125 U 52 (421), U 54 (403), U 60 (421), U 66, U 72 (403), U 80 (406), U 84, U 90, U 100, U 110, U 125 (416) Unimog U 600 - U 900 U 600, U 800, U 900	->12/76           ->07/90	9ES 071 899-021 9DR 091 085-001	8 1	<b>Headlight, spare parts available only</b> (E1) 4455 <b>Spare Parts:</b> Lens Reflector  1x12V45/40W (R2) 8GD 002 088-131  1x12V4W (T4W) 8GP 002 067-121





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>Unimog</b> Unimog U 600 - U 900 U 600, U 800, U 900	08/90->05/92	<b>1A8 003 060-761</b>  9GH 116 966-011 9FF 126 444-001	1  10 10	<b>H4 headlight, not suitable for headlight leveller</b>  (E1) 14551 (E1) 34495  <b>Spare Parts:</b> Cap Bulb socket for side light  1x12V60/55W (H4) 8GJ 002 525-131 1x12V4W (T4W) 8GP 002 067-121
<b>Unimog U 600 - U 900</b> U 600, U 800, U 900	08/90->05/92	<b>1A8 004 148-007</b>  9GH 116 966-011 9FF 126 444-001	120  10 10	<b>H4 headlight, suitable for headlight leveller</b>  (E1) 14551 (E1) 34495  <b>Spare Parts:</b> Cap Bulb socket for side light  1x12V60/55W (H4) 8GJ 002 525-131 1x12V4W (T4W) 8GP 002 067-121
<b>Unimog U 1000 - U 1700</b> U 1000 U 1300, U 1500, U 1700	->12/89 ->12/90	<b>9ES 082 415-001</b> <b>9DE 119 443-001</b> <b>9GD 052 710-021</b> <b>9FH 112 497-001</b> <b>9FF 085 642-001</b> <b>9AB 053 336-007</b> <b>9GD 087 429-001</b>  <b>1AG 001 108-531</b>  9ES 112 293-001 9DE 119 445-001 9GD 052 710-021 9FH 112 497-001 9FF 085 642-001 9AB 053 336-007 9GD 087 429-001	6 1 10 10 10 10 240 10  1 5 1 10 10 10 10 240 10	<b>Headlight, spare parts available only</b>  (E1) 4446 (E1) 14527  <b>Spare Parts:</b> Lens Reflector Seal for lens Bulb holder Bulb socket for side light Outer rim (to be ordered separately) Seal (to be ordered separately)  1x12V45/40W (R2) 8GD 002 088-131 1x12V4W (T4W) 8GP 002 067-121  <b>H4 headlight</b>  (E4) 62 (E4) 308  <b>Spare Parts:</b> Lens Reflector Seal for lens Bulb holder Bulb socket for side light Outer rim (to be ordered separately) Seal (to be ordered separately)  1x12V60/55W (H4) 8GJ 002 525-131 1x12V4W (T4W) 8GP 002 067-121





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>Unimog</b> Unimog Large local authority road vehicles	04/84->	1A5 003 178-231	1	<b>H4 headlight</b> (E1) 24423  1x12V60/55W (H4) 8GJ 002 525-131 1x24V75/70W (H4) 8GJ 002 525-251  1x12V4W (T4W) 8GP 002 067-121 1x24V4W (T4W) 8GP 002 067-241
<b>Unimog U 1000 - U 1700</b> 		2XS 004 237-291 2XS 004 237-301	1 1	<b>Clearance light (white), left, for front mounting</b> <b>Clearance light (white), right, for front mounting</b> (E1) 21668  1x12V5W (R5W) 8GA 002 071-121 1x24V5W (R5W) 8GA 002 071-241
<b>Unimog U 95, U 120, U 150 (425)</b> <b>Unimog U 1300, U 1500, U 1700</b>	->12/76	2SE 001 699-071 2SD 001 699-061 9EL 109 139-001 9GT 074 132-001	1 1 2 10	<b>Combination rearlight, left, with licence plate light</b> <b>Combination rearlight, right, without licence plate light</b> (E1) 196 (E1) 43332 <b>Spare Parts:</b> Lens with screws Grommet  1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251  2x12V21W (P21W) 8GA 002 073-121 2x24V21W (P21W) 8GA 002 073-241
<b>Unimog U 1000 - U 1700</b> 		2ZR 003 236-051 9EL 119 544-111 9DX 119 545-051	1 4 2	<b>Reverse light</b> (E1) 8728 <b>Spare Parts:</b> Lens Reflector  1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241
<b>Unimog U 52 - U 150</b> <b>Unimog U 1000 - U 1700</b>	->12/76 01/77->	2JA 001 357-002 2JA 001 357-012	6 6	<b>Interior light with switch</b> <b>Interior light without switch</b>  2x12V10W (K) 8GM 002 091-131 2x24V10W (-) 8GM 002 091-251




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>Vario 512 D - 815 DA</b> Vario 512 D - 815 DA 09/96-> 512 D 612 D, 614 D, 615 D 810 DT, 812 D, 814 D/DA, 815 D/DA O 810, O 812, O 814, O 815		1AH 007 774-011	1	H1 headlight, left, without fog light, with electr. headlight leveller actuator
		1AH 007 774-021	1	H1 headlight, right, without fog light, with electr. headlight leveller actuator
		9ES 148 323-021	3	H1 headlight, with H1 fog light, with electr. headlight leveller actuator, spare parts available only
		9ES 148 324-021	3	
				(E1) 454 left (E1) 455 right  <b>Spare Parts:</b> Lens, left Lens, right   3x12V55W (H1) 8GH 002 089-133  3x24V70W (H1) 8GH 002 089-251   1x12V5W (W5W) 8GP 003 594-121  1x24V5W (W5W) 8GP 003 594-251
Vario 512 D - 815 DA 09/96->		2BA 007 775-051	1	Indicator light (amber), left
		2BA 007 775-061	1	Indicator light (amber), right
				(E1) 486   1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241
Vario 512 D - 815 DA 09/96->		2BM 006 692-011	1	Auxiliary indicator light, left
		2BM 006 692-021	1	Auxiliary indicator light, right
				(E1) 52621   1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241
<b>Vario 512 D - 815 DA</b> 09/96-> 512 D 612 D, 614 D, 615 D 810 DT, 812 D, 814 D/DA, 815 D/DA O 810, O 812, O 814, O 815		2VD 008 204-091	1	Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector, marker reflex-reflector and centre plug (middle)
		2VP 008 204-081	1	Combination rearlight, right, with reverse, clearance light, side-marker light, with reflex-reflector, marker reflex-reflector and centre plug (middle)
		9EL 152 891-001	1	Spare Parts: Lens with screws
				(E4) 3179 (E4) 4060 (E4) 9809 (E4) 9810   3x24V5W (R5W) 8GA 002 071-241  4x24V21W (P21W) 8GA 002 073-241




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>Vario 512 D - 815 DA</b> Vario 512 D - 815 DA 09/96-> 512 D 612 D, 614 D, 615 D 810 DT, 812 D, 814 D/DA, 815 D/DA O 810, O 812, O 814, O 815 Special equipment 		<b>2VB 004 887-011</b>	1	<b>Combination rearlight, left, with licence plate and rear fog light</b>
		<b>2VA 004 887-031</b>	1	<b>Combination rearlight, left, with rear fog light</b>
		<b>2VP 004 887-021</b>	1	<b>Combination rearlight, right, with reverse light</b>  (E1) 53384  <b>Spare Parts:</b> 1 Lens with screws, left 1 Lens with screws, right 10 Grommet (to be ordered separately)  1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251  3x12V21W (P21W) 8GA 002 073-121 3x24V21W (P21W) 8GA 002 073-241
		9EL 131 420-001 9EL 131 420-011 9GT 141 941-001	1 1 10	Lens with screws, left Lens with screws, right Grommet (to be ordered separately)
<b>Vario 512 D - 815 DA</b> 09/96-> 		<b>2KA 003 389-061</b>	2	<b>Licence plate light</b>  (E1) 22819  <b>Spare Parts:</b> 2 Body/lens with screw   1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251
<b>Vario 512 D - 815 DA</b> 09/96-> 		<b>2JA 001 357-012</b>	6	<b>Interior light without switch</b>   2x12V10W (K) 8GM 002 091-131 2x12V10W (K) 8GM 002 091-131




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>507 D - 814 D (T2/LN1)</b>				
507 D - 814 D (T2/LN1)	04/86->12/94			<b>Headlight, spare parts available only</b> (E1) 34431 left (E1) 34432 right <b>Spare Parts:</b> 10 Lens, left 10 Lens, right 5 Bulb holder 1x12V45/40W (R2) 8GD 002 088-131 1x24V55/50W (R2) 8GD 002 088-251 1x12V4W (T4W) 8GP 002 067-121 1x24V4W (T4W) 8GP 002 067-241
507 D, 508 D, 510, 609 D, 611 D, 709 D, 711 D, 714 D, 809 D, 811 D, 814 D		9ES 126 469-005 9ES 126 470-005 9FH 113 447-011	10 10 5	
O 609 D, O 611 D, O 614 D	07/87->12/92			<b>H4 headlight, left, not suitable for headlight leveller</b> <b>H4 headlight, right, not suitable for headlight leveller</b> <b>H4 headlight, left, suitable for headlight leveller</b> <b>H4 headlight, right, suitable for headlight leveller</b> (E1) 34427 left (E1) 34428 right <b>Spare Parts:</b> 10 Lens, left 10 Lens, right 1 Reflector, left 1 Reflector, right 5 Bulb holder 5 Cap with seal 1x12V60/55W (H4) 8GJ 002 525-131 1x24V75/70W (H4) 8GJ 002 525-251 1x12V4W (T4W) 8GP 002 067-121 1x24V4W (T4W) 8GP 002 067-241
		1AE 003 440-671 1AE 003 440-681 1AE 003 440-451 1AE 003 440-461	1 1 1 1	
		9ES 126 471-001 9ES 126 472-001 9DE 122 228-011 9DE 122 228-021 9FH 113 447-011 9HD 121 297-001	10 10 1 1 5 5	
507 D - 814 D (T2/LN1)	04/86->12/94	1ND 122 390-001	1	<b>H3 fog light unit</b> (E1) 8336 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251
507 D - 814 D (T2/LN1)	04/86->12/94	2PF 001 638-001	2	<b>Side light</b> (E1) 11770 <b>Spare Parts:</b> 2 Body/lens with screw 10 Base for flat surfaces (to be ordered separately) 10 Base for curved surfaces (to be ordered separately) 1x12V5W (R5W) 8GA 002 071-121 1x24V5W (R5W) 8GA 002 071-241
		9EL 107 443-001 9GD 082 716-001 9GD 100 140-001	2 10 10	






Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>507 D - 814 D (T2/LN1)</b> 507 D - 814 D (T2/LN1) Flatbed	04/86->12/94	<b>2BM 002 652-051</b>	1	<b>Auxiliary indicator light</b> 32785 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241
<b>507 D - 814 D (T2/LN1)</b> Van	04/86->12/94	<b>2BM 002 652-071</b> <b>2BM 002 652-081</b>	1 1	<b>Auxiliary indicator light, left</b> <b>Auxiliary indicator light, right</b> 32785 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241
<b>507 D - 814 D (T2/LN1)</b>	05/94->12/94	<b>2BM 006 692-011</b> <b>2BM 006 692-021</b>	1 1	<b>Auxiliary indicator light, left</b> <b>Auxiliary indicator light, right</b> 52621 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241
<b>507 D - 814 D (T2/LN1)</b> 507 D, 508 D, 510, 609 D, 611 D, 709 D, 711 D, 714 D, 809 D, 811 D, 814 D Platform truck Van  O 609 D, O 611 D, O 614 D	04/86->12/94      07/87->12/92	<b>2VB 004 887-011</b>  <b>2VA 004 887-031</b>  <b>2VP 004 887-021</b>  9EL 131 420-001 9EL 131 420-011 9GT 141 941-001	1  1  1  1 1 10	<b>Combination rearlight, left, with licence plate and rear fog light</b>  <b>Combination rearlight, left, with rear fog light</b>  <b>Combination rearlight, right, with reverse light</b> 53384 <b>Spare Parts:</b> Lens with screws, left Lens with screws, right Grommet (to be ordered separately)  1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251 3x12V21W (P21W) 8GA 002 073-121 3x24V21W (P21W) 8GA 002 073-241




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>507 D - 814 D (T2/LN1)</b>		<b>2KA 003 389-061</b>	2	<b>Licence plate light</b>
507 D - 814 D (T2/LN1)	04/86->12/94			(E1) 22819
Van				<b>Spare Parts:</b> Body/lens with screw
O 609 D, O 611 D, O 614 D	07/87->12/92	9BG 121 587-031	2	1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251
				
<b>507 D - 814 D (T2/LN1)</b>	04/86->12/94	<b>2XS 004 237-291</b>	1	<b>Clearance light (white), left, for front mounting</b>
		<b>2XS 004 237-301</b>	1	<b>Clearance light (white), right, for front mounting</b>
				(E1) 21668
				1x12V5W (R5W) 8GA 002 071-121 1x24V5W (R5W) 8GA 002 071-241
				
<b>507 D - 814 D (T2/LN1)</b>	04/86->12/94	<b>2XS 004 237-311</b>	1	<b>Clearance light (red), left, for rear mounting</b>
		<b>2XS 004 237-321</b>	1	<b>Clearance light (red), right, for rear mounting</b>
				(E1) 21441
				1x12V5W (R5W) 8GA 002 071-121 1x24V5W (R5W) 8GA 002 071-241
				
<b>507 D - 814 D (T2/LN1)</b>	04/86->12/94	<b>2JA 001 357-002</b>	6	<b>Interior light with switch</b>
		<b>2JA 001 357-012</b>	6	<b>Interior light without switch</b>
				2x12V10W (K) 8GM 002 091-131
				




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
709 - 2024 (LK/LN2)		1AE 003 440-671	1	H4 headlight, left, not suitable for headlight leveller
709 - 2024 (LK/LN2)	01/84->12/98	1AE 003 440-681	1	H4 headlight, right, not suitable for headlight leveller
709, 711		1AE 003 440-451	1	H4 headlight, left, suitable for headlight leveller
809, 811, 814, 817		1AE 003 440-461	1	H4 headlight, right, suitable for headlight leveller
914, 917				(E1) 34427 left (E1) 34428 right
1114, 1117, 1120, 1124				<b>Spare Parts:</b>
1214, 1217		9ES 126 471-001	10	Lens, left
1314, 1317, 1320, 1324		9ES 126 472-001	10	Lens, right
1514, 1517, 1520, 1524		9DE 122 228-011	1	Reflector, left
1720, 1724		9DE 122 228-021	1	Reflector, right
2020, 2024		9FH 113 447-011	5	Bulb holder
		9HD 121 297-001	5	Cap with seal
				 1x24V75/70W (H4) 8GJ 002 525-251
				 1x24V4W (T4W) 8GP 002 067-241
				
709 - 2024 (LK/LN2)	01/84->12/98	1ND 122 390-001	1	H3 fog light unit (E1) 8336  1x24V70W (H3) 8GH 002 090-251
				
709 - 2024 (LK/LN2)	01/84->12/98	2BA 003 975-031 2BA 003 975-041	1 1	Indicator light, left Indicator light, right (E1) 42650  1x24V21W (P21W) 8GA 002 073-241
				
709 - 2024 (LK/LN2)	01/84->12/98	2XS 004 237-291 2XS 004 237-301	1 1	Clearance light (white), left, for front mounting Clearance light (white), right, for front mounting (E1) 21668  1x24V5W (R5W) 8GA 002 071-241
				
709 - 2024 (LK/LN2)	01/84->12/98	2BM 004 312-051 2BM 004 312-061	1 1	Auxiliary indicator light, left Auxiliary indicator light, right (E1) 42669 <b>Spare Parts:</b> 9EL 127 855-001 5 Lens, left 9EL 127 856-001 5 Lens, right  1x24V21W (P21W) 8GA 002 073-241
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
709 - 2024 (LK/LN2)		2BM 006 692-011	1	Auxiliary indicator light, left
709 - 2024 (LK/LN2)	05/94->12/98	2BM 006 692-021	1	Auxiliary indicator light, right
				(E1) 52621  1x24V21W (P21W) 8GA 002 073-241
709 - 2024 (LK/LN2)	01/84->08/88			<b>Combination rearlight, spare parts available only</b>
709				(E1) 53250
809, 814, 817				<b>Spare Parts:</b>
914, 917		9EL 118 445-001	1	Lens with screws
1114, 1117, 1120		9GD 087 883-355	10	Seal
1214				 1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251 2x12V21W (P21W) 8GA 002 073-121 2x24V21W (P21W) 8GA 002 073-241
1314, 1317, 1320, 1324				
1514, 1517, 1520, 1524				
1720, 1724				
2020, 2024				
				
709 - 2024 (LK/LN2)	09/88->10/94	2VD 005 300-551	1	<b>Combination rearlight, left, with licence plate, rear fog, reverse, clearance light and lateral marker reflex-reflector</b>
709, 711		2VD 005 300-581	1	<b>Combination rearlight, right, with licence plate, rear fog, reverse, clearance light and lateral marker reflex-reflector</b>
809, 811, 814, 817				<b>(if used in right-hand traffic, the licence plate window of the right-hand light has to be covered with the black cover lens 9EL 134 301-011, to be ordered separately)</b>
914, 917				(E1) 31432 (E1) 63217
1114, 1117, 1120, 1124				<b>Spare Parts:</b>
1214, 1217		9EL 134 296-041	1	Lens with screws, left
1314, 1317, 1320, 1324		9EL 134 296-051	1	Lens with screws, right
1514, 1517, 1520, 1524		9EL 134 301-001	1	Lens for licence plate light
1720, 1724		9EL 134 301-011	1	Glare shield, black (order separately)
2020, 2024		8RA 003 326-011	20	Reflector (amber)
				 3x12V10W (R10W) 8GA 002 071-131 3x24V10W (R10W) 8GA 002 071-251 4x12V21W (P21W) 8GA 002 073-121 4x24V21W (P21W) 8GA 002 073-241





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
709 - 2024 (LK/LN2) 709 - 2024 (LK/LN2)	01/84->12/98	2TJ 003 168-151	2	<b>Clearance light for side mounting</b> (E1) 31417 1x12V5W (C5W) 8GM 002 092-121 1x24V5W (C5W) 8GM 002 092-241
				
709 - 2024 (LK/LN2)	01/84->12/98	2NE 003 236-001	1	<b>Rear fog light</b> (e1) 18 411 <b>Spare Parts:</b> 4 Lens 2 Reflector 1x24V21W (P21W) 8GA 002 073-241
		9EL 119 544-001 9DX 119 545-011	4 2	
709 - 2024 (LK/LN2)	01/84->12/98	2ZR 003 236-051	1	<b>Reverse light</b> (E1) 8728 <b>Spare Parts:</b> 4 Lens 2 Reflector 1x24V21W (P21W) 8GA 002 073-241
		9EL 119 544-111 9DX 119 545-051	4 2	
709 - 2024 (LK/LN2)	01/84->12/98	2JA 001 357-002 2JA 001 357-012	6 6	<b>Interior light with switch</b> <b>Interior light without switch</b> 2x12V10W (K) 8GM 002 091-131
				





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>1013 - 3850 (NG)</b>		<b>1EH 002 658-031</b>	<b>1</b>	<b>H4 headlight, left, with indicator light, not suitable for headlight leveller</b>
1013 - 3850 (NG)	08/73->08/88	<b>1EH 002 658-041</b>	<b>1</b>	<b>H4 headlight, right, with indicator light, not suitable for headlight leveller</b>
1013, 1017, 1019				<b>H4 headlight, with indicator light, suitable for headlight leveller, spare parts available only</b>
1213, 1217, 1219, 1222, 1225, 1228				Ⓔ 14581 left Ⓔ 14582 right
1413, 1414, 1417, 1419, 1420, 1422, 1424, 1425, 1428, 1429				
1613, 1614, 1617, 1619, 1620, 1622, 1624, 1625, 1626, 1628, 1632, 1633, 1635, 1636, 1638, 1644		9ES 113 917-001	6	<b>Spare Parts:</b> Lens, left
		9ES 113 916-001	6	Lens, right
		9EV 113 436-005	10	Auxiliary lens for indicator light (amber)
		9GD 113 431-005	10	Seal for lens
1719		9DE 116 732-001	1	Reflector, left (without headlight leveller)
1814		9DE 116 733-001	1	Reflector, right (without headlight leveller)
1919, 1922, 1926, 1928, 1932, 1933, 1935, 1936, 1938, 1944		9DE 118 792-001	1	Reflector, left (with headlight leveller)
2025, 2026, 2028, 2032, 2033, 2035, 2036		9DE 118 793-001	1	Reflector, right (with headlight leveller)
2219, 2220, 2222, 2224, 2225, 2226, 2228, 2232, 2233, 2235, 2236, 2238, 2244				 1x12V60/55W (H4) 8GJ 002 525-131  1x24V75/70W (H4) 8GJ 002 525-251
2422, 2425, 2426, 2433, 2438, 2444				 1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241
2528, 2536				 1x12V4W (T4W) 8GP 002 067-121  1x24V4W (T4W) 8GP 002 067-241
2626, 2628, 2632, 2633, 2635, 2636, 2638, 2644				
3025, 3028, 3033, 3036, 3038				
3228, 3235, 3250				
3328, 3333, 3335, 3336, 3338				
3528, 3535, 3536, 3544				
3836, 3850				








Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
1013 - 3850 (NG) 1013 - 3850 (NG)	08/73->08/88	9DF 117 504-007  1FE 125 510-011	2  1	<b>H3 fog light, spare parts available only</b> (E4) 914 <b>Spare Parts:</b> Reflector with lens  <b>H3 spotlight, spare parts available only</b> (E1) 24586 <b>Spare Parts:</b> Light unit 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251
1013 - 3850 (NG)	08/73->08/88	2PF 961 167-021  9EL 137 241-001	2  4	<b>Side light, for vehicles without external sun visor</b> (E1) 31446 <b>Spare Parts:</b> Lens 1x12V5W (C5W) 8GM 002 092-121 1x24V5W (C5W) 8GM 002 092-241
1013 - 3850 (NG)	08/73->08/88	2BM 002 847-011 2BM 002 847-021  9EL 115 830-001	1 1  5	<b>Auxiliary indicator light, left</b> <b>Auxiliary indicator light, right</b> (E1) 32692 <b>Spare Parts:</b> Lens 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241
1013 - 3850 (NG)	08/73->08/88	2TJ 003 168-151	2	<b>Clearance light for side mounting</b> (E1) 31417 1x12V5W (C5W) 8GM 002 092-121 1x24V5W (C5W) 8GM 002 092-241




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
1013 - 3850 (NG)		2SE 001 699-071	1	Combination rearlight, left, with licence plate light
1013 - 3850 (NG)	08/73->08/88	2SD 001 699-061	1	
1013, 1017, 1019				(E1) 196 (E1) 43332
1213, 1217, 1219, 1222, 1225, 1228				<b>Spare Parts:</b>
1413, 1414, 1417, 1419, 1420, 1422, 1424, 1425, 1428, 1429		9EL 109 139-001	2	Lens with screws
1613, 1614, 1617, 1619, 1620, 1622, 1624, 1625, 1626, 1628, 1632, 1633, 1635, 1636, 1638, 1644		9GT 074 132-001	10	Grommet
1719				1x12V10W (R10W) 8GA 002 071-131
1814				1x24V10W (R10W) 8GA 002 071-251
1919, 1922, 1926, 1928, 1932, 1933, 1935, 1936, 1938, 1944				2x12V21W (P21W) 8GA 002 073-121
2025, 2026, 2028, 2032, 2033, 2035, 2036				2x24V21W (P21W) 8GA 002 073-241
2219, 2220, 2222, 2224, 2225, 2226, 2228, 2232, 2233, 2235, 2246, 2238, 2244				
2422, 2425, 2428, 2433, 2438, 2444				
2528, 2536				
2626, 2628, 2632, 2633, 2635, 2636, 2638, 2644				
3025, 3028, 3033, 3036, 3038				
3228, 3235, 3250				
3328, 3333, 3335, 3336, 3338				
3528, 3535, 3536, 3544				
3836, 3850				







Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>1013 - 3850 (NG)</b>		<b>2SE 003 167-031</b>	1	<b>Combination rearlight, left, with licence plate light</b>
1013 - 3850 (NG)	08/73->08/88	<b>2SD 003 167-021</b>	1	<b>Combination rearlight, right, without licence plate light</b>
1013, 1017, 1019				(E1) 264
1213, 1217, 1219, 1222, 1225, 1228				<b>Spare Parts:</b>
1413, 1414, 1417, 1419, 1420, 1422, 1424, 1425, 1428, 1429		9EL 147 747-001	1	Lens with screws
1613, 1614, 1617, 1619, 1620, 1622, 1624, 1625, 1626, 1628, 1632, 1633, 1635, 1636, 1638, 1644		9GD 087 883-355	10	Seal
1719				1x12V10W (R10W) 8GA 002 071-131
1814				1x24V10W (R10W) 8GA 002 071-251
1919, 1922, 1926, 1928, 1932, 1933, 1935, 1936, 1938, 1944				2x12V21W (P21W) 8GA 002 073-121
2025, 2026, 2028, 2032, 2033, 2035, 2036				2x24V21W (P21W) 8GA 002 073-241
2219, 2220, 2222, 2224, 2225, 2226, 2228, 2232, 2233, 2235, 2246, 2238, 2244				
2422, 2428, 2425, 2433, 2438, 2444				
2528, 2536				
2626, 2628, 2632, 2633, 2635, 2636, 2638, 2644				
3025, 3028, 3033, 3036, 3038				
3228, 3235, 3250				
3328, 3333, 3335, 3336, 3338				
3528, 3535, 3536, 3544				
3836, 3850				
				
<b>1013 - 3850 (NG)</b>	08/73->08/88	<b>2NE 003 236-001</b>	1	<b>Rear fog light</b>
				(e1) 18 411
				<b>Spare Parts:</b>
		9EL 119 544-001	4	Lens
		9DX 119 545-011	2	Reflector
				1x12V21W (P21W) 8GA 002 073-121
				1x24V21W (P21W) 8GA 002 073-241
				




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
1013 - 3850 (NG) 1013 - 3850 (NG)	08/73->08/88	2ZR 003 236-051  9EL 119 544-111 9DX 119 545-051	1  4 2	<b>Reverse light</b>  E1 8728  <b>Spare Parts:</b> Lens Reflector  1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241
1013 - 3850 (NG)	08/73->08/88	2JA 002 661-001  9EL 116 607-005	1  12	<b>Interior light with switch</b>  <b>Spare Parts:</b> Lens  2x12V21W (P21W) 8GA 002 073-121 2x24V21W (P21W) 8GA 002 073-241
1013 - 3850 (NG)	08/73->08/88	2JA 001 357-012	6	<b>Interior light without switch, for vehicles with sleeping cab</b>  2x12V10W (K) 8GM 002 091-131 2x24V10W (K) 8GM 002 091-251





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>1222 - 4850 (MK, SK)</b>		<b>1EH 002 658-311</b>	1	<b>Headlight, left, with indicator light, not suitable for headlight leveller</b>
1222 - 4850 (MK, SK)	07/87->09/96	<b>1EH 002 658-321</b>	1	<b>Headlight, right, with indicator light, not suitable for headlight leveller</b>
1222, 1224, 1226, 1227, 1231, 1234				(E1) 14540 left (E1) 14541 right
1417, 1420, 1422, 1424, 1426, 1427, 1429				(E1) 21618 left (E1) 21619 right
1627				<b>Spare Parts:</b>
1717, 1720, 1722, 1726, 1729, 1733, 1735, 1748		9ES 111 705-001	2	Lens, left
		9ES 111 704-001	2	Lens, right
		9EV 113 436-005	10	Auxiliary lens for indicator light (amber)
1820, 1824, 1827, 1831, 1834, 1838, 1840, 1844, 1850, 1853		9GD 113 431-005	10	Seal for lens
		9DE 116 730-001	1	Reflector, left
1922, 1926, 1929, 1935, 1945, 1948				1x12V45/40W (R2) 8GD 002 088-131 1x24V55/50W (R2) 8GD 002 088-251
2024, 2027, 2031, 2038, 2044, 2050, 2055				1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241
2420, 2422, 2426, 2429, 2431, 2433, 2434, 2435, 2448				1x12V4W (T4W) 8GP 002 067-121 1x24V4W (T4W) 8GP 002 067-241
2524, 2527, 2531, 2534, 2538, 2544, 2550, 2553				
2629, 2631, 2634, 2635, 2638, 2644, 2645, 2648, 2650, 2653				
3050, 3053				
3229, 3233, 3234, 3235, 3236, 3238, 3244, 3248, 3250, 3253, 3255				
3534, 3535, 3538, 3544, 3548, 3550, 3553				
4050				
4844, 4850				







Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>1222 - 4850 (MK, SK)</b>		<b>1EH 002 658-331</b>	<b>1</b>	<b>H4 headlight, left, with indicator light, not suitable for headlight leveller</b>
1222 - 4850 (MK, SK)	07/87->09/96	<b>1EH 002 658-341</b>	<b>1</b>	<b>H4 headlight, right, with indicator light, not suitable for headlight leveller</b>
1222, 1224, 1226, 1227, 1231, 1234		<b>1EH 002 658-391</b>	<b>1</b>	<b>H4 headlight, left, with indicator light, suitable for headlight leveller</b>
1417, 1420, 1422, 1424, 1426, 1427, 1429		<b>1EH 002 658-401</b>	<b>1</b>	<b>H4 headlight, right, with indicator light, suitable for headlight leveller</b>
1627		<b>1EH 002 658-551</b>	<b>1</b>	<b>H4 headlight, left, with indicator light, suitable for headlight leveller and holder for headlight leveller</b>
1717, 1720, 1722, 1726, 1729, 1733, 1735, 1748		<b>1EH 002 658-561</b>	<b>1</b>	<b>H4 headlight, right, with indicator light, suitable for headlight leveller and holder for headlight leveller</b>
1820, 1824, 1827, 1831, 1834, 1838, 1840, 1844, 1850, 1853				Ⓔ 14581 left Ⓔ 14582 right
1922, 1926, 1929, 1935, 1945, 1948				
2024, 2027, 2031, 2038, 2044, 2050, 2055				
2420, 2422, 2426, 2429, 2431, 2433, 2434, 2435, 2448		9ES 113 917-001	6	Lens, left
		9ES 113 916-001	6	Lens, right
		9EV 113 436-005	10	Auxiliary lens for indicator light (amber)
		9GD 113 431-005	10	Seal for lens
2524, 2527, 2531, 2534, 2538, 2544, 2550, 2553		9DE 116 732-001	1	Reflector, left (without headlight leveller)
2629, 2631, 2634, 2635, 2638, 2644, 2645, 2648, 2650, 2653		9DE 116 733-001	1	Reflector, right (without headlight leveller)
3050, 3053		9DE 118 792-001	1	Reflector, left (with headlight leveller)
3229, 3233, 3234, 3235, 3236, 3238, 3244, 3248, 3250, 3253, 3255		9DE 118 793-001	1	Reflector, right (with headlight leveller)
3534, 3535, 3538, 3544, 3548, 3550, 3553				 1x12V60/55W (H4) 8GJ 002 525-131  1x24V75/70W (H4) 8GJ 002 525-251
4050				 1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241
4844, 4850				 1x12V4W (T4W) 8GP 002 067-121  1x24V4W (T4W) 8GP 002 067-241






Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>1222 - 4850 (MK, SK)</b>				<b>H3 fog light, spare parts available only</b>
<b>1222 - 4850 (MK, SK)</b>	07/87->04/94			(E4) 914
For models with steel bumpers only		9DF 117 504-007 9AG 129 328-001	2 7	<b>Spare Parts:</b> Reflector with lens Lens-retaining rim
				<b>H3 spotlight, spare parts available only</b>
		1FE 125 510-011 9AG 129 328-001	1 7	(E1) 24586 <b>Spare Parts:</b> Light unit Lens-retaining rim
				 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251
<b>1222 - 4850 (MK, SK)</b>	07/87->04/94	<b>1NE 002 537-301</b>	1	<b>H3 fog light</b>
For models with plastic bumpers only		9DF 117 504-007 9AG 129 328-001	2 7	(E4) 914 <b>Spare Parts:</b> Reflector with lens Lens-retaining rim
		<b>1FE 002 537-311</b>	1	<b>H3 spotlight</b>
		1FE 125 510-011 9AG 129 328-001	1 7	(E1) 24586 <b>Spare Parts:</b> Light unit Lens-retaining rim
				 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251
<b>1222 - 4850 (MK, SK)</b>	05/94->09/96	<b>1NE 006 300-201</b>	1	<b>H3 fog light</b>
For models with plastic bumpers only				(E1) 18231
		<b>1FE 006 300-191</b>	1	<b>H3 spotlight</b>
				(E1) 44445
				 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>1222 - 4850 (MK, SK)</b> <b>1222 - 4850 (MK, SK)</b> For models with plastic bumpers only 	07/87->09/96	<b>1FE 002 537-481</b>  1FE 152 896-011 9AG 126 942-031 5DV 007 810-171	1  1 5 1	<b>Xenon spotlight, with 24V xenon ballast and gas discharge bulb D2S</b>  (E1) 880  <b>Spare Parts:</b> Light unit Lens-retaining rim Xenon ballast 24V   1x35W (D2S) 8GS 007 949-101
<b>1222 - 4850 (MK, SK)</b> 	07/87->09/96	<b>2PF 961 167-021</b>  9EL 137 241-001	2  4	<b>Side light, for vehicles without external sun visor</b>  (E1) 31446  <b>Spare Parts:</b> Lens   1x12V5W (C5W) 8GM 002 092-121 1x24V5W (C5W) 8GM 002 092-241
<b>1222 - 4850 (MK, SK)</b> 	05/94->09/96	<b>2BM 006 692-011</b> <b>2BM 006 692-021</b>	1 1	<b>Auxiliary indicator light, left</b> <b>Auxiliary indicator light, right</b>  (E1) 52621   1x24V21W (P21W) 8GA 002 073-241
<b>1222 - 4850 (MK, SK)</b> 	07/87->09/96	<b>2XS 004 237-291</b> <b>2XS 004 237-301</b>	1 1	<b>Clearance light (white), left, for front mounting</b> <b>Clearance light (white), right, for front mounting</b>  (E1) 21668   1x12V5W (R5W) 8GA 002 071-121 1x24V5W (R5W) 8GA 002 071-241




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>1222 - 4850 (MK, SK)</b>		<b>2VD 005 300-551</b>	1	<b>Combination rearlight, left, with licence plate, rear fog, reverse, clearance light and lateral marker reflex-reflector</b>
1222 - 4850 (MK, SK)	07/87->10/94			
1222, 1224, 1226, 1227, 1231, 1234		<b>2VD 005 300-581</b>	1	<b>Combination rearlight, right, with licence plate, rear fog, reverse, clearance light and lateral marker reflex-reflector</b>  <b>(if used in right-hand traffic, the licence plate window of the right-hand light has to be covered with the black cover lens 9EL 140 301-011, to be ordered separately)</b>  (E1) 31432 (E1) 63217
1417, 1420, 1422, 1424, 1426, 1427, 1429				
1627				
1717, 1720, 1722, 1726, 1729, 1733, 1735, 1748				
1820, 1824, 1827, 1831, 1834, 1838, 1840, 1844, 1850, 1853		9EL 134 296-041	1	<b>Spare Parts:</b> Lens with screws, left Lens with screws, right Lens for licence plate light Glare shield, black (order separately) Reflector (amber)  3x12V10W (R10W) 8GA 002 071-131 3x24V10W (R10W) 8GA 002 071-251 4x12V21W (P21W) 8GA 002 073-121 4x24V21W (P21W) 8GA 002 073-241
1922, 1926, 1929, 1935, 1945, 1948		9EL 134 296-051	1	
2024, 2027, 2031, 2038, 2044, 2050, 2055		9EL 134 301-001	1	
2420, 2422, 2426, 2429, 2431, 2433, 2434, 2435, 2448		9EL 134 301-011	1	
2524, 2527, 2531, 2534, 2538, 2544, 2550, 2553		8RA 003 326-011	20	
2629, 2631, 2634, 2635, 2638, 2644, 2645, 2648, 2650, 2653				
3050, 3053				
3229, 3233, 3234, 3235, 3236, 3238, 3244, 3248, 3250, 3253, 3255				
3534, 3535, 3538, 3544, 3548, 3550, 3553				
4050				
4844, 4850				






Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
<b>1222 - 4850 (MK, SK)</b>		<b>2VD 007 500-091</b>	1	<b>Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, with side-marker reflex-reflector and bulbs</b>
1222 - 4850 (MK, SK)	11/94->09/96			
1222, 1224, 1226, 1227, 1231, 1234		<b>2VD 007 500-201</b>	1	<b>Combination rearlight, right, with licence plate, rear fog, reverse, clearance light, with side-marker reflex-reflector and bulbs</b>
1417, 1420, 1422, 1424, 1426, 1427, 1429				(if used in right-hand traffic, the licence plate window of the right-hand light has to be covered with the black cover lens 9EL 134 301-011, to be ordered separately)
1627				(E1) 31432 (E1) 63217
1717, 1720, 1722, 1726, 1729, 1733, 1735, 1748		<b>2VD 007 500-111</b>	1	<b>Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with side-marker reflex-reflector and bulbs</b>
1820, 1824, 1827, 1831, 1834, 1838, 1840, 1844, 1850, 1853				
1922, 1926, 1929, 1935, 1945, 1948		<b>2VD 007 500-221</b>	1	<b>Combination rearlight, right, with licence plate, rear fog, reverse, clearance light, side-marker light, with side-marker reflex-reflector and bulbs</b>
2024, 2027, 2031, 2038, 2044, 2050, 2055				(if used in right-hand traffic, the licence plate window of the right-hand light has to be covered with the black cover lens 9EL 134 301-011, to be ordered separately)
2420, 2422, 2426, 2429, 2431, 2433, 2434, 2435, 2448				(E1) 31432 (E1) 63217
2524, 2527, 2531, 2534, 2538, 2544, 2550, 2553				(E1) 280
2629, 2631, 2634, 2635, 2638, 2644, 2645, 2648, 2650, 2653				<b>Spare Parts:</b>
3050, 3053		9EL 134 296-041	1	Lens with screws, left
		9EL 134 296-051	1	Lens with screws, right
		9EL 146 838-001	2	Lens for side-marker light for -111/-221
3229, 3233, 3234, 3235, 3236, 3238, 3244, 3248, 3250, 3253, 3255		9EL 134 301-001	1	Lens for licence plate light
		9EL 134 301-011	1	Glare shield, black (order separately)
		9GT 074 132-001	10	Grommet
3534, 3535, 3538, 3544, 3548, 3550, 3553		8RA 003 326-041	20	Reflector (amber) for -091/-201
4050				3x12V10W (R10W) 8GA 002 071-131
				3x24V10W (R10W) 8GA 002 071-251
				4x12V21W (P21W) 8GA 002 073-121
				4x24V21W (P21W) 8GA 002 073-241
4844, 4850				
except vehicles with hazardous goods				





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Mercedes-Benz</b>				
1222 - 4850 (MK, SK) 1222 - 4850 (MK, SK)	07/87->09/96	2XW 002 897-041	1	<b>Hazard flasher light (supplies limited)</b>  K 13931 1x6V2,4W (F) 8GP 002 096-061
<b>Neoplan</b>				
Centroliner Centroliner	10/98->	1BL 007 834-007  9GH 145 943-001 9HD 155 239-001  1KL 007 834-027	8  24 12  8	<b>DE-H1 dipped-beam headlight</b> 550  <b>Spare Parts:</b> Rubber cap (to be ordered and delivered separately) Cap (plastic) with leads and plugs (to be ordered and delivered separately)  <b>DE-H1 spotlight</b> 549  1x24V70W (H1) 8GH 002 089-251
Centroliner	10/98->	1NL 007 186-047	30	<b>DE-H3 fog light with bulb</b> 20  <b>Spare Parts:</b> Plastic cap Counterplug set (to be ordered separately)  1x24V70W (H3) 8GH 002 090-251
Centroliner	10/98->	2BE 004 119-021	10	<b>Indicator-side light (white), for front mounting</b> 536  <b>Spare Parts:</b> Grommet Grommet  1x24V21W (P21W) 8GA 002 073-241  1x24V5W (W5W) 8GP 003 594-251
Centroliner	10/98->	2BM 006 692-011 2BM 006 692-021	1 1	<b>Auxiliary indicator light, left</b> <b>Auxiliary indicator light, right</b>  52621  1x24V21W (P21W) 8GA 002 073-241





# Neoplan



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Neoplan</b>				
<b>Centroliner</b> Centroliner	10/98->	2SA 005 603-021  2DA 005 603-031	1  1	<b>Rear light</b> E1 31423 1x24V5W (R5W) 8GA 002 071-241  <b>Stop light</b> E1 31422 1x24V21W (P21W) 8GA 002 073-241
<b>Centroliner</b>	10/98->	2BA 005 603-117  9FF 121 000-001	32  5	<b>Indicator light (red), for rear mounting</b> E1 586  <b>Spare Parts:</b> Bulb socket 1x24V21W (P21W) 8GA 002 073-241
<b>Centroliner</b>	10/98->	2NE 005 603-071	1	<b>Rear fog light</b> E1 18438 1x24V21W (P21W) 8GA 002 073-241
<b>Centroliner</b>	10/98->	2ZR 005 603-061	1	<b>Reverse light</b> E1 8770 1x24V21W (P21W) 8GA 002 073-241
<b>Centroliner</b>	10/98->	2KA 005 049-011	2	<b>Licence plate light with bulb</b> E1 22871 1x24V5W (C5W) 8GM 002 092-241
<b>Cityliner - Spaceliner</b> Cityliner N 116 - Spaceliner N 117  Cityliner N 116, Jetliner N 209 - N 216, Skyliner N 122, Spaceliner N 117	->12/77	1AG 002 343-101  9AG 122 798-005	1  1	<b>H4 headlight</b> E4 26  <b>Spare Parts:</b> Lens-retaining rim with lens and adjustment device 1x24V75/70W (H4) 8GJ 002 525-251 1x24V4W (T4W) 8GP 002 067-241







Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Neoplan</b>				
<b>Cityliner - Spaceliner</b> Cityliner N 116 - Spaceliner N 117 	->10/79	2PF 001 647-031	4	<b>Side light</b> (E1) 11780 1x24V10W (R10W) 8GA 002 071-251
Cityliner N 116 - Spaceliner N 117 	->10/79	2BM 002 847-011 2BM 002 847-021  9EL 115 830-001	1 1  5	<b>Auxiliary indicator light, left</b> <b>Auxiliary indicator light, right</b> (E1) 32692  <b>Spare Parts:</b> Lens 1x24V21W (P21W) 8GA 002 073-241
Cityliner N 116 - Spaceliner N 117 	->10/79	2SA 003 236-041	1	<b>Rear light for bottom mounting</b> (E1) 11591 1x24V5W (R5W) 8GA 002 071-241
Cityliner N 116 - Spaceliner N 117 	->10/79	2SA 001 647-041	1	<b>Rear light for top mounting</b> K 11580 1x24V10W (R10W) 8GA 002 071-251
Cityliner N 116 - Spaceliner N 117 	->10/79	2BA 003 236-321  9EL 119 544-021 9BG 121 740-001	1  4 1	<b>Indicator light, for rear mounting</b> (E1) 32764  <b>Spare Parts:</b> Lens (supplies limited) Rubber body 1x24V21W (P21W) 8GA 002 073-241
Cityliner N 116 - Spaceliner N 117 	->10/79	2KA 001 378-041	4	<b>Licence plate light</b> (E1) 12958 1x24V5W (C5W) 8GM 002 092-241




# Neoplan



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Neoplan</b>				
<b>Cityliner - Spaceliner</b> Cityliner N 116 - Spaceliner N 117 	-->10/79	2JA 003 236-357	60	<b>Interior light</b>  1x24V15W (F) 8GA 002 083-251  1x24V4W (T4W) 8GP 002 067-241
Cityliner N 116 - Spaceliner N 117 	11/79->08/81	2BA 002 939-171	1	<b>Indicator light</b>  32710 <b>Spare Parts:</b> 2 Lens with screws  1x24V21W (P21W) 8GA 002 073-241
Cityliner N 116 - Spaceliner N 117 	09/81->12/83	2BA 003 734-061	1	<b>Indicator light</b>  42641  1x24V21W (P21W) 8GA 002 073-241
Cityliner N 116 - Spaceliner N 117 	11/79->09/83	2PF 001 647-031	4	<b>Side light</b>  11780  1x24V10W (R10W) 8GA 002 071-251
Cityliner N 116 - Spaceliner N 117 	10/83->08/87	2PF 961 167-021	2	<b>Side light</b>  31446 <b>Spare Parts:</b> 4 Lens  1x24V5W (C5W) 8GM 002 092-241
Cityliner N 116 - Spaceliner N 117 	09/87->	2PF 002 860-031	1	<b>Side light</b>  21688 <b>Spare Parts:</b> 5 Body/lens 10 Base (to be ordered separately)  1x24V10W (R10W) 8GA 002 071-251




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Neoplan</b>				
<b>Cityliner - Spaceliner</b> Cityliner N 116 - Spaceliner N 117	09/85->	2XS 005 020-001  9EL 132 215-001	10  2	<b>Clearance light</b>  (E1) 31407  <b>Spare Parts:</b> Lens with screws  1x24V4W (T4W) 8GP 002 067-241
Cityliner N 116 - Spaceliner N 117	11/79->12/91	2BM 002 847-011 2BM 002 847-021  9EL 115 830-001	1 1  5	<b>Auxiliary indicator light, left</b> <b>Auxiliary indicator light, right</b>  (E1) 32692  <b>Spare Parts:</b> Lens  1x24V21W (P21W) 8GA 002 073-241
Cityliner N 116 - Spaceliner N 117	01/92->	2BM 006 692-011 2BM 006 692-021	1 1	<b>Auxiliary indicator light, left</b> <b>Auxiliary indicator light, right</b>  (E1) 52621  1x24V21W (P21W) 8GA 002 073-241
Cityliner N 116 - Spaceliner N 117		2PS 962 964-012  9GT 963 129-001 9GD 963 281-001	1  60 60	<b>Side-marker light with reflector (amber), with bulb</b>  (E4) 4 (E4) 3153  <b>Spare Parts:</b> Grommet (to be ordered separately) Seal (to be ordered separately)  1x24V3W (W3W) 8GP 003 594-241
Cityliner N 116 - Spaceliner N 117	11/79->04/82	2SA 001 647-041	1	<b>Rear light for top mounting</b>  K 11580  1x24V10W (R10W) 8GA 002 071-251
Cityliner N 116 - Spaceliner N 117	05/82->06/89	2SB 003 236-537  9BG 121 740-001	24  1	<b>Rear-stop light for top mounting</b>  (E1) 243  <b>Spare Parts:</b> Rubber body  1x24V21/5W (P21/5W) 8GD 002 078-241




# Neoplan



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Neoplan</b>				
<b>Cityliner - Spaceliner</b> Cityliner N 116 - Spaceliner N 117  Cityliner N 116, Combiliner N 316, Jetliner N 208 - N 216, Metroliner N 317, Skyliner N 122, Spaceliner N 117	07/89->	2SD 002 582-117 2SD 002 582-127	32 32	<b>Combination rearlight, left</b> <b>Combination rearlight, right</b>  E1 116 E1 53345  1x24V10W (R10W) 8GA 002 071-251 2x24V21W (P21W) 8GA 002 073-241
				
Cityliner N 116 - Spaceliner N 117	11/79->08/89	2SA 003 236-041	1	<b>Rear light for bottom mounting</b>  E1 11591 1x24V5W (R5W) 8GA 002 071-241
				
		2DA 003 236-031	1	<b>Stop light for bottom mounting</b>  E1 240
		9EL 119 544-031	4	<b>Spare Parts:</b> Lens 1x24V21W (P21W) 8GA 002 073-241
Cityliner N 116 - Spaceliner N 117	11/79->08/89	2BA 003 236-021	1	<b>Indicator light, for rear mounting</b>  E1 32764
				
		9EL 119 544-021	4	<b>Spare Parts:</b> Lens (supplies limited) 1x24V21W (P21W) 8GA 002 073-241
Cityliner N 116 - Spaceliner N 117	11/79->08/89	2NE 003 236-001	1	<b>Rear fog light</b>  e1 18 411
				
		9EL 119 544-001 9DX 119 545-011	4 2	<b>Spare Parts:</b> Lens Reflector 1x24V21W (P21W) 8GA 002 073-241




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Neoplan</b>				
<b>Cityliner - Spaceliner</b> Cityliner N 116 - Spaceliner N 117	11/79->08/89	2ZR 003 236-051  9EL 119 544-111 9DX 119 545-051	1  4 2	<b>Reverse light</b> (E1) 8728  <b>Spare Parts:</b> Lens Reflector 1x24V21W (P21W) 8GA 002 073-241
Cityliner N 116 - Spaceliner N 117	11/79->09/91	2KA 001 378-041	4	<b>Licence plate light</b> (E1) 12958 1x24V5W (C5W) 8GM 002 092-241
Cityliner N 116 - Spaceliner N 117	10/91->	2KA 005 049-011	2	<b>Licence plate light with bulb</b> (E1) 22871 1x24V5W (C5W) 8GM 002 092-241
Cityliner N 116 - Spaceliner N 117	11/79->08/85	2JA 003 236-357	60	<b>Interior light</b> 1x24V15W (F) 8GA 002 083-251 1x24V4W (T4W) 8GP 002 067-241
Cityliner N 116 - Spaceliner N 117	09/89->	2BA 005 603-001  2BA 005 603-011	1  1	<b>Indicator light, for front mounting</b> (E1) 42748 1x24V21W (P21W) 8GA 002 073-241  <b>Indicator light, for rear mounting</b> (E1) 42749 1x24V21W (P21W) 8GA 002 073-241




# Neoplan




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Neoplan</b>				
<b>Cityliner - Spaceliner</b> Cityliner N 116 - Spaceliner N 117	09/89->	2SA 005 603-021	1	<b>Rear light</b> (E1) 31423  1x24V5W (R5W) 8GA 002 071-241
		2DA 005 603-031	1	<b>Stop light</b> (E1) 31422  1x24V21W (P21W) 8GA 002 073-241
<b>Cityliner N 116 -            Spaceliner N 117</b>	09/89->	2NE 005 603-071	1	<b>Rear fog light</b> (E1) 18438  1x24V21W (P21W) 8GA 002 073-241
<b>Cityliner N 116 -            Spaceliner N 117</b>	09/89->	2ZR 005 603-061	1	<b>Reverse light</b> (E1) 8770  1x24V21W (P21W) 8GA 002 073-241
<b>Euroliner N 3316</b> Euroliner N 3316	10/98->	1BL 007 834-007	8	<b>DE-H1 dipped-beam headlight</b> (E1) 550
		9GH 145 943-001	24	<b>Spare Parts:</b> Rubber cap (to be ordered and delivered separately)
		9HD 155 239-001	12	Cap (plastic) with leads and plugs (to be ordered and delivered separately)
		1KL 007 834-027	8	<b>DE-H1 spotlight</b> (E1) 549  1x24V70W (H1) 8GH 002 089-251
		1BL 007 834-037	12	<b>Xenon dipped-beam light,            with xenon ballast 24V            and gas discharge bulb D2S</b> (E1) 549
		5DV 007 810-171	1	<b>Spare Parts:</b> Xenon ballast 24V
		8JD 156 151-807	1	Counterplug set for xenon ballast (to be ordered and delivered separately)  1x35W (D2S) 8GS 007 949-101




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Neoplan</b>				
<b>Euroliner N 3316</b> Euroliner N 3316	10/98->	<b>1NL 007 834-017</b> 9HD 155 239-001	8 12	<b>DE-H1 fog light</b>  <b>Spare Parts:</b> Cap (plastic) with leads and plugs (to be ordered and delivered separately)  E1 548  1x24V70W (H1) 8GH 002 089-251
<b>Euroliner N 3316</b>	10/98->	<b>2BE 004 119-021</b>  9GT 134 655-007 9GT 143 133-007	10  10 10	<b>Indicator-side light (white), for front mounting</b>  E1 536  <b>Spare Parts:</b> Grommet Grommet  1x24V21W (P21W) 8GA 002 073-241  1x24V5W (W5W) 8GP 003 594-251
<b>Euroliner N 3316</b>	10/98->	<b>2BM 006 692-011</b> <b>2BM 006 692-021</b>	1 1	<b>Auxiliary indicator light, left</b> <b>Auxiliary indicator light, right</b>  E1 52621  1x24V21W (P21W) 8GA 002 073-241
<b>Euroliner N 3316</b>	10/98->	<b>2SA 005 603-021</b>  <b>2DA 005 603-031</b>	1  1	<b>Rear light</b>  E1 31423  1x24V5W (R5W) 8GA 002 071-241  <b>Stop light</b>  E1 31422  1x24V21W (P21W) 8GA 002 073-241
<b>Euroliner N 3316</b>	10/98->	<b>2BA 005 603-117</b>  9FF 121 000-001	32  5	<b>Indicator light (red), for rear mounting</b>  E1 586  <b>Spare Parts:</b> Bulb socket  1x24V21W (P21W) 8GA 002 073-241
<b>Euroliner N 3316</b>	10/98->	<b>2NE 005 603-071</b>	1	<b>Rear fog light</b>  E1 18438  1x24V21W (P21W) 8GA 002 073-241




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Neoplan</b>				
<b>Euroliner N 3316</b> Euroliner N 3316	10/98->	<b>2ZR 005 603-061</b>	1	<b>Reverse light</b> E1 8770 1x24V21W (P21W) 8GA 002 073-241
				
<b>Euroliner N 3316</b>	10/98->	<b>2KA 005 049-011</b>	2	<b>Licence plate light with bulb</b> E1 22871 1x24V5W (C5W) 8GM 002 092-241
				
<b>Bus (SK 1) N 407</b> Bus (SK 1) N 407	83->	<b>2BA 003 236-321</b>	1	<b>Indicator light, for rear mounting</b> E1 32764
				
		9EL 119 544-021	4	<b>Spare Parts:</b> Lens (supplies limited)
		9BG 121 740-001	1	Rubber body 1x24V21W (P21W) 8GA 002 073-241
<b>Bus (SK 1) N 407</b>	83->	<b>2NE 003 236-001</b>	1	<b>Rear fog light</b> e1 18 411
				
		9EL 119 544-001	4	<b>Spare Parts:</b> Lens
		9DX 119 545-011	2	Reflector 1x24V21W (P21W) 8GA 002 073-241
<b>Bus (SK 1) N 407</b>	83->	<b>2ZR 003 236-311</b>	1	<b>Reverse light</b> E1 8728
				
		9EL 119 544-111	4	<b>Spare Parts:</b> Lens
		9BG 121 740-001	1	Rubber body 1x24V21W (P21W) 8GA 002 073-241





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Neoplan</b>				
<b>Bus (SK 1) N 407</b> Bus (SK 1) N 407	83->	 2SA 003 236-341  9EL 120 201-001 9BG 121 740-001  2DA 003 236-031  9EL 119 544-031	1  4 1  1  4	<b>Rear light for bottom mounting</b> (E1) 11591 <b>Spare Parts:</b> Lens Rubber body  1x24V5W (R5W) 8GA 002 071-241  <b>Stop light</b> (E1) 240 <b>Spare Parts:</b> Lens  1x24V21W (P21W) 8GA 002 073-241
<b>Bus SL II, Ü 80</b> Bus SL II N 416, Ü 80 N 420/3	82->	 2PF 001 647-031	4	<b>Side light</b> (E1) 11780  1x24V10W (R10W) 8GA 002 071-251
<b>Bus SL II N 416, Ü 80 N 420/3</b>	82->03/89	 2BA 003 734-061	1	<b>Indicator light</b> (E1) 42641  1x24V21W (P21W) 8GA 002 073-241
<b>Bus SL II N 416, Ü 80 N 420/3</b>	82->12/91	 2BM 002 847-011 2BM 002 847-021  9EL 115 830-001	1 1  5	<b>Auxiliary indicator light, left</b> <b>Auxiliary indicator light, right</b> (E1) 32692 <b>Spare Parts:</b> Lens  1x24V21W (P21W) 8GA 002 073-241
<b>Bus SL II N 416, Ü 80 N 420/3</b>	01/92->	 2BM 006 692-011 2BM 006 692-021	1 1	<b>Auxiliary indicator light, left</b> <b>Auxiliary indicator light, right</b> (E1) 52621  1x24V21W (P21W) 8GA 002 073-241






Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Neoplan</b>				
<b>Bus SL II, Ü 80</b> Bus SL II N 416, Ü 80 N 420/3	82->	2SA 003 236-041	1	<b>Rear light for bottom mounting</b> (E1) 11591 1x24V5W (R5W) 8GA 002 071-241
		2DA 003 236-031	1	<b>Stop light for bottom mounting</b> (E1) 240 <b>Spare Parts:</b> Lens 1x24V21W (P21W) 8GA 002 073-241
		9EL 119 544-031	4	
<b>Bus SL II N 416, Ü 80 N 420/3</b>	82->	2BA 003 236-021	1	<b>Indicator light, for rear, bottom mounting</b> (E1) 32764 <b>Spare Parts:</b> Lens (supplies limited) 1x24V21W (P21W) 8GA 002 073-241
		9EL 119 544-021	4	
<b>Bus SL II N 416, Ü 80 N 420/3</b>	82->	2NE 003 236-001	1	<b>Rear fog light</b> (e1) 18 411 <b>Spare Parts:</b> Lens Reflector 1x24V21W (P21W) 8GA 002 073-241
		9EL 119 544-001 9DX 119 545-011	4 2	
<b>Bus SL II N 416, Ü 80 N 420/3</b>	82->	2ZR 003 236-051	1	<b>Reverse light</b> (E1) 8728 <b>Spare Parts:</b> Lens Reflector 1x24V21W (P21W) 8GA 002 073-241
		9EL 119 544-111 9DX 119 545-051	4 2	





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Neoplan</b>				
<b>Bus SL II, Ü 80</b> Bus SL II N 416, Ü 80 N 420/3 	82->	9EL 118 445-001 9GD 087 883-355 9GD 118 983-021	1 10 10	<b>Combination rearlight spare parts available only, for top mounting</b> (E1) 53250 <b>Spare Parts:</b> Lens with screws Seal Bodywork seal for flush-fitting (to be ordered separately) 1x24V10W (R10W) 8GA 002 071-251 2x24V21W (P21W) 8GA 002 073-241
<b>Bus SL II N 416, Ü 80 N 420/3</b> 	->09/91	<b>2KA 001 378-041</b>	4	<b>Licence plate light</b> (E1) 12958 1x24V5W (C5W) 8GM 002 092-241
<b>Bus SL II N 416, Ü 80 N 420/3</b> 	10/91->	<b>2KA 005 049-011</b>	2	<b>Licence plate light with bulb</b> (E1) 22871 1x24V5W (C5W) 8GM 002 092-241
<b>Metroliner N 8008, N 8012</b> Metroliner N 8008, N 8012 		<b>2PS 962 964-012</b> 9GT 963 129-001 9GD 963 281-001	1 60 60	<b>Side-marker light with reflector (amber), with bulb</b> (E4) 4 (E4) 3153 <b>Spare Parts:</b> Grommet (to be ordered separately) Seal (to be ordered separately) 1x24V3W (W3W) 8GP 003 594-241
<b>Metroliner N 8008, N 8012</b> 	06/91->	<b>2SD 002 582-117</b> <b>2SD 002 582-127</b>	32 32	<b>Combination rearlight, left, for top mounting</b> <b>Combination rearlight, right, for top mounting</b> (E1) 116 (E1) 53345 1x24V10W (R10W) 8GA 002 071-251 2x24V21W (P21W) 8GA 002 073-241
<b>Metroliner N 8008, N 8012</b> 	06/91->	<b>2SA 005 603-021</b>  <b>2DA 005 603-031</b>	1  1	<b>Rear light</b> (E1) 31423 1x24V5W (R5W) 8GA 002 071-241 <b>Stop light</b> (E1) 31422 1x24V21W (P21W) 8GA 002 073-241



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Neoplan</b>				
<b>Metroliner N 8008, N 8012</b> Metroliner N 8008, N 8012	06/91->	2BA 005 603-001	1	<b>Indicator light, for front mounting</b> E1 42748 1x24V21W (P21W) 8GA 002 073-241
		2BA 005 603-011	1	<b>Indicator light, for rear mounting</b> E1 42749 1x24V21W (P21W) 8GA 002 073-241
<b>Metroliner N 8008, N 8012</b>	06/91->	2NE 005 603-071	1	<b>Rear fog light</b> E1 18438 1x24V21W (P21W) 8GA 002 073-241
				
<b>Metroliner N 8008, N 8012</b>	06/91->	2ZR 005 603-061	1	<b>Reverse light</b> E1 8770 1x24V21W (P21W) 8GA 002 073-241
				
<b>Metroliner N 8008, N 8012</b>	06/91->	2XS 005 020-001	10	<b>Clearance light</b> E1 31407
		9EL 132 215-001	2	<b>Spare Parts:</b> Lens with screws 1x24V4W (T4W) 8GP 002 067-241
<b>Low-level-entry bus N 4010</b> Low-level-entry bus N 4010		2BA 005 603-001	1	<b>Indicator light</b> E1 42748 1x24V21W (P21W) 8GA 002 073-241
				
<b>Low-level-entry bus N 4010</b>		2PF 961 167-021	2	<b>Side light</b> E1 31446
		9EL 137 241-001	4	<b>Spare Parts:</b> Lens 1x24V5W (C5W) 8GM 002 092-241






Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Neoplan</b>				
<b>Low-level-entry bus N 4010</b> Low-level-entry bus N 4010 		2BM 002 847-011	1	Auxiliary indicator light, left
		2BM 002 847-021	1	Auxiliary indicator light, right
		9EL 115 830-001	5	(E1) 32692 <b>Spare Parts:</b> Lens  1x24V21W (P21W) 8GA 002 073-241
<b>Low-level-entry bus N 4010</b> 		2PS 962 964-012	1	<b>Side-marker light with reflector (amber), with bulb</b> (E4) 4 (E4) 3153 <b>Spare Parts:</b> Grommet (to be ordered separately) Seal (to be ordered separately)
		9GT 963 129-001	60	1x24V3W (W3W) 8GP 003 594-241
<b>Low-level-entry bus N 4010</b> 		9EL 118 445-001	1	<b>Combination rearlight spare parts available only, for top mounting</b> (E1) 53250 <b>Spare Parts:</b> Lens with screws Seal (to be ordered separately) Bodywork seal for flush-fitting (to be ordered separately)
		9GD 087 883-355	10	
9GD 118 983-021	10	2x24V21W (P21W) 8GA 002 073-241		
<b>Low-level-entry bus N 4010</b> 		2BA 003 236-021	1	<b>Indicator light, for rear mounting</b> (E1) 32764 <b>Spare Parts:</b> Lens (supplies limited)
		9EL 119 544-021	4	 1x24V21W (P21W) 8GA 002 073-241
<b>Low-level-entry bus N 4010</b> 		2DA 003 236-031	1	<b>Stop light for bottom mounting</b> (E1) 240 <b>Spare Parts:</b> Lens
		9EL 119 544-031	4	 1x24V21W (P21W) 8GA 002 073-241




# Neoplan





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Neoplan</b>				
Low-level-entry bus N 4010 		2KA 003 010-007  9EL 075 826-001	1  10	<b>Licence plate light</b>  E1 12809  <b>Spare Parts:</b> Lens with screws (supplies limited)  2x24V5W (R5W) 8GA 002 071-241
Low-level-entry bus N 4014 		2PF 961 167-021  9EL 137 241-001	2  4	<b>Side light</b>  E1 31446  <b>Spare Parts:</b> Lens  1x24V5W (C5W) 8GM 002 092-241
Low-level-entry bus N 4014 		2BM 006 692-011 2BM 006 692-021	1 1	<b>Auxiliary indicator light, left</b> <b>Auxiliary indicator light, right</b>  E1 52621   1x24V21W (P21W) 8GA 002 073-241
Low-level-entry bus N 4014 		2PS 962 964-012  9GT 963 129-001 9GD 963 281-001	1  60 60	<b>Side-marker light with reflector (amber), with bulb</b>  E4 4 E4 3153  <b>Spare Parts:</b> Grommet (to be ordered separately) Seal (to be ordered separately)   1x24V3W (W3W) 8GP 003 594-241
Low-level-entry bus N 4014 		9EL 118 445-001 9GD 087 883-355 9GD 118 983-021	1 10 10	<b>Combination rearlight spare parts available only, for top mounting</b>  E1 53250  <b>Spare Parts:</b> Lens with screws Seal Bodywork seal for flush-fitting (to be ordered separately)   1x24V10W (R10W) 8GA 002 071-251  2x24V21W (P21W) 8GA 002 073-241
Low-level-entry bus N 4014 		2BA 003 236-027	6	<b>Indicator light, for top mounting</b>  E1 32764   1x24V21W (P21W) 8GA 002 073-241




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Neoplan</b>				
Low-level-entry bus N 4014 Low-level-entry bus N 4014		2DA 003 236-031  9EL 119 544-031	1  4	<b>Stop light for top mounting</b>  E1 240 <b>Spare Parts:</b> Lens 1x24V21W (P21W) 8GA 002 073-241
Low-level-entry bus N 4014		2KA 003 010-007  9EL 075 826-001	1  10	<b>Licence plate light</b>  E1 12809 <b>Spare Parts:</b> Lens with screws (supplies limited) 2x24V5W (R5W) 8GA 002 071-241
Regioliner Regioliner		2BA 005 603-001  2BA 005 603-011	1  1	<b>Indicator light, for front mounting</b>  E1 42748 1x24V21W (P21W) 8GA 002 073-241 <b>Indicator light, for rear mounting</b>  E1 42749 1x24V21W (P21W) 8GA 002 073-241
Regioliner		2BM 006 692-011 2BM 006 692-021	1 1	<b>Auxiliary indicator light, left</b> <b>Auxiliary indicator light, right</b>  E1 52621 1x24V21W (P21W) 8GA 002 073-241
Regioliner		2SA 005 603-021  2DA 005 603-031	1  1	<b>Rear light</b>  E1 31423 1x24V5W (R5W) 8GA 002 071-241 <b>Stop light</b>  E1 31422 1x24V21W (P21W) 8GA 002 073-241
Regioliner		2ZR 005 603-061	1	<b>Reverse light</b>  E1 8770 1x24V21W (P21W) 8GA 002 073-241




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Neoplan</b>				
<b>Starliner N 516</b> Starliner N 516	09/96->			
		<b>1BL 007 834-007</b>	8	<b>DE-H1 dipped-beam headlight</b> E1 550
		9GH 145 943-001	24	<b>Spare Parts:</b> Rubber cap (to be ordered and delivered separately)
		9HD 155 239-001	12	Cap (plastic) with leads and plugs (to be ordered and delivered separately)
		<b>1KL 007 834-027</b>	8	<b>DE-H1 spotlight</b> E1 549
				 1x24V70W (H1) 8GH 002 089-251
		<b>1BL 007 834-037</b>	12	<b>Xenon dipped-beam light, with xenon ballast 24V and gas discharge bulb D2S</b> E1 549
		5DV 007 810-171	1	<b>Spare Parts:</b> Xenon ballast 24V
		8JD 156 151-807	1	Counterplug set for xenon ballast (to be ordered and delivered separately)
				 1x35W (D2S) 8GS 007 949-101
<b>Starliner N 516</b>	09/96->			
		<b>1NL 007 834-017</b>	8	<b>DE-H1 fog light</b> E1 548
		9HD 155 239-001	12	<b>Spare Parts:</b> Cap (plastic) with leads and plugs (to be ordered and delivered separately)
				 1x24V70W (H1) 8GH 002 089-251
<b>Starliner N 516</b>	09/96->			
		<b>2BE 004 119-021</b>	10	<b>Indicator-side light (white), for front mounting</b> E1 536
		9GT 134 655-007	10	<b>Spare Parts:</b> Grommet
		9GT 143 133-007	10	Grommet
				 1x24V21W (P21W) 8GA 002 073-241
				 1x24V5W (W5W) 8GP 003 594-251
<b>Starliner N 516</b>	09/96->			
		<b>2BM 006 692-011</b>	1	<b>Auxiliary indicator light, left</b>
		<b>2BM 006 692-021</b>	1	<b>Auxiliary indicator light, right</b> E1 52621
				 1x24V21W (P21W) 8GA 002 073-241




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Neoplan</b>				
<b>Starliner N 516</b> Starliner N 516	09/96->	2SA 005 603-021  2DA 005 603-031	1  1	<b>Rear light</b> E1 31423 1x24V5W (R5W) 8GA 002 071-241  <b>Stop light</b> E1 31422 1x24V21W (P21W) 8GA 002 073-241
<b>Starliner N 516</b>	09/96->	2BA 005 603-117  9FF 121 000-001	32  5	<b>Indicator light (red), for rear mounting</b> E1 586  <b>Spare Parts:</b> Bulb socket 1x24V21W (P21W) 8GA 002 073-241
<b>Starliner N 516</b>	09/96->	2NE 005 603-071	1	<b>Rear fog light</b> E1 18438 1x24V21W (P21W) 8GA 002 073-241
<b>Starliner N 516</b>	09/96->	2ZR 001 240-377	30	<b>Reverse light</b> E4 2336 1x24V21W (P21W) 8GA 002 073-241
<b>Starliner N 516</b>	09/96->	8XU 007 842-017 8XU 007 842-027	20 20	<b>Rear panel, left</b> <b>Rear panel, right</b>
<b>Starliner N 516</b>	09/96->	2KA 005 049-011	2	<b>Licence plate light with bulb</b> E1 22871 1x24V5W (C5W) 8GM 002 092-241




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Neoplan</b>				
Transliner N 316 Transliner N 316	07/91->	2BM 006 692-011	1	<b>Auxiliary indicator light, left</b> <b>Auxiliary indicator light, right</b>  E1 52621 1x24V21W (P21W) 8GA 002 073-241
		2BM 006 692-021	1	
Transliner N 316		2PS 962 964-012	1	<b>Side-marker light with reflector (amber), with bulb</b>  E4 4 E4 3153  <b>Spare Parts:</b> Grommet (to be ordered separately) Seal (to be ordered separately)  1x24V3W (W3W) 8GP 003 594-241
		9GT 963 129-001	60	
		9GD 963 281-001	60	
Transliner N 316	07/91->	2SA 005 603-021	1	<b>Rear light</b>  E1 31423 1x24V5W (R5W) 8GA 002 071-241
		2DA 005 603-031	1	<b>Stop light</b>  E1 31422 1x24V21W (P21W) 8GA 002 073-241
Transliner N 316	07/91->	2BA 005 603-011	1	<b>Indicator light, for rear mounting</b>  E1 42749 1x24V21W (P21W) 8GA 002 073-241
Transliner N 316	07/91->	2NE 005 603-071	1	<b>Rear fog light</b>  E1 18438 1x24V21W (P21W) 8GA 002 073-241
Transliner N 316	07/91->	2ZR 005 603-061	1	<b>Reverse light</b>  E1 8770 1x24V21W (P21W) 8GA 002 073-241




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Neoplan</b>				
<b>Transliner N 316</b> Transliner N 316	07/91->		<p>2XS 005 020-001 10</p> <p>9EL 132 215-001 2</p>	<p><b>Clearance light</b></p> <p>(E1) 31407</p> <p><b>Spare Parts:</b> Lens with screws</p> <p> 1x24V4W (T4W) 8GP 002 067-241</p>
<b>Unibus N 906, N 907</b> Unibus N 906	81->		<p>2PF 001 638-011 2</p> <p>9EL 107 443-011 2</p> <p>9GD 082 716-001 10</p> <p>9GD 100 140-001 10</p>	<p><b>Side light</b></p> <p>(E1) 11779</p> <p><b>Spare Parts:</b> Body/lens with screw Base for flat surfaces (to be ordered separately) Base for curved surfaces (to be ordered separately)</p> <p> 1x24V5W (R5W) 8GA 002 071-241</p>
<b>Unibus N 906</b>	81->		<p>2SA 001 638-021 2</p> <p>9EL 107 443-061 2</p> <p>9GD 082 716-001 10</p> <p>9GD 100 140-001 10</p>	<p><b>Rear light for top mounting</b></p> <p>(E1) 31450</p> <p><b>Spare Parts:</b> Body/lens with screw Base for flat surfaces (to be ordered separately) Base for curved surfaces (to be ordered separately)</p> <p> 1x24V5W (W5W) 8GP 003 594-251</p>
<b>Unibus N 906, N 907</b>	81->		<p>2BM 002 847-011 1</p> <p>2BM 002 847-021 1</p> <p>9EL 115 830-001 5</p>	<p><b>Auxiliary indicator light, left</b> <b>Auxiliary indicator light, right</b></p> <p>(E1) 32692</p> <p><b>Spare Parts:</b> Lens</p> <p> 1x24V21W (P21W) 8GA 002 073-241</p>
<b>Unibus N 906, N 907</b>	81->		<p>2SA 003 236-041 1</p> <p>2DA 003 236-031 1</p> <p>9EL 119 544-031 4</p>	<p><b>Rear light for bottom mounting</b></p> <p>(E1) 11591</p> <p> 1x24V5W (R5W) 8GA 002 071-241</p> <p><b>Stop light for bottom mounting</b></p> <p>(E1) 240</p> <p><b>Spare Parts:</b> Lens</p> <p> 1x24V21W (P21W) 8GA 002 073-241</p>




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Neoplan</b>				
Unibus N 906, N 907 Unibus N 906, N 907	81->	2BA 003 236-021  9EL 119 544-021	1  4	<b>Indicator light, for rear mounting</b>  E1 32764  <b>Spare Parts:</b> Lens (supplies limited) 1x24V21W (P21W) 8GA 002 073-241
Unibus N 906, N 907	81->	2ZR 003 236-051  9EL 119 544-111 9DX 119 545-051	1  4 2	<b>Reverse light</b>  E1 8728  <b>Spare Parts:</b> 4 Lens 2 Reflector 1x24V21W (P21W) 8GA 002 073-241
Unibus N 906, N 907	81->	2KA 003 389-061  9BG 121 587-031	2  2	<b>Licence plate light</b>  E1 22819  <b>Spare Parts:</b> Body/lens with screw 1x24V10W (R10W) 8GA 002 071-251
Unibus N 907	82->	2PF 001 647-031	4	<b>Side light</b>  E1 11780 1x24V10W (R10W) 8GA 002 071-251
Unibus N 907	82->	2SA 001 647-041	1	<b>Rear light for top mounting</b>  K 11580 1x24V10W (R10W) 8GA 002 071-251




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Renault Trucks</b>				
<b>Magnum</b> Magnum Vehicles with air suspension/levelling system	06/01->	 1ER 246 046-511  1ER 246 046-521	1  1	<b>H7/H1 headlight, left, with indicator light, without headlight leveller, without lens cleaning system, with bulbs</b> <b>H7/H1 headlight, right, with indicator light, without headlight leveller, without lens cleaning system, with bulbs</b> (E1) 1327  1x24V70W (H7) 8GH 007 157-241  1x24V70W (H1) 8GH 002 089-251  1x24V21W (PY21W) 8GA 006 841-251  1x24V5W (W5W) 8GP 003 594-251
<b>Magnum</b> 		2VD 008 204-231  2VP 008 204-221  9EL 152 889-001	1  1  1	<b>Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b> <b>Combination rearlight, left/right, with rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b> (E4) 3178 (E4) 9808 (E4) 9809 (E4) 9810 <b>Spare Parts:</b> Lens with screws  3x24V5W (R5W) 8GA 002 071-241  4x24V21W (P21W) 8GA 002 073-241
<b>Premium</b> Premium 		2VD 008 204-231  2VP 008 204-221  9EL 152 889-001	1  1  1	<b>Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b> <b>Combination rearlight, left/right, with rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b> (E4) 3178 (E4) 9808 (E4) 9809 (E4) 9810 <b>Spare Parts:</b> Lens with screws  3x24V5W (R5W) 8GA 002 071-241  4x24V21W (P21W) 8GA 002 073-241



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Renault Trucks</b>				
<b>Premium II</b> Premium II Distribution	10/05->	1EL 247 010-351	1	<b>H7/H1 headlight, left, with indicator light, without fog light, without headlight leveller, with bulbs</b> <b>H7/H1 headlight, right, with indicator light, without fog light, without headlight leveller, with bulbs</b> <b>H7/H1 headlight, left, with indicator light, with H3 fog light, without headlight leveller, with bulbs</b> <b>H7/H1 headlight, right, with indicator light, with H3 fog light, without headlight leveller, with bulbs</b> (E1) 1877  1x24V70W (H7) 8GH 007 157-231 Long Life  1x24V70W (H1) 8GH 002 089-251  1x24V70W (H3) 8GH 002 090-251  1x24V21W (PY21W) 8GA 006 841-241  1x24V5W (W5W) 8GP 003 594-251
		1EL 247 010-361	1	
		1EL 247 010-291	1	
		1EL 247 010-301	1	
<b>Premium II Route</b> Premium II Route	10/05->	1EL 247 010-371	1	<b>H7/H1 headlight, left, with indicator light, with H3 fog light, without headlight leveller, with bulbs</b> <b>H7/H1 headlight, right, with indicator light, with H3 fog light, without headlight leveller, with bulbs</b> (E1) 1877  1x24V70W (H7) 8GH 007 157-231 Long Life  1x24V70W (H1) 8GH 002 089-251  1x24V70W (H3) 8GH 002 090-251  1x24V21W (PY21W) 8GA 006 841-241  1x24V5W (W5W) 8GP 003 594-251
		1EL 247 010-381	1	
<b>Scania</b>				
<b>Older models</b> Older models		2SE 997 088-001	1	<b>Combination rearlight with licence plate light</b> (E12) 4035 (E12) 6066 (E12) 27092  2x24V10W (R10W) 8GA 002 071-251  2x24V21W (P21W) 8GA 002 073-241



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Scania</b>				
<b>LB 81 - LBT 141 (series 1)</b> LB 81 - LBT 141 (series 1)	02/68->	<b>2PS 004 361-001</b>  9EL 114 401-001 9BP 128 032-017	1  105	<b>Side-marker light with reflector (amber)</b>  (E4) 2 (E4) 3 (E4) 3152  <b>Spare Parts:</b> 1 Lens with screws 105 Baseplate with grommet (to be ordered separately)  1x24V5W (R5W) 8GA 002 071-241
<b>LB 81 - LBT 141 (series 1)</b> LB 81 LB/LBS/LBT 110 LB/LBS/LBT 111 LB/LBS/LBT 140 LB/LBS/LBT 141	02/68->  02/68->  02/68->	<b>2SE 001 688-151</b> <b>2SE 001 688-161</b>  9EL 092 435-011 9GD 102 484-001 9GT 074 132-001	1 1  1 10 10	<b>Combination rearlight, left, with licence plate light</b> <b>Combination rearlight, right, with licence plate light</b>  (E1) 43207  <b>Spare Parts:</b> 1 Lens with screws 10 Seal 10 Grommet  2x24V5W (R5W) 8GA 002 071-241 2x24V21W (P21W) 8GA 002 073-241
<b>G 82 - T 142 (series 2)</b> G 82 - T 142 (series 2)	05/80->03/88	<b>2BE 003 649-011</b> <b>2BE 003 649-021</b>  9EL 123 209-005 9EL 123 210-005	1 1  5 5	<b>Indicator-side light, left, with auxiliary indicator light</b> <b>Indicator-side light, right, with auxiliary indicator light</b>  (E1) 53312  <b>Spare Parts:</b> 5 Lens, left 5 Lens, right  1x24V5W (R5W) 8GA 002 071-241 1x24V21W (P21W) 8GA 002 073-241
<b>P 93 - T 143 (series 3)</b> P 93 - T 143 (series 3)	01/88->12/96	9EL 151 127-001 9EL 151 128-001	5 5	<b>Indicator-side light, with auxiliary indicator light, side-marker light and reflector, spare parts available only</b>  (E4) 278 (E4) 311 (E4) 3092  <b>Spare Parts:</b> 5 Body/lens, left 5 Body/lens, right  1x24V5W (R5W) 8GA 002 071-241 1x24V21W (P21W) 8GA 002 073-241






**Scania**




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Scania</b>				
<b>P 93 - T 143 (series 3)</b> P 93 - T 143 (series 3) P 93, P 113 R 93, R 113, R 143 T 93, T 113, T 143	01/88->12/96	2VD 008 204-151	1	<b>Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b> <b>Combination rearlight, right, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b> (E4) 3178 (E4) 4060 (E4) 9808 (E4) 9810 <b>Spare Parts:</b> 1 Lens with screws 1 External vibration damping (to be ordered and delivered separately) 3x24V5W (R5W) 8GA 002 071-241 4x24V21W (P21W) 8GA 002 073-241
		2VD 008 204-141	1	
<b>P 93 - T 143 (series 3)</b> P 93, P 113 R 93, R 113, R 143 T 93, T 113, T 143 Streamline	01/88->12/96	2VD 008 204-051	1	<b>Combination rearlight, left, with licence plate, rear fog, reverse and clearance light, with reflex-reflector and centre plug</b> <b>Combination rearlight, left/right, with rear fog, reverse and clearance light, with reflex-reflector and centre plug</b> <b>Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector, marker reflex-reflector and centre plug</b> <b>Combination rearlight, left/right, with rear fog, reverse, clearance light, side-marker light, with reflex-reflector, marker reflex-reflector and centre plug</b> (E4) 3178 (E4) 4060 (E4) 9808 (E4) 9810 <b>Spare Parts:</b> 1 Lens with screws 3x24V5W (R5W) 8GA 002 071-241 4x24V21W (P21W) 8GA 002 073-241
		2VP 008 204-041	1	
		2VD 008 204-071	1	
		2VP 008 204-061	1	
<b>P 94 - T 164 (series 4)</b> P 94 - T 164 (series 4) P 94, P 114, P 124 R 94, R 114, R 124, R 144, R 164 T 94, T 114, T 124, T 144, T 164	09/95->09/04	1EG 007 150-091	1	<b>H4 headlight, left, with indicator-side light (white) and suitable for electr. headlight leveller</b> <b>H4 headlight, right, with indicator-side light (white) and suitable for electr. headlight leveller</b> (E1) 111 left (E1) 112 right (E4) 273 <b>Spare Parts:</b> 1 Lens, left 1 Lens, right 1 Reflector, left 1 Reflector, right 1 Body/lens for with indicator-side light, left 1 Body/lens for with indicator-side light, right 1x24V75/70W (H4) 8GJ 002 525-251 2x24V5W (R5W) 8GA 002 071-261 Heavy Duty 2x24V21W (P21W) 8GA 002 073-251 Heavy Duty
		1EG 007 150-101	1	







Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Scania</b>				
<b>P 94 - T 164 (series 4)</b> P 94 - T 164 (series 4) P 94, P 114, P 124 R 94, R 114, R 124, R 144, R 164 T 94, T 114, T 124, T 144, T 164	09/95->09/04	2VD 008 205-011	1	<b>Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b> <b>Combination rearlight, right, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b> (E4) 3178 (E4) 4060 (E4) 9808 (E4) 9811 <b>Spare Parts:</b> Lens with screws 3x24V5W (R5W) 8GA 002 071-241 1x24V10W (R10W) 8GA 002 071-251 4x24V21W (P21W) 8GA 002 073-241
		2VD 008 205-021	1	
		9EL 152 884-001	1	
				
<b>P 230 - T 470</b> P 230 - T 470 (series P, R, T) P 230, P 270, P 310, P 340, P 380, P 420 R 340, R 380, R 420, R 470, R 500, R 580, R 620 T 470	03/04->	1EG 007 150-091	1	<b>H4 headlight, left, with indicator-side light (white) and suitable for electr. headlight leveller</b> <b>H4 headlight, right, with indicator-side light (white) and suitable for electr. headlight leveller</b> (E1) 111 left (E1) 112 right (E4) 273 <b>Spare Parts:</b> 1 Lens, left 1 Lens, right 1 Reflector, left 1 Reflector, right 1 Body/lens for with indicator-side light, left 1 Body/lens for with indicator-side light, right 1x24V75/70W (H4) 8GJ 002 525-251 2x24V5W (R5W) 8GA 002 071-261 Heavy Duty 2x24V21W (P21W) 8GA 002 073-251 Heavy Duty
		1EG 007 150-101	1	
		9ES 144 433-021 9ES 144 434-021 9DE 145 675-011 9DE 145 676-011 9EL 145 103-011 9EL 145 104-011	1	
				
<b>P 230 - T 470 (series P, R, T)</b> P 230, P 270, P 310, P 340, P 380, P 420 R 340, R 380, R 420, R 470, R 500, R 580, R 620 T 470	03/04->	2VD 008 205-011	1	<b>Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b> <b>Combination rearlight, right, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b> (E4) 3178 (E4) 4060 (E4) 9808 (E4) 9811 <b>Spare Parts:</b> Lens with screws 3x24V5W (R5W) 8GA 002 071-241 1x24V10W (R10W) 8GA 002 071-251 4x24V21W (P21W) 8GA 002 073-241
		2VD 008 205-021	1	
		9EL 152 884-001	1	
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Scania</b>				
<b>P 230 - T 470</b> P 230 - T 470 (series P, R, T)	03/04->	<b>2KA 003 389-061</b>  9BG 121 587-031	2  2	<b>Licence plate light</b>  Ⓔ 22819  <b>Spare Parts:</b> Body/lens with screw 1x24V10W (R10W) 8GA 002 071-251
<b>Steyr</b>				
<b>6 S - 40 S</b> 6 S - 40 S	01/86->	<b>2PF 001 647-031</b>	4	<b>Side light</b>  Ⓔ 11780 1x24V10W (R10W) 8GA 002 071-251
<b>6 S - 40 S</b>	01/86->	<b>2TJ 001 633-211</b>  9EL 132 403-001 9EL 132 404-001	2  2 2	<b>Rear-side light, for side mounting</b>  Ⓔ 11553 Ⓔ 11554 Ⓔ 11786 Ⓔ 31416  <b>Spare Parts:</b> 2 Lens (clear) with screw 2 Lens (red) with screw 1x24V5W (C5W) 8GM 002 092-241
<b>6 S - 40 S</b> <b>6 S, 8 S, 9 S, 10 S, 11 S, 12 S, 13 S, 14 S, 15 S, 17 S</b> <b>19 S, 22 S, 26 S, 28 S, 32 S, 33 S, 40 S</b>	01/86-> 01/86-> 10/87->	<b>2SE 003 167-511</b> <b>2SD 003 167-521</b>  9EL 118 445-001 9GD 087 883-355 9GD 118 983-021	3 3  1 10 10	<b>Combination rearlight, left, with licence plate light</b> <b>Combination rearlight, right, without licence plate light</b>  Ⓔ 53250  <b>Spare Parts:</b> 1 Lens with screws 10 Seal 10 Bodywork seal for flush-fitting (to be ordered separately)  1x24V10W (R10W) 8GA 002 071-251 1x24V21/5W (P21/5W) 8GD 002 078-241 1x24V21W (P21W) 8GA 002 073-241
<b>6 S - 40 S</b>	01/86->	<b>2NE 003 236-001</b>  9EL 119 544-001 9DX 119 545-011	1  4 2	<b>Rear fog light</b>  Ⓔ 18 411  <b>Spare Parts:</b> 4 Lens 2 Reflector 1x24V21W (P21W) 8GA 002 073-241






Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Steyr</b>				
<b>6 S - 40 S</b> 6 S - 40 S	01/86->  	<b>2ZR 003 236-051</b>  9EL 119 544-111 9DX 119 545-051	1  4 2	<b>Reverse light</b> (E1) 8728 <b>Spare Parts:</b> Lens Reflector  1x24V21W (P21W) 8GA 002 073-241
<b>590 - 1490</b> 590, 690 standard <b>790 - 1490</b> Special equipment	01/68->  	<b>2BA 001 277-011</b> <b>2BA 001 277-021</b>	1 1	<b>Indicator light, left</b> <b>Indicator light, right</b> (E1) 22796  1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241
<b>790 - 1490</b>	01/68->  	<b>2PF 001 647-031</b>	4	<b>Side light</b> (E1) 11780  1x12V10W (R10W) 8GA 002 071-131  1x24V10W (R10W) 8GA 002 071-251
<b>790 - 1490</b>	01/68->  	<b>2BA 001 221-031</b> <b>2BA 001 221-041</b>  9EL 110 013-001 9EL 110 014-001	4 4  4 4	<b>Indicator light, left</b> <b>Indicator light, right</b> (E1) 32611 <b>Spare Parts:</b> Lens with screws, left Lens with screws, right  1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241





# Steyr



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Steyr</b>				
791 - 1491 791 - 1491	04/78->06/84	 2BA 003 482-017 2BA 003 482-027  9EL 121 439-005 9EL 121 440-005	32 32  10 10	<b>Indicator light, left</b> <b>Indicator light, right</b>   <b>Spare Parts:</b> Lens, left Lens, right  1x24V21W (P21W) 8GA 002 073-241
791 - 1491	04/78->09/87	 2PF 001 647-031	4	<b>Side light</b>  <b>Spare Parts:</b> 1x24V10W (R10W) 8GA 002 071-251
791 - 1491	04/78->09/87	 2TJ 001 633-211  9EL 132 403-001 9EL 132 404-001	2  2 2	<b>Rear-side light, for side mounting</b>  <b>Spare Parts:</b> Lens (clear) with screw Lens (red) with screw  1x24V5W (C5W) 8GM 002 092-241
791 - 1491 791, 891, 991, 1291, 1391, 1491	04/78->09/87	 2SE 003 167-511 2SD 003 167-521  9EL 118 445-001 9GD 087 883-355 9GD 118 983-021	3 3  1 10 10	<b>Combination rearlight, left, with licence plate light</b> <b>Combination rearlight, right, without licence plate light</b>  <b>Spare Parts:</b> Lens with screws Seal Bodywork seal for flush-fitting (to be ordered separately)  1x24V10W (R10W) 8GA 002 071-251 1x24V21/5W (P21/5W) 8GD 002 078-241 1x24V21W (P21W) 8GA 002 073-241
791 - 1491	04/78->09/87	 2NE 003 236-001  9EL 119 544-001 9DX 119 545-011	1  4 2	<b>Rear fog light</b>  <b>Spare Parts:</b> Lens Reflector  1x24V21W (P21W) 8GA 002 073-241



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Steyr</b>				
791 - 1491 791 - 1491	04/78->09/87 	2ZR 003 236-051  9EL 119 544-111 9DX 119 545-051	1  4 2	<b>Reverse light</b>  (E1) 8728  <b>Spare Parts:</b> Lens Reflector   1x24V21W (P21W) 8GA 002 073-241
<b>Volvo</b>				
F 4, F 6 F 6	71->09/85 	2NE 001 423-011  9EL 101 353-001	1  5	<b>Rear fog light</b>  (E1) 8496  <b>Spare Parts:</b> Lens with screws   1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241
F 10 - F 16 F 10, F 12, F 16	10/87-> 	1AG 004 679-041	1	<b>H4 headlight</b>  (E1) 34498   1x24V75/70W (H4) 8GJ 002 525-251
F 10, F 12	08/77->09/87 	9EL 119 097-021 9EL 119 098-021	1 1	<b>Indicator-side light, spare parts available only</b>  (E1) 53275  <b>Spare Parts:</b> Lens, left Lens, right   1x24V5W (R5W) 8GA 002 071-241  1x24V21W (P21W) 8GA 002 073-241




**Volvo**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volvo</b>				
<b>F 10 - F 16</b>	10/87->07/93	2SL 005 883-031	1	<b>Combination rearlight, left, with licence plate, rear fog and reverse light</b>
F 10, F 12, F 16		2SL 005 883-041	1	<b>Combination rearlight, right, with licence plate, rear fog and reverse light</b>
		2SK 005 883-011	1	<b>Combination rearlight, left, with rear fog and reverse light</b>
		2SK 005 883-021	1	<b>Combination rearlight, right, with rear fog and reverse light</b>
				Ⓔ4 1247 Ⓔ4 1305
				Ⓔ4 3848 Ⓔ4 4026
				Ⓔ4 23167
		9EL 135 548-001	1	<b>Spare Parts:</b> Lens  2x24V5W (R5W) 8GA 002 071-241 4x24V21W (P21W) 8GA 002 073-241
<b>F 86 - F 89</b>	->07/77	2BA 001 221-031	4	<b>Indicator light, left</b>
F 86, F 88, F 89		2BA 001 221-041	4	<b>Indicator light, right</b>
				Ⓔ1 32611
		9EL 110 013-001	4	<b>Spare Parts:</b> Lens with screws, left
		9EL 110 014-001	4	Lens with screws, right
				1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241
<b>FH 12, FH 16</b>	10/93->08/98	1AG 006 898-041	1	<b>H4 headlight</b>
FH 12, FH 16				Ⓔ1 44503
				1x24V75/70W (H4) 8GJ 002 525-251
<b>FH 12</b>	10/97->12/01	1AG 006 898-081	1	<b>H4 headlight</b>
<b>FH 16</b>	10/97->12/01			Ⓔ1 44503
				1x24V75/70W (H4) 8GJ 002 525-251




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volvo</b>				
FH 12, FH 16 FH 12, FH 16	10/93->12/01	1FE 006 300-251  1FE 138 520-011 9AG 138 131-011	1  1 5	<b>H3 spotlight</b>  E1 44444  <b>Spare Parts:</b> 1 Light unit 5 Lens-retaining rim  1x24V70W (H3) 8GH 002 090-251
FH 12, FH 16	10/93->04/05	2VD 008 205-051  2VD 008 205-041  2VP 008 205-031  9EL 152 884-001	1  1  1  1	<b>Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b>  <b>Combination rearlight, right, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b>  <b>Combination rearlight, left/right, with rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b>  E4 3178 E4 4060 E4 9808 E4 9811  <b>Spare Parts:</b> 1 Lens with screws  3x24V5W (R5W) 8GA 002 071-241 2X24V10W (R10W) 8GA 002 071-251 4x24V21W (P21W) 8GA 002 073-241
FL FL	03/00->	2VD 008 205-051  2VD 008 205-041  2VP 008 205-031  9EL 152 884-001	1  1  1  1	<b>Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b>  <b>Combination rearlight, right, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b>  <b>Combination rearlight, left/right, with rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b>  E4 3178 E4 4060 E4 9808 E4 9811  <b>Spare Parts:</b> 1 Lens with screws  3x24V5W (R5W) 8GA 002 071-241 2X24V10W (R10W) 8GA 002 071-251 4x24V21W (P21W) 8GA 002 073-241




Volvo



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volvo</b>				
FL 4, FL 6 FL 4, FL 6	-->10/90	1AG 004 679-041	1	<b>H4 headlight</b> E1 34498  1x24V75/70W (H4) 8GJ 002 525-251
FL 6	10/96->	1DL 007 739-011 1DL 007 739-021	1 1	<b>DE-H1 headlight, left, with 24V-H1 bulbs</b> <b>DE-H1 headlight, right, with 24V-H1 bulbs</b> E1 492 E1 7411  2x24V70W (H1) 8GH 002 089-251  1x24V4W (T4W) 8GP 002 067-241
FL 4, FL 6	10/85->	2SL 005 883-031 2SL 005 883-041 2SK 005 883-011 2SK 005 883-021 9EL 135 548-001	1 1 1 1 1	<b>Combination rearlight, left, with licence plate, rear fog and reverse light</b> <b>Combination rearlight, right, with licence plate, rear fog and reverse light</b> <b>Combination rearlight, left, with rear fog and reverse light</b> <b>Combination rearlight, right, with rear fog and reverse light</b> E4 1247 E4 1305 E4 3848 E4 4026 E4 23167 <b>Spare Parts:</b> Lens  2x24V5W (R5W) 8GA 002 071-241  4x24V21W (P21W) 8GA 002 073-241
FL 7 - FL 12 FL 7, FL 10 FL 12	10/85->	1AG 004 679-041	1	<b>H4 headlight</b> E1 34498  1x24V75/70W (H4) 8GJ 002 525-251




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volvo</b>				
<b>FL 7 - FL 12</b> FL 7, FL 10, FL 12 	10/85->07/93	2SL 005 883-031 2SL 005 883-041 2SK 005 883-011 2SK 005 883-021 9EL 135 548-001	1 1 1 1 1	<b>Combination rearlight, left, with licence plate, rear fog and reverse light</b> <b>Combination rearlight, right, with licence plate, rear fog and reverse light</b> <b>Combination rearlight, left, with rear fog and reverse light</b> <b>Combination rearlight, right, with rear fog and reverse light</b> (E4) 1247 (E4) 1305 (E4) 3848 (E4) 4026 (E4) 23167 <b>Spare Parts:</b> Lens  2x24V5W (R5W) 8GA 002 071-241  4x24V21W (P21W) 8GA 002 073-241
<b>FLC</b> FLC 	09/96->09/00	1DL 007 739-011 1DL 007 739-021	1 1	<b>DE-H1 headlight, left, with 24V-H1 bulbs</b> <b>DE-H1 headlight, right, with 24V-H1 bulbs</b> (E1) 492 (E1) 7411  2x24V70W (H1) 8GH 002 089-251  1x24V4W (T4W) 8GP 002 067-241
<b>FLC</b> 	09/96->09/00	2SL 005 883-031 2SL 005 883-041 2SK 005 883-011 2SK 005 883-021 9EL 135 548-001	1 1 1 1 1	<b>Combination rearlight, left, with licence plate, rear fog and reverse light</b> <b>Combination rearlight, right, with licence plate, rear fog and reverse light</b> <b>Combination rearlight, left, with rear fog and reverse light</b> <b>Combination rearlight, right, with rear fog and reverse light</b> (E4) 1247 (E4) 1305 (E4) 3848 (E4) 4026 (E4) 23167 <b>Spare Parts:</b> Lens  2x24V5W (R5W) 8GA 002 071-241  4x24V21W (P21W) 8GA 002 073-241
<b>FM 7</b> FM 7 	10/98->12/01	1AG 006 898-081	1	<b>H4 headlight</b> (E1) 44503  1x24V75/70W (H4) 8GJ 002 525-251



**Volvo**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volvo</b>				
<b>FM 7</b> FM 7	10/98->12/01	1FE 006 300-251  1FE 138 520-011 9AG 138 131-011	1  1 5	<b>H3 spotlight</b>  (E1) 44444  <b>Spare Parts:</b> Light unit Lens-retaining rim   1x24V70W (H3) 8GH 002 090-251
<b>FM 7</b>	10/98->12/01	2VD 008 205-051  2VD 008 205-041  2VP 008 205-031  9EL 152 884-001	1  1  1  1	<b>Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b>  <b>Combination rearlight, right, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b>  <b>Combination rearlight, left/right, with rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b>  (E4) 3178 (E4) 4060 (E4) 9808 (E4) 9811  <b>Spare Parts:</b> Lens with screws   3x24V5W (R5W) 8GA 002 071-241 2X24V10W (R10W) 8GA 002 071-251 4x24V21W (P21W) 8GA 002 073-241
<b>FM 9</b> FM 9	12/01->09/05	2VD 008 205-051  2VD 008 205-041  2VP 008 205-031  9EL 152 884-001	1  1  1  1	<b>Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b>  <b>Combination rearlight, right, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b>  <b>Combination rearlight, left/right, with rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b>  (E4) 3178 (E4) 4060 (E4) 9808 (E4) 9811  <b>Spare Parts:</b> Lens with screws   3x24V5W (R5W) 8GA 002 071-241 2X24V10W (R10W) 8GA 002 071-251 4x24V21W (P21W) 8GA 002 073-241



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volvo</b>				
FM 12 FM 12	10/98->12/01	1AG 006 898-081	1	<b>H4 headlight</b> (E1) 44503 1x24V75/70W (H4) 8GJ 002 525-251
FM 12	10/98->12/01	1FE 006 300-251  1FE 138 520-011 9AG 138 131-011	1  1 5	<b>H3 spotlight</b> (E1) 44444 <b>Spare Parts:</b> Light unit Lens-retaining rim 1x24V70W (H3) 8GH 002 090-251
FM 12	10/98->09/05	2VD 008 205-051  2VD 008 205-041  2VP 008 205-031  9EL 152 884-001	1  1  1  1	<b>Combination rearlight, left, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b> <b>Combination rearlight, right, with licence plate, rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b> <b>Combination rearlight, left/right, with rear fog, reverse, clearance light, side-marker light, with reflex-reflector and marker reflex-reflector</b> (E4) 3178 (E4) 4060 (E4) 9808 (E4) 9811 <b>Spare Parts:</b> Lens with screws 3x24V5W (R5W) 8GA 002 071-241 2x24V10W (R10W) 8GA 002 071-251 4x24V21W (P21W) 8GA 002 073-241
FS 7 FS 7		1AG 004 679-041	1	<b>H4 headlight</b> (E1) 34498 1x24V75/70W (H4) 8GJ 002 525-251




**Volvo**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volvo</b>				
<b>FS 7</b>		2SL 005 883-031	1	<b>Combination rearlight, left, with licence plate, rear fog and reverse light</b>
<b>FS 7</b>		2SL 005 883-041	1	<b>Combination rearlight, right, with licence plate, rear fog and reverse light</b>
		2SK 005 883-011	1	<b>Combination rearlight, left, with rear fog and reverse light</b>
		2SK 005 883-021	1	<b>Combination rearlight, right, with rear fog and reverse light</b>
				Ⓔ 1247 Ⓔ 1305
				Ⓔ 3848 Ⓔ 4026
				Ⓔ 23167
				<b>Spare Parts:</b>
		9EL 135 548-001	1	Lens  2x24V5W (R5W) 8GA 002 071-241 4x24V21W (P21W) 8GA 002 073-241
<b>N 7 - N 12</b>		2BA 001 221-031	4	<b>Indicator light, left</b>
<b>N 7 - N 12</b>	01/73->	2BA 001 221-041	4	<b>Indicator light, right</b>
				Ⓔ 32611
				<b>Spare Parts:</b>
		9EL 110 013-001	4	Lens with screws, left
		9EL 110 014-001	4	Lens with screws, right
				 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241
<b>N 7</b>	08/78->	2SE 001 688-151	1	<b>Combination rearlight, left, with licence plate light</b>
<b>N 10, N 12</b>	01/73->08/77	2SE 001 688-161	1	<b>Combination rearlight, right, with licence plate light</b>
				Ⓔ 43207
				<b>Spare Parts:</b>
		9EL 092 435-011	1	Lens with screws
		9GD 102 484-001	10	Seal
		9GT 074 132-001	10	Grommet
				 2x12V5W (R5W) 8GA 002 071-121 2x24V5W (R5W) 8GA 002 071-241 2x12V21W (P21W) 8GA 002 073-121 2x24V21W (P21W) 8GA 002 073-241



# Headlights, Signal and Sundry Lights for Tractors




List of Manufacturers/Page

3.02 - 3.04

Headlights, Signal and Sundry Lights -  
Application Chart for Tractors

3.05 - 3.132




# List of Manufacturers/Page



Manufacturer Model	Model year	Page	Manufacturer Model	Model year	Page
<b>Ahlmann</b> various models		3.05	<b>Claas</b> Mercator 50 - 75	01/73->12/87	3.30 - 3.31
<b>Atlas</b> various models		3.05 - 3.06	Unitrac	06/85->	3.31
<b>Bomag</b> various models		3.06	Xerion	01/04->	3.32
<b>Case IH</b> various models		3.07 - 3.08	<b>Claas (Bautz)</b> Jaguar		3.32 - 3.33
Argus		3.08 - 3.09	Rapido wagen		3.34
D 8-41 - D 8-62		3.09	<b>John Deere</b> various models		3.34 - 3.36
D 215 - D 514		3.09 - 3.10	MD 330 - MD 970	->07/74	3.36
E 303 - E 340	01/92->	3.10	MD 925 - MD 1188 H 4	08/74->	3.36 - 3.37
E 323 - E 724	->01/06	3.11	Z-series	01/94->	3.37 - 3.38
E 383 - E 1246		3.11	820 - 4020	10/74->	3.38 - 3.39
FP 16 - FP 21	12/92->	3.12	840 - 4240		3.40 - 3.41
Mammut		3.12 - 3.13	3200 - 3400		3.42
433 - 833	06/73->	3.13 - 3.14	6120 - 6920 S	11/01->	3.42
521		3.14 - 3.15	6610 - 6910	01/93->	3.42 - 3.43
525, 527		3.15 - 3.16	7200 - 7500	10/02->	3.43
530 - 550	01/92->	3.16	M-series 6000	07/92->	3.43 - 3.44
644 - 1455 XL	05/82->	3.17 - 3.18	Series 7000	07/92->	3.44
<b>Case Poclain</b> various models		3.18	<b>Deutz-Fahr</b> various models		3.45 - 3.46
<b>Caterpillar</b> various models		3.19 - 3.20	D 2506 - D 13006	08/73->	3.46 - 3.47
<b>Claas</b> various models		3.20 - 3.21	D 2807 - D 7807 C	05/80->12/90	3.48
Classic 78 - 108 SL		3.21	DX 3.10 - DX 6.07		3.49 - 3.50
Commandor 112 - 228 CS	10/85->	3.22	DX 4.61 - DX 6.61	01/91->12/96	3.50
Compact 25 - Consul	09/77->12/87	3.22 - 3.23	DX 36V - DX 55V	05/78->	3.50
Dominator 38 - 116	09/78->12/87	3.23 - 3.24	Intrac 2003 - 2006	09/74->12/79	3.51
Dominator 78 S - 118 SL Maxi	10/85->	3.24 - 3.25	M 600 - M 1630		3.51 - 3.52
Dominator 85, 105	01/73->	3.25 - 3.26	M 2385 - M 2780	01/85->	3.52 - 3.53
Jaguar 675 - 695	12/87->	3.26 - 3.27	Powerliner 4030	92->	3.53
Jaguar 820 - 880	01/94->	3.27 - 3.28	Powerpress 120 H	01/94->	3.53
Lexion 405 - 460	96->	3.28 - 3.29	Starliner 4040, 4045 H	91->	3.53
Lexion 2004	10/03->	3.29	Topliner 8XL	91->	3.54
Maxi, Mega		3.29	<b>Dexheimer</b> AL 222 - AL 370 turbo	01/82->	3.54 - 3.56
			<b>Fendt</b> various models		3.56 - 3.57




Manufacturer Model	Model year	Page	Manufacturer Model	Model year	Page
<b>Fendt</b>			<b>Hako</b>		
Farmer Fix 2 E - 2 S	06/68->	3.57 - 3.58	Trac 2750		3.83 - 3.84
Farmer 102 S - 201 S		3.59	Trac 3500, 3800 D		3.84
Farmer 200 V - 205 P	83->	3.60 - 3.61	Trac 4100		3.85
Farmer 240 S - 280 P		3.61 - 3.62	Trac 8014 - 8022		3.85 - 3.86
Farmer 303 LS - 312 LSA	01/83->	3.62 - 3.64	Variotrac 1850 V, 2150 D		3.87
Favorit 509 C - 515 C	94->	3.64 - 3.65	<b>Holder</b>		
Favorit 610 LS - 615 LSA	06/82->	3.65 - 3.66	A 14 - B 25	01/66->	3.87 - 3.88
Favorit 626 LSA-Turbo	06/82->	3.66 - 3.67	A 40 - A 60 Turbo	10/78->	3.88
Favorit 816 LSE - 824 LSE	12/93->	3.67 - 3.68	A 550 - A 600	01/91->	3.88
Favorit 926 Vario	93->	3.68 - 3.69	A 750 - A 760	03/94->	3.89
F 220 GT - F 275 GT	->02/74	3.69 - 3.70	C 30 - C 6000	01/91->	3.89
F 231 GT - F 395 GT		3.70 - 3.71	C 760 - C 870 H	03/94->	3.90
Xylon 520 - 524	05/95->	3.71 - 3.72	C 9600, C 9700 H	10/94->	3.90 - 3.91
<b>Fenwick-Linde</b>			Park 30, 70	91->	3.91
various models		3.72	P 20	01/91->	3.92
<b>Fuchs</b>			<b>Hyster</b>		
various models		3.72 - 3.73	various models		3.92
<b>GP (Nobas)</b>			<b>JCB</b>		
various models		3.73	various models		3.92 - 3.93
<b>Gutbrod</b>			<b>Jungheinrich</b>		
Superior 1017 - 2060		3.73 - 3.74	various models		3.94 - 3.95
Superior 2350 DS - 2850 DA		3.74	<b>Kramer</b>		
Superior 4000 - 4350		3.75	various models		3.95
1012 S		3.75	<b>Krieger</b>		
1200 H		3.75 - 3.76	KS 28 - KS 65 A		3.96 - 3.97
3100 - K 34		3.76	KT 52 - KT 72 A	10/89->	3.97 - 3.98
<b>Hako</b>			<b>Landini</b>		
Mobil 4000 - 6000 D	73->	3.76 - 3.78	various models		3.99
Mobil 8081		3.78	<b>Laverda</b>		
Trac 1400		3.78 - 3.79	various models		3.99
Trac 1400 V		3.79	<b>Liebherr</b>		
Trac 1500 D		3.80	various models		3.99 - 3.101
Trac 1650		3.80 - 3.81	<b>Linde</b>		
Trac 1800 D, DA		3.81	various models		3.101 - 3.102
Trac 2250		3.82			
Trac 2300 D		3.82 - 3.83			
Trac 2700 D, DA		3.83			




# List of Manufacturers/Page




Manufacturer Model	Model year	Page	Manufacturer Model	Model year	Page
<b>Lindner</b> various models		3.102	<b>Still</b> various models		3.119 - 3.120
<b>Manitou</b> various models		3.102	<b>Terex Demag</b> various models		3.120 - 3.121
<b>Massey-Ferguson</b> various models MB 186, MB 187 MF 30, MF 30-6 MF 31 - MF 187-6 MF 186, MF 187 MF 203, MF 205 MF 487 MF 510 MF 3000 - MF 3090 MF 3165 S		3.102 - 3.104 3.105 3.105 3.105 3.106 3.106 3.106 - 3.107 3.107 3.107 3.108	<b>Timberjack</b> various models		3.121 - 3.122
	70->		<b>Valtra</b> various models		3.123 - 3.124
	07/86->		<b>Valtra (Valmet)</b> 205 - 665 605 - 955, 6000 - 8600	91-> 91->	3.124 3.124
<b>Mercedes-Benz</b> MB-Trac 700 - 1500	09/85->	3.108	<b>Joseph Vögele</b> various models		3.125
<b>Multicar</b> Multicar	03/91->	3.108 - 3.109	<b>VME</b> DM 5350 GM 616, GM 646 LM 621 - LM 642 LM 841 LM 846 LM 1240 LM 1641 LM 4200 - LM 4600 MK 693 S 830 SM 462, SM 868 SM 969 T 500, T 650 T 700 T 2650, T 2654		3.125 3.125 3.126 3.126 - 3.127 3.127 3.127 3.128 3.128 3.128 3.129 3.129 3.129 3.129 - 3.130 3.130 - 3.131 3.131
<b>Neuson</b> various models		3.109	<b>Volvo CE</b> various models		3.131 - 3.132
<b>New Holland (Fiatagri)</b> various models		3.109 - 3.112	<b>Yale</b> various models		3.132
<b>Partek Forest</b> various models		3.112 - 3.113			
<b>O&amp;K</b> various models		3.113 - 3.114			
<b>Same</b> various models		3.114 - 3.116			
<b>Schaeff</b> various models		3.116 - 3.117			
<b>Steyr</b> various models 430, 1100 8060 - 8160 a		3.117 - 3.118 3.119 3.119			



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Ahlmann</b>				
various models various models		1GA 007 506-001  1GA 998 525-001 9GH 993 984-001	1  1 20	<b>FF®-H3 worklight 'Ultra Beam Standard' with optics for large-area ground illumination, with AMP plug-connection</b>  <b>Spare Parts:</b> Light unit Rubber cap   1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133
various models		1G3 005 760-041  1G3 141 019-011 6EB 005 633-001	1  1 10	<b>H3 worklight with optics for close-range illumination</b>  <b>Spare Parts:</b> Light unit Switch   1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133
various models		1G5 003 241-081  1G5 120 510-001 6ED 708 919-001 9GD 120 670-001	1  1 5 10	<b>H3 worklight, with optics for close-range illumination, with switch</b>  <b>Spare Parts:</b> Light unit with seal Switch Seal   1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133  1x24V70W (H3) 8GH 002 090-251
<b>Atlas</b>				
various models		1GA 006 991-041  1GA 998 524-011 9XD 990 298-001	1  1 5	<b>FF®-H3 worklight 'Double Beam' with optics for large-area ground illumination</b>  <b>Spare Parts:</b> Light unit Angle bracket   1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Atlas</b>				
various models various models		1G3 996 001-301  9AG 990 006-017	1  24	<b>H3 worklight with optics for close-range illumination, without switch</b>  <b>Spare Parts:</b> Lens-retaining rim with protective grid   1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133
various models		1G4 003 470-051  9DS 121 707-001 9XD 130 261-001	1  1 5	<b>H3 worklight with optics for for close-range illumination, without switch</b>  <b>Spare Parts:</b> Light unit Angle bracket   1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133
<b>Bomag</b>				
various models		1GD 003 590-701	1	<b>H3 worklight</b>   1x12V55W (H3) 8GH 002 090-133
various models		1GB 006 213-101  1GB 006 213-111	1  1	<b>H3 worklight with optics for long-range illumination</b>  <b>H3 worklight with optics for close-range illumination</b>   1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133
various models		1GA 006 876-001	1	<b>FF®-H3 worklight with optics for ground illumination, with rotating base</b>   1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133  1x24V70W (H3) 8GH 002 090-251






Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Case IH</b>				
various models various models		1GA 996 020-001	1	<b>H3 worklight 'Corner Light', with 12V55W bulb</b>  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133
various models		1GA 996 083-011 1GA 998 525-001	1 1	<b>FF®-H3 worklight with optics for large-area ground illumination</b> <b>Spare Parts:</b> Light unit  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133
various models		1GA 007 506-681 1GA 998 525-001	1 1	<b>FF®-H3 worklight with optics for large-area ground illumination, with bulb</b> <b>Spare Parts:</b> Light unit  1x24V70W (H3) 8GH 002 090-251
various models		1GA 996 083-021 1GA 998 525-001	1 1	<b>FF®-H3 worklight with optics for large-area ground illumination</b> <b>Spare Parts:</b> Light unit  2x12V35W (H3) 8GH 002 090-271 2x12V55W (H3) 8GH 002 090-133
various models		1GA 998 522-011	1	<b>FF®-H3 worklight with optics for ground illumination</b>  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Case IH</b>				
various models various models		1GB 996 080-021	1	<b>FF®-H3 worklight 'Double Beam' with optics for long-range off-road illumination</b>  2x12V35W (H3) 8GH 002 090-271 2x12V55W (H3) 8GH 002 090-133
various models		1GA 006 875-001	1	<b>FF®-H3 worklight with optics for ground illumination</b>  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251
various models		1GA 006 991-091 9XD 990 298-001	1 5	<b>FF®-H3 worklight 'Double Beam' with optics for intensive close-range illumination</b> <b>Spare Parts:</b> Angle bracket  2x12V35W (H3) 8GH 002 090-271 2x12V55W (H3) 8GH 002 090-133
various models		2SE 996 030-011 2SD 996 030-021 9EL 990 142-001	1 1 1	<b>Combination rearlight, left, with licence plate light, with bulbs</b> <b>Combination rearlight, right, without licence plate light, with bulbs</b> (E12) 7133 (E12) 4054 <b>Spare Parts:</b> Lens  1x12V5W (R5W) 8GA 002 071-121 1x12V21W (P21W) 8GA 002 073-121
Argus Argus		1DL 007 872-037 1DL 007 872-047 9AH 149 259-015 9AH 149 260-015	18 18 4 4	<b>DE-H1 headlight, left, suitable for headlight leveller and bulbs</b> <b>DE-H1 headlight, right, suitable for headlight leveller and bulbs</b> (E1) 7411 <b>Spare Parts:</b> Supporting frame with adj. devices, left Supporting frame with adj. devices, right  2x24V70W (H1) 8GH 002 089-251  1x24V4W (T4W) 8GP 002 067-241




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Case IH</b>				
<b>Argus</b> Argus 		<b>1GA 006 991-041</b>  1GA 998 524-011 9XD 990 298-001	1  1 5	<b>FF@-H3 worklight 'Double Beam' with optics for large-area ground illumination</b>  <b>Spare Parts:</b> Light unit Angle bracket   2x24V70W (H3) 8GH 002 090-251
<b>Argus</b>  		<b>2BA 004 119-017</b>  9GT 143 133-007	10  10	<b>Indicator light (white)</b>   405  <b>Spare Parts:</b> Grommet   1x24V21W (PY21W) 8GA 006 841-241
<b>D 8-41 - D 8-62</b> D 8-41, D 8-61, D 8-62  		9ES 012 060-011 9GD 023 639-001 9DR 090 206-001 9FF 090 500-001	10 10 1 2	<b>Headlight, spare parts available only</b>  K 11103/1  <b>Spare Parts:</b> Lens Seal Reflector Bulb socket   1x12V35/35W (S2) 8GD 002 084-131   1x12V4W (T4W) 8GP 002 067-121
<b>D 215 - D 514</b> D 215 - D 514 D 215, D 219, D 322, D 326, D 432, D 439, D 514  		9ES 012 060-011 9GD 023 639-001 9DR 090 206-001 9FF 090 500-001	10 10 1 2	<b>Headlight, spare parts available only</b>  K 11103/1  <b>Spare Parts:</b> Lens Seal Reflector Bulb socket   1x12V35/35W (S2) 8GD 002 084-131   1x12V4W (T4W) 8GP 002 067-121
<b>D 215 - D 514</b>  		<b>2BE 001 259-061</b>  9EL 088 538-001 9FT 088 047-001	2  2 10	<b>Indicator-side light</b>  K 23269  <b>Spare Parts:</b> Body/lens with screws Bulb holder   1x12V3W (M) 8GM 002 094-121  1x12V18W (K) 8GM 002 091-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Case IH</b>				
<b>D 215 - D 514</b> D 215 - D 514 D 215, D 219, D 322, D 326, D 432, D 439, D 514		2ST 001 259-321	2	<b>Combination rearlight with licence plate light</b> <b>Combination rearlight without licence plate light</b> K 23270 <b>Spare Parts:</b> Body/lens with screws for 2SB 001 259-261 Bulb holder 1x12V10W (K) 8GM 002 091-131 1x12V18W (K) 8GM 002 091-121
		2SB 001 259-261	2	
		9EL 088 525-001	2	
		9FT 088 047-001	10	
				
D 215 - D 514		8HG 002 247-001	2	<b>Adapter for surface-mounting to bodywork surfaces inclined at 45°, for lights in model range '1259'.</b>
				
<b>E 303 - E 340</b> E 303 - E 340 E 303, E 304, E 340	10/94->	2BA 002 652-111 2BA 002 652-121 9EL 134 659-001 9EL 134 660-001	2 2 2 2	<b>Indicator light, left</b> <b>Indicator light, right</b> (E1) 42764 <b>Spare Parts:</b> Lens with screw, left Lens with screw, right 1x12V21W (P21W) 8GA 002 073-121
				
<b>E 303 - E 340</b> E 303, E 304, E 340	01/92->	2SD 002 776-231 2SD 002 776-241 9EL 137 307-001 9EL 137 308-001	1 1 2 2	<b>Combination rearlight, left</b> <b>Combination rearlight, right</b> (E1) 273 (E1) 63230 <b>Spare Parts:</b> Lens, left Lens, right 1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121
				
<b>E 303 - E 340</b> E 303, E 304, E 340	01/92->	2KA 003 389-061 9BG 121 587-031	2 2	<b>Licence plate light</b> (E1) 22819 <b>Spare Parts:</b> Body/lens with screw 1x12V10W (R10W) 8GA 002 071-121
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Case IH</b>				
<b>E 323 - E 724</b> E 323 - E 724 E 323, E 353, E 423, E 523, E 624, E 724		9ES 093 815-001 9GD 100 711-021	10 10	<b>Headlight, spare parts available only</b> (E1) 4488 <b>Spare Parts:</b> Lens Seal 1x12V45/40W (R2) 8GD 002 088-131
<b>E 323 - E 724</b> E 323 E 353, E 423 E 523 E 624 E 724 all models with flashers	01/66->05/74 06/65->02/75 ->03/75 06/65->12/71 10/69->12/74	9EL 089 527-001	2	<b>Combination rearlight, spare parts available only</b> K 23366 <b>Spare Parts:</b> Lens 1x12V3W (M) 8GM 002 094-121 1x12V18W (K) 8GM 002 091-121
<b>E 383 - E 1246</b> E 383 - E 1246 E 383, E 423, E 453, E 554, E 644, E 744, E 844, E 846, E 1046, E 1246		1AB 001 100-001 9AG 104 328-001 9DR 104 336-001 9FH 093 887-001	1 2 1 10	<b>Headlight</b> (E1) 4578 <b>Spare Parts:</b> Lens-retaining rim with lens and adjustment device Reflector Bulb holder 1x12V45/40W (R2) 8GD 002 088-131 1x12V4W (T4W) 8GP 002 067-121





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Case IH</b>				
FP 16 - FP 21 FP 16 - FP 21	12/92->	2SE 004 623-001  9EL 129 519-001	1  1	<b>Combination rearlight</b>  (E17) 408 (E17) 630 (E17) 763 <b>Spare Parts:</b> Lens 1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121
FP 16 - FP 21	12/92->	2KA 003 389-061  9BG 121 587-031	2  2	<b>Licence plate light</b>  (E1) 22819 <b>Spare Parts:</b> Body/lens with screw 1x12V10W (R10W) 8GA 002 071-121
FP 16 - FP 21	12/92->	2XS 005 020-011  9EL 132 215-001	10  2	<b>Clearance light (red/white)</b>  (E1) 31407 <b>Spare Parts:</b> Body/lens with screws 1x12V4W (T4W) 8GP 002 067-121
<b>Mammut</b> Field chopper Mammut 8790		1AB 007 145-001	1	<b>H4 headlight</b>  (E1) 44439 1x12V60/55W (H4) 8GJ 002 525-131 1x12V4W (T4W) 8GP 002 067-121
Field chopper Mammut 8790		1GB 007 145-107	36	<b>H3 worklight with honeycombe optical pattern for close-range illumination</b>  1x12V55W (H3) 8GH 002 090-133





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Case IH</b>				
<b>Mammut</b> Field chopper Mammut 6900, 7400, 7800		<b>1GA 006 991-021</b>  1GA 998 524-001 9XD 130 261-001	1  1 5	<b>FF®-H3 worklight with optics for close-range illumination</b>  <b>Spare Parts:</b> Light unit Angle bracket  2x12V55W (H3) 8GH 002 090-133
Field chopper Mammut 6900, 7400, 7800		<b>2VP 006 040-111</b> <b>2VP 006 040-121</b>  9EL 136 825-001 9EL 136 825-011 9GD 102 484-001	1 1  1 1 10	<b>Combination rearlight, left, with reverse light</b> <b>Combination rearlight, right, with reverse light</b>  (E13) 9385 (E13) 9531  <b>Spare Parts:</b> Lens, left Lens, right Seal for lens (to be ordered separately)  1x12V10W (R10W) 8GA 002 071-131 3x12V21W (P21W) 8GA 002 073-121
<b>433 - 833</b> 433 - 833 433, 533, 633, 733, 833	->04/82			<b>Headlight, spare parts available only</b>  (E1) 4578  <b>Spare Parts:</b> Lens-retaining rim with lens and adjustment device Reflector  1x12V45/40W (R2) 8GD 002 088-131
433 - 833 433, 533, 633, 733, 833	05/82->06/86	<b>1AA 004 109-001</b>  9BG 127 426-001	1  4	<b>Headlight</b>  (E1) 34446  <b>Spare Parts:</b> Receiving unit (to be ordered separately)  1x12V45/40W (R2) 8GD 002 088-131



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Case IH</b>				
<b>433 - 833</b> 433 - 833 433, 533, 633, 733, 833	07/86->	1AB 003 177-001	1	<b>H4 headlight unit</b> (E1) 24460 (E1) 24461  1x12V60/55W (H4) 8GJ 002 525-131
<b>433 - 833</b> 433, 533, 633, 733, 833	06/73->	2BE 002 776-251 2BE 002 776-261  9EL 134 741-021 9EL 134 742-021	1 1  2 2	<b>Indicator-side light, left</b> <b>Indicator-side light, right</b> (E1) 63225 <b>Spare Parts:</b> Lens, left Lens, right  1x12V10W (R10W) 8GA 002 071-131 1x12V21W (P21W) 8GA 002 073-121
<b>433 - 833</b> 433, 533, 633, 733, 833	06/73->	2SD 002 776-231 2SD 002 776-241  9EL 137 307-001 9EL 137 308-001	1 1  2 2	<b>Combination rearlight, left</b> <b>Combination rearlight, right</b> (E1) 273 (E1) 63230 <b>Spare Parts:</b> Lens, left Lens, right  1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121
<b>433 - 833</b> 433, 533, 633, 733, 833	06/73->90	2KA 001 389-147	66	<b>Licence plate light</b> K 12824/1  1x12V5W (C5W) 8GM 002 092-121
<b>521</b> 521		1GA 007 506-001  1GA 998 525-001 9GH 993 984-001	1  1 20	<b>FF®-H3 worklight with optics for large-area ground illumination</b> <b>Spare Parts:</b> Light unit Rubber cap (black)  1x12V55W (H3) 8GH 002 090-133



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Case IH</b>				
521 521		2BE 003 014-251 9EL 115 003-055	2 2	<b>Indicator-side light</b>  Ⓔ1 42712  <b>Spare Parts:</b> Lens with screws  1x12V21W (P21W) 8GA 002 073-121  1x12V5W (C5W) 8GM 002 092-121
521		2SE 002 578-701 9EL 146 491-001	2 2	<b>Combination rearlight with licence plate light (supplies limited)</b>  Ⓔ17 9401  <b>Spare Parts:</b> Body/lens with screws (supplies limited)   1x24V10W (R10W) 8GA 002 071-251  2x24V21W (P21W) 8GA 002 073-241
525, 527 525, 527		1AE 003 440-671 1AE 003 440-681 9ES 126 471-001 9ES 126 472-001 9DE 122 228-011 9DE 122 228-021 9FH 113 447-011 9HD 121 297-001	1 1 10 10 1 1 5 5	<b>H4 headlight, left</b> <b>H4 headlight, right</b>  Ⓔ1 34431 left Ⓔ1 34432 right  <b>Spare Parts:</b> Lens, left Lens, right Reflector, left Reflector, right Bulb holder Cap with seal   1x24V75/70W (H4) 8GJ 002 525-251  1x24V4W (T4W) 8GP 002 067-241
525, 527		1GA 005 060-041 9AG 132 453-005	1 5	<b>H3 worklight with optics for close-range illumination</b>  <b>Spare Parts:</b> Lens-retaining rim   1x24V70W (H3) 8GH 002 090-251
525, 527		2BA 003 975-031 2BA 003 975-041	1 1	<b>Indicator light, left</b> <b>Indicator light, right</b>  Ⓔ1 42650   1x24V21W (P21W) 8GA 002 073-241



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Case IH</b>				
525, 527 525, 527		2BA 001 277-011 2BA 001 277-021	1 1	Indicator light, left Indicator light, right  (E1) 22796  1x12V21W (P21W) 8GA 002 073-121
				
525, 527		2SE 002 578-701	2	Combination rearlight with licence plate light (supplies limited)  (E17) 9401  <b>Spare Parts:</b> Body/lens with screws (supplies limited)   1x24V10W (R10W) 8GA 002 071-251  2x24V21W (P21W) 8GA 002 073-241
				
530 - 550 530 - 550 530, 540, 550	01/92->	2SD 002 776-231 2SD 002 776-241	1 1	Combination rearlight, left Combination rearlight, right  (E1) 273 (E1) 63230  <b>Spare Parts:</b> Lens, left Lens, right   1x12V10W (R10W) 8GA 002 071-131  2x12V21W (P21W) 8GA 002 073-121
				
530 - 550 530, 540, 550	01/92->	2KA 003 389-061	2	Licence plate light  (E1) 22819  <b>Spare Parts:</b> Body/lens with screw   1x12V10W (R10W) 8GA 002 071-121
				




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Case IH</b>				
<b>644 - 1455 XL</b> 644 - 1455 XL 644, 743, XL, 744, 745, XL, 844, XL, 856, XL, 955, 956, XL, 1055, 1056, XL, 1255 XL, 1455 XL	-->04/82	9AG 104 328-001 9DR 111 625-001	2 1	<b>Headlight, spare parts available only</b> (E1) 4578 <b>Spare Parts:</b> Lens-retaining rim with lens and adjustment device Reflector 1x12V45/40W (R2) 8GD 002 088-131
<b>644 - 1455 XL</b> 644, 743, XL, 744, 745, XL, 844, XL, 856, XL, 955, 956, XL, 1055, 1056, XL, 1255 XL, 1455 XL	05/82->06/86	<b>1AA 004 109-001</b> 9BG 127 426-001	1 4	<b>Headlight</b> (E1) 34446 <b>Spare Parts:</b> Receiving unit (to be ordered separately) 1x12V45/40W (R2) 8GD 002 088-131
<b>644 - 1455 XL</b> 644, 743, XL, 744, 745, XL, 844, XL, 856, XL, 955, 956, XL, 1055, 1056, XL, 1255, XL, 1455	07/86->	<b>1AB 003 177-001</b>	1	<b>H4 headlight unit</b> (E1) 24460 (E1) 24461 1x12V60/55W (H4) 8GJ 002 525-131
<b>644 - 1455 XL</b>		<b>2BE 003 014-251</b> 9EL 115 003-055	2 2	<b>Indicator-side light</b> (E1) 42712 <b>Spare Parts:</b> Lens with screws 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121



# Case IH - Case Poclain



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Case IH</b>				
644 - 1455 XL 743 - 1455		2BE 002 582-031  9EL 112 744-001	1  1	<b>Indicator-side light</b>  E1 43388  <b>Spare Parts:</b> Lens  1x12V5W (R5W) 8GA 002 071-121 1x12V21W (P21W) 8GA 002 073-121
644 - 1455 XL  644, 743 XL, 744, 745 XL, 844 XL, 856 XL, 955, 956 XL, 1055, 1056 XL, 1246, 1255 XL, 1455 XL		2SD 002 844-131  2SD 002 844-061  2SE 002 844-051  9EL 115 662-021 9EL 115 662-011 9EL 115 662-001	1  1  1  2 2 2	<b>Combination rearlight, left, without licence plate light</b> <b>Combination rearlight, right, without licence plate light</b> <b>Combination rearlight, left, with licence plate light</b>  E1 53221  <b>Spare Parts:</b> Lens for 2SD 002 844-131 Lens for 2SD 002 844-061 Lens for 2SE 002 844-051  2x12V21W (P21W) 8GA 002 073-121  2x12V5W (C5W) 8GM 002 092-121
743 XL - 1455 XL  743 XL, 745 XL, 844 XL, 856 XL, 956 XL, 1056 XL, 1255 XL, 1455 XL		2SD 002 582-011 2SD 002 582-021  9EL 112 743-001 9EL 112 741-001	1 1  1 1	<b>Combination rearlight, left</b> <b>Combination rearlight, right</b>  E1 116 E1 53345  <b>Spare Parts:</b> Lens, left Lens, right  1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121
644 - 1455 XL	91->	2KA 003 389-061  9BG 121 587-031	2  2	<b>Licence plate light</b>  E1 22819  <b>Spare Parts:</b> Body/lens with screw  1x12V10W (R10W) 8GA 002 071-121
<b>Case Poclain</b>				
various models  various models		1GA 998 522-011	1	<b>FF®-H3 worklight with optics for ground illumination</b>  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133






Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Caterpillar</b>				
various models various models		1GA 007 506-001  1GA 998 525-001 9GH 993 984-001	1  1 20	<b>FF®-H3 worklight 'Ultra Beam Standard' with optics for large-area ground illumination, with AMP plug-connection</b>  <b>Spare Parts:</b> Light unit Rubber cap   1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133
various models		1GB 006 213-101	1	<b>H3 worklight with optics for long-range illumination, with sheet-metal reflector</b>   1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133  1x24V70W (H3) 8GH 002 090-251
various models		1GA 006 875-001	1	<b>FF®-H3 worklight with optics for ground illumination</b>   1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133  1x24V70W (H3) 8GH 002 090-251
various models		1GA 998 522-011	1	<b>FF®-H3 worklight with optics for ground illumination</b>   1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133  1x24V70W (H3) 8GH 002 090-251
various models		1GA 006 991-051  9XD 130 261-001	1  5	<b>FF®-H3 worklight 'Double Beam' with optics for long-range off-road illumination</b>  <b>Spare Parts:</b> Angle bracket   2x12V35W (H3) 8GH 002 090-271  2x12V55W (H3) 8GH 002 090-133  2x24V70W (H3) 8GH 002 090-251
various models		1GL 008 090-211  9GH 147 009-007	1  30	<b>DE-H3 worklight with optics for close-range illumination, with bulb</b>  <b>Spare Parts:</b> Rubber cap   1x24V70W (H3) 8GH 002 090-251



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Caterpillar</b>				
various models various models		1G4 003 470-051  9DS 121 707-001 9XD 130 261-001	1  1 5	<b>H3 worklight with optics for close-range illumination</b>  <b>Spare Parts:</b> Light unit Angle bracket   1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133  1x24V70W (H3) 8GH 002 090-251
<b>Claas</b>				
various models		1GA 007 506-001  1GA 998 525-001 9GH 993 984-001	1  1 20	<b>FF®-H3 worklight 'Ultra Beam Standard' with optics for large-area ground illumination, with AMP plug-connection</b>  <b>Spare Parts:</b> Light unit Rubber cap   1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133
various models		1GA 998 522-011	1	<b>FF®-H3 worklight with optics for ground illumination</b>   1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133
various models		1GB 006 213-101  1GB 006 213-111	1  1	<b>H3 worklight with optics for long-range illumination</b>  <b>H3 worklight with optics for close-range illumination</b>   1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133
various models		1GB 996 080-021	1	<b>FF®-H3 worklight 'Double Beam' with optics for long-range off-road illumination</b>   2x12V35W (H3) 8GH 002 090-271  2x12V55W (H3) 8GH 002 090-133




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Claas</b>				
various models various models		1GD 005 700-511  1GD 137 355-011	1  1	<b>H3 worklight with optics for close-range illumination</b>  <b>Spare Parts:</b> Light unit  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133
				
various models		1G3 005 760-001  1G3 135 211-011 6EB 005 633-001	1  1 10	<b>H3 worklight with optics for long-range illumination</b>  <b>Spare Parts:</b> Light unit Switch  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133
				
various models		1G3 005 760-041  1G3 141 019-011 6EB 005 633-001	1  1 10	<b>H3 worklight with optics for close-range illumination</b>  <b>Spare Parts:</b> Light unit Switch  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133
				
<b>Classic 78 - 108 SL</b> Classic 78 - 108 SL		2BE 003 347-001  9EL 120 224-001	1  5	<b>Indicator-side light</b>  53274  <b>Spare Parts:</b> Body/lens with screw  1x12V21W (P21W) 8GA 002 073-121  1x12V5W (C5W) 8GM 002 092-121
				
Classic 78 - 108 SL		2BM 002 652-031	1	<b>Auxiliary indicator light</b>  32785  1x12V5W (C5W) 8GM 002 092-121
				




**Claas**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Claas</b>				
<b>Commandor 112 - 228 CS</b> Commandor 112 - 228 CS	10/85->	<b>2BE 003 347-001</b>  9EL 120 224-001	1  5	<b>Indicator-side light</b>  E1 53274 <b>Spare Parts:</b> Body/lens with screw 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121
<b>Commandor 112 - 228 CS</b>	10/85->	<b>2BM 002 652-031</b>	1	<b>Auxiliary indicator light</b>  E1 32785 1x12V5W (C5W) 8GM 002 092-121
<b>Commandor 112 - 116</b> <b>Commandor 112, 114, 115,</b> <b>Commandor 116</b>	10/85->12/87	<b>2SW 003 185-041</b>  9EL 118 633-001	1  4	<b>Rear-indicator light</b>  E1 53256 <b>Spare Parts:</b> Body/lens with screw 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121
<b>Compact 25 - Consul</b> Compact 25 - Consul	->08/77	<b>2BE 001 259-061</b>  9EL 088 538-001 9FT 088 047-001	2  2 10	<b>Indicator-side light</b>  K 23269 <b>Spare Parts:</b> Body/lens with screws Bulb holder 1x12V3W (M) 8GM 002 094-121 1x12V18W (K) 8GM 002 091-121
<b>Compact 25 - Consul</b>	09/77->12/87	<b>2BE 003 185-051</b>  9EL 119 397-001	1  4	<b>Indicator-side light</b>  E1 53259 <b>Spare Parts:</b> Body/lens with screw 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Claas</b>				
<b>Compact 25 - Consul</b> Compact 25 - Consul	09/77->12/87	9EL 119 397-001	4	<b>Indicator-side light, spare parts available only</b> (E1) 53259 <b>Spare Parts:</b> Body/lens with screw 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121
<b>Compact 25 - Consul</b> Compact 25, 30 Consul	09/77->12/87	2SW 003 185-041 9EL 118 633-001	1 4	<b>Rear-indicator light</b> (E1) 53256 <b>Spare Parts:</b> Body/lens with screw 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121
<b>Compact 25 - Consul</b>	->08/77	2SA 001 259-751 9EL 135 266-001 9FT 088 047-001	2 2 10	<b>Rear light (supplies limited)</b> (E1) 31438 <b>Spare Parts:</b> Body/lens with screws Bulb holder 1x12V5W (C5W) 8GM 002 092-121
<b>Dominator 38 - 116</b> Dominator 38 - 116	09/78->	2BE 003 185-051 9EL 119 397-001	1 4	<b>Indicator-side light</b> (E1) 53259 <b>Spare Parts:</b> Body/lens with screw 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121
<b>Dominator 38 - 116</b>	09/78->10/84	2BM 002 652-031	1	<b>Auxiliary indicator light</b> (E1) 32785 1x12V5W (R5W) 8GA 002 071-121



**Claas**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Claas</b>				
<b>Dominator 38 - 116</b>		<b>2SW 003 185-041</b>	1	<b>Rear-indicator light</b>
Dominator 38 - 116	09/78->12/87			E1 53256
Dominator 38, 48, 56	09/78->12/87	9EL 118 633-001	4	<b>Spare Parts:</b> Body/lens with screw  1x12V21W (P21W) 8GA 002 073-121  1x12V5W (C5W) 8GM 002 092-121
Dominator 58	10/85->12/87			
Dominator 66, 68, 76, Dominator 96, 106, 114, Dominator 116	09/78->12/87			
<b>Dominator 78 S - 118 SL Maxi</b>		<b>2BE 003 347-001</b>	1	<b>Indicator-side light</b>
Dominator 78 S - 118 SL Maxi	10/85->			E1 53274
		9EL 120 224-001	5	<b>Spare Parts:</b> Body/lens with screw  1x12V21W (P21W) 8GA 002 073-121  1x12V5W (C5W) 8GM 002 092-121
Dominator 78 S - 108 SL	10/85->	<b>2BM 002 652-031</b>	1	<b>Auxiliary indicator light</b>
				E1 32785
				 1x12V5W (R5W) 8GA 002 071-121
Dominator 78 S - 108 SL	10/85->12/87	<b>2SW 003 185-041</b>	1	<b>Rear-indicator light</b>
Dominator 78 S, SL, Dominator 88 S, SL, Dominator 98 S, SL, Dominator 108 SL		9EL 118 633-001	4	<b>Spare Parts:</b> Body/lens with screw  1x12V21W (P21W) 8GA 002 073-121  1x12V5W (C5W) 8GM 002 092-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Claas</b>				
<b>Dominator 78 S - 118 SL Maxi</b> Dominator 118 SL Maxi	10/90->	<b>2SA 001 259-751</b>  9EL 135 266-001 9FT 088 047-001	2  2 10	<b>Rear light (supplies limited)</b>  E1 31438  <b>Spare Parts:</b> Body/lens with screws Bulb holder  1x12V5W (C5W) 8GM 002 092-121
<b>Dominator 85, 105</b> Dominator 85 Dominator 105	01/73->06/85 10/74->06/85	<b>1S0 001 430-011</b>  9ES 012 060-011 9GD 023 639-001 9DR 090 206-001 9FF 090 500-001	1  10 10 1 2	<b>Headlight</b>  K 11103/1  <b>Spare Parts:</b> Lens Seal Reflector Bulb socket  1x12V35/35W (S2) 8GD 002 084-131  1x12V4W (T4W) 8GP 002 067-121
<b>Dominator 85, 105</b>	->08/77	<b>2BE 001 259-061</b>  9EL 088 538-001 9FT 088 047-001	2  2 10	<b>Indicator-side light</b>  K 23269  <b>Spare Parts:</b> Body/lens with screws Bulb holder  1x12V3W (M) 8GM 002 094-121 1x12V18W (K) 8GM 002 091-121
<b>Dominator 85, 105</b>	09/77->10/89	<b>2BE 003 185-051</b>  9EL 119 397-001	1  4	<b>Indicator-side light</b>  E1 53259  <b>Spare Parts:</b> Body/lens with screw  1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121
<b>Dominator 85, 105</b>	11/89->	<b>2BE 003 347-001</b>  9EL 120 224-001	1  5	<b>Indicator-side light</b>  E1 53274  <b>Spare Parts:</b> Body/lens with screw  1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121



**Claas**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Claas</b>				
<b>Dominator 85, 105</b> Dominator 85, 105	->08/77	<b>2SB 001 259-261</b>  9EL 088 525-001 9FT 088 047-001	2  2 10	<b>Combination rearlight</b>  K 23270  <b>Spare Parts:</b> Body/lens with screws Bulb holder  1x12V10W (K) 8GM 002 091-131 1x12V18W (K) 8GM 002 091-121
<b>Dominator 85</b>	->08/77	<b>2SA 001 259-751</b>  9EL 135 266-001 9FT 088 047-001	2  2 10	<b>Rear light (supplies limited)</b>  E1 31438  <b>Spare Parts:</b> Body/lens with screws Bulb holder  1x12V5W (C5W) 8GM 002 092-121
<b>Dominator 85, 105</b>	09/77->12/87	<b>2SW 003 185-041</b>  9EL 118 633-001	1  4	<b>Combination rearlight</b>  E1 53256  <b>Spare Parts:</b> Body/lens with screw  1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121
<b>Jaguar 675 - 695</b> Jaguar 675 - 690	12/87->	<b>1GA 005 060-001</b>  1GA 132 459-011 9AG 132 453-005	1  1 5	<b>H3 worklight with optics for long-range illumination</b>  <b>Spare Parts:</b> Light unit Lens-retaining rim  1x12V55W (H3) 8GH 002 090-133
<b>Jaguar 675 - 690</b>	->12/87	<b>2BE 003 185-051</b>  9EL 119 397-001	1  4	<b>Indicator-side light</b>  E1 53259  <b>Spare Parts:</b> Body/lens with screw  1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Claas</b>				
<b>Jaguar 675 - 695</b> Jaguar 675 - 695	01/88->	2BE 003 347-001  9EL 120 224-001	1  5	<b>Indicator-side light</b> (E1) 53274 <b>Spare Parts:</b> Body/lens with screw 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121
<b>Jaguar 675 - 690</b>	01/88->	2BM 002 652-031	1	<b>Auxiliary indicator light</b> (E1) 32785 1x12V5W (R5W) 8GA 002 071-121
<b>Jaguar 675 - 690</b> Jaguar 675, 680, 685, Jaguar 690	->12/87	2SW 003 185-041  9EL 118 633-001	1  4	<b>Rear-indicator light</b> (E1) 53256 <b>Spare Parts:</b> Body/lens with screw 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121
<b>Jaguar 682 - 695</b>		2KA 001 386-281  9BG 101 230-001 9GT 005 166-001	2  2 10	<b>Licence plate light</b> (E1) 12820 <b>Spare Parts:</b> Body with lens Grommet 1x12V5W (C5W) 8GM 002 092-121
<b>Jaguar 820 - 880</b> Jaguar 820 - 880	01/94->	2BM 002 652-031	1	<b>Auxiliary indicator light</b> (E1) 32785 1x12V5W (C5W) 8GM 002 092-121





**Claas**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Claas</b>				
<b>Jaguar 820 - 880</b> Jaguar 820 - 880 Jaguar 820, 840, 860, Jaguar 880	01/98->	<b>2SD 003 167-011</b>  2SD 003 167-021  9EL 147 747-001 9GD 087 883-355	1 1  1 10	<b>Combination rearlight, left, without licence plate light</b> <b>Combination rearlight, right, without licence plate light</b>  (E1) 264  <b>Spare Parts:</b> Lens with screws Seal  1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121
<b>Jaguar 820 - 880</b>	01/94->12/97	<b>2TM 006 717-047</b>	100	<b>Rear light with reflex-reflector (red)</b>  (E17) 378 (E1) 787  1x12V5W (W5W) 8GP 003 594-121
<b>Jaguar 820 - 880</b>	01/94->	<b>2SA 001 259-751</b>  9EL 135 266-001 9FT 088 047-001	2  2 10	<b>Rear light (supplies limited)</b>  (E1) 31438  <b>Spare Parts:</b> Body/lens with screws Bulb holder  1x12V5W (C5W) 8GM 002 092-121
<b>Lexion 405 - 460</b> Lexion 405 - 460	96->	<b>2BE 003 347-001</b>  9EL 120 224-001	1  5	<b>Indicator-side light</b>  (E1) 53274  <b>Spare Parts:</b> Body/lens with screw  1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121
<b>Lexion 405 - 460</b>	96->	<b>2BM 003 647-021</b>	1	<b>Auxiliary indicator light</b>  (E1) 151  1x12V5W (W5W) 8GP 003 594-121
<b>Lexion 405 - 460</b> Lexion 405, 410, 420, Lexion 430, 440, 450, Lexion 460	96->	<b>2SD 003 167-011</b>  2SD 003 167-021  9EL 147 747-001 9GD 087 883-355	1 1  1 10	<b>Combination rearlight, left, without licence plate light</b> <b>Combination rearlight, right, without licence plate light</b>  (E1) 264  <b>Spare Parts:</b> Lens with screws Seal  1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Claas</b>				
Lexion 405 - 460 Lexion 405 - 460	96-> 	2TM 006 717-047	100	<b>Rear light with reflex-reflector (red)</b> E17 378 E1 787 1x12V5W (W5W) 8GP 003 594-121
Lexion 2004 Lexion 2004	10/03-> 	2BA 008 221-107	20	<b>Indicator light, with bulb</b> E1 878 1x12V21W (PY21W) 8GA 006 841-121
Lexion 2004	10/03-> 	2PF 008 221-177	20	<b>Side light, with bulb</b> E1 879 1x12V5W (R5W) 8GA 002 071-121
Lexion 2004	10/03-> 	2BM 003 563-111	1	<b>Auxiliary indicator</b> E1 42621 1x12V5W (W5W) 8GP 003 594-121
Maxi, Mega Maxi, Mega		2BE 003 347-001 9EL 120 224-001	1 5	<b>Indicator-side light</b> E1 53274 <b>Spare Parts:</b> Body/lens with screw 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121
Maxi, Mega		2BM 002 652-031	1	<b>Auxiliary indicator light</b> E1 32785 1x12V5W (C5W) 8GM 002 092-121



**Claas**




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Claas</b>				
<b>Mercator 50 - 75</b> Mercator 50, 60, 75	01/73->12/78	<b>1SO 001 430-011</b>  9ES 012 060-011 9GD 023 639-001 9DR 090 206-001 9FF 090 500-001	1  10 10 1 2	<b>Headlight</b>  K 11103/1  <b>Spare Parts:</b> Lens Seal Reflector Bulb socket 1x12V35/35W (S2) 8GD 002 084-131 1x12V4W (T4W) 8GP 002 067-121
<b>Mercator 50, 60, 75</b>	->08/77	<b>2BE 001 259-061</b>  9EL 088 538-001 9FT 088 047-001	2  2 10	<b>Indicator-side light</b>  K 23269  <b>Spare Parts:</b> Body/lens with screws Bulb holder  1x12V3W (M) 8GM 002 094-121 1x12V18W (K) 8GM 002 091-121
<b>Mercator 50, 60, 75</b>	09/77->12/87	<b>2BE 003 185-051</b>  9EL 119 397-001	1  4	<b>Indicator-side light</b>  53259  <b>Spare Parts:</b> Body/lens with screw 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121
<b>Mercator 50, 60, 75</b>	->08/77	<b>2SB 001 259-261</b>  9EL 088 525-001 9FT 088 047-001	2  2 10	<b>Combination rearlight</b>  K 23270  <b>Spare Parts:</b> Body/lens with screws Bulb holder  1x12V10W (K) 8GM 002 091-131 1x12V18W (K) 8GM 002 091-121
<b>Mercator 50, 60, 75</b>	09/77->12/87	<b>2SW 003 185-041</b>  9EL 118 633-001	1  4	<b>Rear-indicator light</b>  53256  <b>Spare Parts:</b> Body/lens with screw 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Claas</b>				
Mercator 50 - 75 Mercator 75	->08/77 	2SA 001 259-751  9EL 135 266-001 9FT 088 047-001	2  2 10	<b>Rear light (supplies limited)</b>  E1 31438  <b>Spare Parts:</b> Body/lens with screws Bulb holder  1x12V5W (C5W) 8GM 002 092-121
Unitrac Unitrac	11/89-> 	1AB 006 213-001  9GH 116 966-011	1  10	<b>H4 headlight</b>  E1 44439  <b>Spare Parts:</b> Cap  1x12V60/55W (H4) 8GJ 002 525-131
Unitrac	06/85-> 	2BA 003 014-111  9EL 110 536-011	2  3	<b>Indicator light</b>  E1 32661  <b>Spare Parts:</b> Lens with screws  1x12V21W (P21W) 8GA 002 073-121
Unitrac	->10/89 	2BE 003 185-051  9EL 119 397-001	1  4	<b>Indicator-side light</b>  E1 53259  <b>Spare Parts:</b> Body/lens with screw  1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121
Unitrac	11/89-> 	2BE 003 014-251  9EL 115 003-055	2  2	<b>Indicator-side light</b>  E1 42712  <b>Spare Parts:</b> Lens with screws  1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Claas</b>				
<b>Xerion</b> Xerion	01/04->	1AB 996 157-091  1AB 990 335-111	1  1	<b>H4 headlight</b>  <b>(E1) 1503</b>  <b>Spare Parts:</b> Light unit  1x12V60/55W (H4) 8GJ 002 525-131 1x12V4W (T4W) 8GP 002 067-121
<b>Xerion</b>	01/04->	1GA 998 534-221  1GA 998 525-071 5DV 008 855-001 8KB 990 299-221	1  1 1 1	<b>Xenon worklight 'Ultra Beam' with optics for large-area and long-range illumination, with gas discharge bulb, with 12V ballast, without connection cable</b>  <b>Spare Parts:</b> Light unit with ballast, with gas discharge bulb 12V ballast unit Connection cable (to be ordered separately)  1x35W (D1S) 8GS 009 028-001
<b>Xerion</b>	01/04->	2SD 964 169-111  9EL 964 536-001	1  1	<b>Combination rearlight</b>  <b>(E17) 9903</b>  <b>Spare Parts:</b> Lens with screws  1x12V21/5W (P21/5W) 8GD 002 078-121 2x12V21W (P21W) 8GA 002 073-121
<b>Xerion</b>	01/04->	2ZR 964 169-031  9EL 964 529-001	1  1	<b>Reverse light</b>  <b>(E17) 2311</b>  <b>Spare Parts:</b> Lens with screws  2x12V21W (P21W) 8GA 002 073-121
<b>Claas (Bautz)</b>				
<b>Jaguar</b> Jaguar 70 SF	->12/77	1SO 001 430-011  9ES 012 060-011 9GD 023 639-001 9DR 090 206-001 9FF 090 500-001	1  10 10 1 2	<b>Headlight</b>  K 11103/1  <b>Spare Parts:</b> Lens Seal Reflector Bulb socket  1x12V35/35W (S2) 8GD 002 084-131 1x12V4W (T4W) 8GP 002 067-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Claas (Bautz)</b>				
<b>Jaguar</b> Jaguar 80 SF	->12/79	 1AB 001 100-001  9AG 104 328-001  9DR 104 336-001 9FH 093 887-001	1  2  1 10	<b>Headlight</b> (E1) 4578  <b>Spare Parts:</b> Lens-retaining rim with lens and adjustment device Reflector Bulb holder  1x12V45/40W (R2) 8GD 002 088-131  1x12V4W (T4W) 8GP 002 067-121
<b>Jaguar 70 SF, 80 SF</b>	->12/79	 2BE 003 014-251  9EL 115 003-055	2  2	<b>Indicator-side light</b> (E1) 42712  <b>Spare Parts:</b> Lens with screws  1x12V21W (P21W) 8GA 002 073-121  1x12V5W (C5W) 8GM 002 092-121
<b>Jaguar 70 SF, 80 SF</b>	->12/79	 2PF 003 014-071  9EL 110 542-001	2  3	<b>Side light</b> (E1) 11793  <b>Spare Parts:</b> Lens with screws  1x12V5W (C5W) 8GM 002 092-121
<b>Jaguar 70 SF, 80 SF</b> <b>Jaguar 70 SF</b> <b>Jaguar 80 SF</b>	->12/77  ->12/79	 2SW 003 014-131  9EL 115 003-011	2  2	<b>Rear-indicator light</b> (E1) 31452 (E1) 53211  <b>Spare Parts:</b> Lens with screws  1x12V21W (P21W) 8GA 002 073-121  1x12V5W (C5W) 8GM 002 092-121
<b>Jaguar 70 SF, 80 SF</b>	->12/79	 2SA 003 014-051  9EL 110 540-001	2  3	<b>Rear light, auxiliary lamp for excess width</b> (E1) 31418  <b>Spare Parts:</b> Lens with screws  1x12V5W (C5W) 8GM 002 092-121




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Claas (Bautz)</b>				
Rapido wagen Rapido wagen		2SB 001 301-021  9EL 090 411-001	2  5	<b>Combination rearlight</b>  K 23318  <b>Spare Parts:</b> Lens with screw  1x12V10W (K) 8GM 002 091-131 1x12V18W (K) 8GM 002 091-121
				
Rapido wagen		2SE 002 776-211 2SD 002 776-241  9EL 134 739-001 9EL 137 308-001	1 1  2 2	<b>Combination rearlight, left, with licence plate light</b> <b>Combination rearlight, right, without licence plate light</b>  E1 273 E1 63230  <b>Spare Parts:</b> Lens, left Lens, right  1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121
				
<b>John Deere</b>				
various models various models		1GA 007 506-111  1GA 998 525-001 9GH 993 984-001 8KB 990 299-001 8JD 008 151-011	1  1 20 1 10	<b>FF®-H3 worklight 'Ultra Beam Standard' with optics for large-area ground illumination, with AMP plug-connection</b>  <b>Spare Parts:</b> Light unit Rubber cap Lead with plug for external connection (to be ordered separately) Socket housing (to be ordered separately)  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133
				
various models		1GA 007 506-081 1GA 007 506-391  1GA 998 525-001	1 1  1	<b>FF®-H3 worklight 'Ultra Beam Standard' with optics for large-area ground illumination</b> <b>FF®-H3 worklight 'Ultra Beam Standard' with optics for large-area ground illumination, with DEUTSCH plug-connection</b>  <b>Spare Parts:</b> Light unit  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133
				
various models		1GA 998 534-001  1GA 998 525-011 5DV 990 264-001 8KB 149 147-001	1  1 1 1	<b>Xenon worklight 'Ultra Beam' with optics for large-area and long-range illumination, with gas discharge bulb and 12V ballast</b>  <b>Spare Parts:</b> Light unit 12V ballast unit Lead  1x35W (D2S) 8GS 007 949-101
				




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>John Deere</b>				
various models various models		1GA 998 534-061  1GA 998 525-011 5DV 990 264-001 8KB 990 299-101	1  1 1 1	<b>Ultra Beam Xenon worklight with optics for large-area and long-range illumination, with gas discharge bulb and xenon ballast, without fixing base and without connection cable</b>  <b>Spare Parts:</b> 1 Light unit 1 Xenon ballast, 12V 1 Lead assembly   1x35W (D2S) 8GS 007 949-101
various models		1GA 006 876-001	1	<b>FF®-H3 worklight with optics for ground illumination, with rotating base</b>   1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251
various models		1GB 006 213-101  1GB 006 213-111	1  1	<b>H3 worklight with optics for long-range illumination</b>  <b>H3 worklight with optics for close-range illumination</b>   1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133
various models		1GB 996 080-011  1GB 996 080-031	1  1	<b>FF®-H3 worklight 'Double Beam' with optics for large-area ground illumination</b>  <b>FF®-H3 worklight 'Double Beam' with optics for wide close-range illumination</b>   2x12V35W (H3) 8GH 002 090-271 2x12V55W (H3) 8GH 002 090-133
various models		1GM 996 135-071	1	<b>Xenon worklight with optics for long-range illumination, with 12V ballast, with gas discharge bulb, without fixing base, without connection cable</b>   1x35W (D2S) 8GS 007 949-101



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>John Deere</b>				
various models various models		1G3 005 760-001  1G3 135 211-011 6EB 005 633-001	1  1 10	<b>H3 worklight with optics for long-range illumination</b>  <b>Spare Parts:</b> Light unit Switch   1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133
MD 330 - MD 970 MD 330 - MD 970	->07/74	2BE 001 259-061  9EL 088 538-001 9FT 088 047-001	2  2 10	<b>Indicator-side light</b>  K 23269  <b>Spare Parts:</b> Body/lens with screws Bulb holder   1x12V3W (M) 8GM 002 094-121 1x12V18W (K) 8GM 002 091-121
MD 925 - MD 1188 H 4 MD 1133 - MD 1166 H 4 MD 1133, MD 1144, MD 1155, MD 1157, MD 1158, MD 1166, H, H 4	08/87->	1AA 004 109-001  9BG 127 426-001	1  4	<b>Headlight</b>  E1 34446  <b>Spare Parts:</b> Receiving unit (to be ordered separately)   1x12V45/40W (R2) 8GD 002 088-131
MD 1174 - MD 1188 H 4 MD 1174, MD 1177, H 4, MD 1188, H 4	01/87->	1AE 005 274-027	24	<b>H4 headlight</b>  E1 34548 E1 24523   1x12V60/55W (H4) 8GJ 002 525-131




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>John Deere</b>				
<b>MD 925 - MD 1188 H 4</b> <b>MD 1072 - MD 1085</b> Special equipment 		1GD 003 590-701	1	<b>H3 worklight</b>  1x12V55W (H3) 8GH 002 090-133
<b>MD 925 - MD 1188 H 4</b> 	08/74->	2BE 003 014-251	2	<b>Indicator-side light</b> (E1) 42712 <b>Spare Parts:</b> Lens with screws  1x12V21W (P21W) 8GA 002 073-121  1x12V5W (C5W) 8GM 002 092-121
<b>MD 925 - MD 1188 H 4</b> <b>MD 925, MD 935, MD 945, MD 955, MD 965, MD 975</b> <b>MD 1032, MD 1042, MD 1052, MD 1055, MD 1056, MD 1068 H</b> <b>MD 1072, MD 1075, MD 1085</b> <b>MD 1133, MD 1144, MD 1155, MD 1157, MD 1158, MD 1166, H, MD 1166 H 4</b> <b>MD 1174, MD 1177, H, H 4 MD 1188, H 4</b>	08/74-> 08/74->10/82 05/84->04/85 08/87-> 01/87->	2SE 002 776-211 2SD 002 776-241 9EL 134 739-001 9EL 137 308-001	1 1 2 2	<b>Combination rearlight, left, with licence plate light</b> <b>Combination rearlight, right, without licence plate light</b> (E1) 273 (E1) 63230 <b>Spare Parts:</b> Lens, left Lens, right  1x12V10W (R10W) 8GA 002 071-131  2x12V21W (P21W) 8GA 002 073-121
<b>Z-series</b> <b>Z-series</b> <b>Z-2054, Z-2056, Z-2058, Z-2064, Z-2066</b> 	01/94->	1AB 006 977-021	1	<b>H4 headlight</b> (E1) 44504  1x12V60/55W (H4) 8GJ 002 525-131




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>John Deere</b>				
<b>Z-series</b> Z-series	01/94->	<b>2BA 002 652-111</b> <b>2BA 002 652-121</b>  9EL 134 659-001 9EL 134 660-001	2 2  2 2	<b>Indicator light, left</b> <b>Indicator light, right</b>  E1 42764  <b>Spare Parts:</b> Lens with screw, left Lens with screw, right  1x12V21W (P21W) 8GA 002 073-121
<b>Z-series</b>	01/94->	<b>2XS 005 020-001</b>  9EL 132 215-001	10  2	<b>Clearance light</b>  E1 31407  <b>Spare Parts:</b> Lens with screws  1x12V4W (T4W) 8GP 002 067-121
<b>Z-series</b> Z-2054, Z-2056, Z-2058, Z-2064, Z-2066	11/98->	<b>2VA 006 356-101</b>  9EL 147 992-001	1  1	<b>Combination rearlight, with bulbs, lead and centre plug</b>  E1 02350 E1 63255  <b>Spare Parts:</b> Body/lens with screw  1x12V21W (P21W) 8GA 002 073-121 1x12V21/5W (P21/5W) 8GD 002 078-121
<b>Z-series</b>	01/94->	<b>2KA 003 389-061</b>  9BG 121 587-031	2  2	<b>Licence plate light</b>  E1 22819  <b>Spare Parts:</b> Body/lens with screw  1x12V10W (R10W) 8GA 002 071-121
<b>820 - 4020</b> 820 - 4020  820, 920, 1010, 1120, 1630, 2020, 2030, 2130, 3020, 3130, 4020	-->06/75	  9ES 012 060-011 9GD 023 639-001 9DR 090 206-001 9FF 090 500-001	  10 10 1 2	<b>Headlight, spare parts available only</b>  K 11103/1  <b>Spare Parts:</b> Lens Seal Reflector Bulb socket  1x12V35/35W (S2) 8GD 002 084-131  1x12V4W (T4W) 8GP 002 067-121




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>John Deere</b>				
820 - 4020 820 - 4020	-->09/74	<b>2BE 001 259-061</b>  9EL 088 538-001 9FT 088 047-001	2  2 10	<b>Indicator-side light</b>  K 23269  <b>Spare Parts:</b> Body/lens with screws Bulb holder  1x12V3W (M) 8GM 002 094-121 1x12V18W (K) 8GM 002 091-121
820 - 4020	10/74->	<b>2BE 003 014-251</b>  9EL 115 003-055	2  2	<b>Indicator-side light</b>  E1 42712  <b>Spare Parts:</b> Lens with screws  1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121
820 - 4020 820, 920, 1010, 1120, 1630, 2020, 2030, 2130, 3020, 3130, 4020  Vehicles with full mudguards	10/74->	<b>2SE 002 582-071</b>  <b>2SD 002 582-021</b>  9EL 116 844-001 9EL 112 741-001	1  1  1 1	<b>Combination rearlight, left, with licence plate light</b> <b>Combination rearlight, right, without licence plate light</b>  E1 116 E1 53345  <b>Spare Parts:</b> Lens, left Lens, right  1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121
820 - 4020 820, 920, 1010, 1120, 1630, 2020, 2030, 2130, 3020, 3130, 4020  Vehicles with strip-type mudguards	10/74->	<b>2SD 002 776-231</b> <b>2SD 002 776-241</b>  9EL 137 307-001 9EL 137 308-001	1  1  2 2	<b>Combination rearlight, left</b> <b>Combination rearlight, right</b>  E1 273 E1 63230  <b>Spare Parts:</b> Lens, left Lens, right  1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>John Deere</b>				
840 - 4240 840 - 3140		2BE 003 014-251  9EL 115 003-055	2  2	<b>Indicator-side light</b>  Ⓔ1 42712  <b>Spare Parts:</b> Lens with screws 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121
3640 - 4240		2PF 003 014-071  9EL 110 542-001	2  3	<b>Side light</b>  Ⓔ1 11793  <b>Spare Parts:</b> Lens with screws 1x12V5W (C5W) 8GM 002 092-121
840 - 4240  840, 940, 1040, 1140, 1640, 2040, 2140, 3040, 3140, 3640, 4040, 4240  Vehicles with standard equipment	09/79->05/86	2SE 003 184-011  2SD 003 184-041  9EL 118 697-001 9EL 118 701-001 8RA 123 251-005 9XD 132 749-005	1  1  1 1 50 8	<b>Combination rearlight, left, with licence plate light</b> <b>Combination rearlight, right, without licence plate light</b>  Ⓔ1 130 Ⓔ1 53253  <b>Spare Parts:</b> Body/lens with screws, left Body/lens with screws, right Reflex-reflector (to be ordered separately) Adapter with fastening material (to be ordered separately)  1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121
840 - 4240  840, 940, 1040, 1140, 1640, 2040, 2140, 3040, 3140, 3640, 4040, 4240  Vehicles with standard equipment	06/86->	2SD 003 184-031  2SD 003 184-041  9EL 118 700-001 9EL 118 701-001 8RA 123 251-005 9XD 132 749-005	1  1  1 1 50 8	<b>Combination rearlight, left, without licence plate light</b> <b>Combination rearlight, right, without licence plate light</b>  Ⓔ1 130 Ⓔ1 53253  <b>Spare Parts:</b> Body/lens, left Body/lens, right Reflex-reflector (to be ordered separately) Adapter with fastening material (to be ordered separately)  1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121
840 - 4240  Vehicles with standard equipment	06/86->	2KA 003 738-057	40	<b>Licence plate light</b>  Ⓔ1 22916  1x12V5W (C5W) 8GM 002 092-121




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>John Deere</b>				
<p>840 - 4240</p> <p>840 - 4240</p> <p>840, 940, 1040, 1140, 1640, 2040, 2140, 3040, 3140, 3640, 4040, 4240</p> <p>Vehicles with strip-type mudguards</p>		<p>2SD 002 776-231 2SD 002 776-241</p> <p>9EL 137 307-001 9EL 137 308-001</p>	<p>1 1  2 2</p>	<p><b>Combination rearlight, left</b> <b>Combination rearlight, right</b></p> <p>Ⓔ1 273 Ⓔ1 63230</p> <p><b>Spare Parts:</b> Lens, left Lens, right</p> <p>Ⓔ1 1x12V10W (R10W) 8GA 002 071-131 Ⓔ1 2x12V21W (P21W) 8GA 002 073-121</p>
<p>840 - 4240</p> <p>Vehicles with strip-type mudguards</p>		<p>2KA 003 389-061</p> <p>9BG 121 587-031</p>	<p>2  2</p>	<p><b>Licence plate light</b></p> <p>Ⓔ1 22819</p> <p><b>Spare Parts:</b> Body/lens with screw</p> <p>Ⓔ1 1x12V10W (R10W) 8GA 002 071-121</p>
<p>840 - 4240</p> <p>840, 940, 1040, 1140, 1640, 2040, 2140, 3140, 4040, 4240</p> <p>Vehicles with full mudguards</p>		<p>2SE 002 582-071 2SD 002 582-021</p> <p>9EL 116 844-001 9EL 112 741-001</p>	<p>1 1  1 1</p>	<p><b>Combination rearlight, left, with licence plate light</b> <b>Combination rearlight, right, without licence plate light</b></p> <p>Ⓔ1 116 Ⓔ1 53345</p> <p><b>Spare Parts:</b> Lens, left Lens, right</p> <p>Ⓔ1 1x12V10W (R10W) 8GA 002 071-131 Ⓔ1 2x12V21W (P21W) 8GA 002 073-121</p>



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>John Deere</b>				
<b>3200 - 3400</b> 3200 - 3400 Telescope loader		1EA 993 975-091  1EA 993 975-101   1EA 990 185-021 9EL 990 186-001 9EL 990 186-101	1  1   1 4 4	<b>H7/H3 headlight, left, with indicator light and 12V bulbs</b> <b>H7/H3 headlight, right, with indicator light and 12V bulbs</b> (E4) 9471 (E4) 6495 (E4) 6505 <b>Spare Parts:</b> 1 Light unit 4 Lens for indicator light (front) 4 Lens for indicator light (rear)  1x12V55W (H7) 8GH 007 157-121  1x12V55W (H3) 8GH 002 090-133  1x12V21W (P21W) 8GA 002 073-121  1x12V4W (T4W) 8GP 002 067-121
<b>6120 - 6920 S</b> 6120 - 6920 S	11/01-> 	2KA 998 523-117	90	<b>Licence plate light with lead and bulb</b> (E12) 4031  1x12V10W (R10W) 8GA 002 071-121
<b>6610 - 6910</b> 6610, 6710, 6810, 6910 Field chopper	01/93-> 	1AB 003 177-001 1VB 005 444-037	1 20	<b>H4 headlight, spare parts available only</b> (E1) 24460 (E1) 24461 <b>Spare Parts:</b> 1 Light unit 20 Headlight receiving unit  1x12V60/55W (H4) 8GJ 002 525-131
<b>6610, 6710, 6810, 6910</b> Field chopper	01/93-> 	2BE 003 347-001  9EL 120 224-001	1  5	<b>Indicator-side light</b> (E1) 53274 <b>Spare Parts:</b> Body/lens with screw  1x12V21W (P21W) 8GA 002 073-121  1x12V5W (C5W) 8GM 002 092-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>John Deere</b>				
<b>6610 - 6910</b> 6610, 6710, 6810, 6910 Field chopper	11/98->	<b>2VA 006 356-101</b>  9EL 147 992-001	1  1	<b>Combination rearlight, with bulbs, lead and centre plug</b>  (E1) 02350 (E1) 63255  <b>Spare Parts:</b> Body/lens with screw  1x12V21W (P21W) 8GA 002 073-121 1x12V21/5W (P21/5W) 8GD 002 078-121
<b>6610, 6710, 6810, 6910</b> Field chopper	01/93->	<b>2KA 003 389-061</b>  9BG 121 587-031	2  2	<b>Licence plate light</b>  (E1) 22819  <b>Spare Parts:</b> Body/lens with screw  1x12V10W (R10W) 8GA 002 071-121
<b>7200 - 7500</b> 7200 - 7500 Field chopper	10/02->	<b>2BE 997 131-081</b>  9EL 997 459-001	1  2	<b>Indicator-side light</b>  (E12) 6085 (E12) 7113  <b>Spare Parts:</b> Lens  1x12V5W (R5W) 8GA 002 071-121 1x12V21W (P21W) 8GA 002 073-121
<b>M-series 6000</b> M-series 6000 6100, 6200, 6300, 6400, 6800	07/92->	<b>1AB 007 145-001</b>	1	<b>H4 headlight</b>  (E1) 44439  1x12V60/55W (H4) 8GJ 002 525-131 1x12V4W (T4W) 8GP 002 067-121
<b>M-series 6000</b> 6100, 6200, 6300, 6400, 6800	07/92->	<b>1AB 006 977-021</b>	1	<b>H4 headlight</b>  (E1) 44504  1x12V60/55W (H4) 8GJ 002 525-131




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>John Deere</b>				
<b>M-series 6000</b> M-series 6000 6100, 6200, 6300, 6400, 6800	07/92->11/98	2VA 006 356-081  9EL 147 992-001	1  1	<b>Combination rearlight</b> (E1) 02350 (E1) 63255  <b>Spare Parts:</b> Body/lens with screw 1x12V21W (P21W) 8GA 002 073-121 1x12V21/5W (P21/5W) 8GD 002 078-121
<b>M-series 6000</b> 6100, 6200, 6300, 6400, 6800	11/98->10/02	2VA 006 356-101  9EL 147 992-001	1  1	<b>Combination rearlight, with bulbs, lead and centre plug</b> (E1) 02350 (E1) 63255  <b>Spare Parts:</b> Body/lens with screw 1x12V21W (P21W) 8GA 002 073-121 1x12V21/5W (P21/5W) 8GD 002 078-121
<b>M-series 6000</b>	07/92->	2KA 003 738-057	40	<b>Licence plate light</b> (E1) 22916 1x12V5W (C5W) 8GM 002 092-121
<b>Series 7000</b> Series 7000 7600, 7700, 7800	07/92->	1AB 007 145-001	1	<b>H4 headlight</b> (E1) 44439 1x12V60/55W (H4) 8GJ 002 525-131 1x12V4W (T4W) 8GP 002 067-121
<b>Series 7000</b>	07/92->	2KA 003 738-057	40	<b>Licence plate light</b> (E1) 22916 1x12V5W (C5W) 8GM 002 092-121




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Deutz-Fahr</b>				
various models various models		1GA 007 506-001  1GA 998 525-001 9GH 993 984-001	1  1 20	<b>FF®-H3 worklight 'Ultra Beam Standard' with optics for large-area ground illumination, with AMP plug-connection</b>  <b>Spare Parts:</b> Light unit Rubber cap   1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133
various models		1GA 007 506-111  1GA 007 506-121  1GA 998 525-001 9GH 993 984-001 8KB 990 299-001  8JD 008 151-011	1  1  1 20 1  10	<b>FF®-H3 worklight 'Ultra Beam Standard' with optics for large-area ground illumination, with AMP plug-connection</b>  <b>FF®-H3 worklight 'Ultra Beam Standard' with optics for extreme large-area and equal ground illumination</b>  <b>Spare Parts:</b> Light unit Rubber cap for -111 Lead with plug for external connection for -111 (to be ordered separately) Socket housing for -111 (to be ordered separately)   1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133
various models		1GA 007 506-061  1GA 998 525-001 8KB 990 299-001  8JD 008 151-011	1  1 1  10	<b>FF®-H3 worklight with optics for large-area ground illumination and bulb</b>  <b>Spare Parts:</b> Light unit Lead with plug for external connection (to be ordered separately) Socket housing (to be ordered separately)   1x12V55W (H3) 8GH 002 090-133
various models		1GA 007 506-101  1GA 998 525-001 9GH 993 984-001 9XD 130 261-001	1  1 20 5	<b>FF®-H3 worklight 'Ultra Beam Heavy Duty' with optics for large-area ground illumination, with AMP plug-connection, protective cap and grommet</b>  <b>Spare Parts:</b> Light unit Protective cap for AMP plug-connection Angle bracket for 4-point fastening   1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133  1x24V70W (H3) 8GH 002 090-251




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Deutz-Fahr</b>				
various models various models		1GA 998 522-011	1	<b>FF®-H3 worklight</b> <b>with optics for ground illumination</b>   1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133
various models		1GB 006 213-111	1	<b>H3 worklight</b> <b>with optics for close-range illumination</b>   1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133
various models		1G3 996 001-271	1	<b>H3 worklight</b> <b>with optics for close-range illumination,</b> <b>without switch</b>   1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133
<b>D 2506 - D 13006</b> <b>D 2506 - D 13006</b> <b>D 2506, D 3006, D 4006,</b> <b>D 4506, D 5006, D 5206,</b> <b>D 5506, D 6006, D 6206,</b> <b>D 6806, D 7206, D 7506,</b> <b>D 8006, D 9006, D 10006,</b> <b>D 13006</b>		9GD 100 711-021 9DR 113 199-005	10 1	<b>Headlight, permanently dipped-beam,</b> <b>spare parts available only</b> K 21059 <b>Spare Parts:</b> Seal Reflector with retaining spring  1x12V15W (Q) 8GA 002 081-121  1x12V4W (T4W) 8GP 002 067-121
				




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Deutz-Fahr</b>				
<b>D 2506 - D 13006</b> D 2506 - D 13006 D 2506, D 3006, D 4006, D 4506, D 5006, D 5206, D 5506, D 6006, D 6206, D 6806, D 7206, D 7506, D 8006, D 9006, D 10006, D 13006	-->03/76	9GD 100 711-021 9DR 113 199-005	10 1	<b>Headlight, spare parts available only</b> K 21038 <b>Spare Parts:</b> Seal Reflector 1x12V35/35W (S2) 8GD 002 084-131
<b>D 2506 - D 13006</b> 08/73->		<b>2BE 002 776-251</b> <b>2BE 002 776-261</b> 9EL 134 741-021 9EL 134 742-021	1 1 2 2	<b>Indicator-side light, left</b> <b>Indicator-side light, right</b> 63225 <b>Spare Parts:</b> Lens, left Lens, right 1x12V10W (R10W) 8GA 002 071-131 1x12V21W (P21W) 8GA 002 073-121
<b>D 2506 - D 13006</b> D 2506, D 3006, D 4006, D 4506, D 5006, D 5206, D 5506, D 6006, D 6206, D 6806, D 7206, D 7506, D 8006, D 9006, D 10006, D 13006	-->07/73	<b>2SE 001 306-051</b> <b>2SD 001 306-061</b> 9EL 104 571-031 9EL 104 571-041	2 2 1 1	<b>Combination rearlight, left, with licence plate light</b> <b>Combination rearlight, right, without licence plate light</b> K 33375 <b>Spare Parts:</b> Lens with screws, left Lens with screws, right 1x12V5W (C5W) 8GM 002 092-121 2x12V18W (K) 8GM 002 091-121
<b>D 2506 - D 13006</b> D 2506, D 3006, D 4006, D 4506, D 5006, D 5206, D 5506, D 6006, D 6206, D 6806, D 7206, D 7506, D 8006, D 9006, D 10006, D 13006	08/73->	<b>2SE 002 776-211</b> <b>2SD 002 776-241</b> 9EL 134 739-001 9EL 137 308-001	1 1 2 2	<b>Combination rearlight, left, with licence plate light</b> <b>Combination rearlight, right, without licence plate light</b> 273  63230 <b>Spare Parts:</b> Lens, left Lens, right 1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Deutz-Fahr</b>				
<b>D 2807 - D 7807 C</b> D 2807 - D 7807 C D 2807, D 3607, D 4507, D 4807, D 5207, D 6007, C, D 6507, C, D 7207, C, D 7807, C	05/80->12/90	1A3 003 370-041	1	<b>Headlight</b> (E1) 14468
		1A3 125 195-015	2	<b>Spare Parts:</b> Light unit  1x12V45/40W (R2) 8GD 002 088-131
<b>D 2807 - D 7207</b> 	05/80->12/90	2BE 002 776-251	1	<b>Indicator-side light, left</b>
		2BE 002 776-261	1	<b>Indicator-side light, right</b> (E1) 63225 <b>Spare Parts:</b> 2 Lens, left 2 Lens, right  1x12V10W (R10W) 8GA 002 071-131  1x12V21W (P21W) 8GA 002 073-121
<b>D 6007 C - D 7807 C</b> 	05/80->12/90	2BE 003 014-251	2	<b>Indicator-side light</b> (E1) 42712 <b>Spare Parts:</b> 2 Lens with screws  1x12V21W (P21W) 8GA 002 073-121  1x12V5W (C5W) 8GM 002 092-121
		9EL 115 003-055	2	
<b>D 2807 - D 7807 C</b> D 2807, D 3607, D 4507, D 4807, D 5207, D 6007, C, D 6507, C, D 7207, C, D 7807, C	05/80->12/90	2SE 002 776-211	1	<b>Combination rearlight, left, with licence plate light</b>
		2SD 002 776-241	1	<b>Combination rearlight, right, without licence plate light</b> (E1) 273 (E1) 63230 <b>Spare Parts:</b> 2 Lens, left 2 Lens, right  1x12V10W (R10W) 8GA 002 071-131  2x12V21W (P21W) 8GA 002 073-121
		9EL 134 739-001	2	
		9EL 137 308-001	2	



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Deutz-Fahr</b>				
DX 3.10 - DX 6.07 DX 3.10 - DX 6.07 DX 3.10, DX 3.30, DX 3.50, DX 3.60, DX 3.65, DX 3.70, DX 3.80, DX 3.90 DX 4.17 DX 4.31, DX 4.51 DX 4.57 DX 6.06 DX 6.07	01/91->12/96      01/91->12/96	1A3 003 370-041  1A3 125 195-015	1  2	<b>Headlight</b> (E1) 14468 <b>Spare Parts:</b> Light unit 1x12V45/40W (R2) 8GD 002 088-131
DX 3.10 - DX 3.65 with Vario-cab		2BE 002 776-251 2BE 002 776-261  9EL 134 741-021 9EL 134 742-021	1 1  2 2	<b>Indicator-side light, left</b> <b>Indicator-side light, right</b> (E1) 63225 <b>Spare Parts:</b> Lens, left Lens, right 1x12V10W (R10W) 8GA 002 071-131 1x12V21W (P21W) 8GA 002 073-121
DX 3.10 - DX 3.65 DX 3.10, DX 3.30, DX 3.50, DX 3.60, DX 3.65 with Vario-cab		2SE 002 776-211 2SD 002 776-241  9EL 134 739-001 9EL 137 308-001	1 1  2 2	<b>Combination rearlight, left, with licence plate light</b> <b>Combination rearlight, right, without licence plate light</b> (E1) 273 (E1) 63230 <b>Spare Parts:</b> Lens, left Lens, right 1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Deutz-Fahr</b>				
<b>DX 3.10 - DX 6.07</b> DX 3.10 - DX 6.07 DX 3.10, DX 3.30, DX 3.50, DX 3.60, DX 3.65, DX 3.70, DX 3.80, DX 3.90  DX 4.17 DX 4.31, DX 4.51 DX 4.57 DX 6.06 DX 6.07	   01/91->12/96   01/91->12/96  01/91->12/96	   9EL 130 809-001   	   1   	<b>Combination rearlight, right, without licence plate light, spare parts available only</b> (E1) 02210 (E1) 53338  <b>Spare Parts:</b> Body/lens, right   1x12V10W (R10W) 8GA 002 071-131  2x12V21W (P21W) 8GA 002 073-121
<b>DX 4.61 - DX 6.61</b> DX 4.61 - DX 6.61	 01/91->12/96	 2KA 003 389-061  9BG 121 587-031	 2  2	<b>Licence plate light</b> (E1) 22819  <b>Spare Parts:</b> Body/lens with screw   1x12V10W (R10W) 8GA 002 071-121
<b>DX 36V - DX 55V</b> DX 36V, DX 50V, DX 55V Narrow track	 05/78->	 2BE 002 776-251 2BE 002 776-261  9EL 134 741-021 9EL 134 742-021	 1 1  2 2	<b>Indicator-side light, left</b> <b>Indicator-side light, right</b> (E1) 63225  <b>Spare Parts:</b> 2 Lens, left 2 Lens, right   1x12V10W (R10W) 8GA 002 071-131  1x12V21W (P21W) 8GA 002 073-121
<b>DX 36V, DX 50V, DX 55V</b> Narrow track	 05/78->	 2SE 002 776-211 2SD 002 776-241  9EL 134 739-001 9EL 137 308-001	 1 1  2 2	<b>Combination rearlight, left, with licence plate light</b> <b>Combination rearlight, right, without licence plate light</b> (E1) 273 (E1) 63230  <b>Spare Parts:</b> 2 Lens, left 2 Lens, right   1x12V10W (R10W) 8GA 002 071-131  2x12V21W (P21W) 8GA 002 073-121







Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Deutz-Fahr</b>				
<b>Intrac 2003 - 2006</b> Intrac 2003, 2006	09/74->12/79	 9ES 093 815-001 9GD 024 183-001 9DR 073 862-011 9KS 071 571-001	10 10 1 10	<b>Headlight, spare parts available only</b> <b>(E1)</b> 4488 <b>Spare Parts:</b> Lens Seal Reflector Lens-retaining spring  1x12V45/40W (R2) 8GD 002 088-131  1x12V4W (T4W) 8GP 002 067-121
<b>Intrac 2003 - 2006</b>	09/74->12/79	 9EL 115 003-055	2 2	<b>Indicator-side light</b> <b>(E1)</b> 42712 <b>Spare Parts:</b> Lens with screws  1x12V21W (P21W) 8GA 002 073-121  1x12V5W (C5W) 8GM 002 092-121
<b>Intrac 2003, 2006</b>	09/74->12/79	 2SE 002 776-211 2SD 002 776-241 9EL 134 739-001 9EL 137 308-001	1 1 2 2	<b>Combination rearlight, left, with licence plate light</b> <b>Combination rearlight, right, without licence plate light</b> <b>(E1)</b> 273 <b>(E1)</b> 63230 <b>Spare Parts:</b> Lens, left Lens, right  1x12V10W (R10W) 8GA 002 071-131  2x12V21W (P21W) 8GA 002 073-121
<b>M 600 - M 1630</b> M 600 - M 1002 M 600, M 750, M 900, M 922, M 1002	->09/77	 9ES 093 815-001 9GD 024 183-001	10 10	<b>Headlight, spare parts available only</b> <b>(E1)</b> 4488 <b>Spare Parts:</b> Lens Seal  1x12V45/40W (R2) 8GD 002 088-131  1x12V4W (T4W) 8GP 002 067-121
<b>M 660 - M 1080</b>	->12/87	 9EL 088 538-001 9FT 088 047-001	2 2 10	<b>Indicator-side light</b> K 23269 <b>Spare Parts:</b> Body/lens with screws Bulb holder  1x12V3W (M) 8GM 002 094-121  1x12V18W (K) 8GM 002 091-121






Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Deutz-Fahr</b>				
M 600 - M 1630 M 1102 - M 1630	->12/92	2BA 002 324-011 2BA 002 324-021  9EL 110 918-001 9EL 110 918-011	1 1  5 5	Indicator light, left Indicator light, right  32621 <b>Spare Parts:</b> Lens with screws, left Lens with screws, right 1x12V21W (P21W) 8GA 002 073-121
M 1102 - M 1630		2PF 003 014-071  9EL 110 542-001	2  3	Side light  11793 <b>Spare Parts:</b> Lens with screws 1x12V5W (C5W) 8GM 002 092-121
M 2385 - M 2780 M 2385 - M 2780		2BE 003 347-001  9EL 120 224-001	1  5	Indicator-side light  53274 <b>Spare Parts:</b> Body/lens with screw 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121
M 2385 - M 2780	->12/92	2BA 002 324-011 2BA 002 324-021  9EL 110 918-001 9EL 110 918-011	1 1  5 5	Indicator light, left Indicator light, right  32621 <b>Spare Parts:</b> Lens with screws, left Lens with screws, right 1x12V21W (P21W) 8GA 002 073-121
M 2385 - M 2780		2BA 003 014-011  9EL 110 536-001	2  3	Indicator light, for rear mounting  32619 <b>Spare Parts:</b> Lens with screws 1x12V21W (P21W) 8GA 002 073-121





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Deutz-Fahr</b>				
M 2385 - M 2780 M 2385 - M 2780	->12/84	2TM 003 057-031	1	<b>Rear-reflex-reflector light</b> E1 11583 IA E1 31315 1x12V5W (C5W) 8GM 002 092-121
				
M 2385 - M 2780	01/85->12/91	2SA 003 057-021	1	<b>Rear light</b> E1 11584
		9EL 117 330-011	2	<b>Spare Parts:</b> Lens 1x12V5W (C5W) 8GM 002 092-121
Powerliner 4030 Powerliner 4030	92->	2BE 003 347-001	1	<b>Indicator-side light</b> E1 53274
		9EL 120 224-001	5	<b>Spare Parts:</b> Body/lens with screw 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121
Powerpress 120 H Powerpress 120 H	01/94->	2BE 003 347-001	1	<b>Indicator-side light</b> E1 53274
		9EL 120 224-001	5	<b>Spare Parts:</b> Body/lens with screw 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121
Powerpress 120 H	01/94->	2SD 006 040-337 2SD 006 040-141	64 1	<b>Combination rearlight, left</b> <b>Combination rearlight, right</b> E13 9385
		9EL 136 819-041 9EL 137 792-031 9GD 102 484-001	1 1 10	<b>Spare Parts:</b> Lens, left Lens, right Seal (to be ordered separately) 1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121
Starliner 4040, 4045 H Starliner 4040, 4045 H	91->	2BE 003 347-001	1	<b>Indicator-side light</b> E1 53274
		9EL 120 224-001	5	<b>Spare Parts:</b> Body/lens with screw 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Deutz-Fahr</b>				
<b>Topliner 8XL</b> Topliner 8XL 91-> 		<b>2BE 003 347-001</b>  9EL 120 224-001	1  5	<b>Indicator-side light</b> (E1) 53274 <b>Spare Parts:</b> Body/lens with screw  1x12V21W (P21W) 8GA 002 073-121  1x12V5W (C5W) 8GM 002 092-121
<b>Topliner 8XL</b> 91-> 		<b>2SD 006 040-337</b> <b>2SD 006 040-141</b>  9EL 136 819-041 9EL 137 792-031 9GD 102 484-001	64 1  1 1 10	<b>Combination rearlight, left</b> <b>Combination rearlight, right</b> (E13) 9385 <b>Spare Parts:</b> 1 Lens, left 1 Lens, right 10 Seal (to be ordered separately)   1x12V10W (R10W) 8GA 002 071-131  2x12V21W (P21W) 8GA 002 073-121
<b>Dexheimer</b>				
<b>AL 222 - AL 370 turbo</b> AL 222 - AL 370 turbo AL 222, AL 230, AL 240 01/84-> AL 240 SSK 02/83-> AL 250 SC 04/83-> AL 342 SC 12/86-> AL 345 01/82-> AL 345 K 04/83-> AL 345 SC, AL 360 SC 12/86-> AL 370 turbo 01/84-> 		<b>1TA 003 570-001</b>  1TA 122 718-001	1  1	<b>Headlight, permanently dipped-beam</b> K 21090 <b>Spare Parts:</b> Light unit  1x12V15W (Q) 8GA 002 081-121  1x12V4W (T4W) 8GP 002 067-121
<b>AL 222 - AL 370 turbo</b> 		<b>2BA 001 227-201</b>  9EL 074 484-011	2  2	<b>Indicator light</b> K 12642 <b>Spare Parts:</b> Body/lens  1x12V18W (K) 8GM 002 091-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Dexheimer</b>				
AL 222 - AL 370 turbo AL 222 - AL 370 turbo	01/82->	2BA 002 652-111 2BA 002 652-121  9EL 134 659-001 9EL 134 660-001	2 2  2 2	Indicator light, left Indicator light, right     <b>Spare Parts:</b> Lens with screw, left Lens with screw, right  1x12V21W (P21W) 8GA 002 073-121
				
AL 222 SC - AL 370 SC	01/88->	2PF 004 081-001	2	Side light  21656  1x12V5W (C5W) 8GM 002 092-121
				
AL 222 - AL 370 turbo AL 222, AL 230, AL 232, AL 242, AL 350 AL 370 turbo	->12/81  ->01/84	2SB 001 301-021  9EL 090 411-001	2  5	Combination rearlight  K 23318  <b>Spare Parts:</b> Lens with screw  1x12V10W (K) 8GM 002 091-131 1x12V18W (K) 8GM 002 091-121
				
AL 222 - AL 370 SC turbo AL 222, AL 230, AL 240 AL 240 SSK AL 342 SC AL 345 AL 345 K AL 345 SC, AL 360 SC, AL 370 SC turbo	01/82-> 02/83->  01/82-> 04/83->	2SW 003 014-131  9EL 115 003-011	2  2	Rear-indicator light  31452 53211  <b>Spare Parts:</b> Lens with screws  1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Dexheimer</b>				
AL 222 - AL 370 turbo AL 222 SC - AL 370 SC AL 222 SC, AL 240 SC, AL 250 SC, AL 342 SC, AL 345 SC, AL 360 SC, AL 370 SC	01/88->	2SD 002 776-231 2SD 002 776-241  9EL 137 307-001 9EL 137 308-001	1 1  2 2	<b>Combination rearlight, left</b> <b>Combination rearlight, right</b>  (E1) 273 (E1) 63230  <b>Spare Parts:</b> Lens, left Lens, right  1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121
AL 222 - AL 370 turbo		2KA 001 389-101  9BG 119 721-001	10  5	<b>Licence plate light (supplies limited)</b>  (E1) 12815  <b>Spare Parts:</b> Body with lens  1x12V5W (C5W) 8GM 002 092-121
<b>Fendt</b>				
various models various models		1GA 996 020-001	1	<b>H3 worklight 'Corner Light', with 12V55W bulb</b>  1x12V55W (H3) 8GH 002 090-133
various models		1GA 007 506-081  1GA 998 525-001	1  1	<b>FF®-H3 worklight 'Ultra Beam Standard' with optics for large-area ground illumination</b>  <b>Spare Parts:</b> Light unit  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133
various models		1GD 003 690-287	108	<b>H3 worklight</b>  1x12V55W (H3) 8GH 002 090-133




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Fendt</b>				
various models various models		1GD 996 018-541	1	<b>H3 worklight with optics for close-range illumination</b>  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133
various models		1GB 996 080-011	1	<b>FF®-H3 worklight 'Double Beam' with optics for large-area ground illumination</b>  2x12V35W (H3) 8GH 002 090-271 2x12V55W (H3) 8GH 002 090-133
various models		1GA 998 522-011	1	<b>FF®-H3 worklight with optics for ground illumination</b>  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133
various models		1GA 006 991-051 9XD 130 261-001	1 5	<b>FF®-H3 worklight 'Double Beam' with optics for long-range off-road illumination</b> <b>Spare Parts:</b> Angle bracket  2x12V35W (H3) 8GH 002 090-271 2x12V55W (H3) 8GH 002 090-133
<b>Farmer Fix 2 E - 2 S</b> Farmer Fix 2 E - 2 S Farmer Fix 2 E, 1 E, 2 DE, 2 E, 2 S	-->05/68	1S3 001 442-001 9GD 024 183-001 9DR 066 847-001 9AG 071 903-001 9FF 090 500-001	1 10 1 5 2	<b>Headlight</b> K 21047 <b>Spare Parts:</b> Seal Reflector Lens-retaining rim Bulb socket  1x12V35/35W (S2) 8GD 002 084-131  1x12V4W (T4W) 8GP 002 067-121



**Fendt**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Fendt</b>				
<b>Farmer Fix 2 E - 2 S</b> Farmer Fix 2 E - 2 S Farmer Fix 2 E, 1 E, 2 DE, 2 E, 2 S Farmer 2 S	06/68->	1AB 001 100-001  9AG 104 328-001  9DR 104 336-001 9FH 093 887-001	1  2  1 10	<b>Headlight</b> (E1) 4578  <b>Spare Parts:</b> Lens-retaining rim with lens and adjustment device Reflector Bulb holder   1x12V45/40W (R2) 8GD 002 088-131  1x12V4W (T4W) 8GP 002 067-121
<b>Farmer Fix 2 E - 2 S</b> Farmer Fix 2 E, 1 E Farmer 2 DE, 2 E Farmer 2 S	-->05/68  -->05/68	2SB 001 673-002  9EL 110 928-001	1  10	<b>Combination rearlight without licence plate light</b> K 23256/1  <b>Spare Parts:</b> Lens with screw   1x12V10W (R10W) 8GA 002 071-131  1x12V18W (R) 8GA 002 072-121
<b>Farmer Fix 2 E - 2 S</b> Farmer Fix 2 E, 1 E Farmer 2 DE, 2 E Farmer 2 S	06/68->  06/68->	2ST 001 673-011  9EL 110 928-001	1  10	<b>Combination rearlight with licence plate light</b> K 23256/1  <b>Spare Parts:</b> Lens with screw   1x12V10W (R10W) 8GA 002 071-131  1x12V18W (R) 8GA 002 072-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Fendt</b>				
<b>Farmer 102 S - 201 S</b> Farmer 102 S - 201 S Farmer 102 S, 103 S, Farmer 104 S, 105 S, LS, Farmer 106 S, LS, Farmer 108 S, LS, Farmer 200 S, 201 S	->12/82	<b>1AB 001 100-001</b>  9AG 104 328-001 9DR 104 336-001 9FH 093 887-001	1 2 1 10	<b>Headlight</b> (E1) 4578 <b>Spare Parts:</b> Lens-retaining rim with lens and adjustment device Reflector Bulb holder 1x12V45/40W (R2) 8GD 002 088-131 1x12V4W (T4W) 8GP 002 067-121
<b>Farmer 102 S - 201 S</b> Farmer 102 S, 103 S, Farmer 104 S, 105 S Farmer 200 S, 201 S	->12/87	<b>1AA 004 109-001</b>  9BG 127 426-001  <b>1AA 004 109-021</b>  1AA 127 473-015 9BG 127 426-001	1 4 1 1 4	<b>Headlight</b> (E1) 34446 <b>Spare Parts:</b> Receiving unit (to be ordered separately) 1x12V45/40W (R2) 8GD 002 088-131 <b>H4 headlight</b> (E1) 34463 <b>Spare Parts:</b> Light unit Receiving unit (to be ordered separately) 1x12V60/55W (H4) 8GJ 002 525-131
<b>Farmer 102 S - 201 S</b>		<b>2BE 003 347-001</b>  9EL 120 224-001	1 5	<b>Indicator-side light</b> (E1) 53274 <b>Spare Parts:</b> Body/lens with screw 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121
<b>Farmer 102 S - 201 S</b> Farmer 102 S, 103 S, Farmer 104 S, 105 S, Farmer 106 S, 108 S, Farmer 200 S, 201 S		<b>2SE 003 184-011</b> <b>2SD 003 184-041</b>  9EL 118 697-001 9EL 118 701-001 8RA 123 251-005 9XD 132 749-005	1 1 1 1 50 8	<b>Combination rearlight, left, with licence plate light</b> <b>Combination rearlight, right, without licence plate light</b> (E1) 130 (E1) 53253 <b>Spare Parts:</b> Body/lens with screws, left Body/lens with screws, right Reflex-reflector (to be ordered separately) Adapter with fastening material (to be ordered separately) 1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121



**Fendt**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Fendt</b>				
<b>Farmer 200 V - 205 P</b> Farmer 200 V - 205 P Farmer 200 V, Farmer 203 P, P II, V, V II, Farmer 204 P, V, 205 P	->12/82	<b>1AB 001 100-001</b>  9AG 104 328-001 9DR 104 336-001 9FH 093 887-001	1  2  1 10	<b>Headlight</b> (E1) 4578  <b>Spare Parts:</b> Lens-retaining rim with lens and adjustment device Reflector Bulb holder  1x12V45/40W (R2) 8GD 002 088-131  1x12V4W (T4W) 8GP 002 067-121
<b>Farmer 200 V - 205 P</b> Farmer 200 V, Farmer 203 P, P II, V, V II, Farmer 204 P, V, 205 P	01/83->01/88	<b>1AA 004 109-001</b>  9BG 127 426-001  <b>1AA 004 109-021</b>  1AA 127 473-015 9BG 127 426-001	1  4  1  1 4	<b>Headlight</b> (E1) 34446  <b>Spare Parts:</b> Receiving unit (to be ordered separately)  1x12V45/40W (R2) 8GD 002 088-131  <b>H4 headlight</b> (E1) 34463  <b>Spare Parts:</b> Light unit Receiving unit (to be ordered separately)  1x12V60/55W (H4) 8GJ 002 525-131
<b>Farmer 200 V - 204 V</b>		<b>2BE 003 014-251</b>  9EL 115 003-055	2  2	<b>Indicator-side light</b> (E1) 42712  <b>Spare Parts:</b> Lens with screws  1x12V21W (P21W) 8GA 002 073-121  1x12V5W (C5W) 8GM 002 092-121
<b>Farmer 203 P II - 205 P</b>		<b>2BE 002 776-251</b> <b>2BE 002 776-261</b>  9EL 134 741-021 9EL 134 742-021	1 1  2 2	<b>Indicator-side light, left</b> <b>Indicator-side light, right</b> (E1) 63225  <b>Spare Parts:</b> Lens, left Lens, right  1x12V10W (R10W) 8GA 002 071-131  1x12V21W (P21W) 8GA 002 073-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Fendt</b>				
<b>Farmer 200 V - 205 P</b> Farmer 200 V - 205 P Farmer 200 V, Farmer 203 P, P II, V, V II, Farmer 204 P, V, 205 P		2SD 002 776-231 2SD 002 776-241  9EL 137 307-001 9EL 137 308-001	1 1  2 2	<b>Combination rearlight, left</b> <b>Combination rearlight, right</b>  (E1) 273 (E1) 63230  <b>Spare Parts:</b> Lens, left Lens, right  1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121
Farmer 200 V - 205 P		2KA 001 389-101	10	<b>Licence plate light (supplies limited)</b>  (E1) 12815  <b>Spare Parts:</b> Body with lens  1x12V5W (C5W) 8GM 002 092-121
<b>Farmer 240 S - 280 P</b> Farmer 240 S - 280 P Farmer 240 S 01/88-> Farmer 250 K Farmer 250 S, SA 01/88-> Farmer 250 V, 260 P 02/88-> Farmer 260 S, SA 01/88-> Farmer 260 V, 270 P, V 02/88-> Farmer 275 S 02/88-> Farmer 275 V Farmer 280 P 01/88->		1AB 006 213-001  9GH 116 966-011	1  10	<b>H4 headlight</b>  (E1) 44439  <b>Spare Parts:</b> Cap  1x12V60/55W (H4) 8GJ 002 525-131
Farmer 240 S - 280 P	01/88->	2BE 003 014-251	2	<b>Indicator-side light</b>  (E1) 42712  <b>Spare Parts:</b> Lens with screws  1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121




Fendt



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Fendt</b>				
<b>Farmer 240 S - 280 P</b>		<b>2SD 002 776-277</b>	72	<b>Combination rearlight, left</b>
Farmer 240 S - 280 P	01/88->	<b>2SD 002 776-287</b>	72	<b>Combination rearlight, right</b>
Farmer 240 S	01/88->			(E1) 273 (E1) 63230
Farmer 250 K				1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121
Farmer 250 S, SA	01/88->			
Farmer 250 V, 260 P	02/88->			
Farmer 260 S, SA	01/88->			
Farmer 260 V, 270 P, V	02/88->			
Farmer 275 S	02/88->			
Farmer 275 V				
Farmer 280 P	01/88->			
				
Farmer 240 S - 280 P	01/88->	<b>2KA 003 168-021</b>	2	<b>Licence plate light</b>
				(E1) 22808 1x12V5W (C5W) 8GM 002 092-121
<b>Farmer 303 LS - 312 LSA</b>		<b>1AA 004 109-001</b>	1	<b>Headlight</b>
Farmer 303 LS - 312 LSA	01/83->02/88			(E1) 34446
Farmer 303 LS, Farmer 304 LS, LSA, Farmer 305 LS, LSA, Farmer 306 LS, LSA, Farmer 307 LS, LSA, Farmer 308 LS, LSA, Farmer 309 LS, LSA, Farmer 310 LSA, 311 LSA, Farmer 312 LSA		9BG 127 426-001	4	<b>Spare Parts:</b> Receiving unit (to be ordered separately)
				 1x12V45/40W (R2) 8GD 002 088-131
		<b>1AA 004 109-021</b>	1	<b>H4 headlight</b>
				(E1) 34463
		1AA 127 473-015	1	<b>Spare Parts:</b> Light unit
		9BG 127 426-001	4	Receiving unit (to be ordered separately)
				 1x12V60/55W (H4) 8GJ 002 525-131
				




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Fendt</b>				
<b>Farmer 303 LS - 312 LSA</b>	->02/88	1AB 003 177-001	1	<b>H4 headlight unit</b> (E1) 24460 (E1) 24461  1x12V60/55W (H4) 8GJ 002 525-131
Farmer 303 LS, Farmer 304 LS, LSA, Farmer 305 LS, LSA, Farmer 306 LS, LSA, Farmer 307 LS, LSA, Farmer 308 LS, LSA, Farmer 309 LS, LSA, Farmer 310 LSA, 311 LSA, Farmer 312 LSA  Special equipment				
				
<b>Farmer 303 LS - 312 LSA</b>	03/88->	1AB 006 213-001	1	<b>H4 headlight</b> (E1) 44439
Farmer 303 LS, Farmer 304 LS, LSA, Farmer 305 LS, LSA, Farmer 306 LS, LSA, Farmer 307 LS, LSA, Farmer 308 LS, LSA, Farmer 309 LS, LSA, Farmer 310 LSA, 311 LSA, Farmer 312 LSA		9GH 116 966-011	10	<b>Spare Parts:</b> Cap  1x12V60/55W (H4) 8GJ 002 525-131
				
<b>Farmer 303 LS - 312 LSA</b>		2BE 003 014-251	2	<b>Indicator-side light</b> (E1) 42712  <b>Spare Parts:</b> Lens with screws  1x12V21W (P21W) 8GA 002 073-121  1x12V5W (C5W) 8GM 002 092-121
				



**Fendt**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Fendt</b>				
<b>Farmer 303 LS - 312 LSA</b> Farmer 303 LS - 312 LSA Farmer 303 LS, Farmer 304 LS, LSA, Farmer 305 LS, LSA, Farmer 306 LS, LSA, Farmer 307 LS, LSA, Farmer 308 LS, LSA, Farmer 309 LS, LSA, Farmer 310 LSA, 311 LSA, Farmer 312 LSA		<b>2SE 003 184-011</b>  <b>2SD 003 184-041</b>   9EL 118 697-001 9EL 118 701-001 8RA 123 251-005 9XD 132 749-005	1 1 1 50 8	<b>Combination rearlight, left, with licence plate light</b> <b>Combination rearlight, right, without licence plate light</b> (E1) 130 (E1) 53253 <b>Spare Parts:</b> Body/lens with screws, left Body/lens with screws, right Reflex-reflector (to be ordered separately) Adapter with fastening material (to be ordered separately) 1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121
<b>Farmer 303 LS - 312 LSA</b>	93->	<b>2KA 003 389-061</b>  9BG 121 587-031	2  2	<b>Licence plate light</b> (E1) 22819 <b>Spare Parts:</b> Body/lens with screw 1x12V10W (R10W) 8GA 002 071-121
<b>Favorit 509 C - 515 C</b> Favorit 509 C - 515 C Favorit 509 C, 510 LSE, Favorit 511 C, 512 LSE, Favorit 514 LSE, 515 C	94->	<b>1AB 006 213-001</b>  9GH 116 966-011	1  10	<b>H4 headlight</b> (E1) 44439 <b>Spare Parts:</b> Cap 1x12V60/55W (H4) 8GJ 002 525-131
<b>Favorit 509 C - 515 C</b> Favorit 509 C, 510 LSE, Favorit 511 C, 512 LSE, Favorit 514 LSE, 515 C Special equipment	94->	<b>1AA 004 109-021</b>  1AA 127 473-015 9BG 127 426-001	1  1 4	<b>H4 headlight</b> (E1) 34463 <b>Spare Parts:</b> Light unit Receiving unit (to be ordered separately) 1x12V60/55W (H4) 8GJ 002 525-131




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Fendt</b>				
<b>Favorit 509 C - 515 C</b> Favorit 509 C - 515 C	94->	<b>2BE 003 014-251</b>  9EL 115 003-055	2  2	<b>Indicator-side light</b> (E1) 42712  <b>Spare Parts:</b> Lens with screws 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121
<b>Favorit 509 C - 515 C</b>	94->	<b>2KA 003 389-061</b>  9BG 121 587-031	2  2	<b>Licence plate light</b> (E1) 22819  <b>Spare Parts:</b> Body/lens with screw 1x12V10W (R10W) 8GA 002 071-121
<b>Favorit 610 LS - 615 LSA</b> Favorit 610 LSA - 615 LSA  Favorit 610 LSA, Favorit 611 LSA, Favorit 612 LSA, Favorit 614 LSA, Favorit 615 LSA  Special equipment	06/82->	<b>1AA 004 109-001</b>  9BG 127 426-001  <b>1AA 004 109-021</b>  1AA 127 473-015 9BG 127 426-001	1  4  1  1 4	<b>Headlight</b> (E1) 34446  <b>Spare Parts:</b> Receiving unit (to be ordered separately) 1x12V45/40W (R2) 8GD 002 088-131  <b>H4 headlight</b> (E1) 34463  <b>Spare Parts:</b> Light unit Receiving unit (to be ordered separately) 1x12V60/55W (H4) 8GJ 002 525-131
<b>Favorit 610 LSA - 615 LSA</b>  Favorit 610 LSA, Favorit 611 LSA, Favorit 612 LSA, Favorit 614 LSA, Favorit 615 LSA  Special equipment	06/82->	<b>1AB 003 177-001</b>	1	<b>H4 headlight unit</b> (E1) 24460 (E1) 24461 1x12V60/55W (H4) 8GJ 002 525-131




# Fendt



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Fendt</b>				
<b>Favorit 610 LS - 615 LSA</b> Favorit 610 LS - 615 LSA	06/82->	<b>2BE 003 014-251</b>  9EL 115 003-055	2  2	<b>Indicator-side light</b>  Ⓔ 42712  <b>Spare Parts:</b> Lens with screws 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121
<b>Favorit 610 LS - 615 LSA</b>  Favorit 610 LS, LSA, Favorit 611 LS, LSA, Favorit 612 LS, LSA, Favorit 614 LS, LSA, Favorit 615 LS, LSA	06/82->	<b>2SE 003 184-011</b>  <b>2SD 003 184-041</b>  9EL 118 697-001 9EL 118 701-001 8RA 123 251-005 9XD 132 749-005	1  1  1 50 8	<b>Combination rearlight, left, with licence plate light</b> <b>Combination rearlight, right, without licence plate light</b>  Ⓔ 130 Ⓔ 53253  <b>Spare Parts:</b> Body/lens with screws, left Body/lens with screws, right Reflex-reflector (to be ordered separately) Adapter with fastening material (to be ordered separately)  1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121
<b>Favorit 626 LSA-Turbo</b> Favorit 626 LSA-Turbo	06/82->	<b>1AA 004 109-001</b>  9BG 127 426-001  <b>1AA 004 109-021</b>  1AA 127 473-015 9BG 127 426-001	1  4  1  1 4	<b>Headlight</b>  Ⓔ 34446  <b>Spare Parts:</b> Receiving unit (to be ordered separately) 1x12V45/40W (R2) 8GD 002 088-131  <b>H4 headlight</b>  Ⓔ 34463  <b>Spare Parts:</b> Light unit Receiving unit (to be ordered separately) 1x12V60/55W (H4) 8GJ 002 525-131
<b>Favorit 626 LSA-Turbo</b> Special equipment	06/82->	<b>1AB 003 177-001</b>	1	<b>H4 headlight unit</b>  Ⓔ 24460 Ⓔ 24461  1x12V60/55W (H4) 8GJ 002 525-131




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Fendt</b>				
<b>Favorit 626 LSA-Turbo</b> Favorit 626 LSA-Turbo	06/82->	<b>2BE 003 347-001</b>  9EL 120 224-001	1  5	<b>Indicator-side light</b>  (E1) 53274  <b>Spare Parts:</b> Body/lens with screw 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121
<b>Favorit 626 LSA-Turbo</b>	06/82->12/84	<b>2SE 003 167-031</b> <b>2SD 003 167-021</b>  9EL 147 747-001 9GD 087 883-355	1 1  1 10	<b>Combination rearlight, left, with licence plate light</b> <b>Combination rearlight, right, without licence plate light</b>  (E1) 264  <b>Spare Parts:</b> Lens with screws Seal  1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121
<b>Favorit 626 LSA-Turbo</b>	06/82->12/84	<b>2ZR 005 200-051</b>  9EL 119 544-111 9GT 134 130-001	1  4 10	<b>Reverse light</b>  (E1) 8728  <b>Spare Parts:</b> Lens Grommet (to be ordered separately)  1x12V21W (P21W) 8GA 002 073-121
<b>Favorit 816 LSE - 824 LSE</b> Favorit 816 LSE - 824 LSE Favorit 816 LSE, 818 LSE Favorit 822 LSE, 824 LSE	12/93->	<b>1AB 006 213-001</b>  9GH 116 966-011	1  10	<b>H4 headlight</b>  (E1) 44439  <b>Spare Parts:</b> Cap  1x12V60/55W (H4) 8GJ 002 525-131



**Fendt**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Fendt</b>				
<b>Favorit 816 LSE - 824 LSE</b> Favorit 816 LSE - 824 LSE Favorit 816 LSE, 818 LSE Favorit 822 LSE, 824 LSE Special equipment	12/93->	1AA 004 109-021  1AA 127 473-015 9BG 127 426-001	1  1 4	<b>H4 headlight</b>  E1 34463  <b>Spare Parts:</b> Light unit Receiving unit (to be ordered separately)   1x12V60/55W (H4) 8GJ 002 525-131
				
<b>Favorit 816 LSE - 824 LSE</b>	12/93->	2BE 003 014-251  9EL 115 003-055	2  2	<b>Indicator-side light</b>  E1 42712  <b>Spare Parts:</b> Lens with screws   1x12V21W (P21W) 8GA 002 073-121   1x12V5W (C5W) 8GM 002 092-121
				
<b>Favorit 816 LSE - 824 LSE</b>	12/93->	2KA 003 389-061  9BG 121 587-031	2  2	<b>Licence plate light</b>  E1 22819  <b>Spare Parts:</b> Body/lens with screw   1x12V10W (R10W) 8GA 002 071-121
				
<b>Favorit 926 Vario</b> Favorit 926 Vario	96->	1AB 006 213-001  9GH 116 966-011	1  10	<b>H4 headlight</b>  E1 44439  <b>Spare Parts:</b> Cap   1x12V60/55W (H4) 8GJ 002 525-131
				






Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Fendt</b>				
<b>Favorit 926 Vario</b> Favorit 926 Vario Special equipment	96->	<b>1AA 004 109-021</b>  1AA 127 473-015 9BG 127 426-001	1  1 4	<b>H4 headlight</b> (E1) 34463  <b>Spare Parts:</b> Light unit Receiving unit (to be ordered separately)  1x12V60/55W (H4) 8GJ 002 525-131
<b>Favorit 926 Vario</b>	93->	<b>2BE 003 014-251</b>  9EL 115 003-055	2  2	<b>Indicator-side light</b> (E1) 42712  <b>Spare Parts:</b> Lens with screws  1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121
<b>Favorit 926 Vario</b>	96->	<b>2KA 003 389-061</b>  9BG 121 587-031	2  2	<b>Licence plate light</b> (E1) 22819  <b>Spare Parts:</b> Body/lens with screw  1x12V10W (R10W) 8GA 002 071-121
<b>F 220 GT - F 275 GT</b> F 220 GT - F 275 GT  F 220 GT, F 225 GT, F 230 GT, F 250 GT, F 275 GT	->02/74	9ES 012 060-011 9GD 023 639-001 9DR 090 206-001 9FF 090 500-001	10 10 1 2	<b>Headlight, spare parts available only</b> K 11103/1  <b>Spare Parts:</b> Lens Seal Reflector Bulb socket  1x12V35/35W (S2) 8GD 002 084-131 1x12V4W (T4W) 8GP 002 067-121
<b>F 220 GT - F 275 GT</b>	->05/68	<b>2BA 001 244-001</b>  9EL 085 478-001	5  5	<b>Indicator light, for front and rear mounting</b> K 12753  <b>Spare Parts:</b> Body/lens  1x12V18W (K) 8GM 002 091-121



Fendt




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Fendt</b>				
<b>F 220 GT - F 275 GT</b>		<b>2ST 001 673-011</b>	1	<b>Combination rearlight, left, with licence plate light</b>
F 220 GT - F 275 GT	-->05/68	<b>2SB 001 673-002</b>	1	<b>Combination rearlight, right, without licence plate light</b>
F 220 GT, F 225 GT, F 230 GT, F 250 GT, F 275 GT				K 23256/1
		9EL 110 928-001	10	<b>Spare Parts:</b> Lens with screw  1x12V10W (R10W) 8GA 002 071-131 1x12V18W (R) 8GA 002 072-121
<b>F 231 GT - F 395 GT</b>		<b>1AA 004 109-001</b>	1	<b>Headlight</b>  34446
F 231 GT - F 395 GT		9BG 127 426-001	4	<b>Spare Parts:</b> Receiving unit (to be ordered separately)  1x12V45/40W (R2) 8GD 002 088-131
F 231 GT, F 345 GT, F 345 GTA, F 360 GHA, F 360 GT, F 360 GTA, F 365 GTA, F 380 GHA, F 380 GT, F 380 GTA, F 390 GT, F 395 GT		<b>1AA 004 109-021</b>	1	<b>H4 headlight</b>  34463
		1AA 127 473-015 9BG 127 426-001	1 4	<b>Spare Parts:</b> Light unit Receiving unit (to be ordered separately)  1x12V60/55W (H4) 8GJ 002 525-131
<b>F 231 GT - F 395 GT</b>		<b>1AB 006 213-001</b>	1	<b>H4 headlight</b>  44439
F 345 GT, F 360 GT, GTH, F 365 GTH, F 380 GTH, F 390 GTH, F 395 GTH		9GH 116 966-011	10	<b>Spare Parts:</b> Cap  1x12V60/55W (H4) 8GJ 002 525-131
				
<b>F 231 GT - F 380 GTA</b>		<b>1AB 003 177-001</b>	1	<b>H4 headlight unit</b>  24460  24461
F 231 GT, F 345 GT, F 345 GTA, F 360 GHA, F 360 GT, F 360 GTA, F 365 GTA, F 380 GHA, F 380 GT, F 380 GTA				 1x12V60/55W (H4) 8GJ 002 525-131
Special equipment				




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Fendt</b>				
<b>F 231 GT - F 395 GT</b> F 231 GT 4048, 4056, 4066, 4072		<b>2BA 001 259-611</b>  9EL 088 150-001 9FT 088 047-001	2  2 10	<b>Indicator light, for front and rear mounting (supplies limited)</b>  K 23267  <b>Spare Parts:</b> Body/lens with screws Bulb holder 1x12V18W (K) 8GM 002 091-121
<b>F 255 - F 380 GTH</b>		<b>2BE 003 014-251</b>  9EL 115 003-055	2  2	<b>Indicator-side light</b> (E1) 42712  <b>Spare Parts:</b> Lens with screws 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121
<b>F 231 GT - F 380 GTH</b> F 231 GT, F 265 GT, F 275 GT, F 345 GT, GTA, F 360 GHA, GT, GTA, GTH, F 365 GTA, F 380 GHA, GT, GTA, GTH		<b>2SE 003 184-011</b> <b>2SD 003 184-041</b>  9EL 118 697-001 9EL 118 701-001 8RA 123 251-005 9XD 132 749-005	1 1 50 8	<b>Combination rearlight, left, with licence plate light</b> <b>Combination rearlight, right, without licence plate light</b> (E1) 130 (E1) 53253  <b>Spare Parts:</b> Body/lens with screws, left Body/lens with screws, right Reflex-reflector (to be ordered separately) Adapter with fastening material (to be ordered separately)  1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121
<b>Xylon 520 - 524</b> Xylon 520, 522, 524	05/95->	<b>1AB 006 213-001</b>  9GH 116 966-011	1  10	<b>H4 headlight</b> (E1) 44439  <b>Spare Parts:</b> Cap 1x12V60/55W (H4) 8GJ 002 525-131
<b>Xylon 520, 522, 524</b>	05/95->	<b>2BE 003 014-251</b>  9EL 115 003-055	2  2	<b>Indicator-side light</b> (E1) 42712  <b>Spare Parts:</b> Lens with screws 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Fendt</b>				
Xylon 520 - 524 Xylon 520, 522, 524	05/95->	2KA 003 389-061	2	Licence plate light 22819
		9BG 121 587-031	2	<b>Spare Parts:</b> Body/lens with screw 1x12V10W (R10W) 8GA 002 071-121
<b>Fenwick-Linde</b>				
various models various models		1G4 003 470-001	1	<b>H3 worklight 'Matador'</b> with optics for close-range illumination, with switch
		9DS 121 707-001 6EB 005 633-001 9XD 130 261-001	1 10 5	<b>Spare Parts:</b> Light unit Switch Angle bracket for 4-point fastening  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251
<b>Fuchs</b>				
various models		1GA 007 506-001	1	<b>FF@-H3 worklight 'Ultra Beam Standard'</b> with optics for large-area ground illumination, with AMP plug-connection
		1GA 998 525-001 9GH 993 984-001	1 20	<b>Spare Parts:</b> Light unit Rubber cap  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133
various models		1GA 996 142-011	1	<b>Xenon worklight</b> with optics for wide ground illumination, with gas discharge bulb, 24V ballast and AMP plug-connection
		1GA 990 305-001 9GH 993 984-001 8KB 990 299-121	1 20 1	<b>Spare Parts:</b> Light unit Protective cap for AMP plug-connection Lead for AMP plug-connection  1x35W (D2S) 8GS 007 949-101




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Fuchs</b>				
various models various models		1G3 996 001-271	1	<b>H3 worklight</b> <b>with optics for close-range illumination,</b> <b>without switch</b>  1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133
				
<b>GP (Nobas)</b>				
various models		1GA 006 876-001	1	<b>FF®-H3 worklight</b> <b>with optics for ground illumination,</b> <b>with rotating base</b>  1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133  1x24V70W (H3) 8GH 002 090-251
				
various models		1GA 998 522-011	1	<b>FF®-H3 worklight</b> <b>with optics for ground illumination</b>  1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133
				
<b>Gutbrod</b>				
Superior 1017 - 2060 Superior 1017 - 2060		2BA 001 227-211	2	<b>Indicator light</b> K 12642
		9EL 074 484-031	2	<b>Spare Parts:</b> Body/lens  1x12V18W (K) 8GM 002 091-121



# Gutbrod



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Gutbrod</b>				
<b>Superior 1017 - 2060</b>		2ST 003 018-061	1	<b>Combination rearlight with licence plate light</b>
Superior 1017 - 2060				K 23260/1
Superior 1017, 1026, Superior 1032, 1050, D, Superior 1200, 2060		9EL 089 114-001	2	<b>Spare Parts:</b> Lens with rim
				1x12V10W (K) 8GM 002 091-131 1x12V18W (K) 8GM 002 091-121
<b>Superior 2350 DS - 2850 DA</b>		1TA 003 570-001	1	<b>Headlight, permanently dipped-beam</b>
Superior 2350 DS - 2850 DA				K 21090
Superior 2350 DS, Superior 2400 DS, Superior 2500 S, Superior 2600 DS/DAS, Superior 2850 D/DA		1TA 122 718-001	1	<b>Spare Parts:</b> Light unit
				1x12V15W (Q) 8GA 002 081-121
				1x12V4W (T4W) 8GP 002 067-121
Superior 2350 DS - 2850 DA		2BA 002 652-111	2	<b>Indicator light, left</b>
		2BA 002 652-121	2	<b>Indicator light, right</b>
				E1 42764
		9EL 134 659-001	2	Lens with screw, left
		9EL 134 660-001	2	Lens with screw, right
				1x12V21W (P21W) 8GA 002 073-121
Superior 2350 DS - 2850 DA		2SY 003 014-121	2	<b>Combination rearlight with licence plate light</b>
Superior 2350 DS, Superior 2400 DS, Superior 2500 S, Superior 2600 DAS/DS, Superior 2850 D/DA				E1 31452 E1 53211
		9EL 115 003-001	2	<b>Spare Parts:</b> Lens with screws
				1x12V21W (P21W) 8GA 002 073-121
				1x12V5W (C5W) 8GM 002 092-121




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Gutbrod</b>				
<b>Superior 4000 - 4350</b> Superior 4000 - 4350 Superior 4000, 4200/H, Superior 4250/H, 4300, Superior 4350		1TA 003 570-001	1	<b>Headlight, permanently dipped-beam</b> K 21090
		1TA 122 718-001	1	<b>Spare Parts:</b> Light unit  1x12V15W (Q) 8GA 002 081-121  1x12V4W (T4W) 8GP 002 067-121
<b>1012 S</b> 1012 S		2BE 003 182-091	1	<b>Indicator-side light, left</b> <b>Indicator-side light, right</b> (E1) 53270 <b>Spare Parts:</b> Lens  1x12V21W (P21W) 8GA 002 073-121  1x12V5W (C5W) 8GM 002 092-121
		2BE 003 182-101	1	
<b>1012 S</b>		2SD 003 182-051	1	<b>Combination rearlight, left</b> <b>Combination rearlight, right</b> (E1) 53257 (E1) 31445 <b>Spare Parts:</b> Lens  1x12V10W (R10W) 8GA 002 071-131  2x12V21W (P21W) 8GA 002 073-121
		2SD 003 182-061	1	
<b>1200 H</b> 1200 H		2BE 003 182-091	1	<b>Indicator-side light, left</b> <b>Indicator-side light, right</b> (E1) 53270 <b>Spare Parts:</b> Lens  1x12V21W (P21W) 8GA 002 073-121  1x12V5W (C5W) 8GM 002 092-121
		2BE 003 182-101	1	
<b>1200 H</b>		2SD 003 184-031	1	<b>Combination rearlight, left</b> <b>Combination rearlight, right</b> (E1) 130 (E1) 53253 <b>Spare Parts:</b> Body/lens, left Body/lens, right  1x12V10W (R10W) 8GA 002 071-131  2x12V21W (P21W) 8GA 002 073-121
		2SD 003 184-041	1	
		9EL 118 700-001	1	
		9EL 118 701-001	1	




# Gutbrod - Hako



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Gutbrod</b>				
1200 H 1200 H		2PF 003 057-041  9EL 117 330-001	1  2	<b>Side light</b> (E1) 21626 <b>Spare Parts:</b> Lens  1x12V5W (C5W) 8GM 002 092-121
1200 H		2TM 003 057-031	1	<b>Rear light with reflex-reflector</b> (E1) 11583 IA (E1) 31315  1x12V5W (C5W) 8GM 002 092-121
3100 - K 34 3100 - K 34		1AB 001 100-001  9AG 104 328-001 9DR 104 336-001 9FH 093 887-001	1  2 1 10	<b>Headlight</b> (E1) 4578 <b>Spare Parts:</b> Lens-retaining rim with lens and adjustment device Reflector Bulb holder  1x12V45/40W (R2) 8GD 002 088-131  1x12V4W (T4W) 8GP 002 067-121
<b>Hako</b>				
Mobil 4000 - 6000 D Mobil 4000 - 6000 D Mobil 4000, 4800 D, Mobil 6000 D	09/73->	1AB 001 100-001  9AG 104 328-001 9DR 104 336-001 9FH 093 887-001	1  2 1 10	<b>Headlight</b> (E1) 4578 <b>Spare Parts:</b> Lens-retaining rim with lens and adjustment device Reflector Bulb holder  1x12V45/40W (R2) 8GD 002 088-131  1x12V4W (T4W) 8GP 002 067-121





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Hako</b>				
Mobil 4000 - 6000 D Mobil 6000 D		1AA 004 109-031  1AA 126 924-035 9FF 111 606-021 9BG 127 426-001	1  1 10 4	<b>Headlight</b>  (E1) 34446  <b>Spare Parts:</b> 1 Light unit 10 Bulb socket for side light 4 Receiving unit (to be ordered separately) 1x12V45/40W (R2) 8GD 002 088-131 1x12V4W (T4W) 8GP 002 067-121
Mobil 4000	09/73->	2BA 003 014-111  9EL 110 536-011	2  3	<b>Indicator light</b>  (E1) 32661  <b>Spare Parts:</b> 3 Lens with screws 1x12V21W (P21W) 8GA 002 073-121
Mobil 4000	09/73->	2SD 002 776-231 2SD 002 776-241  9EL 137 307-001 9EL 137 308-001	1 1  2 2	<b>Combination rearlight, left</b> <b>Combination rearlight, right</b>  (E1) 273 (E1) 63230  <b>Spare Parts:</b> 2 Lens, left 2 Lens, right 1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121
Mobil 4800 D, 6000 D		2BA 001 277-011 2BA 001 277-021	1 1	<b>Indicator light, left</b> <b>Indicator light, right</b>  (E1) 22796 1x12V21W (P21W) 8GA 002 073-121
Mobil 4800 D, 6000 D		2SD 003 184-031 2SD 003 184-041  9EL 118 700-001 9EL 118 701-001	1 1  1 1	<b>Combination rearlight, left</b> <b>Combination rearlight, right</b>  (E1) 130 (E1) 53253  <b>Spare Parts:</b> 1 Body/lens, left 1 Body/lens, right 1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121





# Hako



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Hako</b>				
Mobil 4000 - 6000 D Mobil 4800 D, 6000 D		2KA 003 168-021	2	<b>Licence plate light</b>  E1 22808  1x12V5W (C5W) 8GM 002 092-121
Mobil 8081 Mobil 8081		1AB 001 100-001 9AG 104 328-001 9DR 104 336-001 9FH 093 887-001	1 2 1 10	<b>Headlight</b>  E1 4578 <b>Spare Parts:</b> Lens-retaining rim with lens and adjustment device Reflector Bulb holder  1x12V45/40W (R2) 8GD 002 088-131  1x12V4W (T4W) 8GP 002 067-121
Mobil 8081		2BA 001 277-011 2BA 001 277-021	1 1	<b>Indicator light, left</b> <b>Indicator light, right</b>  E1 22796  1x12V21W (P21W) 8GA 002 073-121
Mobil 8081	06/86->	2SD 003 184-031 2SD 003 184-041 9EL 118 700-001 9EL 118 701-001	1 1 1 1	<b>Combination rearlight, left</b> <b>Combination rearlight, right</b>  E1 130 E1 53253 <b>Spare Parts:</b> Body/lens, left Body/lens, right  1x12V10W (R10W) 8GA 002 071-131  2x12V21W (P21W) 8GA 002 073-121
Mobil 8081		2KA 003 168-021	2	<b>Licence plate light</b>  E1 22808  1x12V5W (C5W) 8GM 002 092-121
Trac 1400 Trac 1400		9ES 069 831-001 9DE 077 356-021	1 1	<b>Headlight unit, spare parts available only</b> K 21057 <b>Spare Parts:</b> Lens Reflector  1x12V35/35W (S2) 8GD 002 084-131  1x12V4W (T4W) 8GP 002 067-121





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Hako</b>				
Trac 1400 Trac 1400		 2BA 002 652-111 2BA 002 652-121  9EL 134 659-001 9EL 134 660-001	2 2  2 2	<b>Indicator light, left</b> <b>Indicator light, right</b>  (E1) 42764  <b>Spare Parts:</b> Lens with screw, left Lens with screw, right   1x12V21W (P21W) 8GA 002 073-121
Trac 1400		 8XS 113 389-001	2	<b>Protective cover for</b> <b>2BA 002 652-...</b>
Trac 1400		 2SD 003 182-051 2SD 003 182-061  9EL 118 614-011	1 1  2	<b>Combination rearlight, left</b> <b>Combination rearlight, right</b>  (E1) 53257 (E1) 31445  <b>Spare Parts:</b> Lens   1x12V10W (R10W) 8GA 002 071-131  2x12V21W (P21W) 8GA 002 073-121
Trac 1400		 2KA 001 378-001	4	<b>Licence plate light</b>  (E1) 12958   1x12V5W (C5W) 8GM 002 092-121
Trac 1400 V Trac 1400 V		 2SE 003 182-021  9EL 118 613-001	1  2	<b>Combination rearlight</b> <b>with licence plate light</b>  (E1) 53257 (E1) 31445  <b>Spare Parts:</b> Lens   1x12V10W (R10W) 8GA 002 071-131  2x12V21W (P21W) 8GA 002 073-121




# Hako



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Hako</b>				
Trac 1500 D Trac 1500 D		1TA 003 570-101	1	<b>Headlight, permanently dipped-beam</b> K 21090
		1TA 122 718-021	1	<b>Spare Parts:</b> Light unit  1x12V15W (Q) 8GA 002 081-121  1x12V4W (T4W) 8GP 002 067-121
Trac 1500 D		2BA 002 652-111	2	<b>Indicator light, left</b> <b>Indicator light, right</b>  42764
		2BA 002 652-121	2	
Trac 1500 D		9EL 134 659-001	2	<b>Spare Parts:</b> Lens with screw, left Lens with screw, right  1x12V21W (P21W) 8GA 002 073-121
		9EL 134 660-001	2	
Trac 1500 D		2SE 003 182-011	1	<b>Combination rearlight, left, with licence plate light</b> <b>Combination rearlight, right, without licence plate light</b>  53257  31445
		2SD 003 182-061	1	
Trac 1500 D		9EL 118 613-001	2	<b>Spare Parts:</b> Lens, left Lens, right  1x12V10W (R10W) 8GA 002 071-131  2x12V21W (P21W) 8GA 002 073-121
		9EL 118 614-011	2	
Trac 1650 Trac 1650		1TA 003 570-101	1	<b>Headlight, permanently dipped-beam</b> K 21090
		1TA 122 718-021	1	<b>Spare Parts:</b> Light unit  1x12V15W (Q) 8GA 002 081-121  1x12V4W (T4W) 8GP 002 067-121
Trac 1650		2BA 002 652-111	2	<b>Indicator light, left</b> <b>Indicator light, right</b>  42764
		2BA 002 652-121	2	
Trac 1650		9EL 134 659-001	2	<b>Spare Parts:</b> Lens with screw, left Lens with screw, right  1x12V21W (P21W) 8GA 002 073-121
		9EL 134 660-001	2	





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Hako</b>				
Trac 1650 Trac 1650		2SE 002 578-701  9EL 146 491-001	2  2	<b>Combination rearlight with licence plate light (supplies limited)</b> (E17) 9401 <b>Spare Parts:</b> Body/lens with screws (supplies limited) 1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121
Trac 1800 D, DA Trac 1800 D, DA		1TA 003 570-101  1TA 122 718-021	1  1	<b>Headlight, permanently dipped-beam</b> K 21090 <b>Spare Parts:</b> Light unit 1x12V15W (Q) 8GA 002 081-121 1x12V4W (T4W) 8GP 002 067-121
Trac 1800 D, DA		2BA 002 652-111 2BA 002 652-121  9EL 134 659-001 9EL 134 660-001	2 2  2 2	<b>Indicator light, left</b> <b>Indicator light, right</b> (E1) 42764 <b>Spare Parts:</b> Lens with screw, left Lens with screw, right 1x12V21W (P21W) 8GA 002 073-121
Trac 1800 D, DA		2SE 003 182-011 2SD 003 182-061  9EL 118 613-001 9EL 118 614-011	1 1  2 2	<b>Combination rearlight, left, with licence plate light</b> <b>Combination rearlight, right, without licence plate light</b> (E1) 53257 (E1) 31445 <b>Spare Parts:</b> Lens, left Lens, right 1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121



# Hako



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Hako</b>				
Trac 2250 Trac 2250		1TA 003 570-101  1TA 122 718-021	1  1	<b>Headlight, permanently dipped-beam</b> K 21090  <b>Spare Parts:</b> Light unit  1x12V15W (Q) 8GA 002 081-121  1x12V4W (T4W) 8GP 002 067-121
				
Trac 2250		2BA 002 652-111 2BA 002 652-121  9EL 134 659-001 9EL 134 660-001	2 2  2 2	<b>Indicator light, left</b> <b>Indicator light, right</b>  42764  <b>Spare Parts:</b> Lens with screw, left Lens with screw, right  1x12V21W (P21W) 8GA 002 073-121
				
Trac 2250		2SE 002 578-701  9EL 146 491-001	2  2	<b>Combination rearlight with licence plate light (supplies limited)</b>  9401  <b>Spare Parts:</b> Body/lens with screws (supplies limited)  1x12V10W (R10W) 8GA 002 071-131  2x12V21W (P21W) 8GA 002 073-121
				
Trac 2300 D Trac 2300 D		1TA 003 570-101  1TA 122 718-021	1  1	<b>Headlight, permanently dipped-beam</b> K 21090  <b>Spare Parts:</b> Light unit  1x12V15W (Q) 8GA 002 081-121  1x12V4W (T4W) 8GP 002 067-121
				
Trac 2300 D		2BA 002 652-111 2BA 002 652-121  9EL 134 659-001 9EL 134 660-001	2 2  2 2	<b>Indicator light, left</b> <b>Indicator light, right</b>  42764  <b>Spare Parts:</b> Lens with screw, left Lens with screw, right  1x12V21W (P21W) 8GA 002 073-121
				





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Hako</b>				
Trac 2300 D Trac 2300 D		2SE 003 182-011	1	<b>Combination rearlight with licence plate light</b> E1 53257 E1 31445
		9EL 118 613-001	2	<b>Spare Parts:</b> Lens 1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121
Trac 2300 D		2SE 002 578-701	2	<b>Combination rearlight with licence plate light (supplies limited)</b> E17 9401
		9EL 146 491-001	2	<b>Spare Parts:</b> Body/lens with screws (supplies limited) 1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121
Trac 2700 D, DA Trac 2700 D, DA		2SE 002 578-701	2	<b>Combination rearlight with licence plate light (supplies limited)</b> E17 9401
		9EL 146 491-001	2	<b>Spare Parts:</b> Body/lens with screws (supplies limited) 1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121
Trac 2750 Trac 2750		1TA 003 570-101	1	<b>Headlight, permanently dipped-beam</b> K 21090
		1TA 122 718-021	1	<b>Spare Parts:</b> Light unit 1x12V15W (Q) 8GA 002 081-121 1x12V4W (T4W) 8GP 002 067-121
Trac 2750		2BA 002 652-111	2	<b>Indicator light, left</b>
		2BA 002 652-121	2	<b>Indicator light, right</b> E1 42764
		9EL 134 659-001	2	<b>Spare Parts:</b> Lens with screw, left
		9EL 134 660-001	2	Lens with screw, right 1x12V21W (P21W) 8GA 002 073-121



# Hako



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Hako</b>				
Trac 2750 Trac 2750		2SE 002 578-701  9EL 146 491-001	2  2	<b>Combination rearlight with licence plate light (supplies limited)</b>  E17 9401  <b>Spare Parts:</b> Body/lens with screws (supplies limited)  1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121
				
Trac 3500, 3800 D Trac 3500, 3800 D		1TA 003 570-101  1TA 122 718-021	1  1	<b>Headlight, permanently dipped-beam</b>  K 21090  <b>Spare Parts:</b> Light unit  1x12V15W (Q) 8GA 002 081-121  1x12V4W (T4W) 8GP 002 067-121
				
Trac 3500, 3800 D		2BA 002 652-111 2BA 002 652-121  9EL 134 659-001 9EL 134 660-001	2 2  2 2	<b>Indicator light, left</b> <b>Indicator light, right</b>  E1 42764  <b>Spare Parts:</b> Lens with screw, left Lens with screw, right  1x12V21W (P21W) 8GA 002 073-121
				
Trac 3500, 3800 D		2SY 003 014-121  9EL 115 003-001	2  2	<b>Rear-indicator-licence plate light</b>  E1 31452 E1 53211  <b>Spare Parts:</b> Lens with screws  1x12V21W (P21W) 8GA 002 073-121  1x12V5W (C5W) 8GM 002 092-121
				
Trac 3800 D		2SE 002 578-701  9EL 146 491-001	2  2	<b>Combination rearlight with licence plate light (supplies limited)</b>  E17 9401  <b>Spare Parts:</b> Body/lens with screws (supplies limited)  1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121
				





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Hako</b>				
Trac 4100 Trac 4100		1TA 003 570-101  1TA 122 718-021	1  1	<b>Headlight, permanently dipped-beam</b>  K 21090  <b>Spare Parts:</b> Light unit 1x12V15W (Q) 8GA 002 081-121 1x12V4W (T4W) 8GP 002 067-121
Trac 4100		2BA 002 652-111 2BA 002 652-121  9EL 134 659-001 9EL 134 660-001	2 2  2 2	<b>Indicator light, left</b> <b>Indicator light, right</b>  (E1) 42764  <b>Spare Parts:</b> Lens with screw, left Lens with screw, right 1x12V21W (P21W) 8GA 002 073-121
Trac 4100		2SE 002 578-701  9EL 146 491-001	2  2	<b>Combination rearlight with licence plate light (supplies limited)</b>  (E17) 9401  <b>Spare Parts:</b> Body/lens with screws (supplies limited) 1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121
Trac 8014 - 8022 Trac 8014 - 8022 Trac 8014, 8017, 8018, Trac 8020, 8021, 8022		9ES 069 831-001 9DE 077 356-021	1 1	<b>Headlight unit, spare parts available only</b>  K 21057  <b>Spare Parts:</b> Lens Reflector 1x12V35/35W (S2) 8GD 002 084-131 1x12V4W (T4W) 8GP 002 067-121
Trac 8014 - 8022		2BA 002 652-111 2BA 002 652-121  9EL 134 659-001 9EL 134 660-001	2 2  2 2	<b>Indicator light, left</b> <b>Indicator light, right</b>  (E1) 42764  <b>Spare Parts:</b> Lens with screw, left Lens with screw, right 1x12V21W (P21W) 8GA 002 073-121





**Hako**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Hako</b>				
Trac 8014 - 8022 Trac 8014 - 8022		8XS 113 389-001	2	Protective cover for 2BA 002 652-...
				
Trac 8014		2SD 002 776-231 2SD 002 776-241	1 1	Combination rearlight, left Combination rearlight, right E1 273 E1 63230
		9EL 137 307-001 9EL 137 308-001	2 2	<b>Spare Parts:</b> Lens, left Lens, right 1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121
Trac 8014		2KA 001 378-001	4	Licence plate light E1 12958 1x12V5W (C5W) 8GM 002 092-121
				
Trac 8020		2BA 001 227-211	2	Indicator light K 12642
		9EL 074 484-031	2	<b>Spare Parts:</b> Body/lens 1x12V18W (K) 8GM 002 091-121
Trac 8020		2SA 001 259-751	2	Rear light (supplies limited) E1 31438
		9EL 135 266-001 9FT 088 047-001	2 10	<b>Spare Parts:</b> Body/lens with screws Bulb holder 1x12V5W (C5W) 8GM 002 092-121
Trac 8020		2KA 001 378-001	4	Licence plate light E1 12958 1x12V5W (C5W) 8GM 002 092-121
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Hako</b>				
<b>Variotrac 1850 V, 2150 D</b> Variotrac 1850 V, 2150 D 		1TA 003 570-101	1	<b>Headlight, permanently dipped-beam</b> K 21090
		1TA 122 718-021	1	<b>Spare Parts:</b> Light unit  1x12V15W (Q) 8GA 002 081-121  1x12V4W (T4W) 8GP 002 067-121
<b>Variotrac 1850 V, 2150 D</b> 		2BE 003 014-251	2	<b>Indicator-side light</b> (E1) 42712
		9EL 115 003-055	2	<b>Spare Parts:</b> Lens with screws  1x12V21W (P21W) 8GA 002 073-121  1x12V5W (C5W) 8GM 002 092-121
<b>Variotrac 1850 V, 2150 D</b> 		2SW 003 014-131	2	<b>Rear-indicator light</b> (E1) 31452 (E1) 53211
		9EL 115 003-011	2	<b>Spare Parts:</b> Lens with screws  1x12V21W (P21W) 8GA 002 073-121  1x12V5W (C5W) 8GM 002 092-121
<b>Holder</b>				
<b>A 14 - B 25</b> A 14 - B 25	01/66->	2BA 001 227-211	2	<b>Indicator light</b> K 12642
		9EL 074 484-031	2	<b>Spare Parts:</b> Body/lens  1x12V18W (K) 8GM 002 091-121
				



# Holder



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Holder</b>				
<b>A 14 - B 25</b> A 14 - B 25 A 14, A 15, A 35 A 55, F AG 3, AG 35, F, AM 2, B 14, B 25	01/66-> 10/72->08/75 01/66->	2SB 001 259-261  9EL 088 525-001 9FT 088 047-001	2  2 10	<b>Combination rearlight</b>  K 23270  <b>Spare Parts:</b> Body/lens with screws Bulb holder  1x12V10W (K) 8GM 002 091-131 1x12V18W (K) 8GM 002 091-121
				
<b>A 14 - B 25</b>	01/66->	2KA 001 389-101  9BG 119 721-001	10  5	<b>Licence plate light (supplies limited)</b>  E1 12815  <b>Spare Parts:</b> Body with lens  1x12V5W (C5W) 8GM 002 092-121
				
<b>A 40 - A 60 Turbo</b> A 40, A 50, A 60, F, Turbo	10/78->	2BE 003 014-251  9EL 115 003-055	2  2	<b>Indicator-side light</b>  E1 42712  <b>Spare Parts:</b> Lens with screws  1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121
				
<b>A 40 - A 60 Turbo</b>	10/78->	2KA 003 168-021	2	<b>Licence plate light</b>  E1 22808  1x12V5W (C5W) 8GM 002 092-121
				
<b>A 550 - A 600</b> A 550 - A 600 A 550, A 600	01/91->	1AB 006 213-001  9GH 116 966-011	1  10	<b>H4 headlight</b>  E1 44439  <b>Spare Parts:</b> Cap  1x12V60/55W (H4) 8GJ 002 525-131
				




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Holder</b>				
<b>A 750 - A 760</b> A 750 - A 760 A 750, A 750 S, A 760	03/94->	<b>1AB 006 213-001</b>  <b>1AB 006 213-011</b>  9GH 116 966-011	1 1   10	<b>H4 headlight, without side light</b> <b>H4 headlight, with side light</b> (E1) 44439 <b>Spare Parts:</b> Cap 1x12V60/55W (H4) 8GJ 002 525-131
<b>A 750 - A 760</b>	03/94->	<b>2BE 003 014-251</b>  9EL 115 003-055	2  2	<b>Indicator-side light</b> (E1) 42712 <b>Spare Parts:</b> Lens with screws 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121
<b>A 750 - A 760</b> A 750, A 750 S, A 760	03/94->	<b>2SE 004 623-001</b>  9EL 129 519-001	1  1	<b>Combination rearlight</b> (E17) 408 (E17) 630 (E17) 763 <b>Spare Parts:</b> Lens 1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121
<b>A 750 - A 760</b>	03/94->	<b>2KA 003 168-021</b>	2	<b>Licence plate light</b> (E1) 22808 1x12V5W (C5W) 8GM 002 092-121
<b>C 30 - C 6000</b> C 30 - C 6000 C 30, 560, C 600, C 6000	01/91->	<b>1AB 006 213-001</b>  9GH 116 966-011	1  10	<b>H4 headlight</b> (E1) 44439 <b>Spare Parts:</b> Cap 1x12V60/55W (H4) 8GJ 002 525-131




# Holder



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Holder</b>				
<b>C 760 - C 870 H</b> C 760 - C 870 H C 760, C 860, C 860 F, C 870 H	03/94->	1AB 006 213-001	1	<b>H4 headlight, without side light</b> <b>H4 headlight, with side light</b> (E1) 44439 <b>Spare Parts:</b> Cap  1x12V60/55W (H4) 8GJ 002 525-131
		9GH 116 966-011	10	
<b>C 760 - C 870 H</b>	03/94->	2BE 003 014-251	2	<b>Indicator-side light</b> (E1) 42712 <b>Spare Parts:</b> Lens with screws  1x12V21W (P21W) 8GA 002 073-121  1x12V5W (C5W) 8GM 002 092-121
		9EL 115 003-055	2	
<b>C 760 - C 870 H</b> C 760, C 860, C 860 F, C 870 H	03/94->	2SE 004 623-001	1	<b>Combination rearlight</b> (E17) 408 (E17) 630 (E17) 763 <b>Spare Parts:</b> Lens  1x12V10W (R10W) 8GA 002 071-131  2x12V21W (P21W) 8GA 002 073-121
		9EL 129 519-001	1	
<b>C 760 - C 870 H</b>	03/94->	2KA 003 168-021	2	<b>Licence plate light</b> (E1) 22808  1x12V5W (C5W) 8GM 002 092-121
<b>C 9600, C 9700 H</b> C 9600, C 9700 H	10/94->	1AB 006 213-011	1	<b>H4 headlight</b> (E1) 44439 <b>Spare Parts:</b> Cap Rubber body (to be ordered separately)  1x12V60/55W (H4) 8GJ 002 525-131  1x12V4W (T4W) 8GP 002 067-121
		9GH 116 966-011	10	
		9BG 993 345-001	1	




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Holder</b>				
C 9600, C 9700 H C 9600, C 9700 H	10/94->	 2BE 003 014-251 9EL 115 003-055	2 2	<b>Indicator-side light</b> (E1) 42712 <b>Spare Parts:</b> Lens with screws  1x12V21W (P21W) 8GA 002 073-121  1x12V5W (C5W) 8GM 002 092-121
C 9600, C 9700 H	10/94->	 2VB 006 040-051 2VP 006 040-121 9EL 136 833-011 9EL 136 825-011 9GD 102 484-001	1 1 1 1 10	<b>Combination rearlight, left, with rear fog and licence plate light</b> <b>Combination rearlight, right, with reverse light</b> (E13) 9385 (E13) 9531 <b>Spare Parts:</b> Lens, left Lens, right Seal for lens (to be ordered separately)  1x12V10W (R10W) 8GA 002 071-131  3x12V21W (P21W) 8GA 002 073-121
Park 30, 70 Park 70	01/91->	 1AB 006 213-001 9GH 116 966-011	1 10	<b>H4 headlight</b> (E1) 44439 <b>Spare Parts:</b> Cap  1x12V60/55W (H4) 8GJ 002 525-131
Park 30, 70		 2BE 003 014-251 9EL 115 003-055	2 2	<b>Indicator-side light</b> (E1) 42712 <b>Spare Parts:</b> Lens with screws  1x12V21W (P21W) 8GA 002 073-121  1x12V5W (C5W) 8GM 002 092-121
Park 30, 70		 2KA 003 168-021	2	<b>Licence plate light</b> (E1) 22808  1x12V5W (C5W) 8GM 002 092-121



# Holder - JCB



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Holder</b>				
P 20		1AB 006 213-001	1	H4 headlight
P 20	01/91->			(E1) 44439
		9GH 116 966-011	10	<b>Spare Parts:</b> Cap  1x12V60/55W (H4) 8GJ 002 525-131
<b>Hyster</b>				
various models		1GA 006 876-001	1	<b>FF®-H3 worklight with optics for ground illumination, with rotating base</b>
various models				1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251 
various models		1GA 006 991-031	1	<b>FF®-H3 worklight with optics for large-area ground illumination</b>
		1GA 998 524-011 9XD 130 261-001	1 5	<b>Spare Parts:</b> Light unit Angle bracket  2x12V55W (H3) 8GH 002 090-133
<b>JCB</b>				
various models		1GA 007 506-001	1	<b>FF®-H3 worklight 'Ultra Beam Standard' with optics for large-area ground illumination, with AMP plug-connection</b>
		1GA 007 506-391	1	<b>FF®-H3 worklight 'Ultra Beam Standard' with optics for large-area ground illumination, with DEUTSCH plug-connection</b>
		1GA 998 525-001 9GH 993 984-001	1 20	<b>Spare Parts:</b> Light unit Rubber cap for -001  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>JCB</b>				
various models various models		1GA 006 875-001	1	<b>FF®-H3 worklight with optics for ground illumination</b>  1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133
various models		1GA 998 522-011	1	<b>FF®-H3 worklight with optics for ground illumination</b>  1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133
various models		1GA 996 082-001	1	<b>FF®-H3 worklight with optics for ground illumination</b>  1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133
various models		1GB 996 080-001	1	<b>FF®-H3 worklight 'Double Beam' with optics for object illumination</b>
		1GB 996 080-011	1	<b>FF®-H3 worklight 'Double Beam' with optics for large-area ground illumination</b>  2x12V35W (H3) 8GH 002 090-271  2x12V55W (H3) 8GH 002 090-133
various models		1GA 006 991-041	1	<b>FF®-H3 worklight 'Double Beam' with optics for large-area ground illumination</b>
		1GA 998 524-011	1	<b>Spare Parts:</b> Light unit
		9XD 990 298-001	5	Angle bracket  1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133
various models		1GA 996 161-281	1	<b>FF®-H3 worklight 'Oval 100' with optics for wide, long-range illumination, with pattern-free lens, with single reflector, AMP plug-connection, protective cap and 12V55W bulb</b>
		9GH 993 984-001	20	<b>Spare Parts:</b> Protective cap for AMP plug-connection  2x12V35W (H3) 8GH 002 090-271  2x12V55W (H3) 8GH 002 090-133  2x24V70W (H3) 8GH 002 090-251



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Jungheinrich</b>				
various models various models		1GA 007 506-001  1GA 998 525-001 9GH 993 984-001	1  1 20	<b>FF®-H3 worklight 'Ultra Beam Standard' with optics for large-area ground illumination, with AMP plug-connection</b>  <b>Spare Parts:</b> Light unit Rubber cap  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133
various models		1GA 007 506-011  1GA 998 525-001 9GH 993 984-001 9XD 130 261-001	1  1 20 5	<b>FF®-H3 worklight 'Ultra Beam Heavy Duty' with optics for large-area ground illumination, with AMP plug-connection</b>  <b>Spare Parts:</b> Light unit Rubber cap Angle bracket  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251
various models		1GA 007 506-021  1GA 998 525-001 9GH 993 984-001 9XD 990 298-001	1  1 20 5	<b>FF®-H3 worklight 'Ultra Beam Heavy Duty' with optics for large-area ground illumination, with AMP plug-connection and protective cap</b>  <b>Spare Parts:</b> Light unit Protective cap for AMP plug-connection Angle bracket for 4-point fastening  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251
various models		1G4 003 470-031	1	<b>H3 worklight with optics for close-range illumination, with switch</b>   1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Jungheinrich</b>				
various models various models		1G3 005 760-001	1	H3 worklight with optics for long-range illumination, with switch
		1G3 005 760-011	1	H3 worklight with optics for long-range illumination, without switch
		1G3 135 211-011 6EB 005 633-001	1 10	Spare Parts: Light unit Switch  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251
various models		1G3 996 001-131	1	Worklight 'W131' with optics for close-range illumination, with switch
		1G3 990 008-001 6EG 990 007-001	1 10	Spare Parts: Light unit Switch  1x12V35W (F2) 8GA 002 083-131 1x24V35W (F2) 8GA 002 083-251
<b>Kramer</b>				
various models		1GA 007 506-001	1	FF@-H3 worklight 'Ultra Beam Standard' with optics for large-area ground illumination, with AMP plug-connection
		1GA 998 525-001 9GH 993 984-001	1 20	Spare Parts: Light unit Rubber cap  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133
various models		1GM 996 134-271	1	FF@-H3 worklight 'Mega Beam', left, with optics for large-area ground illumination
		1GM 996 134-371	1	FF@-H3 worklight 'Mega Beam', right, with optics for large-area ground illumination  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133



# Krieger



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Krieger</b>				
<b>KS 28 - KS 65 A</b> KS 28 - KS 65 A KS 28, A, KS 33, A, KS 40, A, KS 42, A, KS 50, A KS 55, A, KS 65, A	07/76->12/90  ->05/86	9GD 023 639-001 9DR 090 206-001	10 1	<b>Headlight, permanently dipped-beam, spare parts available only</b>  K 11095/1  <b>Spare Parts:</b> Seal Reflector  1x12V15W (Q) 8GA 002 081-121  1x12V4W (T4W) 8GP 002 067-121
<b>KS 33 - KS 65 A</b> KS 33, A, KS 42, A, KS 45, A KS 55, A, KS 65, A	12/90->06/94  06/86->06/94	1TA 003 570-001  1TA 122 718-001	1  1	<b>Headlight, permanently dipped-beam</b>  K 21090  <b>Spare Parts:</b> Light unit  1x12V15W (Q) 8GA 002 081-121  1x12V4W (T4W) 8GP 002 067-121
<b>KS 45 - KS 55 A</b> KS 45, A, KS 50, A KS 55, A	07/94->	1AA 004 109-031  1AA 126 924-035 9FF 111 606-021 9BG 127 426-001	1  1 10 4	<b>Headlight</b>  34446  <b>Spare Parts:</b> Light unit Bulb socket for side light Receiving unit (to be ordered separately)  1x12V45/40W (R2) 8GD 002 088-131  1x12V4W (T4W) 8GP 002 067-121
<b>KS 28 - KS 65 A</b>	->06/94	2BA 001 227-211  9EL 074 484-031	2  2	<b>Indicator light</b>  K 12642  <b>Spare Parts:</b> Body/lens  1x12V18W (K) 8GM 002 091-121




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Krieger</b>				
<b>KS 28 - KS 65 A</b> KS 28 - KS 65 A KS 28, A, KS 30, A, KS 33, A, KS 40, A, KS 42, A, KS 45, A, KS 50, A, KS 55, A, KS 65, A	->12/91	2SW 003 014-131  9EL 115 003-011	2  2	<b>Rear-indicator light</b> (E1) 31452 (E1) 53211  <b>Spare Parts:</b> Lens with screws 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121
<b>KS 55, A, KS 65, A</b>	->06/94	2SD 003 182-051 2SD 003 182-061  9EL 118 614-011	1 1  2	<b>Combination rearlight, left</b> <b>Combination rearlight, right</b> (E1) 53257 (E1) 31445  <b>Spare Parts:</b> Lens 1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121
<b>KS 28 - KS 65 A</b>		2KA 001 389-101  9BG 119 721-001	10  5	<b>Licence plate light</b> <b>(supplies limited)</b> (E1) 12815  <b>Spare Parts:</b> Body with lens 1x12V5W (C5W) 8GM 002 092-121
<b>KT 52 - KT 72 A</b> KT 52, A, KT 60, A	10/89->06/94	1TA 003 570-001  1TA 122 718-001	1  1	<b>Headlight, permanently dipped-beam</b> K 21090  <b>Spare Parts:</b> Light unit 1x12V15W (Q) 8GA 002 081-121 1x12V4W (T4W) 8GP 002 067-121



# Krieger



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Krieger</b>				
KT 52 - KT 72 A KT 52 - KT 72 KT 52, A, KT 60, A KT 72	07/94-> 07/92->	1AA 004 109-031  1AA 126 924-035 9FF 111 606-021 9BG 127 426-001	1  1 10 4	<b>Headlight</b>  E1 34446  <b>Spare Parts:</b> Light unit Bulb socket for side light Receiving unit (to be ordered separately)  1x12V45/40W (R2) 8GD 002 088-131 1x12V4W (T4W) 8GP 002 067-121
KT 52, A, KT 60, A	-->06/94	2BA 001 227-211  9EL 074 484-031	2  2	<b>Indicator light</b>  K 12642  <b>Spare Parts:</b> Body/lens  1x12V18W (K) 8GM 002 091-121
KT 52, A, KT 60, A	-->12/91	2SW 003 014-131  9EL 115 003-011	2  2	<b>Rear-indicator light</b>  E1 31452 E1 53211  <b>Spare Parts:</b> Lens with screws  1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121
KT 52, A, KT 60, A, KT 72 A	-->06/94	2SD 003 182-051 2SD 003 182-061  9EL 118 614-011	1 1  2	<b>Combination rearlight, left</b> <b>Combination rearlight, right</b>  E1 53257 E1 31445  <b>Spare Parts:</b> Lens  1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121
KT 52, A, KT 60, A		2KA 001 389-101  9BG 119 721-001	10  5	<b>Licence plate light</b> <b>(supplies limited)</b>  E1 12815  <b>Spare Parts:</b> Body with lens  1x12V5W (C5W) 8GM 002 092-121




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Landini</b>				
various models various models		1AB 003 177-611	1	<b>Headlight unit with bulb</b> 34450 1x12V45/40W (R2) 8GD 002 088-131
<b>Laverda</b>				
various models		1GA 006 991-021  1GA 998 524-001 9XD 130 261-001	1  1 5	<b>FF®-H3 worklight with optics for intensive close-range illumination</b>  <b>Spare Parts:</b> Light unit Angle bracket  2x12V55W (H3) 8GH 002 090-133
<b>Liebherr</b>				
various models		1GA 007 506-121  1GA 998 525-001 9GT 990 338-001	1  1 20	<b>FF®-H3 worklight 'Ultra Beam Standard' with optics for large-area ground illumination</b>  <b>Spare Parts:</b> Light unit Grommet  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251
various models		1GA 007 506-391  1GA 998 525-001	1  1	<b>FF®-H3 worklight 'Ultra Beam Standard' with optics for large-area ground illumination, with DEUTSCH plug-connection</b>  <b>Spare Parts:</b> Light unit  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251
various models		1GA 007 506-011  1GA 998 525-001 9GH 993 984-001 9XD 130 261-001	1  1 20 5	<b>FF®-H3 worklight 'Ultra Beam Heavy Duty' with optics for large-area ground illumination, with AMP plug-connection</b>  <b>Spare Parts:</b> Light unit Rubber cap Angle bracket  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251






**Liebherr**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Liebherr</b>				
various models	various models	1GA 998 534-011  1GA 998 525-011 5DV 990 264-011	1  1 1	<p><b>Xenon worklight 'Ultra Beam'</b> with optics for large-area and long-range illumination, with gas discharge bulb and 24V ballast</p> <p><b>Spare Parts:</b> Light unit 24V ballast unit</p>  1x35W (D2S) 8GS 007 949-101
various models		1GB 006 213-101	1	<p><b>H3 worklight</b> with optics for long-range illumination, with sheet-metal reflector</p>  <p>1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251</p>
various models		1GD 996 018-541	1	<p><b>H3 worklight</b> with optics for close-range illumination with plastic reflector</p>  <p>1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133</p>
various models		1GB 996 080-021	1	<p><b>FF@-H3 worklight 'Double Beam'</b> with optics for long-range off-road illumination</p>  <p>1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251</p>
various models		1GA 006 876-001	1	<p><b>FF@-H3 worklight</b> with optics for ground illumination, with rotating base</p>  <p>1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251</p>
various models		1GA 998 522-011	1	<p><b>FF@-H3 worklight</b> with optics for ground illumination, with swivelling base</p>  <p>1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251</p>



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Liebherr</b>				
various models various models		1G8 002 340-001	1	H3 worklight with optics for long-range illumination, with angle bracket for 4-point fastening
		1G8 002 340-011	1	H3 worklight with optics for long-range illumination, with bracket for fastening to standard stud
		1G8 132 233-011 6ED 708 919-001	1 5	Spare Parts: Light unit with lens-retaining rim Switch
<p>1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251</p> 				
<b>Linde</b>				
various models		1GA 007 506-001	1	FF@-H3 worklight 'Ultra Beam Standard' with optics for large-area ground illumination, with AMP plug-connection
		1GA 998 525-001 9GH 993 984-001	1 20	Spare Parts: Light unit Rubber cap
<p>1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133</p> 				
various models		1GA 007 506-021	1	FF@-H3 worklight 'Ultra Beam Heavy Duty' with optics for large-area ground illumination, with AMP plug-connection and protective cap
		1GA 998 525-001 9GH 993 984-001 9XD 990 298-001	1 20 5	Spare Parts: Light unit Protective cap for AMP plug-connection Angle bracket for 4-point fastening
<p>1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251</p> 				
various models		1G3 005 760-001	1	H3 worklight with optics for long-range illumination, with switch
		1G3 005 760-011	1	H3 worklight with optics for long-range illumination, without switch
		1G3 135 211-011 6EB 005 633-001	1 10	Spare Parts: Light unit Switch
<p>1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251</p> 				




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Linde</b>				
various models various models		1G3 996 001-001	1	<b>Worklight 'W131' with optics for close-range illumination, without switch</b>   1x12V35W (F2) 8GA 002 083-131 1x24V35W (F2) 8GA 002 083-251
<b>Lindner</b>				
various models		1GA 006 875-001	1	<b>FF®-H3 worklight with optics for ground illumination</b>   1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251
<b>Manitou</b>				
various models		1GA 006 875-001	1	<b>FF®-H3 worklight with optics for ground illumination</b>   1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251
<b>Massey-Ferguson</b>				
various models		1GA 006 876-001	1	<b>FF®-H3 worklight with optics for ground illumination</b>   1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133





Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Massey-Ferguson</b>				
various models various models		1GA 998 522-011	1	<b>FF®-H3 worklight</b> <b>with optics for ground illumination,</b> <b>with swivelling base</b>   1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251
various models		1GA 005 060-001  1GA 132 459-011 9AG 132 453-005	1  1 5	<b>H3 worklight</b> <b>with optics for long-range illumination</b>  <b>Spare Parts:</b> 1 Light unit 5 Lens-retaining rim   1x12V55W (H3) 8GH 002 090-133
various models		1GA 006 875-001	1	<b>FF®-H3 worklight</b> <b>with optics for ground illumination</b>   1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251
various models		1GB 996 080-001  1GB 990 182-001	1  1	<b>FF®-H3 worklight 'Double Beam'</b> <b>with optics for object illumination</b>  <b>Spare Parts:</b> 1 Light unit   2x12V35W (H3) 8GH 002 090-271 2x12V55W (H3) 8GH 002 090-133
various models		1GA 006 991-041  9XD 990 298-001	1  5	<b>FF®-H3 worklight 'Double Beam'</b> <b>with optics for large-area ground illumination</b>  <b>Spare Parts:</b> 5 Angle bracket   2x12V35W (H3) 8GH 002 090-271 2x12V55W (H3) 8GH 002 090-133




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Massey-Ferguson</b>				
various models various models		1G3 005 760-001	1	<b>H3 worklight with optics for long-range illumination, with switch</b>
		1G3 005 760-011	1	<b>H3 worklight with optics for long-range illumination, without switch</b>
		1G3 135 211-011 6EB 005 633-001	1 10	<b>Spare Parts:</b> Light unit Switch  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251
				
various models		1GA 996 161-101	1	<b>FF®-H3 worklight 'Oval 100' with optics for long-range illumination, with pattern-free lens, with AMP plug-connection, protective cap and 12V55W bulb</b>
		9GH 993 984-001	20	<b>Spare Parts:</b> Protective cap for AMP plug-connection  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251
				
various models		1GA 996 161-121	1	<b>FF®-H3 worklight 'Oval 100' with optics for wide ground illumination, with single reflector, AMP plug-connection, protective cap and 12V55W bulb</b>
		1GA 996 161-291	1	<b>with twin reflector and 12V55W bulb</b>
		9GH 993 984-001	20	<b>Spare Parts:</b> Protective cap for AMP plug-connection  1(2)x12V55W (H3) 8GH 002 090-371 1(2)x12V55W (H3) 8GH 002 090-133 1(2)x24V70W (H3) 8GH 002 090-251
				
various models		1G5 003 241-021	1	<b>H3 worklight, with optics for long-range illumination, with switch</b>
		1G5 120 510-001 6ED 708 919-001 9GD 120 670-001	1 5 10	<b>Spare Parts:</b> Light unit with seal Switch Seal  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Massey-Ferguson</b>				
<b>MB 186, MB 187</b> MB 186, MB 187 		<b>2PF 001 259-631</b>  9EL 109 208-011 9FT 088 047-001	2  2 10	<b>Side light (supplies limited)</b> (E1) 21624 <b>Spare Parts:</b> Body/lens with screws Bulb holder  1x12V5W (C5W) 8GM 002 092-121
<b>MB 186, MB 187</b> 		<b>2SB 001 259-261</b>  9EL 088 525-001 9FT 088 047-001	2  2 10	<b>Combination rearlight</b> K 23270 <b>Spare Parts:</b> Body/lens with screws Bulb holder  1x12V10W (K) 8GM 002 091-131  1x12V18W (K) 8GM 002 091-121
<b>MF 30, MF 30-6</b> MF 30, MF 30-6 		<b>2BA 001 227-201</b>  9EL 074 484-011	2  2	<b>Indicator light</b> K 12642 <b>Spare Parts:</b> Body/lens  1x12V18W (K) 8GM 002 091-121
<b>MF 31 - MF 187-6</b> MF 31 - MF 187-6 MF 31, MF 31-6, MF 86, MF 87, MF 99, MF 186-6, MF 187-6 		9GD 023 639-001 9DR 090 206-001	10 1	<b>Headlight, permanently dipped-beam, spare parts available only</b> K 11095/1 <b>Spare Parts:</b> Seal Reflector  1x12V15W (Q) 8GA 002 081-121  1x12V4W (T4W) 8GP 002 067-121
<b>MF 31 - MF 187-6</b> 		<b>2BA 001 227-201</b>  9EL 074 484-011	2  2	<b>Indicator light</b> K 12642 <b>Spare Parts:</b> Body/lens  1x12V18W (K) 8GM 002 091-121




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Massey-Ferguson</b>				
MF 186, MF 187 MF 186, MF 187		2PF 001 259-631  9EL 109 208-011 9FT 088 047-001	2  2 10	<b>Side light (supplies limited)</b>  E1 21624  <b>Spare Parts:</b> Body/lens with screws Bulb holder  1x12V5W (C5W) 8GM 002 092-121
MF 203, MF 205 MF 203, MF 205		2BE 001 278-011 2BE 001 278-021  9EL 087 769-001 9FT 087 771-001	1 1  1 5	<b>Indicator-side light, left</b> <b>Indicator-side light, right</b>  K 23246  <b>Spare Parts:</b> Lens Bulb holder  1x12V18W (K) 8GM 002 091-121 1x12V3W (M) 8GM 002 094-121
MF 487 MF 487		9GD 023 639-001 9DR 090 206-001	10 1	<b>Headlight, permanently dipped-beam, spare parts available only</b>  K 11095/1  <b>Spare Parts:</b> Seal Reflector  1x12V15W (Q) 8GA 002 081-121 1x12V4W (T4W) 8GP 002 067-121
MF 487	70->	2BA 001 227-201  9EL 074 484-011	2  2	<b>Indicator light</b>  K 12642  <b>Spare Parts:</b> Body/lens  1x12V18W (K) 8GM 002 091-121
MF 487	70->	2SA 001 259-751  9EL 135 266-001 9FT 088 047-001	2  2 10	<b>Rear light (supplies limited)</b>  E1 31438  <b>Spare Parts:</b> Body/lens with screws Bulb holder  1x12V5W (C5W) 8GM 002 092-121




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Massey-Ferguson</b>				
<b>MF 487</b> MF 487	70->	2SB 001 301-021  9EL 090 411-001	2  5	<b>Combination rearlight</b>  K 23318  <b>Spare Parts:</b> Lens with screw  1x12V10W (K) 8GM 002 091-131 1x12V18W (K) 8GM 002 091-121
<b>MF 510</b> MF 510		9GD 023 639-001 9DR 090 206-001	10 1	<b>Headlight, permanently dipped-beam, spare parts available only</b>  K 11095/1  <b>Spare Parts:</b> Seal Reflector  1x12V15W (Q) 8GA 002 081-121 1x12V4W (T4W) 8GP 002 067-121
<b>MF 510</b>		2BA 001 227-201  9EL 074 484-011	2  2	<b>Indicator light</b>  K 12642  <b>Spare Parts:</b> Body/lens  1x12V18W (K) 8GM 002 091-121
<b>MF 3000 - MF 3090</b> MF 3000 - MF 3090  MF 3000, MF 3050, MF 3060, MF 3070, MF 3080, MF 3090	07/86->	1AB 003 177-611	1	<b>Headlight unit with bulb</b>  (E1) 34450  1x12V45/40W (R2) 8GD 002 088-131



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Massey-Ferguson</b>				
MF 3165 S MF 3165 S				<b>Headlight, spare parts available only</b> K 21032 K 21037 <b>Spare Parts:</b> 1 Lens 10 Seal 1 Reflector 2 Bulb socket  1x12V35/35W (S2) 8GD 002 084-131  1x12V4W (T4W) 8GP 002 067-121
		 9ES 015 675-001 9GD 024 183-001 9DR 060 567-001 9FF 090 500-001		
<b>Mercedes-Benz</b>				
MB-Trac 700 - 1500 MB-Trac 700 - 1500 MB-Trac 700, 800, 900, MB-Trac 1000, 1100, MB-Trac 1300, 1500	->08/85	1AB 001 100-107  9AG 125 569-001 9DR 104 336-001 9FH 093 887-001	30  2 1 10	<b>Headlight</b> (E1) 24583 <b>Spare Parts:</b> Lens-retaining rim with lens Reflector Bulb holder  1x12V45/40W (R2) 8GD 002 088-131  1x12V4W (T4W) 8GP 002 067-121
MB-Trac 700 - 1500 MB-Trac 700, 800, 900, MB-Trac 1000, 1100, MB-Trac 1300, 1500	09/85->	1AA 004 109-201  9FF 111 606-021	1  10	<b>H4 headlight</b> (E1) 34463 <b>Spare Parts:</b> Bulb socket for side light (to be ordered separately)  1x12V60/55W (H4) 8GJ 002 525-131  1x12V4W (T4W) 8GP 002 067-121
<b>Multicar</b>				
Multicar Multicar	07/92->	1AB 004 231-001  1AB 003 177-071 9GH 126 647-011	1  1 10	<b>H4 headlight</b> (E1) 24461 (E1) 24630 <b>Spare Parts:</b> Light unit Cap  1x12V60/55W (H4) 8GJ 002 525-131  1x12V4W (T4W) 8GP 002 067-121



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Multicar</b>				
Multicar		2BM 006 692-011	1	Auxiliary indicator light, left
Multicar	07/92->	2BM 006 692-021	1	Auxiliary indicator light, right
				(E1) 52621  1x12V21W (P21W) 8GA 002 073-121
Multicar 25.2	03/91->06/92	2VB 006 040-051	1	Combination rearlight, left, with licence plate and rear fog light
Multicar 26	07/92->09/94	2VP 006 040-121	1	Combination rearlight, right, with reverse light
Multicar 26.5	10/94->			(E13) 9385 (E13) 9531 <b>Spare Parts:</b> 9EL 136 833-011 1 Lens, left 9EL 136 825-011 1 Lens, right 9GD 102 484-001 10 Seal for lens (to be ordered separately)  1x12V10W (R10W) 8GA 002 071-131  3x12V21W (P21W) 8GA 002 073-121
				
<b>Neuson</b>				
various models		1GA 007 506-001	1	FF®-H3 worklight 'Ultra Beam Standard' with optics for large-area ground illumination, with AMP plug-connection
various models		1GA 998 525-001	1	Spare Parts: Light unit
		9GH 993 984-001	20	Rubber cap  1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133
various models		1GD 996 018-541	1	H3 worklight with optics for close-range illumination
				 1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133
<b>New Holland (Fiatagri)</b>				
various models		1GA 996 020-001	1	H3 worklight 'Corner Light', with 12V55W bulb
				 1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>New Holland (Fiatagri)</b>				
various models various models		1GA 996 083-011 1GA 998 525-001	1 1	<b>FF®-H3 worklight with optics for large-area ground illumination</b>  <b>Spare Parts:</b> Light unit  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133
various models		1GA 996 083-021 1GA 998 525-001	1 1	<b>FF®-H3 worklight with optics for large-area ground illumination</b>  <b>Spare Parts:</b> Light unit  2x12V35W (H3) 8GH 002 090-271 2x12V55W (H3) 8GH 002 090-133
various models		1GA 007 506-681 1GA 998 525-001	1 1	<b>FF®-H3 worklight with optics for large-area ground illumination, with bulb</b>  <b>Spare Parts:</b> Light unit  1x24V70W (H3) 8GH 002 090-251
various models		1GA 998 522-011	1	<b>FF®-H3 worklight with optics for ground illumination</b>   1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133
various models		1GA 006 875-001	1	<b>FF®-H3 worklight with optics for ground illumination</b>   1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>New Holland (Fiatagri)</b>				
various models various models		1GB 006 213-101	1	<b>H3 worklight with optics for long-range illumination</b>  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133
various models		1GB 996 080-021	1	<b>FF®-H3 worklight 'Double Beam' with optics for long-range off-road illumination</b>  2x12V35W (H3) 8GH 002 090-271 2x12V55W (H3) 8GH 002 090-133
various models		1GA 006 991-091 9XD 990 298-001	1 5	<b>FF®-H3 worklight 'Double Beam' with optics for intensive close-range illumination</b> <b>Spare Parts:</b> Angle bracket  2x12V35W (H3) 8GH 002 090-271 2x12V55W (H3) 8GH 002 090-133
various models		1GA 006 991-061 9XD 990 298-001	1 5	<b>FF®-H3 worklight with optics for long-range off-road illumination</b> <b>Spare Parts:</b> Angle bracket  2x12V35W (H3) 8GH 002 090-271 2x12V55W (H3) 8GH 002 090-133
various models		1G3 005 760-001 1G3 135 211-011 6EB 005 633-001	1 1 10	<b>H3 worklight with optics for long-range illumination</b> <b>Spare Parts:</b> Light unit Switch  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133




# New Holland (Fiatagri) - Partek Forest




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>New Holland (Fiatagri)</b>				
various models various models		2BE 003 014-251  9EL 115 003-055	2  2	<b>Indicator-side light</b>  E1 42712  <b>Spare Parts:</b> Lens with screws 1x12V21W (P21W) 8GA 002 073-121 1x12V5W (C5W) 8GM 002 092-121
various models		2KA 001 389-101  9BG 119 721-001	10  5	<b>Licence plate light (supplies limited)</b>  E1 12815  <b>Spare Parts:</b> Body with lens 1x12V5W (C5W) 8GM 002 092-121
<b>Partek Forest</b>				
various models		1GA 998 534-011  1GA 998 525-011 5DV 990 264-011	1  1 1	<b>Xenon worklight 'Ultra Beam' with optics for large-area and long-range illumination, with gas discharge bulb and 24V ballast</b>  <b>Spare Parts:</b> Light unit 24V ballast unit 1x35W (D2S) 8GS 007 949-101
various models		1GA 996 142-011  1GA 990 305-001 9GH 993 984-001 8KB 990 299-121	1  1 20 1	<b>Xenon worklight with optics for wide ground illumination, with gas discharge bulb, 24V ballast and AMP plug-connection</b>  <b>Spare Parts:</b> Light unit Protective cap for AMP plug-connection Lead for AMP plug-connection 1x35W (D2S) 8GS 007 949-101
various models		1GA 005 060-001  1GA 132 459-011 9AG 132 453-005	1  1 5	<b>H3 worklight with optics for long-range illumination</b>  <b>Spare Parts:</b> Light unit Lens-retaining rim 1x12V55W (H3) 8GH 002 090-133



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Partek Forest</b>				
various models various models		1GA 006 991-041  1GA 998 524-011 9XD 990 298-001	1  1 5	<b>FF®-H3 worklight 'Double Beam' with optics for large-area ground illumination</b>  <b>Spare Parts:</b> Light unit Angle bracket  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251 
various models		1G3 005 760-221  1G3 135 211-011	1  1	<b>H3 worklight 'Torero 5760' with optics for long-range illumination, without switch</b>  <b>Spare Parts:</b> Light unit with lens-retaining rim  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251 
various models		1G8 002 340-001  1G8 002 340-011  1G8 132 233-011 6ED 708 919-001	1  1  1 5	<b>H3 worklight with optics for long-range illumination, with angle bracket for 4-point fastening</b>  <b>H3 worklight with optics for long-range illumination, with bracket for fastening to standard stud</b>  <b>Spare Parts:</b> Light unit with lens-retaining rim Switch  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251 
<b>O&amp;K</b>				
various models		1GA 998 534-011  1GA 998 525-011 5DV 990 264-011	1  1 1	<b>Xenon worklight 'Ultra Beam' with optics for large-area and long-range illumination, with gas discharge bulb and 24V ballast</b>  <b>Spare Parts:</b> Light unit 24V ballast unit   1x35W (D2S) 8GS 007 949-101






Manufacturer Model	Model year	Part no.	Pk.	Note
<b>O&amp;K</b>				
various models various models		1GA 996 142-011  1GA 990 305-001 9GH 993 984-001 8KB 990 299-121	1  1 20 1	<b>Xenon worklight with optics for wide ground illumination, with gas discharge bulb, 24V ballast and AMP plug-connection</b>  <b>Spare Parts:</b> Light unit Protective cap for AMP plug-connection Lead for AMP plug-connection 1x35W (D2S) 8GS 007 949-101
various models		1GA 006 991-041  1GA 998 524-011 9XD 990 298-001	1  1 5	<b>FF@-H3 worklight 'Double Beam' with optics for large-area ground illumination</b>  <b>Spare Parts:</b> Light unit Angle bracket 1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133
various models		1GA 998 522-011	1	<b>FF@-H3 worklight with optics for ground illumination</b>  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251
<b>Same</b>				
various models		1GA 007 506-001  1GA 998 525-001 9GH 993 984-001	1  1 20	<b>FF@-H3 worklight 'Ultra Beam Standard' with optics for large-area ground illumination, with AMP plug-connection</b>  <b>Spare Parts:</b> Light unit Rubber cap 1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Same</b>				
various models various models		1GA 007 506-111	1	<b>FF®-H3 worklight 'Ultra Beam Standard' with optics for large-area ground illumination, with AMP plug-connection</b>
		1GA 007 506-121	1	<b>FF®-H3 worklight 'Ultra Beam Standard' with optics for extreme large-area and equal ground illumination</b>
		1GA 998 525-001 9GH 993 984-001 8KB 990 299-001	1 20 1	<b>Spare Parts:</b> Light unit Rubber cap for -111 Lead with plug for external connection for -111 (to be ordered separately)
		8JD 008 151-011	10	Socket housing for -111 (to be ordered separately)
				1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133
various models		1GA 007 506-061	1	<b>FF®-H3 worklight with optics for large-area ground illumination and bulb</b>
		1GA 998 525-001 8KB 990 299-001	1 1	<b>Spare Parts:</b> Light unit Lead with plug for external connection (to be ordered separately)
		8JD 008 151-011	10	Socket housing (to be ordered separately)
				1x12V55W (H3) 8GH 002 090-133
various models		1GA 007 506-101	1	<b>FF®-H3 worklight 'Ultra Beam Heavy Duty' with optics for large-area ground illumination, with AMP plug-connection, protective cap and grommet</b>
		1GA 998 525-001 9GH 993 984-001 9XD 130 261-001	1 20 5	<b>Spare Parts:</b> Light unit Protective cap for AMP plug-connection Angle bracket for 4-point fastening
				1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251
various models		1GA 998 522-011	1	<b>FF®-H3 worklight with optics for ground illumination</b>
				1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Same</b>				
various models various models		1GB 006 213-111	1	<b>H3 worklight with optics for close-range illumination</b>  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133
				
various models		1G3 996 001-271	1	<b>H3 worklight with optics for close-range illumination, without switch</b>  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133
				
<b>Schaeff</b>				
various models		1GA 007 506-011	1	<b>FF®-H3 worklight 'Ultra Beam Heavy Duty' with optics for large-area ground illumination, with AMP plug-connection</b>  <b>Spare Parts:</b> 1 Light unit 20 Rubber cap 5 Angle bracket   1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133
				
various models		1GA 006 991-041	1	<b>FF®-H3 worklight 'Double Beam' with optics for large-area ground illumination</b>  <b>Spare Parts:</b> 1 Light unit 5 Angle bracket   2x12V35W (H3) 8GH 002 090-271 2x12V55W (H3) 8GH 002 090-133
				
various models		1G3 003 710-021	1	<b>H3 worklight with optics for close-range illumination</b>  <b>Spare Parts:</b> 1 Light unit 1 Rubber body   1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133
				




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Schaeff</b>				
various models various models		1G3 996 001-271	1	<b>H3 worklight with optics for close-range illumination, without switch</b>  1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133
<b>Steyr</b>				
various models		1GA 996 020-001	1	<b>H3 worklight 'Corner Light', with 12V55W bulb</b>  1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133
various models		1GA 006 875-001	1	<b>FF®-H3 worklight with optics for ground illumination</b>  1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133
various models		1GA 007 506-681	1	<b>FF®-H3 worklight with optics for large-area ground illumination, with bulb</b>
		1GA 998 525-001	1	<b>Spare Parts:</b> Light unit  1x24V70W (H3) 8GH 002 090-251



**Steyr**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Steyr</b>				
various models various models		1GA 996 083-021 1GA 998 525-001	1 1	<b>FF®-H3 worklight with optics for large-area ground illumination</b>  <b>Spare Parts:</b> Light unit   2x12V35W (H3) 8GH 002 090-271  2x12V55W (H3) 8GH 002 090-133
various models		1GA 996 083-011 1GA 998 525-001	1 1	<b>FF®-H3 worklight with optics for large-area ground illumination</b>  <b>Spare Parts:</b> Light unit   1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133
various models		1GB 996 080-021	1	<b>FF®-H3 worklight 'Double Beam' with optics for long-range off-road illumination</b>   2x12V35W (H3) 8GH 002 090-271  2x12V55W (H3) 8GH 002 090-133
various models		1GA 998 522-011	1	<b>FF®-H3 worklight with optics for ground illumination</b>   1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133
various models		2SE 996 030-011 2SD 996 030-021  9EL 990 142-001	1 1  1	<b>Combination rearlight, left, with licence plate light, with bulbs</b> <b>Combination rearlight, right, without licence plate light, with bulbs</b>  (E12) 7133 (E12) 4054  <b>Spare Parts:</b> Lens   1x12V5W (R5W) 8GA 002 071-121  1x12V21W (P21W) 8GA 002 073-121




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Steyr</b>				
430, 1100 430, 1100		9ES 069 831-001	1	<b>Headlight, spare parts available only</b> K 11135/1 <b>Spare Parts:</b> Lens 1x12V15W (Q) 8GA 002 081-121
8060 - 8160 a 8060 - 8160 a 8060, a, 8070, a, 8080, a, 8100, a, 8120, a, 8140, a, 8160, a		1AB 001 100-001 9AG 104 328-001 9DR 104 336-001 9FH 093 887-001	1 2 1 10	<b>Headlight</b> (E1) 4578 <b>Spare Parts:</b> Lens-retaining rim with lens and adjustment device Reflector Bulb holder 1x12V45/40W (R2) 8GD 002 088-131 1x12V4W (T4W) 8GP 002 067-121
<b>Still</b>				
various models various models		1GA 007 506-001 1GA 998 525-001 9GH 993 984-001	1 1 20	<b>FF®-H3 worklight 'Ultra Beam Standard' with optics for large-area ground illumination, with AMP plug-connection</b> <b>Spare Parts:</b> Light unit Rubber cap 1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133
various models		1GA 998 522-011	1	<b>FF®-H3 worklight with optics for ground illumination</b> 1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133



# Still - Terex Demag




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Still</b>				
various models various models		1G3 005 760-001	1	<b>H3 worklight with optics for long-range illumination, with switch</b>
		1G3 005 760-011	1	<b>H3 worklight with optics for long-range illumination, without switch</b>
		1G3 135 211-011 6EB 005 633-001	1 10	<b>Spare Parts:</b> Light unit Switch   1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133  1x24V70W (H3) 8GH 002 090-251
<b>Terex Demag</b>				
various models		1GA 007 506-451	1	<b>FF®-H3 worklight 'Ultra Beam Heavy Duty' with optics for large-area ground illumination, with PG screw connection and M10 fixing screw, without bulb</b>
		1GA 998 525-001	1	<b>Spare Parts:</b> Light unit   1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133
various models		1GA 998 522-011	1	<b>FF®-H3 worklight with optics for ground illumination, with swivelling base</b>
				 1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133  1x24V70W (H3) 8GH 002 090-251
various models		1GA 007 506-681	1	<b>FF®-H3 worklight with optics for large-area ground illumination, with bulb</b>
		1GA 998 525-001	1	<b>Spare Parts:</b> Light unit   1x24V70W (H3) 8GH 002 090-251




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Terex Demag</b>				
various models various models		1GM 996 135-051  1GM 990 303-011 5DV 990 264-011 8GS 007 949-101	1  1 1 1	<b>Xenon worklight with optics for long-range illumination, with 24V ballast, with gas discharge bulb</b>  <b>Spare Parts:</b> 1 Light unit 1 Ballast 1 Gas discharge bulb   1x35W (D2S) 8GS 007 949-101
various models		1G8 002 340-001  1G8 002 340-011  1G8 132 233-011 6ED 708 919-001	1  1  1 5	<b>H3 worklight with optics for long-range illumination, with angle bracket for 4-point fastening</b>  <b>H3 worklight with optics for long-range illumination, with bracket for fastening to standard stud</b>  <b>Spare Parts:</b> 1 Light unit with lens-retaining rim 5 Switch   1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133  1x24V70W (H3) 8GH 002 090-251
<b>Timberjack</b>				
various models		1GA 007 506-011  1GA 998 525-001 9GH 993 984-001 9XD 990 298-001	1  1 20 5	<b>FF®-H3 worklight 'Ultra Beam Heavy Duty' with optics for large-area ground illumination, with AMP plug-connection</b>  <b>Spare Parts:</b> 1 Light unit 20 Rubber cap 5 Angle bracket   1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133  1x24V70W (H3) 8GH 002 090-251
various models		1GA 007 506-001  1GA 007 506-391  1GA 998 525-001 9GH 993 984-001	1  1  1 20	<b>FF®-H3 worklight 'Ultra Beam Standard' with optics for large-area ground illumination, with AMP plug-connection</b>  <b>FF®-H3 worklight 'Ultra Beam Standard' with optics for large-area ground illumination, with DEUTSCH plug-connection</b>  <b>Spare Parts:</b> 1 Light unit 20 Rubber cap for -001   1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133  1x24V70W (H3) 8GH 002 090-251



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Timberjack</b>				
various models	various models	1GA 998 534-011  1GA 998 525-011 5DV 990 264-011	1  1 1	<b>Xenon worklight 'Ultra Beam' with optics for large-area and long-range illumination, with gas discharge bulb and 24V ballast</b>  <b>Spare Parts:</b> Light unit 24V ballast unit   1x35W (D2S) 8GS 007 949-101
various models		1GA 998 532-011  1GA 990 183-001	1  1	<b>FF@-H3 worklight with optics for ground illumination</b>  <b>Spare Parts:</b> Light unit   1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251
various models		1GA 006 991-041  1GA 998 524-011 9XD 990 298-001	1  1 5	<b>FF@-H3 worklight 'Double Beam' with optics for large-area ground illumination</b>  <b>Spare Parts:</b> Light unit Angle bracket   1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251
various models		1GM 996 135-041  8GS 007 949-101	1  1	<b>Xenon worklight with optics for close-range illumination, with 24V ballast, with gas discharge bulb</b>  <b>Spare Parts:</b> Gas discharge bulb   1x35W (D2S) 8GS 007 949-101







Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Valtra</b>				
various models various models		1GA 007 506-001  1GA 007 506-391  1GA 998 525-001 9GH 993 984-001	1  1  1 20	<b>FF®-H3 worklight 'Ultra Beam Standard' with optics for large-area ground illumination, with AMP plug-connection</b>  <b>FF®-H3 worklight 'Ultra Beam Standard' with optics for large-area ground illumination, with DEUTSCH plug-connection</b>  <b>Spare Parts:</b> Light unit Rubber cap for -001  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251  
various models		1GA 998 522-011	1	<b>FF®-H3 worklight with optics for ground illumination</b>  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133  
various models		1GA 006 876-001	1	<b>FF®-H3 worklight with optics for ground illumination, with rotating base</b>  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251  
various models		1GA 006 875-001	1	<b>FF®-H3 worklight with optics for ground illumination</b>  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133  
various models		1GB 996 213-511  9XD 990 298-001	1  5	<b>H3 worklight 'Modul 6213' with optics for close-range illumination, with vibration damping</b>  <b>Spare Parts:</b> Angle bracket for 4-point fastening  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251  




# Valtra - Valtra (Valmet)



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Valtra</b>				
various models various models		1GA 006 991-041  1GA 998 524-011 9XD 990 298-001	1  1 5	<b>FF®-H3 worklight 'Double Beam' with optics for large-area ground illumination</b>  <b>Spare Parts:</b> Light unit Angle bracket   1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133
				
<b>Valtra (Valmet)</b>				
205 - 665 205 - 665	91->	1AB 006 277-127  9GH 126 647-011 9FF 126 444-001	36  10 10	<b>H4 headlight unit with 12V60/55W (H4) bulb</b>   24461  <b>Spare Parts:</b> Cap Bulb socket for side light   1x12V60/55W (H4) 8GJ 002 525-131  1x12V4W (T4W) 8GP 002 067-121
				
205 - 555		2JA 001 330-001	2	<b>Interior light</b>   2x12V5W (C5W) 8GM 002 092-121
				
605 - 955, 6000 - 8600 605 - 955 605, 655, 705, 755, 805, 855, 955 6000 - 8600 6000 - 8400, 8600	91->	1AB 006 277-127  9GH 126 647-011 9FF 126 444-001	36  10 10	<b>H4 headlight unit with 12V60/55W (H4) bulb</b>   24461  <b>Spare Parts:</b> Cap Bulb socket for side light (to be ordered separately)   1x12V60/55W (H4) 8GJ 002 525-131  1x12V4W (T4W) 8GP 002 067-121
				




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Joseph Vögele</b>				
various models various models		1GA 006 991-031  1GA 998 524-011 9XD 130 261-001	1  1 5	<b>FF®-H3 worklight with optics for large-area ground illumination</b>  <b>Spare Parts:</b> Light unit Angle bracket   2x12V55W (H3) 8GH 002 090-133
				
various models		1G3 005 760-001  1G3 005 760-011  1G3 135 211-011 6EB 005 633-001	1  1  1 10	<b>H3 worklight with optics for long-range illumination, with switch</b>  <b>H3 worklight with optics for long-range illumination, without switch</b>  <b>Spare Parts:</b> Light unit Switch   1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251
				
<b>VME</b>				
DM 5350 DM 5350		2BE 002 582-031  9EL 112 744-001	1  1	<b>Indicator-side light</b>  E1 43388  <b>Spare Parts:</b> Lens   1x24V5W (R5W) 8GA 002 071-241 1x24V21W (P21W) 8GA 002 073-241
				
DM 5350		2KA 001 389-101  9BG 119 721-001	10  5	<b>Licence plate light (supplies limited)</b>  E1 12815  <b>Spare Parts:</b> Body with lens   1x24V5W (C5W) 8GM 002 092-241
				
GM 616, GM 646 GM 616, GM 646		2SD 002 582-011 2SD 002 582-021  9EL 112 743-001 9EL 112 741-001	1 1  1 1	<b>Combination rearlight, left</b> <b>Combination rearlight, right</b>  E1 116 E1 53345  <b>Spare Parts:</b> Lens, left Lens, right   1x24V10W (R10W) 8GA 002 071-251 2x24V21W (P21W) 8GA 002 073-241
				






VME



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>VME</b>				
LM 621 - LM 642 LM 621, LM 641		2SD 001 685-211  9EL 113 324-001	1  2	<b>Combination rearlight</b>  (E12) 7146 <b>Spare Parts:</b> Lens with screws  1x24V5W (R5W) 8GA 002 071-241 2x24V21W (P21W) 8GA 002 073-241
LM 622, LM 642		2SD 001 688-171 2SD 001 688-141  9EL 092 435-011 9GD 102 484-001 9GT 074 132-001	1 1  1 10 10	<b>Combination rearlight, left</b> <b>Combination rearlight, right</b>  (E1) 43207 <b>Spare Parts:</b> Lens with screws Seal Grommet  2x24V5W (R5W) 8GA 002 071-241 2x24V21W (P21W) 8GA 002 073-241
LM 621, LM 622, LM 641, LM 642		2KA 001 389-101  9BG 119 721-001	10  5	<b>Licence plate light</b> <b>(supplies limited)</b>  (E1) 12815 <b>Spare Parts:</b> Body with lens  1x24V5W (C5W) 8GM 002 092-241
LM 841 LM 841		2BA 001 227-211  9EL 074 484-031	2  2	<b>Indicator light</b>  K 12642 <b>Spare Parts:</b> Body/lens  1x24V18W (K) 8GM 002 091-241
LM 841		2PF 001 648-161  9EL 108 435-001	4  5	<b>Side light</b>  (E1) 11794 <b>Spare Parts:</b> Lens with screw  1x24V5W (R5W) 8GA 002 071-241




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>VME</b>				
LM 841 LM 841		2SD 001 685-211  9EL 113 324-001	1  2	<b>Combination rearlight</b>  E12 7146  <b>Spare Parts:</b> Lens with screws  1x24V5W (R5W) 8GA 002 071-241 2x24V21W (P21W) 8GA 002 073-241
				
LM 846 LM 846		2BA 001 227-211  9EL 074 484-031	2  2	<b>Indicator light</b>  K 12642  <b>Spare Parts:</b> Body/lens  1x24V18W (K) 8GM 002 091-241
				
LM 846		2SD 001 685-211  9EL 113 324-001	1  2	<b>Combination rearlight</b>  E12 7146  <b>Spare Parts:</b> Lens with screws  1x24V5W (R5W) 8GA 002 071-241 2x24V21W (P21W) 8GA 002 073-241
				
LM 1240 LM 1240		2BA 001 227-211  9EL 074 484-031	2  2	<b>Indicator light</b>  K 12642  <b>Spare Parts:</b> Body/lens  1x24V18W (K) 8GM 002 091-241
				
LM 1240		2SD 001 688-171 2SD 001 688-141  9EL 092 435-011 9GD 102 484-001 9GT 074 132-001	1 1  1 10 10	<b>Combination rearlight, left</b> <b>Combination rearlight, right</b>  E1 43207  <b>Spare Parts:</b> Lens with screws Seal Grommet  2x24V5W (R5W) 8GA 002 071-241 2x24V21W (P21W) 8GA 002 073-241
				



**VME**



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>VME</b>				
LM 1641 LM 1641		2SD 001 685-211  9EL 113 324-001	1  2	<b>Combination rearlight</b>  E12 7146 <b>Spare Parts:</b> Lens with screws  1x24V5W (R5W) 8GA 002 071-241 2x24V21W (P21W) 8GA 002 073-241
LM 4200 - LM 4600 LM 4200 - LM 4600		2BA 001 227-211  9EL 074 484-031	2  2	<b>Indicator light</b>  K 12642 <b>Spare Parts:</b> Body/lens  1x24V18W (K) 8GM 002 091-241
LM 4200 - LM 4600 LM 4200, LM 4300, LM 4400, LM 4500, LM 4600		2SD 001 688-171 2SD 001 688-141  9EL 092 435-011 9GD 102 484-001 9GT 074 132-001	1 1  1 10 10	<b>Combination rearlight, left</b> <b>Combination rearlight, right</b>  E1 43207 <b>Spare Parts:</b> Lens with screws Seal Grommet  2x24V5W (R5W) 8GA 002 071-241 2x24V21W (P21W) 8GA 002 073-241
LM 4200 - LM 4600		2KA 001 389-101  9BG 119 721-001	10  5	<b>Licence plate light</b> <b>(supplies limited)</b>  E1 12815 <b>Spare Parts:</b> Body with lens  1x24V5W (C5W) 8GM 002 092-241
MK 693 MK 693		2BE 002 582-031  9EL 112 744-001	1  1	<b>Indicator-side light</b>  E1 43388 <b>Spare Parts:</b> Lens  1x12V5W (R5W) 8GA 002 071-121 1x12V21W (P21W) 8GA 002 073-121




Manufacturer Model	Model year	Part no.	Pk.	Note
<b>VME</b>				
S 830 S 830		2BE 001 259-061  9EL 088 538-001 9FT 088 047-001	2  2 10	<b>Indicator-side light</b>  K 23269  <b>Spare Parts:</b> Body/lens with screws Bulb holder  1x24V3W (M) 8GM 002 094-241 1x24V18W (K) 8GM 002 091-241
SM 462, SM 868 SM 462, SM 868		2SD 001 679-001  9EL 126 294-001	1  2	<b>Combination rearlight (supplies limited)</b>  K 53397  <b>Spare Parts:</b> Lens with screws  1x24V10W (K) 8GM 002 091-251 2x24V18W (K) 8GM 002 091-241
SM 969 SM 969		2SB 001 301-021  9EL 090 411-001	2  5	<b>Combination rearlight</b>  K 23318  <b>Spare Parts:</b> Lens with screw  1x24V10W (K) 8GM 002 091-251 1x24V18W (K) 8GM 002 091-241
SM 969		2SD 001 679-001  9EL 126 294-001	1  2	<b>Combination rearlight (supplies limited)</b>  K 53397  <b>Spare Parts:</b> Lens with screws  1x24V10W (K) 8GM 002 091-251 2x24V18W (K) 8GM 002 091-241
T 500, T 650 T 500, T 650		2BE 002 582-031  9EL 112 744-001	1  1	<b>Indicator-side light</b>  E1 43388  <b>Spare Parts:</b> Lens  1x12V5W (R5W) 8GA 002 071-121 1x12V21W (P21W) 8GA 002 073-121




VME



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>VME</b>				
T 500, T 650 T 500, T 650		2PF 001 648-161  9EL 108 435-001	4  5	<b>Side light</b>  Ⓔ1 11794  <b>Spare Parts:</b> Lens with screw  Ⓔ1 1x12V5W (R5W) 8GA 002 071-121
				
T 500, T 650		2SD 002 582-011 2SD 002 582-021  9EL 112 743-001 9EL 112 741-001	1 1  1 1	<b>Combination rearlight, left</b> <b>Combination rearlight, right</b>  Ⓔ1 116 Ⓔ1 53345  <b>Spare Parts:</b> Lens, left Lens, right  Ⓔ1 1x12V10W (R10W) 8GA 002 071-131 Ⓔ1 2x12V21W (P21W) 8GA 002 073-121
				
T 700 T 700		2BE 002 582-031  9EL 112 744-001	1  1	<b>Indicator-side light</b>  Ⓔ1 43388  <b>Spare Parts:</b> Lens  Ⓔ1 1x12V5W (R5W) 8GA 002 071-121 Ⓔ1 1x12V21W (P21W) 8GA 002 073-121
				
T 700		2SD 002 582-011 2SD 002 582-021  9EL 112 743-001 9EL 112 741-001	1 1  1 1	<b>Combination rearlight, left</b> <b>Combination rearlight, right</b>  Ⓔ1 116 Ⓔ1 53345  <b>Spare Parts:</b> Lens, left Lens, right  Ⓔ1 1x12V10W (R10W) 8GA 002 071-131 Ⓔ1 2x12V21W (P21W) 8GA 002 073-121
				
T 700		2SE 001 688-151 2SD 001 688-141  9EL 092 435-011 9GD 102 484-001 9GT 074 132-001	1 1  1 10 10	<b>Combination rearlight, left, with licence plate light</b> <b>Combination rearlight, right, without licence plate light</b>  Ⓔ1 43207  <b>Spare Parts:</b> Lens with screws Seal Grommet  Ⓔ1 2x12V5W (R5W) 8GA 002 071-121 Ⓔ1 2x12V21W (P21W) 8GA 002 073-121
				



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>VME</b>				
T 700 T 700		2KA 001 386-281  9BG 101 230-001 9GT 005 166-001	2  2 10	<b>Licence plate light</b>  E1 12820  <b>Spare Parts:</b> Body with lens Grommet  1x12V5W (C5W) 8GM 002 092-121
T 2650, T 2654 T 2650, T 2654	05/79->	2BE 002 582-031  9EL 112 744-001	1  1	<b>Indicator-side light</b>  E1 43388  <b>Spare Parts:</b> Lens  1x12V5W (R5W) 8GA 002 071-121 1x12V21W (P21W) 8GA 002 073-121
T 2650, T 2654	05/79->	2SD 001 688-171 2SD 001 688-141  9EL 092 435-011 9GD 102 484-001 9GT 074 132-001	1 1  1 10 10	<b>Combination rearlight, left</b> <b>Combination rearlight, right</b>  E1 43207  <b>Spare Parts:</b> Lens with screws Seal Grommet  2x12V5W (R5W) 8GA 002 071-121 2x12V21W (P21W) 8GA 002 073-121
<b>Volvo CE</b>				
various models various models		1GA 007 506-011  1GA 998 525-001 9GH 993 984-001 9XD 990 298-001	1  1 20 5	<b>FF®-H3 worklight 'Ultra Beam Heavy Duty' with optics for large-area ground illumination, with AMP plug-connection</b>  <b>Spare Parts:</b> Light unit Rubber cap Angle bracket  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133
various models		1GA 006 876-001	1	<b>FF®-H3 worklight with optics for ground illumination</b>  1x12V55W (H3) 8GH 002 090-371 1x12V55W (H3) 8GH 002 090-133



# Volvo CE - Yale



Manufacturer Model	Model year	Part no.	Pk.	Note
<b>Volvo CE</b>				
various models various models		1GA 006 991-071  9XD 990 298-001	1  5	<b>FF®-H3 worklight 'Double Beam' with optics for object illumination</b>  <b>Spare Parts:</b> Angle bracket  2x12V35W (H3) 8GH 002 090-271  2x12V55W (H3) 8GH 002 090-133
				
<b>Yale</b>				
various models		1GA 006 876-001	1	<b>FF®-H3 worklight with optics for ground illumination, with rotating base</b>   1x12V55W (H3) 8GH 002 090-371  1x12V55W (H3) 8GH 002 090-133  1x24V70W (H3) 8GH 002 090-251
				
various models		1GA 006 991-031  1GA 998 524-011 9XD 130 261-001	1  1 5	<b>FF®-H3 worklight with optics for large-area ground illumination</b>  <b>Spare Parts:</b> Light unit Angle bracket  2x12V55W (H3) 8GH 002 090-133
				



# Fog Lights, Driving Lights, Headlights, Work Lights and Search Lights



Accessories for built-in headlights	4.37
Accessories for fog- and driving lights	4.28
Accessories for work lights	4.114-4.117
Built-in headlights	4.30-4.48
Driving lights	4.03-4.27
External-fitting headlights	4.49-4.56
Fog lights	4.03-4.27, 4.29
"5760" light series	4.57-4.58
"Oval 100" light series	4.59-4.66
"Oval 120" light series	4.67
"Module 120" light series	4.68-4.72
"Module 6213" light series	4.73-4.78
"7145" light series	4.79
Search lights	4.118
Work lights	4.02, 4.80-4.113

# Why worklights?

**Working at night -  
no problem with the right headlights.**

Special headlight types have been developed for this purpose:

Low-beam headlights and spotlights:  
for illuminating the road in road traffic.

Fog lights:  
for poor visibility conditions in road traffic.

Worklights:  
for the illumination of a working area near the vehicle and away  
from public road traffic.

At the mounting height typical for work lighting (2.50 m), only  
worklights provide sufficient illumination of the working area.  
Standard vehicle lighting is nowhere near good enough!  
Outstanding features of a good worklight include the  
homogeneous illumination of as large an area as possible and  
a soft transition at the edge.



**Low beam**



**Spotlight**



**Fog light**



**Work light**

## Active safety through proper illumination!

It's not only the selection of the correct type of headlight that is  
decisive for the choice of optimum worklight, but its correct  
positioning on the vehicle, too. Worklights shine at an angle to  
the surface they are illuminating. This means that even small  
changes in the angle of inclination and the mounting height  
have a great influence on the illumination of the working area.  
For large-surface illumination, the higher the mounting position  
the better.



**low  
mounting position**



**high  
mounting position**

## Legal notes:

According to FMVSS § 52 (7) [Germany], all multi-track vehicles may be equipped with one or more worklights.





**Worklights must not be used when these vehicles are being driven on public roads, only when they are at a standstill, e.g. during loading and unloading.**

**Exceptions to this are made for vehicles used for constructing, maintaining or cleaning the roads or for waste disposal vehicles, if the action of driving is part of a working process.**




**Worklights may only be switched on as long as they do not dazzle other road users.**

**Worklights must be able to be switched on independently of all other headlights or lights, e.g. joint circuitry with the reverse light is not permitted. Hella provides special reversing spotlights for this purpose.**

**There are no special approval regulations, e.g. according to ECE or EC, since worklights may only be used when driving away from public roads.**

	Part no.	Pk.	Built-in lights
 	<p><b>1NL 008 090-821</b> 1</p> <p><b>1NL 008 090-831</b> 1</p> <hr/> <p><b>1NL 008 090-031</b> 1</p> <p><b>1NL 008 090-037</b> 60</p> <p><b>1NL 008 090-117</b> 1</p> <p><b>9GH 147 009-007</b> 30</p> <p><b>9HD 149 253-007</b> 1</p> <p><b>8JD 156 150-807</b> 1</p>		<p><b>Micro DE® *)</b></p> <p> 877</p> <p><b>DE®-H3 fog light set with black decorative rings</b></p> <p><b>with universal radio remote control unit</b></p> <hr/> <p><b>DE®-H3 fog light with black decorative ring, cap, bracket, fixing screws and 12V bulb</b></p> <p><b>with 24V bulb and black decorative ring</b></p> <p><b>Spare parts:</b> Rubber sealing cap</p> <p><b>Accessories:</b> Plastic sealing cap with cover, lead and plug</p> <p>Socket set</p> <p> 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251</p>
  	<p><b>Ref. 17.5</b></p> <p><b>1F0 008 390-801</b> 1</p> <p><b>1F0 008 390-001</b> 1</p> <p><b>1F0 160 197-001</b> 1</p> <p><b>5DV 007 760-631</b> 1</p> <p><b>8JD 156 151-807</b> 1</p> <p><b>8HG 153 152-001</b> 1</p>		<p><b>DE®-Xenon</b></p> <p> 1120</p> <p><b>DE®-Xenon driving light set with black decorative rings, gas discharge bulbs, 12V ballast units, relays and lead set</b></p> <p><b>DE®-Xenon driving light with black decorative ring, gas discharge bulb, 12V ballast unit, relay and lead set</b></p> <p><b>Spare parts:</b> Light unit without gas discharge bulb and ballast unit Ballast unit, 12V</p> <p><b>Accessories:</b> Socket set (20 pcs.)</p> <p>Convenience mount with adjustment screw</p> <p> 1x35W (D2S) 8GS 007 949-101</p>


\*) Micro work lights see page 4.104


	Part no.	Pk.	Built-in lights
 	1NL 008 090-871	1	<b>Micro DE® Premium *)</b> (E1) 877
	1NL 008 090-301	1	DE®-H3 fog light set with 12V bulbs, black housing, cap, alu-ring, designpanels, universal radio remote control unit, holder and relays with cable
 	1NL 008 090-317 **)	24	DE®-H3 fog light with 12V bulb, black housing, cap, alu-ring and holder, without designpanel
	1NL 008 090-327 **)	24	DE®-H3 fog light with 24V bulb, black housing, cap, alu-ring and holder, without designpanel
	9GH 147 009-007	30	<b>Spare parts:</b> Rubber sealing cap
	9HD 149 253-007	1	<b>Accessories:</b> Plastic sealing cap with cover, lead and plug
	9AH 161 786-017	12	Supporting frame for -317/-327
	8JD 156 150-807	1	Socket set (20 pcs.)
			 1x12V55W (H3) 8GH 002 090-133  1x24V70W (H3) 8GH 002 090-251
 	Ref. 17.5		<b>Micro DE®-Xenon Premium</b> (E1) 1120
	1F0 008 390-821	1	DE®-Xenon driving light set with black housing, alu-ring, designpanels, gas discharge bulbs and 12V ballast units
	1F0 008 390-301	1	DE®-Xenon driving light with black housing, alu-ring, designpanel, gas discharge bulb and 12V ballast unit
	1F0 160 197-001	1	<b>Spare parts:</b> Light unit
	5DV 007 760-631	1	Ballast unit, 12V
			 1x35W (D2S) 8GS 007 949-101




\*) Micro work lights see page 4.104


\*\*) Supporting frame not supplied with light, see accessories



	Part no.	Pk.	For pendant mounting
			<b>Cornering Light</b>
			(E1) 1951
	1N0 009 295-801	1	H7-fog-/tracking headlight set with 12V bulbs and tracking headlight unit
	5DF 009 244-007	24	<b>Spare parts:</b> Tracking headlight unit
			 2x12V55W (H7) 8GH 007 157-121
			<hr/>
	1N0 009 295-011	1	H7-fog-/tracking headlight with bracket and 12V bulb, left
	1N0 009 295-021	1	right
	1N0 009 295-031	1	with supporting frame and 12Vbulb, left
	1N0 009 295-037	36	
	1N0 009 295-041	1	right
	1N0 009 295-047	36	
	1N0 009 295-057	1	with supporting frame and 24Vbulb, left
	1N0 009 295-067	1	right
	5DF 009 244-007	24	<b>Accessories:</b> Tracking headlight unit
			 1x12V55W (H7) 8GH 007 157-121  1x24V70W (H7) 8GH 007 157-241






	Part no.	Pk.	For upright mounting
			<b>Comet FF 200</b>
			(E1) 645 <b>H3 fog light set with 12V bulbs, relay, cable set, on/off switch and basalt grey body</b>
	1N4 007 893-821	1	<b>H3 fog light with 12V bulb and ivory body</b>
	1N4 007 893-001	1	<b>without 12V bulb, with chrome-plated body</b>
	1N4 007 893-181	1	<b>Spare parts:</b> Light unit with 12V bulb for -821/-001
	1N4 149 531-011	1	Normally-open relay for -821
4RA 003 510-081	1	Switch for -821	
6EH 007 946-001	1		
 			(E1) 646 Ref. 37.5      (E1) 647 Ref. 17.5
	Ref. 37.5		<b>H3 driving light set with 12V bulbs, relay, cable set, on/off switch and ivory body</b>
	1F4 007 893-811	1	<b>with 12V bulbs, relay, cable set, on/off switch and basalt grey body</b>
	1F4 007 893-841	1	<b>H3 driving light with 12V bulb and ivory body</b>
	1F4 007 893-021	1	<b>with 12V bulb and basalt grey body</b>
	1F4 007 893-081	1	<b>without 12V bulb, with chrome-plated body</b>
	1F4 007 893-191	1	<b>H3 driving light set with 12V bulbs, relay, cable set, on/off switch and ivory body</b>
	Ref. 17.5		<b>with 12V bulbs, relays, cable set, on/off switch and basalt grey body</b>
	1F4 007 893-921	1	<b>H3 driving light without 12V bulb, with chrome-plated body</b>
	1F4 007 893-911	1	<b>without 12V bulb, with chrome-plated body and blue lens</b>
	1F4 007 893-201	1	<b>Spare parts:</b> Light unit with 12V bulb for -811/-841/-021/-081
	1F4 007 893-241	1	Light unit without 12V bulb for -191
1F4 149 537-011	1	for -201	
1F4 162 883-011	1	Normally-open relay for -811/-841/-921/-911	
1F4 160 300-011	1	Switch for -811/-841/-921/-911	
1F4 160 302-011	1		
4RA 003 510-081	1		
6EH 007 946-001	1		
			 1x12V55W (H3) 8GH 002 090-133

	Part no.	Pk.	For upright mounting
 	<p>Ref. 37.5</p> <p>1F4 007 893-871</p> <p>1F4 007 893-141</p> <p>1F4 157 022-011</p> <p>5DV 007 760-631</p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p><b>Comet 200 Xenon</b></p> <p>Ⓔ1 646</p> <p><b>Xenon driving light set, with antracit body, silver coloured rim, gas discharge bulbs and 12V ballast unit</b></p> <p><b>Xenon driving light, with antracit body, silver coloured rim, gas discharge bulb and 12V ballast unit</b></p> <p><b>Spare parts:</b> Light unit Ballast unit, 12V</p> <p> 1x35W (D2S) 8GS 007 949-101</p>
 	<p>1N4 002 608-021</p> <p>1F4 002 608-001</p>	<p>1</p> <p>1</p>	<p><b>Classic 160</b></p> <p>Ⓔ1 915</p> <p><b>H3 fog light, 12V, with chrome-plated body</b></p> <hr/> <p>Ⓔ1 14521</p> <p><b>H3 driving light, 12V, with chrome-plated body</b></p> <p> 1x12V55W (H3) 8GH 002 090-133</p>


	Part no.	Pk.	For upright mounting
             			<b>Comet 500</b>
			Ⓔ1 18213
	1N4 005 750-801	1	H3 fog light set, 12V, with bulbs, white, relay and on/off switch
	1N4 005 750-001	1	H3 fog light, 12V, without bulb, white
	1N4 005 750-041	1	H3 fog light, 12V, without bulb, yellow
	1N4 135 224-011	1	<b>Spare parts:</b> Light unit, white
	6EG 001 567-041	10	On/off switch
			Ⓔ1 44404 Ref. 37.5    Ⓔ1 44405 Ref. 17.5
	<b>Ref. 37.5</b>		
	1F4 005 750-811	1	H3 driving light set, 12V, with bulbs, white
	1F4 005 750-831	1	H3 driving light set, 12V, with bulbs and cap, white
	<b>Ref. 17.5</b>		
	1F4 005 750-871	1	H3 driving light set, 12V, with bulbs, white
	<b>Ref. 37.5</b>		
	1F4 005 750-011	1	H3 driving light, 12V, without bulb, white
<b>Ref. 17.5</b>			
1F4 005 750-071	1	H3 driving light, 12V, without bulb, white	
<b>Ref. 37.5</b>			
1F4 005 750-301	1	H3 driving light, 12V, with bulb and smoke coloured lens, white	
			<b>Spare parts:</b> Light unit, white, for -811/-831/-011
1F4 135 230-011	1	 1x12V55W (H3) 8GH 002 090-133	


	Part no.	Pk.	For upright mounting
 	<b>Ref. 37.5</b> <b>1F1 009 094-041</b>	1	<b>Luminator Compact CELIS®</b> (E1) 1901 Ref. 37.5 (E1) 1902 Ref. 17.5  <b>Black die-cast zinc body, rim and bracket.</b> <b>Lens with clear-glass look.</b>  <b>H1 driving light, 12V/24V,</b> <b>with CELIS® side light incl. LEDs</b>
	<b>Ref. 17.5</b> <b>1F1 009 094-081</b>	1	<b>H1 driving light, 12V/24V,</b> <b>with CELIS® side light incl. LEDs</b>
 	<b>Ref. 37.5</b> <b>1F1 009 094-051</b>	1	<b>Chrome-plated die-cast zinc body,</b> <b>rim and bracket.</b> <b>Lens with clear-glass look.</b>  <b>H1 driving light, 12V/24V,</b> <b>with CELIS® side light incl. LEDs</b>
	<b>Ref. 17.5</b> <b>1F1 009 094-091</b>	1	<b>H1 driving light, 12V/24V,</b> <b>with CELIS® side light incl. LEDs</b>
	<b>1F1 161 825-021</b> <b>1F1 161 825-041</b>	1 1	<b>Spare parts:</b> <b>Light unit</b> for -041/-051/-201 for -081/-091
	<b>9AG 161 844-011</b> <b>9AG 161 844-021</b>	1 1	<b>Rim</b> for -041/-081 for -051/-091
			 <b>1x12V55W (H1) 8GH 002 089-133</b> <b>1x24V70W (H1) 8GH 002 089-251</b>



	Part no.	Pk.	For upright mounting
	<p><b>1N3 009 094-001</b></p> <p>Ref. 37.5 <b>1F3 009 094-021</b></p> <p>Ref. 17.5 <b>1F3 009 094-061</b></p>	<p>1</p> <p>1</p> <p>1</p>	<p><b>Luminator Compact</b> Black die-cast zinc body, rim and bracket. Lens with clear-glass look.</p> <p>(E1) 1901</p> <p><b>H7 fog light, 12V/24V</b></p> <hr/> <p>(E1) 1901 Ref. 37.5 (E1) 1902 Ref. 17.5</p> <p><b>H1 driving light, 12V/24V</b></p> <hr/> <p><b>H1 driving light, 12V/24V</b></p>
	<p><b>1N3 009 094-011</b></p> <p>Ref. 37.5 <b>1F3 009 094-031</b></p> <p><b>1F3 009 094-171</b></p> <p>Ref. 17.5 <b>1F3 009 094-071</b></p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p><b>Chrome plated die-cast zinc body, rim and bracket. Lens with clear-glass look.</b></p> <p>(E1) 1901</p> <p><b>H7 fog light, 12V/24V</b></p> <hr/> <p>(E1) 1901 Ref. 37.5 (E1) 1902 Ref. 17.5</p> <p><b>H1 driving light, 12V/24V</b></p> <p><b>with blue lens, 12V/24V</b></p> <p><b>H1 driving light, 12V/24V</b></p>
	<p><b>1F3 161 825-011</b></p> <p><b>1F3 161 825-031</b></p> <p><b>1F3 161 825-081</b></p> <p><b>1N3 161 825-001</b></p> <p><b>9AG 161 844-011</b></p> <p><b>9AG 161 844-021</b></p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p><b>Spare parts:</b> Light unit for -021/-031 for -061/-071 for -171 for -001/-011</p> <p>Rim for -001/-021/-061 for -011/-031/-071/-171</p> <p> 1x12V55W (H1) 8GH 002 089-133 1x24V70W (H1) 8GH 002 089-251</p> <p> 1x12V55W (H7) 8GH 007 157-121 1x24V70W (H7) 8GH 007 157-241</p>
 	<p><b>1F3 009 094-142</b></p> <p>1F3 161 825-071</p> <p>9AG 161 844-011</p>	<p>1</p> <p>1</p> <p>1</p>	<p><b>Luminator Compact Xenon</b> Black die-cast zinc body, rim and bracket. Lens with clear-glass look.</p> <p>(E1) 2087</p> <p><b>Xenon driving light with discharge bulb and 12V ballast unit</b></p> <p><b>Spare parts:</b> Light unit Rim</p> <p> 1x35W (D1S) 8GS 009 028-001</p>


	Part no.	Pk.	For upright mounting
			<b>Rallye 3000 Compact</b>
			(E1) 1901
	<b>Black plastic body, silver coloured rim with chrome applications. Lens with clear-glass look.</b>		
	<b>1N3 009 390-001</b>	1	<b>H7 fog light, 12V/24V, without bulb</b>
	<b>Ref. 37.5</b>		(E1) 1901
			<b>H1 driving light, 12V/24V, without bulb</b>
	<b>1F3 009 390-011</b>	1	<b>with blue lens, 12V/24V, without bulb</b>
	<b>Ref. 17.5</b>		
	<b>1F3 009 390-051</b>	1	<b>H1 driving light, 12V/24V, without bulb</b>
	<b>Ref. 37.5</b>		(E1) 1901
			<b>H1 driving light, 12V/24V, with CELIS® side light incl. LEDs, without bulb</b>
	<b>1F1 009 390-021</b>	1	<b>H1 driving light, 12V/24V, with CELIS® side light incl. LEDs, without bulb</b>
	<b>Ref. 17.5</b>		
	<b>1F1 009 390-041</b>	1	<b>Spare parts:</b> Light unit for -001 for -011 for -051 for -031 for -021 Rim
	<b>1N3 161 825-001</b> <b>1F3 161 825-011</b> <b>1F3 161 825-081</b> <b>1F3 161 825-031</b> <b>1F1 161 825-021</b> <b>9AG 162 940-001</b>	1 1 1 1 1 1	1x12V55W (H1) 8GH 002 089-133 1x24V70W (H1) 8GH 002 089-251  1x12V55W (H7) 8GH 007 157-121 1x24V70W (H7) 8GH 007 157-241




	Part no.	Pk.	For upright or pendant mounting
  	<p><b>1N7 004 700-281</b></p> <p>Ref. 17.5</p> <p><b>1F7 004 700-321</b></p> <p>Ref. 37.5</p> <p><b>1F7 004 700-391</b></p> <p><b>1F7 004 700-031</b></p> <p><b>1F7 004 700-071</b></p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p><b>Rallye 1000</b></p> <p>Ⓔ1 8390</p> <p><b>Black plastic body and rim.</b></p> <p><b>H3 fog light, with rim and 12V bulb, white</b></p> <p> 1x12V55W (H3) 8GH 002 090-133</p> <hr/> <p>Ⓔ1 34553    Ⓔ1 348</p> <p><b>H2 driving light, 12V, with rim, without bulb, white</b></p> <hr/> <p>Ⓔ1 34518</p> <p><b>H2 driving light, 12V, with rim, without bulb, white</b></p> <p><b>with 12V bulb, without rim, white</b></p> <p><b>with 12V bulb, without rim, yellow</b></p> <hr/> <p>Ⓔ1 34553    Ⓔ1 348</p>
  	<p>Ref. 17.5</p> <p><b>1F7 004 700-431</b></p> <p><b>1F7 146 713-001</b></p>	<p>1</p> <p>1</p>	<p><b>H2 driving light, 12V, with black lens (Colour-Design), and rim, without bulb, white</b></p> <p><b>Spare parts:</b> Light unit</p> <p> 1x12V55W (H2) 8GH 002 857-121</p>



Part no.	Pk.	For upright or pendant mounting
<b>Rallye 3000</b> (E1) 18245 Black plastic body and rim. <b>H3 fog light, 12V/24V</b>  1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251		
1N8 006 800-001	1	
Ref. 37,5		(E1) 44484 Ref. 37,5      (E1) 303 Ref. 17,5
1F8 006 800-191	1	<b>H1 driving light, 12V/24V, with side light</b>
1F8 006 800-301	1	<b>H1 driving light, 12V/24V, lens with clear-glass look, without side light</b>
1F8 006 800-311	1	<b>lens with clear-glass look, with side light</b>
Ref. 17,5		
1F8 006 800-181	1	<b>H1 driving light, 12V/24V, lens with clear-glass look, without side light</b>
1F8 006 800-361	1	<b>lens with clear-glass look, without side light</b>
1F8 006 800-341	1	<b>lens with clear-glass look, with side light</b>
1F8 006 800-401	1	<b>lens with clear-glass look, with CELIS® side light, incl. LEDs</b>
<b>Rallye 3000 Blue</b> Black plastic body, silver lens-retaining rim with blue stripes. <b>H1 driving light, 12V/24V, with blue lens and side light</b> <b>blue lens with clear-glass look, with side light</b> <b>blue lens with clear-glass look, without side light</b> <b>blue lens with clear-glass look, with side light</b>		
Ref. 37,5		
1F8 006 800-221	1	
1F8 006 800-321	1	
Ref. 17,5		
1F8 006 800-331	1	
1F8 006 800-351	1	
<b>Spare parts:</b> Light unit		
1N8 142 350-011	1	for -001
1F8 147 077-011	1	for -191
1F8 162 872-011	1	for -301
1F8 162 873-011	1	for -311
1F8 157 042-011	1	for -221
1F8 162 874-011	1	for -321
1F8 165 940-011	1	for -331
1F8 165 941-011	1	for -341
1F8 165 942-011	1	for -351
1F8 165 943-011	1	for -361
Lens-retaining rim for -181/-191 for -221/-321 for -301/-311/-331/-341/-351/-361 for -401		
<b>Accessories:</b> Bracket for two-point fixing (2 pcs.) Cable set  1x12V55W (H1) 8GH 002 089-133 1x24V70W (H1) 8GH 002 089-251  1x12V5W (W5W) 8GP 003 594-121 1x24V5W (W5W) 8GP 003 594-251		
    		


 	Part no.	Pk.	<b>For upright or pendant mounting</b>
	Ref. 37.5		<b>Rallye 3003</b>
	1F8 009 797-021	1	(E1) 1928 Ref. 37.5 (E1) 2254 Ref. 17.5  <b>Black body, silver lens-retaining rim.</b>
	1F8 009 797-031	1	<b>H1 driving light, 12V/24V, lens with clear-glass look, with side light</b>
	1F8 009 797-121	1	<b>blue lens with clear-glass look, with side light</b>
	1F8 009 797-131	1	<b>H1 driving light, 12V/24V, lens with clear-glass look, with side light</b>
	1F8 009 797-131	1	<b>blue lens with clear-glass look, with side light</b>
	9AG 168 666-001	6	<b>Spare parts:</b> Lens-retaining rim   1x12V55W (H1) 8GH 002 089-133 1x24V70W (H1) 8GH 002 089-251   1x12V5W (W5W) 8GP 003 594-121 1x24V5W (W5W) 8GP 003 594-251
 	Ref. 37.5		<b>Rallye 3003 Compact</b>
	1F3 010 119-011	1	(E1) 1902
	1F3 010 119-021	1	<b>Black body, silver lens-retaining rim.</b>
	1F3 010 119-001	1	<b>H1 driving light, 12V/24V, lens with clear-glass look</b>
	1F3 010 119-001	1	<b>blue lens with clear-glass look</b>
	1F3 010 119-001	1	<b>H1 driving light, 12V/24V, lens with clear-glass look</b>
			 1x12V55W (H1) 8GH 002 089-133 1x24V70W (H1) 8GH 002 089-251


	Part no.	Pk.	For upright mounting
	<p><b>1N8 007 560-031</b></p> <p>1N8 148 103-011 9AG 147 939-011</p>	<p>1</p> <p>1</p> <p>1</p>	<p><b>Luminator-Metal</b></p> <p>(E1) 18245</p> <p><b>H3 fog light, 12V/24V, with bracket, black die-cast zinc body and lens-retaining rim</b></p> <p><b>Sparte parts:</b> Light unit Lens-retaining rim</p> <p> 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251</p> <hr/> <p>(E1) 44484 Ref. 37.5      (E1) 303 Ref. 17.5</p>
  	<p>Ref. 37.5</p> <p><b>1F8 007 560-041</b></p> <p><b>1F8 007 560-301</b></p> <p>Ref. 17.5</p> <p><b>1F8 007 560-011</b></p> <p>1F8 148 131-011 1F8 162 870-011 1F8 148 009-011 9AG 147 939-011</p> <p><b>8HG 116 741-801</b> <b>8KA 148 541-001</b></p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p><b>H1 driving light, 12V/24V, patterned cover lens, with side light</b></p> <p><b>lens with clear-glass look, with side light</b></p> <p><b>H1 driving light, 12V/24V, patterned cover lens, with side light</b></p> <p><b>Spare parts:</b> Light unit for -041 for -301 for -011 Lens-retaining rim</p> <p><b>Accessories:</b> Bracket for two-point fixing (2 pcs.) Cable set with relay for electrical connection, 12V</p> <p> 1x12V55W (H1) 8GH 002 089-133 1x24V70W (H1) 8GH 002 089-251</p> <p> 1x12V5W (W5W) 8GP 003 594-121 1x24V5W (W5W) 8GP 003 594-251</p>




	<p><b>Part no.</b></p> <p><b>Ref. 17.5</b></p> <p><b>1F8 007 560-201</b></p> <p><b>1F8 161 326-011</b></p>	<p><b>Pk.</b></p> <p>1</p> <p>1</p>	<p><b>For upright mounting</b></p> <p><b>Luminator-Metal CELIS®</b></p> <p>Ⓔ1 18245</p> <p><b>H1 driving light, 12V/24V, black die-cast cinc body, lens-retaining rim and bracket, with side light in CELIS® technology incl. LEDs</b></p> <p><b>Spare parts:</b> Light unit</p> <p> 1x12V55W (H1) 8GH 002 089-133  1x24V70W (H1) 8GH 002 089-251</p>
	<p><b>1F8 007 560-561</b></p> <p><b>1F8 007 560-571</b></p> <p>1F8 149 644-011</p> <p>9AG 147 939-031</p> <p>5DV 007 760-631</p> <p>5DV 007 810-171</p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p><b>Luminator Xenon</b></p> <p>Ⓔ1 844</p> <p><b>Xenon driving light, red/black body, red lens-retaining rim and bracket made of die-cast cinc, with gas discharge bulb and 12V ballast unit</b></p> <p><b>with gas discharge bulb and 24V ballast unit</b></p> <p><b>Spare parts:</b> Light unit Lens-retaining rim Ballast unit, 12V 24V</p> <p> 1x35W (D2S) 8GS 007 949-101</p>
	<p><b>1F8 007 560-621</b></p> <p><b>1F8 007 560-631</b></p> <p>1F8 165 949-011</p> <p>9AG 147 939-031</p> <p>5DV 008 855-001</p> <p>5DV 008 856-001</p> <p><b>8HG 116 741-801</b></p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p>Ⓔ1 2255</p> <p><b>Xenon driving light, black body and bracket, red lens-retaining rim made of die-cast cinc, lens with clear-glass look, with gas discharge bulb and 12V ballast unit</b></p> <p><b>with gas discharge bulb 24V ballast unit</b></p> <p><b>Spare parts:</b> Light unit Lens-retaining rim Ballast unit, 12V 24V</p> <p><b>Accessories:</b> Bracket for two-point fixing (2 pieces)</p> <p> 1x35W (D1S) 8GS 009 028-001</p>
	<p><b>Ref. 17.5</b></p> <p><b>1F8 007 560-211</b></p> <p><b>1F8 161 326-011</b></p>	<p>1</p> <p>1</p>	<p><b>Luminator Chromium CELIS®</b></p> <p>Ⓔ1 1753</p> <p><b>H1 driving light, 12V/24V, chrome-plated die cast cinc body, lens-retaining rim and bracket, lens with clear-glass look, with side light in CELIS® technology incl. LEDs</b></p> <p><b>Spare parts:</b> Light unit</p> <p> 1x12V55W (H1) 8GH 002 089-133  1x24V70W (H1) 8GH 002 089-251</p>





	Part no.	Pk.	For upright mounting
	<b>1N8 007 560-021</b>  1N8 148 103-011 9AG 147 939-021	1  1 1	<b>Luminator-Chromium</b>  (E1) 18245  <b>H3 fog light, 12V, chrome-plated, die-cast zinc body, bracket and lens-retaining rim</b>  <b>Spare parts:</b> Light unit Lens-retaining rim   1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251
	<b>Ref. 37.5</b>  <b>1F8 007 560-051</b>  <b>1F8 007 560-311</b>  <b>Ref. 17.5</b>  <b>1F8 007 560-341</b>	1  1  1	<b>H1 driving light, 12V, chrome-plated, die-cast zinc body, bracket and lens-retaining rim, with side light, patterned cover lens</b>  <b>lens with clear-glass look</b>  <b>lens with clear-glass look, with side light, without bulb</b>
	<b>Ref. 37.5</b>  <b>1F8 007 560-131</b>  <b>1F8 007 560-321</b>  <b>Ref. 17.5</b>  <b>1F8 007 560-331</b>  1F8 148 131-011 1F8 162 870-011 1F8 158 926-011 1F8 162 871-011 1F8 165 946-011 1F8 165 947-011 9AG 147 939-021	1  1  1  1  1  1  1  1  1	(E1) 44484  <b>With side light and blue, patterned cover lens</b>  <b>with blue lens and clear-glass look</b>  <b>with side light and blue lens with clear-glass look</b>  <b>Spare parts:</b> Light unit for -051 for -311 for -131 for -321 for -331 for -341 Lens-retaining rim
	<b>8HG 116 741-801</b> <b>8KA 148 541-001</b>	1 1	<b>Accessories:</b> Bracket for two-point fixing (2 pieces) Cable set with relay for electrical connection, 12V   1x12V55W (H1) 8GH 002 089-133 1x24V70W (H1) 8GH 002 089-251   1x12V5W (W5W) 8GP 003 594-121 1x24V5W (W5W) 8GP 003 594-251



	Part no.	Pk.	For upright mounting
  			<b>FF® 50</b> (E1) 1209 <b>Black plastic body.</b>
	1NA 008 283-801	1	<b>H7 fog light set, 12V, with bulbs, relay, switch and cable set</b>
	1NA 008 283-001	1	<b>H7 fog light, 12V, with bulb</b>
	Ref. 12.5		(E1) 1210
	1FA 008 283-811	1	<b>H7 driving light set, 12V, with bulbs, relay, switch and cable set</b>
	Ref. 12.5		
	1FA 008 283-011	1	<b>H7 driving light, 12V, with bulb</b>
	1FA 008 283-861	1	<b>H7 driving light set, 12V, with blue lenses, bulbs, relay, switch and cable set</b>
	1FA 008 283-031	1	<b>H7 driving light, 12V, with blue lens and bulb</b>
			 1x12V55W (H7) 8GH 007 157-121
  			<b>FF® 75</b> (E1) 1211
	1NA 008 284-801	1	<b>H7 fog light set, 12V, with bulbs, relay, switch and cable set</b>
	1NA 008 284-001	1	<b>H7 fog light, 12V, with bulb</b>
	Ref. 12.5		(E1) 1212
	1FA 008 284-811	1	<b>H7 driving light set, 12V, with bulbs, relay, switch and cable set</b>
	Ref. 12.5		
	1FA 008 284-011	1	<b>H7 driving light, 12V, with bulb</b>
	1FA 008 284-861	1	<b>H7 driving light set, 12V, with blue lenses, bulbs, relay, switch and cable set</b>
	1FA 008 284-031	1	<b>H7 driving light, 12V, with blue lens and bulb</b>
			 1x12V55W (H7) 8GH 007 157-121




	Part no.	Pk.	For upright mounting
	<p>1NA 007 891-821</p> <p>1NA 007 891-041</p>	<p>1</p> <p>1</p>	<p><b>Comet FF® 100</b></p> <p>Ⓔ1 650</p> <p><b>H3 fog light set, 12V, basalt grey body, with bulbs, relay and on/off switch</b></p> <p><b>H3 fog light, 12V, basalt grey body, with bulb</b></p> <p><b>Spare parts:</b>                      1NA 149 501-011 1 Light unit with 12V bulb                      4RA 003 510-081 1 Normally-open relay for -821</p>
 	<p>1FA 007 891-811</p> <p>1FA 007 891-841</p> <p>1FA 007 891-061</p> <p>1FA 149 504-011</p> <p>4RA 003 510-081</p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p>Ⓔ1 651</p> <p><b>H3 driving light set, 12V, ivory body, with bulbs, relay and on/off switch</b></p> <p><b>H3 driving light set, 12V, basalt grey body, with bulbs, relay and on/off switch</b></p> <p><b>H3 driving light, 12V, basalt grey body, with bulb</b></p> <p><b>Spare parts:</b>                      1FA 149 504-011 1 Light unit with 12V bulb                      4RA 003 510-081 1 Normally-open relay for -811/-841</p> <p> 1x12V55W (H3) 8GH 002 090-133</p>

	Part no.	Pk.	For upright or pendant mounting
	1NB 007 892-821	1	<b>Comet FF® 300</b> (E1) 648 <b>H3 fog light set, 12V, basalt grey body, with bulbs, relay and on/off switch</b>
	1NB 007 892-001	1	<b>H3 fog light, 12V, ivory body, with bulb</b>
	1NB 007 892-041	1	<b>H3 fog light, 12V, basalt grey body, with bulb</b>
	4RA 003 510-081	1	<b>Spare parts:</b> Normally-open relay for -821
			
	1FB 007 892-811	1	(E1) 649 <b>H3 driving light set, 12V, ivory body, with bulbs, relay and on/off switch</b>
	1FB 007 892-841	1	<b>H3 driving light set, 12V, basalt grey body, with bulbs, relay and on/off switch</b>
	1FB 007 892-011	1	<b>H3 driving light, 12V, ivory body, with bulb</b>
	1FB 007 892-071	1	<b>H3 driving light, 12V, basalt grey body, with bulb</b>
	Ref. 17.5		
	1FB 007 892-131	1	<b>H3 driving light, 12V, basalt grey body, with blue lens, without bulb</b>
	1FB 149 519-011	1	<b>Spare parts:</b> Light unit with 12V bulb for -811/-841/-011
	1FB 162 881-011	1	without bulb for -131
	4RA 003 510-081	1	Normally-open relay for -811/-841
			 1x12V55W (H3) 8GH 002 090-133



	Part no.	Pk.	For upright mounting
  			<b>Comet 300</b>
	1NB 007 360-011	1	(E1) 15 H3 fog light, 12V, without bulb, left
	1NB 007 360-021	1	H3 fog light, 12V, without bulb, right
	Ref. 12.5		(E1) 44511
	1FB 007 360-031	1	H3 driving light, 12V, without bulb, left
	1FB 007 360-041	1	H3 driving light, 12V, without bulb, right
  			<b>Micro FF</b>
	1NA 007 133-801	1	(E1) 122    (E1) 488 H3 fog light set, 12V, with bulbs
	1NA 007 133-001	1	H3 fog light, 12V, without bulb
	6EG 001 567-041	10	<b>Spare parts:</b> On/off switch for -801
	4RA 003 510-081	1	Normally-open relay for -801
			(E1) 122    (E1) 488
1FA 007 133-811	1	H3 driving light set, 12V, with bulbs	
1FA 007 133-021	1	H3 driving light, 12V, without bulb	
6EG 001 567-041	10	<b>Spare parts:</b> On/off switch for -811	
4RA 003 510-081	1	Normally-open relay for -811	
			(E1) 122    (E1) 488
			12V55W (H3) 8GH 002 090-133
			

	Part no.	Pk.	For upright or pendant mounting
  	<p><b>Comet 450</b></p> <p>(E1) 18227</p> <p><b>Black plastic body.</b></p> <p>1NB 005 860-801 1 H3 fog light set, 12V, with bulbs, white</p> <p>1NB 005 860-001 1 H3 fog light, 12V, with bulb, white</p> <p>1NB 005 860-021 1 H3 fog light, 12V, with bulb, yellow</p> <p>1NB 137 001-021 2 Spare parts: Light unit, white</p> <p>6EG 001 567-041 10 On/off switch for -801</p> <hr/> <p><b>Ref. 17.5</b></p> <p>1FB 005 860-831 1 H3 driving light set, 12V, with bulbs, white</p> <p>1FB 005 860-031 1 H3 driving light, 12V, with bulb, white</p> <p>1FB 005 860-061 1 H3 driving light, 12V, with bulb, yellow</p> <p>1FB 137 006-021 2 Spare parts: Light unit, white</p> <p> 1x12V55W (H3) 8GH 002 090-133</p>		
  	<p><b>For pendant mounting</b></p> <p><b>181 Chrome</b></p> <p>(E1) 18216</p> <p><b>Chrome-plated plastic body.</b></p> <p>1ND 003 590-401 1 H3 fog light, 12V/24V, without bulb</p> <hr/> <p>(E1) 44410</p> <p><b>Ref. 17.5</b></p> <p>1FD 003 590-411 1 H3 driving light, 12V/24V, without bulb</p> <p>1FD 135 198-011 1 Spare parts: Light unit</p> <p> 1x12V55W (H3) 8GH 002 090-133  1x24V70W (H3) 8GH 002 090-251</p>		

	Part no.	Pk.	For upright or pendant mounting
 			<p><b>Comet 550</b></p> <p>(E1) 18216</p>
	1ND 005 700-841	1	H3 fog light set, 12V, with bulbs and on/off switch, white
	1ND 005 700-001	1	H3 fog light, 12V, with bulb, white
	1ND 005 700-061	1	with hardened lens, 12V/24V, without bulb, white
	1ND 005 700-021	1	H3 fog light, 12V, with bulb, yellow
	6EG 001 567-041	10	<p><b>Spare parts:</b> On/off switch for -841</p>
			<p>(E1) 44410</p>
	1FD 005 700-851	1	H3 driving light set, 12V, with bulbs, white
	1FD 005 700-051	1	H3 driving light, 12V, without bulb, white
	1FD 005 700-301	1	H3 driving light, 12V, with bulb, white
	1FD 005 700-031	1	H3 driving light, 12V, with bulb, yellow
	1FD 135 198-011	1	<p><b>Spare parts:</b> Light unit, white</p> <p> 1x12V55W (H3) 8GH 002 090-133   1x24V70W (H3) 8GH 002 090-251</p>


 	<p>Part no.</p> <p>1FE 002 537-471</p> <p>1FE 002 537-461</p>	<p>Pk.</p> <p>1</p> <p>1</p>	<p><b>For upright mounting</b></p> <p><b>Jumbo 210 Xenon</b></p> <p>Ⓔ1 880</p> <p>Black/red body and red lens-retaining rim.</p> <p>Xenon driving light, with gas discharge bulb and 12V ballast unit</p> <p>with gas discharge bulb and 24V ballast unit</p>  1x35W (D2S) 8GS 007 949-101
 	<p>1NE 002 537-201</p> <p>9DF 112 246-001</p> <p>1FE 002 537-191</p> <p>9DF 112 247-001</p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p><b>For upright or pendant mounting</b></p> <p><b>Jumbo 210 Chrome</b></p> <p>Ⓔ4 914</p> <p>Silver body and lens-retaining rim.</p> <p>H3 fog light, 12V/24V, without bulb</p> <p>Spare parts: Light unit</p> <hr/> <p>Ⓔ1 14520</p> <p>H3 driving light, 12V/24V, without bulb</p> <p>Spare parts: Light unit</p>  1x12V55W (H3) 8GH 002 090-133  1x24V70W (H3) 8GH 002 090-251






	Part no.	Pk.	For upright or pendant mounting
	<b>1NE 008 773-031</b>	1	<b>Jumbo 320 FF®</b> (E1) 1689 <b>H7 fog light, 12V/24V, black body, lens with clear-glass look</b>
	<b>1NE 161 643-011</b>	1	<b>Spare parts:</b> Light unit
	<b>Ref. 37.5</b> <b>1FE 008 773-001</b> <b>1FE 008 773-041</b> <b>1FE 008 773-061</b>	1 1 1 1	(E1) 1655 Ref. 37.5 (E1) 1740 Ref. 17.5 <b>H7 driving light, 12V/24V, black body, without side light, lens with clear-glass look</b> <b>with side light</b> <b>with blue lens, without side light</b>
	<b>Ref. 17.5</b> <b>1FE 008 773-011</b> 1FE 161 641-011 1FE 161 641-021 1FE 161 642-011 1FE 161 644-011	1 1 1 1	<b>without side light</b> <b>Spare parts:</b> Light unit for -001 for -061 for -011 for -041  1x12V55W (H7) 8GH 007 157-121 1x24V70W (H7) 8GH 007 157-241  1x12V5W (W5W) 8GP 003 594-121 1x24V5W (W5W) 8GP 003 594-251
	<b>Ref. 37.5</b> <b>1FE 008 773-021</b> <b>1FE 008 773-051</b>	1 1	<b>Jumbo 320 Xenon</b> (E1) 1741 <b>Xenon driving light with gas discharge bulb and 12V ballast unit. Side light in LED technology, incl. LEDs, black body, lens with clear-glass look</b> <b>with gas discharge bulb and 24V ballast unit. Side light in LED technology, incl. LEDs, black body, lens with clear-glass look</b>
	<b>1FE 161 576-011</b> <b>5DV 008 855-001</b> <b>5DV 008 856-001</b>	1 1 1	<b>Spare parts:</b> Light unit Ballast unit, 12V 24V  1x35W (D2S) 8GS 007 949-101









# Accessories for Fog Lights and Driving Lights



	<p>Part no.</p> <p>6ZN 160 705-001</p> <p>6ZN 160 705-011</p>	<p>Pk.</p> <p>1</p> <p>1</p>	<p><b>Universal radio remote control unit</b></p> <p>The Hella remote control is ECE type tested and carries the RF suppression symbol. The alternating code feature excludes interference with other remote controls. The convenient way to switch auxiliary lights by remote control. Maximum switching capacity: 2 x 12W. <b>With green control diode for on-off switching control.</b></p> <p><b>Universal radio remote control unit, 12V</b></p> <p><b>Universal radio remote control unit, 24V</b></p>
	<p>8HG 116 741-801</p>	<p>1</p>	<p><b>Two-point fixing</b></p> <p>Fixing system made of stainless steel which can be shortened, bent or twisted as required. Length: 80 - 240 mm.</p> <p><b>Two-point fixing (2 pieces)</b></p>
	<p>8KA 002 309-811</p>	<p>1</p>	<p><b>Universal lead set</b></p> <p>For 1 to 2 auxiliary lights. Including 16A relay with fuse, leads and installation material.</p> <p><b>Universal lead set</b></p>
	<p>4RA 003 510-361</p> <p>4RA 003 510-651</p>	<p>1</p> <p>1</p>	<p><b>Normally-open relays</b></p> <p><b>With bracket and blade-type fuse.</b></p> <p>With three 6.3 mm blade terminal contacts. Max. load (at +80 °C): 15A at 12V and 24V.</p> <p><b>Normally-open relay, 4-pin 12V</b></p> <p><b>Normally-open relay, 4-pin 24V</b></p>
	<p>6EH 007 946-001</p>	<p>1</p>	<p><b>On-off switch</b></p> <p><b>Rocker switch with green warning light and 12V bulb.</b></p> <p>With three 6.3 mm blade terminal contacts. Max. load: 10A at 12V.</p> <p><b>On-off switch</b></p>

	Part no.	Pk.	Built-in fog lights
 	<p><b>1NL 007 186-061</b> <b>1NL 007 186-067</b></p>	<p>1 30</p>	<p><b>With H3 light.</b> For flush mounting in front apron or front spoiler. Mounting depth: 105 mm. <b>With 12V bulb.</b> <b>Light aperture: 54 mm dia.</b></p> <p>(E1) 20</p> <p><b>DE-H3 fog light with plastic sealing cap</b></p>
	<p><b>1NL 007 186-027</b></p>	<p>1</p>	<p><b>Light aperture: 80 mm dia.</b></p> <p><b>Without plastic sealing cap</b></p>
 	<p><b>9GH 147 009-007</b> <b>9HD 149 253-007</b> <b>8JD 156 150-807</b></p>	<p>30 1 1</p>	<p><b>Accessories:</b> Rubber sealing cap Plastic sealing cap with cover, lead and plug Socket set (20 pcs.)</p> <p><b>Light aperture: 80 mm dia.</b></p> <p><b>With 24V bulb, plastic sealing cap, cover and lead</b></p> <p><b>Spare parts for -047:</b> Plastic sealing cap with cover and lead</p> <p><b>Accessories:</b> Socket set (20 pcs.)</p> <p> 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251</p>
 	<p><b>1N0 008 582-001</b> <b>1N0 008 582-007</b></p> <p><b>1N0 008 582-011</b> <b>1N0 008 582-017</b></p> <p><b>9GH 158 051-007</b></p>	<p>1 24</p> <p>1 24</p> <p>1</p>	<p><b>With H7 light.</b> <b>Light aperture: 90 mm dia.</b></p> <p>(E1) 1342</p> <p><b>H7 fog light with 12V bulb</b></p> <p><b>with 24V bulb</b></p> <p><b>Accessories:</b> Cap</p> <p> 1x12V55W (H7) 8GH 007 157-121 1x24V70W (H7) 8GH 007 157-241</p>






	Part no.	Pk.	Built-in headlights
 	<p>Ref. 17.5</p> <p><b>1KL 009 486-001</b></p>	<p>1</p>	<p><b>Premium Module</b></p> <p><b>H9 driving light with 12V bulb.</b> Light aperture: 44 mm dia.</p> <p>(E1) 1903</p> <p><b>DE@-H9 driving light</b></p>  1x12V65W (H9) 8GH 008 357-001
    	<p>Ref. 17.5</p> <p><b>1F0 008 390-317</b></p> <p><b>1F0 008 390-327</b></p> <p>5DV 007 760-631</p> <p>5DV 007 810-171</p> <p><b>9AH 161 786-017</b></p> <p><b>8HG 153 152-001</b></p>	<p>12</p> <p>12</p> <p>1</p> <p>1</p> <p>12</p> <p>1</p>	<p><b>With gas discharge bulb.</b></p> <p>(E1) 1120</p> <p><b>DE@-Xenon driving light with 12V ballast unit</b></p> <p><b>with 24V ballast unit</b></p> <p><b>Spare parts:</b> Ballast unit, 12V 24V</p> <p><b>Accessories:</b> Supporting frame Holder with adjusting devices</p>  1x35W (D2S) 8GS 007 949-101
    	<p><b>1BL 998 570-001</b></p> <p><b>1KL 998 570-021</b></p> <p><b>1KL 998 570-031</b></p> <p><b>8JA 990 295-217</b></p>	<p>1</p> <p>1</p> <p>1</p> <p>10</p>	<p><b>Modul 60</b></p> <p><b>HB3 dipped-beam headlight.</b> Reflector with lens bonded. With 12V bulb. Light aperture: 60 mm dia.</p> <p>(E4) 10894</p> <p><b>DE@-HB3 dipped-beam headlight</b></p>  1x12V60W (HB3) 8GH 005 635-121 <hr/> <p><b>HB3 driving light.</b> Reflector with lens bonded. With 12V bulb(s).</p> <p>(E4) 10892</p> <p><b>DE@-HB3 driving light without side light</b></p> <p><b>with side light</b></p> <p><b>Accessories:</b> Plug for HB3 bulb</p>  1x12V60W (HB3) 8GH 005 635-121  1x12V3W (W3W) 8GP 003 594-141



# Headlights

90 mm dia.



	Part no.	Pk.	Built-in headlights
 	<p><b>1BL 008 193-001</b> <b>1BL 008 193-007</b></p> <p><b>1BL 008 193-011</b> <b>1BL 008 193-017</b></p> <p><b>1BL 008 193-172</b></p> <p>9XB 152 977-001</p> <p><b>9GH 152 654-012</b> <b>9GH 145 943-012</b></p> <p><b>9AH 157 659-007</b></p>	<p>1</p> <p>36</p> <p>1</p> <p>36</p> <p>1</p> <p>36</p> <p>36</p> <p>1</p> <p>20</p>	<p><b>H7 dipped-beam headlight.</b> Lens with reflector bonded. <b>Light aperture: 90 mm dia.</b></p> <p>Ⓔ 917</p> <p><b>DE®-H7 headlight with 12V bulb</b></p> <p><b>with 24V bulb</b></p> <p><b>with 24V Heavy Duty bulb for trucks and buses</b></p> <p><b>Spare parts:</b> Setting element, headlight levelling (3 pcs.)</p> <p><b>Accessories:</b> Rubber cap, for 90° plug 1 Rubber cap without ventilation, for use with a 2-pole receptacle housing Supporting frame</p> <p> 1x12V55W (H7) 8GH 007 157-121  1x24V70W (H7) 8GH 007 157-241  1x24V70W (H7 HDLL) 8GH 007 157-231</p>
 	<p><b>1BL 008 194-001</b> <b>1BL 008 194-007</b></p> <p><b>1BL 008 194-027</b></p> <p>1BL 158 060-021</p> <p>5DV 007 760-631 5DV 007 810-171</p> <p>8HG 151 866-001 9XD 990 308-001 9XB 152 977-001</p> <p><b>8JD 156 151-807</b> <b>9AH 157 659-007</b></p>	<p>1</p> <p>8</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>5</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p><b>Xenon dipped-beam headlight with gas discharge bulb.</b></p> <p><b>Xenon headlight with 12V ballast unit</b></p> <p><b>with 24V ballast unit</b></p> <p><b>Spare parts:</b> Light unit without gas discharge bulb and ballast unit Ballast unit, 12V 24V Holder for ballast unit without cellular rubber base with cellular rubber base Setting element, headlight levelling (3 pcs.)</p> <p><b>Accessories:</b> Socket set for ballast unit (20 pcs.) Supporting frame</p> <p> 1x35W (D2S) 8GS 007 949-101</p>
 	<p><b>1AL 008 934-001</b> <b>1AL 008 934-021</b></p> <p>5DV 008 855-001 5DV 008 855-007 5DV 008 856-001 5DV 008 856-007</p> <p><b>8JD 162 211-801</b> <b>8JA 990 295-127</b></p> <p><b>8KB 990 299-221</b> <b>8KB 990 299-231</b></p>	<p>1</p> <p>1</p> <p>1</p> <p>24</p> <p>1</p> <p>24</p> <p>1</p> <p>10</p> <p>1</p> <p>1</p>	<p><b>Bi-Xenon® dipped-beam and main-beam headlight with gas discharge bulb.</b> <b>Light aperture: 90 mm dia.</b></p> <p>Ⓔ 1677</p> <p><b>Bi-Xenon headlight with 12V ballast unit</b></p> <p><b>with 24V ballast unit</b></p> <p><b>Spare parts:</b> Ballast unit, 12V 24V</p> <p><b>Accessories:</b> Socket set for main beam (20 pcs.) 2-pole DEUTSCH plug connector 3100 mm lead set with DEUTSCH plug connector and relay with fuse, 12V 24V</p> <p> 1x35W (D2S) 8GS 007 949-101</p>



Part no.	Pk.	Built-in headlights
		<b>H7 main-beam headlight with side light.</b> <b>Lens with reflector bonded.</b> <b>Light aperture: 90 mm dia.</b>  E1 917 <b>FF®-H7 headlight with 12V bulbs</b> <b>with 24V bulbs</b> <b>with 24V Heavy Duty bulb for trucks and buses</b>
1K0 008 191-001 1K0 008 191-007	1 36	
1K0 008 191-021 1K0 008 191-027	1 36	
1K0 008 191-212	1	
		<b>Without side light.</b> <b>FF®-H7 headlight with 12V bulb</b> <b>with 24V bulb</b> <b>Spare parts:</b> Setting element, headlight levelling (3 pcs.) <b>Accessories:</b> Sealing cap Socket set for 007/-021/-027 (20 pcs.) Supporting frame  1x12V55W (H7) 8GH 007 157-121 1x24V70W (H7) 8GH 007 157-241 1x24V70W (H7 HDLL) 8GH 007 157-231  1x12V4W (T4W) 8GP 002 067-121 1x24V4W (T4W) 8GP 002 067-241
1K0 008 191-011 1K0 008 191-017	1 36	
1K0 008 191-041 1K0 008 191-047	1 36	
9XB 152 977-001	1	
9GH 152 654-007 8JD 156 150-807 9AH 157 659-007	1 1 1	
		<b>Xenon main-beam headlight with side light and gas discharge bulb.</b> <b>Xenon headlight with 12V ballast unit</b> <b>with 24V ballast unit</b>
1K0 008 192-001 1K0 008 192-007	1 8	
1K0 008 192-027	1	
		<b>Without side light.</b> <b>Xenon headlight with 12V ballast unit</b> <b>Spare parts:</b> Light unit for -001/-007/-027 Light unit for -011/-017 Ballast unit 12V 24V Holder for ballast unit without cellular rubber base with cellular rubber base Setting element, headlight levelling (3 pcs.) <b>Accessories:</b> Socket set for side light (20 pcs.) for ballast unit (20 pcs.) Supporting frame  1x35W (D2S) 8GS 007 949-101  1x12V4W (T4W) 8GP 002 067-121 1x24V4W (T4W) 8GP 002 067-241
1K0 008 192-011 1K0 008 192-017	1 8	
1K0 158 059-061 1K0 158 059-071	1 1	
5DV 007 760-631 5DV 007 810-171	1 1	
8HG 151 866-001 9XD 990 308-001 9XB 152 977-001	5 1 1	
8JD 156 150-807 8JD 156 151-807 9AH 157 659-007	1 1 1	





# Headlights

90 mm dia.



	Part no.	Pk.	Built-in headlights
  	<p><b>1BL 247 042-001</b> 1  <b>1BL 247 042-007</b> 36</p> <p><b>1BL 247 042-011</b> 1  <b>1BL 247 042-017</b> 36</p> <p><b>6NM 007 282-221</b> 1  <b>6NM 008 299-501</b> 1  <b>8JD 156 151-807</b> 1</p> <p><b>9AH 254 228-012</b> 2  <b>9AH 254 228-017</b> 36</p>		<p><b>H1 dipped-beam headlight.</b>  <b>Reflector made of die cast aluminium with hardened lens bonded.</b>  <b>Plug connector HB4.</b>  <b>Light aperture: 90 mm dia.</b>            3 attachment elements are enclosed.</p> <p>(E1) 2397</p> <p><b>DE@-H1 dipped-beam headlight with 12V bulb</b></p> <p><b>with 24V bulb</b></p> <p><b>Accessories:</b>            Headlight levelling,            12V            24V            Plug set (HB4)</p> <p>Supporting frame</p> <p> 1x12V55W (H1) 8GH 002 089-133            1x24V70W (H1) 8GH 002 089-251</p>
  	<p><b>1K0 247 043-001</b> 1  <b>1K0 247 043-007</b> 36</p> <p><b>1K0 247 043-021</b> 1  <b>1K0 247 043-027</b> 36</p> <p><b>1K0 247 043-011</b> 1  <b>1K0 247 043-017</b> 36</p> <p><b>1K0 247 043-031</b> 1  <b>1K0 247 043-037</b> 36</p> <p><b>9AH 254 228-012</b> 2  <b>9AH 254 228-017</b> 36</p>		<p><b>H1 driving light with side light.</b>  <b>Reflector made of die cast aluminium with hardened lens bonded.</b>  <b>Plug connector HB4.</b>  <b>Light aperture: 90 mm dia.</b>            3 attachment elements are enclosed.</p> <p>(E1) 2397</p> <p><b>FF@-H1 driving light with 12V bulb</b></p> <p><b>with 24V bulb</b></p> <p><b>Without side light.</b></p> <p><b>FF@-H1 driving light with 12V bulb</b></p> <p><b>with 24V bulb</b></p> <p><b>Accessories:</b>            Supporting frame</p> <p> 1x12V55W (H1) 8GH 002 089-133            1x24V70W (H1) 8GH 002 089-251</p> <p> 1x12V4W (T4W) 8GP 002 067-121            1x24V4W (T4W) 8GP 002 067-241</p>

	Part no.	Pk.	Built-in headlights
 	<p><b>1AL 009 997-001</b></p> <p>5DV 007 760-631</p> <p><b>9AH 169 580-011</b>  <b>6NM 007 282-221</b>  <b>8JD 156 151-807</b></p>	<p>1</p> <p>1</p> <p>20</p> <p>1</p> <p>1</p>	<p><b>Bi-Xenon® dipped-beam headlight with gas discharge bulb, can be changed over to LES tourist solution. Reflector made of die cast aluminium with hardened lens bonded. Light aperture: 90 mm dia.</b>            3 attachment elements are enclosed.</p> <p>(E1) 2484</p> <p><b>Bi-Xenon® headlight with 12V ballast unit</b></p> <p><b>Spare parts:</b>            Ballast unit, 12V</p> <p><b>Accessories:</b>            Supporting frame            Headlight levelling incl. bracket, 12V            Plug set (HB4)</p> <p> 1x35W (D2S) 8GS 007 949-101</p>
	<p><b>1AL 009 998-001</b></p> <p><b>9AH 169 580-011</b>  <b>6NM 007 282-221</b>  <b>8JD 156 151-807</b></p>	<p>1</p> <p>20</p> <p>1</p> <p>1</p>	<p><b>Bi-Halogen dipped-beam headlight, can be changed over to LES tourist solution. Reflector made of die cast aluminium with hardened lens bonded. Light aperture: 90 mm dia.</b></p> <p>(E1) 2484</p> <p><b>Bi-Halogen headlight with 12V bulb</b></p> <p><b>Accessories:</b>            Supporting frame            Headlight levelling incl. bracket, 12V            Plug set (HB4)</p> <p> 1x12V55W (H7) 8GH 007 157-121</p>
	<p><b>1BL 009 999-001</b></p> <p><b>1BL 009 999-041</b></p> <p><b>9AH 169 580-011</b>  <b>6NM 007 282-221</b>  <b>8JD 156 151-807</b></p>	<p>1</p> <p>1</p> <p>20</p> <p>1</p> <p>1</p>	<p><b>H7 dipped-beam headlight, can be changed over to LES tourist solution. Reflector made of die cast aluminium with hardened lens bonded. Light aperture: 90 mm dia.</b>            3 attachment elements are enclosed.</p> <p>(E1) 2486</p> <p><b>DE®-H7 dipped-beam headlight with 12V bulb</b></p> <p><b>with 24V bulb</b></p> <p><b>Accessories:</b>            Supporting frame            Headlight levelling incl. bracket, 12V            Plug set (HB4)</p> <p> 1x12V55W (H7) 8GH 007 157-121   1x24V70W (H7) 8GH 007 157-241</p>

# Headlights

100 mm dia.





	Part no.	Pk.	Built-in headlights
	<p><b>Part no.</b></p> <p>1BL 007 834-037</p> <p>1KL 007 834-097</p> <p>5DV 007 810-171</p> <p>8JD 156 151-807</p>	<p><b>Pk.</b></p> <p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p><b>Built-in headlights</b></p> <p>For buses and mobile homes with 24V.  <b>Xenon or halogen headlights with arched lens.</b>  <b>Light aperture: 100 mm dia.</b></p> <p><b>Xenon headlight without side light.</b>  <b>With gas discharge bulb and 24V ballast unit.</b></p> <p>(E1) 550</p> <p><b>Xenon dipped-beam headlight</b></p> <hr/> <p>(E1) 549</p> <p><b>Xenon main-beam headlight</b></p> <p><b>Spare parts:</b>  Ballast unit, 24V</p> <p><b>Accessories:</b>  Socket set (20 pcs.)</p> 1x35W (D2S) 8GS 007 949-101
 	<p>1BL 007 834-007</p> <p>1BL 007 834-132</p> <p>Ref. 17.5</p> <p>1KL 007 834-027</p> <p>1NL 007 834-017</p>	<p>1</p> <p>8</p> <p>1</p> <p>1</p>	<p><b>DE@-H1 dipped-beam headlight without side light and bulb.</b></p> <p>(E1) 550</p> <p><b>DE@-H1 dipped-beam headlight without supporting frame</b></p> <p><b>without supporting frame, with 2-pole AMP plug connector</b></p> <hr/> <p>(E1) 549</p> <p><b>DE@-H1 main-beam headlight</b></p> <hr/> <p>(E1) 548</p> <p><b>DE@-H1 fog light</b></p> 1x24V70W (H1) 8GH 002 089-251
	<p>1BL 007 834-047</p> <p>6NM 004 375-541</p> <p>6NM 004 375-547</p> <p>Ref. 17.5</p> <p>1KL 007 834-067</p> <p>1NL 007 834-057</p> <p>8WS 008 549-001</p> <p>8WS 008 549-501</p> <p>9GH 145 943-001</p> <p>9HD 155 239-001</p>	<p>1</p> <p>3</p> <p>48</p> <p>1</p> <p>8</p> <p>1</p> <p>1</p> <p>1</p> <p>12</p>	<p>For trucks, buses and vehicle tuners.  <b>DE@-H1 headlight for 24V operating voltage, with flat lens, without side light and bulb.</b></p> <p>(E1) 550</p> <p><b>DE@-H1 dipped-beam headlight suitable for headlight leveller</b></p> <p><b>Accessories:</b>  Electr. headlight leveller, 12V</p> <hr/> <p>(E1) 549</p> <p><b>DE@-H1 main-beam headlight</b></p> <hr/> <p>(E1) 548</p> <p><b>DE@-H1 fog light</b></p> <p><b>Accessories:</b>  Lens cleaning system with spray system, 12V  24V  Rubber sealing cap for -027/-067  Plastic sealing cap with cable and plug for -007/-017/-047/-057</p> 1x24V70W (H1) 8GH 002 089-251



	Part no.	Pk.	Accessories
	<p>8XX 008 614-011</p> <p>8XX 008 614-101</p> <p>8XX 008 614-031</p> <p>8XX 008 644-001</p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p><b>Ultra-sonic headlight levellers for 90 mm dia. and 100 mm dia. built-in Xenon headlights</b> (see pages 4.32-4.36)</p> <p><b>Contents:</b> Ultra-sonic sensor, electronic control, actuator motors, lead set and installation instructions</p> <p>The ultra-sonic sensor can be mounted on the floor of the car with a bracket and connected to the central electronic control. This control transfers its adjustment values to the actuator motors on the headlights. The actuators then position the headlights in accordance with the specific load. If the vehicle height is reduced at the rear as well as the front axle when loaded, a second sensor is required (supplement kit). The control module is laid out for two-sensor operation.</p> <p>e1 1926</p> <p><b>Universal ultra-sonic headlight leveller with 1 sensor, 12V</b></p> <p><b>with 2 sensors, 24V</b></p> <p><b>for converting mobile homes, 12V</b></p> <p><b>Accessories:</b> Sensor supplement kit incl. lead set</p>
    	<p>8WS 008 549-001</p> <p>8WS 008 549-501</p> <p>8WS 008 549-011</p> <p>8WT 008 549-101</p> <p>8WT 008 549-601</p> <p>8WT 008 549-201</p> <p>8WT 008 549-701</p> <p>9GS 146 999-727</p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>5</p>	<p><b>Headlight cleaning system for 90 mm dia. and 100 mm dia. built-in headlights</b> (see pages 4.32-4.36)</p> <p><b>For cleaning from 2 to 4 headlights.</b></p> <p><b>Contents:</b> Pump, control module, lead set, nozzle and reinforced hose.</p> <p><b>Headlight cleaning system with fixed nozzles, 12V</b></p> <p><b>24V</b></p> <p><b>for converting mobile homes, 12V</b></p> <hr/> <p><b>With single telescopic nozzles, 12V</b></p> <p><b>24V</b></p> <hr/> <p><b>With double telescopic nozzles, 12V</b></p> <p><b>24V</b></p> <p><b>Accessories:</b> Hose</p>

# Headlights

120 mm dia., 130 mm dia.



	Part no.	Pk.	Built-in headlights
 	<p><b>1BL 006 349-007</b></p> <p><b>1BL 006 349-011</b></p>	<p>1</p> <p>1</p>	<p><b>DE-dipped-beam headlight without side light, with sealing cap and 12V bulb.</b> For vehicles with 4-headlight-system. <b>With adjustment screw.</b> <b>Light aperture: 120 mm dia.</b></p> <p>(E1) 7415</p> <p><b>DE@-H1 headlight in accordance with main-beam headlight unit 1K2 006 147-031</b></p> <hr/> <p><b>With pre-installed adjustment screw for headlight leveller.</b> <b>Without sealing cap and bulb.</b></p> <p><b>In accordance with main-beam headlight unit 1K2 006 147-051</b></p> <p> 1x12V55W (H1) 8GH 002 089-133 1x24V70W (H1) 8GH 002 089-251</p>
	<p><b>1BL 139 277-031</b></p> <p><b>1BL 139 278-031</b></p>	<p>1</p> <p>1</p>	<p><b>DE@-H1-dipped-beam unit, without side light.</b> For vehicles with 4-headlight-system <b>Light aperture: 130 mm dia.</b></p> <p>(E1) 7407</p> <p><b>DE@-H1 headlight, left</b></p> <p><b>right</b></p> <p> 1x24V70W (H1) 8GH 002 089-251</p>
  	<p><b>1K2 006 147-031</b></p> <p><b>1K2 006 147-051</b></p> <p><b>1K2 006 147-041</b></p>	<p>1</p> <p>1</p> <p>1</p>	<p><b>H3-main-beam unit with side light, sealing cap and 12V bulbs.</b> For vehicles with 4-headlight-system. <b>Light aperture: 120 mm dia.</b></p> <p>(E1) 34447</p> <p><b>H3 main-beam unit, in accordance with DE@-headlight 1BL 006 349-007</b></p> <hr/> <p><b>With side light, without sealing cap and bulb.</b></p> <p><b>12V and 24V, in accordance with DE@-headlight 1BL 006 349-011</b></p> <p><b>12V, black look, in accordance with DE@-headlight 1BL 006 349-031</b></p> <p> 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251</p> <p> 1x12V4W (T4W) 8GP 002 067-121 1x24V4W (T4W) 8GP 002 067-241</p>

	Part no.	Pk.	Built-in headlights
	<p><b>1A3 996 002-051</b></p>	<p>1</p>	<p><b>With side light.</b>  <b>Light aperture: 132 mm dia.</b>            Reflector made of sheet metal, glued to glass lens.</p> <p>(E12) 1001 (E12) 1002</p> <p><b>Headlight, with cap</b></p> <p> 1x12V45/40W (R2) 8GD 002 088-131   1x24V55/50W (R2) 8GD 002 088-251</p> <hr/> <p> 1x12V4W (T4W) 8GP 002 067-121   1x24V4W (T4W) 8GP 002 067-241</p>
	<p><b>1A3 996 002-261</b></p>	<p>1</p>	<p><b>With H4 light.</b></p> <p>(E12) 20001 (E12) 20002</p> <p><b>H4 headlight, with side light and cap</b></p> <p><b>Spare parts:</b>            Cap, red, for -261</p> <hr/> <p>(E4) 10198</p> <p>Reflector made of plastic, glued to non-patterned glass lens. Three fixing screws are included separately in the package.</p>
	<p><b>1A3 996 162-381</b> *)</p> <p><b>1A3 996 162-321</b> *)</p>	<p>1</p> <p>1</p>	<p><b>With side light and 12V bulbs</b></p> <p><b>with side light and 24V bulbs</b></p> <p> 1x12V60/55W (H4) 8GJ 002 525-131   1x24V75/70W (H4) 8GJ 002 525-251</p> <hr/> <p> 1x12V4W (T4W) 8GP 002 067-121   1x24V4W (T4W) 8GP 002 067-241</p>
 	<p><b>1A3 996 002-181</b></p> <p><b>1A3 996 002-211</b></p> <p><b>1A3 996 002-531</b></p>	<p>1</p> <p>1</p> <p>1</p>	<p><b>With H4 light.</b>            Supporting frame made of plastic.            Reflector made of sheet metal, glued to glass lens.</p> <p>(E12) 20001 (E12) 20002</p> <p><b>H4 headlight with side light and cap</b></p> <p><b>with side light</b></p> <p><b>with hardened lens, side light and cap</b></p> <p><b>Spare parts:</b>            Sealing cap</p> <hr/> <p>(E4) 10198</p> <p>Supporting frame made of plastic.            Reflector made of plastic, glued to non-patterned glass lens.</p>
	<p><b>1A3 996 162-071</b></p>	<p>1</p>	<p><b>With side light and 12V bulbs</b></p> <p> 1x12V60/55W (H4) 8GJ 002 525-131   1x24V75/70W (H4) 8GJ 002 525-251</p> <hr/> <p> 1x12V4W (T4W) 8GP 002 067-121   1x24V4W (T4W) 8GP 002 067-241</p>

\*) In the case of new vehicles these can only be approved for agricultural and construction machinery.

# Headlights

135 mm dia.








	Part no.	Pk.	Built-in headlights
			<p><b>H4-headlight with sealing cap.</b> For vehicles with 5¾" light units, e.g. for American and Japanese cars. In accordance with SAE dimensions J 571. <b>Light aperture: 135 mm dia.</b></p> <p>(E1) 14578 (E1) 24542</p>
	1A3 002 850-001	1	<p><b>H4 headlight without side light</b></p>
	1A3 002 850-031	1	<p><b>with side light and T4W bulb</b></p>
	9GH 126 647-011	10	<p><b>Spare parts:</b> Sealing cap</p> <p> 1x12V60/55W (H4) 8GJ 002 525-131</p> <p> 1x12V4W (T4W) 8GP 002 067-121</p>
	1B3 128 267-001	1	<p><b>Bi-Focus H1 dipped-beam headlight with side light.</b> Suitable for almost all vehicles with 5¾" twin headlights, in accordance with SAE 4002 and 4005. Can be used with 1K3 114 155-001. <b>Light aperture: 135 mm dia.</b></p> <p>(E1) 34419</p>
	9FF 085 642-001	10	<p><b>Bi-Focus H1 dipped beam headlight</b> (can only be fitted in pairs)</p> <p><b>Fitting for side light</b> (to be ordered separately)</p> <p> 1x12V55W (H1) 8GH 002 089-133</p> <p> 1x12V4W (T4W) 8GP 002 067-121</p>
	1B3 114 179-001	1	<p><b>H1 dipped-beam headlight with side light. Without sealing cap.</b> For vehicles with 5¾" light units. In accordance with SAE 4002 and 4005. Can be used with 1K3 114 155-001. <b>Light aperture: 135 mm dia.</b></p> <p>(E1) 14466 (E1) 14470</p>
	9HD 140 976-001	5	<p><b>H1 dipped-beam headlight</b></p> <p><b>Accessories:</b> Sealing cap</p>
	1K3 114 155-001	1	<p><b>H1 main-beam headlight without sealing cap.</b> For vehicles with 5¾" light units. In accordance with SAE 4001. Can be used with 1B3 114 179-001. <b>Light aperture: 135 mm dia.</b></p> <p>(E1) 14464</p>
	9HD 140 977-001	5	<p><b>H1 main-beam headlight</b></p> <p><b>Accessories:</b> Sealing cap</p> <p> 1x12V55W (H1) 8GH 002 089-133</p> <p> 1x12V4W (T4W) 8GP 002 067-121</p>

	Part no.	Pk.	Built-in headlights
	1A3 001 120-001	1	<p><b>Without side light.</b> Dipped and main beam in one light. For vehicles with 5¾" light units in accordance with SAE 4002 and 4005. <b>Light aperture: 135 mm dia.</b></p> <p>Ⓔ1 4414</p> <p><b>Headlight</b></p> <p> 1x12V45/40W (R2) 8GD 002 088-131</p>
	1A6 002 395-031 1A6 002 395-071  1A6 002 395-821  1A6 002 395-071  1A6 002 395-387 9GH 126 647-011	1 1  1  36 10	<p><b>With H4 light.</b> For vehicles with 7" light units e. g. for American and Japanese cars. In accordance with SAE 6006, SAE 6012 and SAE 6013. <b>Light aperture: 165 mm dia.</b></p> <p>Ⓔ4 1</p> <p><b>H4 headlight without side light, with sealing cap</b></p> <p><b>with side light and sealing cap</b></p> <hr/> <p><b>Set comprises:</b> 2 light units with 12V bulbs, side light and sealing caps.</p> <p><b>H4 headlight set</b></p> <p><b>Spare parts:</b> Light unit</p> <hr/> <p>For vehicles with 7" headlights.</p> <p><b>H4 headlight with side light, hardened lens and sealing cap</b></p> <p><b>Spare parts:</b> Sealing cap for -031/-387</p> <p> 1(2)x12V60/55W (H4) 8GJ 002 525-131</p> <p> 1(2)x12V4W (T4W) 8GP 002 067-121</p>
	1A6 001 128-021 1A6 001 128-061 9DS 088 583-001 9FF 137 580-005	1 1 2 1	<p>For vehicles with 7" headlights, e. g. for American and Japanese cars. In accordance with SAE 6006, SAE 6012 and SAE 6013. <b>Light aperture: 165 mm dia.</b></p> <p>Ⓔ1 14525</p> <p><b>Headlight without side light</b></p> <p><b>with side light, without bulb holder for side light</b></p> <p><b>Spare parts:</b> Reflector with lens for -061</p> <p><b>Accessories:</b> Bulb holder for side light</p> <p> 1x12V45/40W (R2) 8GD 002 088-131</p> <p> 1x12V4W (T4W) 8GP 002 067-121</p>




# Headlights

164 x 103 mm



	Part no.	Pk.	Built-in headlights
 	<p><b>1AB 003 177-001</b></p> <p><b>1AB 003 177-071</b></p> <p><b>1AB 003 177-791</b></p>	<p>1</p> <p>1</p> <p>1</p>	<p><b>With H4 light, for outer units.</b> For American and Japanese vehicles with rectangular 4-headlight system. In accordance with SAE J 571. <b>Light aperture: 164 x 103 mm.</b></p> <p>(E1) 24461 (E1) 24460</p> <p><b>H4 headlight without side light, with sealing cap</b></p> <p><b>with side light and sealing cap *)</b></p> <p><b>with side light, sealing cap and hardened lens for 24V operating voltage</b></p> <p> 1x12V60/55W (H4) 8GJ 002 525-131 1x24V75/70W (H4) 8GJ 002 525-251</p> <p> 1x12V4W (T4W) 8GP 002 067-121 1x24V4W (T4W) 8GP 002 067-241</p>
	<p><b>1KB 003 177-061</b></p>	<p>1</p>	<p>For inner units. Mounting depth: 124 mm.</p> <p>(E1) 24504</p> <p><b>H1 main beam headlight with sealing cap.</b></p> <p> 1x12V55W (H1) 8GH 002 089-133</p>
 	<p><b>1NB 004 691-147</b></p>	<p>1</p>	<p><b>H2 fog light with sealing cap.</b> In accordance with 1AB 003 177-... and 1BL 005 380-... <b>Light aperture: 164 x 103 mm.</b></p> <p>(E1) 8371</p> <p><b>H2 fog light</b></p> <p> 1x12V55W (H2) 8GH 002 857-121</p>

External fitting headlights see page 4.56.

	Part no.	Pk.	Built-in headlights
 	<p><b>1AB 006 277-127</b></p> <p>9GH 126 647-011 9FF 126 444-001</p> <p><b>9KD 116 415-005</b></p>	<p>1</p> <p>10</p> <p>10</p> <p>250</p>	<p><b>With H4 light and side light. For three-point mounting. With 12V bulbs. Light aperture: 164 x 103 mm.</b></p> <p>Ⓔ1 24461    Ⓔ1 24460</p> <p><b>H4 headlight</b></p> <p><b>Spare parts:</b> Sealing cap Bulb holder for side light</p> <p><b>Accessories:</b> Pressure spring</p> <p> 1x12V60/55W (H4) 8GJ 002 525-131 1x24V75/70W (H4) 8GJ 002 525-251</p> <p> 1x12V4W (T4W) 8GP 002 067-121 1x24V4W (T4W) 8GP 002 067-241</p>
 	<p><b>1AB 008 888-041</b></p> <p><b>1AB 008 888-051</b></p>	<p>1</p> <p>1</p>	<p><b>With H4 light, clear lens and three-point mounting.</b> Reflector made of plastic, glued to non-patterned glass lens. With fixing screws M4 x 50 mm (DIN 7985) and pressure springs. <b>Light aperture: 164 x 103 mm.</b></p> <p>Ⓔ1 1433 SAE/FMVSS 108</p> <p><b>H4 headlight with side light</b></p> <p><b>without side light</b></p> <p> 1x12V60/55W (H4) 8GJ 002 525-131 1x24V75/70W (H4) 8GJ 002 525-251</p> <p> 1x12V4W (T4W) 8GP 002 067-121 1x24V4W (T4W) 8GP 002 067-241</p>





# Headlights

164 x 103 mm, 190 x 132 mm, 181 x 122 mm



	Part no.	Pk.	Built-in headlights
	<p><b>1BL 005 380-011</b></p> <p><b>1BL 005 380-021</b></p> <p><b>1BL 005 380-031</b></p> <p><b>1BL 005 380-041</b></p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p><b>With H1 dipped-beam light, side light and sealing cap.</b> For SAE headlight receiving unit. In accordance with 1KB 003 177-... and 1NB 004 691-... <b>Light aperture: 164 x 103 mm.</b></p> <p>(E1) 21690 (E1) 7402</p> <p><b>DE®-H1 light unit,</b> left</p> <p>right</p> <hr/> <p><b>With snap fastening,</b> left</p> <p>right</p> <p> 1x12V55W (H1) 8GH 002 089-133</p> <p> 1x12V4W (T4W) 8GP 002 067-121</p>
	<p><b>1AE 003 427-011</b></p> <p><b>1AE 003 427-021</b></p> <p>9GH 126 647-011</p>	<p>1</p> <p>1</p> <p>10</p>	<p><b>With H4 light and sealing cap.</b> For American and Japanese vehicles with rectangular 2-headlight system. <b>Light aperture: 190 x 132 mm.</b></p> <p>(E1) 24523</p> <p><b>H4 headlight</b> without side light</p> <p>with side light and 12V4W-bulb *)</p> <p><b>Spare parts:</b> Sealing cap</p> <p> 1/2x12V60/55W (H4) 8GJ 002 525-131</p> <p> 1/2x24V75/70W (H4) 8GJ 002 525-251</p> <p> 1/2x12V4W (T4W) 8GP 002 067-121</p> <p> 1/2x24V4W (T4W) 8GP 002 067-241</p>
	<p><b>1AD 003 305-001</b></p>	<p>1</p>	<p><b>With H4 light and side light.</b> <b>Light aperture: 181 x 122 mm.</b> For use on motorcycles.</p> <p>(E4) 10</p> <p><b>H4 headlight</b></p> <p> 1x12V60/55W (H4) 8GJ 002 525-131</p> <p> 1x12V4W (T4W) 8GP 002 067-121</p>





External fitting headlights see page 4.56.




	Part no.	Pk.	Built-in headlights
  	<p><b>1BL 005 740-091</b></p> <p><b>1BL 005 740-101</b></p>	<p>1</p> <p>1</p>	<p><b>With H1 light, side light and sealing cap.</b> Light aperture: 190 x 132 mm.</p> <p>(E1) 7414</p> <p><b>DE®-H1 dipped-beam headlight, left</b></p> <p><b>right</b></p> <p> 1x12V55W (H1) 8GH 002 089-133 1x24V70W (H1) 8GH 002 089-251</p> <p> 1x12V4W (T4W) 8GP 002 067-121 1x24V4W (T4W) 8GP 002 067-241</p>
	<p><b>1FE 005 478-011</b></p> <p><b>1FE 005 478-021</b></p>	<p>1</p> <p>1</p>	<p><b>With H1 light, sealing cap, supporting frame and adjusting devices.</b> Mounting depth: 133 mm. Light aperture: 190 x 132 mm.</p> <p>(E1) 44408 (E1) 34517</p> <p><b>H1 driving light, left</b></p> <p><b>right</b></p> <p> 1x12V55W (H1) 8GH 002 089-133</p>
  	<p><b>1AE 003 427-151</b></p> <p><b>1AE 003 427-161</b></p>	<p>1</p> <p>1</p>	<p><b>With H4 light, side light and sealing cap.</b> For SAE headlight receiving unit. <b>With supporting frame and adjusting devices.</b> Light aperture: 190 x 132 mm.</p> <p>(E1) 24523</p> <p><b>H4 headlight, left</b></p> <p><b>right</b></p> <p> 1x12V60/55W (H4) 8GJ 002 525-131 1x24V70/75W (H4) 8GJ 002 525-251</p> <p> 1x12V4W (T4W) 8GP 002 067-121 1x24V4W (T4W) 8GP 002 067-241</p>

# Headlights

248 x 117 mm



	Part no.	Pk.	Built-in headlights
 	<p>1DL 005 600-097</p> <p>1DL 005 600-107</p>	<p>1</p> <p>1</p>	<p><b>With H1 dipped-beam and main-beam light.</b>  <b>With side light, sealing cap and 24V bulbs.</b>  <b>Light aperture: 248 x 117 mm.</b></p> <p>(E1) 7411</p> <p><b>DE-H1 headlight without cable, left</b></p> <p><b>right</b></p> <p> 2x24V70W (H1) 8GH 002 089-251</p> <p> 1x24V4W (T4W) 8GP 002 067-241</p>
 	<p>1DL 007 872-017</p> <p>1DL 007 872-027</p> <p>1DL 007 872-037</p> <p>1DL 007 872-047</p> <p>1DL 007 872-077</p> <p>1DL 007 872-087</p> <p>9AH 149 259-015</p> <p>9AH 149 260-015</p> <p>6NM 007 231-037</p>	<p>1</p> <p>18</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>4</p> <p>4</p> <p>36</p>	<p><b>With H1 dipped-beam and main-beam light.</b>  <b>With side light.</b>  <b>Light aperture: 248 x 117 mm.</b></p> <p>(E1) 7411</p> <p><b>DE-H1 headlight with electric headlight leveller and 24V bulbs, without cable, left</b></p> <p><b>right</b></p> <p><b>Without electric headlight leveller, suitable for headlight leveller, with 24V bulbs, without cable, left</b></p> <p><b>right</b></p> <p><b>with cable, left</b></p> <p><b>right</b></p> <p><b>Spare parts:</b>  Supporting frame with adj. devices,  left  right  Headlight leveller, 24V for -017/-027</p> <p> 2x12V55W (H1) 8GH 002 089-133   2x24V70W (H1) 8GH 002 089-251</p> <p> 1x12V4W (T4W) 8GP 002 067-121   1x24V4W (T4W) 8GP 002 067-241</p>




	Part no.	Pk.	Built-in headlights
 	<p>1TA 003 570-001</p> <p>1TA 122 718-001</p>	<p>1</p> <p>1</p>	<p><b>For vehicles with max. speed of 25 km/h, e.g. for agricultural machines. Symmetrical light, with side light.</b>            Black plastic housing and lens-retaining rim.            Mounting depth: 75 mm.  <b>Light aperture: 115 x 95 mm.</b></p> <p>K 21090 **)</p> <p><b>Headlight with permanently dipped-beam</b></p> <p><b>Spare parts:</b>            Light unit</p> <p> 1x12V15W (Q) -</p> <p> 1x12V4W (T4W) 8GP 002 067-121</p>
 	<p>1AA 004 109-031</p> <p>1AA 004 109-001</p> <p>1AA 126 924-035</p> <p>9FF 111 606-021</p> <p>9BG 127 426-001</p>	<p>1</p> <p>1</p> <p>1</p> <p>10</p> <p>4</p>	<p><b>With normal light and cap.</b>            Supporting frame made of black plastic.            Mounting depth: 99 mm.            Type of protection: IP5K4K.  <b>Light aperture: 138 x 124 mm.</b></p> <p>(E1) 34446</p> <p><b>Headlight with side light</b></p> <p><b>without side light</b></p> <p><b>Spare parts:</b>            Light unit for -031            Bulb holder for side light</p> <p><b>Accessories:</b>            Built-in housing</p> <p> 1x12V45/40W (R2) 8GD 002 088-131   1x24V55/50W (R2) 8GD 002 088-251</p> <p> 1x12V4W (T4W) 8GP 002 067-121   1x24V4W (T4W) 8GP 002 067-241</p>
	<p>1AA 004 109-041</p> <p>1AA 004 109-021</p> <p>1AA 127 473-015</p> <p>9FF 111 606-021</p> <p>9BG 127 426-001</p>	<p>1</p> <p>1</p> <p>1</p> <p>10</p> <p>4</p>	<p>(E1) 34463</p> <p><b>H4 headlight with side light</b></p> <p><b>without side light</b></p> <p><b>Spare parts:</b>            Light unit for -021            Bulb holder for side light</p> <p><b>Accessories:</b>            Built-in housing</p> <p> 1x12V60/55W (H4) 8GJ 002 525-131   1x24V75/70W (H4) 8GJ 002 525-251</p> <p> 1x12V4W (T4W) 8GP 002 067-121   1x24V4W (T4W) 8GP 002 067-241</p>



\*\* National type test for Germany

# Headlights

125 x 140 mm, 270 x 170 mm



 	<p><b>Part no.</b></p> <p><b>1AB 001 100-001</b></p> <p>9AG 104 328-001 9DR 104 336-001 9FH 093 887-001</p>	<p><b>Pk.</b></p> <p>1 2 1 10</p>	<p><b>Built-in headlights</b></p> <p><b>For vehicles with max. speed of 40 km/h..</b> <b>With normal light and side light.</b> Silver coloured lens-retaining rim. Mounting depth: 104 mm. <b>Light aperture: 125 x 140 mm.</b></p> <p>(E1) 4578</p> <p><b>Headlight</b></p> <p><b>Spare parts:</b> Lens-retaining rim with lens and adjusting devices Reflector Bulb holder</p> <p> 1x12V45/40W (R2) 8GD 002 088-131 1x24V55/50W (R2) 8GD 002 088-251</p> <p> 1x12V4W (T4W) 8GP 002 067-121 1x24V4W (T4W) 8GP 002 067-241</p>
 	<p><b>Part no.</b></p> <p><b>1AG 003 434-051</b></p> <p><b>1AG 003 434-137</b></p> <p>9ES 120 743-001 9DE 122 850-005 9GT 067 751-001</p> <p><b>1AG 003 434-251</b></p> <p>9ES 120 743-001 9DE 132 750-015 9HD 121 297-035 9GT 067 751-001</p>	<p><b>Pk.</b></p> <p>1 1 2 2 1 10</p>	<p><b>With H4 main light and side light.</b> Mounting depth: 117 mm. Type of protection: IP5K4K. <b>Light aperture: 270 x 170 mm.</b></p> <p>(E1) 24496 (E1) 24540</p> <p><b>H4 headlight</b> <b>with metal supporting frame, black enamel finish</b> <b>and device for light range regulation</b></p> <p><b>With plastic supporting frame,</b> <b>without device for light range regulation</b></p> <p><b>Spare parts:</b> Lens Reflector Grommet</p> <hr/> <p><b>With plastic supporting frame</b> <b>and device for light range regulation</b></p> <p><b>Spare parts:</b> Lens Reflector Sealing cap Grommet</p> <p> 1x12V60/55W (H4) 8GJ 002 525-131 1x24V75/70W (H4) 8GJ 002 525-251</p> <p> 1x12V4W (T4W) 8GP 002 067-121 1x24V4W (T4W) 8GP 002 067-241</p>



	Part no.	Pk.	External-fitting headlights
 	<p><b>1X0 001 515-021</b></p> <p>9GD 023 639-001 9KS 075 139-001</p>	<p>1</p> <p>10</p> <p>10</p>	<p><b>Suitable for various tractors.</b> <b>Symmetrical light, without side light.</b> Black housing and lens-retaining rim with protective grille. M14 x 1.5 hollow fixing bolt. <b>Light aperture: 105 mm dia.</b></p> <p>K 21055 **)</p> <p><b>Headlight with permanently dipped beam</b></p> <p><b>Spare parts:</b> Seal Lens-retaining spring</p> <p> 1x12V35W (F2) 8GA 002 083-131 1x24V35W (F2) 8GA 002 083-251</p>
 	<p><b>1S3 001 117-041</b></p> <p>9AG 017 970-001 9ES 015 675-001 9GD 024 183-001 9DR 060 567-001 9FF 090 500-001 9KS 075 307-001</p>	<p>1</p> <p>5</p> <p>1</p> <p>10</p> <p>1</p> <p>2</p> <p>10</p>	<p><b>Symmetrical light, with side light.</b> Black housing, with M18 x 32 hollow fixing bolt. <b>Light aperture: 130 mm dia.</b></p> <p>K 21032 **) K 21037 **)</p> <p><b>Headlight</b></p> <p><b>Spare parts:</b> Lens-retaining rim Lens Seal Reflector Bulb holder for side light Lens-retaining spring</p> <p> 1x12V35/35W (S2) 8GD 002 084-131</p> <p> 1x12V4W (T4W) 8GP 002 067-121</p>





\*\*) National type test for Germany

# Headlights

161 x 100 mm



	Part no.	Pk.	External-fitting headlights
    	<p><b>1EB 996 167-031</b> <b>1EB 996 167-038</b></p> <p><b>1EB 996 167-041</b> <b>1EB 996 167-048</b></p> <p><b>1EB 996 167-177</b> <b>1EB 996 167-187</b></p> <p><b>1AB 990 335-111</b> <b>9EL 990 354-011</b> <b>9EL 990 354-021</b> <b>9EL 990 354-031</b> <b>9EL 990 354-041</b></p>	<p>1 18 1 18 15 15 1 1 1 1</p>	<p><b>Combi 120</b> <b>With H4 light and side light.</b> <b>Indicator light attached at the side, with transparent lens toward the front and grey lens toward the rear</b> Reflector made of plastic, glued to glass lens. Black plastic body and lens-retaining rim. 2 fixing screws M8 (below). <b>With DEUTSCH plug connector and 12V bulbs.</b> <b>Light aperture: 161 x 100 mm.</b></p> <p>Ⓔ1 1502 Headlight Ⓔ4 6542 Indicator light front Ⓔ4 6543 Indicator light rear</p> <p><b>H4 headlight, left</b></p> <p><b>right</b></p> <hr/> <p><b>With M12 fixing screw for centre-mounting, left</b></p> <p><b>right</b></p> <p><b>Spare parts:</b> Light unit Lens for indicator light, transparent toward the front, left transparent toward the front, right grey towards the rear, left grey towards the rear, right</p> <p> 1x12V60/55W (H4) 8GJ 002 525-131 1x24V75/70W (H4) 8GJ 002 525-251</p> <p> 1x12V4W (T4W) 8GP 002 067-121 1x24V4W (T4W) 8GP 002 067-241</p> <p> 1x12V21W (PY21W) 8GA 006 841-121 1x24V21W (PY21W) 8GA 006 841-241</p>



	Part no.	Pk.	External-fitting headlights
			<p><b>Combi 133</b></p> <p><b>With H4 light, side light and indicator light attached at the side, with amber lens toward front and rear.</b></p> <p>Reflector made of plastic, glued to non-patterned glass lens. Black plastic body and lens-retaining rim. Type of protection: IP5K4K.</p> <p><b>With DEUTSCH plug connector and 24V bulbs.</b> <b>Light aperture: 135 mm dia.</b></p> <p>Ⓔ4 10198 Headlight</p> <p>Ⓔ4 6542 Indicator light front</p> <p>Ⓔ4 6543 Indicator light rear</p>
	 <p>1E3 996 160-671 *)</p>  <p>1E3 996 160-681 *)</p>	<p>1</p> <p>1</p>	<p><b>H4 headlight with two M8 fixing screws (below), left</b></p> <p><b>right</b></p>
	 <p>1E3 996 160-637 *)</p>  <p>1E3 996 160-647 *)</p>	<p>18</p> <p>18</p>	<p><b>Indicator light with transparent lens toward front and grey lens toward rear.</b></p> <p><b>With M12 fixing screw for centre-mounting and 24V bulbs, left</b></p> <p><b>right</b></p> <p><b>Spare parts:</b> Lens for indicator light, amber toward the front, left amber toward the front, right amber toward the rear, left amber toward the rear, right transparent toward the front, left transparent toward the front, right grey toward the rear, left grey toward the rear, right</p> <p> 1x12V60/55W (H4) 8GJ 002 525-131 1x24V75/70W (H4) 8GJ 002 525-251</p> <p> 1x12V4W (T4W) 8GP 002 067-121 1x24V4W (T4W) 8GP 002 067-241</p> <p> 1x12V21W (PY21W) 8GA 006 841-121 1x24V21W (PY21W) 8GA 006 841-241</p> <p> 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241</p>
			

\*) In the case of new vehicles these can only be approved for agricultural and construction machinery.

# Headlights



132 mm dia., 135 mm dia.



	Part no.	Pk.	External-fitting headlights
 	<p><b>1A3 996 002-191</b></p> <p><b>1A3 996 002-161</b></p> <p>1A3 990 016-011</p>	<p>1</p> <p>1</p> <p>1</p>	<p><b>With H4 light.</b> Black plastic housing and lens-retaining rim. <b>Light aperture: 132 mm dia.</b></p> <p>(E12) 20001 (E12) 20002</p> <p><b>H4 headlight without side light</b></p> <p><b>with side light</b></p> <p><b>Spare parts:</b> Light unit for -161</p> <p> 1x12V60/55W (H4) 8GJ 002 525-131 1x24V75/70W (H4) 8GJ 002 525-251</p> <p> 1x12V4W (T4W) 8GP 002 067-121 1x24V4W (T4W) 8GP 002 067-241</p>
 	<p>Ref. 12.5</p> <p><b>1A3 002 850-001</b> )</p> <p><b>1A3 002 850-031</b></p> <p>9GH 126 647-011</p> <p><b>9BG 127 179-001</b></p>	<p>1</p> <p>1</p> <p>10</p> <p>1</p>	<p><b>With H4 light.</b> Rubber housing and suitable light units are to be ordered separately. <b>Light aperture: 135 mm dia.</b></p> <p>(E1) 14578 (E1) 24542</p> <p><b>H4 headlight without side light</b></p> <p><b>with side light and T4W bulb</b></p> <p><b>Spare parts:</b> Sealing cap</p> <p><b>Accessories:</b> Rubber housing with M10 fixing screw</p> <p> 1x12V60/55W (H4) 8GJ 002 525-131</p> <p> 1x12V4W (T4W) 8GP 002 067-121</p>

\*\*) Worklight see page 4.104

Accessories see page 4.117






	Part no.	Pk.	External-fitting headlights
 	<p><b>1E5 996 124-001</b></p> <p>1A3 002 850-031 9EL 990 267-001</p>	<p>1</p> <p>1</p> <p>1</p>	<p><b>With H4 light, side light and amber indicator light.</b> Indicator light can be fitted laterally. Black plastic housing. Universal bracket with M12 fixing screw. <b>Light aperture: 135 mm dia.</b></p> <p>Ⓔ1 14578 Headlight</p> <p>Ⓔ12 6086 Indicator light</p> <p><b>H4 headlight</b></p> <p><b>Spare parts:</b> Light unit Lens for indicator light</p> <p> 1x12V60/55W (H4) 8GJ 002 525-131 1x24V75/70W (H4) 8GJ 002 525-251</p> <p> 1x12V4W (T4W) 8GP 002 067-121 1x24V4W (T4W) 8GP 002 067-241</p> <p> 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241</p>
   	<p><b>1A3 996 026-121</b></p> <p>8JA 990 065-001</p> <p><b>1A3 996 026-011</b></p> <p><b>1A3 996 026-021</b></p> <p>1A3 990 062-041</p> <p>8JA 990 065-001</p>	<p>1</p> <p>10</p> <p>1</p> <p>1</p> <p>1</p> <p>10</p>	<p><b>With normal light and side light.</b> Black plastic body. <b>Light aperture: 140 mm dia.</b></p> <p>Ⓔ12 1001    Ⓔ12 1002</p> <p><b>Headlight</b></p> <p><b>Spare parts:</b> Plug for R2 bulb</p> <p> 1x12V45/40W (R2) 8GD 002 088-131 1x24V55/50W (R2) 8GD 002 088-251</p> <p> 1x12V4W (T4W) 8GP 002 067-121 1x24V4W (T4W) 8GP 002 067-241</p> <hr/> <p><b>With H4 light.</b></p> <p>Ⓔ12 20001    Ⓔ12 20002</p> <p><b>H4 headlight with side light</b></p> <p><b>without side light</b></p> <p><b>Spare parts:</b> Light unit for -011</p> <p>Plug for H4 bulb</p> <p> 1x12V60/55W (H4) 8GJ 002 525-131 1x24V75/70W (H4) 8GJ 002 525-251</p> <p> 1x12V4W (T4W) 8GP 002 067-121 1x24V4W (T4W) 8GP 002 067-241</p>

Accessories see page 4.117




# Headlights

157 mm dia.



	Part no.	Pk.	External-fitting headlights
 	<p><b>1A5 003 178-231</b></p>	<p>1</p>	<p><b>With H4 light and side light.</b> Black housing. With 24 mm dia. tubular base. <b>Light aperture: 157 mm dia.</b></p> <p>(E1) 24423</p> <p><b>H4 headlight</b></p> <p> 1x12V60/55W (H4) 8GJ 002 525-131 1x24V75/70W (H4) 8GJ 002 525-251</p> <p> 1x12V4W (T4W) 8GP 002 067-121 1x24V4W (T4W) 8GP 002 067-241</p>
  	<p><b>1A5 003 178-411</b></p> <p><b>1A5 003 178-401</b></p>	<p>1</p> <p>1</p>	<p><b>With conventional light and side light.</b> Black plastic housing. Type of protection: IP5K4K. <b>Light aperture: 157 mm dia.</b></p> <p>(E1) 24450</p> <p><b>Headlight with universal bracket and solid M12 screw</b></p> <p><b>with 24 mm dia. tubular base</b></p> <p> 1x12V45/40W (R2) 8GD 002 088-131 1x24V55/50W (R2) 8GD 002 088-251</p> <p> 1x12V4W (T4W) 8GP 002 067-121 1x24V4W (T4W) 8GP 002 067-241</p>
  	<p><b>1S5 003 178-431</b></p> <p><b>1S5 003 178-421</b></p>	<p>1</p> <p>1</p>	<p><b>For delivery vans and tractors.</b> <b>Symmetrical light with side light.</b> Black plastic housing. <b>Light aperture: 157 mm dia.</b></p> <p>K 21085 **)</p> <p><b>Headlight with universal bracket and solid M12 screw</b></p> <p><b>with 24 mm dia. tubular base</b></p> <p> 1x12V35/35W (S2) 8GD 002 084-131 1x24V45/40W (S2) 8GD 002 084-251</p> <p> 1x12V4W (T4W) 8GP 002 067-121 1x24V4W (T4W) 8GP 002 067-241</p>

\*\*) National type test for Germany

	Part no.	Pk.	External-fitting headlights
 	<p><b>1A5 003 190-001</b></p> <p>1A5 118 740-001</p>	<p>1</p> <p>1</p>	<p><b>External-fitting headlights</b></p> <p><b>With H4 light, without side light.</b> Silver coloured housing. Suitable for two-point fixing. Universal bracket with M10 fixing screw. Type of protection: IP5K4K. <b>Light aperture: 157 mm dia.</b></p> <p>(E1) 24423</p> <p><b>H4 headlight</b></p> <p><b>Spare parts:</b> Light unit</p> <p> 1x12V60/55W (H4) 8GJ 002 525-131</p>
 	<p><b>1A7 003 099-001</b></p> <p><b>1A7 003 099-011</b></p> <p>1A7 117 596-001</p> <p>1A7 118 750-001</p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p><b>With H4 main light.</b> Silver-coloured housing. Universal bracket with M10 fixing screw. Type of protection: IP5K4K. <b>Light aperture: 175 mm dia.</b></p> <p>(E1) 24417</p> <p><b>H4 headlight without side light</b></p> <p><b>with side light</b></p> <p><b>Spare parts:</b> Light unit for -001 for -011</p> <p> 1x12V60/55W (H4) 8GJ 002 525-131  1x24V75/70W (H4) 8GJ 002 525-251</p> <p> 1x12V4W (T4W) 8GP 002 067-121  1x24V4W (T4W) 8GP 002 067-241</p>
 	<p><b>1TA 003 570-101</b></p> <p>1TA 122 718-021</p>	<p>1</p> <p>1</p>	<p><b>For vehicles with max. speed of 25 km/h; e. g. for agricultural machines.</b> <b>With symmetrical light and side light.</b> Black plastic housing and lens-retaining rim. Universal bracket with M10 fixing screw. Type of protection: IP5K4K. <b>Light aperture: 115 x 95 mm.</b></p> <p>K 21090 **)</p> <p><b>Headlight with permanently dipped beam</b></p> <p><b>Spare parts:</b> Light unit</p> <p> 1x12V15W (Q)  1x24V30W (Q)</p> <p> 1x12V4W (T4W) 8GP 002 067-121  1x24V4W (T4W) 8GP 002 067-241</p>




Accessories see page 4.117





\*\*) National type test for Germany

# Headlights

164 x 103 mm, 190 x 132 mm, 138 x 124 mm



	Part no.	Pk.	External-fitting headlights
 	<p><b>1AB 004 231-001</b></p> <p>1AB 003 177-071 9GH 126 647-011</p>	<p>1 1 10</p>	<p><b>External-fitting headlights</b></p> <p><b>With H4 main light and side light.</b> Black plastic housing and lens-retaining rim. With U-shaped bracket for mounting on flat or slightly curved body surfaces. Type of protection: IP5K4K. <b>Light aperture: 164 x 103 mm.</b></p> <p>Ⓔ 24461    Ⓔ 24460</p> <p><b>H4 headlight</b></p> <p><b>Spare parts:</b> Light unit with sealing cap Sealing cap</p> <hr/> <p><b>Light aperture: 190 x 132 mm.</b></p> <p>Ⓔ 34548    Ⓔ 24523</p>
 	<p><b>1AE 004 234-001</b></p> <p>1AE 003 427-021 9GH 126 647-011</p>	<p>1 1 10</p>	<p><b>H4 headlight</b></p> <p><b>Spare parts:</b> Light unit Sealing cap</p> <p> 1x12V60/55W (H4) 8GJ 002 525-131 1x24V75/70W (H4) 8GJ 002 525-251</p> <p> 1x12V4W (T4W) 8GP 002 067-121 1x24V4W (T4W) 8GP 002 067-241</p>
 	<p><b>1EA 007 108-011</b> <b>1EA 007 108-017</b></p> <p><b>1EA 007 108-021</b> <b>1EA 007 108-027</b></p> <p>1AA 143 897-011 9FF 111 606-021</p> <p>9EL 113 639-011 9EL 113 639-021</p>	<p>1 30 1 30 1 1 2 2</p>	<p><b>With H4 main light, side light and attached amber indicator light.</b> Black plastic housing. Universal bracket with M12 fixing screw. Type of protection: IP5K4K. <b>Light aperture: 138 x 124 mm.</b></p> <p>Ⓔ 34463 Headlight</p> <p>Ⓔ 32670 Indicator light</p> <p><b>H4 headlight, left</b></p> <p><b>right</b></p> <p><b>Spare parts:</b> Light unit Bulb holder for side light Lens for indicator light, left right</p> <p> 1x12V60/55W (H4) 8GJ 002 525-131 1x24V75/70W (H4) 8GJ 002 525-251</p> <p> 1x12V4W (T4W) 8GP 002 067-121 1x24V4W (T4W) 8GP 002 067-241</p> <p> 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241</p>

	Part no.	Pk.	External-fitting headlights
 	<p><b>1A3 005 760-501</b></p> <p><b>1A3 005 760-518</b></p>	<p>1</p> <p>1</p>	<p><b>5760</b></p> <p><b>With H4 light.</b> Reflector made of sheet metal, glued to glass lens. Black plastic housing and lens-retaining rim. Universal bracket with M10 fixing screw. Type de protection: IP5K4K. <b>Light aperture: 120 mm dia.</b></p> <p>(E1) 44413</p> <p>Rotates to permit mounting at 45° intervals in the vertical plane.</p> <p><b>H4 headlight without side light</b></p> <p><b>with side light</b></p> <p> 1x12V60/55W (H4) 8GJ 002 525-131 1x24V75/70W (H4) 8GJ 002 525-251</p> <p> 1x12V4W (T4W) 8GP 002 067-121 1x24V4W (T4W) 8GP 002 067-241</p>
			
 	<p><b>1G3 005 760-221</b></p> <p><b>1G3 005 760-227</b></p>	<p>1</p> <p>27</p>	<p><b>External-fitting work lights</b></p> <p><b>5760</b></p> <p><b>Lens pattern for far-reaching illumination.</b> Recommended angle of inclination: 15° - 20°. Reflector made of sheet metal, glued to glass lens. Black plastic housing with extending edge to protect lens. Pivot base with M10 fixing screw. Without vibration damping. For upright or pendant mounting. Type of protection: IP5K4K. <b>With grommet.</b> <b>Light aperture: 120 mm dia.</b></p> <p><b>H3 work light without handle, protective grill and switch</b></p>
 	<p><b>1G3 005 760-021</b></p> <p>1G3 135 211-011</p> <p>6EB 005 633-001</p>	<p>1</p> <p>1</p> <p>10</p>	<p><b>With handle, protective grill, switch and longer bracket holder</b></p> <p><b>Spare parts:</b> Light unit Switch</p> <p> 1x12V35W (H3) 8GH 002 090-271 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251</p>

Accessories see page 4.117



# "5760" Light Series

120 mm dia.






Part no.	Pk.	External-fitting work lights
<b>5760</b>		
<b>Lens pattern for far-reaching illumination.</b> Recommended angle of inclination: 15° - 20°. Lens with steel reflector bonded. Black plastic housing with extending edge to protect lens. Pivot base with M10 fixing screw. Without vibration damping. For upright or pendant mounting. Type of protection: IP5K4K.		
<b>With grommet.</b> <b>Light aperture: 120 mm dia.</b>		
1G3 005 760-001	1	<b>H3 work light with handle and switch</b>
1G3 005 760-011	1	<b>Without switch</b>
1G3 005 760-031	1	<b>Without switch</b>
1G3 005 760-201	1	<b>Without handle and switch</b>
1G3 005 760-207	27	
1G3 005 760-211	1	<b>with switch and longer bracket holder</b>
1G3 135 211-011	1	<b>Spare parts:</b>
6EB 005 633-001	10	Light unit Switch
<b>Lens pattern for close-range illumination.</b> Recommended angle of inclination: 20° - 30°. <b>With handle and switch.</b> <b>Light aperture: 120 mm dia.</b>		
1G3 005 760-041	1	<b>H3 work light</b>
1G3 141 019-011	1	<b>Spare parts:</b>
6EB 005 633-001	10	Light unit Switch
1G3 005 760-057	1	<b>Mounting bracket for four-point mounting.</b> Distance between screws: 32 mm or 82 mm.
1G3 141 019-011	1	<b>Spare parts:</b>
6EB 005 633-001	10	Light unit Switch
9XD 130 261-001	5	U-bracket
1x12V35W (H3) 8GH 002 090-271 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251		

Accessories see page 4.117

	Part no.	Pk.	Built-in headlights
 	<p><b>1BA 996 261-021</b></p> <p><b>1KA 996 261-091</b></p>	<p>1</p> <p>1</p>	<p><b>Oval 100</b></p> <p><b>With H7 light, for permanent dipped-beam.</b>            Particularly suitable as a high-mounted headlight, if the main headlights are covered by devices mounted to the front.            Mounting frame, inclination adjustable by 6°.            Reflector made of plastic, glued to non-patterned glass lens.            Black plastic mounting frame with extending edge to protect lens.            With B4,2 x 45 mm fixing screws.  <b>With grommet.</b>  <b>Light aperture: 130 x 75 mm.</b></p> <p>Ⓔ 0004 SAE/FMVSS 108</p> <p><b>H7 headlight with oval mounting frame</b></p> <p><b>H7 main-beam headlight with oval mounting frame</b></p>
 	<p><b>1BA 996 261-081</b></p>	<p>1</p>	<p><b>H7 headlight with angular mounting frame, fits into mounting holes of headlights 1AB/1GB 006 213-...</b></p> <p> 1x12V55W (H7) 8GH 007 157-121   1x24V70W (H7) 8GH 007 157-241</p>

# "Oval 100" Light Series

130 x 75 mm



Part no.

Pk.

## Built-in work lights

### Oval 100 Xenon

**Lens pattern for close-range illumination.**  
 Recommended angle of inclination: 10° - 15°.  
 Reflector made of diecast aluminium,  
 glued to hardened galss lens.  
 Black plastic housing with  
 extending edge to protect lens.  
 Two 4.2 x 45 mm fixing screws.  
 Distance between screws: 150 mm.  
 Mounting area: 142 x 92 mm.  
 Type of protection: IP5K4K.  
**With gas discharge bulb.**  
**Light aperture: 130 x 75 mm.**

1GA 996 361-581

1

**Xenon work light  
 with single reflector and 24V ballast unit**

5DV 008 710-171

1

### Spare parts:

Ballast unit, 24V

8JD 156 151-807

1

Plug set (20 pcs.)



1x35W (D2S) 8GS 007 949-101

### Lens pattern for ground illumination.

Recommended angle of inclination: 10° - 15°.  
 Reflector made of diecast aluminium,  
 glued to hardened glass lens.  
 Black plastic housing with  
 extending edge to protect lens.  
 Two 4 x 40 mm fixing screws.  
 Distance between screws: 150 mm.  
 Mounting area: 142 x 92 mm.  
 Type of protection: IP5K4K.  
**Light aperture: 130 x 75 mm.**

1GA 996 161-111

1

**FF® H3 work light  
 with double reflector, AMP plug connector  
 and 12V55W bulbs**

1GA 996 161-351

1

**with single reflector, AMP plug connector  
 and 12V55W bulb**

9GH 993 984-001

1

### Spare parts:

Sealing cap for AMP plug connector

8JD 008 151-011

10

### Accessories:

Socket for AMP plug connector

8KW 701 235-033

100

Blade receptacles, 6.3 mm

8KB 990 299-001

1


2000 mm long connection lead  
 for AMP plug connector with cap

2(1)x12V35W (H3) 8GH 002 090-271

2(1)x12V55W (H3) 8GH 002 090-133

2(1)x24V70W (H3) 8GH 002 090-251





1GA 996 161-101

1

**Built-in work lights**

**Oval 100 with FF® reflector**

**Lens pattern for long-range illumination.**

Recommended angle of inclination: 10° - 15°.

Reflector made of diecast aluminium, glued to hardened glass lens.

Black plastic housing with extending edge to protect lens.

Two 4 x 40 mm fixing screws.

Distance between screws: 150 mm.

Mounting area: 142 x 92 mm.

Type of protection: IP5K4K.

**Light aperture: 130 x 75 mm.**


**FF® H3 work light**

**with oval lens-retaining rim, lens without optical pattern, single reflector, AMP plug connector with cap and 12V55W bulb**

**with oval lens-retaining rim, lens without optical pattern, single reflector and grommet, without bulb**

1GA 996 361-431

1



1GA 996 161-671

1

**With angular lens-retaining rim, fits into mounting holes of headlights 1AB/1GD 006 213-... Inclination 6°. AMP plug connector with cap. With 12V55W bulb**

**Spare parts:**

Sealing cap for AMP plug connector

9GH 993 984-001

1

**Accessories:**

Socket for AMP plug connector

Blade receptacles, 6.3 mm

2000 mm connection lead for AMP plug connector with cap

8JD 008 151-011


10

8KW 701 235-033

100

8KB 990 299-001

1





- 1(2)x12V35W (H3) 8GH 002 090-271
- 1(2)x12V55W (H3) 8GH 002 090-133
- 1(2)x24V70W (H3) 8GH 002 090-251



# "Oval 100" Light Series

130 x 75 mm



Part no.

Pk.

## External-fitting work lights

### Oval 100 with FF® reflector

#### Lens pattern for long-range illumination.

Recommended angle of inclination: 10° - 15°.

Reflector made of diecast aluminium, glued to hardened glass lens.

Black plastic housing with extending edge to protect lens. Pivot base with M10 fixing screws for upright or pendant mounting.

Without vibration damping.

Type of protection: IP5K4K.

**With oval lens-retaining rim, lens without optical pattern, single reflector, AMP plug connector with cap and 12V55W bulb. Light aperture: 130 x 75 mm.**

1GA 996 161-281

1

**FF® H3 work light**

9GH 993 984-001

1

#### Spare parts:

Sealing cap for AMP plug connector

8JD 008 151-011

10

#### Accessories:

Socket for AMP plug connector

8KW 701 235-033

100

Blade receptacles, 6.3 mm

8KB 990 299-001

1

2000 mm long connection lead for AMP plug connector with cap

8HG 990 263-111

1

Mounting bracket for tubular mount on 15 mm - 28 mm dia. pipes

1x12V35W (H3) 8GH 002 090-271

1x12V55W (H3) 8GH 002 090-133

1x24V70W (H3) 8GH 002 090-251




	Part no.	Pk.	External-fitting work lights
	1GA 996 361-421	1	<p><b>Oval 100 with FF® reflector</b>  <b>Lens pattern for wide close-range illumination.</b>            Recommended angle of inclination: 10° - 15°.            Reflector made of diecast aluminium, glued to hardened glass lens.            Black plastic housing with extending edge to protect lens.            Pivot base with M10 fixing screw for upright and pendant mounting.            Without vibration damping.            Pivot range vertical 105°.  <b>Light aperture: 130 x 75 mm.</b></p>
	1GA 996 161-121	1	<p><b>FF® H3 work light with single reflector and grommet, without bulb</b>            Type of protection: IP5K4K</p>
	1GA 996 161-581	1	<p><b>with AMP plug connector and cap, single reflector and 12V55W bulb</b>            Type of protection: IP5K4K and IPX9K</p>
	1GA 996 361-171	1	<p><b>Pivot base with vibration damping and mounting bracket for four-point mounting, with single reflector and 24V70W bulb</b></p> <hr/> <p><b>Pivot base made of yellow chromised steel, with vibration damping, single reflector and 24V70W bulb</b>            Type of protection: IP5K4K and IPX9K</p>
	1GA 996 161-291	1	<p><b>Optical pattern for wide ground illumination.</b>            Recommended angle of inclination: 10° - 15°.</p> <p><b>With double reflector and 12V55W bulbs. Pivot base with M10 fixing screw, without vibration damping</b></p>
	9GH 993 984-001	1	<p><b>Spare parts:</b>            Sealing cap for AMP plug connector</p>
	8JD 008 151-011	10	<p><b>Accessories:</b>            Socket for AMP plug connector</p>
8KW 701 235-033	100		
8KB 990 299-001	1	Blade receptacles, 6.3 mm 2000 mm connection lead for AMP plug connector with cap	
8HG 990 263-111	1	Mounting bracket for tubular mount on 15 mm - 28 mm dia. pipes	
	1(2)x12V35W (H3) 8GH 002 090-271 1(2)x12V55W (H3) 8GH 002 090-133 1(2)x24V70W (H3) 8GH 002 090-251		



Accessories see page 4.116-4.117.

# "Oval 100" Light Series

130 x 75 mm




for 1GA 996 131-331



Part no.	Pk.	External-fitting work lights
		<p><b>Lens pattern for wide, far-reaching illumination</b>                      Recommended angle of inclination: 4° - 10°.                      Reflector made of diecast aluminium, glued to hardened glass lens.                      Black plastic housing with extending edge to protect lens.                      Pivot base with M10 fixing screw for upright or pendant mounting.                      Without vibration damping.                      Pivot range vertical 105°.                      Type of protection: IP5K4K.  <b>With AMP plug connector and cap.</b>  <b>Light aperture: 130 x 75 mm.</b></p>
		<p><b>FF-H3 work light, lens without optical pattern, with double reflector and 12V55W bulbs</b></p>
1GA 996 161-131	1	
1GA 996 361-011	1	with 24V70W bulbs
1GA 996 161-331	1	same as -131, but with side pivot base for left mounting, also suitable for mounting on the right when the insert is turned through 180°
		<p><b>Spare parts:</b>                      9GH 993 984-001 1 Cap for AMP plug connector</p>
		<p><b>Accessories:</b>                      8JD 008 151-011 10 Socket for AMP plug connector                      8KW 701 235-033 100 Blade receptacles, 6.3 mm                      8KB 990 299-001 1 2000 mm long connecting lead for AMP plug connector                      8HG 990 263-111 1 Mounting bracket for tubular mount on 15 mm - 28 mm dia. pipes</p>
		<p>2x12V35W (H3) 8GH 002 090-271                      2x12V55W (H3) 8GH 002 090-133                      2x24V70W (H3) 8GH 002 090-251</p>
		<p><b>Oval 100 Xenon Integral</b>  <b>Lens pattern for wide, close-range illumination.</b>                      Recommended angle of inclination: 8° - 15°.                      Reflector made of diecast aluminium, glued with hardened glass lens.                      Black plastic housing with extending edge to protect lens.                      Xenon-electronic unit integrated into housing.                      Without connecting lead (see accessories).                      Pivot base with bracket for four-point fixing made of stainless steel.                      Pivot range vertical 105°.                      Type of protection: IP5K4K.  <b>With gas discharge bulb and DEUTSCH plug connector.</b>  <b>Light aperture: 130 x 75 mm.</b></p>
		<p><b>Xenon work light with 12V ballast unit and black lens-retaining rim, for upright mounting</b></p>
1GA 996 261-511	1	
1GA 996 261-521	1	for pendant mounting, pivot base with M10 fixing screw
		<p><b>Accessories:</b>                      8KB 990 299-221 1 3100 mm long connecting lead with relay, 15A fuse and DEUTSCH plug connector, 12V                      8HG 990 263-111 1 Mounting bracket for tubular mount on 15 mm - 28 mm dia. pipes</p>
		<p>1x35W (D1S) 8GS 009 028-001</p>

Accessories see page 4.116-4.117



1GA 996 261-531 1


1GA 996 261-691 1



1GA 996 261-561 1





1GA 996 261-571 1



for 1GA 996 261-701

1GA 996 261-701 1



1GA 996 261-581 1



8KB 990 299-221 1

8KB 990 299-231 1

8KB 990 299-121 1

8JD 008 151-011 10

8KW 701 235-033 100

8JS 711 687-821 1

8HG 990 263-111 1

**External-fitting work lights**

**Oval 100 Xenon Integral**

**Lens pattern for bride close-range illumination.**

Recommended angle of inclination: 8° - 15°.

Reflector made of diecast aluminium, glued to hardened glass lens.

Black plastic housing with extending edge to protect lens.

Xenon-electronic unit integrated into housing.

Without connecting lead (see accessories).

Pivot base with bracket for four-point mounting made of stainless steel.

Pivot range vertical 105°.

Type of protection: IP5K4K.

**With gas discharge bulb.**

**Light aperture: 130 x 75 mm.**

**Xenon work light**

**with DEUTSCH plug connector, 24V ballast unit and red lens-retaining rim, for upright mounting**

**for pendant mounting**

A black lens-retaining rim is enclosed with 1GA 996 261-531/-691.

**For upright mounting**

**With AMP plug connector, 12V ballast unit and red lens-retaining rim, for upright mounting**

**with 24V ballast unit**

**with 24V ballast unit and mounting bush for 24 mm dia. standard pin**

**Lens pattern for wide off-road illumination.**

Recommended angle of inclination: 3° -10°.

**Xenon work light**

**with AMP plug connector and 12V ballast. With red lens-retaining rim, for upright mounting.**

**Accessories:**

3100 mm long connecting lead with relay, 15A fuse and DEUTSCH plug connector with cap, 12V

24V

3700 mm long connecting lead with relay, 15A fuse and AMP plug connector with cap, 24V

Socket for AMP plug connector

Blade receptacles, 6.3 mm

Blade type fuse, 15A (5 pcs.)


Mounting bracket for tubular mount on 15 mm - 28 mm dia. pipes



1x35W (D1S) 8GS 009 028-001

# "Oval 100" Light Series

130 x 75 mm



Part no.

Pk.

## External-fitting work lights

### Oval 100 H9 with FF® reflector

#### Lens pattern for wide off-road illumination.

Recommended angle of inclination: 3° - 10°.

Reflector made of diecast aluminium, glued to hardened glass lens.

Black plastic housing with extending edge to protect lens.

Vibration-damped pivot base with bracket for four-point mounting.

Pivot range vertical 105°.

For upright mounting.

With 2000 mm long connecting cable.

Type of protection: IP5K4K.

**With 12V bulb, accessible from the outside.**

**Light aperture: 130 x 75 mm.**

1GA 996 161-391

1

FF®-H9 work light

9XD 990 298-001

5

#### Spare parts:

Bracket for four-point fixing

8KB 990 299-311

1

#### Accessories:

2000 mm long connecting lead, with plug for connecting the H9 bulb

9GH 990 334-011

1






Rubber cap for H9 socket



1x12V65W (H9) 8GH 008 375-001

Accessories see page 4.116-4.117.



Part no.	Pk.	Built-in headlights
<b>Oval 120</b>		
<p><b>With H4 light.</b>            Mounting frame made of plastic, with inclination adjustment 4°. Reflector made of plastic, glued to non-patterned glass lens. With fixing screws M5 x 35 mm.</p> <p><b>With 12V bulbs and sealing cap.</b>  <b>Light aperture: 161 x 100 mm.</b></p>		
1502 SAE/FMVSS 108		
1AB 996 157-091	1	<b>H4 headlight with side light</b>
1AB 996 157-081	1	<b>without side light</b>
<b>External-fitting headlights</b>		
<p>Black plastic body with M12 x 70 fixing screw for upright mounting.</p>		
1AB 996 157-151	1	<b>H4 headlight with side light and AMP 4-pole plug connector</b>
1AB 996 157-131	1	<b>without side light, with grommet</b>
1x12V60/55W (H4) 8GJ 002 525-131 1x24V75/70W (H4) 8GJ 002 525-251		
1x12V4W (T4W) 8GP 002 067-121 1x24V4W (T4W) 8GP 002 067-241		
<b>Built-in work light</b>		
<b>Oval 120 Xenon</b>		
<p><b>Lens pattern for off-road illumination.</b>            Recommended angle of inclination: 3° - 10°. Lens with plastic reflector bonded. Black plastic mounting frame with inclination adjustment 4°. With two 50 x 35 mm fixing screws. Work light permanently connected to ballast unit by a 500 mm long lead. Type of protection: IP5K4K.</p>		
<p><b>With gas discharge bulb.</b>  <b>Light aperture: 161 x 100 mm.</b></p>		
1GB 996 158-081	1	<b>Xenon work light with 12V ballast unit</b>
1x35W (D2S) 8GS 007 949-101		






# "Module 120" Light Series


120 x 120 mm



	Part no.	Pk.	Built-in headlights
  			<p><b>Module 120</b>  <b>With H7 dipped-beam light, H3 driving-beam light and side light.</b>  <b>With attached amber indicator light.</b>                      Black rubber housing for sealing installation opening.                      Black lens-retaining rim with extending edge to protect lens.                      Splash-proof in accordance with IPX9K.  <b>With grommet.</b>  <b>Light aperture: 120 x 120 mm.</b></p>
			<p>Ⓔ 9471 Headlight</p>
			<p>Ⓔ 6495 Indicator light</p>
	1EA 996 074-051	1	<p><b>H7/H3 headlight, left</b></p>
	1EA 996 074-061	1	<p><b>right</b></p>
	1EA 996 074-177	30	<p><b>With black rubber body, 24V bulbs and DEUTSCH 6-pole plug connector, left</b></p>
1EA 996 074-187	30	<p><b>right</b></p>	
9EL 990 186-001	4	<p><b>Spare parts:</b>                      Lens for indicator light</p>	
8KB 990 299-057	1	<p>2000 mm long connecting lead with DEUTSCH 6-pole plug connector</p>	
		<p> 1x12V55W (H7) 8GH 007 157-121                      1x24V70W (H7) 8GH 007 157-241</p>	
		<p> 1x12V55W (H3) 8GH 002 090-133                      1x24V70W (H3) 8GH 002 090-251</p>	
		<p> 1x12V4W (T4W) 8GP 002 067-121                      1x24V4W (T4W) 8GP 002 067-241</p>	
		<p> 1x12V21W (P21W) 8GA 002 073-121                      1x24V21W (P21W) 8GA 002 073-241</p>	



AMP plug connector





DEUTSCH plug connector




Part no.	Pk.	External-fitting headlights
		<b>Module 120</b> With H7 dipped-beam light, H3 driving-beam light and side light. With attached indicator light. Indicator light with one amber lens each toward front and rear. Lens with plastic reflector bonded. Black housing. Black lens-retaining rim with extending edge to protect lens. Universal bracket with M12 fixing screw. Splash-proof in accordance with IPX9K. <b>Light aperture: 120 x 120 mm.</b>
		Ⓔ 9471 Headlight
		Ⓔ 6495 Indicator light front
		Ⓔ 6505 Indicator light rear
		<b>H7/H3 headlight</b> with AMP 6-pole plug connector and 12V bulbs, left
1EA 993 975-011	1	
1EA 993 975-017	40	
1EA 993 975-021	1	right
1EA 993 975-027	40	
		with 24V bulbs, left
1EA 993 975-051	1	
1EA 993 975-057	40	
1EA 993 975-061	1	right
1EA 993 975-067	40	
		with DEUTSCH 6-pole plug connector and 12V bulbs, left
1EA 993 975-091	1	
1EA 993 975-097	20	
1EA 993 975-101	1	right
1EA 993 975-107	20	
		<b>For pendant mounting.</b> With AMP 6-pole plug connector and 24V bulbs, left
1EA 993 975-337	40	
1EA 993 975-347	40	right
		<b>Spare parts:</b> Light unit
1EA 990 185-021	1	
		Lens for indicator light, front
9EL 990 186-001	4	
9EL 990 186-101	4	rear
		<b>Accessories:</b> Socket for AMP plug connector, 6-pole
8JD 008 151-051	10	
9GH 993 988-007	1	Rubber cap for AMP plug connector
8KW 701 235-033	100	Blade receptacles, 6.3 mm
9GH 990 316-031	20	Rubber cap for DEUTSCH plug connector
		1x12V55W (H7) 8GH 007 157-121
		1x24V70W (H7) 8GH 007 157-241
		1x12V55W (H3) 8GH 002 090-133
		1x24V70W (H3) 8GH 002 090-251
		1x12V4W (T4W) 8GP 002 067-121
		1x24V4W (T4W) 8GP 002 067-241
		1x12V21W (P21W) 8GA 002 073-121
		1x24V21W (P21W) 8GA 002 073-241

# "Module 120" Light Series

120 x 120 mm



	Part no.	Pk.	External-fitting headlights
  	<p><b>1EA 996 081-171</b> <b>1EA 996 081-177</b></p> <p>1EA 990 185-021 9EL 990 186-001 9EL 990 186-101</p> <p><b>8JD 008 151-051</b> <b>9GH 993 988-007</b> <b>8KW 701 235-033</b></p>	<p>1 24 1 4 4 10 1 100</p>	<p><b>Module 120</b> <b>With H7 dipped-beam light,</b> <b>H3 driving-beam light and side light.</b> <b>With attached amber indicator light.</b> <b>Indicator light with one amber lens each</b> <b>toward front and rear.</b> Lens with plastic reflector bonded. Black housing. Black lens-retaining rim with extending edge to protect lens. Universal bracket with M12 fixing screw for centre-mounting. Splash-proof in accordance with IPX9K. <b>With 12V bulbs.</b> <b>Light aperture: 120 x 120 mm.</b></p> <p>Ⓔ 9471 Headlight Ⓔ 6495 Indicator light front Ⓔ 6505 Indicator light rear</p> <p><b>H7/H3 headlight</b> <b>with AMP 6-pole plug connector</b></p> <p><b>Spare parts:</b> Light unit Lens for indicator light, front rear</p> <p><b>Accessories:</b> 6-pole socket for AMP plug connector Rubber cap for AMP plug connector Blade receptacles, 6.3 mm</p> <p> 1x12V55W (H7) 8GH 007 157-121  1x24V70W (H7) 8GH 007 157-241</p> <p> 1x12V55W (H3) 8GH 002 090-133  1x24V70W (H3) 8GH 002 090-251</p> <p> 1x12V4W (T4W) 8GP 002 067-121  1x24V4W (T4W) 8GP 002 067-241</p> <p> 1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241</p>



Part no.

Pk.

**External-fitting headlights**

**Module 120**

**With H7 dipped-beam light, H3 driving-beam light and side light.**

Lens with plastic reflector bonded. Black housing. Black lens-retaining rim with extending edge to protect lens. Universal bracket with M12 fixing screws. Splash-proof in accordance with IPX9K. **Light aperture: 120 x 120 mm.**

Ⓔ 9471

**H7/H3 headlight**

**with AMP 4-pole plug connector and 12V bulbs**

1EA 996 127-001 1  
1EA 996 127-007 54

**with AMP 4-pole plug connector and 24V bulbs**

1EA 996 127-051 1

**With AMP 6-pole plug connector, sealing cap and 24V bulbs.**

Universal bracket with M12 fixing screw. For pendant mounting.

1EA 996 127-077 54

**Spare parts:**

Light unit

1EA 990 185-021 1

**Accessories:**

Socket for AMP plug connector, 4-pole

8JD 008 151-041 10

6-pole

8JD 008 151-051 10

Rubber cap for AMP plug connector

9GH 993 988-007 1

Blade receptacles, 6,3 mm

8KW 701 235-033 100

1x12V55W (H7) 8GH 007 157-121  
 1x24V70W (H3) 8GH 007 157-241



1x12V55W (H7) 8GH 002 090-133  
 1x24V70W (H3) 8GH 002 090-251


1x12V4W (T4W) 8GP 002 067-121  
 1x24V4W (T4W) 8GP 002 067-241

# "Module 120" Light Series

120 x 120 mm



  	<p><b>Part no.</b></p> <p><b>1GA 996 140-021</b></p> <p><b>8JD 008 151-041</b>  <b>9GH 993 988-007</b>  <b>8KW 701 235-033</b></p>	<p><b>Pk.</b></p> <p><b>External-fitting work lights</b></p> <p><b>Module 120 with FF® reflector</b>  <b>Lens pattern for close-range illumination.</b>  Recommended angle of inclination: 20°.  Lens with plastic housing and bonded.  Black plastic housing and lens-retaining rim with extending edge to protect lens.  Universal bracket with M12 fixing screw.  For upright mounting.  Type of protection: IPX9K.  <b>With AMP 4-pole plug connector.</b>  <b>Light aperture: 120 x 120 mm.</b></p> <p><b>1 FF®-H3 work light</b></p> <p><b>Accessories:</b></p> <p>10 4-pole socket for AMP plug connector  1 Rubber cap for AMP plug connector  100 Blade receptacles, 6.3 mm</p> <p> 1x12V35W (H3) 8GH 002 090-271  1x12V55W (H3) 8GH 002 090-133</p>










Part no.	Pk.	Built-in headlights
		<b>Module 6213</b> <b>With H4 light, sheet metal reflector and cap.</b> Lens with metall reflector bonded. Black plastic supporting frame. For horizontal mounting. Mounting area: 148 x 88 mm. Inclination (6° up and downwards) can be adjusted. Type of protection: IP5K4K. <b>Light aperture: 148 x 84 mm.</b>
		(E1) 44439
1AB 006 213-001	1	<b>H4 headlight without side light, 12V</b>
1AB 006 213-011	1	<b>with side light, 12V</b>
1AB 006 213-027	1	<b>with side light and hardened lens, 12V/24V</b>
		<b>Spare parts:</b> 9GH 116 966-011 10 Rubber cap
		<b>Accessories:</b> 9BG 993 345-001 1 Rubber housing for sealing installation opening 9HD 990 040-001 10 Cover, black, 182 x 102 mm
		<b>For all versions:</b> Black plastic housing with mounting bracket for use lights as external-fitting lights,
9BG 990 178-011	1	with grommet
9BG 990 178-031	1	with AMP plug connector
8JD 008 151-041	10	4-pole socket for AMP plug connector
8KW 701 235-033	100	Blade receptacles, 6.3 mm
9XD 990 298-001	5	Bracket for four-point mounting
		1x12V60/55W (H4) 8GJ 002 525-131 1x24V75/70W (H4) 8GJ 002 525-251
		1x12V4W (T4W) 8GP 002 067-121 1x24V4W (T4W) 8GP 002 067-241

# "Module 6213" Light Series

148 x 84 mm



	Part no.	Pk.	Built-in headlights
  			<p><b>Built-in headlights</b></p> <p><b>Module 6213</b>  <b>With normal light and black plastic cap.</b>                      Black plastic supporting frame.                      Lens with plastic reflector bonded.                      Inclination (6° up and downwards) can be adjusted.                      Mounting area: 148 x 88 mm.                      Type of protection: IP5K4K.  <b>Light aperture: 148 x 84 mm.</b></p> <p>(E12) 1009</p> <p><b>Headlight with side light</b></p> <p> 1x12V45/40W (R2) 8GD 002 088-131</p> <p> 1x12V4W (T4W) 8GP 002 067-121</p> <hr/> <p><b>With H4 light and red plastic cap.</b></p> <p>(E12) 20004</p> <p><b>H4 headlight with side light</b></p> <p><b>H4 headlight without side light</b></p> <p><b>Spare parts:</b>                      Plastic cap, red</p> <p><b>Accessories:</b>                      Rubber housing for sealing installation opening                      Cover, black, 182 x 102 mm</p> <p><b>For all versions:</b>                      Black plastic housing with mounting bracket for use lights as external-fitting lights, with grommet                      with AMP plug connector                      4-pole socket for AMP plug connector                      Blade receptacles, 6.3 mm                      Bracket for four-point mounting</p> <p> 1x12V60/55W (H4) 8GJ 002 525-131   1x24V75/70W (H4) 8GJ 002 525-251</p> <p> 1x12V4W (T4W) 8GP 002 067-121   1x24V4W (T4W) 8GP 002 067-241</p>
	1AD 996 018-001	1	
	1AD 996 018-641	1	
	1AD 996 018-651	1	
	9HD 990 044-001	2	
	9BG 993 345-001	1	
	9HD 990 040-001	10	
	9BG 990 178-011	1	
	9BG 990 178-031	1	
	8JD 008 151-041	10	
8KW 701 235-033	100		
9XD 990 298-001	5		



Part no.

Pk.

**Built-in work lights**

**Module 6213  
Double Beam with FF® reflector**

**With lens pattern for object illumination for vertical surfaces.**

For horizontal flush-mounting.  
Double reflector made of diecast aluminium, glued to glass lens.  
Black plastic body and supporting frame, with pan-head tapping screws made of stainless steel 4.2 x 45 mm.  
Inclination (6° up and downwards) can be adjusted.  
Mounting area: 148 x 88 mm.  
With 250 mm long connecting lead.  
Type of protection: IP5K4K.

**With grommet.  
Light aperture: 148 x 84 mm.**

For front or rear flush mounting in vehicle roof.  
Recommended angle of inclination: 15° - 35°.

**FF®-H3 work light without bulbs**

**Lens pattern for ground illumination.**  
For front or rear flush mounting in vehicle roof.  
Recommended angle of inclination: 5° - 15°.

**With 2 bulbs 12V55W**

**Lens pattern for off-road illumination.**

For front flush mounting in vehicle roof.  
Light falling on the engine of the bonnet reduced to a minimum in order to avoid dazzling off the driver.  
Recommended angle of inclination: 2° - 10°.

**Without bulbs**

**Lens pattern for close-range illumination.**

For front flush mounting in vehicle roof.  
Recommended angle of inclination: 20° - 30°.

**Without bulbs**

**Accessories:**

1 Rubber housing for sealing installation opening  
10 Cover, black, 182 x 102 mm

**For all versions:**

1 Black plastic housing with mounting bracket for use lights as external-fitting work lights without handle, with grommet  
10 4-pole socket for AMP plug connector  
100 Blade receptacles, 6.3 mm  
5 Bracket for four-point mounting

2x12V35W (H3) 8GH 002 090-271  
2x12V55W (H3) 8GH 002 090-133  
2x24V70W (H3) 8GH 002 090-251



# "Module 6213" Light Series

148 x 84 mm






	Part no.	Pk.	Built-in work lights
	1GB 996 147-011	1	<p><b>Module 6213 Xenon</b>  <b>Lens pattern for close-range illumination.</b>                      Recommended angle of inclination: 10° - 20°.                      Lens with plastic reflector bonded.                      With pan-head tapping screws made of stainless steel 4.2 x 45 mm.                      Inclination (6° up and downwards) can be adjusted.                      Rubber housing for sealing installation opening 148 x 88 mm.                      The ballast unit is firmly connected to work light by a 300 mm long lead.                      With 3700 mm long connection lead, relay and 15A fuse.                      Type of protection: IP5K4K.  <b>With gas discharge bulb.</b>  <b>Light aperture: 148 x 84 mm.</b></p>
	1GB 996 147-011	1	<p><b>Xenon-work light with 12V ballast unit and red supporting frame</b></p>
	9BG 990 297-001	1	<p><b>Xenon-work light with 12V ballast unit and black supporting frame, without connection lead</b></p>
	8JS 711 687-821	1	<p><b>Spare parts:</b>                      Housing for ballast unit 12V                      Blade-type fuse, 15A (5 pcs.)</p>
	9HD 990 040-001	10	<p><b>Accessories:</b>                      Cover, black, 182 x102 mm                      3000 mm long connection lead from ballast unit to battery, with relay and fuse, 12V</p>
	8KB 149 147-001	1	<p>1x35W (D2S) 8GS 007 949-101</p>




	Part no.	Pk.	Built-in work lights
	<b>1GB 006 213-101</b> <b>1GB 006 213-107</b>	1 30	<b>Module 6213 with FF® reflector</b> <b>Lens pattern for far-reaching illumination.</b> Recommended angle of inclination: 10° - 20°. Lens with metal reflector bonded. Black plastic supporting frame with pan-head tapping screws made of stainless steel 4.2 x 45 mm. Inclination (6° up and downwards) can be adjusted. Mounting area: 148 x 88 mm. Type of protection: IP5K4K. <b>Light aperture: 148 x 84 mm.</b>  <b>H3 work light with cap</b>
	<b>1GB 006 213-111</b> <b>1GB 006 213-117</b>	1 30	<b>Lens pattern for close-range illumination.</b>  <b>H3 work light with cap</b>
	<b>1GD 996 018-541</b>  <b>9BG 993 345-001</b> <b>9BG 990 042-061</b> <b>9HD 990 040-001</b>  <b>9BG 990 178-011</b>	1  1 1 10  1	<b>Lens with plastic reflector bonded, with cap, only for 12V</b>  <b>Accessories:</b> Rubber housing for sealing installation opening for -101/-107/-111/-117/-147 for -541 Blind cover, black, 182 x 102 mm  <b>For all versions:</b> Black plastic housing with mounting bracket for use lights as external-fitting work lights without handle, with grommet
	<b>8JD 008 151-041</b> <b>8KW 701 235-033</b> <b>9XD 990 298-001</b>	10 100 5	4-pole socket for AMP plug connector Blade receptacles, 6.3 mm Bracket for four-point fixing  1x12V35W (H3) 8GH 002 090-271 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251 

# "Module 6213" Light Series

148 x 84 mm



	Part no.	Pk.	External-fitting headlight
 	<p><b>1AB 996 213-001</b></p> <p>1AB 006 213-011 9XD 990 298-001</p>	<p><b>External-fitting headlight</b></p> <p><b>Module 6213</b>  <b>With H4 light and side light.</b>            Lens with metal reflector bonded.            Black plastic housing and lens-retaining rim.            Pivot base with bracket for four-point mounting.            For upright or pendant mounting.  <b>With grommet.</b>  <b>Light aperture: 148 x 84 mm.</b></p> <p> 44439</p> <p><b>H4 headlight</b></p> <p><b>Spare parts:</b>            1 Light unit with lens-retaining rim            5 Bracket for four-point mounting</p> <p> 1x12V60/55W (H4) 8GJ 002 525-131            1x24V75/70W (H4) 8GJ 002 525-251</p> <p> 1x12V4W (T4W) 8GP 002 067-121            1x24V4W (T4W) 8GP 002 067-241</p>	
  	<p><b>1GB 996 213-511</b></p> <p>1GB 006 213-111 9XD 990 298-001</p>	<p><b>External-fitting work light</b></p> <p><b>Module 6213</b>  <b>Lens pattern for close-range illumination.</b>            Recommended angle of inclination: 10° - 20°.            Lens with metal reflector bonded.            Black plastic housing and lens-retaining rim.            Pivot base with bracket for four-point mounting.            For upright or pendant mounting.            Type of protection: IP5K4K.  <b>With grommet and vibration damping.</b>  <b>Light aperture: 148 x 84 mm.</b></p> <p><b>H3 work light</b></p> <p><b>Spare parts:</b>            1 Light unit with lens-retaining rim            5 Bracket for four-point mounting</p> <p> 1x12V35W (H3) 8GH 002 090-271            1x12V55W (H3) 8GH 002 090-133            1x24V70W (H3) 8GH 002 090-251</p>	

	Part no.	Pk.	External-fitting headlight
    	<p><b>1AB 007 145-001</b> <b>1AB 007 145-007</b></p>    <p><b>1GB 007 145-101</b> <b>1GB 007 145-107</b></p>	<p>1 36</p>    <p>1 36</p>	<p><b>7145</b> <b>With H4 main light and side light.</b> Lens with metal reflector bonded. Black plastic housing and lens-retaining rim. Pivot base with M10 fixing screw. For upright or pendant mounting. <b>Light aperture: 148 x 84 mm.</b></p> <p>(E1) 44439</p> <p><b>H4 headlight</b></p> <p> 1x12V60/55W (H4) 8GJ 002 525-131</p> <p> 1x12V4W (T4W) 8GP 002 067-121</p> <hr/> <p><b>External-fitting work light</b></p> <p><b>7145</b> <b>Lens pattern for wide close-range illumination.</b> Recommended angle of inclination: 10° - 20°. Lens with metal reflector bonded. Black plastic housing and lens-retaining rim. Pivot base with M10 fixing screw for upright or pendant mounting. <b>Light aperture: 148 x 84 mm.</b></p> <p><b>H3 work light</b></p> <p> 1x12V35W (H3) 8GH 002 090-271 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251</p>

Accessories see page 4.116-4.117.

# Work Lights

136 x 88 mm



Part no.	Pk.	External-fitting work lights
		<p><b>Double-Beam with FF®-reflector</b>  <b>Lens pattern for intensive close-range illumination.</b>                      Recommended angle of inclination: 25° - 35°.                      Double reflector made of diecast aluminium, glued to glass lens.                      Black plastic housing with extending edge to protect lens.                      With 250 mm long silicone connection lead.                      Pivot base with bracket for four-point mounting.                      For upright or pendant mounting.                      Height of mounting bracket: 22 mm.                      Without vibration damping.                      Type of protection: IP5K4K.  <b>With grommet.</b>  <b>Light aperture: 136 x 88 mm.</b></p>
	1GA 006 991-021	1 <b>FF®-H3 work light with handle</b>
	1GA 006 991-091	1 <b>without handle</b>
1GA 998 524-001	1	<b>Spare parts:</b> Light unit
9XD 990 298-001	5	Bracket for four-point mounting
		<p><b>Lens pattern for far-reaching off-road illumination.</b>                      Recommended angle of inclination: 5° - 15°.                      Type of protection: IP5K4K.</p>
1GA 006 991-061	1	<b>FF®-H3 work light with handle</b>
1GA 006 991-051	1	<b>without handle</b>
9XD 990 298-001	5	<b>Spare parts:</b> Bracket for four-point mounting
		<p><b>Lens pattern for large-area, uniform close-range illumination.</b>                      Recommended angle of inclination: 15° - 25°.                      Type of protection: IP5K4K.</p>
1GA 006 991-031	1	<b>FF®-H3 work light with handle</b>
1GA 006 991-041	1	<b>without handle</b>
1GA 998 524-011	1	<b>Spare parts:</b> Light unit
9XD 990 298-001	5	Bracket for four-point mounting
		<p>2x12V35W (H3) 8GH 002 090-271                      2x12V55W (H3) 8GH 002 090-133                      2x24V70W (H3) 8GH 002 090-251</p>






Accessories see page 4.117



# Work Lights

135 x 75 mm



Part no.	Pk.	External-fitting work lights
  	<p><b>1GA 005 060-001</b> 1</p> <p>1GA 132 459-011 1 9AG 132 453-005 5</p>	<p><b>Master 5060</b>  <b>Lens pattern for far-reaching illumination.</b>                      Recommended angle of inclination: 15° - 20°.                      Lens with metal reflector bonded.                      Black plastic housing.                      Pivot base with M10 fixing screw for upright or pendant mounting.                      Without vibration damping.                      Type of protection: IP5K4K.  <b>Light aperture: 135 x 75 mm.</b></p> <p><b>H3 work light with pivot base for external-fitting</b></p> <p><b>Spare parts:</b>                      Light unit                      Lens-retaining rim</p>
 	<p><b>1GA 005 060-041</b> 1</p>	<p><b>Lens pattern for close-range illumination.</b>                      Recommended angle of inclination: 20° - 25°.</p> <p><b>H3 work light with pivot base for external-fitting</b></p>
	<p><b>1GA 005 060-337</b> 30</p> <p>9AG 132 453-005 5</p>	<p><b>Built-in work light</b></p> <p><b>Sealed housing</b>                      With 2 fixing screws 3.5 x 25 mm and 12V55W bulb.                      Mounting area: 152 x 92 mm.</p> <p><b>H3 work light</b></p> <p><b>Spare parts:</b>                      Lens-retaining rim</p> <p>1x12V35W (H3) 8GH 002 090-271                      1x12V55W (H3) 8GH 002 090-133                      1x24V70W (H3) 8GH 002 090-251</p> 

Accessories see page 4.117





Part no.	Pk.	External-fitting work lights
	1	<p><b>Picador 6876 with FF® reflector</b>  <b>Lens pattern for ground illumination.</b>  Recommended angle of inclination: 20° - 25°.  Lens with plastic reflector bonded.  Black plastic housing and lens-retaining rim.  Lens-retaining rim with extending edge to protect lens.  Universal bracket with M10 fixing screw for upright or pendant mounting.  Pivot range: horizontal 130°, vertical 90°.  Type of protection: IP5K4K.  <b>With grommet.</b>  <b>Light aperture: 125 x 75 mm.</b></p>
	1	<p><b>Picador 8522 with FF® reflector</b>  Recommended angle of inclination: 20° - 25°.  Universal bracket with M10 fixing screw for upright or pendant mounting.  Pivot range: horizontal 130°.</p> <p><b>FF®-H3 work light with pivot base and M10 fixing screw</b></p>
	1	<p><b>With FF® reflector</b>  <b>Lens pattern for far-reaching illumination.</b>  Recommended angle of inclination: 15° - 20°.  Universal bracket with M10 fixing screw for upright or pendant mounting.  Pivot range: horizontal 130°.</p> <p><b>FF®-H3 work light with pivot base and M10 fixing screw</b></p>
	<p>1 1 1</p>	<p><b>Accessories:</b>  1 Mounting bracket for tubular mount on 15 - 28 mm dia. pipes  1 Magnetic base  1 U-bracket</p> <p>1x12V35W (H3) 8GH 002 090-271  1x12V55W (H3) 8GH 002 090-133  1x24V70W (H3) 8GH 002 090-251</p>

Accessories see page 4.116-4.117

# Work Lights

125 x 75 mm



	Part no.	Pk.	External-fitting work light
  	<p>1GA 006 875-001</p>	<p>1</p> <p><b>Picador 6875 with FF® reflector</b>  <b>Lens pattern for ground illumination.</b>  Recommended angle of inclination: 20° - 25°.  Lens with plastic reflector bonded.  Black plastic housing and lens-retaining rim.  Lens-retaining rim with extending edge to protect lens.  Universal side bracket with M10 mounting screw for attachment to vertical surfaces.  Pivot range: horizontal 150°, vertical 90°.  Type of protection: IP5K4K.  <b>With grommet.</b>  <b>Light aperture: 125 x 75 mm.</b></p>	
 	<p>1GA 996 082-001</p>	<p>1</p> <p><b>Built-in work light</b>  <b>Picador 6082 with FF® reflector</b>  <b>Lens pattern for ground illumination.</b>  Recommended angle of inclination: 20° - 25°.  Lens with plastic reflector bonded.  Black plastic housing and lens-retaining rim.  Lens-retaining rim with extending edge to protect lens.  With two 3.9 x 55 mm fixing screws.  Distance between screws: 142 mm.  Foam rubber seal for sealing dust and water-tight to outside on even attachment surfaces.  Front inclination 5.2°, mounting aperture: 130 x 76 mm.  Type of protection: IP5K4K.  <b>Light aperture: 125 x 75 mm.</b></p> <p><b>FF®-H3 work light</b></p> <p>1x12V35W (H3) 8GH 002 090-271  1x12V55W (H3) 8GH 002 090-133  1x24V70W (H3) 8GH 002 090-251</p> 	

Accessories see page 4.116-4.117

	<p>Part no.</p> <p><b>1GD 005 700-501</b></p> <p>1GD 137 355-011</p>	<p>Pk.</p> <p>1</p> <p>1</p>	<p><b>External-fitting work lights</b></p> <p><b>Torero 5700</b></p> <p><b>Lens pattern for close-range illumination.</b> Recommended angle of inclination: 15° - 25°. Lens with steel reflector bonded. Black plastic housing. Pivot base with M10 fixing screw. For upright or pendant mounting. Without vibration damping. Type of protection: IP5K4K. <b>Light aperture: 195 x 96 mm.</b></p> <p><b>H3 work lights</b></p> <p><b>Spare parts:</b> Light unit</p> <p>1x12V35W (H3) 8GH 002 090-271 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251</p>
	<p><b>1GA 996 179-021</b></p> <p><b>1GA 996 179-001</b></p>	<p>1</p> <p>1</p>	<p><b>ECO 21</b></p> <p><b>Lens pattern for close-range illumination</b></p> <p>Lens with plastic reflector bonded. Black plastic housing. Pivot base with M10 fixing screw. With bulb, gasket and 200 mm connection lead. Bulb accessible from the outside. Type of protection: IP5K9K. <b>Light aperture: 88 x 88 mm.</b></p> <p><b>Work light,</b> <b>12V</b></p> <p><b>24V</b></p> <p>1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241</p>
	<p><b>1GA 996 020-001</b></p>	<p>1</p>	<p><b>Built-in work light</b></p> <p><b>For installation on side next to headlight.</b> For illumination to front and side. Four 3.9 x 13 fixing screws. <b>With 12V55W bulb.</b></p> <p><b>H3 work light</b></p> <p>1x12V35W (H3) 8GH 002 090-271 1x12V55W (H3) 8GH 002 090-133</p>

Accessories see page 4.116-4.117






# Work Lights

123 x 123 mm



	Part no.	Pk.	External-fitting work lights
	<p><b>1GA 998 532-011</b></p> <p>1GA 990 183-001</p>	<p>1</p> <p>1</p>	<p><b>AS 200 with FF® reflector</b>  <b>Lens pattern for close-range illumination.</b>                  Recommended angle of inclination: 15° - 25°.                  Black plastic housing with extending edge to protect lens.                  Pivot base with vibration damping and bracket for four-point mounting.                  For upright, pendant or side mounting.                  Side possible with square reflector insert.                  Type of protection: IP5K4K.  <b>With AMP plug connector and cap.</b>  <b>Light aperture: 123 x 123 mm.</b></p> <p><b>FF®-H3 work light</b></p> <p><b>Spare parts:</b>                  Light unit</p>
	<p><b>1GA 998 532-081</b></p> <p><b>8KB 990 299-001</b></p> <p><b>8JD 008 151-011</b></p> <p><b>8KW 701 235-033</b></p> <p><b>9GH 993 984-001</b></p> <p><b>8HG 990 263-111</b></p>	<p>1</p> <p>1</p> <p>10</p> <p>100</p> <p>20</p> <p>1</p>	<p><b>Lens pattern for long-range illumination.</b>                  Recommended angle of inclination: 5°.</p> <p><b>FF®-H3 work light</b></p> <p><b>Accessories:</b></p> <ul style="list-style-type: none"> <li>1 2000 mm long, 2-pole connecting lead for AMP plug connector</li> <li>10 2-pole socket for AMP plug connector</li> <li>100 Blade receptacles, 6.3 mm</li> <li>20 Rubber cap for AMP plug connector</li> <li>1 Mounting bracket for tubular mount on 15 - 28 mm dia. pipes</li> </ul> <p>1x12V35W (H3) 8GH 002 090-271                  1x12V55W (H3) 8GH 002 090-133                  1x24V70W (H3) 8GH 002 090-251</p>

Accessories see page 4.116-4.117




Part no.	Pk.	External-fitting work lights
		<b>AS 200 Xenon</b>
		<b>Lens pattern for wide close-range illumination.</b> Recommended angle of inclination: 10° - 25°. Lens with plastic reflector bonded. Black plastic housing with extending edge to protect lens. With red decorative ring. Handle recessed into housing. Xenon electronic unit 42W integrated into housing. Pivot base with bracket for four-point mounting. Type of protection: IP5K4K and IPX9K. <b>With gas discharge bulb.</b> <b>Light aperture: 123 x 123 mm.</b>
1GA 996 142-001	1	<b>Xenon-work light with 12V ballast unit, AMP plug connector and 3100 mm long connecting lead, relay and fuse</b>
1GA 996 142-011	1	<b>with 24V ballast unit, AMP plug connector and 3100 mm long connecting lead, relay and fuse</b>
1GA 996 142-021	1	<b>with 12V ballast unit, DEUTSCH plug connector and 3100 mm long connecting lead with relay and fuse</b>
1GA 996 142-311	1	<b>with 24V ballast unit, DEUTSCH plug connector and black decorative ring, without connecting lead</b>
		<b>Spare parts:</b>
1GA 990 305-001	1	Light unit
9GH 993 984-001	1	Rubber cap for AMP plug connector
8KB 990 299-121	1	3100 mm connecting lead with relay and fuse for AMP plug connector, 24V
		3100 mm long connecting lead with relay and fuse for DEUTSCH plug connector,
8KB 990 299-221	1	12V
8KB 990 299-231	1	24V
8JS 711 687-821	1	Blade-type fuses, 15A (5 pcs.)
		<b>Accessories:</b>
8JD 008 151-011	10	Socket for AMP plug connector
8KW 701 235-033	100	Blade receptacles, 6.3 mm
8HG 990 320-001	1	Bracket attachment foot
8HG 990 263-111	1	Mounting bracket for tubular mount on 15 mm - 28 mm dia. pipes
1GA 996 142-141	1	<b>With 24V ballast unit, PG-screw connection and 3000 mm long connection lead, without relay and fuse. Sealed version.</b>
1GA 996 142-241	1	<b>With 230V ballast unit, PG-screw connection and 10,000 mm rubber cable with ground contact. Suitable in connection with current generator 230V-VSG 40W.</b>
		<b>Spare parts:</b>
1GA 990 305-001	1	Light unit
1GA 996 142-041	1	<b>With 12V ballast unit, magnet holder, PG-screw connection and 2500 mm long connection lead with plug 8JA 001 915-001.</b> (Suitable sockets in compliance with DIN 4165)
		<b>Spare parts:</b>
1GA 990 305-001	1	Light unit
8HG 004 806-001	1	Magnet holder with fixing material
9XD 130 261-001	5	Mounting bracket for magnet holder
8JS 711 687-821	1	Blade type fuse, 15A (5 pcs.)
8JA 001 915-001	10	Plug, 2-pole



1x35W (D2S) 8GS 007 949-101

# Work Lights

123 x 123 mm





	<p><b>Part no.</b></p> <p><b>1GA 996 242-111</b></p> <p>1GA 990 305-001 8KB 990 299-231</p> <p>8JA 990 295-127 8JS 711 687-821</p>	<p><b>Pk.</b></p> <p><b>External-fitting work lights</b></p> <p><b>AS 400 Xenon</b></p> <p><b>Lens pattern for ground illumination.</b> Recommended angle of inclination: 10° - 25°. Lens with plastic reflector bonded. Black housing and red lens-retaining rim made of diecast aluminium. Handle recessed into housing. Xenon electronic unit 42W integrated into housing. Pivot base with M10 fixing screw made of stainless steel. With vibration damping. Type of protection: IP5K4K and IPX9K. <b>With gas discharge bulb.</b> <b>Light aperture: 123 x 123 mm.</b></p> <p><b>Xenon-work light with 24V ballast unit and 200 mm connecting lead with DEUTSCH plug connector</b></p> <p><b>Spare parts:</b> 1 Light unit 1 3100 mm long connecting lead for DEUTSCH plug connector, with 24V relay and fuse 1 DEUTSCH plug connector, 2-pole 1 Blade-type fuse, 15A (5 pcs.)</p> <p> 1x35W (D1S) 8GS 009 028-001</p>

Accessories see page 4.116-4.117.

# Work Lights

83 x 83 mm



Part no.	Pk.	Built-in work lights
		<p><b>Ultra Beam Standard with FF® reflector</b>  <b>Lens pattern for wide close-range illumination.</b>                      Recommended angle of inclination: 15° - 20°.                      Double reflector made of diecast aluminium, glued to hardened glass lens.                      Black plastic housing with extending edge to protect lens.                      With four 3.9 x 60 mm fixing screws.                      Distance between screws: 66 x 95 mm.                      Mounting area: 85 x 85 mm.  <b>Light aperture: 83 x 83 mm.</b></p>
1GA 007 506-121	1	<p><b>FF®-H3 work light with grommet</b>                      Type of protection: IP5K4K</p>
1GA 007 506-111	1	<p><b>With AMP plug connector and cap.</b>                      Type of protection: IP6K4K and IPX9K</p>
1GA 007 506-061	1	<p><b>With AMP plug connector and 12V55W bulb, without cap and fixing screws.</b>                      Type of protection: IP6K4K and IPX9K</p>
1GA 007 506-431	1	<p><b>With AMP plug connector and 24V70W bulb, without cap</b></p>
1GA 998 525-001	1	<p><b>Spare parts:</b>                      Light unit</p>
9GH 993 984-001	20	<p>Cap for AMP plug connector</p>
8KB 990 299-001	1	<p><b>Accessories:</b>                      2000 mm long connecting lead for AMP plug connector</p>
8JD 008 151-011	10	<p>Socket for AMP plug connector</p>
8KW 701 235-033	100	<p>Blade receptacles, 6.3 mm</p>
9BG 990 353-001	1	<p>Mounting hollow, inclination 20°, (supplied without work light)</p>
		<p>1x12V35W (H3) 8GH 002 090-271                      1x12V55W (H3) 8GH 002 090-133                      1x24V70W (H3) 8GH 002 090-251</p>

Part no.	Pk.	External-fitting work lights
		<b>Ultra Beam Standard with FF® reflector</b>
		<b>Lens pattern for wide ground illumination.</b> Recommended angle of inclination: 15° - 20°. Reflector made of diecast aluminium, glued to hardened glass lens. Black plastic housing with extending edge to protect lens. Pivot base with M10 fixing screw, for upright or pendant mounting. Without vibration damping. Pivot range vertical 130°. <b>Light aperture: 83 x 83 mm.</b>
	1GA 007 506-081	1 <b>FF®-H3 work light with grommet</b> Type of protection: IP5K4K
	1GA 007 506-001	1 <b>With AMP plug connector and cap</b> Type of protection: IP6K4K and IPX9K
	1GA 007 506-391	1 <b>With DEUTSCH plug connector and cap</b>
	1GA 997 506-371 1GA 997 506-377	1 <b>With magnet holder, vibration damping, PG-screw connection, 3500 mm long connecting lead with 2-pole plug and 12V35W bulb</b>  <b>Spare parts:</b> 1 Light unit 1 Cap for AMP plug connector 1 Magnet bracket 1 Plug, 2-pole
	1GA 998 525-001 9GH 993 984-001 8HG 004 806-001 8JA 001 915-001	1x12V35W (H3) 8GH 002 090-271 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251
		<b>Lens pattern for long-range illumination.</b>
		Hardened lens without optical pattern. With M10 fixing screw for upright or pendant mounting. Without vibration damping.
	1GA 997 506-021	1 <b>FF®-H3 work light with AMP plug connector and cap</b> Type of protection: IP6K4K and IPX9K
	8JD 008 151-011 8KW 701 235-033 8HG 990 263-111	<b>Accessories:</b> 10 Socket for AMP plug connector 100 Blade receptacles, 6.3 mm 1 Mounting bracket for tubular mount on 15 mm - 28 mm dia. pipes
	8KB 990 299-001	1 2000 mm long connecting lead for AMP plug connector with cap
	8KB 990 299-011	24 2000 mm long connecting lead for DEUTSCH plug connector with cap
		1x12V35W (H3) 8GH 002 090-271 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251

Accessories see page 4.116-4.117



1GA 007 506-011

Pk.

**External-fitting work lights**

**Ultra Beam Heavy Duty with FF® reflector**

**Lens pattern for wide close-range illumination.**

Recommended angle of inclination: 15° - 20°.

Reflector made of diecast aluminium, glued to hardened glass lens.

Black plastic housing with extending edge to protect lens.

Pivot base with vibration damping and bracket for four-point mounting.

For upright or pendant mounting.

Pivot range vertical 130°.

**Light aperture: 83 x 83 mm.**

**FF®-H3 work light**

**with AMP plug connector and cap, without bulb**

Type of protection: IP6K4K and IPX9K

1GA 007 506-091

**With grommet, without bulb.**

Type of protection: IP5K4K




1GA 007 506-651

**With DEUTSCH plug connector, 12V55W bulb and M10 fixing screw, without cap**




1GA 007 506-491

**With DEUTSCH plug connector and M10 fixing screw, without bulb and cap**



1GA 007 506-451

**With PG-cable retention and M10 fixing screw, without bulb.**



1GA 998 525-001

**Spare parts:**

9GH 993 984-001

Light unit

Cap for AMP plug connector

8JD 008 151-011

**Accessories:**

8KW 701 235-033

10 Socket for AMP plug connector

8KB 990 299-001

100 Blade receptacles, 6.3 mm


8KB 990 299-011

1 2000 mm long connecting lead for AMP plug connector with cap

24 2000 mm long connecting lead for DEUTSCH plug connector with cap

- 1x12V35W (H3) 8GH 002 090-271
- 1x12V55W (H3) 8GH 002 090-133
- 1x24V70W (H3) 8GH 002 090-251





Part no.

Pk.

**External-fitting work lights**

**Ultra Beam Heavy Duty with FF® reflector**

**Lens pattern for wide close-range illumination.**  
 Recommended angle of inclination: 15° - 20°.  
 Reflector made of diecast aluminium, glued to hardened glass lens.  
 Black plastic housing with extending edge to protect lens. With handle.  
 With vibration damping and bracket for four-point mounting.  
 For upright or pendant mounting.  
 Pivot range vertical 130°.  
**Light aperture: 83 x 83 mm.**

1GA 007 506-021

1

**FF®-H3 work light with AMP plug connector and protective cap**  
 Type of protection: IP6K4K and IPX9K

1GA 007 506-101

1

**With grommet**  
 Type of protection: IP5K4K

1GA 998 525-001  
 9GH 993 984-001  
 9XD 990 298-001

1  
 1  
 5

**Spare parts:**  
 Light unit  
 Protective cap for AMP plug connector  
 U-bracket

8JD 008 151-011  
 8KW 701 235-033  
 8KB 990 299-001

10  
 100  
 1

**Accessories:**  
 2-pole socket for AMP plug connector  
 Blade receptacles, 6.3 mm  
 2000 mm long connecting lead for AMP plug connector  
 Mounting bracket for tubular mount on 15 mm - 28 mm dia. pipes

1GA 997 506-157

12

**With magnet base, cable retention, 24V70W bulb and spirally coiled cable with 3-pole plug. Stretched length of lead 3500 mm**

1GA 998 525-001  
 8JA 002 263-031

1  
 1

**Spare parts:**  
 Light unit  
 Plug, 3-pole

8JB 001 933-031




1

**Accessories:**  
 Socket, 3-pole for -157

- 1x12V35W (H3) 8GH 002 090-271
- 1x12V55W (H3) 8GH 002 090-133
- 1x24V70W (H3) 8GH 002 090-251



Accessories see page 4.116-4.117.



Part no.

Pk.

**External-fitting work lights**

**Ultra Beam Standard with FF® reflector**

**Lens pattern for wide close-range illumination.**

Recommended angle of inclination: 15° - 20°.

Reflector made of diecast aluminium, glued to hardened glass lens.

Black plastic housing with extending edge to protect lens.

With side rotary pivot base.

With M10 fixing screw for mounting on vertical surfaces.

Pivot range: horizontal 130°, inclination range: vertical 90°.

**Light aperture: 83 x 83 mm.**

1GA 996 083-011

1

**FF®-H3 work light with grommet**

Type of protection: IP5K4K

1GA 996 083-001

1

**With AMP plug connector and protective cap**

Type of protection: IP6K4K and IPX9K

1GA 998 525-001

1

**Spare parts:**

Light unit

9GH 993 984-001

1

Cap for AMP plug connector

8HG 990 263-001

1

**Accessories:**

Mounting bracket for tubular mount on 15 - 28 mm dia. pipes

9XD 990 298-001

5

U-bracket

8KB 990 299-001

1

2000 mm long connecting lead for AMP plug connector

8JD 008 151-011

10

Socket for AMP plug connector

8KW 701 235-033

100

Blade receptacles, 6.3 mm

1GA 996 083-021

1

**With swivelling bow for double equipment and grommet**

Type of protection: IP5K4K

1GA 998 525-001

1

**Spare parts:**



Light unit

1(2)x12V35W (H3) 8GH 002 090-271

1(2)x12V55W (H3) 8GH 002 090-133

1(2)x24V70W (H3) 8GH 002 090-251





Part no.

Pk.

**External-fitting work lights**

**Ultra-Beam Xenon**

**Lens pattern for extremely wide, intense and far-reaching illumination.**

Reflector made of diecast aluminium, glued to hardened glass lens.  
 Black plastic housing and red lens-retaining rim.  
 Lens-retaining rim with extending edge to protect lens.  
 Pivot base with vibration damping and bracket for four-point mounting.  
 Mounting bracket made of stainless steel.  
 Pivot range vertical 105°.  
 For upright or pendant mounting.  
 With 3700 mm long connecting lead, relay and 15A fuse.  
 Type of protection: IP5K4K.  
**With gas discharge bulb.**  
**Light aperture: 83 x 83 mm.**

1GA 998 534-001

1

**Xenon work light with 12V ballast unit**

1GA 998 534-011

1

**with 24V ballast unit**

1GA 998 525-011

1

**Spare parts:**

Light unit  
 Ballast unit,  
 12V  
 24V

5DV 990 264-001

1

5DV 990 264-011

1

8KB 149 147-001

1




3700 mm long connecting lead from ballast unit to battery, with relay and fuse, 12V



1x35W (D2S) 8GS 007 949-101

# Work Lights

83 x 83 mm



Part no.

Vp.

## Built-in work lights

### Ultra Beam Xenon

**Lens pattern for wide, intense and far-reaching illumination.**

Reflector made of diecast aluminium, glued to hardened glass lens.

Black housing and red lens-retaining rim made of plastic.

Work light permanently connected by 3000 mm long lead with ballast unit 42W.

The lead can be disconnected from the ballast unit by means of a plug-connection.

Type of protection: IP5K4K.

**With DEUTSCH plug connector and gas discharge bulb.**

**Light aperture: 83 x 83 mm.**

1GA 998 534-541

1

### Xenon work light

**with 24V ballast unit, without connecting lead**

## External-fitting work lights

Pivot base with vibration damping and bracket for four-point mounting made of stainless steel.

Pivot range vertical 105 °.

For upright mounting.

Work light permanently connected by 3000 mm long lead with ballast unit 42W.

The lead can be disconnected from the ballast unit by means of a plug-connection.

Type of protection: IP5K4K.

1GA 998 534-221

1

### Xenon work light

**with 12V ballast unit, without connecting lead**

1GA 998 534-231

1

**with 24V ballast unit, without connecting lead**

1GA 998 534-271

1

**with 24V ballast unit and 500 mm long connector lead, without connecting lead**

### Spare parts:

Light unit

Ballast unit,

12V

1GA 998 525-071

1

5DV 008 855-001

1

5DV 008 855-007

24

5DV 008 856-001

1

5DV 008 856-007

24

24V

### Accessories:

3100 mm long connecting lead with relay, DEUTSCH plug connector and 15A fuse,

12V

8KB 990 299-221

1

8KB 990 299-231

1

24V







1x35W (D1S) 8GS 009 028-001

	Part no.	Pk.	External-fitting headlights
	<p><b>1GA 996 150-081</b></p> <p>1GA 998 525-041 9GH 993 984-001</p>	<p>1</p> <p>1</p> <p>1</p>	<p><b>Ultra Beam H9 with FF® reflector</b>  <b>Lens pattern for wide close-range illumination.</b>            Recommended angle of inclination: 3° - 10°.            Reflector made of diecast aluminium, glued to hardened glass lens.            Black plastic housing with extending edge to protect lens.            Pivot base with bracket for four-point mounting, without vibration damping.            For upright mounting.            Type of protection: IP5K4K and IPX9K.  <b>With 12V bulb.</b>  <b>Light aperture: 83 x 83 mm.</b></p> <p><b>FF®-H9 work light with AMP plug connector and cap</b></p> <p><b>Spare parts:</b>            Light unit            Cap for AMP plug connector</p>
	<p><b>8KB 990 299-001</b></p>	<p>1</p>	<p><b>Accessories:</b>            2000 mm long connecting lead for AMP plug connector</p> <p> 1x12V65W (H9) 8GH 008 357-001</p>
	<p><b>1GA 996 150-021</b></p>	<p>1</p>	<p><b>With 12V bulb, 2000 mm long connecting lead and rubber cap to cover the bulb. 12V bulb accessible from the outside.</b></p>
	<p><b>1GA 996 150-071</b></p> <p>1GA 998 525-041</p>	<p>1</p> <p>1</p>	<p><b>With handle.</b></p> <p><b>Spare parts:</b>            Light unit</p>
	<p><b>8HG 990 263-111</b></p>	<p>1</p>	<p><b>Accessories:</b>            Mounting bracket for tubular mount on 15 mm - 28 mm dia. pipes</p> <p> 1x12V65W (H9) 8GH 008 357-001</p>

Accessories see page 4.116-4.117

# Work Lights

83 x 92 mm



Part no.

Pk.

## External-fitting work lights

### Ultra Beam H9

**Lens pattern for wide close-range illumination.**

Recommended angle of inclination: 3° - 10°.

Reflector made of diecast aluminium, glued to hardened glass lens.

Black plastic housing and lens-retaining rim with extending edge to protect lens.

With spigot mount 24 mm dia. with integrated electrical contacts (DIN 72591).

For pendant mounting.

Type of protection: IP5K4K and IPX9K.

**Light aperture: 83 x 83 mm.**

1GA 996 150-151

1

### FF®-H9-work light

**with AMP plug connector and cap, with handle and 12V bulb**

1GA 998 525-041

1

### Spare parts:

Light unit

8HG 990 320-001

1

Bracket attachment foot

8HG 006 294-021

1

### Accessories:

Mounting bush, 24 mm dia.



1x12V65W (H9) 8GH 008 357-001

### Ultra Beam Heavy Duty with FF® reflector

Recommended angle of inclination: 15° - 20°.

Spigot mount 24 mm dia. with integrated electrical contacts (DIN 72591).

1GA 007 506-681

1

**With handle and 24V bulb**

1GA 998 525-001

1

### Spare parts:

Light unit

8HG 990 320-001

1






Bracket attachment foot



1x12V35W (H3) 8GH 002 090-271

1x12V55W (H3) 8GH 002 090-133






1x24V70W (H3) 8GH 002 090-251

Part no.	Pk.	Built-in work lights
  	<p><b>1GM 996 134-311</b> 1</p> <p>9GH 993 984-001 1</p>	<p><b>Mega Beam with FF® reflector</b>  <b>Lens pattern for wide close-range illumination.</b>            Recommended angle of inclination: 15° - 25°.            Reflector made of diecast aluminium, glued to hardened glass lens.            Housing and cover ring grey.            Black plastic lens-retaining rim with extending edge to protect lens.            With four 3.9 x 50 mm fixing screws.            Distance between screws: 70 x 70 mm.            Mounting area: 83 x 93 mm.            Type of protection: IP5K4K.  <b>Light aperture: 83 x 92 mm.</b></p> <p><b>FF®-H3 work light with AMP plug connector and cap</b></p> <p><b>Spare parts:</b>            Cap for AMP plug connector</p>
  	<p><b>1GM 996 134-091</b> 1</p>	<p><b>FF®-H3 work light with grommet</b></p> <p>1x12V35W (H3) 8GH 002 090-271            1x12V55W (H3) 8GH 002 090-133            1x24V70W (H3) 8GH 002 090-251</p>
 	<p><b>1GM 996 136-101</b> 1</p> <p><b>1GM 996 136-111</b> 1</p> <p><b>1GM 996 136-131</b> 1</p>	<p><b>External-fitting work lights</b></p> <p><b>Mega Beam LED</b>  <b>Lens pattern for close-range illumination.</b>            Recommended angle of inclination: 3° - 10°.            4-part reflector glued to pattern-free glass lens.            Black finish aluminium housing with cooling ribs.            Black lens-retaining rim.            Blue plastic cover- and intermediate ring.            Pivot base with M10 fixing screw.            Without vibration damping.            With 2000 mm long connection lead.            Voltage range: 12V - 24V. 7W.            Type of protection: IP5K9K.  <b>With four LEDs.</b>  <b>Light aperture: 83 x 92 mm.</b></p> <p><b>LED work light for upright mounting</b></p> <p><b>for pendant mounting</b></p> <p><b>for upright mounting</b>            Voltage range: 36V - 80V, 7W.            Type of protection: IP5K4K and IPX9K</p>

Accessories see page 4.116-4.117

# Work Lights

83 x 92 mm



Part no.

Pk.

## Built-in work light

### Mega Beam Xenon

**Lens pattern for close-range illumination.**  
Recommended angle of inclination: 10° - 15°.  
Reflector made of diecast aluminium, glued to hardened glass lens.  
Red housing and screw cover rim.  
Black lens-retaining rim.  
Without connecting lead.  
Work light permanently connected to ballast unit 42W by a 310 mm long lead.  
Type of protection: IP5K4K.  
**With gas discharge bulb.**  
**Light aperture: 83 x 92 mm.**

1GM 996 135-551

1  
Xenon work light with 24V ballast unit



1x35W (D2S) 8GS 007 949-101

## External-fitting work lights

### Mega Beam-Xenon

**Lens pattern for close-range illumination.**  
Recommended angle of inclination: 10° - 15°.  
Reflector made of diecast aluminium, glued to hardened glass lens.  
Black plastic housing and lens-retaining rim.  
Red plastic cover rim with extending edge to protect lens.  
Pivot base with vibration damping and bracket for four-point mounting made of stainless steel.  
Pivot range vertical 70°.  
For upright mounting.  
Work light permanently connected to ballast unit 42W by a 300 mm long lead.  
With 3700 mm long connecting lead, relay and 15A fuse. Type of protection: IP5K4K.  
**With gas discharge bulb.**  
**Light aperture: 83 x 92 mm.**

1GM 996 135-001

1  
Xenon work light with 12V ballast unit

1GM 996 135-041

1  
with 24V ballast unit

1GM 996 135-051

1  
Xenon work lights with 24V ballast unit

## Lens pattern for long-range illumination.

Xenon work lights with 24V ballast unit

### Spare parts:

- Ballast unit,
- 12V
- 1 24V
- 1 3000 mm long connecting lead from ballast unit to battery, with relay and fuse, 12V







1x35W (D2S) 8GS 007 949-101

Part no.	Pk.	External-fitting work lights
		<p><b>Mega-Beam Xenon</b>  <b>With optical pattern for close-range illumination.</b>            Recommended angle of inclination: 10° - 20°.            Reflector made of diecast aluminium, glued to hardened glass lens.            Black housing and lens-retaining rim, red cover rim with extending edge to protect lens.            Pivot base with vibration damping and bracket for four-point mounting made of stainless steel.            Pivot range vertical 70°.            For upright mounting.            Work light permanently connected to ballast unit 42W by a 3000 mm long lead.            The lead can be disconnected from the ballast unit by means of a plug-connection.            Type of protection: IP5K4K.  <b>Light aperture: 83 x 92 mm.</b></p>
	1GM 996 135-101	1
1GM 990 303-151	1	<b>Spare parts:</b>
8KB 990 299-251	1	Light unit 3000 mm connecting lead between work light and ballast unit
	5DV 008 855-001	1
5DV 008 855-007	24	<b>Accessories:</b> Ballast unit 42W, with DEUTSCH plug connector, 12V
5DV 008 856-001	1	24V
5DV 008 856-007	24	3100 mm connecting lead with relay, DEUTSCH plug connector and fuse 15A, 12V
8KB 990 299-221	1	24V
8KB 990 299-231	1	1x35W (D1S) 8GS 009 028-001
	1GM 996 135-111	1
8KB 990 299-251	1	<b>Optical pattern for long-range illumination.</b> Recommended angle of inclination: 5° - 10°.
5DV 008 855-001	1	<b>Xenon work light with gas discharge bulb, without ballast unit and connecting lead (see accessories)</b>
5DV 008 855-007	24	<b>Spare parts:</b>
5DV 008 856-001	1	3000 mm connecting lead between work light and ballast unit
5DV 008 856-007	24	<b>Accessories:</b> Ballast unit 42W, 12V
8KB 990 299-221	1	24V
8KB 990 299-231	1	3100 mm connecting lead with relay, DEUTSCH plug connector and fuse 15A, 12V
		1x35W (D1S) 8GS 009 028-001




# Work Lights

83 x 92 mm



Part no.	Pk.	External-fitting work lights
   	<p><b>1GM 996 134-321</b> 1</p> <p><b>1GM 996 134-171</b> 1</p>	<p><b>Mega-Beam with FF® reflector</b>  <b>Lens pattern for close-range illumination.</b>                      Recommended angle of inclination: 15° - 25°.                      Reflector made of diecast aluminium, glued to hardened glass lens.                      Grey housing and cover rim.                      Black lens-retaining rim with extending edge to protect lens.                      Pivot base with vibration damping and bracket for four-point mounting.                      Pivot range vertical 145°. For upright or pendant mounting.                      Type of protection: IP5K4K and IPX9K.  <b>Light aperture: 83 x 92 mm.</b></p>
  	<p><b>1GM 996 134-061</b> 1</p> <p><b>1GM 996 134-081</b> 1</p> <p>9GH 993 984-001 1</p> <p>9XD 990 298-001 5</p>	<p><b>FF®-H3 work light with grommet</b>  <b>with AMP plug connector and cap</b></p> <p><b>Spare parts:</b>                      Sealing cap for AMP plug connector</p> <hr/> <p><b>Lens pattern for off-road illumination.</b>                      Recommended angle of inclination: 10° - 15°.</p> <p><b>FF®-H3 work light with grommet and lens without optical pattern</b></p> <p><b>with AMP plug connector and cap</b></p> <p><b>Spare parts:</b>                      Cap for AMP plug connector                      Bracket for four-point mounting</p>
  	<p><b>1GM 996 134-051</b> 1</p> <p><b>1GM 996 134-071</b> 1</p> <p>9GH 993 984-001 1</p> <p>9XD 990 298-001 5</p>	<p><b>Lens pattern for long-range illumination.</b>                      Recommended angle of inclination: 2° - 5°.</p> <p><b>FF®-H3 work light with grommet and lens without optical pattern</b></p> <p><b>with AMP plug connector and cap</b></p> <p><b>Spare parts:</b>                      Cap for AMP plug connector                      Bracket for four-point mounting</p>
	<p><b>8JD 008 151-011</b> 10</p> <p><b>8KW 701 235-033</b> 100</p> <p><b>8HG 990 263-111</b> 1</p> <p><b>8KB 990 299-001</b> 1</p>	<p><b>Accessories:</b>                      Socket for AMP plug connector                      Blade receptacles, 6.3 mm                      Mounting bracket for tubular mount on 15 mm - 28 mm dia. pipes                      2000 mm long connection lead for AMP plug connector with cap</p>
<p>1x12V35W (H3) 8GH 002 090-271                      1x12V55W (H3) 8GH 002 090-133                      1x24V70W (H3) 8GH 002 090-251</p> 		

Accessories see page 4.116-4.117



Part no.

Pk.

**External-fitting work lights**

**Mega Beam with FF®-reflector**

**Len spattern for close-range illumination.**

Recommended angle of inclination: 15° - 25°.

Reflector made of diecast aluminium, glued to hardened glass lens.

Grey plastic housing and cover rim, black plastic lens-retaining rim with extending edge to protect lens.

Type of protection: IP5K4K and IPX9K.

**With grommet.**

**Light aperture: 83 x 92 mm.**

1GM 996 134-241

1

**FF®-H3 work light**

**with handle, pivot base with vibration damping and mounting bracket for four-point mounting.**

**For upright or pendant mounting.**

Pivot range vertical 145°.

**With pivoting joint at the side.**

**Fixing screw M10 for mounting on vertical surfaces.**

**Pivot range vertical 90°, inclination range horizontal 170°.**

**Without vibration damping, left**

1GM 996 134-271

1

1GM 996 134-371

1

right

**Accessories:**

Mounting bracket for tubular mount on 15 mm - 28 mm dia. pipes

8HG 990 263-111

1


- 1x12V35W (H3) 8GH 002 090-271
- 1x12V55W (H3) 8GH 002 090-133
- 1x24V70W (H3) 8GH 002 090-251



# Work Lights

40 mm dia., 138 mm dia.





Part no.	Pk.	External-fitting work lights
	<p><b>1GL 008 090-201</b> 1 <b>1GL 008 090-207</b> 60</p> <p><b>1GL 008 090-211</b> 1 <b>1GL 008 090-217</b> 60</p> <p><b>9GH 147 009-007</b> 30</p> <p><b>9HD 149 253-007</b> 1 <b>8JD 156 150-807</b> 1</p> <p><b>8HG 153 152-001</b> 1</p>	<p><b>Micro DE® *)</b>  <b>Lens pattern for close-range illumination.</b>                      Recommended angle of inclination: 15° - 20°.                      Black housing and lens-retaining rim.                      Lens with housing and supporting frame bonded.                      Black bracket with M8 fixing screw.  <b>Light aperture: 40 mm dia.</b></p> <p><b>DE®-H3 work light</b>  <b>with 12V55W bulb and rubber cap</b>  <b>for cable entry</b></p> <p><b>with 24V70W bulb</b></p> <p><b>Spare parts:</b>                      Rubber cap for cable entry</p> <p><b>Accessories:</b>                      Plastic cap with plug connector                      Socket set with contacts and gaskets (20 pcs.)</p> <p>Convenience mount with adjustment screw</p> <p>                      1x12V35W (H3) 8GH 002 090-271                      1x12V55W (H3) 8GH 002 090-133                      1x24V70W (H3) 8GH 002 090-251                 </p>
	<p><b>1G3 003 710-021</b> 1</p> <p><b>9DS 121 707-001</b> 1 <b>9BG 127 179-001</b> 1</p>	<p><b>Proflex-Gladiator **)</b>  <b>Lens pattern for close-range illumination.</b>                      Recommended angle of inclination: 20° - 30°.                      Lens with steel reflector bonded.                      Flexible rubber housing with extending edge to protect lens.                      Pivot base with M10 fixing screw.                      For upright or pendant mounting.                      Type of protection: IP5K4K.  <b>Light aperture: 140 mm dia.</b></p> <p><b>H3 work light</b></p> <p><b>Spare parts:</b>                      Light unit                      Rubber housing</p> <p>                      1x12V35W (H3) 8GH 002 090-271                      1x12V55W (H3) 8GH 002 090-133                      1x24V70W (H3) 8GH 002 090-251                 </p>

\*) Fog lights Micro DE see page 4.03




\*\*) Headlights see page 4.52

Accessories see page 4.116-4.117

Part no.	Pk.	Built-in work lights
		<p><b>Module 70 H3</b></p> <p>Reflector made of diecast aluminium, glued to hardened glass lens. Black plastic housing with three-point mounting. With rubber cap to cover the bulb and for cable entry. Type of protection: IP5K4K.</p> <p><b>Without bulb.</b> <b>Light aperture: 77 mm dia.</b></p>
 	<p>1G0 996 176-021 1</p>	<p><b>H3 work light with lens pattern for close-range illumination</b></p>
	<p>1G0 996 176-031 1</p>	<p><b>Lens pattern for long-range illumination</b></p>
		<p><b>Spare parts:</b> Rubber cap</p> <p>1x12V35W (H3) 8GH 002 090-271 1x12V55W (H3) 8GH 002 090-133 1x24V70W (H3) 8GH 002 090-251</p> 

# Work Lights

77 mm dia.



Part no.

Pk.

## External-fitting work lights

### Module 70 H3

**Lens pattern for close-range illumination.**  
 Recommended angle of inclination: 10° - 20°.  
 Reflector made of diecast aluminium, glued to hardened glass lens.  
 Black plastic housing.  
 Pivot base with M10 fixing screw.  
 With rubber cap to cover the bulb.  
 Type of protection: IP5K4K.  
**Without bulb.**  
**Light aperture: 77 mm dia.**

1G0 996 176-001  
 1G0 996 176-007

1  
 24

**H3 work light  
 for upright mounting**

1G0 996 176-111

1

**for pendant mounting**

**Lens pattern for long-range illumination.**  
 Recommended angle of inclination: 5° - 10°.

1G0 996 176-011

1

**H3 work light  
 for upright mounting**

1G0 996 176-121

1

**for pendant mounting**

**Spare parts:**  
 Rubber cap

9HD 990 101-001

1





**Accessories:**  
 Mounting bracket for four-point mounting  
 Mounting bracket for tubular mount on 15 mm - 28 mm dia. pipes

9XD 990 298-001  
 8HG 990 263-111

5  
 1

1x12V35W (H3) 8GH 002 090-271  
 1x12V55W (H3) 8GH 002 090-133  
 1x24V70W (H3) 8GH 002 090-251





Part no.

Pk.

**Built-in work lights**

**Module 70 H9**

**Lens pattern for close-range illumination.**  
 Reflector made of diecast aluminium, glued to hardened glass lens.  
 Black plastic housing with three-point mounting.  
 With rubber cap to cover the bulb and for cable entry.  
 Type of protection: IP5K4K.  
**With 12V bulb.**  
**Light aperture: 77 mm dia.**

1G0 996 176-061

1

**H9 work light**

**External-fitting work lights**

Recommended angle of inclination: 10° - 20°.  
 Black plastic housing.  
 Pivot base with M10 fixing screw.  
 Type of protection: IP5K4K.  
**With 12V bulb, accessible from the outside.**

1G0 996 176-041

1

**H9 work light for upright mounting**

1G0 996 176-131

1

**for pendant mounting**

1G0 996 176-171

1

**with 2000 mm long connecting lead and H9 plug, for upright mounting**

1G0 996 176-181

1

**for pendant mounting**

**Lens pattern for long-range illumination.**

Recommended angle of inclination: 5° - 10°.  
 Without connecting lead.

1G0 996 176-051

1

**H9 work light for upright mounting**

1G0 996 176-141

1

**for pendant mounting**

**Accessories:**

9XD 990 298-001

5

Mounting bracket for four-point mounting

8HG 990 263-111

1

Mounting bracket for tubular mount on 15 mm - 28 mm dia. pipes

8JD 158 175-807

1

Socket (20 pcs.)



1x12V65W (H9) 8GH 008 357-001

# Work Lights

129 mm dia.



	Part no.	Pk.	External-fitting work lights
	<p><b>1G3 996 001-131</b></p> <p><b>1G3 996 001-001</b> )</p>	<p>1</p> <p>1</p>	<p><b>W131</b>  <b>Lens pattern for close-range illumination.</b>            Recommended angle of inclination: 20° - 30°.            Plastic lens with steel reflector bonded.            Black plastic housing and handle, with extending edge to protect lens.            Pivot base with M10 fixing screw for upright or pendant mounting.            Without vibration damping.  <b>With grommet.</b>  <b>Light aperture: 129 mm dia.</b></p>
	<p><b>1G3 996 001-391</b></p> <p><b>1G3 996 001-041</b> )</p>	<p>1</p> <p>1</p>	<p><b>Work light with switch</b></p> <p><b>without switch</b></p> <p> 1x12V35W (F2) 8GA 002 083-131            1x24V35W (F2) 8GA 002 083-251</p> <hr/> <p><b>With H3 light.</b></p> <p><b>H3 work light with switch</b></p> <p><b>without switch</b></p> <p> 1x12V35W (H3) 8GH 002 090-271            1x12V55W (H3) 8GH 002 090-133</p>
	<p><b>1G3 996 001-331</b></p> <p><b>1G3 996 001-271</b> )</p>	<p>1</p> <p>1</p>	<p><b>Lens pattern for close-range illumination.</b>  <b>With glass lens.</b></p> <p><b>H3 work light with switch</b></p> <p><b>without switch</b></p>
	<p><b>1G3 996 001-351</b></p> <p><b>1G3 996 001-301</b> )</p>	<p>1</p> <p>1</p>	<p><b>H3 work light with protective grill and switch</b></p> <p><b>without switch</b></p> <p><b>Spare parts:</b>            Switch with dust cap            Lens-retaining rim with protective grill</p> <p> 1x12V35W (H3) 8GH 002 090-271            1x12V55W (H3) 8GH 002 090-133            1x24V70W (H3) 8GH 002 090-251</p>
	<p><b>8HG 990 003-001</b></p>	<p>2</p>	<p><b>Accessories:</b>            Mounting bracket: small, 67 mm wide</p>

\*) All work lights without switch are suitable for GGVS application



Accessories see page 4.116-4.117

	Part no.	Pk.	External-fitting work lights
			<p><b>External-fitting work lights</b></p> <p><b>Matador</b>  <b>Lens pattern for close-range illumination.</b>            Recommended angle of inclination: 20° - 30°.            Black plastic housing and protective grille with extending edge to protect lens.            Pivot base with bracket for four-point mounting for upright or pendant mounting.            Without vibration damping.            Pivot range vertical 130°.            Type of protection: IP5K4K.  <b>With grommet.</b>  <b>Light aperture: 140 mm dia.</b></p>
	1G4 003 470-001	1	H3 work light without protective grill, with splash-proof rotary switch
	1G4 003 470-011	1	without switch
	1G4 003 470-031	1	With protective grill and splash-proof rotary switch
	1G4 003 470-051	1	without switch
	9DS 121 707-001	1	<b>Spare parts:</b> Light unit
	6EB 005 633-001	10	Rotary switch
	9XD 130 261-001	5	U-bracket
	1G4 003 470-147	1	With spigot mount and 24V bulb, without switch. Electrical contacts inside tubular mount over socket (DIN 72 591).
	9DS 121 707-001	1	<b>Spare parts:</b> Light unit
			1x12V35W (H3) 8GH 002 090-271
			1x12V55W (H3) 8GH 002 090-133
			1x24V70W (H3) 8GH 002 090-251

# Work Lights

133 mm dia.



Part no.	Pk.	External-fitting work lights
	<p><b>1G4 004 480-001</b> 1</p> <p><b>9XD 130 261-001</b> 5</p> <p><b>1G4 004 480-011</b> 1</p>	<p><b>Model Torro II</b>  <b>Lens pattern for close-range illumination.</b>                      Recommended angle of inclination: 15° - 30°.                      Lens with steel reflector bonded.                      Black plastic housing and handle.                      Pivot base with bracket for four-point mounting, for upright or pendant mounting.                      Without vibration damping.                      Pivot range vertical 130°.                      Type of protection: IP5K4K.  <b>With grommet.</b>  <b>Light aperture: 133 mm dia.</b></p> <p><b>H3 work light with splash-proof switch</b></p> <p><b>Spare parts:</b>                      U-bracket</p> <hr/> <p><b>Without switch and U-bracket, pivot base with M10 fixing screw.</b></p> <p>1x12V35W (H3) 8GH 002 090-271                      1x12V55W (H3) 8GH 002 090-133                      1x24V70W (H3) 8GH 002 090-251</p> 
	<p><b>1G4 997 033-011</b> 1</p>	<p><b>7033</b>  <b>Lens pattern for close-range illumination.</b>                      Recommended angle of inclination: 10° - 30°.                      Black plastic housing.                      Two M6 fixing screws.  <b>Light aperture: 140 mm dia.</b></p> <p><b>H3 work light</b></p> <p>1x12V35W (H3) 8GH 002 090-271                      1x12V55W (H3) 8GH 002 090-133</p> 




Accessories see page 4.116-4.117

	Part no.	Pk.	External-fitting work lights
	<p><b>1G5 003 241-081</b></p> <p><b>1G5 003 241-071</b></p> <p>1G5 120 510-001 6ED 708 919-001 9GD 120 670-001</p>	<p>1</p> <p>1</p> <p>1 5 10</p>	<p><b>3241</b> <b>Lens pattern for close-range illumination.</b> Recommended angle of inclination: 20° - 25°. Steel housing with matt black finish. Lens with steel reflector bonded. Rubber boot prevents lateral scattered light. Pivot base with bracket for four-point mounting, for upright or pendant mounting. Without vibration damping. Pivot range vertical 130°. Type of protection: IP5K4K. <b>With grommet.</b> <b>Light aperture: 152 mm dia.</b></p> <p><b>H3 work light with handle and splash-proof switch</b></p> <p><b>Pivot base with M10 fixing screw, without handle and switch</b></p> <p><b>Spare parts:</b> Light unit with seal Switch Seal</p>
	<p><b>1G5 003 241-021</b></p> <p>1G5 119 738-001 6ED 708 919-001 9GD 120 670-001</p>	<p>1</p> <p>1 5 10</p>	<p><b>Lens pattern for far-reaching illumination.</b> Recommended angle of inclination: 15° - 20°. Type of protection: IP5K4K.</p> <p><b>With handle and splash-proof switch</b></p> <p><b>Spare parts:</b> Light unit with seal Switch Seal</p> <p>            1x12V35W (H3) 8GH 002 090-271            1x12V55W (H3) 8GH 002 090-133            1x24V70W (H3) 8GH 002 090-251         </p>

# Work Lights

180 mm dia.



	Part no.	Pk.	External-fitting work lights
   	<p><b>1G8 002 340-001</b></p> <p><b>1G8 132 233-011</b></p> <p><b>1G8 002 340-011</b></p> <p><b>1G8 132 233-011</b></p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p><b>Lens pattern for far-reaching illumination.</b>  Recommended angle of inclination: 10° - 20°.  Lens with steel reflector bonded.  Steel housing with mat black finish, with handle and splash-proof switch.  Pivot base with bracket for four-point mounting.  For upright or pendant mounting.  Without vibration damping.  Pivot range vertical 130°.  Type of protection: IP5K4K.  <b>With grommet.</b>  <b>Light aperture: 180 mm dia.</b></p> <p><b>H3 work light</b></p> <p><b>Spare parts:</b>  Light unit with lens-retaining rim</p> <hr/> <p><b>With mounting cleht for mounting on 24 mm dia. standard pin, as well as on 30 mm dia. standard pin after removing reducing sleeve from pipe fitting. 2500 mm long lead with low voltage plug 8JA 001 925-001 (Pk.2).</b>  Type of protection: IP5K4K.</p> <p><b>Spare parts:</b>  Light unit with lens-retaining rim</p> <p>1x12V35W (H3) 8GH 002 090-271  1x12V55W (H3) 8GH 002 090-133  1x24V70W (H3) 8GH 002 090-251</p> 

Accessories see page 4.116-4.117




Part no.	Pk.	External-fitting work lights
	<p><b>1GA 996 142-221</b> 1</p> <p><b>1GA 990 305-011</b> 1  <b>8JA 001 925-001</b> 1  <b>8JS 711 687-821</b> 1</p> <p><b>9XS 027 639-001</b> 1</p>	<p><b>AS 200 Xenon</b>  <b>Lens pattern for long-range illumination.</b>  Recommended angle of inclination: 3° - 10°.  Glass lens with plastic reflector bonded.  Black plastic housing with extending edge to protect lens. With red decorative ring.  Handle recessed into housing.  Xenon electronic unit 24V42W integrated into housing.  With pivot base and bracket for four-point mounting.  Switch with integrated fuse 15A.  With 2500 mm rubber tube and 2-pole low voltage plug 8JA 001 925-001.  Easy-to-loosen pipe fitting mount 24 mm dia., fits 30 mm dia. attachment pin in combination with joint 9XS 027 639-001.  Can be used with tripod 8XT 002 117-001 and 8XT 002 120-001 as well as socket 8XT 002 121-001.  Type of protection: IP5K4K and IPX9K.  <b>With gas discharge bulb.</b>  <b>Light aperture: 123 x 123 mm.</b></p> <p><b>Xenon work light</b></p> <p><b>Spare parts:</b>  Light unit  Plug, 2 pole  Blade-type fuse, 15A (5 pcs.)</p> <p><b>Accessories:</b>  Joint</p> <p> 1x35W (D2S) 8GS 007 949-101</p>
	<p><b>1G9 001 523-021</b> 1</p>	<p><b>Conforms to DIN 14 644.</b></p> <p>Flat lens without optical pattern. Steel reflector. Black finish steel housing and lens retaining rim. Two side handles, built-in switch. 2500 mm long lead with low voltage plug 8JA 001 925-001 (Pk. 2). Easy-to-loosen pipe fitting mount 24 mm dia., fits 30 mm dia. attachment pin in combination with joint 9XS 027 639-001. Can be used with tripod 8XT 002 117-001 and 8XT 002 120-001 as well as socket 8XT 002 121-001. Type of protection: IP5K4K.  <b>Light aperture: 250 mm dia.</b></p> <p><b>750 m range with 12V55W</b>  <b>800 m range with 24V70W.</b></p> <p><b>H3 work light</b></p> <p> 1x12V35W (H3) 8GH 002 090-271   1x12V55W (H3) 8GH 002 090-133   1x24V70W (H3) 8GH 002 090-251</p>



Image	Part no.	Pk.	Description
	<b>8HG 002 365-001</b>	1	<b>Mounting bushes 24 mm dia.</b> for Matador 1G4 003 470-147, Ultra Beam 1GA 007 506-681 and bracket attachment foot 8HG 990 320-001. With socket to DIN 72 591 and rubber protective cap. Ground contact through the pipe. For mounting beacon on support side of the vehicle or for welding to a flange, 24 mm dia., approx. 100 mm.
	<b>8HG 006 294-101</b>	1	<b>Mounting bush, complete</b> with separate ground connection
	8HG 096 531-007	2	<b>Spare parts:</b> Mounting bush for -001
	8JB 850 434-011	10	Socket for -001
	9GH 096 532-001	10	Rubber cap
	<b>8HG 006 294-051</b>	1	<b>With screw fixing</b>
	<b>8HG 006 294-091</b>	1	<b>with separate ground connection</b>
	<b>8HG 006 294-011</b>	1	<b>For screwing onto horizontal cabin roofs (on top)</b>
	<b>8HG 006 294-021</b>	1	<b>For screwing onto horizontal cabin roofs (on side)</b>
	<b>8HG 006 294-111</b>	1	<b>With 90 mm mounting bracket</b>
	<b>8HG 006 294-031</b>	1	<b>with 50 mm mounting bracket</b>
	<b>8HG 006 294-041</b>	1	<b>Swivelling holder, for screwing onto horizontal cabin roofs (on top or on side)</b>
	<b>8HG 990 368-001</b>	1	<b>Telescopic holder for screwing onto back of cabin roof</b>  Length: 1000 mm. Extension: 700 mm.
	<b>8HG 990 368-007</b>	50	<b>Black mounting bush with M8 thread</b>  Length: 220 mm.
	<b>9XD 990 284-001</b>	1	<b>Push-on pipe</b> With stopper for screwing to vertical vehicle surfaces (side). With protective cap, 1-pole socket and wiring harness with ground contact. Attachment using two M8 bolts.
	8JB 850 434-011	10	<b>Spare parts:</b> Socket
	9GH 096 532-001	10	Rubber stopper
	<b>9NM 863 332-001</b>	1	<b>Accessory group</b>  <b>For work lights with tubular fitting or flexible base.</b> Contents: Wing nut with screw and washer.



	<p>Part no.</p> <p>8HG 990 320-001</p>	<p>Pk.</p> <p>1</p>	<p><b>Bracket attachment foot</b></p> <p>For combination with attachment tubes 8HG 002 365-001 and 8HG 006 294-...</p> <p>To fit surface-mount work lights Ultra-Beam FF 1GA 007 506-..., 1GA 997 506-... Ultra Beam H9 1GA 996 150-... Mega-Beam FF 1GA 996 134-... Oval 100 FF 1GA 996 161-... AS 200 FF 1GA 998 532-... AS 200 Xenon 1GA 996 142-... with AMP plug connector or grommet.</p> <p>Electrical contacting within the pipe socket via socket in accordance with DIN 72 591.</p> <p><b>Bracket attachment foot</b></p>
 	<p>Part no.</p> <p>8HG 990 263-111</p>	<p>Pk.</p> <p>1</p>	<p><b>Universal bracket</b></p> <p>To fit surface mount work lights Oval 100 FF 1GA 996 161-..., 1GA 996 361-... Oval Xenon Integral 1GA 996 261-... Picador FF 1GA 006 876-..., 1GA 998 522-... AS 200 FF 1GA 998 532-... AS 200 Xenon 1GA 996 142-... Ultra-Beam FF 1GA 007 506-..., 1GA 997 506-... Ultra Beam H9 1GA 996 150-... Mega-Beam FF 1GA 996 134-... Modul 70 H3/H9 1G0 996 176-...</p> <p>Rotatable universal bracket for attachment to 15 mm - 28 mm dia. pipes. For replacement on worklights with 36 mm bracket attachment. With 2 additional narrow spacers for exchange against wide spacers with/without vibration damping on worklights with 42 mm bracket attachment.</p> <p><b>Universal bracket</b></p>

	<b>Part no.</b>          <b>8HG 004 806-001</b>	<b>Pk.</b>          <b>1</b>	<b>Magnet base</b>  For work lights with U-bracket.  <b>Consists of:</b> 2 magnets and fixing material  <b>Magnet base</b> for U-bracket 9XD 130 261-001
	<b>9XD 130 261-001</b>	<b>5</b>	<b>U-bracket for four-point mounting</b> for external-fitting headlights and work lights with M10 fixing screw.  <b>U-bracket</b> <b>made of stainless steel</b>
	<b>9XD 990 298-001</b>	<b>5</b>	<b>U-bracket</b> <b>made of yellow chromised steel</b>
	<b>6ZN 160 705-001</b>  <b>6ZN 160 705-011</b>	<b>1</b>  <b>1</b>	<b>Universal radio remote control unit</b>  The remote control unit is ECE type tested and carries the RF suppression symbol. The alternating code feature excludes interference with other remote controls. The convenient way to switch work lights by remote control. Maximum switching capacity: 2 x 120W. <b>With green control diode for on-off switching control.</b>  <b>Universal radio remote control unit,</b> <b>12V</b>  <b>24V</b>

# Searchlights

139 mm dia.






	Part no.	Pk.	Hand-held searchlight
 	<p><b>1H5 998 502-002</b></p> <p>8HG 998 519-002 9SG 998 005-002 8JA 001 921-102</p>	<p>1</p> <p>1</p> <p>1</p> <p>12</p>	<p>Black plastic housing, lens-retaining rim, handle and supporting base. Extending lens-retaining rim protects the lens. Glass lens without optical pattern. Double reflector made of aluminium. Two light sources, can be switched via switches which are independent of each other. Flip switch for continuous light and pistol switch in the handle with Morse function for additional light. Handle can be swivelled vertically by 70°. With closable opening for plugging onto the separate supporting base. Can be swivelled horizontally by 360° on the supporting base. Supporting base with 3 fixing screws. With 12V bulbs, conversion to 24V is possible. Spiral cable 3500 mm long with universal plug for cigarette lighter sockets or ISO sockets. Type of protection: IPX6K. <b>Light aperture: 139 mm dia.</b></p> <p><b>Range at 12V:</b> <b>Continuous light 330 m,</b> <b>additional light 350 m,</b> <b>continuous light with additional light 480 m</b></p> <p><b>Hand-held searchlight</b></p> <p><b>Spare parts:</b> 1 Supporting base with fixing screws 1 Handle with switch, spirally cable and plug 12 Plug</p> <p> 12V55W (H3) 8GH 002 090-133  24V70W (H3) 8GH 002 090-251</p>
 	<p><b>1H5 998 502-022</b></p> <p><b>1H5 998 502-051</b></p>	<p>1</p> <p>1</p>	<p><b>Cabin-controlled searchlight</b></p> <p>Black plastic housing, lens-retaining rim, handle and tie rod end. Guide tube made of stainless steel. Projecting lens-retaining rim protects the lens. Glass lens without optical pattern. Double reflector made of aluminium. Flip switch in the handle switches both bulbs simultaneously. The searchlight can be swivelled through 360° in the horizontal range and through 30° in the vertical range. Mounting area: 72 mm dia. Connecting cable 330 mm long with grommet led out of the guide tube. Type of protection: IP5K4K. <b>Light aperture: 139 mm dia.</b></p> <p><b>Range at 12V: 460 m,</b> <b>range at 24V: 520 m.</b></p> <p><b>Cabin-controlled searchlight with 181 mm long guide tube and 12V55W bulbs</b></p> <p><b>with 233 mm long guide tube and 24V70W bulbs</b></p> <p> 2x12V55W (H3) 8GH 002 090-133  2x24V70W (H3) 8GH 002 090-251</p>






Auxiliary indicators	5.138-5.140
Clearance lights	5.117-5.121
Daytime running lights	5.111-5.112
Door lights	5.158-5.160
Emergency triangles	5.164
Handlamps	5.155-5.158
Handlebar indicator lights	5.138
Hazard flasher lights	5.162-5.163
Indicator lights	5.133-5.138
Interior lights	5.141-5.152
Licence plate lights	5.113-5.117
Multifunction lights	5.05-5.17, 5.28-5.33, 5.50
Reading lights	5.153-5.154
Rear fog lights	5.123-5.125
Rear lights	5.105-5.107, 5.109
Rear-side light	5.122
Reflectors	5.165-5.169
Reverse lights	5.123-5.127
Safety break lights	5.128-5.131
Side lights	5.104-5.110
Side-marker lights	5.102-5.104
Track-control lights	5.122
Warning lights	5.160-5.161
<b>Signal Lights and Cabling</b>	<b>5.171-5.225</b>
<b>Regulations and information on LED signal lights</b>	<b>5.226-5.228</b>

# Combinable Lights





		Serie "343 640"	5.18-5.19
		Serie "006 040"	5.20-5.21
		Serie "007 547"	5.22
		Serie "003 167"	5.23
		Serie "003 236" Serie "005 200"	5.24-5.25 5.26
		Serie "004 431" Serie "004 432"	5.27
		Serie "998 232"	5.34-5.35
		Serie "998 233"	5.36-5.37
		Serie "959 050" Serie "959 060" Serie "959 070" Serie "959 037"	5.38
		Serie "002 582"	5.39
		Serie "003 184"	5.40
		Serie "997 131"	5.42
		Serie "997 006"	5.43
		Serie "003 182"	5.44
		Serie "002 776"	5.45

		Serie "959 820" Serie "959 821" Serie "959 822" Serie "959 950"	5.53
		Serie "008 221"	5.54-5.55
		Serie "009 001"	5.56-5.59
		Serie "964 169" Serie "344 169"	5.62-5.66 5.63-5.65
		Serie "001 423"	5.67
		Serie "343 130" Serie "343 390"	5.68-5.73
		Serie "001 240"	5.74
		Serie "001 259"	5.75-5.76
		Serie "996 012"	5.77
		Serie "003 057"	5.78
		Serie "003 014"	5.80-5.81
		Serie "008 982"	5.82
		Serie "008 805"	5.83
		Serie "005 603" Serie "004 119"	5.84 5.85
		Serie "003 734"	5.86-5.87
		Serie "962 964"	5.88
		Serie "006 717"	5.89

# Combinable Lights



		Serie "997 027"	5.90
		Serie "003 748"	5.91
		Serie "963 639"	5.92-5.93
		Serie "340 001"	5.93
		Serie "963 959"	5.94
		Serie "004 361"	5.95
		Serie "340 000"	5.96-5.97
		Serie "008 645"	5.98-5.99
		Serie "964 295"	5.100-5.101
		Serie "959 610"	5.108
		Serie "959 790"	
		Serie "959 590"	
		Serie "959 640"	
		Serie "003 389"	5.117



Part no.

Pk.

**For horizontal or vertical flush mounting in towing vehicles and mobile homes**

Red reflector, rear, stop, rear fog and clearance light, amber indicator light and clear reverse light.

Ⓔ 279    Ⓔ 280    Ⓔ 4039

2VP 007 323-091

1

**Rear-reflector-stop-indicator-rear fog-reverse-clearance light, left**

2VP 007 323-101

1

**right**

2x12V5W (R5W) 8GA 002 071-121  
 2x24V5W (R5W) 8GA 002 071-241  
 1x12V10W (R10W) 8GA 002 071-131  
 1x24V10W (R10W) 8GA 002 071-251  
 4x12V21W (P21W) 8GA 002 073-121  
 4x24V21W (P21W) 8GA 002 073-241



**For horizontal surface mounting on towing vehicles**

**Rear-reflector-stop-indicator-rear fog-reverse-clearance light and side-marker light with reflector, left**

2VP 007 323-011

1

2VP 007 323-021

1

**right**

with 8-pole, black centre bayonet plug and 24V bulbs, left

2VP 007 323-111

1

2VP 007 323-121

1

**right**

With illumination for 520 x 120 mm and 340 x 240 mm licence plates, left

2VD 007 323-031

1

2VD 007 323-041

1

**right**

with 8-pole, black centre bayonet plug and 24V bulbs, left

2VD 007 323-131

1

2VD 007 323-141

1

**right**

**Spare parts:**

1 Lens  
 2 Side-marker light with reflector


9EL 146 887-001

1

9EL 146 838-001

2


2x12V5W (R5W) 8GA 002 071-121  
 2x24V5W (R5W) 8GA 002 071-241  
 2(1)x12V10W (R10W) 8GA 002 071-131  
 2(1)x24V10W (R10W) 8GA 002 071-251  
 4x12V21W (P21W) 8GA 002 073-121  
 4x24V21W (P21W) 8GA 002 073-241



1	BL	indicator
2	S	rear
3	B	stop
4	NES	rear fog
5	ZR	reverse
6		
7		
8		


**Pin configuration:**

BL = indicator  
 S = rear  
 B = stop  
 NES = rear fog  
 ZR = reverse



# Signal Lights

for rear mounting




1	Ground	white
2	24V, R/24V, R	brown
3	24V	yellow
4	BL	green
5	S	red
6	NES	blue
7	—	not used




**Pin configuration:**

- BL = indicator
- S = rear
- K = licence plate
- UR = clearance
- SM = side-maker
- B = stop
- NES = rear fog
- ZR = reverse



1	Ground	white
2	24V, R/24V, R	brown
3	24V	yellow
4	BL	green
5	S	red
6	NES	blue
7	—	not used



Part no.

Pk.

**For horizontal surface mounting on towing vehicles**

Red reflector, rear, stop, rear fog and clearance light, amber indicator and side-marker light with reflector, white reverse light, with illumination for 520 x 120 mm licence plates. Black plastic body. Two M8 fixing screws.

Ⓔ4 9808 Ⓔ4 9810

Ⓔ4 3178 Ⓔ4 4060

**Rear-reflector-stop-indicator-rear fog-reverse-clearance light with licence plate illumination and recesses for vibration dampers in housing, with 7-pole, side-mounted central plug for RVI vehicles, left**

2VD 008 204-231 1

without licence plate illumination, right (contact 2/K not used)

2VP 008 204-221 1

Same as 2VD/VP 008 204-231/-221, without plug, however with PG fitting, cable input and two M8 fixing screws, left

2VD 008 204-211 1

without licence plate illumination, right

2VP 008 204-201 1

Same as 2VD/VP 008 204-231/-221, however with 7-pole, side-mounted central plug for DAF and MAN vehicles, left

2VD 008 204-251 1

without licence plate illumination, right (contact 2/K not used)


2VP 008 204-241 1

**Spare parts:**

Lens with screws

9EL 152 889-001 1



- 3(2)x12V5W (R5W) 8GA 002 071-121
- 3(2)x24V5W (R5W) 8GA 002 071-241
- 1x12V10W (R10W) 8GA 002 071-131
- 1x24V10W (R10W) 8GA 002 071-251
- 4x12V21W (P21W) 8GA 002 073-121
- 4x24V21W (P21W) 8GA 002 073-241




1	BL	yellow
2	SPARKLE/BLA	black
3	B	red
4	UR	blue
5	ZR	green
6	—	not used
7	—	not used
8	Ground	white



Pin configuration:  
 BL = indicator  
 S = rear  
 K = licence plate  
 UR = clearance  
 SM = side-maker  
 B = stop  
 NES = rear fog  
 ZR = reverse



1	BL	yellow
2	SPARKLE/BLA	black
3	B	red
4	UR	blue
5	ZR	green
6	—	not used
7	—	not used
8	Ground	white



1	SPARKLE/BLA	green
2	BL	yellow
3	B	red
4	ZR	black
5	—	not used
6	—	not used
7	—	not used
8	Ground	white
9	UR	blue
10	B	green



Part no.

Pk.

**For horizontal surface mounting on towing vehicles**

Red reflector, rear, stop, rear fog and clearance light, amber indicator light, white reverse light, with illumination for 520 x 120 mm licence plates. Black plastic body. Two M8 fixing screws.

Ⓔ4 9808 Ⓔ4 9810

Ⓔ4 3178 Ⓔ4 4060

**Rear-reflector-stop-indicator-rear fog-reverse-clearance light with licence plate illumination, with 8-pole plug for MAN and Scania vehicles, left and right**

2VD 008 204-051 1

without licence plate illumination, left and right

2VP 008 204-041 1

Same as 2VD 008 204-051, but with side-marker light and reflector, left

2VD 008 204-071 1

without licence plate illumination, left and right

2VP 008 204-061 1

Same as 2VD 008 204-071, but without plug, left

2VD 008 204-131 1

without rear fog light and licence plate illumination, left and right

2VP 008 204-121 1

Same as 2VD 008 204-071, but with Scania cable input, without plug, left

2VD 008 204-151 1

right

2VD 008 204-141 1

Same as 2VD 008 204-071, but with plug for DAF vehicles, left

2VD 008 204-171 1

without licence plate illumination, left and right

2VP 008 204-161 1

Same as 2VD 008 204-071, but with 10-pole plug for Iveco-vehicles, left

2VD 008 204-191 1

without licence plate illumination, right

2VP 008 204-181 1

**Spare parts:**


Lens with screws

9EL 152 889-001 1

- 3(2)x24V5W (R5W) 8GA 002 071-121
- 3(2)x24V5W (R5W) 8GA 002 071-241
- 4x12V21W (P21W) 8GA 002 073-121
- 4x24V21W (P21W) 8GA 002 073-241

# Signal Lights


for rear mounting



1	BL	yellow
2	SIMULTAN/BLK	black/green-red/brown
3	B	red
4	NES	blue
5	ZR	grey
6	—	not used
7	—	not used
8	Ground	white

**Pin configuration:**

- BL = indicator
- S/K/UR/SM = rear/license plate/clearance/side-marker
- B = stop
- NES = rear fog
- ZR = reverse



Part no.

Pk.

**For horizontal surface mounting on towing vehicles**

Red reflector, rear, stop, rear fog and clearance light, amber indicator and side-marker light with reflector, white reverse light, with illumination for 520 x 120 mm licence plates. Black plastic body. Cable entry through central housing opening. Two M8 fixing screws.

- (E4) 9809      (E4) 9810
- (E4) 3179      (E4) 4060

**Rear-reflector-stop-indicator-rear fog-reverse-clearance light, with side-marker light and reflector, with licence plate illumination, for Mercedes-Benz vehicles, left**

**without licence plate illumination and rear fog light, right**

2VD 008 204-111

1

2VP 008 204-101

1

2VD 008 204-091

1

2VP 008 204-081

1

Same as 2VD 008 204-111, however with 8-pole plug, for Mercedes-Benz vehicles, left


without licence plate illumination, right

9EL 152 891-001

1

**Spare parts:**  
Lens with screws

- 3x12V5W (R5W) 8GA 002 071-121
- 3x24V5W (R5W) 8GA 002 071-241
- 4(3)x12V21W (P21W) 8GA 002 073-121
- 4(3)x24V21W (P21W) 8GA 002 073-241




1	Ground	white
2	BL	green
3	B	red
4	S/K/UR/SM/LR	brown
5	ZR	yellow
6	NES	blue
7	—	not used



**Pin configuration:**

- BL = indicator
- S/K/UR/SM = rear/license plate/clearance/side-marker
- B = stop
- NES = rear fog
- ZR = reverse



Part no.

Pk.

**For horizontal surface mounting on towing vehicles**

Red reflector, rear, stop, rear fog and clearance light, amber indicator and side-marker light with reflector, white reverse light, with illumination for 520 x 120 mm licence plates. Black plastic body. Two M8 fixing screws. Distance between screws 152 mm.

- Ⓔ 9808    Ⓔ 9811
- Ⓔ 3178    Ⓔ 4060

**Rear-reflector-stop-indicator-rear fog-reverse-clearance light, with side-marker light and reflector, with licence plate illumination, left**

2VD 008 205-011

1

right

2VD 008 205-021

1

**For Volvo FH/FM.**

Same as 2VD 008 205-011, but with 7-pole plug and distance between screws 160 mm, left

2VD 008 205-051

1

right

2VD 008 205-041

1

without licence plate illumination, left and right


2VP 008 205-031

1


**Spare parts:**

Lens with screws

- 3x12V5W (R5W) 8GA 002 071-121
- 3x24V5W (R5W) 8GA 002 071-241
- 1x12V10W (R10W) 8GA 002 071-131
- 1x24V10W (R10W) 8GA 002 071-251
- 4x12V21W (P21W) 8GA 002 073-121
- 4x24V21W (P21W) 8GA 002 073-241



1	BL	yellow/green
2	B	orange
3	B	red
4	NES	blue
5	ZR	yellow
6	—	not used
7	—	not used
8	Ground	white



2VP 340 888-011

1

2VP 340 888-017

12

Red reflector, rear, stop, rear fog and clearance light, amber indicator and side marker light with reflector, white reverse light. Black plastic body.

**With four vibration dampers, 8-pole plug and 24V bulbs.**

**Two bulbs for rear and stop light.**

- Ⓔ 10218    Ⓔ 10219

**Rear-reflector-stop-indicator-rear fog-reverse light with side-marker reflector, left**

2VP 340 888-001

1

right

2VP 340 888-007


12

- 4x24V21W (P21W) 8GA 002 073-241
- 2x24V10W (R10W) 8GA 002 071-251

- 1x24V4W (T4W) 8GP 002 067-241


# Signal Lights

for rear mounting



### Caution:

When used in right-hand traffic, the licence plate window in the right-hand light must be covered with the black cover plate 9EL 134 301-011 (Pk. 1), order separately!




1	BL	indicator
2	S/K/UR/SMLR	green/black
3	---	not used
4	SMLR	yellow/green/black
5	ZR	white/red
6	Compound	orange
7	B	reverse
8	---	not used



### Pin configuration:


- BL = indicator
- S/K/UR = rear/licence plate/reflector
- SMLR = side-markering light
- NES = rear fog
- ZR = reverse
- B = stop



1	BL	indicator
2	S/K/UR/SMLR	green/black
3	---	not used
4	SMLR	yellow/green/black
5	ZR	white/red
6	Compound	orange
7	B	reverse
8	---	not used




Fig. 1




1	Compound	orange
2	S/K/UR/SMLR	green
3	ZR	black
4	BL	red
5	B	yellow
6	SMLR	white
7	R	green



Fig. 2



1	Compound	orange
2	S/K/UR/SMLR	green
3	ZR	orange
4	BL	red
5	B	yellow
6	---	not used
7	---	not used



Part no.

Pk.

## For horizontal surface mounting on towing vehicles

Also permissible for trailers in combination with valid EC component homologation for lighting.

Red reflector, rear, stop, rear fog and clearance light, amber indicator light, white reverse light, with illumination for 520 x 120 mm licence plates. With side mounted amber reflector. Black plastic body. Two M8 fixing screws. With 1200 mm lead, round plug, vibration dampers and 24V bulbs.

(E1) 31432 (E1) 63217

Rear-reflector-stop-indicator-rear fog-reverse-clearance light with licence plate illumination, left

2VD 007 500-091

1

2VD 007 500-201

1

right

With amber side-marker light and reflector.

(E1) 31432 (E1) 63217 (E1) 280

Rear-reflector-stop-indicator-rear fog-reverse-clearance light, with side-marker light, reflector and licence plate illumination, left

2VD 007 500-111

1

2VD 007 500-221

1

right

### Accessories:

Cover plate, black

9EL 134 301-011

1

With 7-pole, amber centre bayonet plug and grommets on side.

Rear-reflector-stop-indicator-rear fog-reverse-clearance light, with side-marker light and reflector, with licence plate illumination, left (fig. 1)

2VD 007 500-411

1

without licence plate illumination and rear fog light, right (fig. 2)

2VP 007 500-421

1

### Spare parts:

Lens with screws,

left

right

Lens for side-marker light for -111/-221/-411/-421

Lens for licence plate illumination,

for -091/-111/-201/-221/-411

Reflector for -091/-201

Grommet for -091/-201/-111/-221

9EL 134 296-041

1

9EL 134 296-051

1

9EL 146 838-001

2

9EL 134 301-001

1

8RA 003 326-041

20

9GT 074 132-001

10

3x12V10W (R10W) 8GA 002 071-131

3x24V10W (R10W) 8GA 002 071-251



4x12V21W (P21W) 8GA 002 073-121

4x24V21W (P21W) 8GA 002 073-241




**Caution:**

When used in right-hand traffic, the licence plate window in the right-hand light must be covered with the black cover plate 9EL 134 301-011 (pk. 1), order separately!




**Pin configuration:**

- S = rear
- NES = rear fog
- B = stop
- BL = indicator
- ZR = reverse



1	2	3	4	5
6	7	8		



**Part no.**      **Pk.**      **For horizontal surface mounting**

Red reflector, rear, stop, rear fog and clearance light, amber indicator light, white reverse light, with illumination for 520 x 120 mm licence plates. With amber side-marker reflector. Grey plastic body. Two M8 fixing screws.

Ⓔ 31432

**Rear-reflector-stop-indicator-rear fog-reverse-clearance light, with side-marker reflector and licence plate illumination, left**

2VD 005 300-551      1

**right**

2VD 005 300-581      1

**Spare parts:**

- Lens with screws, left      1
- right      1
- Lens for licence plate illumination      1
- Reflector      20

9EL 134 296-041      1  
 9EL 134 296-051      1  
 9EL 134 301-001      1  
 8RA 003 326-011      20

**Accessories:**

- Cover plate, black

9EL 134 301-011      1

- 3x12V10W (R10W) 8GA 002 071-131
- 3x24V10W (R10W) 8GA 002 071-251
- 4x12V21W (P21W) 8GA 002 073-121
- 4x24V21W (P21W) 8GA 002 073-241



Red rear, stop and rear fog light, amber indicator light, white reverse light, with illumination for 520 x 120 mm and 340 x 240 mm licence plates. Black plastic body. Two M6 fixing screws. **With rectangular Volvo central plug.**

Ⓔ 1305      Ⓔ 3848      Ⓔ 4026

Ⓔ 1247      Ⓔ 23167

**Rear-stop-indicator-rear fog-reverse light with licence plate illumination, left**

2SL 005 883-031      1

**right**

2SL 005 883-041      1

**For horizontal or vertical surface mounting**

**Without licence plate illumination, left**

2SK 005 883-011      1

**right**

2SK 005 883-021      1

**Spare parts:**

- Lens

9EL 135 548-001      3



- 2x12V5W (R5W) 8GA 002 071-121
- 2x24V5W (R5W) 8GA 002 071-241
- 4x12V21W (P21W) 8GA 002 073-121
- 4x24V21W (P21W) 8GA 002 073-241




# Signal Lights

for rear mounting




   	<p><b>Part no.</b></p> <p><b>2VB 004 887-011</b></p> <p><b>2VA 004 887-031</b></p> <p><b>2VP 004 887-021</b></p> <p><b>9EL 131 420-001</b></p> <p><b>9EL 131 420-011</b></p> <p><b>9GT 141 941-001</b></p>	<p><b>Pk.</b></p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>10</p>	<p><b>For horizontal surface mounting</b></p> <p>Red reflector, rear, stop and rear fog light, amber flasher light, white reverse light and licence plate illumination. Black plastic body, without grommet. Two M8 fixing screws.</p> <p>(E1) 53384</p> <p><b>Rear-reflector-stop-indicator-rear fog light with illumination for 520 x 120 mm licence plates, left</b></p> <p><b>without licence plate illumination, left</b></p> <p><b>with reflector and reverse light, without rear fog light and licence plate illumination, right</b></p> <p><b>Spare parts:</b> Lens with screws, left, for -011/-031 right, for -021</p> <p><b>Accessories:</b> Grommet</p> <p>3x12V21W (P21W) 8GA 002 073-121 3x24V21W (P21W) 8GA 002 073-241 1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251</p>
  	<p><b>2VP 007 907-031</b></p> <p><b>2VP 007 907-037</b></p> <p><b>2VP 007 907-041</b></p> <p><b>2VP 007 907-047</b></p> <p><b>9EL 150 965-001</b></p> <p><b>9EL 150 966-001</b></p>	<p>1</p> <p>12</p> <p>1</p> <p>12</p> <p>1</p> <p>1</p>	<p><b>For horizontal surface mounting on trailers</b></p> <p><b>Rear Logic</b></p> <p>Red reflector, rear, stop and rear fog light, clear indicator light (with auxiliary lens) and reverse light. Black plastic body. Two M8 fixing screws. <b>With vibration dampers and grommet.</b></p> <p>(E17) 9701</p> <p><b>Rear-stop-indicator-rear fog-reverse light with triangular reflector, left</b></p> <p><b>right</b></p> <p><b>Spare parts:</b> Lens, left right</p> <p>3x24V21W (P21W) 8GA 002 073-251 1x24V21/5W (P21/5W) 8GD 002 078-241 1x24V21/5W (P21/5W) 8GD 002 078-011 (Heavy Duty)</p>



1	Ground	white
2	B	red
3	BL	yellow
4	ZR	green
5	NES	blue
6	S	black
7	SM/UR/K	brown

Pin configuration:

- B = stop
- BL = indicator
- ZR = reverse
- NES = rear fog
- S = rear
- SM/UR/K = side-marker/clearance/licence plate



Part no.

Pk.

**For horizontal surface mounting on trailers**

**Europoint**

Red reflector, rear, stop, rear fog and clearance light, amber indicator light and side-marker light with reflector, white reverse light, with licence plate illumination. Black plastic body. Two M8 fixing screws. **With 7-pole centre plug and double vibration damping. Two bulbs for rear and stop light. With 24V bulbs.**

Ⓔ 5167    Ⓔ 7078

**Rear-stop-indicator-rear fog-reverse-clearance light, with side-marker light, with triangular reflector and licence plate illumination, left**

2VD 008 789-011

1

**without licence plate illumination, left**

2VP 008 789-051

1

**right**

2VP 008 789-021

1

**With PG- screwed connections, without plug, bulbs and licence plate illumination, left**

2VP 008 789-071

1

**right**

2VP 008 789-041

1

**Spare parts:**

Lens with additional yellow lens and expansion dowel




9EL 158 993-001

1

- 2x24V5W (R5W) 8GA 002 071-241
- 1x24V10W (R10W) 8GA 002 071-251
- 4x24V21W (P21W) 8GA 002 073-241
- 1x24V21/5W (P21/5W) 8GD 002 078-241








Part no.	Pk.	For horizontal flush/surface mounting on towing vehicles and trailers
		<p><b>Modular system for meeting special individual light requirements:</b></p> <p>Black plastic housing, with centre plug, left or right</p> <p><b>Caution!</b> Please plug the existing licence plate opening with cover 9HB 126 601-001 if not used.</p> <p>Lens with various functions, left or right. Red rear, reflector, stop and rear fog light, amber indicator light, white reverse light.</p> <p>Complete light can be fitted vertically (indicator light at the top) or horizontally (indicator light outside).</p>
	<p>9EL 122 689-051 2</p> <p>9EL 122 689-021 2</p>	<p><b>Modular parts for towing vehicles</b></p> <p>Ⓔ4 421    Ⓔ4 397    Ⓔ4 377 Ⓔ4 23215    Ⓔ4 3880    Ⓔ4 4033</p> <p><b>Lenses with reflector:</b> (fixing screws included) <b>for rear-reflector-stop-indicator-reverse light</b></p> <p><b>for rear-reflector-stop-indicator-rear fog-reverse light</b></p>
	<p>9BG 130 945-001 2</p> <p>9BG 130 946-001 2</p>	<p><b>Housing for lenses with reflector:</b> (fixing screws included) <b>with centre plug,</b> <b>left</b></p> <p><b>right</b></p>
	<p>9EL 122 772-051 2</p> <p>9EL 122 772-001 2</p>	<p><b>For trailers</b></p> <p><b>Lenses without reflector:</b> (fixing screws included)</p> <p><b>for rear-stop-indicator-reverse light</b></p> <p><b>for rear-stop-indicator-rear fog-reverse light</b></p>
	<p>9HB 126 601-001 2</p> <p>9GP 003 995-801 1</p>	<p><b>Accessories:</b> Cover for licence plate opening (without illumination)</p> <p>External vibration dampers Contains: 2 each with M8 fixing screws.</p>
		<p>1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251 4x12V21W (P21W) 8GA 002 073-121 4x24V21W (P21W) 8GA 002 073-241</p>

# Signal Lights

for rear mounting






	<p><b>Part no.</b></p> <p><b>2SE 997 088-001</b></p>	<p><b>Pk.</b></p> <p>1</p>	<p><b>For horizontal or vertical flush/surface mounting</b></p> <p>Red rear and stop light, amber indicator light. Licence plate opening can be replaced with red lens included loose. Black plastic body. Two M8 fixing screws. Two bulbs for tail light. With PG11- screwed connections.</p> <p><b>For older Scania models.</b></p> <p>(E12) 27092 (E12) 16066 (E12) 4035</p> <p><b>Rear-stop-indicator-licence plate light, left and right</b></p> <p>2x12V10W (R10W) 8GA 002 071-131                  2x24V10W (R10W) 8GA 002 071-251                  2x12V21W (P21W) 8GA 002 073-121                  2x24V21W (P21W) 8GA 002 073-241</p>
	<p><b>2SD 001 688-171</b></p> <p><b>2SD 001 688-141</b></p> <p><b>2SE 001 688-151</b></p> <p><b>2SE 001 688-161</b></p> <p><b>9EL 092 435-011</b></p> <p><b>9GD 102 484-001</b></p> <p><b>9GT 074 132-001</b></p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>10</p> <p>10</p>	<p><b>For horizontal surface mounting</b></p> <p>Red rear and stop light, amber indicator light. Black plastic body. Two M6 fixing screws. Two bulbs for rear light.</p> <p>(E1) 43207</p> <p><b>Rear-stop-indicator light, left</b></p> <p><b>right</b></p> <p><b>With illumination for 520 x 120 mm and 340 x 240 mm licence plates, left</b></p> <p><b>right</b></p> <p><b>Spare parts:</b></p> <p>Lens with screws                  Gasket for lens                  Grommet</p> <p>1(2)x12V5W (R5W) 8GA 002 071-121                  1(2)x24V5W (R5W) 8GA 002 071-241                  2x12V21W (P21W) 8GA 002 073-121                  2x24V21W (P21W) 8GA 002 073-241</p>

	Part no.	Pk.	For horizontal surface mounting
   	<p><b>2SD 001 699-511</b> 1</p> <p><b>2SD 001 699-061</b> 1</p> <p><b>2SE 001 699-071</b> 1</p> <p>9EL 109 139-001 2 9GT 074 132-001 10</p>		<p>Red rear and stop light, amber indicator light. Black plastic body, with gasket. Bulb holder with vibration damping. Two M8 fixing screws.</p> <p>Ⓔ1 43332    Ⓔ1 196</p> <p><b>Rear-stop-indicator-light, left</b></p> <p><b>right</b></p> <hr/> <p><b>With illumination for 340 x 240 mm and 240 x 130 mm licence plates, left</b></p> <p><b>Spare parts:</b> Lens with screws Grommet</p> <p>1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251 2x12V21W (P21W) 8GA 002 073-121 2x24V21W (P21W) 8GA 002 073-241</p>
 	<p><b>2SD 001 680-271</b> 1</p> <p><b>2SD 001 680-281</b> 1</p> <p><b>2SD 001 680-391</b> 1</p> <p><b>2SD 001 680-401</b> 1</p> <p><b>2SE 001 680-291</b> 1</p> <p><b>2SE 001 680-301</b> 1</p> <p>9EL 107 368-001 2 9EL 111 647-001 2</p>		<p>Red rear and stop light, amber indicator light. Black plastic body. With grommet. With packing gland. Two M6 fixing screws.</p> <p>Ⓔ1 53335    Ⓔ1 31482    Ⓔ1 43322</p> <p><b>Rear-stop-indicator light, left</b></p> <p><b>right</b></p> <p><b>with PC-body, left</b></p> <p><b>right</b></p> <hr/> <p><b>With illumination for 520 x 120 mm, 340 x 240 mm and 240 x 130 mm licence plates, left</b></p> <p><b>right</b></p> <p><b>Spare parts:</b> Lens with screws and gasket, left right</p> <p>1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251 2x12V21W (P21W) 8GA 002 073-121 2x24V21W (P21W) 8GA 002 073-241</p>



# Signal Lights

for rear mounting



	Part no.	Pk.	For vertical surface mounting on towing vehicles and trailers **)																				
 <div style="display: flex; justify-content: space-around;"> <div data-bbox="181 917 280 1152">  <table border="1" data-bbox="181 1034 280 1152"> <tr><td>1</td><td>B</td></tr> <tr><td>2</td><td>BL</td></tr> <tr><td>4</td><td>Control</td></tr> <tr><td>5</td><td>Control</td></tr> <tr><td>6</td><td>Control</td></tr> </table> </div> <div data-bbox="355 917 454 1152">  <table border="1" data-bbox="355 1034 454 1152"> <tr><td>1</td><td>B</td></tr> <tr><td>2</td><td>BL</td></tr> <tr><td>4</td><td>Control</td></tr> <tr><td>5</td><td>Control</td></tr> <tr><td>6</td><td>Control</td></tr> </table> </div> </div> <p><b>left</b>                      <b>right</b></p> <p><b>Pin configuration:</b>  <b>B</b>            = stop  <b>BL</b>         = flasher  <b>ZR</b>         = reversing  <b>NES</b>       = rear fog  <b>S</b>            = tail  <b>K</b>            = licence plate</p> <div style="text-align: center;">  </div>	1	B	2	BL	4	Control	5	Control	6	Control	1	B	2	BL	4	Control	5	Control	6	Control	<p>2VP 343 640-277</p> <p>2VP 343 640-267</p> <p>2VP 343 640-257</p> <p>2VP 343 640-247</p> <p>9EL 343 143-001</p> <p>9EL 343 142-001</p>	<p>1</p> <p>1</p> <p>64</p> <p>64</p> <p>1</p> <p>1</p>	<p><b>Cargoluna</b></p> <p>Red rear, stop light and reflector, amber indicator light, clear reverse light. Black base plate. PC-lens. With grommet. Four M6 x 25 fixing screws. Distance between screws: 72 mm. <b>Water drain hole broken out. Completely mounted with seal. Vertical attachment: direction indicator on inside.</b></p> <p>(E17) 0303</p> <p><b>Rear-reflector-stop-indicator and reverse light, with DEUTSCH plug and 12V bulbs, left</b></p> <p><b>right</b></p> <p><b>with 24V bulbs, left</b></p> <p><b>right</b></p> <p><b>Spare parts:</b>          Lens          for -257/-277          for -247/-267</p> <p>1x12V10W (R10W) 8GA 002 071-131          1x24V10W (R10W) 8GA 002 071-251          3x12V21W (P21W) 8GA 002 073-121          3x24V21W (P21W) 8GA 002 073-241</p>
1	B																						
2	BL																						
4	Control																						
5	Control																						
6	Control																						
1	B																						
2	BL																						
4	Control																						
5	Control																						
6	Control																						

\*\*) Also permissible for trailers in combination with valid EC component homologation for lighting.




left

right

**Pin configuration:**

- B = stop
- BL = flasher
- ZR = reversing
- NES = rear fog
- S = tail
- K = licence plate





Part no.	Pk.	For horizontal or vertical surface mounting on towing vehicles and trailers **)
<b>Cargoluna</b>		
<b>Caution:</b>		
Depending on the attachment position, the water drainage opening must be knocked out! Please refer to the installation instructions.		
<b>Horizontal attachment: direction indicator on top. Vertical attachment: direction indicator on inside.</b>		
Red reflector, rear, stop and rear fog light, amber indicator light, clear reverse and licence plate illumination. Black base plate. PC-lens. With gasket and grommet. Four M6 x 25 fixing screws. Distance between screws: 72 mm.		
E17 0303		
<b>Rear-reflector-stop-indicator and reverse light, with DEUTSCH plug, lead and 12V bulbs, left</b>		
2VP 343 640-051	1	
2VP 343 640-057	64	
<b>right</b>		
2VP 343 640-041	1	
2VP 343 640-047	64	
<b>with 24V bulbs, left</b>		
2VP 343 640-091	1	
2VP 343 640-097	64	
<b>right</b>		
2VP 343 640-081	1	
2VP 343 640-087	64	
<b>with 12V bulbs and rear fog light, without reverse light, left</b>		
2VP 343 640-131	1	
2VA 343 640-137	64	
<b>with 24V bulbs, left</b>		
2VA 343 640-117	64	
<b>right</b>		
2VA 343 640-207	64	
<b>with 12V bulbs, rear fog light and licence plate illumination, without reverse light, left</b>		
2VB 343 640-127	64	
<b>with 24V bulbs, rear fog light and licence plate illumination, without reverse light, left</b>		
2VB 343 640-297	32	
<b>Lights are not pre-assembled. With grommet, without bulbs.</b>		
<b>Rear-reflector-stop-indicator-rear fog light with licence plate illumination, 12V/24V, left</b>		
2VB 343 640-017	64	
<b>without rear fog light and licence plate illumination, with reverse light, without bulbs, 12V/24V, left</b>		
2VP 343 640-031	1	
2VP 343 640-037	64	
<b>12V/24V, right</b>		
2VP 343 640-021	1	
2VP 343 640-027	64	
<b>with rear fog light, without reverse light, 12V/24V, left</b>		
2VA 343 640-071	1	
2VA 343 640-077	64	
<b>12V/24V, right</b>		
2VA 343 640-067	64	
<b>without rear fog light and reverse light, 12V/24V, left</b>		
2VA 343 640-237	64	
<b>12V/24V, right</b>		
2VA 343 640-101	1	
2VA 343 640-107	64	
<b>Spare parts:</b>		
Lens		
9EL 343 143-001	1	for -031/-037/-051/-057/-091/-097
9EL 343 143-011	1	for -017/-071/-077/-117/-127/-131/-137/-297
9EL 343 142-001	1	for -021/-027/-041/-047/-081/-087
9EL 343 142-011	1	for -067/-101/-107
1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251 3x12V21W (P21W) 8GA 002 073-121 3x24V21W (P21W) 8GA 002 073-241		

\*\*) Also permissible for trailers in combination with valid EC component homologation for lighting.

# Signal Lights

for rear mounting



Pin configuration:



B = stop  
BL = indicator  
S = rear  
ZR = reverse



1	BL	
2	BL	
3	BL	
4	ZR	
5	Ground	black
6		not used

Part no.	Pk.	For horizontal surface mounting on towing vehicles **)
		Red reflector, rear, stop and rear fog light, amber indicator light, with illumination for 520 x 120 mm and 340 x 240 mm licence plates. With black base plate. Four 6 mm dia. holes for fixing screws.
		(E13) 9385 (E13) 9531
2VB 006 040-051	1	<b>Rear-reflector-stop-indicator-rear fog light with licence plate illumination, left</b>
9EL 136 833-011	1	<b>Spare parts:</b> Lens
2VA 006 040-071 2VA 006 040-077	1 10	<b>Without licence plate illumination, left</b>
9EL 136 819-031	1	<b>Spare parts:</b> Lens
2VP 006 040-111 2VP 006 040-117	1 25	<b>Rear-reflector-stop-indicator-reverse light, left</b>
2VP 006 040-121 2VP 006 040-127	1 25	<b>right</b>
2VP 006 040-437 2VP 006 040-447	20 20	<b>Same as 2VP 006 040-111/121, but with DEUTSCH plug and 1 m lead, with 12V bulbs, without gasket, left</b> <b>right</b>
2VP 006 040-397 2VP 006 040-407	20 20	<b>with 24V bulbs, 6 pole plug, with gasket, left</b> <b>right</b>
2VA 006 040-457 2VP 006 040-467	20 20	<b>with PC lens, 24V bulbs and 6-pole plug, left</b> <b>right</b>
2VP 006 040-477 2VP 006 040-487	20 20	<b>with PC lens, 24V bulbs, DEUTSCH plug and gasket, left</b> <b>right</b>
9EL 136 825-001 9EL 136 825-011 9EL 136 825-081	1 1 1	<b>Spare parts:</b> Lens left, for -111/-117/-397/-437 right, for -121/-127/-407/-447 right, for -487
		<b>For vertical surface mounting on towing vehicles **)</b>
2VA 006 040-291 2VA 006 040-297	1 64	<b>Rear-reflector-stop-indicator-rear fog light, left</b>
2VP 006 040-301 2VP 006 040-307	1 64	<b>with reverse light, without rear fog light, right</b>
2VP 006 040-351 2VP 006 040-357	1 64	<b>With reverse light, without rear fog light, left</b>
9GD 102 484-001	10	<b>Accessories for 006 040-....:</b> Gasket for extreme loads (to be ordered separately)
		1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251 3x12V21W (P21W) 8GA 002 073-121 3x24V21W (P21W) 8GA 002 073-241


\*\* ) Also permissible for trailers in combination with valid EC component homologation for lighting.



Part no.	Pk.	For horizontal surface mounting on trailers
		Red rear, stop and rear fog light, amber indicator light, with illumination for 520 x 120 mm and 340 x 240 mm licence plates. With black base plate. Four 6 mm dia. holes for fixing screws.
		(E13) 9385
2SE 006 040-011	1	<b>Rear-stop-indicator-licence plate-rear fog light, left</b>
9EL 136 833-001	1	<b>Spare parts:</b> Lens
2SD 006 040-031	1	<b>Without licence plate illumination, left</b>
2SD 006 040-037	10	
2SD 006 040-041	1	<b>right</b>
9EL 136 819-011	1	<b>Spare parts:</b> Lens, left
9EL 137 792-011	1	right
2SD 006 040-161	1	<b>Without licence plate illumination and rear fog light, right</b>
2SD 006 040-167	10	
9EL 137 792-011	1	<b>Spare parts:</b> Lens
		<b>For vertical surface mounting on trailers</b>
2SD 006 040-331	1	<b>Rear-stop-indicator light, left</b>
2SD 006 040-337	64	
2SD 006 040-131	1	<b>with rear fog light, left</b>
2SD 006 040-137	10	
2SD 006 040-141	1	<b>without rear fog light, right</b>
2SD 006 040-147	10	
9EL 136 819-041	1	<b>Spare parts:</b> Lens, left
9EL 137 792-031	1	right
9GD 102 484-001	10	<b>Accessories for 006 040-...</b> Gasket for extreme loads (to be ordered separately)
		1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251 3x12V21W (P21W) 8GA 002 073-121 3x24V21W (P21W) 8GA 002 073-241

# Signal Lights

for rear mounting



Part no.	Pk.	For horizontal or vertical (indicator light above) surface mounting
		Red rear, stop and rear fog light, amber indicator light, with illumination for 520 x 120 mm and 340 x 240 mm licence plates. With black base plate, with grommet. Two M6 fixing screws. Distance between screws 72 mm or 152 mm. Licence plate opening can be replaced with red lens included loose (for use as rear-stop-indicator light).
		<p>Ⓔ 450      Ⓔ 451      Ⓔ 452</p> <p>Ⓔ 453      Ⓔ 3018</p>
2SE 007 547-011	1	<b>Rear-stop-indicator-rear fog light with licence plate illumination, without reflector, left</b>
2SE 007 547-017	30	
2SE 007 547-021	1	<b>right</b>
2SE 007 547-027	30	
2VB 007 547-171	1	<b>with reflector, left</b>
		<p>1x12V10W (R10W) 8GA 002 071-131</p> <p>1x12V21/5W (P21/5W) 8GD 002 078-121</p> <p>2x12V21W (P21W) 8GA 002 073-121</p>
2SE 007 547-041	1	<b>Without rear fog light, right</b>
		<p><b>Spare parts:</b></p> <p>Lens with licence plate window and red lens</p> <p>for -011/-017/-021/-027/-041</p> <p>for -171</p>
9EL 147 096-001	1	<p>1x12V10W (R10W) 8GA 002 071-131</p> <p>1x12V21/5W (P21/5W) 8GD 002 078-121</p> <p>1x12V21W (P21W) 8GA 002 073-121</p>
9EL 147 096-031	1	
		<p>Ⓔ 450      Ⓔ 451      Ⓔ 452</p> <p>Ⓔ 1375      Ⓔ 3018</p>
2SL 007 547-061	1	<b>With reverse light, without rear fog light and reflector, right</b>
2SL 007 547-067	30	
2VD 007 547-181	1	<b>with reflector, right</b>
		<p><b>Spare parts:</b></p> <p>Lens with licence plate window and red lens</p> <p>for -061/-067</p> <p>for -181</p>
9EL 147 097-001	1	<p>1x12V10W (R10W) 8GA 002 071-131</p> <p>1x12V21/5W (P21/5W) 8GD 002 078-121</p> <p>2x12V21W (P21W) 8GA 002 073-121</p>
9EL 147 096-021	1	

Part no.	Pk.	<b>For horizontal or vertical flush/surface mounting</b>
		Red rear and stop light, amber indicator light. Black plastic body. Two M8 fixing screws.
		(E1) 264
2SD 003 167-011	1	<b>Rear-stop-indicator light, left</b>
2SD 003 167-021	1	<b>right</b>
2SD 003 167-531	1	<b>With PC housing, particularly suitable for high heat development, e.g. for buses, left</b>
**)		
2SD 003 167-541	1	<b>right</b>
**)		
2SE 003 167-031	1	<b>With illumination for 520 x 120 mm and 340 x 240 mm licence plates, for horizontal surface mounting, left</b>
2SE 003 167-041	1	<b>right</b>
9EL 147 747-001	1	<b>Spare parts:</b> Lens with screws
9EL 147 747-007	306	
9GD 087 883-355	10	Gasket
		1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251 2x12V21W (P21W) 8GA 002 073-121 2x24V21W (P21W) 8GA 002 073-241
		(E1) 53250
		<b>Same as 2SD 003 167-011, but for double-filament bulb in stop-light section for additional rear-light function, left</b>
2SD 003 167-371	1	<b>*)</b>
		<b>Same as 2SD 003 167-371, however with internal vibration damping and illumination for 520 x 120 mm and 340 x 240 mm licence plates, for horizontal surface mounting, left</b>
2SE 003 167-511	3	<b>*)</b>
2SD 003 167-521	3	<b>without licence plate illumination, right</b>
		<b>Spare parts:</b> Lens with screws Gasket
9EL 118 445-001	1	
9GD 087 883-355	10	
		<b>Accessories:</b> External vibration dampers Comprising: 2 vibration dampers with reinforcing plates and M8 fixing screws.
9GP 003 995-801	1	
9GD 118 983-021	10	Body gasket for flush mounting
		1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241 1x12V21/5W (P21/5W) 8GD 002 078-121 1x24V21/5W (P21/5W) 8GD 002 078-241 1x24V21/5W (P21/5W) 8GD 002 078-011 (Heavy Duty)

\*) Only for spare parts requirements

\*\*) Available as long as stocks last


# Signal Lights

for rear or side mounting



		Part no.	Pk.	For horizontal or vertical flush/surface mounting
      	        	<b>2SA 003 236-041</b> <b>2SA 003 236-047</b> <b>2SA 003 236-048</b>	1 6 48	<b>Red lens.</b> Black plastic body. Two M6 fixing screws. (E1) 11591 <b>Rear light</b>
		9EL 120 201-001	4	<b>Spare parts:</b> Lens  1x12V5W (R5W) 8GA 002 071-121  1x24V5W (R5W) 8GA 002 071-241
		<b>2DA 003 236-031</b> <b>2DA 003 236-037</b>	1 6	<b>Stop light</b>
		9EL 119 544-031	4	<b>Spare parts:</b> Lens  1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241
		<b>2NE 003 236-001</b> <b>2NE 003 236-008</b>	1 48	<b>Rear fog light</b>
9EL 119 544-001 9DX 119 545-011	1 2	<b>Spare parts:</b> Lens Reflector  1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241		
				(E1) 18411
		<b>2BA 003 236-021</b> <b>2BA 003 236-027</b>	1 6	<b>Indicator light for rear (category 2a) or (as auxiliary light) side mounting (category 2a)</b>
		<b>2BA 003 236-177</b>	48	<b>for front (category 1) or side mounting (category 5)</b>
		9EL 119 544-021 **)	4	<b>Spare parts:</b> Lens for -021/-027  1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241
		<b>2ZR 003 236-051</b> <b>2ZR 003 236-057</b>	1 48	<b>Reverse light</b>
		9EL 119 544-111 9DX 119 545-051	1 2	<b>Spare parts:</b> Lens Reflector  1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241
		<b>8RA 003 660-007</b>	8	<b>Reflector for surface mounting</b> <b>Reflector red, with black plastic base plate.</b> (E1) 02 31242 <b>Reflector</b>

\*\*) Available as long as stocks last



	Part no.	Pk.	For horizontal or vertical flush mounting
 	<b>2SA 003 236-341</b>  9EL 120 201-001 9BG 121 740-001	1  1 1	<b>Red lens, black rubber body.</b> Two BZ4.2 fixing screws. Mounting depth: 44 mm. (E1) 11591 <b>Rear light</b>  <b>Spare parts:</b> Lens Rubber body   1x12V5W (R5W) 8GA 002 071-121  1x24V5W (R5W) 8GA 002 071-241
 	<b>2DA 003 236-331</b>  9EL 119 544-031 9BG 121 740-001	1  4 1	(E1) 240 <b>Stop light</b>  <b>Spare parts:</b> Lens Rubber body  e1 18411
	<b>2NE 003 236-301</b> <b>2NE 003 236-307</b>  9EL 119 544-001 9BG 121 740-001	1 1  1 1	<b>Rear fog light</b>  <b>Spare parts:</b> Lens Rubber body
 	<b>2BA 003 236-321</b>  9EL 119 544-021 **) 9BG 121 740-001	1  4  1	<b>Amber lens. For rear or (as auxiliary light) side mounting (category 2a and 5).</b> (E1) 32764 <b>Indicator light</b>  <b>Spare parts:</b> Lens  Rubber body   1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241
	<b>2BA 003 236-541</b> **)	1	<b>Indicator-clearance light, also indicator-rear light for vertical mounting</b>  <b>Spare parts:</b> Lens  Rubber body   1x12V10W (R10W) 8GA 002 071-131  1x24V10W (R10W) 8GA 002 071-251  1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241
 	<b>2ZR 003 236-311</b>  9EL 119 544-111 9BG 121 740-001	1  1 1	<b>Clear lens.</b> Two BZ4.2 fixing screws. (E1) 8728 <b>Reverse light</b>  <b>Spare parts:</b> Lens Rubber body   1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241



\*\*) Available as long as stocks last

# Signal Lights

for rear mounting






	Part no.	Pk.	For horizontal or vertical flush mounting
 	<p><b>2SA 005 200-331</b></p>	<p>1</p>	<p><b>Red lens.</b>  <b>With double reflector for two bulbs.</b>            Black plastic body.            Four 4.2 x 16 fixing screws.</p> <p>(E1) 31443</p> <p><b>Rear light</b></p> <p>2x12V10W (R10W) 8GA 002 071-131            2x24V10W (R10W) 8GA 002 071-251</p> <hr/> <p>(E1) 241</p>
 	<p><b>2DA 005 200-321</b></p> <p><b>2BA 005 200-311</b></p>	<p>1</p> <p>1</p>	<p><b>Stop light</b></p> <p>2x12V21W (P21W) 8GA 002 073-121            2x24V21W (P21W) 8GA 002 073-241</p> <hr/> <p><b>Amber lens (category 2a).</b></p> <p>(E1) 42770</p> <p><b>Indicator light</b></p> <p><b>Spare parts:</b>            Lens with screws</p> <p>2x12V21W (P21W) 8GA 002 073-121            2x24V21W (P21W) 8GA 002 073-241</p> <hr/>
	<p><b>2ZR 005 200-301</b></p> <p><b>9EL 135 717-001</b></p> <p><b>9GH 136 698-007</b></p>	<p>1</p> <p>4</p> <p>4</p> <p>8</p>	<p><b>Clear lens.</b></p> <p>(E1) 8772</p> <p><b>Reverse light</b></p> <p><b>Spare parts:</b>            Lens with screws</p> <p><b>Accessories:</b>            Rubber body for additional rear cover            (to be ordered separately)</p> <p>2x12V21W (P21W) 8GA 002 073-121            2x24V21W (P21W) 8GA 002 073-241</p>



Part no.	Pk.	For horizontal or vertical flush/surface mounting
<b>2SD 004 431-011</b>	1	<p><b>Red rear and stop light, amber indicator light.</b> Black rubber body. <b>For surface mounting:</b> two M8 fixing screws. <b>For flush mounting:</b> four holes for fixing screws. Depth required for flush mounting: 45 mm.</p> <p>Ⓔ 32764 Ⓔ 243</p> <p><b>Rear-stop-indicator light</b></p> <p><b>Spare parts:</b> Lens 4 for rear/stop light 4 for indicator light Reflector 2 for two bulbs 2 for one bulb</p>
<b>2DB 004 431-061</b>	1	<p><b>Red stop light, amber indicator light.</b></p> <p>Ⓔ 2240 Ⓔ 32764</p> <p><b>Stop- and indicator light</b></p> <p><b>Spare parts:</b> Lens for stop light 4 for indicator light Reflector for one bulb</p>
<b>2SA 004 431-071</b>	1	<p><b>Red rear and rear fog light.</b> Rear light for two bulbs.</p> <p>Ⓔ 31443 Ⓛ 18411</p> <p><b>Rear-rear fog light</b></p> <p><b>Spare parts:</b> Lens for rear fog light</p> <p>1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251 2x12V21W (P21W) 8GA 002 073-121 2x24V21W (P21W) 8GA 002 073-241</p>
<b>2NE 004 432-011</b>	1	<p><b>Red lens, black rubber body.</b> <b>For surface mounting:</b> two M6 fixing screws. <b>For flush mounting:</b> four holes for fixing screws. Depth required for flush mounting: 45 mm.</p> <p>Ⓛ 18411</p> <p><b>Rear fog light</b></p> <p><b>Spare parts:</b> Lens 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241</p>
<b>2ZR 004 432-001</b>	1	<p><b>Clear lens.</b></p> <p>Ⓔ 8728</p> <p><b>Reverse light</b></p> <p><b>Spare parts:</b> Lens 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241</p>

\*\*) Available as long as stocks last



	Part no.	Pk.	For horizontal flush mounting
	<p>2VA 007 502-011 2VA 007 502-017</p> <p>2VA 007 502-061 2VA 007 502-067</p> <p>2VP 007 502-031 2VP 007 502-037</p> <p>2VP 007 502-041 2VP 007 502-047</p>	<p>1 12</p> <p>1 12</p> <p>1 12</p> <p>1 12</p>	<p><b>Caraluna I</b> <b>For caravan-trailers.</b> <b>With triangular reflector.</b> Red reflector, rear, stop, rear fog light, and side-marker reflector. Clear indicator light and white reversing light. <b>With 12V bulbs.</b></p> <p> 9604</p> <p><b>Rear-reflector-stop-indicator-rear fog light and side-marker light with reflector, left</b></p> <p><b>right</b></p> <p><b>with reversing light, without rear fog light, left</b></p> <p><b>right</b></p>
	<p>2VA 007 502-021 2VA 007 502-027</p>	<p>1 12</p>	<p><b>Without reversing and rear fog light, left</b></p> <p> 1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V21W (P21W) 8GA 002 073-121</p>
	<p>2VA 007 502-111 2VA 007 502-117</p> <p>2VP 007 502-121 2VP 007 502-127</p>	<p>1 12</p> <p>1 12</p>	<p><b>For mobile homes.</b> <b>With triangular reflector.</b></p> <p><b>Rear-reflector-stop-indicator-rear fog light and side-marker light with reflector, left</b></p> <p><b>with reversing light, without rear fog light, right</b></p> <p> 1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V21W (P21W) 8GA 002 073-121</p>

# Signal lights

for rear mounting







Part no.	Pk.	For horizontal flush mounting
2VA 341 419-011 2VA 341 419-017	1 10	<b>Caraluna II</b> <b>For caravan-trailers.</b> <b>With triangular reflector.</b> Red reflector, rear, stop, rear fog light, and side-marker reflector, clear indicator light (with yellow bulb), white reverse light. <b>With 12V bulbs.</b> (E4) 9836
2VA 341 419-061 2VA 341 419-067	1 10	<b>Rear-stop-triangular reflector-indicator-rear fog and side-marker light, with red lens, left</b>
2VA 341 419-021 2VA 341 419-027	1 10	<b>right</b>
2VP 341 419-031 2VP 341 419-037	1 10	<b>without rear fog light, right</b>
2VP 341 419-041 2VP 341 419-047	1 10	<b>with reverse light, without rear fog light, left</b>
2VA 341 419-097	10	<b>Without side-marker reflector.</b> <b>Chrome-plating applied in the housing shimmers through the lens.</b>
2VA 341 419-167	10	<b>With smoke coloured lens, left</b>
2VP 341 419-157	10	<b>right</b>
2VP 341 419-107	10	<b>with reverse light, without rear fog light, left</b>
2VA 341 419-111 2VA 341 419-117	1 10	<b>For mobile homes.</b> <b>With red lens and round reflector.</b>
2VA 341 419-147	1	<b>Rear-stop-indicator-rear fog and side-marker light, with reflector, left</b>
2VP 341 419-137	1	<b>right</b>
2VP 341 419-121 2VP 341 419-127	1 10	<b>with reverse light, without rear fog light, left</b>
2VA 341 419-077	10	<b>Without side-marker reflector.</b> <b>Chrome-plating applied in the housing shimmers through the lens.</b>
2VA 341 419-187	10	<b>With smoke coloured lens, left</b>
2VP 341 419-177	10	<b>right</b>
2VP 341 419-087	10	<b>with reverse light, without rear fog light, left</b>
1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V21W (P21W) 8GA 002 073-121		

Part no.	Pk.	For horizontal flush mounting
		<p><b>Caraluna II Plus</b>  <b>For caravan-trailers.</b>  <b>With triangular reflector.</b>            Red reflector rear, stop, rear fog light, and side-marker reflector, clear indicator light (with yellow bulb), white reverse light.  <b>With 12V bulbs.</b></p>
	2VP 343 590-017	10
	2VP 343 590-027	10
		<p><b>Rear-stop-triangular reflector-indicator-rear fog and side-marker light, with red lens, left</b>   <b>right</b></p>
	2VP 343 590-057	10
	2VP 343 590-067	10
		<p><b>Without side-marker reflector.</b>  <b>Chrome-plating applied in the housing shimmers through the lens.</b></p>
		<p><b>With smoke coloured lens,</b>  <b>left</b>   <b>rechts</b></p>
	2VP 343 590-037	10
	2VP 343 590-047	10
		<p><b>For mobile homes.</b>  <b>With red lens and round reflector.</b></p> <p><b>Rear-stop-indicator-rear fog, reverse and side-marker light, with reflector, left</b>   <b>right</b></p>
	2VP 343 590-077	10
	2VP 343 590-087	10
		<p><b>Without side-marker reflector.</b>  <b>Chrome-plating applied in the housing shimmers through the lens.</b></p>
		<p><b>With smoke coloured lens,</b>  <b>left</b>   <b>right</b></p>
		<p> 9836</p> <p> 1x12V21/5W (P21/5W) 8GD 002 078-121            1x12V21W (PY21W) 8GA 006 841-121            2x12V21W (P21W) 8GA 002 073-121</p>

# Signal Lights

for rear mounting





 	<p><b>Part no.</b></p> <p><b>2SD 001 693-011</b> *)</p> <p><b>9GT 074132-001</b></p>	<p><b>Pk.</b></p> <p><b>1</b></p> <p><b>10</b></p>	<p><b>For horizontal or vertical flush mounting</b></p> <p>Red rear and stop light, amber indicator light. Six B4.2 x 13 self-tapping fixing screws.</p> <p>(E1) 31436 (E1) 53234</p> <p><b>Rear-stop-indicator light</b></p> <p><b>Spare parts:</b> Grommet</p> <p>1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251 2x12V21W (P21W) 8GA 002 073-121 2x24V21W (P21W) 8GA 002 073-241</p>
 	<p><b>2SE 003 409-191</b> <b>2SE 003 409-197</b> *)</p> <p><b>2SD 003 409-201</b> <b>2SD 003 409-207</b> *)</p> <p><b>9EL 121 260-051</b> <b>9EL 121 260-061</b></p>	<p><b>1</b></p> <p><b>5</b></p> <p><b>1</b></p> <p><b>5</b></p> <p><b>1</b></p> <p><b>1</b></p>	<p><b>For horizontal surface mounting</b></p> <p>Red rear and stop light, amber indicator light. Lens with snap fastening. <b>Black base plate. Red plexiglass frame.</b> Four 5.5 mm dia. holes for fixing screws.</p> <p>(E1) 11596 (E1) 53288</p> <p><b>Rear-stop-indicator light, with illumination for 520 x 120 mm and 340 x 240 mm licence plates, left</b></p> <p><b>without licence plate illumination, right</b></p> <p><b>Spare parts:</b> Lens, left right</p> <p>1x12V5W (R5W) 8GA 002 071-121 1x12V10W (R10W) 8GA 002 071-131 2x12V21W (P21W) 8GA 002 073-121</p>
<p><b>2SD 003 409-317</b> *)</p> <p><b>2SD 003 409-327</b> *)</p> <p><b>2SE 003 409-171</b> *)</p> <p><b>2SD 003 409-181</b> *)</p>	<p><b>1</b></p> <p><b>18</b></p> <p><b>1</b></p> <p><b>1</b></p>	<p><b>1</b></p> <p><b>18</b></p> <p><b>1</b></p> <p><b>1</b></p>	<p>With common chamber for rear and stop light. With rear fog light. <b>Grey base plate.</b></p> <p>(E1) 53288 (E2) 164</p> <p><b>Rear-stop-indicator-rear fog light, left</b></p> <p><b>right</b></p> <p>1x12V21/5W (P21/5W) 8GD 002 078-121 2x12V21W (P21W) 8GA 002 073-121</p> <p><b>With illumination for 520 x 120 mm and 340 x 240 mm licence plates, black base plate, left</b></p> <p><b>without licence plate illumination, right</b></p> <p>1x12V21/5W (P21/5W) 8GD 002 078-121 2x12V21W (P21W) 8GA 002 073-121 1x12V10W (R10W) 8GA 002 071-131</p>

\*) Only for spare parts requirements

		<p><b>Part no.</b></p> <p><b>2VA 997 113-001</b></p> <p><b>9EL 997 453-001</b></p>	<p><b>Pk.</b></p> <p><b>1</b></p> <p><b>2</b></p>	<p><b>For horizontal flush/surface mounting</b></p> <p>Red rear, reflector and stop light, amber indicator light. Black plastic body. Two M6 fixing screws. With blade terminal contacts.</p> <p>(E12) 7103 (E12) 6077 (E12) 3021</p> <p><b>Rear-stop-indicator light</b></p> <p><b>Spare parts:</b> Lens</p> <p>1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241 1x12V21/5W (P21/5W) 8GD 002 078-121 1x24V21/5W (P21/5W) 8GD 002 078-241 1x24V21/5W (P21/5W) 8GD 002 078-011 (Heavy Duty)</p>
		<p><b>2SD 002 844-031</b></p> <p><b>2SD 002 844-021</b></p> <p><b>2SD 002 844-131</b></p> <p><b>2SD 002 844-061</b></p> <p><b>2SD 002 844-067</b></p> <p><b>9EL 115 662-021</b></p> <p><b>9EL 115 662-011</b></p>	<p><b>1</b></p> <p><b>1</b></p> <p><b>1</b></p> <p><b>1</b></p> <p><b>18</b></p> <p><b>2</b></p> <p><b>2</b></p>	<p>Red rear and stop light, amber indicator light. Lens with snap fastening. Two 5.5 mm dia. holes for fixing screws.</p> <p>(E1) 53221</p> <p><b>Rear-stop-indicator light with white base plate, left</b></p> <p><b>right</b></p> <p><b>with black base plate, left</b></p> <p><b>right</b></p> <p><b>Spare parts:</b> Lens, left right</p>
		<p><b>2SE 002 844-011</b></p> <p><b>2SE 002 844-051</b></p> <p><b>2SE 002 844-057</b></p> <p><b>9EL 115 662-001</b></p> <p><b>2VB 341 032-111</b></p> <p><b>2VB 341 032-117</b></p> <p><b>2VB 341 032-121</b></p> <p><b>2VB 341 032-127</b></p> <p><b>2VB 341 032-131</b></p> <p><b>2VB 341 032-141</b></p>	<p><b>1</b></p> <p><b>1</b></p> <p><b>18</b></p> <p><b>2</b></p> <p><b>1</b></p> <p><b>10</b></p> <p><b>1</b></p> <p><b>10</b></p> <p><b>1</b></p> <p><b>1</b></p>	<p><b>With illumination for 340 x 240 mm licence plates and white base plate, left</b></p> <p><b>with black base plate, left</b></p> <p><b>Spare parts:</b> Lens, left</p> <p>1(2)x12V5W (C5W) 8GM 002 092-121 2x12V21W (P21W) 8GA 002 073-121</p> <p>Red rear, stop, rear fog light and triangular reflector, white indicator light (yellow bulb) and licence plate light. With fixing material and grommet, without wiring harness.</p> <p>(E17) 0005 (E17) 418</p> <p><b>Rear-reflector-stop-indicator-rear fog light with licence plate illumination, left</b></p> <p><b>without rear fog light, right</b></p> <p><b>without rear fog light, left</b></p> <p><b>with rear fog light, right</b></p> <p>1x12V21/5W (P21/5W) 8GD 002 078-121 1x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121 1x12V5W (C5W) 8GM 002 092-121</p>

# Signal Lights



for rear mounting



1	Ground	white
2	BL	green/yellow
3	B	red
4	SM/PL/SM	brown
5	NES or ZR	blue

Pin configuration:

- BL = indicator
- B = stop
- S = rear
- K = licence plate
- SM = marker
- NES = rear fog
- ZR = reverse



Part no.

Pk.

**For horizontal surface mounting**

Red rear, stop, rear fog light and triangular reflector.  
Amber indicator light and side marker reflector.  
White licence plate light.  
Black plastic body.  
Two M6 fixing screws.  
**With 5-pole central plug and 12V bulbs.**

Ⓔ 5447

2VA 998 232-271

1

**Rear-stop-indicator-rear fog light with triangular reflector, left**

2VA 998 232-281

1

**without rear fog lamp, right**

2VB 998 232-011

1

**With rear fog light and illumination for 520 x 120 mm licence plates, left**

2VB 998 232-021

1

**without rear fog light, right**

2VB 998 232-057

36

**Same as 2VB 998 232-011/-021, but with side-marker reflector, left**

2VB 998 232-061

1

**without rear fog light, right**

2VA 998 232-497

36

**without rear fog light and licence plate illumination, right**

**With grommet, without bulbs and 5-pole central plug.**

2VB 998 232-211

1

**Rear-stop-indicator-rear fog light with licence plate illumination, left**

2VB 998 232-221

1

**without rear fog light, right**



9EL 990 632-001

1

**Spare parts:**  
Lens amber/red



 1x12V21/5W (P21/5) 8GD 002 078-121  
2x12V21W (P21W) 8GA 002 073-121

 2x12V5W (C5W) 8GM 002 092-121



Pin	Color	Code
1	Ground	White
2	BL	green/yellow
3	B	red
4	SM, ZR, SM	black
5	NES or ZR	blue


Pin configuration:  
 BL = indicator  
 B = stop  
 S = rear  
 K = licence plate  
 SM = marker  
 NES = rear fog  
 ZR = reverse



Part no.	Pk.	For horizontal surface mounting
		Red rear, stop, rear fog light and triangular reflector. Reverse light and indicator light white (yellow bulb). Amber side marker reflector. With illumination for 520 x 120 mm licence plates. Black plastic body. With two M6 fixing screws. <b>With 5-pole central plug and 12V bulbs.</b>
		Ⓔ 5447
2VB 998 232-131	1	<b>Rear-stop-triangular reflector, indicator, rear fog light and licence plate illumination, left</b>
2VB 998 232-101	1	<b>without rear fog light, right</b>
2VB 998 232-171	1	<b>With side-marker light, left</b>
2VB 998 232-201	1	<b>without rear fog light, right</b>
		<b>For horizontal flush/surface mounting</b>
		<b>With two fixing screws M6, grommet and bulbs.</b>
2VA 998 232-251	1	<b>Rear-stop-triangular reflector, indicator, rear fog light, left</b>
2VP 998 232-261	1	<b>with reverse light, without rear fog light, right</b>
2VA 998 232-291	1	<b>With side-marker reflector, left</b>
2VP 998 232-301	1	<b>with reverse light and side-marker reflector, without rear fog light, right</b>
		<b>For horizontal surface mounting</b>
2VB 998 232-231	1	<b>Same as 2VA 998 232-251 and 2VP 998 232-261, but with illumination for 520 x 120 mm licence plates, left</b>
2VB 998 232-241	1	<b>without rear fog light, right</b>
9EL 990 632-011	1	<b>Spare parts:</b> Lens white/red
		1x12V21/5W (P21/5W) 8GD 002 078-121 2x12V21W (P21W) 8GA 002 073-121 1x12V21W (PY21W) 8GA 006 841-121 2x12V5W (C5W) 8GM 002 092-121

# Signal Lights



for side mounting



Pin	Color	Function
1	Ground	White
2	BL	green/yellow
3	B	red
4	SM, ZR, SM	black
5	NES or ZR	blue

**Pin configuration:**

- BL = indicator
- B = stop
- S = rear
- K = licence plate
- SM = marker
- NES = rear fog
- ZR = reverse



Part no.

Pk.

**For vertical surface mounting**

Red rear, stop, rear fog light and triangular reflector. Amber indicator light and side marker reflector. White side light. Black plastic body. With two M8 fixing screws. **With 5-pole central plug, quick mounting plate and 12V bulbs.**

Ⓔ4 10162

2VA 998 233-051

1

**Rear-stop-indicator-rear fog light with side-marker reflector and side light, left**

2VA 998 233-061

1

**without rear fog light, right**

2VA 998 233-127

36

**Rear-stop-indicator light with triangular reflector, right**

2VA 998 233-367

36

**with rear fog light, right**

2VA 998 233-357

36

**With 200 mm lead, 5-pole central plug and 12V bulbs.**

**With rear fog light, left**

**With grommet and quick mounting plate. Without fixing screws, bulbs and central plug.**

2VA 998 233-211

1

**Rear-stop-indicator-rear fog light with triangular reflector, left**

2VA 998 233-221

1

**without rear fog light, right**

9EL 990 633-011

1

**Spare parts:**

Lens amber/red,

left




9EL 990 633-021

1

right

3x12V21W (P21W) 8GA 002 073-121

2x12V5W (C5W) 8GM 002 092-121



1	Ground	white
2	BL	green/yellow
3	B	red
4	S/R, ZR, SM	black
5	NES or ZR	blue

Pin configuration:  
 BL = indicator  
 B = stop  
 S = rear  
 K = licence plate  
 SM = marker  
 NES = rear fog  
 ZR = reverse







Part no.	Pk.	For vertical surface mounting
		Red rear, stop, rear fog light and triangular reflector. White indicator light (yellow bulb), reverse light and side light, amber side marker reflector. Black plastic body. With M8 fixing screws. <b>With 5-pole central plug, quick mounting plate and 12V bulbs.</b>
		Ⓔ 10162
2VA 998 233-091	1	<b>Rear-stop-indicator-rear fog light with triangular reflector, left</b>
2VA 998 233-101	1	<b>without rear fog light, right</b>
2VA 998 233-171	1	<b>With rear fog light, side marker reflector and side light, left</b>
2VP 998 233-161	1	<b>with reverse light, without rear fog light, right</b>
2VA 998 233-201	1	<b>without rear fog light and reverse light, right</b>
		<b>With grommet and quick mounting plate. Without fixing screws, bulbs and central plug.</b>
2VA 998 233-231	1	<b>Rear-stop-indicator-rear fog light and triangular reflector, left</b>
2VA 998 233-241	1	<b>without rear fog light, right</b>
		<b>With 12V bulbs, M6 fixing screws and central plug, 5-pole. Without quick mounting plate.</b>
2VA 998 233-271	1	<b>With rear fog light and side marker light, left</b>
2VP 998 233-281	1	<b>without rear fog light, with reverse light, right</b>
		<b>With grommet, 12V bulbs and M6 fixing screws. Without quick mounting plate and 5-pole central plug.</b>
2VA 998 233-251	1	<b>Rear-stop-indicator-rear fog light and triangular reflector, left</b>
2VP 998 233-261	1	<b>with reverse light, without rear fog light, right</b>
		<b>Spare parts:</b> Lens red/white, left right
9EL 990 633-031	1	
9EL 990 633-041	1	



- 2x12V21W (P21W) 8GA 002 073-121
- 1x12V21W (PY21W) 8GA 006 841-121
- 2x12V5W (C5W) 8GM 002 092-121

# Signal Lights

for rear or front mounting






	Part no.	Pk.	For horizontal surface mounting
  	2SD 959 050-401	1	<p><b>DuraLED Combi</b>  <b>In LED-technology. Clear lens.</b>  <b>With 40 LEDs and connecting cable 2500 mm with stripped cable ends.</b>            Black body.            Voltage range: 8V - 28V.            Consumption: 0.92A at 12V, 0.46A at 24V.  <b>See page 5.226, instruction 1.</b></p> <p>(E4) 10176 (e4) 1586</p> <p><b>Rear-stop-indicator light</b></p> <p><b>Rearlight : 1W</b>  <b>Stoplight: 5W</b>  <b>Indicator: 5W</b></p>
  	2SP 959 060-601	1	<p><b>For horizontal or vertical surface mounting</b></p> <p><b>DuraLED</b>  <b>In LED-technology.</b>  <b>With 36 red LEDs.</b>  <b>Clear lens.</b>            Black body.            Voltage range: 9 - 33V.            Consumption: 1.08A at 12V, 0.54A at 24V.  <b>See page 5.226, instruction 2.</b></p> <p>(E13) 533</p> <p><b>Rear-stop-parking light</b></p> <p><b>Rearlight: 2W</b>  <b>Stoplight: 9W</b>  <b>Parklight: 2W</b></p>
  	2BA 959 070-631	1	<p><b>In LED-technology.</b>  <b>With 36 yellow LEDs 9W.</b>  <b>Clear lens.</b>            Black body.            Voltage range: 9V - 33V.            Consumption: 0.75A at 12V, 0.38A at 24V.  <b>See page 5.226, instruction 3.</b></p> <p>(E13) 363</p> <p><b>Indicator light, amber</b>            with ballast electronics,            only in connection with 5DS 008 828-001</p>
  	2JA 959 037-511	1	<p><b>DuraLED</b>  <b>In LED-technology.</b>  <b>With 36 white LEDs 9W and connecting cable 2500 mm.</b>  <b>Clear lens.</b>            White body.            Voltage range: 9 - 33V.            Consumption: 0.75A at 12V, 0.38A at 24V.</p> <p><b>Interior light</b></p>



	Part no.	Pk.	<b>For horizontal surface mounting</b>
	2SD 002 582-011 2SD 002 582-017  2SD 002 582-021 2SD 002 582-027  9EL 112 743-001 9EL 112 741-001	1 32  1 32  1 1	<p>Red rear and stop light, amber indicator light. Lens with snap fastening. Two 5.5 mm dia. holes for fixing screws. For rear mounting.</p> <p>(E1) 116</p> <p><b>Rear-stop-indicator light, left</b></p> <p><b>right</b></p> <p><b>Spare parts:</b>            Lens with divider, left            right</p>
	2SE 002 582-071  9EL 116 844-001	1  1	<p><b>With illumination for 520 x 120 mm and 340 x 240 mm licence plates, left</b></p> <p><b>Spare parts:</b>            Lens with divider, left</p> <p>1x12V10W (R10W) 8GA 002 071-131            1x24V10W (R10W) 8GA 002 071-251            2x12V21W (P21W) 8GA 002 073-121            2x24V21W (P21W) 8GA 002 073-241</p>
	2BE 002 582-031  9EL 112 744-001	1  1	<p>Amber indicator light, clear side light. For front mounting.</p> <p>(E1) 43388</p> <p><b>Indicator-side light</b></p> <p><b>Spare parts:</b>            Lens with divider</p> <p>1x12V5W (R5W) 8GA 002 071-121            1x24V5W (R5W) 8GA 002 071-241            1x12V21W (P21W) 8GA 002 073-121            1x24V21W (P21W) 8GA 002 073-241</p>
	2VA 998 531-031  9EL 997 310-001	1  1	<p>Red reflector, rear and stop light, amber indicator light. Lens with snap fastening. Two holes for M5 fixing screws. With blade terminal contacts.</p> <p>(E12) 7111 (E12) 6081 (E12) 3024</p> <p><b>Rear-stop-indicator light with reflector</b></p> <p><b>Spare parts:</b>            Lens</p> <p>1x12V21W (P21W) 8GA 002 073-121            1x24V21W (P21W) 8GA 002 073-241            1x12V21/5W (P21/5W) 8GD 002 078-121            1x24V21/5W (P21/5W) 8GD 002 078-241</p>
	2SD 998 531-057 2SD 998 531-067  9EL 998 001-031 9EL 998 001-041	1 1  2 2	<p><b>For horizontal or vertical surface mounting</b></p> <p>(E12) 7064 (E12) 6046</p> <p><b>With PC lens, without reflector, left</b></p> <p><b>right</b></p> <p><b>Spare parts:</b>            Lens,            left            right</p> <p>2x12V21W (P21W) 8GA 002 073-121            2x24V21W (P21W) 8GA 002 073-241            1x12V10W (R10W) 8GA 002 071-131            1x24V10W (R10W) 8GA 002 071-251</p>

# Signal Lights

for rear or front mounting







	Part no.	Pk.	<b>For horizontal surface mounting</b>
			Red rear and stop light, amber indicator light. Two B3.9 x 16 fixing screws. With grommet. For rear mounting.
			(E1) 53253 (E1) 130
	<b>2SD 003 184-031</b> <b>2SD 003 184-037</b>	1 48	<b>Rear-stop-indicator light, left</b>
	<b>2SD 003 184-041</b> <b>2SD 003 184-047</b>	1 48	<b>right</b>
	9EL 118 700-001 9EL 118 701-001	1 1	<b>Spare parts:</b> Lens with screws, left right
	<b>2SE 003 184-011</b> <b>2SE 003 184-017</b>	1 48	<b>With illumination for 340 x 240 mm licence plates, left</b>
	<b>2SE 003 184-101</b>	1	<b>right</b>
	9EL 118 697-001 9EL 121 431-001	1 1	<b>Spare parts:</b> Lens with screws, left right
	<b>9XD 132 749-005</b> <b>8RA 123 251-005</b>	8 50	<b>Accessories:</b> Adapter with fixing material Reflector
			1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251 2x12V21W (P21W) 8GA 002 073-121 2x24V21W (P21W) 8GA 002 073-241
			<b>Amber indicator light, clear side light.</b> <b>For front mounting.</b>
			(E1) 53254 (E1) 102
	<b>2BE 003 184-051</b> <b>2BE 003 184-061</b>	1 1	<b>Indicator-side light, left</b> <b>right</b>
	9EL 118 703-001 9EL 118 705-001	1 1	<b>Spare parts:</b> Lens with screws, left right
			1x12V5W (R5W) 8GA 002 071-121 1x24V5W (R5W) 8GA 002 071-241 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241

 	<p><b>Part no.</b></p> <p><b>2SE 997 005-011</b></p> <p><b>2SD 997 005-021</b></p> <p><b>9EL 997 313-001</b></p>	<p><b>Pk.</b></p> <p>1</p> <p>1</p> <p>2</p>	<p><b>For horizontal flush/surface mounting</b></p> <p>Red rear and stop light, amber indicator light. Black plastic body. Bulb holder with vibration damping. Two M6 fixing screws. With grommet.</p> <p>Ⓔ12 7010   Ⓔ12 6007   Ⓔ12 4003</p> <p><b>Rear-stop-indicator-licence plate light, left</b></p> <p><b>without licence plate illumination, right</b></p> <p><b>Spare parts:</b> Lens with screws</p> <p>2x12V10W (R10W) 8GA 002 071-131 2x24V10W (R10W) 8GA 002 071-251 2x12V21W (P21W) 8GA 002 073-121 2x24V21W (P21W) 8GA 002 073-241</p>
 	<p><b>2SE 997 111-011</b></p> <p><b>2SE 997 111-021</b></p> <p><b>9EL 997 451-001</b></p> <p><b>9EL 997 452-001</b></p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p><b>For horizontal or vertical surface mounting</b></p> <p>Red rear and stop light, amber indicator light, white licence plate light. Plastic body. Four holes for M5 fixing screws. With grommet.</p> <p>Ⓔ12 7098   Ⓔ12 6072   Ⓔ12 4038</p> <p><b>Rear-stop-indicator-licence plate light, left</b></p> <p><b>right</b></p> <p><b>Exchangeable lens insert for licence plate lighting / no licence plate lighting</b></p> <p><b>Spare parts:</b> Lens with screws and red lens insert, left right</p> <p>2x12V10W (R10W) 8GA 002 071-131 2x24V10W (R10W) 8GA 002 071-251 2x12V21W (P21W) 8GA 002 073-121 2x24V21W (P21W) 8GA 002 073-241</p>

# Signal Lights



for rear or front mounting



	Part no.	Pk.	For horizontal or vertical surface mounting
 	<p><b>2SD 001 305-021</b> **)</p> <p>9EL 052 476-001 **)</p>	<p>1</p> <p>2</p>	<p><b>For horizontal or vertical surface mounting</b></p> <p>Red rear and stop light, amber indicator light. Four holes 3 mm dia. for fixing screws.</p> <p>K 33265*)</p> <p><b>Rear-stop-indicator light</b></p> <p><b>Spare parts:</b> Lens with screws</p> <p>1x12V5W (C5W) 8GM 002 092-121 1x24V5W (C5W) 8GM 002 092-241 2x12V18W (K) 8GM 002 091-131 2x24V18W (K) 8GM 002 091-241</p>
 	<p><b>2SD 997 131-051</b></p> <p>9EL 997 469-001</p>	<p>1</p> <p>2</p>	<p><b>For horizontal surface mounting</b></p> <p>Red rear and stop light, amber indicator light. Black plastic body. Two M5 fixing screws. With blade terminal contacts. For rear mounting.</p> <p>(E12) 7114 (E12) 6089</p> <p><b>Rear-stop-indicator light</b></p> <p><b>Spare parts:</b> Lens</p> <p>1x12V21W (P21W) 8GA 002 073-121 1x12V21/5W (P21/5W) 8GD 002 078-121</p>
	<p><b>2BE 997 131-081</b></p> <p><b>2BE 997 131-207</b></p> <p>9EL 997 459-001</p>	<p>1</p> <p>1</p> <p>2</p>	<p>Amber indicator light, clear side light. For front mounting.</p> <p>(E12) 6085 (E12) 7113</p> <p><b>Indicator-side light</b> <b>without blade terminal contacts</b></p> <p><b>with blade terminal contacts</b></p> <p><b>Spare parts:</b> Lens</p> <p>1x12V21W (P21W) 8GA 002 073-121 1x12V5W (R5W) 8GA 002 071-121</p>

\*) National type test for Germany


\*\*) Available as long as stocks last

	Part no.	Pk.	For horizontal or vertical flush/surface mounting
 	<p>2SD 997 006-031 2SD 997 006-021</p> <p>9EL 997 317-001 9EL 997 318-001</p> <p>2SE 997 006-011 2SE 997 006-041</p> <p>9EL 997 315-001 9EL 997 316-001</p>	<p>1 1 2 2 1 1 2 2</p>	<p>Red rear and stop light, amber indicator light. Steel base plate. Two M6 fixing screws.</p> <p>(E12) 7058 (E12) 6040 (E12) 4023</p> <p><b>Rear-stop-indicator light,</b> left right</p> <p><b>Spare parts:</b> Lens with screws, left right</p> <hr/> <p><b>With licence plate illumination,</b> left right</p> <p><b>Spare parts:</b> Lens with screws, left right</p> <p> 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241</p> <p> 1x12V5W (C5W) 8GM 002 092-121 1x24V5W (C5W) 8GM 002 092-241</p>
	<p>2BE 997 006-101</p> <p>9EL 997 320-001</p>	<p>1 2</p>	<p>Amber indicator light, clear side light. With blade terminal contacts. For front mounting.</p> <p>(E8) 7305 (E8) 7306</p> <p><b>Indicator-side light</b></p> <p><b>Spare parts:</b> Lens with screws</p> <p> 1x12V5W (R5W) 8GA 002 071-121 1x24V5W (R5W) 8GA 002 071-241 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241</p>
 	<p>2SE 996 030-011</p> <p>2SD 996 030-021</p> <p>9EL 990 142-001</p>	<p>1 1 2</p>	<p>Red reflector, rear and stop light, amber indicator light, white licence plate light. With blade terminal contacts and 4 PT screws KB 40 x 20. <b>With 12V bulbs.</b></p> <p>(E12) 7133 (E12) 4054</p> <p><b>Rear-stop-indicator-licence plate light</b> with reflector, left without licence plate illumination, right</p> <p><b>Spare parts:</b> Lens incl. black cover and licence plate window</p> <p> 1x12V5W (R5W) 8GA 002 071-121 1x12V21W (P21W) 8GA 002 073-121</p>



# Signal Lights

for rear or front mounting



	Part no.	Pk.	For horizontal or vertical surface mounting
	<p>2SD 003 182-051 2SD 003 182-057 )</p> <p>2SD 003 182-061 2SD 003 182-067 )</p> <p>9EL 118 614-011</p>	<p>1 120</p> <p>1 120</p> <p>2</p>	<p>Red rear and stop light, amber indicator light. Lens with snap fastening. Two holes for M5 fixing screws. With grommet.</p> <p>(E1) 31445 (E1) 53257</p> <p><b>Rear-stop-indicator light,</b> <b>left</b></p> <p><b>right</b></p> <p><b>Spare parts:</b> Lens</p>
	<p>2SE 003 182-011 2SE 003 182-017 )</p> <p>2SE 003 182-021 2SE 003 182-027 )</p> <p>9EL 118 613-001</p>	<p>1 120</p> <p>1 120</p> <p>2</p>	<p><b>With illumination for</b> <b>520 x 120 mm, 340 x 240 mm and 240 x 130 mm</b> <b>licence plates (above licence plates),</b> <b>or mounting to left and right of 520 x 120 mm</b> <b>licence plate (amber indicator light outside),</b> <b>left</b></p> <p><b>right</b></p> <p><b>Spare parts:</b> Lens</p> <p>1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251 2x12V21W (P21W) 8GA 002 073-121 2x24V21W (P21W) 8GA 002 073-241</p>
	<p>2BE 003 182-091 )</p> <p>2BE 003 182-101 )</p> <p>9EL 118 614-021</p>	<p>1 1 2</p>	<p>Amber indicator light, white side light. For front horizontal mounting.</p> <p>(E1) 53270</p> <p><b>Indicator-side light,</b> <b>left</b></p> <p><b>right</b></p> <p><b>Spare parts:</b> Lens</p> <p>1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241</p> <p>1x12V5W (C5W) 8GM 002 092-121 1x24V5W (C5W) 8GM 002 092-241</p>




\*) Only for spare parts requirements

	Part no.	Pk.	<b>For horizontal or vertical surface mounting</b>
	<b>2SD 002 776-231</b> <b>2SD 002 776-237</b>  <b>2SD 002 776-241</b> <b>2SD 002 776-247</b>	1 110  1 110	<p>Red rear and stop light, amber indicator light.            Lens with snap fastening.            Two holes for M5 fixing screws. With grommet.</p> <p>(E1) 63230 (E1) 273</p> <p><b>Rear-stop-indicator light, left</b></p> <p><b>right</b></p> <p><b>Spare parts:</b>            Lens with heat dissipation plate, left            right</p>
	<b>2SE 002 776-211</b> <b>2SE 002 776-217</b>  <b>2SE 002 776-221</b>  9EL 134 739-001 9EL 134 740-001	1 110  1  2 2	<p><b>With illumination for</b>  <b>520 x 120 mm, 340 x 240 mm and 240 x 130 mm</b>  <b>licence plates (above licence plates),</b>  <b>or mounting to left and right of 520 x 120 mm</b>  <b>licence plate (amber flasher light at the top),</b>  <b>left</b></p> <p><b>right</b></p> <p><b>Spare parts:</b>            Lens, left            right</p> <p> 1x12V10W (R10W) 8GA 002 071-131            2x12V10W (P21W) 8GA 002 073-121</p>
	<b>2BE 002 776-251</b> <b>2BE 002 776-257</b>  <b>2BE 002 776-261</b> <b>2BE 002 776-267</b>  9EL 134 741-021 9EL 134 742-021	1 72  1 72  2 2	<p>Amber indicator light, white side light.            For front horizontal surface mounting.</p> <p>(E1) 63225</p> <p><b>Indicator-side light, left</b></p> <p><b>right</b></p> <p><b>Spare parts:</b>            Lens, left            right</p> <p> 1x12V10W (R10W) 8GA 002 071-131            1x12V21W (P21W) 8GA 002 073-121</p>
 	<b>2SD 004 623-028</b>  <b>2SE 004 623-001</b> <b>2SE 004 623-007</b>  9EL 129 519-001	1000  1 50  1	<p>Red rear and stop light, amber indicator light.            Lens with snap fastening.            Two 5.5 mm dia. holes for fixing screws.            With grommet.</p> <p>(E17) 408 (E17) 763 (E17) 630</p> <p><b>Rear-stop-indicator light</b></p> <p><b>With illumination for</b>  <b>520 x 120 mm, 340 x 240 mm and 240 x 130 mm</b>  <b>licence plates (above licence plates)</b></p> <p>Lens for illumination of licence plate can be replaced with red lens included (for use as rear-stop-indicator-light).</p> <p><b>Spare parts:</b>            Lens</p> <p> 1x12V10W (R10W) 8GA 002 071-131            2x12V21W (P21W) 8GA 002 073-121</p>

# Signal Lights

for rear mounting



 	<p><b>Part no.</b></p> <p><b>2SE 002 578-701</b> <b>2</b></p> <p><b>2SE 002 578-707</b> <b>18</b></p> <p><b>9EL 146 491-001</b> <b>2</b></p>	<p><b>Pk.</b></p> <p><b>For horizontal or vertical surface mounting</b></p> <p>Red rear and stop light, amber indicator light, clear licence plate light. Two M6 fixing screws. Lens for illumination of licence plate can be replaced with red lens included (for use as rear-stop-indicator light). With grommet.</p> <p>Ⓔ1 9401</p> <p><b>Rear-stop-indicator-licence plate light</b></p> <p><b>Spare parts:</b> Lens (also suitable for old-type lights of model range 002 578-...)</p> <p>1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251 2x12V21W (P21W) 8GA 002 073-121 2x24V21W (P21W) 8GA 002 073-241</p>
 	<p><b>2SE 997 008-001</b> <b>1</b></p> <p><b>9EL 997 332-001</b> <b>1</b></p>	<p><b>For horizontal surface mounting</b></p> <p>Red rear and stop light, amber indicator light, clear licence plate light. Steel base plate. Two M6 fixing screws. With blade terminal contacts. Lens for illumination of licence plate can be replaced with red lens included (for use as rear-stop-indicator light).</p> <p>Ⓔ8 71-26   Ⓔ8 71-27   Ⓔ8 71-28</p> <p><b>Rear-stop-indicator-licence plate light</b></p> <p><b>Spare parts:</b> Lens</p> <p>1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251 2x12V21W (P21W) 8GA 002 073-121 2x24V21W (P21W) 8GA 002 073-241</p>
 	<p><b>2SD 002 514-161</b> <b>1</b></p> <p><b>2SE 002 514-171</b> <b>1</b></p> <p><b>9EL 119 614-031</b> <b>2</b></p>	<p>Red rear and stop light, amber indicator light. Black plastic body. Two M6 fixing screws. With grommet.</p> <p>Ⓔ1 213   Ⓔ1 43331</p> <p><b>Rear-stop-indicator light</b></p> <p><b>with illumination for 520 x 120 mm, 340 x 240 mm and 240 x 130 mm licence plates</b></p> <p><b>Spare parts:</b> Lens with screws</p> <p>1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251 2x12V21W (P21W) 8GA 002 071-121 2x24V21W (P21W) 8GA 002 073-241</p>

\*\*) Available as long as stocks last



Part no.	Pk.	Universal light mounts
	<p><b>With rear-stop-indicator-licence plate lights.</b></p> <p><b>Can be used at rear of towing vehicles with triple-chamber and dual-chamber (stop/indicator switch-over) light equipment.</b></p> <p>Cross bar extendable from 1.32 to 2.08 m. With 7-pole plug for connection of an additional trailer.</p> <p><b>Particularly suited for dumper trailers, load trailers, harvesting trailers, fertilizer spreaders, working equipment.</b></p> <p><b>Set includes:</b> 1 cross bar 2 mounted lights with pre-fitted 12V bulbs 2 triangular reflectors, red 1 socket, 7-pole (for additional trailer) 1 connection lead, 7500 mm long, with 7-pole plug</p>	
	<p><b>2XL 004 762-001</b> 1 *)</p> <p>2SE 004 623-001 1 9EL 129 519-001 1 8RA 002 020-001 25 8JB 001 943-003 1 8JA 001 930-001 1</p>	
 	<p><b>Light mounts for trailers</b></p> <p><b>Set includes:</b> 1 plastic mount 1 rear-stop-indicator light with pre-fitted 12V bulbs 1 triangular reflector, red 1 connection lead with 4-pole plug housing</p>	
	<p><b>2XL 005 194-011</b> 1 *)</p> <p><b>2XL 005 194-021</b> 1 *)</p> <p>9EL 118 700-001 1 9EL 118 701-001 1 8RA 002 020-001 25</p>	
<p><b>Light mount, left</b></p> <p><b>Light mount, right</b></p> <p><b>Spare parts:</b> Lens, left right Triangular reflector, red</p> <p> 1x12V10W (R10W) 8GA 002 071-131  2x12V21W (P21W) 8GA 002 073-121</p>		





\*) When light mounts are attached to vehicles not used for agricultural or forestry applications installation of a rear fog light is necessary for new registration of vehicles. Please see also our range of these lights.

# Signal Lights

for rear or front mounting



 	<p><b>Part no.</b></p> <p><b>2SE 998 530-061</b> <b>2SE 998 530-067</b></p> <p><b>9EL 998 002-031</b></p>	<p><b>Pk.</b></p> <p>1 108 2</p>	<p><b>For horizontal or vertical surface mounting</b></p> <p>Red rear and stop light, amber indicator light. With illumination for 520 x 120 mm licence plates. Two 5.5 mm dia. holes for fixing screws. Grommet, fixing screws for lens, one clear and one red lens for illumination of licence plate provided loose.</p> <p>Ⓔ4 6484    Ⓔ4 7504</p> <p><b>Rear-stop-indicator-licence plate light with PC lens</b></p> <p><b>Spare parts:</b> Lens with screws</p> <p>1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241 1x12V21/5W (P21/5W) 8GD 002 078-121 1x24V21/5W (P21/5W) 8GD 002 078-241 1x24V21/5W (P21/5W) 8GD 002 078-011 (Heavy Duty)</p>
 	<p><b>2BE 996 029-021</b></p> <p><b>9EL 990 071-001</b></p>	<p>2 1</p>	<p><b>For horizontal surface mounting</b></p> <p>Amber indicator light, white side light. Black plastic body. Two M4 fixing screws. For front mounting.</p> <p>Ⓔ12 6070    Ⓔ12 7095</p> <p><b>Indicator-side light</b></p> <p><b>Spare parts:</b> Lens</p> <p>1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241</p> <p>1x12V5W (C5W) 8GM 002 092-121 1x24V5W (C5W) 8GM 002 092-241</p>

	Part no.	Pk.	For horizontal surface mounting
 <p><b>Pin configuration:</b>            1 red = stop light            2 white = ground            3 yellow = indicator light            4 brown = rear light</p> 	<p>2SD 001 685-211            2SD 001 685-218</p> <p>2SE 001 685-201</p>	<p>1            8</p> <p>1</p>	<p><b>Red rear and stop light, amber indicator light.</b>            Black plastic body.            Two M6 fixing screws.  <b>Without vibration damping and bulbs.</b>  <b>With grommet.</b></p> <p>(E12) 7146</p> <p><b>Rear-stop-indicator light</b></p> <p><b>with illumination for 520 x 120 mm and 340 x 240 mm licence plates</b></p>
 <p><b>Pin configuration:</b>            1 black/red = stop light            2 grey = rear light            3 brown = ground            4 black/white = indicator light</p> 	<p>2SD 001 685-277</p> <p>9EL 113 324-001</p>	<p>1            2</p>	<p><b>Same as 2SD 001 685-211, but with 150 mm long cable set, 4-pole plug and 12V bulbs.</b>  <b>Without grommet.</b></p> <p><b>Spare parts:</b>            Lens with screws and joint</p>
	<p>2SD 001 685-231            2SD 001 685-232</p> <p>2SE 001 685-221            2SE 001 685-227</p> <p>9EL 113 324-001            9FT 998 007-011</p>	<p>1            8</p> <p>1            8</p> <p>2            5</p>	<p><b>Rear-stop-indicator light</b></p> <p><b>with illumination for 520 x 120 mm and 340 x 240 mm licence plates</b></p> <p><b>Spare parts:</b>            Lens with screws and joint            Bulb holder with vibration damping</p>
<p><b>Pin configuration:</b>            1 black/red = stop light            2 grey = rear light            3 brown = ground            4 black/white = indicator light</p> 	<p>2SD 001 685-317</p>	<p>60</p>	<p><b>Same as 2SD 001 685-231, but with 4-pole plug, 12V bulbs and vibration damping.</b>  <b>Without grommet.</b></p>
<p><b>With heat-resistant lens e. g. for continuous operation. Black metal body.</b>  <b>Without vibration damping, grommet and bulbs.</b></p>	<p>2SD 001 685-307</p>	<p>8</p>	<p>(E12) 7136 (E12) 7176</p> <p><b>Rear-stop-indicator light</b></p>
<p><b>Spare parts:</b>            PC lens</p>	<p>9EL 151 494-001</p>	<p>6</p>	<p><b>Spare parts:</b>            PC lens</p>
	<p>9XD 997 909-801</p>	<p>1</p>	<p><b>Accessories:</b>            Chrome-type mounted frame with mounting bracket for flush mounting, for -211/-218/-231/-232</p> <p>1x12V5W (R5W) 8GA 002 071-121            1x24V5W (R5W) 8GA 002 071-241            2x12V21W (P21W) 8GA 002 073-121            2x24V21W (P21W) 8GA 002 073-241</p>

# Signal Lights



for rear or front mounting



		<p><b>Part no.</b></p> <p><b>2SD 001 686-101</b></p> <p><b>2SE 001 686-142</b></p> <p><b>9EL 102 240-031</b></p>	<p><b>Pk.</b></p> <p>1</p> <p>1</p> <p>2</p>	<p><b>For horizontal surface mounting</b></p> <p>Red rear and stop light, amber indicator light. Black plastic body. Bulb holder with vibration damping. Two M6 fixing screws.</p> <p>(E1) 43261</p> <p><b>Rear-stop-indicator light</b></p> <p><b>with illumination for 520 x 120 mm and 340 x 240 mm licence plates</b></p> <p><b>Spare parts:</b> Lens with screws</p> <p>1x12V5W (R5W) 8GA 002 071-121 1x24V5W (R5W) 8GA 002 071-241 2x12V21W (P21W) 8GA 002 073-121 2x24V21W (P21W) 8GA 002 073-241</p>
		<p><b>2SD 001 679-001</b> **)</p> <p><b>2SE 001 679-051</b> **)</p> <p><b>9EL 126 294-001</b></p>	<p>1</p> <p>1</p> <p>2</p>	<p>Red rear and stop light, amber indicator light. Black body. Two M6 fixing screws.</p> <p>K 53397 *) K 43322 *)</p> <p><b>Rear-stop-indicator light</b></p> <p><b>with illumination for 520 x 120 mm, 340 x 240 mm and 240 x 130 mm licence plates</b></p> <p><b>Spare parts:</b> Lens with screws</p> <p>1x12V10W (K) 8GM 002 091-131 2x12V18W (K) 8GM 002 091-121</p>
		<p><b>2SW 003 185-041</b></p> <p><b>2SW 003 185-047</b></p> <p><b>9EL 118 633-001</b></p>	<p>1</p> <p>33</p> <p>4</p>	<p>Red rear light, amber indicator light, Two 5.2 mm dia. holes for fixing screws.</p> <p>(E1) 53526</p> <p><b>Rear-stop-indicator light</b></p> <p><b>Spare parts:</b> Lens with screws</p>
		<p><b>2BE 003 185-031</b></p> <p><b>9EL 119 397-001</b></p>	<p>1</p> <p>4</p>	<p>Amber indicator light, white side light. Two holes for fixing screws M5. For front mounting.</p> <p>(E1) 53259</p> <p><b>Indicator-side light</b></p> <p><b>Spare parts:</b> Lens with screws</p> <p>1x12V5W (C5W) 8GM 002 092-121 1x24V5W (C5W) 8GM 002 092-241</p> <p>1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241</p>

\*) National type test for Germany

\*\*) Available as long as stocks last

	Part no.	Pk.	<b>For horizontal surface mounting</b>
 	<p><b>2SB 003 018-031</b></p> <p><b>2ST 003 018-061</b></p> <p>9EL 089 114-001</p>	<p>1</p> <p>1</p> <p>2</p>	<p><b>Red rear light, amber stop-(indicator) light.</b>            Matt black housing.            Two M6 fixing screws.</p> <p>K 23260/1 *)</p> <p><b>Rear-stop-(indicator) light</b>  <b>with illumination for 520 x 120 mm,</b>  <b>340 x 240 mm and 240 x 130 mm licence plates</b>  <b>with 0°-20° inclination</b></p> <p><b>Spare parts:</b>            Lens with rim and screw</p> <p> 1x12V10W (K) 8GM 002 091-131            1x12V18W (K) 8GM 002 091-121</p> <hr/> <p>Amber indicator light, white side light.            For front mounting.</p> <p>K 23237 *)</p>
	<p><b>2BE 003 018-011</b></p> <p>9EL 089 475-001</p>	<p>1</p> <p>5</p>	<p><b>Indicator-side light</b></p> <p><b>Spare parts:</b>            Lens</p> <p> 1x12V18W (K) 8GM 002 091-121            1x12V5W (C5W) 8GM 002 092-121</p>
  	<p><b>2SB 959 010-301</b>  <b>2SB 959 010-307</b></p> <p><b>2BA 959 011-301</b>  <b>2BA 959 011-307</b></p>	<p>1</p> <p>10</p> <p>1</p> <p>10</p>	<p><b>For flush mounting</b></p> <p><b>In LED-technology. Red lens.</b>  <b>With twelve LEDs 3W</b>  <b>and connecting cable 2500 mm.</b>            Consumption: 0.17A at 24V.  <b>See page 5.226, instruction 2.</b></p> <p> 12373</p> <p><b>Rear light: 1W</b>  <b>Stop light: 3W</b></p> <p><b>Rear-stop light</b></p> <hr/> <p><b>In LED-technology. Amber lens.</b>  <b>With twelve LEDs 3W</b>  <b>and connecting cable 2500 mm.</b>            Consumption: 0.13A at 24V.            For rear mounting.  <b>See page 5.226, instruction 3.</b></p> <p> 12373</p> <p><b>Indicator light</b></p>

\*) National type test for Germany



# Signal Lights

for rear or front mounting



		<p><b>Part no.</b></p> <p><b>2SB 001 301-021</b></p> <p>9EL 090 411-001</p>	<p><b>Pk.</b></p> <p>2</p> <p>5</p>	<p><b>For horizontal surface mounting</b></p> <p>Red rear light, amber stop-(indicator) light. Black, powder finished housing. Two M6 fixing screws. With grommet.</p> <p>K 23318 *)</p> <p><b>Rear-stop-(indicator) light</b></p> <p><b>Spare parts:</b> Lens with screw</p> <p> 1x12V10W (K) 8GM 002 091-131 1x12V18W (K) 8GM 002 091-121</p>
		<p><b>2SB 001 673-002</b></p> <p><b>2ST 001 673-011</b></p> <p>9EL 110 928-001</p>	<p>1</p> <p>1</p> <p>1</p>	<p>Red rear-light, amber stop-(indicator) light. Matt black housing. Two M6 fixing screws. With grommet.</p> <p>K 23256/1 *)</p> <p><b>Rear-stop-(indicator) light</b></p> <p><b>with illumination for 340 x 240 mm licence plates with 0°, 25° and 30° inclination or 240 x 130 mm with 0°-30° inclination</b></p> <p><b>Spare parts:</b> Lens with screw</p> <p> 1x12V10W (R10W) 8GA 002 071-131 1x12V18W (R) 8GA 002 072-121</p>



\*) National type test for Germany

	Part no.	Pk.	For surface mounting
 	2SB 959 821-601	1	<p><b>EuroLED</b>  <b>In LED-technology. With 1 Power-LED. Red lens.</b>            Firmly sealed with black base plate.            Electrical connection by means of a 2.5 m long lead.            Two 5.3 mm dia. holes for fixing screws.            Voltage range: 9V - 33V.            Consumption: 0.21A at 12V, 0.10A at 24V.  <b>See page 5.226, instruction 2.</b></p> <p>Ⓔ4 10208</p> <p><b>Tail-stop light, 2.5W</b></p>
	2BA 959 822-601	1	<p><b>Amber lens.</b>            Consumption: 0.21A at 12V, 0.10A at 24V.  <b>See page 5.226, instruction 3.</b></p> <p>Ⓔ4 10208</p> <p><b>Indicator light, 2.5W</b></p>
	2NE 959 821-201	1	<p><b>Clear lens</b>            Consumption: 0.33A at 12V, 0.17A at 24V.</p> <p>Ⓔ4 10208</p> <p><b>Rear fog light, 4.0W</b></p>
	2ZR 959 820-601	1	<p><b>White lens.</b>            Consumption: 0.21A at 12V, 0.10A at 24V.</p> <p>Ⓔ4 10208</p> <p><b>Reverse light, 2.5W</b></p>
	2JA 959 820-501	1	<p><b>White lens.</b>            Consumption: 0.33A at 12V, 0.17A at 24V.</p> <p>Ⓔ4 10208</p> <p><b>Interior light, 4.0W</b></p>
 	2JA 959 950-031 2JA 959 950-017 2JA 959 950-041	1 12 1	<p><b>EuroLED Touch</b>  <b>In LED-technology. Clear lens. With 1 white and 8 red LEDs.</b>            With sensitive switch, for on/off and dimming function, also change between white and red night light.            Electrical connection by means of a 2500 mm long lead.            Two 5.3 mm dia holes for fixing screws.            Voltage range: 9V - 33V.            Consumption: 0.25A at 12V, 0.13A at 24V.</p> <p><b>Interior light, 3.W, with black cover plate</b></p> <p><b>with white cover plate</b></p>

# Signal Lights

for rear or front mounting



	Part no.	Pk.	For rear flush mounting
 	<b>2SA 008 405-021</b> <b>2SA 008 405-027</b>	1 60	<b>In LED-technology.</b> <b>Red rear light with 12 LEDs 1.8W.</b> For lights in model range 008 221-... <b>See page 5.226, instruction 2.</b> (E1) 1197 <b>Rear light, 12V</b>
	<b>2SA 008 405-011</b> <b>2SA 008 405-017</b>	1 60	<b>24V</b>
	<b>9XB 161 749-007</b>	60	<b>Accessories:</b> Heat deflector shield **)
	<b>2SB 008 405-101</b> <b>2SB 008 405-091</b>	1 1	<b>Rear-stop light, 12V</b> <b>24V</b>
	<b>9XB 161 749-007</b>	60	<b>Accessories:</b> Heat deflector shield **)
	<b>2XA 008 221-021</b> <b>2XA 008 221-027</b>	1 20	<b>Red lens.</b> (E1) 1048 (E1) 1049 <b>Signal light optional use as rear light (R5W) or stop light (P21W)</b>
	<b>2SA 008 221-127</b>	20	<b>Rear light with 12V5W bulb</b>
	<b>2DA 008 221-167</b>	1	<b>Stop light with 12V21W bulb</b> 1x12V5W (R5W) 8GA 002 071-121 1x24V5W (R5W) 8GA 002 071-241 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241
	<b>2NE 008 221-031</b> <b>2NE 008 221-037</b>	1 20	<b>Red lens.</b> (E1) 1050 <b>Rear fog lamp</b>
	<b>2NE 008 221-137</b>	20	<b>with 12V bulb</b> 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241
	<b>2BA 008 221-001</b> <b>2BA 008 221-007</b>	1 20	<b>For front flush mounting *)</b> (E1) 878 clear (E1) 1051 grey <b>Indicator light with clear lens</b>
	<b>2BA 008 221-107</b>	20	<b>with clear lens and 12V bulb</b>
	<b>2BA 008 221-041</b> <b>2BA 008 221-047</b>	1 20	<b>For rear flush mounting</b> <b>Flasher lamp with grey lens</b>
	<b>2BA 008 221-147</b>	20	<b>with grey lens and 12V bulb</b> 1x12V21W (PY21W) 8GA 006 841-121 1x24V21W (PY21W) 8GA 006 841-241

\*) To fit 90 mm dia. headlamps, see page 4.32-4.36.

		Part no.	Pk.	<b>For front flush mounting *)</b>
				<b>Clear lens.</b>
		2PF 008 221-011 2PF 008 221-017	1 20	Ⓔ 879 <b>Side light</b>
		2PF 008 221-177	20	<b>with 12V bulb</b>
				1x12V5W (R5W) 8GA 002 071-121 1x24V5W (R5W) 8GA 002 071-241
				<b>For rear flush mounting</b>
				<b>Grey lens.</b>
		2ZR 008 221-051 2ZR 008 221-057	1 20	Ⓔ 1052 <b>Reverse light</b>
		2ZR 008 221-157	20	<b>with 12V bulb</b>
				<b>Accessories for lights in model range 008 221-...:</b> Lead with grommet, 500 mm long Decorative moulding (illustration similar to reflector)
		8KA 152 134-007 8XU 008 405-031 8XU 008 405-037	20 1 60	1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241
				<b>For front flush mounting</b>
				<b>In LED-technology. Clear lens.</b> <b>With 12 LEDs 1.8W.</b> For lights in model range 008 221-... <b>See page 5.226, instruction 2.</b>
		2PF 008 405-061 2PF 008 405-067	1 60	Ⓔ 1696 <b>Side light,</b> <b>12V</b>
		2PF 008 405-051 2PF 008 405-057	1 60	<b>24V</b>
		9XB 161 749-007	60	<b>Accessories:</b> Heat deflector shield **)
				<b>Reflector red,</b> <b>with additional lens clear.</b> For lights in model range 008 221-...
		8RA 008 405-001 8RA 008 405-007	1 60	Ⓔ 1196 <b>Reflector</b>

\*) To fit 90 mm dia. headlamps, see page 4.32-4.36.


\*\*) When the ring 008 405-... is mounted in an assembly with the lights 008 221-..., the heat deflector shield has to be used (to be ordered separately). Use of the heat deflector shield is required at an ambient temperature of > 50 °C.

# Signal Lights

for rear or front mounting









	Part no.	Pk.	For flush mounting
	<p><b>2SB 009 362-021</b></p> <p><b>2SB 009 362-041</b></p> <p><b>2SB 009 362-011</b></p> <p><b>9XD 161 119-017</b></p>	<p>1</p> <p>1</p> <p>1</p> <p>30</p>	<p><b>In LED-technology. Red rear and stop light, with 16 LEDs 2.3W.</b> Consumption: 0.19A at 12V, 0.10A at 24V. For lights in model range 009 001-... <b>See page 5.226, instruction 2.</b></p> <p>Ⓔ 7747</p> <p><b>Rear-stop light with clear lens, 12V</b></p> <p><b>with red lens, 12V</b></p> <p><b>with red lens, 24V</b></p> <p><b>Accessories:</b> Adapter rim for mounting the rear-stop light 2SB 009 362-... in conjunction with the reflector 8RA 009 001-...</p>
	<p><b>9HB 163 085-001</b></p> <p><b>9HB 163 085-012</b></p>	<p>1</p> <p>1</p>	<p>Design rim silver coloured</p> <p>chrom</p>
	<p><b>2SB 009 001-401</b></p> <p><b>2SB 009 001-501</b></p>	<p>1</p> <p>1</p>	<p><b>In LED-technology. Clear lens, with 12 red Power LEDs.</b> With 3-pole AMP plug <b>See page 5.226, instruction 2.</b></p> <p>Ⓔ 12390</p> <p><b>Rear-stop light, 12V</b></p> <p><b>24V</b></p>
	<p><b>2BA 009 001-411</b></p> <p><b>2BA 009 001-511</b></p>	<p>1</p> <p>1</p>	<p><b>In LED-technology. Clear lens, with 12 yellow Power LEDs.</b> With 2-pole AMP plug <b>See page 5.226, instruction 3.</b></p> <p>Ⓔ 12390</p> <p><b>Indicator-light for rear mounting, 12V</b></p> <p><b>24V</b></p>
	<p><b>2PF 009 001-421</b></p> <p><b>2PF 009 001-521</b></p> <p><b>8JD 162 581-802</b></p> <p><b>8JD 156 150-807</b></p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p><b>In LED-technology. Clear lens, with 12 white Power LEDs.</b> With 2-pole AMP plug <b>See page 5.226, instruction 2.</b></p> <p>Ⓔ 12390</p> <p><b>Side light for front mounting, 12V</b></p> <p><b>24V</b></p> <p><b>Accessories:</b> Plug-set, 3-poles 2-poles</p>




	Part no.	Pk.	For flush mounting	
              	<b>2SA 009 001-041</b> <b>2SA 009 001-047</b>  <b>2SA 009 001-137</b>	1 60  1	<b>Red lens without optical pattern, bonded to housing, facet reflector.</b> With 3-pole AMP plug. (E4) 7613 <b>Rear light with 12V bulb</b> <b>with 24V bulb</b>  1x12V21/5W (P21/5W) 8GD 002 078-121  1x24V21/5W (P21/5W) 8GD 002 078-241	
	<b>2SB 009 001-061</b> <b>2SB 009 001-067</b>  <b>2SB 009 001-157</b>	1 60  60	<b>Rear-stop light with 12V bulb</b> <b>with 24V bulb</b>  1x12V21/5W (P21/5W) 8GD 002 078-121  1x24V21/5W (P21/5W) 8GD 002 078-241	
	<b>2DA 009 001-051</b> <b>2DA 009 001-057</b>  <b>2DA 009 001-147</b>	1 60  1	<b>Stop light with 12V bulb</b> <b>with 24V bulb</b>  1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241	
	<b>2NE 009 001-021</b> <b>2NE 009 001-027</b>  <b>2NE 009 001-127</b>	1 60  1	<b>Rear fog light with 12V bulb</b> <b>with 24V bulb</b>  1x12V21W (H21W) 8GH 008 417-001  1x24V21W (H21W) 8GH 008 417-012	
	<b>2PF 009 001-081</b> <b>2PF 009 001-087</b>  <b>2PF 009 001-177</b>	1 60  60	<b>Clear lens.</b> With 3-pole AMP plug. (E4) 7613 <b>Side light for front mounting, with 12V bulb</b> <b>with 24V bulb</b>	
	<b>8JD 162 581-802</b>  <b>8JD 156 150-807</b>	1  1	<b>Accessories:</b> Plug-set, 3-poles 2-poles	
				 1x12V21/5W (P21/5W) 8GD 002 078-121  1x24V21/5W (P21/5W) 8GD 002 078-241

# Signal Lights

for rear or front mounting




		Part no.	Pk.	For flush mounting
		2BA 009 001-001	1	<b>Grey lens without optical pattern, bonded to housing, facet reflector.</b> With 2-pole AMP plug. (E4) 6546 <b>Indicator light for rear mounting with yellow 12V bulb</b> <b>with yellow 24V bulb</b>
		2BA 009 001-007	60	
		2BA 009 001-107	1	
	 	2BA 009 001-071	1	<b>Clear lens.</b> With 2-pole AMP plug. (E4) 6546 <b>Indicator light for front mounting, with yellow 12V bulb</b> <b>with yellow 24V bulb</b>  1x12V21W (PY21W) 8GA 006 841-121 1x24V21W (PY21W) 8GA 006 841-241 With 2-pole AMP plug. (E4) 6546 <b>Indicator light for rear mounting, with silver 12V bulb, grey lens</b> <b>for front mounting, with silver 12V bulb, clear lens</b>
		2BA 009 001-077	60	
		2BA 009 001-167	60	
		2ZR 009 001-011	1	<b>Grey lens.</b> With 2-pole AMP plug. (E4) 23255 <b>Reverse light with 12V bulb</b> <b>with 24V bulb</b> <b>Accessories:</b> Plug-set, 2-poles  1x12V21W (P21W) 8GD 002 073-121 1x24V21W (P21W) 8GD 002 073-241
		2ZR 009 001-017	60	
		2ZR 009 001-117	60	
		8RA 009 362-001	1	<b>Reflector rim, red</b> for lights in model range 009 001-... <b>Accessories:</b> Adapter rim for mounting
		9XD 161 119-007	1	
		9XD 161 119-017	1	
		8RA 009 001-031	1	(E4) 3302 (E4) 3189 <b>Reflector, red</b> for lights in model range 009 001-...
		8RA 009 001-037	60	

		Part no.	Pk.	Accessories for lights in model range 009 001-... (except LED)
		8XU 009 362-101	1	Design rim, red
		8XU 009 362-111	1	clear
		9HB 161 122-007	1	Design rim silver coloured
		9HB 161 122-012	10	Design rim chrome coloured
		9HB 164 168-002	10	Premium design rim comet silver coloured
		8HG 162 530-002	60	Locking ring comet-silver coloured
		9XD 161 119-007	30	Adapter rim with gasket, for front fixing
		8JD 156 150-807	1	Plug-set, 2-poles
		8JD 162 581-802	1	3-poles


# Signal Lights

for rear or front mounting



	Part no.	Pk.	For flush mounting (max. depth required up to lens gradient)
  <div style="text-align: center;">(max. depth required)</div> 			
	2SA 965 039-001	1	<b>Red lens, without optical pattern.</b>
	2SA 965 039-007	20	<b>With 10 cm long lead, blade receptacles and insulating sleeves. *)</b>
	2SA 965 039-081	1	<b>For screw- or clip fixing.</b>
	2SA 965 039-087	20	Ⓔ4 10215
	2SA 965 039-307	20	<b>Rear light with 12V bulb</b>
			<b>with 24V bulb</b>
			<b>with clip fixing and 12V bulb</b>
			 1x12V5W (R5W) 8GA 002 071-121  1x24V5W (R5W) 8GA 002 071-241
	2SB 965 039-051	1	Ⓔ4 10215
	2SB 965 039-057	20	<b>Rear-stop light with 12V bulb</b>
	2SB 965 039-131	1	<b>with 24V bulb</b>
	2SB 965 039-137	20	 1x12V21/5W (P21/5W) 8GD 002 078-121  1x24V21/5W (P21/5W) 8GD 002 078-241
	2DA 965 039-011	1	Ⓔ4 10215
	2DA 965 039-017	20	<b>Stop light with 12V bulb</b>
	2DA 965 039-091	1	<b>with 24V bulb</b>
	2DA 965 039-097	20	<b>with clip fixing and 12V bulb</b>
	2DA 965 039-317	20	 1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241
	2NE 965 039-031	1	Ⓔ4 10215
	2NE 965 039-037	20	<b>Rear fog light with 12V bulb</b>
	2NE 965 039-111	1	<b>with 24V bulb</b>
	2NE 965 039-117	20	<b>with clip fixing and 12V bulb</b>
	2NE 965 039-327	20	 1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241
		2PF 965 039-071	1
2PF 965 039-077		20	<b>Clear lens.</b>
2PF 965 039-151		1	<b>Side light with 12V bulb</b>
2PF 965 039-157		20	<b>with 24V bulb</b>
			 1x12V5W (R5W) 8GA 002 071-121  1x24V5W (R5W) 8GA 002 071-241

\*) For the screw on the clip fixing, a Torx TX20 is required.


	Part no.	Pk.	<b>For flush mounting</b> (max. depth required up to lens gradient)
  <div style="text-align: center;"> <p>(max. depth required)</p>  </div>	  <b>2PT 965 039-161</b> <b>2PT 965 039-167</b>  <b>2PT 965 039-171</b> <b>2PT 965 039-177</b>	  1 20  1 20	  <b>Clear lens, without optical pattern.</b> <b>With 10 cm lead, blade receptacles and insulating sleeves. *)</b> <b>For screw- or clip fixing.</b> For front mounting.  ⓔ4 10215  <b>Daytime running light with 12V bulb</b>  <b>with 24V bulb</b>   1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241 <hr/> <b>Smoke coloured lens, without optical pattern.</b>  ⓔ4 10215  <b>Indicator light for rear mounting, with yellow 12V bulb</b>  <b>with yellow 24V bulb</b>
	  <b>2BA 965 039-021</b> <b>2BA 965 039-027</b>  <b>2BA 965 039-101</b> <b>2BA 965 039-107</b>	  1 20  1 20	  ⓔ4 10215  <b>Indicator light for front mounting, with yellow 12V bulb</b>  <b>with yellow 24V bulb</b>   1x12V21W (PY21W) 8GA 006 841-121  1x24V21W (PY21W) 8GA 006 841-241 <hr/> ⓔ4 10215
	  <b>2ZR 965 039-041</b> <b>2ZR 965 039-047</b>  <b>2ZR 965 039-121</b> <b>2ZR 965 039-127</b>  <b>2ZR 965 039-337</b>	  1 20  1 20  20	  ⓔ4 10215  <b>Reverse light with 12V bulb</b>  <b>with 24V bulb</b>  <b>with clip fixing and 12V bulb</b>   1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241


\*) For the screw on the clip fixing, a Torx TX20 is required.

# Signal Lights

for rear mounting





	Part no.	Pk.	For flush/surface mounting
 	2SB 964 169-301 2SB 964 169-307	1 36	<p><b>In LED-technology.</b>  <b>Red lens.</b>  <b>With 37 LEDs and 500 mm lead with stripped cable ends.</b>            Black plastic body.            Consumption: 0.24A.  <b>See page 5.226, instruction 2.</b></p> <p>(E17) 814</p> <p><b>Rear-stop light, 24V, with two M6 x 25 fixing screws</b></p> <p><b>Rear light: 0.7W, stop light: 5.0W.</b></p>
 	2NE 964 169-341	1	<p><b>In LED-technology.</b>  <b>Red lens.</b>  <b>With 37 LEDs.</b>            Consumption: 0.17A.  <b>See page 5.226, instruction 2.</b></p> <p>(E17) 3810</p> <p><b>Rear fog light, 24V4.0W, with two M6 x 25 fixing screws</b></p>
  	2ZR 964 169-351 2ZR 964 169-361	1 1	<p><b>In LED-technology.</b>  <b>Clear lens.</b>  <b>With 37 LEDs.</b>            Consumption: 0.21A.  <b>See page 5.226, instruction 2.</b></p> <p>(E4) 23254</p> <p><b>Reverse light, 24V5.0W, with two M6 x 25 fixing screws, left</b></p> <p><b>right</b></p>



	Part no.	Pk.	For flush/surface mounting
   	2SB 964 169-531 2SB 964 169-537	1 20	<b>Caution:</b> <b>The water drainage opening must be knocked out according to the attachment position!</b>
 	2NE 964 169-521 2NE 964 169-527	1 20	<b>Red lens, without optical pattern.</b> <b>With grommet.</b> Black plastic body.
  	2BA 964 169-501 2BA 964 169-507	1 20	<b>Rear-stop light</b> <b>with two M6 x 25 fixing screws</b>
 	2ZR 964 169-511 2ZR 964 169-517	1 20	<b>without fixing screws</b>
 	2ZR 964 169-657	20	<b>with two M6 x 25 fixing screws,</b> <b>200 mm lead,</b> <b>24V bulbs and 3-pole DEUTSCH plug</b>
	9EL 964 800-011	1	<b>Spare parts:</b> Lens with screws for -531/-537
 	2NE 964 169-667	20	1x12V21/5W (P21/5W) 8GD 002 078-121 1x24V21/5W (P21/5W) 8GD 002 078-241
  	2BA 964 169-647	20	<b>Red lens, without optical pattern.</b> <b>With grommet.</b>
 	2BA 344 169-007	20	<b>Rear fog light</b> <b>with two M6 x 25 fixing screws</b>
	9EL 964 527-011	1	<b>without fixing screws</b>
	9EL 964 529-011	1	1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241
	9GT 341 438-007	200	<b>Amber lens, without optical pattern.</b> <b>With grommet.</b>
	9EL 964 529-011	1	<b>Indicator light</b> <b>with two M6 x 25 fixing screws</b>
	9GT 341 438-007	200	<b>without fixing screws</b>
	9EL 964 529-011	1	<b>with two M6 x 25 fixing screws,</b> <b>200 mm lead,</b> <b>24V bulbs and 2-pole DEUTSCH plug</b>
	9GT 341 438-007	200	<b>Spare parts:</b> Lens with screws for -501/-507/-007
	9GT 341 438-007	200	1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241
	9GT 341 438-007	200	<b>Clear lens, without optical pattern.</b> <b>With grommet.</b>
	9GT 341 438-007	200	<b>Reverse light</b> <b>with two M6 x 25 fixing screws</b>
	9GT 341 438-007	200	<b>without fixing screws</b>
	9GT 341 438-007	200	<b>Spare parts:</b> Lens with screws for -511/-517
	9GT 341 438-007	200	<b>Accessories:</b> Grommet
	9GT 341 438-007	200	1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241

# Signal Lights

for rear mounting




	Part no.	Pk.	For flush/surface mounting
 	2SD 964 169-111 2SD 964 169-117 2SD 344 169-037 9EL 964 536-001	1 20 20 1	<b>Caution:</b> <b>The water drainage opening must be knocked out according to the attachment position!</b>  <b>Red rear and stop light, amber indicator light.</b> <b>With grommet.</b> Black plastic body.  (E17) 9903  <b>Rear-stop-indicator light</b> <b>with two M6 x 25 fixing screws</b>  <b>with two M6 x 12 fixing screws</b>  <b>Spare parts:</b> Lens with screws  1x12V21/5W (P21/5W) 8GD 002 078-121 1x24V21/5W (P21/5W) 8GD 002 078-241 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241
 	2SA 964 169-091 2SA 964 169-097 2SA 964 169-277 9EL 964 535-001	1 20 20 1	<b>Red lens. With grommet.</b> (Two lights can be fitted next to each other)  (E17) 810  <b>Rear light</b> <b>with two M6 x 25 fixing screws</b>  <b>without fixing screws</b>  <b>Spare parts:</b> Lens with screws  2x12V5W (R5W) 8GA 002 071-121 2x24V5W (R5W) 8GA 002 071-241
    	2TA 964 169-061 2TA 964 169-067 2TA 964 169-767 2TA 964 169-797	1 20 20 20	<b>Red lens. With grommet.</b>  (E17) 9805  <b>Rear-stop light with reflector</b> <b>with two M6 x 25 fixing screws</b>  <b>with two M6 x 25 fixing screws,</b> <b>150 mm lead, 12V bulb and 3-pole DEUTSCH plug</b>  <b>with two M6 x 45 fixing screws,</b> <b>150 mm lead, 12V bulb and 3-pole DEUTSCH plug,</b> <b>left</b>  <b>without fixing screws</b>
 	2TA 964 169-251 2TA 964 169-257 9EL 964 532-001	1 20 1	<b>Spare parts:</b> Lens with screws  <b>For two-wheeled vehicles.</b> <b>With grommet.</b>  (E17) 9805
 	2SB 964 169-287 2SB 964 169-717 9GT 341 438-007	20 20 200	<b>Rear-stop light</b> <b>with two M6 x 25 fixing screws</b>  <b>without fixing screws</b>  <b>Accessories:</b> Grommet  1x12V21/5W (P21/5W) 8GD 002 078-121 1x24V21/5W (P21/5W) 8GD 002 078-241


	Part no.	Pk.	For flush/surface mounting
 	<p>2SW 964 169-081 2SW 964 169-087</p> <p>9EL 964 534-001</p>	<p>1 20</p> <p>1</p>	<p><b>Caution:</b> The water drainage opening must be knocked out according to the attachment position!</p> <p><b>Red rear light, amber indicator light.</b> With grommet. Black plastic body.</p> <p>(E17) 9803</p> <p><b>Rear-indicator light with two M6 x 25 fixing screws</b></p> <p><b>Spare parts:</b> Lens with screws</p> <p>1x12V5W (R5W) 8GA 002 071-121 1x24V5W (R5W) 8GA 002 071-241 1x12V21W (R21W) 8GA 002 073-121 1x24V21W (R21W) 8GA 002 073-121</p>
 	<p>2DA 964 169-001 2DA 964 169-007</p> <p>2DA 964 169-727</p> <p>9EL 964 526-001</p>	<p>1 20</p> <p>20</p> <p>1</p>	<p><b>Red lens. With grommet.</b></p> <p>(E17) 808</p> <p><b>Stop light with two M6 x 25 fixing screws</b> (Two lights can be fitted next to each other)</p> <p><b>without fixing screws</b></p> <p><b>Spare parts:</b> Lens with screws</p>
  	<p>2NE 964 169-021 2NE 964 169-027</p> <p>2NE 964 169-227</p> <p>2NE 344 169-047</p>	<p>1 20</p> <p>20</p> <p>20</p>	<p><b>Red lens. With grommet.</b></p> <p>(E17) 3808</p> <p><b>Rear fog light with two M6 x 25 fixing screws</b></p> <p><b>without fixing screws</b></p> <p><b>without fixing screws, with hexagonal recess</b></p>
 	<p>2BA 964 169-011 2BA 964 169-017</p> <p>2BA 344 169-027</p> <p>9EL 964 527-001</p>	<p>1 20</p> <p>20</p> <p>1</p>	<p><b>Amber lens (category 1a and 2a). With grommet.</b></p> <p>(E17) 648</p> <p><b>Indicator light with two M6 x 25 fixing screws</b> (Two lights can be fitted next to each other)</p> <p><b>without fixing screws</b></p> <p><b>Spare parts:</b> Lens with screws</p>
 	<p>2BR 964 169-297</p> <p>9GT 341 438-007</p>	<p>20</p> <p>200</p>	<p><b>Amber indicator light, red reflector. With grommet.</b></p> <p><b>Indicator light with reflector with two M6 x 25 fixing screws</b></p> <p><b>Accessories:</b> Grommet</p> <p>1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241</p>

# Signal Lights

for rear or front mounting





	Part no.	Pk.	For flush/surface mounting
 	<p>2BA 964 169-041 2BA 964 169-047</p> <p>2BA 964 169-237</p> <p>9EL 964 530-001</p>	<p>1 20</p> <p>20</p> <p>1</p>	<p><b>Caution:</b> The water drainage opening must be knocked out according to the attachment position!</p> <p><b>Amber indicator light, red rear fog light. With grommet.</b> Black plastic body.</p> <p>(E17) 9804</p> <p><b>Indicator-rear fog light with two M6 x 25 fixing screws</b></p> <p><b>without fixing screws</b></p> <p><b>Spare parts:</b> Lens with screws</p>
   	<p>2BN 964 169-051 2BN 964 169-057</p> <p>2BN 964 169-777</p> <p>2BN 964 169-787</p> <p>2BN 964 169-247</p> <p>9EL 964 531-001</p>	<p>1 20</p> <p>20</p> <p>20</p> <p>20</p> <p>1</p>	<p><b>Amber indicator light, clear reverse light. With grommet.</b></p> <p>(E17) 9801</p> <p><b>Indicator-reverse light with two M6 x 25 fixing screws</b></p> <p><b>with two M6 x 25 fixing screws, 150 mm lead, 12V bulb and 3-pole DEUTSCH plug, left</b></p> <p><b>with two M6 x 25 fixing screws, 150 mm lead, 12V bulb and 3-pole DEUTSCH plug, right</b></p> <p><b>without fixing screws</b></p> <p><b>Spare parts:</b> Lens with screws</p>
  	<p>2BE 964 169-071 2BE 964 169-077</p> <p>9EL 964 533-001</p>	<p>1 20</p> <p>1</p>	<p><b>For front flush/surface mounting. Amber indicator light, clear side light. With grommet.</b></p> <p>(E17) 9802</p> <p><b>Indicator-side light with two M6 x 25 fixing screws</b></p> <p><b>Spare parts:</b> Lens with screws</p>
 	<p>2ZR 964 169-031 2ZR 964 169-037</p> <p>2ZR 964 169-737</p> <p>2ZR 964 169-107</p> <p>9EL 964 529-001</p> <p>9GT 341 438-007</p>	<p>1 20</p> <p>20</p> <p>20</p> <p>1</p> <p>200</p>	<p><b>Clear lens. With grommet.</b></p> <p>(E17) 2311</p> <p><b>Reverse light with two M6 x 25 fixing screws</b></p> <p><b>without fixing screws</b></p> <p><b>with two M6 x 25 fixing screws, 160 mm lead, blade terminals and 12V bulb</b></p> <p><b>Spare parts:</b> Lens with screws</p> <p><b>Accessories:</b> Grommet</p>
			<p>2x12V21W (P21W) 8GA 002 073-121 2x24V21W (P21W) 8GA 002 073-241</p> <p>1x12V5W (R5W) 8GA 002 071-121 1x24V5W (R5W) 8GA 002 071-241 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241</p> <p>1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241</p>



		Part no.	Pk.	For horizontal surface mounting
		<b>2SB 001 423-097</b>	1	<b>Red lens.</b> Black plastic body. For mounting to vertical surfaces. Two M6 fixing screws.  (E1) 681  <b>Rear-stop light</b> (Two lights can be fitted next to each other)  1x12V21/5W (P21/5W) 8GD 002 078-121 1x24V21/5W (P21/5W) 8GD 002 078-241 1x12V21/5W (P21/5W) 8GD 002 078-011 (Heavy Duty)
		<b>2DA 001 423-077</b>	24	<b>Stop light</b>  (E1) 21434
		<b>2NE 001 423-011</b>	1	<b>Rear fog light</b>
	9EL 101 353-001 9DX 101 355-007	1 120	<b>Spare parts:</b> Lens with screws Reflector	
		<b>2BA 001 423-087</b>	1	<b>Amber lens.</b>  (E1) 42657  <b>Indicator light</b>
		<b>2ZR 001 423-001</b>	1	<b>Clear lens.</b>  (E1) 8704  <b>Reverse light</b>
	9ES 106 588-001	1	<b>Spare parts:</b> Lens with screws	
	<b>9XD 997 909-801</b>	1	<b>Accessories:</b> Mounting frame for flush mounting  1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241	

# Signal Lights

for rear mounting






	Part no.	Pk.	For vertical mounting
			<p><b>AgrolunaLED</b>  <b>In LED-technology. Clear lens.</b>  <b>With integrated electronic for cancellation control of indicator light.</b>  <b>12 red LEDs for rear and stop light (rear light with reduced power),</b>  <b>12 amber LEDs for indicator light.</b>            Voltage range: 9V - 32V.            Consumption: 0.34A at 12V, 0.17A at 24V.  <b>See page 5.226, instruction 1, 2, 3.</b></p> <p><b>Rear light: 0.5W</b>  <b>Stop light: 1.6W</b>  <b>Indicator light: 2.0W</b></p> <p>Ⓔ 11785</p>
	 2SD 343 390-401  	1	<p><b>Rear-stop-indicator light with 4-pole DEUTSCH plug connector, left and right</b></p> <hr/> <p><b>For vertical flush mounting</b></p> <p><b>Agroluna</b>  <b>Red rear and stop light, amber indicator light.</b>            With M6 x 16 fixing screws.</p> <p>Ⓔ 10203</p>
	  2SD 343 130-377	24	<p><b>Rear-stop-indicator light with 4-pole DEUTSCH plug connector, and 12V bulbs, left and right</b></p> <p>  1x12V21/5W (P21/5W) 8GD 002 078-121   1x24V21/5W (P21/5W) 8GD 002 078-241   1x12V21W (P21W) 8GA 002 073-121   1x24V21W (P21W) 8GA 002 073-241         </p>
	  2SD 343 130-337	24	<p><b>With 4-pole DEUTSCH plug connector, and 24V HD bulbs, left and right</b></p> <p>  1x24V21/5W HD (P21/5W) 8GD 002 078-011   1x24V21W HD (P21W) 8GA 002 073-251         </p>
	  2ZR 343 130-387	24	<p><b>Clear lens.</b></p> <p><b>Reverse light with 4-pole DEUTSCH plug connector, an 12V bulbs, left and right</b></p> <p>  1x12V21W (P21W) 8GA 002 073-121         </p>


	Part no.	Pk.	For horizontal flush mounting
   	<p><b>2SD 343 130-737</b> 24</p> <p><b>2SD 343 130-747</b> 24</p> <p><b>2SD 343 130-397</b> 24</p> <p><b>2SD 343 130-227</b> 24</p>		<p><b>Agroluna</b> Red rear and stop light, amber indicator light.</p> <p>(E4) 10203</p> <p>Rear-stop-indicator light, with DEUTSCH plug connector, and 12V bulbs, left</p> <p>right</p> <p>with grommet and 24V HD bulbs, left</p> <p>right</p> <p>1x12V21W (P21W) 8GA 002 073-121 1x12V21/5W (P21/5W) 8GD 002 078-121 1x24V21W (P21W) 8GA 002 073-251 1x24V21/5W (P21/5W) 8GD 002 078-011</p>
	<p><b>2DA 343 130-257</b> 24</p> <p><b>2DA 343 130-267</b> 24</p>		<p><b>Red lens.</b> With grommet, 12V bulb and 100 mm lead with 6.3 mm blade terminals.</p> <p>(E4) 7705</p> <p>Stop light, left</p> <p>right</p>
	<p><b>2NE 343 130-277</b> 24</p> <p><b>2NE 343 130-287</b> 24</p>		<p>(E4) 3919</p> <p>Rear fog light, left</p> <p>right</p>
	<p><b>2NE 343 130-177</b> 30</p>		<p>with DEUTSCH plug connector, and 12V bulbs, left</p> <p>1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241</p>
 	<p><b>2BE 343 130-657</b> 24</p> <p><b>2BE 343 130-667</b> 24</p>		<p>Amber indicator light, clear side light.</p> <p>(E4) 10202</p> <p>Indicator-side light with DEUTSCH plug connector, and 12V bulbs, left</p> <p>right</p>
	<p><b>2BE 343 130-777</b> 24</p> <p><b>2BE 343 130-787</b> 24</p>		<p>With grommet, without bulbs, left</p> <p>right</p> <p>1x12V10W (R10W) 8GA 002 071-131 1x12V21W (P21W) 8GA 002 073-121</p>

# Signal Lights

for rear mounting




	Part no.	Pk.	For horizontal flush mounting
 	<p><b>Agroluna</b></p> <p><b>Amber lens.</b> With grommet, 100 mm lead and 6.3 mm blade terminals.</p> <p>(E4) 6550</p> <p><b>Indicator light with 12V bulbs, left</b></p> <p><b>Indicator light with 24V bulb, left</b></p>	<p>24</p> <p>24</p> <p>24</p> <p>24</p>	<p>2BA 343 130-297</p> <p>2BA 343 130-307</p> <p>2BA 343 130-537</p> <p>2BA 343 130-547</p>
	<p><b>Clear lens.</b> With grommet, 12V bulbs and 100 mm lead with 6.3 mm blade terminals.</p> <p>(E4) 23257</p> <p><b>Reverse light, left</b></p> <p><b>Reverse light, right</b></p> <p>1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241</p>	<p>24</p> <p>24</p>	<p>2ZR 343 130-317</p> <p>2ZR 343 130-327</p>
  	<p><b>For horizontal flush/surface mounting</b></p> <p><b>Red rear and stop light, amber indicator light.</b> With M5 x 40 fixing screws, distance between screws: 50 mm, for side (mirror) mounting</p> <p>(E4) 10203</p> <p><b>Rear-stop-indicator light, left</b></p> <p><b>Rear-stop-indicator light, right</b></p> <p>1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241</p>	<p>30</p> <p>30</p>	<p>2SD 343 130-797</p> <p>2SD 343 130-807</p>


	Part no.	Pk.	For horizontal or vertical flush/surface mounting
    	<p>2SD 343 130-011 2SD 343 130-017</p> <p>2SD 343 130-071</p> <p>2SD 343 130-157 2SD 343 130-167</p> <p>2SD 343 130-137 2SD 343 130-147</p>	<p>1 30</p> <p>1</p> <p>30 30</p> <p>30 30</p>	<p><b>Caution:</b> Depending on the attachment position, the water drainage opening must be knocked out! Please refer to the installation instructions.</p> <p><b>Agroluna</b> Red rear and stop light, amber indicator light. With M6 x16 fixing screws.</p> <p>(E4) 10203</p> <p>Rear-stop-indicator light with grommet, 12V/24V</p> <hr/> <p>with 4-pole DEUTSCH plug and 12V bulbs,</p> <p>left</p> <p>right</p> <p>with 24V bulbs,</p> <p>left</p> <p>right</p> <p>1x12V21/5W (P21/5W) 8GD 002 078-121 1x24V21/5W (P21/5W) 8GD 002 078-241 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241</p>
	<p>2SB 343 390-091</p>	<p>30</p>	<p><b>AgrolunaLED</b> In LED-technology. Clear lens. With 24 red LEDs and 100 mm lead. With M6 x 16 fixing screws. Voltage range: 9V - 32V. Consumption: 0.24A at 12V, 0.12A at 24V. See page 5.226, instruction 1, 2, 3.</p> <p>Rear light: 0.5W Stop light: 2.4W</p> <p>(E4) 7698</p> <p>Rear-stop light</p>
   	<p>2SB 343 130-027</p> <p>2SB 343 130-757 2SB 343 130-767</p>	<p>30</p> <p>30 30</p>	<p><b>Agroluna</b> For horizontal or vertical flush/surface mounting. Red lens with grommet.</p> <p>Rear-stop light</p> <p>with 4-pole DEUTSCH plug and 12V bulbs, for horizontal mounting,</p> <p>left</p> <p>right</p> <p>1x12V21/5W (P21/5W) 8GD 002 078-121 1x24V21/5W (P21/5W) 8GD 002 078-241</p>
 	<p>2NE 343 130-031 2NE 343 130-037</p>	<p>1 30</p>	<p><b>Agroluna</b> For horizontal or vertical flush/surface mounting. Red lens with grommet.</p> <p>(E4) 3919</p> <p>Rear fog light</p> <p>1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241</p>

# Signal Lights

for rear or front mounting




	Part no.	Pk.	For horizontal or vertical flush/surface mounting
    	<p>2BE 343 130-001 1</p> <p>2BE 343 130-007 30</p> <p>2BE 343 130-081 1</p> <p>2BE 343 130-657 24</p> <p>2BE 343 130-667 24</p>		<p><b>Caution:</b> Depending on the attachment position, the water drainage opening must be knocked out! Please refer to the installation instructions.</p> <p><b>Agroluna</b> Amber indicator light, clear side light.</p> <p>(E4) 10202</p> <p>Indicator-side light, 12V/24V, with grommet and M6 x 16 fixing screws, distance between fixing screws: 45 mm</p> <p>with M6 x 16 fixing screws, distance between fixing screws: 58 mm</p> <p>with 4-pole DEUTSCH plug connector, and 12V bulbs, left</p> <p>right</p> <p>1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241</p>
	<p>2BA 343 390-071 1</p>		<p><b>AgrolunaLED</b> In LED-technology. Clear lens. With integrated electronic for cancellation control of indicator light. With 24 amber LEDs 3.2W and 100 mm lead. With M6 x 16 fixing screws. Voltage range: 9V - 32V. Consumption: 0.26A at 12V, 0.13A at 24V</p> <p>See page 5.226, instruction 2.</p> <p>(E4) 6550</p> <p>Indicator light</p>
   	<p>2BA 343 130-051 1</p> <p>2BA 343 130-057 30</p> <p>2BA 343 130-577 30</p> <p>2BA 343 130-587 30</p>		<p><b>Amber lens, with grommet.</b> With M6 x 16 fixing screws.</p> <p>(E4) 6550</p> <p>Indicator light</p> <p>with 4-pole DEUTSCH plug connector, and 12V bulbs, left</p> <p>right</p> <p>1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241</p>

	Part no.	Pk.	<p><b>For horizontal or vertical flush/surface mounting</b></p> <p><b>Caution:</b> Depending on the attachment position, the water drainage opening must be knocked out! Please refer to the installation instructions.</p> <p><b>Clear lens with grommet.</b> With M6 x 16 fixing screws.</p> <p>(E4) 23257</p> <p><b>Reverse light</b></p> <p><b>with 4-pole DEUTSCH plug connector, and 12V bulbs, right</b></p> <p> 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241</p>
   	<p>2ZR 343 130-041 2ZR 343 130-047</p> <p>2ZR 343 130-607</p>	<p>1 30 1</p>	

# Signal Lights

for rear mounting



	Part no.	Pk.	For flush mounting
	<b>2SB 001 240-311</b>  9EM 128 230-001	1  1	<b>Red lens.</b> Chrome rim. Rubber housing. Mounting depth 45 mm. Three M4 fixing screws. Bulb holder with vibration damping. (E1) 11549  <b>Rear-stop light</b> (Two lights can be fitted next to each other)  <b>Spare parts:</b> Lens with rim and reflector  1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241
	<b>2SA 001 240-331</b> **)	1  1	<b>Rear light</b> (Two lights can be fitted next to each other)  <b>Spare parts:</b> Lens with rim and reflector  1x12V5W (R5W) 8GA 002 071-121 1x24V5W (R5W) 8GA 002 071-241
	<b>2DA 001 240-341</b> **)	1  1	<b>Stop light</b>  <b>Spare parts:</b> Lens with rim and reflector  1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241
	<b>2BA 001 240-301</b>  9EM 128 229-011 9EL 128 228-021	1  1 10	<b>Amber lens.</b> (E1) 22786  <b>Indicator light</b>  <b>Spare parts:</b> Lens with rim and reflector Lens with rim  1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241
	<b>2ZR 001 240-351</b> **)	1  1	<b>Clear lens.</b> (E4) 2336  <b>Reverse light</b>  <b>Spare parts:</b> Lens with rim and reflector
	<b>2ZR 001 240-377</b>	30	<b>With black plastic rim</b> (not resistant to UV-radiation; frame must be covered when installed)  1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241

\*\*) Available as long as stocks last

	Part no.	Pk.	For rear surface mounting
	<b>2SB 001 259-261</b> (*)	2	<b>Red rear light, amber stop (indicator) light.</b> Two M5 fixing screws.
	<b>2ST 001 259-321</b> (*)	2	<b>Rear-stop-(indicator) light</b>  <b>With illumination for 340 x 240 mm and 240 x 130 mm licence plates with 0°, 15° and 30° inclination.</b>
	9EL 088 525-001 9FT 088 047-001	2 10	<b>Spare parts:</b> Lens with screws for -261 Bulb holder  1x12V10W (K) 8GM 002 091-131 1x12V18W (K) 8GM 002 091-121
	<b>2SA 001 259-751</b> (**)	2	<b>Red lens.</b>  (E1) 31438  <b>Rear light</b> (Two lights can be fitted next to each other)
	<b>2SA 001 259-757</b>	90	<b>Spare parts:</b> Lens with screws Bulb holder  1x12V5W (C5W) 8GM 002 092-121
	9EL 135 266-001 9FT 088 047-001	2 10	K 31420 (***)
	<b>2TF 001 259-761</b>	2	<b>With illumination for 340 x 240 mm, 240 x 130 mm and 520 x 120 mm licence plates.</b>
	9EL 088 146-011 9FT 088 047-001	2 10	<b>Spare parts:</b> Lens with screws Bulb holder  1x12V10W (K) 8GM 002 091-131
	<b>2PF 001 259-631</b> (**)	2	<b>Clear lens.</b>  (E1) 21624
	9EL 109 208-011 9FT 088 047-001	2 10	<b>Side light</b>  <b>Spare parts:</b> Lens with screws Bulb holder
	<b>2PF 001 259-677</b>	1	<b>Green lens.</b>  <b>Side light</b> Vehicles whose trailers are equipped with ABS and do not yet have plug connectors to ISO 3731 (24S), ISO 7683 or ISO 1185 (24N) are required to equip the trailer with a green side light located in the field of vision of the outside mirror on the driver side for indicating the function of the ABS.
	9FT 088 047-001	10	<b>Spare parts:</b> Bulb holder  1x12V5W (C5W) 8GM 002 092-121




\*) Only for spare parts requirement    \*\*) Available as long as stocks last

\*\*\*) National type test for Germany

# Signal Lights


for rear or front mounting



	Part no.	Pk.	For front surface mounting
 	<b>2BE 001 259-061</b>	2	<b>Amber indicator light, white side light.</b> Two M5 fixing screws.  K 23269 (***)
	9EL 088 538-001	2	<b>Spare parts:</b> Lens with screws
	9FT 088 047-001	10	Bulb holder
			 1x12V18W (K) 8GM 002 091-121  1x12V3W (M) 8GM 002 094-121
 	<b>2BA 001 259-611</b>	2	<b>For rear or front surface mounting</b>  <b>Amber lens (category 1 and 2a).</b>  K 23267 (***)
	<b>2BA 001 259-618</b>	90	<b>Indicator light</b>
	9EL 088 150-001	2	<b>Spare parts:</b> Lens with screws
	9FT 088 047-001	10	Bulb holder
			 1x12V18W (K) 8GM 002 091-121
	<b>2ZR 001 421-101</b>	4	<b>For rear mounting</b>  <b>Clear lens.</b> Two M5 fixing screws.  (E1) 8750
			<b>Reverse light</b>
			 1x12V21W 8GM 002 091-181
 	<b>8HG 002 247-001</b>	2	<b>Adapter</b>  for surface-mounting to bodywork surfaces inclined at 45°. For 001 259-061/-261/-321
			<b>Adapter</b>

\*\*) Available as long as stocks last

\*\*\*) National type test for Germany

	Part no.	Pk.	For horizontal surface mounting
	<b>2SA 996 012-091</b>  9EL 990 034-051	2  1	<b>Red lens.</b> Black plastic body. Two M5 fixing screws. With grommet. (E12) 7075  <b>Rear light</b>  <b>Spare parts:</b> Lens 1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251
	<b>2DA 996 012-041</b>	2	<b>Stop light</b>  With 2 rubber spacers for 8° or 12° inclination. (E12) 7154
	<b>2NE 996 012-021</b>	2	<b>Rear fog light</b>  1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241
	<b>2PF 996 012-051</b>	2	<b>Clear lens.</b> (E12) 7093  <b>Side light</b>  1x12V5W (R5W) 8GA 002 071-121 1x24V5W (R5W) 8GA 002 071-241
	<b>2BA 996 012-061</b> <b>2BA 996 012-071</b> <b>2BA 996 012-147</b>	2 1 45	<b>For rear or front surface mounting.</b> <b>Amber lens.</b> (E12) 6041  <b>Indicator light</b> with rubber spacer for 8° inclination with PMMA lens, 24V bulb, 500 mm lead and plug
	9EL 990 034-041	1	<b>Spare parts:</b> Lens
	<b>2ZR 996 012-111</b> <b>2ZR 996 012-101</b> <b>2JB 996 012-121</b>	2 1 1	<b>Clear lens.</b> With 2 rubber spacers for 8° or 12° inclination. (E12) 23003  <b>Reverse light</b> without rubber spacers <b>Boot light with switch and rubber spacers</b>
	9EL 990 122-001	1	<b>Spare parts:</b> Lens 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241

# Signal Lights

for rear or front mounting



Image	Technical drawing (Front view)	Technical drawing (Side view)	Part no.	Pk.	Description
			2SA 003 057-021 2SA 003 057-022	1 1	<b>For horizontal or vertical rear surface mounting</b> <b>Red lens.</b> Black plastic base plate. Two holes for M5 fixing screws. (E1) 11584 <b>Rear light without reflector</b> <b>Pro-fit pack</b> (Two lights can be fitted next to each other) <b>Spare parts:</b> Lens
			2TM 003 057-031 *)	1	(E1) 11583 IA (E1) 31315 <b>Rear light with reflector</b>
			2PF 003 057-001 2PF 003 057-002 2PF 003 057-041	1 1 1	<b>For front mounting</b> <b>Clear lens.</b> (E1) 21626 <b>Side light with white base plate</b> <b>Pro-fit pack</b> <b>with black base plate</b> <b>Spare parts:</b> Lens
			2PG 003 057-011 2PG 003 057-012 2PG 003 057-067	1 1 1	<b>Clear lens with reflector.</b> (E1) 21629 IA (E1) 31315 <b>Side light with reflector and white base plate</b> <b>Pro-fit pack</b> <b>and black base plate</b> <b>Spare parts:</b> Lens
			2PS 003 057-051 2PS 003 057-057 2PS 003 057-052 9EL 117 334-021	1 60 1 2	<b>For side surface mounting</b> <b>Amber lens with reflector, with white base plate.</b> (E1) 31315 (E1) 280 <b>Side-marker light with reflector</b> <b>Pro-fit pack</b> <b>Spare parts:</b> Lens 1x12V5W (C5W) 8GM 002 092-121 1x24V5W (C5W) 8GM 002 092-241



\*) Only for spare parts requirement

		<p><b>Part no.</b></p> <p>2PF 004 081-001 2PF 004 081-007</p> <p>2PF 004 081-011 2PF 004 081-017</p>	<p><b>Pk.</b></p> <p>2 50</p> <p>2 50</p>	<p><b>For horizontal front surface mounting</b></p> <p><b>Clear lens.</b> Plastic base plate. Vertical attachment tolerance: + 15°/- 30°. Two holes for M5 fixing screws.</p> <p>Ⓔ1 21656</p> <p><b>Side light with black base plate</b></p> <p><b>with white base plate</b></p>
		<p>2PF 004 081-107 2PF 004 081-117</p>	<p>1 1</p>	<p>For mounting on surfaces inclined at 23°.</p> <p><b>Side light with black base plate</b></p> <p><b>with white base plate</b></p> <p>Ⓔ 1x12V5W (C5W) 8GM 002 092-121 1x24V5W (C5W) 8GM 002 092-241</p>
		<p>2XS 005 639-001 2XS 005 639-002</p>	<p>24 1</p>	<p><b>For horizontal rear/side surface mounting</b></p> <p><b>Front lens clear, rear lens red.</b> <b>Black plastic base plate.</b> Two holes for M5 fixing screws.</p> <p>Ⓔ12 7106</p> <p><b>Clearance light</b></p> <p><b>Pro-fit pack</b></p> <p>Ⓔ 1x12V5W (C5W) 8GM 002 092-121 1x24V5W (C5W) 8GM 002 092-241</p>
		<p>9XD 127 264-007</p>	<p>50</p>	<p><b>Adapter</b></p> <p><b>White, for surface mounting of lights in model ranges 2PF 004 081-... and 2PF 003 057-... to body work surfaces inclined at 20°</b></p> <p><b>Adapter</b></p>
		<p>8HG 003 799-001 8HG 003 799-007 8HG 003 799-017</p>	<p>2 100 1</p>	<p><b>Holder</b></p> <p><b>Black, for side lights in model ranges 2PF 003 057-..., 2PF 004 081-... or reflectors in model ranges 8RA 002 014-... and 8RA 002 015-...</b></p> <p><b>Rubber holder</b></p> <p><b>Hard rubber holder</b></p>


# Signal Lights

for rear mounting



	Part no.	Pk.	<b>For horizontal or vertical surface mounting</b>
	<b>2SB 003 014-151</b> **)	2	<b>Red lens.</b> Black plastic base plate. Two holes for M4 fixing screws. With grommet. (E1) 31453
	<b>2ST 003 014-141</b>	2	<b>Rear-stop light</b>  <b>Spare parts:</b> Lens with screws  (E1) 31453 (E1) 53210
	9EL 115 003-021	2	<b>With illumination for 340 x 240 mm and 240 x 130 mm licence plates (above licence plates), or mounting to right and left of 520 x 120 mm licence plate</b>  <b>Spare parts:</b> Lens with screws
	<b>2SW 003 014-131</b>	2	<b>Red rear light, amber indicator light.</b>  (E1) 31452 (E1) 53211
	9EL 115 003-011	2	<b>Rear-indicator light</b>  <b>Spare parts:</b> Lens with screws
	<b>2SY 003 014-121</b>	2	<b>With illumination for 340 x 240 mm and 240 x 130 mm licence plates (above licence plates), or mounting to right and left of 520 x 110 mm licence plate</b>  <b>Spare parts:</b> Lens with screws
	9EL 115 003-001	2	(E1) 31452 (E1) 53211  1x12V5W (C5W) 8GM 002 092-121 1x24V5W (C5W) 8GM 002 092-241
	<b>2SA 003 014-051</b>	2	<b>For horizontal surface mounting</b>  <b>Red lens.</b> (E1) 31418  <b>Rear light</b> (Two lights can be fitted next to each other)  <b>Spare parts:</b> Lens with screws  1x12V5W (C5W) 8GM 002 092-121 1x24V5W (C5W) 8GM 002 092-241
	9EL 110 540-001	1	<b>Red lens.</b> (E1) 242
	<b>2DA 003 014-031</b> <b>2DA 003 014-037</b>	2 36	<b>Stop light</b>  1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241

\*\*) Available as long as stocks last



	Part no.	Pk.	
 	<p><b>2PF 003 014-071</b></p> <p>9EL 110 542-001</p>	<p>2</p> <p>3</p>	<p><b>For horizontal front surface mounting</b></p> <p><b>Clear lens.</b> Black plastic base plate. Two holes for M4 fixing screws. With grommet.</p> <p>(E1) 11793</p> <p><b>Side light</b></p> <p><b>Spare parts:</b> Lens with screws</p> <p> 1x12V5W (C5W) 8GM 002 092-121 1x24V5W (C5W) 8GM 002 092-241</p> <hr/> <p><b>Green lens.</b> Used on forklifts in combination with yellow and red lights for traffic signal function for cheking height of fork.</p> <p><b>Side light</b></p> <p> 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241</p>
	<p><b>2BE 003 014-251</b></p> <p><b>2BE 003 014-257</b></p> <p>9EL 115 003-055</p>	<p>2</p> <p>36</p> <p>2</p>	<p><b>Amber indicator light, white side light.</b></p> <p>(E1) 42712</p> <p><b>Indicator-side light</b></p> <p><b>Spare parts:</b> Lens with screws</p> <p> 1x12V5W (C5W) 8GM 002 092-121 1x24V5W (C5W) 8GM 002 092-241</p> <p> 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241</p>
	<p><b>2BA 003 014-111</b></p> <p>9EL 110 536-011</p>	<p>2</p> <p>3</p>	<p><b>Amber lens.</b></p> <p>(E1) 32661</p> <p><b>Indicator light (category 1)</b></p> <p><b>Spare parts:</b> Lens with screws</p>
	<p><b>2BA 003 014-011</b></p> <p>9EL 110 536-001</p>	<p>2</p> <p>1</p>	<p><b>For horizontal rear surface mounting</b></p> <p><b>Amber lens.</b></p> <p>(E1) 32619</p> <p><b>Indicator light (category 2a)</b></p> <p><b>Spare parts:</b> Lens with screws</p>
	<p><b>2ZR 003 014-091</b></p> <p>**)</p> <p>9EL 110 544-001</p>	<p>2</p> <p>3</p>	<p><b>Clear lens.</b></p> <p>(E1) 8703</p> <p><b>Reverse light</b></p> <p><b>Spare parts:</b> Lens with screws</p> <p> 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241</p>




\*\*) Available as long as stocks last

# Signal Lights

for rear or front mounting





	Part no.	Pk.	For horizontal flush mounting
			<p><b>In LED-technology. With 32 LEDs 3.0W. Red lens, without optical pattern.</b>            Grey plastic body.            With 450 mm lead with stripped cable ends.            Consumption: 0.25A at 12V, 0.13A at 24V.  <b>See page 5.226, instruction 2.</b></p>
	<p><b>2SB 008 982-301</b>  <b>2SB 008 982-307</b></p>	<p>1 32</p>	<p><b>Rear-stop light, 12V</b></p>
	<p><b>2SB 008 982-001</b>  <b>2SB 008 982-007</b></p>	<p>1 32</p>	<p><b>24V</b></p>
			<p><b>With clear lens, without optical pattern, 12V</b></p> <hr/> <p><b>With 32 LEDs 2.0W. Amber light. Clear lens without optical pattern. With failure check for LED indicators.</b>            Consumption: 0.17A at 12V, 0.08A at 24V.  <b>See page 5.226, instruction 3.</b></p>
	<p><b>2BA 008 982-041</b>  <b>2BA 008 982-047</b></p>	<p>1 32</p>	<p><b>Indicator light, 12V</b></p>
	<p><b>2BA 008 982-341</b>  <b>2BA 008 982-347</b></p>	<p>1 32</p>	<p><b>24V</b></p>
			





	Part no.	Pk.	For horizontal flush mounting
	<b>2SB 008 805-021</b> <b>2SB 008 805-027</b>	1 32	<b>Red lens, without optical pattern.</b> Grey plastic body, with optical pattern. (E4) 10151 <b>Rear-stop light</b>  1x12V21/5W (P21/5W) 8GD 002 078-121  1x24V21/5W (P21/5W) 8GD 002 078-241
	<b>2SA 008 805-001</b> <b>2SA 008 805-007</b>	1 32	<b>Rear light</b>  1x12V5W (R5W) 8GA 002 071-121  1x24V5W (R5W) 8GA 002 071-241
	<b>2DA 008 805-011</b> <b>2DA 008 805-017</b>	1 32	<b>Stop light</b>  1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241
	<b>2BA 008 805-051</b> <b>2BA 008 805-057</b>	1 32	<b>Clear lens, without optical pattern.</b> For rear or front mounting. <b>Indicator light</b>  1x12V21W (PY21W) 8GA 006 841-121  1x24V21W (PY21W) 8GA 006 841-241
	<b>2BA 008 805-187</b>	32	<b>Amber lens, without optical pattern.</b>  1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241
	<b>2NE 008 805-031</b> <b>2NE 008 805-037</b>	1 32	<b>Red lens, without optical pattern.</b> <b>Rear fog light</b>  1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241
	<b>2ZR 008 805-041</b> <b>2ZR 008 805-047</b>	1 32	<b>Clear lens, without optical pattern.</b> <b>Reverse light</b>
	<b>9GD 159 740-007</b>	1	<b>Accessories:</b> Self-adhesive gasket, black  1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241

# Signal Lights

for rear, front or side mounting








	Part. no.	Pk.	For horizontal flush mounting
			<b>Red lens.</b> Four holes for B4.2 x 13 fixing screws.
	2SA 005 603-021 2SA 005 603-027	1 32	(E1) 31423 <b>Rear light</b> (Two lights can be fitted next to each other)
	2SA 005 603-227	1	<b>with PC lens</b>  1x12V5W (R5W) 8GA 002 071-121 1x24V5W (R5W) 8GA 002 071-241
			(E1) 340
	2SB 005 603-137	1	<b>Rear-stop light</b>  1x12V21/5W (P21/5W) 8GD 002 078-121 1x24V21/5W (P21/5W) 8GD 002 078-241
	2DA 005 603-031 2DA 005 603-037	1 32	(E1) 31422 <b>Stop light</b> (Two lights can be fitted next to each other)
	2DA 005 603-237	1	<b>with PC lens</b>
			(E1) 8438
	2NE 005 603-071 2NE 005 603-077	1 32	<b>Rear fog light</b>
			<b>Amber lens.</b> (E1) 42749
	2BA 005 603-011 2BA 005 603-017	1 32	<b>Indicator light for rear mounting (category 2a)</b>
	2BA 005 603-217	1	<b>with PC lens</b>
	2BA 005 603-001 2BA 005 603-007	1 32	(E1) 42748 <b>For front or side mounting (category 1a and 5)</b>
			<b>Red lens, with filter.</b> (E1) 586
	2BA 005 603-117	1	<b>For rear mounting (category 2a)</b>
			<b>Clear lens.</b> (E1) 8770
	2ZR 005 603-061 2ZR 005 603-067	1 32	<b>Reverse light</b>  1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241






	Part no.	Pk.	For horizontal flush mounting
	2BA 004 119-001	1	<p><b>Amber lens.</b> Two holes for B4.2 x 28 fixing screws.</p> <p>(E1) 42680</p> <p><b>Indicator light for front mounting (category 1)</b></p> <p>1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241 1x24V21W (P21W) 8GA 002 073-251 (Heavy Duty)</p>
	2BA 004 119-017	10	<p><b>Clear lens.</b> With base plate and grommet. Can be used only in combination with yellow bulb PY21W (not supplied with lamp).</p> <p>(E1) 405</p> <p><b>Indicator light for front or side mounting (category 1 and 5)</b></p>
	9GT 143 133-007	10	<p><b>Spare parts:</b> Grommet</p> <p>1x12V21W (PY21W) 8GA 006 841-121 1x24V21W (PY21W) 8GA 006 841-241</p>
	2BE 004 119-021	1	<p><b>Clear lens.</b> With amber filter for indicator light.</p> <p>(E1) 536</p> <p><b>Indicator-side light for front mounting (category 1)</b></p> <p><b>Spare parts:</b> Grommet Grommet</p> <p>1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241 1x24V21W (P21W) 8GA 002 073-251 (Heavy Duty)</p> <p>1x12V5W (W5W) 8GP 003 594-121 1x24V5W (W5W) 8GP 003 594-251</p>

# Signal Lights





for rear mounting



	Part no.	Pk.	For horizontal or vertical flush mounting
 	2SA 003 734-121	1	<b>Red lens.</b> <b>Two bulbs connected in parallel.</b> (not supplied with lamp). Two holes for B4.2 x 13 fixing screws.
	9EL 135 060-001	2	<b>Spare parts:</b> Lens with screws   2x12V5W (R5W) 8GA 002 071-121  2x24V5W (R5W) 8GA 002 071-241
	2DA 003 734-011	1	<b>For 1 bulb.</b>
	9EL 123 632-001	2	<b>Spare parts:</b> Lens with screws   1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241
	2NE 003 734-091	1	<b>For 1 bulb.</b> For horizontal flush mounting.
			 18421  <b>Rear fog light</b>   1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241
	2ZR 003 734-041	1	<b>Clear lens.</b> <b>Two bulbs connected in parallel.</b> For horizontal flush mounting.
	9EL 123 635-001	2	 8731  <b>Reverse light</b>  <b>Spare parts:</b> Lens with screws   2x12V21W (P21W) 8GA 002 073-121  2x24V21W (P21W) 8GA 002 073-241

	Part no.	Pk.	
 	2PF 003 734-031	1	<p><b>For horizontal or vertical flush mounting</b></p> <p><b>Clear lens.</b>  <b>Two bulbs connected in parallel.</b>            (not supplied with lamp)            Two holes for B4.2 x 13 fixing screws.</p> <p>(E1) 21647</p> <p><b>Side light</b></p> <p> 2x12V5W (R5W) 8GA 002 071-121   2x24V5W (R5W) 8GA 002 071-241</p>
	2BA 003 734-001	1	<p><b>Amber lens.</b></p> <p>(E1) 42623</p> <p><b>Indicator light for rear mounting (category 2a)</b></p>
	9EL 123 631-001	2	<p><b>Spare parts:</b>            Lens with screws</p> <p> 2x12V21W (P21W) 8GA 002 073-121   2x24V21W (P21W) 8GA 002 073-241</p>
	2BA 003 734-061	1	<p><b>For 1 bulb.</b></p> <p>(E1) 42641</p> <p><b>Indicator light for front mounting (category 1)</b></p> <p> 1x12V21W (P21W) 8GA 002 073-121   1x24V21W (P21W) 8GA 002 073-241</p>
 	8RA 003 734-101	1	<p><b>For horizontal or vertical surface mounting</b></p> <p><b>Red, reflecting surface 54 sq. cm.</b>            With rubber base plate.            Two B3.9 x 22 fixing screws.</p> <p>(E1) 01 31298</p> <p><b>Reflector</b></p>






	Part. no.	Pk.	For horizontal or vertical surface mounting
 	2SA 006 717-001 2SA 006 717-007	1 100	<b>For rear mounting.</b> <b>Red lens, without reflector.</b> Black plastic body. Two 5 mm dia. holes for fixing screws. <b>± 10° inclination.</b> (E17) 804 <b>Rear light</b>
 	9EL 141 135-001  2TM 006 717-047	1  1	<b>Spare parts:</b> Lens  (E17) 787    (E17) 378 <b>With reflector</b>
			<b>For front mounting.</b> <b>Clear lens. Can be mounted either vertically or horizontally (± 15° inclination).</b>
 	2PF 006 717-011  9EL 141 135-011	1 20	(E17) 803 <b>Side light without reflector</b>  <b>Spare parts:</b> Lens
 	2PG 006 717-021 2PG 006 717-027 2PG 006 717-022	20 100 1	(E17) 789    (E17) 378 <b>Side light with reflector</b>  <b>Pro-fit-pack</b>
	9EL 141 135-021	20	<b>Spare parts:</b> Lens
 	2PS 006 717-031 2PS 006 717-037 2PS 006 717-032	20 100 1	<b>For side mounting.</b> <b>Amber lens.</b> (E1) 86    (E17) 378 <b>Side-marker light with reflector</b>  <b>Pro-fit-pack</b>
 	2PS 006 717-051 2PS 006 717-057	8 100	<b>With adhesive foil for fixing</b>
 	2PS 006 717-071  9EL 141 135-031	20  1	<b>With closed fixing holes</b>  <b>Spare parts:</b> Lens
 	2PS 006 717-061 2PS 006 717-067  9EL 141 135-031	1 100  1	<b>For horizontal surface mounting</b>  With bracket for fixing below load surface. (E1) 86    (E17) 378 <b>Side-marker light with reflector</b>  <b>Spare parts:</b> Lens
			 1x12V5W (W5W) 8GP 003 594-121 1x24V5W (W5W) 8GP 003 594-251






# Signal Lights

for front or rear mounting



	Part no.	Pk.	For horizontal surface mounting
  	<p><b>2SA 997 027-001</b> *)</p> <p>9EL 997 387-001</p>	<p>1</p> <p>1</p>	<p><b>For rear mounting.</b> <b>Red lens.</b> Plastic base plate. Two holes for M5 fixing screws. With blade terminal contacts.</p> <p>(E12) 7048</p> <p><b>Rear light</b></p> <p><b>Spare parts:</b> Lens with screws</p> <p> 1x12V5W (C5W) 8GM 002 092-121 1x24V5W (C5W) 8GM 002 092-241</p>
	<p><b>2DA 997 027-021</b></p>	<p>1</p>	<p>(E12) 7061</p> <p><b>Stop light</b></p> <p> 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241</p>
	<p><b>2BA 997 027-031</b></p>	<p>1</p>	<p><b>For front mounting.</b> <b>Amber lens.</b></p> <p>(E12) 6044</p> <p><b>Indicator light</b></p> <p> 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241</p>
	<p><b>2PF 997 027-011</b> *)</p> <p>9EL 997 388-001</p>	<p>1</p> <p>1</p>	<p><b>Clear lens.</b></p> <p>(E12) 7048</p> <p><b>Side light</b></p> <p><b>Spare parts:</b> Lens with screws</p> <p> 1x12V5W (C5W) 8GM 002 092-121 1x24V5W (C5W) 8GM 002 092-241</p>
  	<p><b>2JA 997 027-051</b></p>	<p>1</p>	<p><b>Clear lens.</b> Chrome-type body, with switch. Plastic base plate.</p> <p><b>Interior light</b></p> <p> 1x12V18W (K) 8GM 002 091-121 1x24V18W (K) 8GM 002 091-241</p>

\*) Only for spare parts requirement

	Part no.	Pk.	For horizontal or vertical surface mounting
 	<b>2TM 003 748-011</b>	<b>4</b>	<b>For rear mounting.</b> <b>Red lens.</b> Black rubber base and two ST4.2 x 32 x 18 fixing screws.  (E1) 31410
  	<b>2PG 003 748-151</b> *)	<b>4</b>	<b>For horizontal surface mounting</b>  <b>For front mounting.</b> <b>Clear lens.</b> With black plastic base plate and insert gasket. Two ST4.2 x 16 fixing screws.  (E1) 31410 (E1) 21682  <b>Spare parts:</b> Lens
 	<b>2PS 003 748-121</b> <b>2PS 003 748-127</b> *)	<b>4</b> <b>80</b>	<b>For side mounting.</b> <b>Amber lens.</b>  (E1) 31410 (E1) 291  <b>Side-marker light with reflector</b>
 	<b>2PS 003 748-161</b> <b>2PS 003 748-167</b> *)	<b>4</b> <b>60</b>	With black plastic base, inserted gasket and reinforced plate, four PT4 x 16 fixing screws and rubber mount.  (E1) 31410 (E1) 291  <b>Side-marker light with reflector,</b> <b>holder mounting surface points towards the front</b>
 	<b>2PS 003 748-177</b> *)	<b>1</b>	<b>Holder rotated by 180°.</b> <b>Holder mounting surface points towards the back</b>   <b>Spare parts:</b> Lens for -121/-127/-161/-167/-177   1x12V4W (T4W) 8GP 002 067-121  1x24V4W (T4W) 8GP 002 067-241





\*) Type of protection: IP54K and IP59K.

# Signal Lights

for front, side or rear mounting









	Part no.	Pk.	For horizontal surface mounting
	<b>2PG 963 639-401</b> <b>2PG 963 639-411</b>	1 1	<p><b>In LED-technology. White light.</b>  <b>With two white LEDs. White base plate.</b>            Two 5.5 mm dia. holes for fixing screws.            Consumption: 0.02A at 24V.  <b>See page 5.226, instruction 2.</b></p> <p>(E17) 0002</p> <p><b>Side light with reflector, without bracket, with 500 mm lead, 24V0.5W</b>  <b>with 5000 mm lead, 24V0.5W</b></p>
	<b>2TM 963 639-307</b> <b>2TM 963 639-317</b>	20 1	<p><b>Red light. With two LEDs. Black base plate.</b>            Consumption: 0.02A at 12V, 0.04A at 24V.</p> <p>(E17) 9808</p> <p><b>Rear light with reflector, without bracket, with 5000 mm lead, 12V0.5W</b>  <b>with 5000 mm lead, 24V1.0W</b></p>
	<b>2PS 963 639-001</b> <b>2PS 963 639-007</b>	1 12	<p><b>Amber light. With two LEDs.</b>            Consumption: 0.06A at 12V, 0.05A at 24V.</p> <p>(E17) 9605</p> <p><b>Side-marker light with reflector, without bracket, with 500 mm lead, 12V0.7W</b></p>
	<b>2PS 963 639-011</b> <b>2PS 963 639-017</b> <b>2PS 963 639-197</b> <b>2PS 963 639-207</b>	1 12 1 20	<p><b>with 500 mm lead, 24V1.3W</b>  <b>with 1500 mm lead, 24V1.3W</b>  <b>with 200 mm lead, 24V1.3W</b></p>
	<b>2PS 963 639-061</b> <b>2PS 963 639-067</b> <b>2PS 963 639-071</b> <b>2PS 963 639-077</b> <b>2PS 963 639-127</b> <b>2PS 963 639-167</b>	1 20 1 20 20 20	<p>Consumption: 0.06A at 12V, 0.05A at 24V.</p> <p><b>With bracket and 500 mm lead, 12V0.7W</b>  <b>24V1.3W</b>  <b>without lead, 24V1.3W</b>  <b>with 1500 mm lead, 24V1.3W</b></p>
	<b>2PS 963 639-101</b>	1	<p>Consumption: 0.05A at 24V.</p> <p><b>With 2000/500 mm lead with cut-off ends, without bracket, 24V1.3W</b></p>
	<b>2PS 963 639-111</b> <b>2PS 963 639-117</b>	1 20	<p><b>with bracket, 24V1.3W</b></p>
	<b>2PS 963 639-041</b> <b>2PS 963 639-047</b>	1 20	<p>Consumption: 0.05A at 24V.</p> <p><b>With 4000/500 mm lead and system plug, without bracket, 24V1.3W</b></p>
	<b>2PS 963 639-021</b> <b>2PS 963 639-027</b>	1 20	<p><b>with bracket, 24V1.3W</b></p>
	<b>2PS 963 639-081</b>	1	<p>Consumption: 0.05A at 24V.</p> <p><b>With 5500/500 mm lead and 6.3 mm blade terminal contacts, without bracket, 24V1.3W</b></p>
	<b>2PS 963 639-091</b> <b>2PS 963 639-097</b>	1 20	<p><b>with bracket, 24V1.3W</b></p>




	Part no.	Pk.	For horizontal surface mounting
       	<p>2PS 963 639-051 2PS 963 639-057</p> <p>2PS 963 639-031 2PS 963 639-037</p> <p>2PS 963 639-137 2PS 963 639-147</p> <p>2PS 963 639-177</p> <p>2PS 963 639-157</p> <p>9GD 341 063-007</p>	<p>1 20</p> <p>1 20</p> <p>1 1</p> <p>1</p> <p>1</p> <p>20</p>	<p><b>In LED-technology. Amber light. With two LEDs.</b> Black base plate. Two 5.5 mm dia. holes for fixing screws. Consumption: 0.05A at 24V. <b>See page 5.226, instruction 2.</b></p> <p>(E17) 9605</p> <p><b>Side-marker light with reflector, with 4500 mm lead and system plug, without bracket, 24V1.3W</b></p> <p><b>with bracket, 24V1.3W</b></p> <hr/> <p><b>Without bracket, with 5000 mm lead, 24V1.3W</b></p> <p><b>with 10000 mm lead, 24V1.3W</b></p> <hr/> <p><b>With 1500 mm lead and base, without bracket, 24V1.3W</b></p> <hr/> <p><b>With 1500 mm lead, plug and bracket, 24V1.3W</b></p> <p><b>Spare parts:</b> Gasket</p>
   	<p>2PS 340 001-001</p> <p>2PS 340 001-011</p> <p>9XX 340 220-011</p>	<p>1</p> <p>1</p> <p>10</p>	<p><b>In LED-technology. Amber light. With two LEDs.</b> Mounted on a holder. With transverse clip angle, front. Consumption: 0.05A at 24V. <b>See page 5.226, instruction 2.</b></p> <p>(E17) 9605</p> <p><b>Side-marker light with reflector, 24V1.3W</b></p> <hr/> <p><b>Mounted on a universal holder, angled backwards.</b></p> <p><b>Side-marker light with reflector, 24V1.3W</b></p> <p><b>Accessoires:</b> 2-pin connection set</p>

# Signal Lights

for front, side or rear flush/surface mounting






	Part no.	Pk.	For horizontal or vertical surface mounting
  	<b>2PS 963 959-001</b> <b>2PS 963 959-007</b>	4 50	<p><b>For side mounting.</b>  <b>Amber lens.</b>            Two PG screw connections and two lens fixing screws are included separately in the package.</p> <p>(E17) 9704</p> <p><b>Side-marker light with reflector, without rubber bracket</b></p>
  	<b>2PS 963 959-011</b> <b>2PS 963 959-017</b>	4 40	<p><b>With rubber bracket</b></p> <p><b>Spare parts:</b>            Lens with screws</p>
  	<b>2PG 963 959-021</b> <b>2PG 963 959-027</b>	4 50	<p><b>For front mounting.</b>  <b>Clear lens.</b>            With 1 PG screw connection.</p> <p>(E17) 9705</p> <p><b>Side light with reflector</b></p> <p><b>Spare parts:</b>            Lens with screws</p>
  	<b>2XS 963 959-031</b> <b>2XS 963 959-037</b>	4 50	<p><b>For rear mounting.</b>  <b>Red lens.</b>            Without reflector.            With 1 PG screw connection.</p> <p>(E17) 805</p> <p><b>Clearance light</b></p> <p><b>Spare parts:</b>            Lens with screws</p> <p>            1x12V4W (T4W) 8GP 002 067-121            1x24V4W (T4W) 8GP 002 067-241            1x24V4W (T4W) 8GP 002 067-261 (Heavy Duty)         </p>
  	<b>2PS 007 972-011</b> <b>2PS 007 972-017</b>	4 100	<p><b>For horizontal flush mounting</b></p> <p><b>For side mounting.</b>  <b>In LED-technology. Amber light.</b>  <b>With 500 mm long lead and four LEDs.</b>            Consumption: 0.04A at 24V.  <b>See page 5.226, instruction 2.</b></p> <p>(E1) 508</p> <p><b>Side-marker light with reflector, 24V1.0W</b></p>



	Part no.	Pk.	For horizontal or vertical surface mounting
  	<p><b>2TM 004 361-021</b></p> <p>9EL 114 401-041</p> <p><b>2PG 004 361-011</b> <b>2PG 004 361-017</b></p> <p>9EL 114 401-031</p> <p><b>2PS 004 361-001</b> <b>2PS 004 361-007</b></p> <p>9EL 114 401-001</p> <p><b>9BP 128 032-017</b></p>	<p>1</p> <p>1</p> <p>1</p> <p>70</p> <p>1</p> <p>70</p> <p>1</p> <p>1</p>	<p>Base plate with black edge. With grommet. Ten 5.5 mm dia. holes for fixing as required. When cable retention is used the base plate listed below is required.</p> <p><b>Approved for vehicles carrying hazardous goods when diagonal 98 hole interval is used.</b></p> <p>Ⓔ4 3152    Ⓔ4 466    Ⓔ4 467</p> <p><b>Rear light with reflector, red</b></p> <p><b>Spare parts:</b> Lens with screws</p> <hr/> <p>Ⓔ4 3152    Ⓔ4 468    Ⓔ4 469</p> <p><b>Side light with reflector, clear</b></p> <p><b>Spare parts:</b> Lens with screws</p> <hr/> <p>Ⓔ4 3152    Ⓔ4 0002    Ⓔ4 0003</p> <p><b>Side-marker light with reflector, amber</b></p> <p><b>Spare parts:</b> Lens with screws</p> <p><b>Accessories:</b> Base plate for cable retention</p> <p> 1x12V5W (R5W) 8GA 002 071-121 1x24V5W (R5W) 8GA 002 071-241</p>
  	<p><b>2PG 002 727-021</b></p> <p>9EL 114 400-015</p> <p><b>2PS 002 727-001</b> <b>2PS 002 727-007</b></p> <p>9EL 114 401-001</p>	<p>5</p> <p>1</p> <p>5</p> <p>126</p> <p>1</p>	<p>Black base plate. Four 5.5 mm dia. holes for fixing screws.</p> <p>Ⓔ4 3152    Ⓔ4 468    Ⓔ4 469</p> <p><b>Side light with reflector, clear</b></p> <p><b>Spare parts:</b> Lens with screws</p> <hr/> <p>Ⓔ4 3152    Ⓔ4 0002    Ⓔ4 0003</p> <p><b>Side-marker light with reflector, amber</b></p> <p><b>Spare parts:</b> Lens with screws</p> <p> 1x12V5W (C5W) 8GM 002 092-121 1x24V5W (C5W) 8GM 002 092-241</p>

# Signal Lights

for rear, front or side mounting





	Part no.	Pk.	For horizontal or vertical surface mounting
 	2XS 340 000-101	1	<p><b>For rear mounting.</b>  <b>Red lens.</b>            Two fixing screws.  <b>With 24V bulb.</b>  <b>Contacting via splice clamp connection.</b></p> <p>(E1) 2544</p> <p><b>Clearance light</b></p>
	2PF 340 000-111	1	<p><b>For front mounting.</b>  <b>Clear lens.</b></p> <p>(E1) 2439</p> <p><b>Side light without reflector</b></p>
	2PG 340 000-121	1	<p><b>with reflector</b></p>
	9EL 340 002-021	1	<p><b>Spare parts:</b>            Lens for -111</p>
	2PS 340 000-001	1	<p><b>For side mounting.</b>  <b>Amber lens.</b></p> <p>(E1) 439</p> <p><b>Side-marker light with reflector</b></p>
	2PS 340 000-171	1	<p><b>with 35 mm mounting bracket</b></p>
	9EL 340 002-011	1	<p><b>Spare parts:</b>            Lens</p>
 	2PS 340 000-011	1	<p><b>For horizontal mounting</b></p> <p><b>For side mounting.</b>  <b>With transverse clip angle, front.</b></p> <p><b>Side-marker light with reflector</b></p>
	9EL 340 002-011	1	<p><b>Spare parts:</b>            Lens</p>
	2PS 340 000-021	1	<p><b>With longitudinal clip angle, rear.</b></p> <p><b>Side-marker light with reflector</b></p>
 	2PS 340 000-051	1	<p><b>with PC lens</b></p>
 	9EL 340 002-011	1	<p><b>Spare parts:</b>            Lens for -021</p> <p> 1x24V5W (C5W) 8GM 002 092-241</p>











	Part no.	Pk.	For horizontal surface mounting
 	2PS 340 000-031	1	<p><b>Amber lens.</b> Two fixing screws. <b>With 24V bulb.</b> <b>Contacting via splice clamp connection.</b></p> <p>(E1) 439</p> <p><b>Side-marker light with reflector, holder mounting surface points towards the front</b></p>
  	2PS 340 000-041	1	<p><b>Holder mounting surface points towards the back</b></p> <p><b>with PC lens</b></p> <p><b>Spare parts:</b> Lens for -031/-041</p> <p> 1x24V5W (C5W) 8GM 002 092-241</p>
	9EL 340 002-011	1	

# Signal Lights

for rear, front or side mounting



	Part no.	Pk.	<p><b>For horizontal or vertical surface mounting</b>                      When attached horizontally, the optical field must point toward the outside of the vehicle.</p> <p><b>In LED-technology. Red light. With three LEDs.</b>                      Black housing.                      Two holes for B4.2 fixing screws.                      Consumption: 0.05A at 12V/24V.                      See page 5.226, instruction 2.</p> <p>(E1) 1395    (E1) 1398</p> <p><b>Rear light with reflector, with 500 mm lead, 12V0.6W</b></p> <p><b>with 5000 mm lead, 12V0.6W</b></p> <p><b>with 500 mm lead, 24V1.2W</b></p> <p><b>with 5000 mm lead, 24V1.2W</b></p> <p><b>with 300 mm lead and quick-contact incl. clamping piece for contacting a two-core flat lead, 24V1.2W</b></p> <p><b>with 5000 mm lead and quick-contact incl. clamping piece for contacting a two-core flat lead, 24V1.2W</b></p> <hr/> <p><b>Clear light.</b>                      Black housing.                      Consumption: 0.04A at 24V.</p> <p><b>Side light with reflector, with black base plate and 500 mm lead, 24V0.9W</b></p> <p><b>with 5000 mm lead, 24V0.9W</b></p> <p><b>with 300 mm lead and quick-contact incl. clamping piece for contacting a two-core flat lead, 24V0.9W</b></p> <p><b>with 5000 mm lead and quick-contact incl. clamping piece for contacting a two-core flat lead, 24V0.9W</b></p> <p><b>with white base plate and 5000 mm lead, 24V0.9W</b></p> <hr/> <p><b>For vertical surface mounting</b></p> <p><b>Amber light.</b>                      Black housing.                      Consumption: 0.05A at 12V/24V.</p> <p>(E1) 1397</p> <p><b>Side-marker light with reflector, with 1500 mm lead, 12V0.6W</b></p> <p><b>with 1500 mm lead, 24V1.2W</b></p> <p><b>Accessories:</b>                      Gasket                      Mounting pliers for quick-link cable attachment                      Holder, angled back                      Clip angle, rear                      Mounting pliers for quick-link lead attachment</p> <p><b>8HG 160 409-002</b> 10 Holder with two fixing screws</p>
    	<p>2TM 008 645-081 1</p> <p>2TM 008 645-087 30</p> <p>2TM 008 645-091 1</p> <p>2TM 008 645-061 1</p> <p>2TM 008 645-067 50</p> <p>2TM 008 645-071 1</p> <p>2TM 008 645-077 50</p> <p>2TM 008 645-651 1</p> <p>2TM 008 645-661 1</p> <p>2TM 008 645-667 50</p>		
  	<p>2PG 008 645-041 1</p> <p>2PG 008 645-047 50</p> <p>2PG 008 645-051 1</p> <p>2PG 008 645-057 40</p> <p>2PG 008 645-631 1</p> <p>2PG 008 645-641 1</p> <p>2PG 008 645-647 40</p> <p>2PG 008 645-167 40</p>		
  	<p>2PS 008 645-031 1</p> <p>2PS 008 645-021 1</p> <p>9GD 157 876-007 1</p> <p>8PE 008 932-001 1</p> <p>8HG 340 489-001 1</p> <p>8HG 340 413-001 10</p> <p>8KW 998 602-002 1</p> <p>8HG 160 409-002 10</p>		





	Part no.	Pk.	For horizontal surface mounting
			<p><b>When attached horizontally, the optical field must point toward the outside of the vehicle.</b></p> <p><b>In LED-technology. Amber light. With three LEDs.</b> Black housing. Two holes for B4.2 fixing screws. Consumption: 0.05A at 12V/24V. <b>See page 5.226, instruction 2.</b></p>
	2PS 008 645-011	1	Side-marker light with reflector, with 1500 mm lead, 12V0.6W
	2PS 008 645-001 2PS 008 645-007	1 50	with 1500 mm lead, 24V1.2W
	2PS 008 645-497	50	with 10000 mm lead, 24V1.2W
	2PS 008 645-601 2PS 008 645-607	1 50	with 150 mm lead and quick-contact incl. clamping piece for contacting a two-core flat lead, 24V1.2W
	2PS 008 645-611 2PS 008 645-617	1 50	with 300 mm lead and quick-contact incl. clamping piece for contacting a two-core flat lead, 24V1.2W
	2PS 008 645-621 2PS 008 645-627	1 50	with 1300 mm lead and quick-contact incl. clamping piece for contacting a two-core flat lead, 24V1.2W
	2PS 008 645-187	50	with 5000 mm lead, 24V1.2W
	9EL 343 273-001	1	Spare parts: Lens
	9GD 157 876-007	1	Accessories: Gasket
	8PE 008 932-001	1	Mounting pliers for quick-link cable attachment
	8HG 340 489-001	1	Holder, angled back
	8HG 340 413-001	10	Clip angle, rear
	8KW 998 602-002	1	Mounting pliers for quick-link lead attachment
	8HG 160 409-002	10	Holder with two fixing screws
			<p><b>Side-marker light set for retrofitting passenger cars.</b> For flush mounting installation in front or rear plastic bumpers.</p> <p><b>Set comprises:</b> four side-marker lights with clear lens, four yellow bulbs 12V5W, leads and installation material.</p>
	2PS 008 541-801	1	<p>(E1) 1223</p> <p><b>Side-marker light set</b></p>
			<p> 4x12V5W (WY5W) 8GP 003 594-541</p>

# Signal Lights

for front, side or rear mounting



		Part no.  2PS 964 295-001 2PS 964 295-007 2PS 964 295-002	Pk.  1 50 1	<b>Bulb versions for horizontal flush mounting. LED versions for horizontal surface mounting</b>  <b>For side mounting. Amber lens. With gasket.</b> (E17) 9807  <b>Side-marker light with reflector and 12V bulb</b>  <b>Pro-fit-pack</b> 1x12V5W (W5W) 8GP 003 594-121
		2PS 964 295-061 2PS 964 295-067  2PS 964 295-051 2PS 964 295-057  2PS 964 295-081 2PS 964 295-087  2PS 964 295-071 2PS 964 295-077	1 80  1 80  1 80  1 80	<b>For side mounting. In LED-technology. Amber lens. With 2 LEDs.</b> Consumption: 0.04A at 12V/24V. See page 5.226, instruction 2. (E17) 0202  <b>Side-marker light with reflector, with two 500 mm leads, gasket and screw fixing, 12V0.5W</b>  <b>24V1.0W</b>  without gasket, self-adhesive, with covers for fixing holes, 12V0.5W  <b>24V1.0W</b>
		2PG 964 295-011 2PG 964 295-017 2PG 964 295-012  9GT 343 367-002	1 50 1  30	<b>For front mounting. Clear lens.</b> (E17) 9806  <b>Side light with reflector and 12V bulb</b>  <b>Pro-fit-pack</b>  <b>Accessories:</b> Grommet (except LED versions) 1x12V5W (W5W) 8GP 003 594-121
		2PG 964 295-121 2PG 964 295-127  2PG 964 295-111 2PG 964 295-117	1 20  1 20	<b>For front mounting. In LED-technology. Clear lens. With screw fixing and 2 LEDs.</b> Consumption: 0.03A at 12V/24V. (E17) 0301  <b>Side light with reflector, gasket and 5000 mm lead, 12V0.3W</b>  <b>24V0.6W</b>
		2PF 964 295-257	20	<b>For front mounting. In LED-technology. Clear lens. With loose angular bracket (RAL 9010) for mounting to surfaces with an inclination of 20° and 2 LEDs.</b> Consumption: 0.03A at 12V. See page 5.226, instruction 2. (E17) 817  <b>Side light without reflector, with 100 mm PVC lead and 2.8 mm blade terminal contacts with insulating sleeve, 12V0.3W</b>

 	<b>Part no.</b>  <b>2PF 964 295-021</b> <b>2PF 964 295-027</b>	<b>Pk.</b>  1 50	<b>Bulb versions for horizontal flush mounting. LED versions for horizontal surface mounting</b>  <b>For front mounting. Clear lens.</b>  (E17) 811  <b>Side light without reflector, with 12V bulb</b>
	<b>2XS 964 295-031</b> <b>2XS 964 295-037</b>	1 50	<b>For rear mounting. Red lens.</b>  (E17) 812  <b>Clearance light with 12V bulb</b>   1x12V5W (W5W) 8GP 003 594-121
   <b>LED versions</b>	<b>2TM 964 295-101</b> <b>2TM 964 295-107</b>  <b>2TM 964 295-091</b> <b>2TM 964 295-097</b>	1 20  1 20	<b>For rear mounting. In LED-technology. Red lens. With two LEDs.</b> Consumption: 0.04A at 12V/24V. <b>See page 5.226, instruction 2.</b>  (E17) 0302  <b>Rear light with reflector, gasket and 5000 mm lead, 12V0.5W</b>  <b>24V1.0W</b>
  	<b>2BM 964 295-041</b> <b>2BM 964 295-047</b>  <b>9GT 343 367-002</b>	1 50  30	<b>For side mounting. Amber lens. With gasket.</b>  (E17) 651  <b>Auxiliary indicator with 12V bulb</b>  <b>Accessories:</b> Grommet (except LED versions)   1x12V5W (W5W) 8GP 003 594-121
  	<b>8RA 343 160-002</b> <b>8RA 343 160-007</b>  <b>8RA 343 160-012</b> <b>8RA 343 160-017</b>  <b>8RA 343 160-022</b> <b>8RA 343 160-027</b>	20 150  20 150  20 150	<b>Reflector for horizontal or vertical surface mounting</b>  Self-adhesive. For lights in model range 964 295-...  (E4) 3190  <b>Reflector, red</b>  <b>white</b>  <b>amber</b>

# Signal Lights

for side mounting





			Part no.	Pk.	<b>For horizontal surface mounting</b>
					<b>In LED-technology. Amber light. With three LEDs.</b> Grey base plate. With 500 mm lead with stripped cable ends. Two 4.5 mm dia. holes for fixing screws. Consumption: 0.06A at 12V/24V. <b>See page 5.226, instruction 2.</b>
			2PS 007 943-311	1	<b>Side-marker light with reflector, without bracket, 12V0.7W</b>
			2PS 007 943-317	105	
			2PS 007 943-011	8	<b>24V1.4W</b>
			2PS 007 943-017	105	
			2PS 007 943-321	10	<b>With bracket, 12V0.7W</b>
			2PS 007 943-021	10	<b>24V1.4W</b>
			2PS 007 943-027	124	
					<b>For horizontal or vertical surface mounting</b>
					<b>In LED-technology. Amber light. With two LEDs and 195 mm lead.</b> Black body. Self-adhesive. Consumption: 0.06A at 12V/24V. <b>See page 5.226, instruction 2.</b>
			2PS 009 226-017	300	<b>Side-marker light with reflector and AMP plug connector, 24V1.0W</b>
			2PS 009 226-027	160	<b>without AMP plug connector, 12V0.5W</b>
			2PS 009 226-037	160	<b>without AMP plug connector, 24V1.0W</b>
					<b>For flush mounting in front or rear plastic bumpers</b>
					<b>In LED-technology. Amber light, for retrofitting passengers cars &lt; 6 m.</b> Consumption: 0.06A at 12V. <b>See page 5.226, instruction 2.</b>
					<b>Set comprises:</b> Four side-marker lights, each with three LEDs and installation material.
			2PS 008 138-801	1	<b>Side-marker light set, 12V0.7W, with amber lens, silver grey shields</b>
			2PS 008 138-811	1	<b>with light grey lens, black shields</b>
			2PS 008 138-821	1	<b>with light grey lens, silver grey shields</b>
			2PS 008 138-001	1	<b>Spare parts:</b> Side-maker light for -801
			2PS 008 138-101	1	for -811
			2PS 008 138-111	1	for -821
					<b>For flush mounting in rear spoiler</b>
					<b>In LED-technology. Amber light. With three LEDs.</b> Consumption: 0.06A at 12V. <b>See page 5.226, instruction 2.</b>
					(E4) 9109
			2PS 008 050-007	1	<b>Side-marker light set, 12V0.7W, with amber lens, black shields</b>
			2PS 008 050-027	1	<b>with light grey lens, silver grey shields</b>



	Part no.	Pk.	For surface mounting
			<p><b>In LED-technology. With two LEDs. Amber light.</b>  <b>Mounted on a bracket.</b>  <b>With traverse clip angle.</b>  <b>Contacting via splice clamp connection.</b>            Consumption: 0.06A at 12V/24V.  <b>See page 5.226, instruction 2.</b></p>
	<p><b>2PS 008 643-011</b>  <b>2PS 008 643-017</b></p>	<p>1 30</p>	<p>(E1) 1429  <b>Side-marker light with reflector, 24V1.4W</b></p>
	<p><b>2PS 008 643-021</b>  <b>2PS 008 643-027</b></p>	<p>1 30</p>	<p><b>With longitudinal clip angle, 24V1.4W</b></p>
	<p><b>2PS 008 643-031</b>  <b>2PS 008 643-037</b>  <b>2PS 008 643-331</b></p>	<p>1 30 1</p>	<p><b>Mounted on a universal holder, angled backwards, 24V1.4W</b>  <b>12V0.7W</b></p>
	<p><b>8KL 340 050-001</b></p>	<p>1</p>	<p><b>Accessoires :</b>            Flat lead, 100 m drum</p>
			<p><b>For horizontal surface mounting</b></p> <p><b>In LED-technology. With two LEDs. Amber light.</b>            With plug-type connection.            It is possible to request completely pre-wired chains with a variable number/spacing of side-marker lights with side lamp.            Faulty lights are easy to replace thanks to the plug-type connection.            Consumption: 0.04A at 24V.  <b>See page 5.226, instruction 2.</b></p>
	<p><b>2PS 008 616-011</b>  <b>2PS 008 616-017</b></p>	<p>1 24</p>	<p>(E1) 1410  <b>Side-marker light with reflector, with bracket, angled backwards, 24V1.0W</b></p>
	<p><b>2PS 008 616-001</b></p>	<p>1</p>	<p><b>Replacement light without bracket, 24V1.0W</b></p>
	<p><b>8JA 008 658-001</b></p>	<p>2</p>	<p><b>Accessories:</b>            Plug,            4-hole (for parthing through cables)</p>
	<p><b>8JA 008 658-011</b>  <b>8JA 008 658-017</b></p>	<p>2 24</p>	<p>2-hole</p>


# Signal Lights

for rear or side mounting



  	<p><b>Part no.</b></p> <p>2PS 008 382-001 2PS 008 382-007</p>	<p><b>Pk.</b></p> <p>1 60</p>	<p><b>For flush mounting</b></p> <p><b>In LED-technology. With four LEDs. Amber lens, without reflector.</b> Consumption: 0.04A at 24V. <b>See page 5.226, instruction 2.</b></p> <p>(E4) 3169</p> <p><b>Side-marker light without bracket, 24V1.0W</b> (in combination with reflector 9EL 154 637-001)</p> <hr/> <p><b>Set comprises:</b> Side-marker lights without reflector, with separate reflector.</p> <p><b>Side-marker light set without bracket, 24V1.0W</b></p> <hr/> <p><b>For surface mounting</b></p> <p><b>With bracket, angled forwards, 24V1.0W</b></p> <p><b>Spare parts:</b> Side-marker light without reflector Reflector</p>
  	<p>2PS 008 382-811 2PS 008 382-817</p> <p>2PS 008 382-007 9EL 154 637-001</p>	<p>1 72</p> <p>60 1</p>	<p><b>For flush mounting</b></p> <p><b>Clear lens, with reflector.</b> Contacting via 2.8 mm blade terminals. Two 5 mm dia. holes for fixing screws. <b>With 24V bulb.</b></p> <p>(E17) 0001</p> <p><b>2PG 008 434-001</b>    2    <b>Side light</b></p> <p> 1x24V4W (T4W) 8GP 002 067-241</p>




	Part no.	Pk.	For horizontal flush mounting
	2SA 961 167-011	2	<p><b>Red lens.</b> Black rubber housing. Two holes for B4.2 x 19 fixing screws. Please note fixing angle.</p> <p>(E1) 31468</p> <p><b>Rear light</b> for installation positions 0° - 4°</p>
	2PF 961 167-021	2	<p><b>Clear lens.</b></p> <p>(E1) 31446</p> <p><b>Side light</b> for installation positions 60° - 67°</p> <p><b>Spare parts:</b> Lens with contact springs</p> <p> 1x12V5W (C5W) 8GM 002 092-121 1x24V5W (C5W) 8GM 002 092-241</p>
	2PF 009 514-001 2PF 009 514-011	2 2	<p><b>In LED-technology.</b> <b>With two white Power LEDs 0.5W.</b> <b>Clear lens.</b></p> <p>2 holes in the lens for attachment of the light using 2 PT screws 5 x 25 Torx and 2 washers Ø 4.2 mm (not part of the scope of supply). Tightening torque max. 2 Nm. Consumption: 0.02A at 24V.</p> <p><b>See page 5.226, instruction 2.</b></p> <p>(E1) 2300</p> <p><b>Side light</b> for installation positions 10° - 20°</p> <p><b>for installation positions 20° - 30°</b></p>





# Signal Lights

for rear or front mounting



	Part no.	Pk.	For surface mounting
 	<p><b>2SA 006 679-027</b></p>	<p>1</p>	<p><b>For roof mounting. Red lens.</b>            Grey plastic body.            Roof inclination (0° - 90°) can be compensated.            With rubber base.            Two 5.3 mm dia. holes for fixing screw.</p> <p>ⓔ1 31470</p> <p><b>Rear light</b></p> <hr/> <p><b>Clear lens.</b></p> <p>ⓔ1 21691</p>
	<p><b>2PF 006 679-007</b></p>	<p>20</p>	<p><b>Side light</b></p> <p>ⓔ1 21691</p> <p>1x12V10W (R10W) 8GA 002 071-131            1x24V10W (R10W) 8GA 002 071-251</p>
 	<p><b>2SA 001 634-121</b>            **)</p> <p>9EL 132 404-001</p>	<p>2</p> <p>2</p>	<p><b>Red lens.</b>            Black housing.            Central M5 fixing screw.</p> <p>ⓔ1 31416</p> <p><b>Rear light</b></p> <p><b>Spare parts:</b>            Lens with screw</p> <hr/> <p><b>Clear lens.</b></p> <p>ⓔ1 11786</p>
	<p><b>2PF 001 634-101</b></p> <p>9EL 132 403-001</p>	<p>2</p> <p>2</p>	<p><b>Side light</b></p> <p><b>Spare parts:</b>            Lens with screws</p> <p>ⓔ1 11786</p> <p>1x12V5W (C5W) 8GM 002 092-121            1x24V5W (C5W) 8GM 002 092-241</p>
 	<p><b>2PF 001 650-001</b></p> <p>9EL 084 110-001</p>	<p>2</p> <p>5</p>	<p><b>Clear lens.</b>            Two holes for B3.9 x 9.5 fixing screws.</p> <p>ⓔ1 11761</p> <p><b>Side light</b></p> <p><b>Spare parts:</b>            Lens</p> <p>ⓔ1 11761</p> <p>1x12V5W (C5W) 8GM 002 092-121            1x24V5W (C5W) 8GM 002 092-241</p>





\*\*) Available as long as stocks last






	Part no.	Pk.	For surface mounting
    	<p><b>2SA 997 022-001</b> 1</p> <p><b>2SA 997 023-001</b> 1</p> <hr/> <p><b>2PF 997 022-011</b> 1</p> <p><b>2PF 997 022-021</b> 1</p> <p><b>2PF 997 023-011</b> 1</p>		<p><b>Red lens.</b> Steel base plate with soft plastic backing. Lens fastened with chrome-plated rim. Two holes for M4 fixing screws. Screw-contact.</p> <p>(E12) 7039</p> <p><b>Rear light with chrome-plated rim</b></p> <p><b>without chrome-plated rim</b></p> <hr/> <p><b>Side light with clear lens and chrome-plated rim</b></p> <p><b>with amber lens and chrome-plated rim</b></p> <p><b>with clear lens, without chrome-plated rim</b></p> <p> 1x12V5W (C5W) 8GM 002 092-121 1x24V5W (C5W) 8GM 002 092-241</p>
    	<p><b>2XA 959 560-401</b> 2</p> <p><b>2XA 959 560-407</b> 16</p> <hr/> <p><b>2XA 959 560-411</b> 2</p> <p><b>2XA 959 560-417</b> 10</p> <hr/> <p><b>2PF 959 570-401</b> 2</p> <p><b>2PF 959 570-407</b> 16</p> <hr/> <p><b>2PF 959 570-411</b> 2</p> <p><b>2PF 959 570-417</b> 10</p> <hr/> <p><b>2PF 959 570-427</b> 16</p> <hr/> <p><b>8HG 959 571-007</b> 80</p>		<p><b>In LED-technology. With two LEDs 0.5W.</b> <b>Red light, clear lens.</b> <b>Inner lens red.</b> Black housing. Voltage range: 8V - 28V. Consumption: 0.04A at 12V, 0.02A at 24V. <b>See page 5.226, instruction 2.</b></p> <p>(E4) 7574</p> <p><b>Clearance light with 500 mm lead</b></p> <p><b>with 5000 mm lead</b></p> <hr/> <p><b>White light, clear lens.</b> Black housing. Voltage range: 10V - 33V. Consumption: 0.04A at 12V, 0.02A at 24V. <b>See page 5.226, instruction 2.</b></p> <p>(E4) 7575</p> <p><b>Side light with 500 mm lead</b></p> <p><b>with 5000 mm lead</b></p> <p><b>with white housing and 500 mm lead</b></p> <p><b>Accessories:</b> White bracket, for -427 for mounting on surfaces with 25° inclination</p>

# Signal Lights

for front or side mounting



	Part no.	Pk.	For horizontal flush mounting
 	<p>2XA 959 610-401 2XA 959 790-437</p>	<p>2 1</p>	<p><b>In LED-technology. Red light, clear lens. With two red LEDs 0.5W and gasket.</b> Voltage range: 8V - 28V. Consumption: 0.04A at 12V, 0.02A at 24V. <b>See page 5.226, instruction 2.</b></p> <p>(E13) 0531</p> <p>Signal light for optional use as rear light or clearance light, with 500 mm lead and caps with 1500 mm lead and caps</p>
	<p>2XA 959 790-401 2XA 959 790-407 2XA 959 790-411 2XA 959 790-418</p>	<p>2 30 2 105</p>	<p><b>For horizontal or vertical flush mounting</b></p> <p>(E4) 7597</p> <p>with 500 mm lead and caps with 5000 mm lead and caps</p>
   	<p>2PF 959 590-401 2PF 959 590-407 2PF 959 590-411 2PF 959 590-417 2PF 959 590-437 2PF 959 590-457 9XD 160 867-007</p>	<p>2 30 2 10 48 30 16</p>	<p><b>White light, clear lens. With two white LEDs 0.5W and gasket.</b> Voltage range: 10V - 33V. Consumption: 0.04A at 12V, 0.02A at 24V. <b>See page 5.226, instruction 2.</b></p> <p>(E4) 7597</p> <p><b>Side light</b> with 500 mm lead and caps with 5000 mm lead and caps with 8000 mm lead and caps with 100 mm lead, caps, 2-pole AMP plug and two 6.3 mm blade terminal contacts</p> <p><b>Accessories:</b> Bracket (adapter) for mounting the lights</p>
  	<p>2KA 959 640-102</p>	<p>3</p>	<p><b>For surface mounting</b></p> <p><b>In LED-technology, clear lens. With two white LEDs 0.5W. Black plastic body.</b> With 2500 mm lead, bracket for mounting the light to the body, cover, fixing screws and caps for screws. Voltage range: 10V - 33V. Consumption: 0.04A at 12V, 0.02A at 24V. <b>See page 5.226, instruction 2.</b></p> <p>(E4) 4068</p>
  	<p>2KA 959 640-607</p>	<p>8</p>	<p><b>Licence plate for mounting above</b> 520 x 120 mm licence plates (3 lights)</p> <p>With a spacer for various mounting situations.</p> <p><b>For mounting to the left and right of</b> 520 x 120 mm licence plates</p>

	Part no.	Pk.	For surface mounting
 	<p><b>2SA 001 638-021</b></p> <p>9EL 107 443-061</p>	<p>2</p> <p>2</p>	<p><b>Red lens. Chrome-type body.</b> Two B4.8 x 19 fixing screws. Rubber base 9GD 082 716-001 (Pk. 10) for flat surface and rubber base. 9GD 100 140-001 (Pk. 10) for curved surfaces (to be ordered separately).</p> <p>(E1) 31450</p> <p><b>Rear light</b></p> <p><b>Spare parts:</b> Lens with screw</p> <p> 1x12V5W (W5W) 8GP 003 594-121 1x24V5W (W5W) 8GP 003 594-251</p>
	<p><b>2PF 001 638-011</b></p> <p>9EL 107 443-011</p>	<p>2</p> <p>2</p>	<p>(E1) 11779</p> <p><b>Side light</b></p> <p><b>Spare parts:</b> Lens with screw</p>
	<p><b>2PF 001 638-001</b></p> <p>9EL 107 443-001</p>	<p>2</p> <p>2</p>	<p>(E1) 11770</p> <p><b>Side light</b></p> <p><b>Spare parts:</b> Lens with screw</p> <p> 1x12V5W (R5W) 8GA 002 071-121 1x24V5W (R5W) 8GA 002 071-241</p>
 	<p><b>2PF 001 639-011</b></p>	<p>2</p>	<p><b>For flush fitting</b></p> <p><b>Clear lens. Chrome-type rim.</b> Two 4.8 mm dia. holes for fixing screws.</p> <p>(E1) 21603</p> <p> 1x12V5W (C5W) 8GM 002 092-121 1x24V5W (C5W) 8GM 002 092-241</p>
  	<p><b>2SA 001 647-041</b></p> <p><b>2PF 001 647-031</b> <b>2PF 001 647-037</b></p>	<p>1</p> <p>4 80</p>	<p><b>Red lens.</b> Two holes for B4.2 x 16 fixing screws. K 11580 *)</p> <p><b>Rear light</b></p> <hr/> <p><b>Clear lens.</b></p> <p>(E1) 21693</p> <p><b>Side light</b></p> <p> 1x12V10W (R10W) 8GA 002 071-121 1x24V10W (R10W) 8GA 002 071-251</p>








\*) National type test for Germany

# Signal Lights

for front or rear mounting





	<p><b>Part no.</b></p> <p>2PF 003 563-151</p> <p>2PF 003 563-177</p> <p>2PF 003 563-187</p>	<p><b>Pk.</b></p> <p>10</p> <p>100</p> <p>100</p>	<p><b>For flush mounting</b></p> <p><b>Clear lens.</b></p> <p>(E1) 584</p> <p><b>Side light with 800 mm long earth lead and 1800 mm long positive lead</b></p> <hr/> <p><b>Without lead, with 12V bulb</b></p> <p><b>with 24V bulb</b></p> <p>1x12V5W (W5W) 8GP 003 594-121 1x24V5W (W5W) 8GP 003 594-251</p>
	<p>2PF 007 205-007</p> <p>2PF 007 205-001</p> <p>8KA 950 073-001</p> <p>2PF 007 205-017</p>	<p>10</p> <p>1</p> <p>10</p> <p>1</p>	<p><b>For flush mounting in trailer</b></p> <p><b>Milky-white lens,</b> With rubber housing and preinstalled wiring harness.</p> <p>(E4) 453</p> <p><b>Side light</b></p> <p><b>Pro-fit pack</b></p> <p><b>Spare parts:</b> Lead with bulb holder</p> <hr/> <p><b>With green lens.</b></p> <p>Trucks and trailers equipped with ABS which do not yet have plug connectors to ISO 3731 (24S), ISO 7638 or ISO 1185 (24N) are required to equip the trailer with a green side light mounted in the field of vision of the outside rear view mirror on the driver's side for indicating the function of the ABS.</p> <p>1x12V5W (R5W) 8GA 002 071-121 1x24V5W (R5W) 8GA 002 071-241</p>
	<p>2PF 001 648-161</p> <p>9EL 108 435-001</p> <p>2PF 001 648-171</p>	<p>4</p> <p>5</p> <p>4</p>	<p><b>For surface mounting</b></p> <p><b>Clear lens.</b> Black plastic body. M10 hollow fixing bolt and cable entry.</p> <p>(E1) 11794</p> <p><b>Side light</b></p> <p><b>Spare parts:</b> Lens with screws</p> <hr/> <p><b>With chrome-plated rim.</b></p> <p>1x12V5W (R5W) 8GA 002 071-121 1x24V5W (R5W) 8GA 002 071-241</p>






 	<b>Part no.</b>          <b>2PT 008 362-801</b>	<b>Pk.</b>          <b>1</b>	<b>For surface mounting</b>  <b>Clear lens.</b> Black plastic body. With M6 x 20 fixing screw.  (E1) 1032  <b>Contents:</b> 2 lights incl. wiring harness, bulbs and universal bracket for mounting on front bumper.  <b>Daytime running light set</b>   1x12V6W (H6W) 8GH 007 643-121
 	<b>2PT 009 496-801</b>	<b>1</b>	<b>In LED-technology. Clear lens.</b> <b>With three white LEDs.</b>  Housing made of silver-coloured aluminium. Mounting by means of bracket on or in the front apron. For upright or pendant mounting. Voltage range: 9V - 33V. Consumption: 0.36A at 12V/24V. <b>Power consumption: 12V &lt; 5.5W, 24V &lt; 11.0W.</b> <b>See page 5.226, instruction 2.</b>  (E1) 2005  <b>Contents:</b> 2 lights without side light, with three LEDs, wiring harness with AMP plug connector and brackets
 	<b>2PT 009 496-007</b>	<b>54</b>	(E1) 2344  <b>Daytime running light without bracket, with side light and 500 mm long wiring harness with AMP plug connector</b>  <b>Accessories:</b> 8JA 746 184-032 10 AMP plug, 3-pole 8KW 744 837-002 50 Jack contact for cables 1.0 - 1.5 mm <sup>2</sup> 9GD 746 185-002 50 Strand insulation for cable outside 1.8 - 2.4 mm <sup>2</sup> dia.
 	<b>2PT 008 935-801</b>	<b>1</b>	<b>For flush or surface mounting</b>  <b>Clear lens, without optical pattern.</b>  (E1) 1722  <b>Contents:</b> 2 lights with 12V/16W bulbs, 2 brackets with connecting leads, accessories and installation material.  <b>Daytime running light set, 12V</b>  <b>with voltage reducer for 24V</b>
 	<b>2PT 008 935-001</b>	<b>1</b>	<b>Spare parts:</b> Light unit contains: reflector with bulb, connecting lead with plug 4RA 940 010-671 1 Relay, 12V
 	<b>2PT 008 935-011</b> <b>2PT 008 935-017</b>	<b>1</b> <b>30</b>	<b>Daytime running light with bracket, lead with plug and 12V/16W bulb, for flush mounting</b>

# Signal Lights

for front mounting








	Part no.	Pk.	For flush mounting
   	<p><b>2PT 009 599-011</b></p> <p><b>2PT 009 599-021</b></p> <p><b>2PT 009 599-031</b></p> <p><b>2PT 009 599-041</b></p> <p><b>8HG 165 967-001</b></p> <p><b>9AH 165 968-001</b></p> <p><b>2PT 009 599-801</b></p> <p>8JA 746 184-032</p> <p>8KW 744 837-002</p> <p>9GD 746 185-002</p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>10</p> <p>50</p> <p>50</p>	<p><b>In LED-technology. Clear lens. With three LEDs.</b> Black aluminium housing. Attachment by means of carrier frame in front aprons (see accessories for carrier frames). 500 mm connection cable with 3-pin waterproof plug. Voltage range: 9V - 33V. Consumption: 0.36A at 12V / 24V. <b>Power consumption: 12V &lt; 5 W, 24V &lt; 11 W.</b> <b>See page 5.226, instruction 2.</b></p> <p>Ⓔ1 2372</p> <p><b>Daytime running light, left</b></p> <p><b>right</b></p> <hr/> <p><b>With side light, left</b></p> <p><b>right</b></p> <p><b>Accessories:</b> Bracket</p> <p>Supporting frame</p> <hr/> <p><b>For pendant flush or surface mounting</b></p> <p>Mounting by means of bracket on or in the front apron.</p> <p><b>Contents:</b> 2 lights with three LEDs, pre-assembled lead set and mounting instructions</p> <p><b>Daytime running light set, 90 mm</b></p> <p><b>Accessories for all versions:</b> AMP-plug, 3-pole Jack contact for cables 1.0 - 1.5 mm<sup>2</sup> Strand insulation for cable outside 1.8 - 2.4 mm<sup>2</sup> dia.</p>

	Part no.	Pk.	Licence plate lights
 	<p><b>2KA 001 378-001</b> 4</p> <p><b>2KA 001 378-002</b> 1</p> <p><b>2KA 001 378-041</b> 4</p> <p><b>2KA 001 378-127</b> 1</p>		<p><b>Licence plate lights</b></p> <p><b>Clear lens.</b> For mounting above or below 520 x 120 mm (2 or 3 lights) and 340 x 240 mm (2 lights) licence plates. Two M4 fixing screws. Depth required for flush fitting: 25 mm.</p> <p>(E1) 12958</p> <p><b>Licence plate light with chrome-type rim</b></p> <p><b>Pro-fit pack</b></p> <p><b>with silver-coloured finish, without fixing screw</b></p> <p><b>with black edge and 12V bulb, without fixing screw</b></p> <p> 1x12V5W (C5W) 8GM 002 092-121 1x24V5W (C5W) 8GM 002 092-241</p>
 	<p><b>2KA 005 049-008</b> 18</p> <p><b>2KA 005 049-011</b> 2</p> <p><b>2KA 005 049-017</b> 42</p>		<p><b>Clear lens.</b> For mounting above (2 lights) of 520 x 120 mm licence plates. Black plastic body. Two fixing screws B4.2 x 16. Depth required for flush fitting: 25 mm.</p> <p>(E1) 22871</p> <p><b>Licence plate light with 12V bulb</b></p> <p><b>with 24V bulb, without fixing screws</b></p> <p> 1x12V5W (C5W) 8GM 002 092-121 1x24V5W (C5W) 8GM 002 092-241</p>
 	<p><b>2KA 004 331-061</b> 5</p> <p><b>2KA 004 331-067</b> 100</p>		<p><b>Clear lens.</b> For mounting above or below (2 lights) 520 x 120 mm licence plates. Two holes for fixing screws. Depth required for flush fitting: 20 mm. <b>With 12V bulb.</b></p> <p>(E1) 22848</p> <p><b>Licence plate light</b></p> <p> 1x12V5W (C5W) 8GM 002 092-121</p>
 	<p><b>2KA 997 011-011</b> 1</p> <p><b>2KA 997 011-001</b> 1</p> <p><b>2KA 997 011-021</b> 1</p>		<p><b>Clear lens.</b> For surface mounting. Two M6 fixing screws. With screw-contact.</p> <p>(E12) 4004</p> <p><b>Licence plate light with chrome-type steel body</b></p> <p><b>with black steel body</b></p> <hr/> <p><b>With blade terminal contact.</b></p> <p>(E12) 4033</p> <p><b>Licence plate light with black plastic body</b></p> <p> 1x12V5W (C5W) 8GM 002 092-121 1x24V5W (C5W) 8GM 002 092-241</p>

# Signal Lights

for rear mounting



	Part no.	Pk.	Licence plate lights
 	<p><b>2KA 001 389-101</b> <small>**)</small></p> <p>9BG 119 721-001</p>	<p>10</p> <p>5</p>	<p><b>Clear lens.</b> For surface mounting above or below 520 x 120 mm (2 or 3 lights), 340 x 240 mm (2 lights) and 240 x 130 mm (1 light) licence plates, or mounting to left and right of 520 x 120 mm licence plates. Black body. Two M6 fixing screws.</p> <p>(E1) 12815</p> <p><b>Licence plate light</b></p> <p><b>Spare parts:</b> Body with lens</p> <p>1x12V5W (C5W) 8GM 002 092-121 1x24V5W (C5W) 8GM 002 092-241</p>
 	<p><b>2KA 003 168-021</b></p>	<p>2</p>	<p><b>Clear lens.</b> For surface mounting above 520 x 120 mm and 340 x 240 mm (2 lights) licence plates or mounting above/below, left and right of 240 x 130 mm licence plates. Black body. Two B3.9 x 38 fixing screws.</p> <p>(E1) 22808</p> <p><b>Licence plate light</b></p> <p>1x12V5W (C5W) 8GM 002 092-121 1x24V5W (C5W) 8GM 002 092-241</p>
 	<p><b>2KA 006 896-001</b> <b>2KA 006 896-007</b></p>	<p>4</p> <p>102</p>	<p><b>Clear lens.</b> For surface mounting above (2 lights) or mounting to left and right of 520 x 120 mm licence plates. Black body. Two 5.5 mm dia. holes for fixing screws.</p> <p>(E1) 22910</p> <p><b>Licence plate light</b></p> <p>1x12V5W (C5W) 8GM 002 092-121 1x24V5W (C5W) 8GM 002 092-241</p>
 	<p><b>2KA 997 122-001</b></p>	<p>1</p>	<p><b>Clear lens.</b> For flush mounting. Plastic housing with integrated bulb carrier. Quick mount lens light fixed with snap mount. With blade terminal contact.</p> <p>(E12) 4043</p> <p><b>Licence plate light</b></p> <p>1x12V10W (R10W) 8GA 002 071-121</p>

\*\*) Available as long as stocks last





	<b>Part no.</b>          <b>2KA 001 610-001</b>	<b>Pk.</b>          <b>1</b>	<b>Licence plate lights</b>  <b>Clear lens.</b> For surface mounting above 520 x 120 mm or 340 x 240 mm licence plates. Silver coloured finish. Two 4.5 mm dia. holes for fixing screws.  (E1) 12949  <b>Licence plate light</b>  2x12V5W (C5W) 8GM 002 092-121
	<b>2KA 004 525-001</b>	<b>1</b>	<b>Clear lens.</b> For surface mounting above 520 x 120 mm or 340 x 240 mm licence plates. Black body. Four holes for B4.2 x 16 fixing screws.  (E1) 22861  <b>Licence plate light</b>  2x12V5W (C5W) 8GM 002 092-121 2x24V5W (C5W) 8GM 002 092-241
	<b>2KA 001 622-001</b>       <b>9EL 108 651-001</b>	<b>2</b>       <b>2</b>	<b>Clear lens.</b> For surface mounting above 520 x 120 mm or 340 x 240 mm licence plates. Silver coloured finish. Four 5.5 mm dia. holes for fixing screws.  (E1) 12969  <b>Licence plate light</b>  <b>Spare parts:</b> Lens  2x12V5W (C5W) 8GM 002 092-121
	<b>2KA 003 010-007</b>       <b>9EL 075 826-001</b> **)	<b>1</b>       <b>10</b>	<b>Clear lens.</b> For surface mounting above 520 x 120 mm or 340 x 240 mm licence plates. Black body. Two M5 fixing screws.  (E1) 12809  <b>Licence plate light</b>  <b>Spare parts:</b> Lens with screws  2x12V5W (R5W) 8GA 002 071-121 2x24V5W (R5W) 8GA 002 071-241





\*\*) Available as long as stocks last

# Signal Lights

for rear mounting







	Part no.	Pk.	Licence plate lights
  	<p><b>2KA 998 523-001</b> <b>2KA 998 523-007</b></p> <p><b>2KA 998 523-117</b></p>	<p>1 160</p> <p>90</p>	<p><b>Clear lens.</b> For surface mounting above or below 520 x 120 mm (1 or 2 lights) and 340 x 240 mm (1 light) license plates, or mounting to left and right of 520 x 120 mm and 340 x 240 mm licence plates. Black plastic body and base plate. Bulb holder with vibration damping. Two holes for M5 fixing screws.</p> <p><b>(E12)</b> 4031</p> <p><b>Licence plate light for mounting above licence plates</b></p> <p><b>with 12V bulb and lead, for mounting below licence plates</b></p> <p> 1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251</p>
 	<p><b>2KA 001 386-231</b></p> <p>9BG 101 230-001 9GT 005 166-001</p> <p><b>2KA 001 386-241</b></p> <p>9BG 101 230-011 9GT 005 166-001</p>	<p>2</p> <p>2 10</p> <p>2</p> <p>2 10</p>	<p><b>Clear lens.</b> For surface mounting to left and right of 520 x 120 mm and 340 x 240 mm licence plates. Black plastic body. With blade terminal contacts and grommet. Two 4.5 mm dia. holes for fixing screws.</p> <p><b>(E1)</b> 12820</p> <p><b>Licence plate light</b></p> <p><b>Spare parts:</b> Body with lens Grommet</p> <hr/> <p><b>With chrome-plated body</b></p> <p><b>Spare parts:</b> Body with lens Grommet</p>
 	<p><b>2KA 001 386-281</b></p> <p><b>2KA 001 386-497</b></p> <p>9BG 101 230-001 9GT 005 166-001</p> <p><b>2KA 001 386-291</b></p> <p>9BG 101 230-011 9GT 005 166-001</p> <p><b>2KA 001 386-301</b></p> <p>9GT 005 166-001</p>	<p>2</p> <p>120</p> <p>2 10</p> <p>2</p> <p>2 10</p> <p>2</p> <p>10</p>	<p><b>With distance base and fixing material, black body, two AM4 x 40 fixing screws</b></p> <p><b>with loss-protection for fixing screws</b></p> <p><b>Spare parts:</b> Body with lens Grommet</p> <hr/> <p><b>With chrome-plated body</b></p> <p><b>Spare parts:</b> Body with lens Grommet</p> <hr/> <p><b>With grey body</b></p> <p><b>Spare parts:</b> Grommet</p> <p> 1x12V5W (C5W) 8GM 002 092-121</p>


	Part no.	Pk.	Licence plate lights
  	<p><b>2KA 007 929-001</b> <b>2KA 007 929-007</b></p>	<p>2 72</p>	<p><b>Rear-Logic</b> <b>Clear lens.</b> For surface mounting above 340 x 240 mm and 520 x 120 mm (2 lights) licence plates or mounting to left and right of 340 x 240 mm and 520 x 120 mm licence plates. Black plastic body. With grommet. Two 5.4 mm dia. holes for fixing screws.</p> <p>(E1) 597</p> <p><b>Licence plate light</b></p> <p> 1x12V5W (C5W) 8GM 002 092-121 1x24V5W (C5W) 8GM 002 092-241</p>
  	<p><b>2KA 003 389-011</b> <b>2KA 003 389-001</b></p>	<p>1 1</p>	<p><b>Clear lens.</b> For surface mounting above 340 x 240 mm (1 light) and 520 x 120 mm (1 or 2 lights) licence plates or mounting to left and right of 340 x 240 mm and 520 x 120 mm licence plates. Grey plastic body and black base plate. Two 4.5 mm dia. holes for fixing screws.</p> <p>(E1) 22819</p> <p><b>Licence plate light with 45 mm distance between screws</b> <b>Licence plate light with 72 mm distance between screws</b></p> <p><b>Spare parts:</b> Body with lens and screws for -001/-011</p>
 	<p><b>2KA 003 389-061</b> <b>2KA 003 389-068</b> <b>2KA 003 389-062</b></p>	<p>2 56 1</p>	<p><b>With 72 mm distance between screws, body and base plate of black plastic</b></p> <p><b>Pro-fit pack</b> <b>with 26 mm dia. opening in base plate for cable retention</b></p> <p><b>Spare parts:</b> Body with lens and screws for -061/-068/-062/-081</p>
 	<p><b>2KA 003 389-211</b> <b>2KA 003 389-217</b></p>	<p>2 48</p>	<p><b>With black rubber base plate and vibration damping</b></p> <p><b>Spare parts:</b> Body with lens and screws for -211/-217</p> <p> 1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251 1x24V10W (R10W) 8GA 002 071-271 (Heavy-Duty)</p>
  	<p><b>2PF 003 389-037</b></p>	<p>1</p>	<p><b>Clearance lights</b> Body and base plate of black plastic.</p> <p>(E1) 21639</p> <p><b>Clearance light with clear lens</b></p> <p> 1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251</p>
 	<p><b>2PF 003 389-041</b></p>	<p>1</p>	<p><b>With red lens</b></p> <p> 1x12V5W (R5W) 8GA 002 071-121 1x24V5W (R5W) 8GA 002 071-241</p>

# Signal Lights

for side mounting



	Part no.	Pk.	Clearance lights
   	<p><b>2XS 955 031-001</b></p> <p>9EL 950 315-061 9EL 950 315-001 9EL 950 315-031</p>	<p>2</p> <p>5 5 5</p>	<p><b>Clearance lights</b></p> <p><b>Front-facing part of lens milky-white, rear-facing part red.</b> Black rubber housing. Snap-in fitting, pre-wired. Two 5.3 mm dia. holes for fixing screws.</p> <p>(E13) 9401</p> <p><b>Clearance light for upright mounting</b></p> <p><b>Spare parts:</b> Lens, red, for upright mounting red, for pendant mounting milky-white</p> <p> 1x12V5W (R5W) 8GA 002 071-121 1x24V5W (R5W) 8GA 002 071-241</p> <hr/> <p>(E13) 9401</p>
  	<p><b>2XS 950 071-031</b></p> <p>9EL 950 315-061 9EL 950 315-031 8KA 950 073-001</p> <p><b>8KA 962 886-001</b></p>	<p>2</p> <p>5 5 10</p> <p>10</p>	<p><b>With rubber bracket for upright mounting</b></p> <p><b>Spare parts:</b> Lens red, for upright mounting milky-white Lead with plastic bulb holder</p> <p><b>Accessories:</b> Lead with metal bulb holder</p> <p> 1x12V5W (R5W) 8GA 002 071-121 1x24V5W (R5W) 8GA 002 071-241</p> <hr/> <p>(E13) 9401</p>
   	<p><b>2XS 955 232-001</b></p> <p><b>2XS 955 232-017</b></p> <p>9EL 950 315-061 9EL 950 315-031 8KA 950 073-001</p> <p><b>8KA 962 886-001</b></p>	<p>2</p> <p>40</p> <p>10</p> <p>10</p>	<p><b>With straight rubber arm and 75 mm long lead for upright mounting</b></p> <p><b>with straight rubber arm, 150 mm cable with flute tube, crimped blade connectors 6.3 mm and mounted plug housings like AMP, for upright mounting</b></p> <p><b>Spare parts:</b> Lens, red milky-white Lead with plastic bulb holder</p> <p><b>Accessories:</b> Lead with metal bulb holder</p> <p> 1x12V5W (R5W) 8GA 002 071-121 1x24V5W (R5W) 8GA 002 071-241</p>



Part no.	Pk.
2XS 007 841-011	10
2XS 007 841-017	104
2XS 007 841-021	10
2XS 007 841-027	104
9EL 146 838-001	2
9GT 005 166-001	10
9EL 148 673-021	2

### Clearance lights

#### Rear Logic

**For mounting on trailer with tarpaulin. Mounting on trailer with box body is prohibited. Front-facing part of lens clear, rear-facing part red, side marker light with integrated yellow reflector.**  
 Black plastic body, with grommet.  
 Two 4.5 mm dia. holes for fixing screws.  
 When the light is used on towing vehicles it is necessary to replace the glass-clear lens with a black lens 9EL 148 673-021, as accessory available.

Ⓔ4 9374 Ⓔ4 280

**Clearance light with side marker light with reflector, left**

**right**


#### Spare parts:

Side-marker light  
 Grommet

#### Accessories:

Lens, black

1x12V10W (R10W) 8GA 002 071-131  
 1x24V10W (R10W) 8GA 002 071-251



2XS 955 260-001	2
2XS 955 260-007	50
9EL 964 289-001	10
9EL 964 290-001	10
8RA 964 292-001	10
9EL 964 291-001	10

### Rear Logic

**For upright attachment on trailer. Mounting on trailer with box body is prohibited. Front-facing part of lens clear, rear-facing part red (not mounted), for side marker light with integrated yellow reflector (mounted).**  
 Black rubber housing.  
 Four 5.3 mm dia. holes for fixing screws.  
 When the light is used on towing vehicles it is necessary to replace the glass-clear lens with a black lens 9EL 964 291-001, as accessory available.

Ⓔ13 9428

**Clearance light with side marker light with reflector**

#### Spare parts:

Lens, clear  
 red  
 Reflector, amber

#### Accessories:

Lens, black



1x12V5W (R5W) 8GA 002 071-121  
 1x24V5W (R5W) 8GA 002 071-241

# Signal Lights

for side mounting







	Part no.	Pk.	Clearance lights	
   			<b>Front-facing part of lens clear, rear-facing part red.</b> Two ST3.5 x 16-C fixing screws. (E1) 31407	
	2XS 005 020-001 2XS 005 020-002 2XS 005 020-003	10 90 1	<b>Clearance light</b> without bulb, with grommet <b>Pro-fit pack</b>	
	2XS 005 020-057	1	<b>with 12V bulb, without grommet,</b> with 8.2 mm dia. hole for wire (without approval for hazardous goods)	
	2XS 005 020-137	168	<b>same as -057, but without fixing screws</b>	
	9EL 132 215-001	2	<b>Spare parts:</b> Lens with screws	
				Version 2XS 005 020-041 with 15.5 mm dia. hole for wire.
	2XS 005 020-041 2XS 005 020-047	10 168	<b>Front-facing part of lens black, rear-facing part red, with grommet</b>	
	2XS 005 020-081	2	<b>with grommet</b>	
	9EL 132 215-011	2	<b>Spare parts:</b> Lens with screws	
	2XS 005 020-077	8	<b>Front-facing part of lens clear, rear-facing part black, without grommet.</b> With 8.2 mm dia. hole for wire.	
			With flexible rubber support 55 x 42 mm.	
	2XS 005 020-011 2XS 005 020-017	10 140	<b>Front-facing part of lens clear, rear-facing part red, with grommet</b>	
	2XS 005 020-067	6	<b>without grommet, for PG9-cable retention</b>	
	9EL 132 215-001	2	<b>Spare parts:</b> Lens with screws	
	2XS 005 020-147	1	<b>Front-facing part of lens clear, rear-facing part black, with grommet</b>	
	2XS 005 020-091	2	<b>Front-facing part lens black, rear facing part red, with grommet</b>	
	9EL 132 215-011	2	<b>Spare parts:</b> Lens with screws	
			With rubber holder and fixing angle.	
	2XS 005 020-021	10	<b>Front-facing part of lens clear, rear-facing part red, with grommet</b>	
	9EL 132 215-001	2	<b>Spare parts:</b> Lens with screws	
	2XS 005 020-111	2	<b>Front-facing part of lens black, rear-facing part red, with grommet</b>	
	9EL 132 215-011	2	<b>Spare parts:</b> Lens with screws	
	2XS 005 020-121	2	<b>Front-facing part of lens clear, rear-facing part black, with grommet</b>	
			1x12V4W (T4W) 8GP 002 067-121 1x24V4W (T4W) 8GP 002 067-241	

	Part no.	Pk.	Clearance lights
 	<p><b>For caravans.</b>  <b>Front-facing part of lens clear, rear-facing part red.</b>            Lens is arrested on base plate.</p> <p>(E1) 1201</p> <p><b>Clearance light without bulb, with dark grey base plate,</b>  <b>left</b></p> <p>2XS 008 479-061 1            2XS 008 479-071 1 <b>right</b></p> <hr/> <p><b>With 12V bulb and dark grey base plate,</b>  <b>left</b></p> <p>2XS 008 479-001 1            2XS 008 479-007 90</p> <p><b>right</b></p> <p>2XS 008 479-011 1            2XS 008 479-017 90</p> <hr/> <p><b>With 12V bulb and light grey base plate,</b>  <b>left</b></p> <p>2XS 008 479-081 1            2XS 008 479-087 90</p> <p><b>right</b></p> <p>2XS 008 479-091 1            2XS 008 479-097 90</p> <hr/> <p><b>With 24V bulb and dark grey base plate,</b>  <b>left</b></p> <p>2XS 008 479-041 1            2XS 008 479-047 90</p> <p><b>right</b></p> <p>2XS 008 479-051 1            2XS 008 479-057 90</p> <hr/> <p><b>Rear-facing part of lens red, front-facing part silver coloured, arrested on housing.</b></p> <p><b>With 12V bulb and dark grey base plate,</b>  <b>left</b></p> <p>2XS 008 479-107 90</p> <p><b>right</b></p> <p>2XS 008 479-117 90</p>		<p>1x12V5W (C5W) 8GM 002 092-121            1x24V5W (C5W) 8GM 002 092-241</p>
  	<p><b>For horizontal or vertical surface mounting on trailers and semi-trailers with box body. With LED light guide technology. Lens clear.</b>            Grey plastic base plate and covers. Two 5.4 mm dia. holes for fixing screws. Consumption: 0.06A at 12V/24V.  <b>With two red LEDs and grommet.</b>  <b>See page 5.226, instruction 2.</b></p> <p>(E13) 0515</p> <p><b>Clearance light,</b>  <b>12V0.7W</b></p> <p>2XS 008 078-011 1</p> <p><b>24V1.4W</b></p> <p>2XS 008 078-001 1            2XS 008 078-007 60</p>		



# Signal Lights

for side mounting



     	<p><b>Part no.</b></p> <p><b>2XS 003 168-071</b> **)</p> <p><b>2XS 003 168-081</b></p> <p><b>2XS 003 168-131</b></p>	<p><b>Pk.</b></p> <p>2</p> <p>2</p> <p>2</p>	<p><b>Track-control lights</b></p> <p><b>Front-facing part of lens milky-white, rear-facing part blacked off.</b> Two 3.9 x 32 fixing screws.</p> <p>K 4106 *)</p> <p><b>Track-control light</b></p> <hr/> <p>Two 6.5 mm dia. holes for fixing screws.</p> <p><b>With flexible rubber support 110 x 33 mm.</b></p> <hr/> <p>Two 6.5 mm dia. holes for fixing screws.</p> <p><b>With rubber holder for surface-fitting under vehicle platform, etc.</b></p> <p> 1x12V5W (C5W) 8GM 002 092-121 1x24V5W (C5W) 8GM 002 092-241</p>
 	<p><b>2TJ 001 633-211</b></p> <p>9EL 132 403-001 9EL 132 404-001</p>	<p>2</p> <p>2</p> <p>2</p>	<p><b>Rear-side light</b></p> <p><b>Can be mounted either vertically or horizontally. Red rear light, white side light.</b> With M10 x 1 fixing screw.</p> <p>Ⓔ 31416    Ⓔ 11786 Ⓔ 11553    Ⓔ 11554</p> <p><b>Rear-side light</b></p> <p><b>Spare parts:</b> Lens with screw, clear red</p> <p> 1x12V5W (C5W) 8GM 002 092-121 1x24V5W (C5W) 8GM 002 092-241</p>




\*) National type test for Germany    \*\*) Available as long as stocks last

	Part no.	Pk.	Rear fog and reverse lights
 	2NE 003 030-151	1	<p><b>Rear fog and reverse lights</b></p> <p><b>For mounting to vertical and horizontal surfaces.</b>  <b>Red lens. Chrome-type housing.</b>            Bracket with M8 fixing screw.</p> <p>(E1) 18406</p> <p><b>Rear fog light (NES 100)</b></p> <hr/> <p><b>Clear lens.</b></p> <p>(E1) 8726</p>
	2ZR 003 030-171	1	<p><b>Reverse light (ZR 100)</b></p> <hr/> <p><b>Spare parts:</b>            Lens with screws</p> <p> 1x12V21W (P21W) 8GA 002 073-121            1x24V21W (P21W) 8GA 002 073-241</p>
 	2NE 002 985-001	1	<p><b>For mounting to vertical and horizontal surfaces.</b>  <b>Red lens. Black housing.</b>            Bracket with M8 fixing screw.</p> <p>(E1) 8465</p> <p><b>Rear fog light (NES 80)</b></p> <hr/> <p><b>Spare parts:</b>            Lens with screws</p>
	2ZR 002 985-081	1	<p><b>Reverse light (ZR 80) with chrome-type housing</b></p>
	2ZR 002 985-261	1	<p><b>with black housing</b></p> <hr/> <p> 1x12V21W (P21W) 8GA 002 073-121            1x24V21W (P21W) 8GA 002 073-241</p>






# Signal Lights

for rear mounting



	Part no.	Pk.	Rear fog and reverse lights
	2NE 001 173-061	1	<p><b>For mounting to vertical or horizontal surfaces. Red lens.</b>            Chrome-type housing and rim.            Bracket with M10 fixing screw.</p> <p>K 8433 *)</p> <p><b>Rear fog light (NES 7)</b></p> <p>💡 1x12V35W (F2) 8GA 002 083-131            1x24V35W (F2) 8GA 002 083-251</p>
	2NE 002 589-001 9EL 112 763-001	1 5	<p><b>For mounting to horizontal or vertical surfaces. Red lens.</b>            Chrome-type housing.            Light unit is horizontally adjustable.            Two 5.5 mm dia. holes for fixing screws.</p> <p>ⓔ1 8444</p> <p><b>Rear fog light (NES 5)</b></p> <p><b>Spare parts:</b>            Lens with screws</p> <p>💡 1x12V21W (P21W) 8GA 002 073-121</p> <hr/> <p><b>Clear lens.</b></p> <p>ⓔ1 8725</p> <p><b>Reverse light (ZR 5)</b></p> <p><b>Spare parts:</b>            Lens with screws</p> <p>💡 1x12V21W (P21W) 8GA 002 073-121</p>
	2ZR 002 589-011 9EL 112 858-011	1 2	

\*) National type test for Germany




	Part no.	Pk.	Rear fog and reverse lights
 	<p>2NE 003 315-011</p> <p>9EL 119 977-001</p>	<p>1</p> <p>1</p>	<p><b>For surface mounting.</b>  <b>Red lens.</b>            Black plastic body and rim.            Two B4.8 x 19 fixing screws.</p> <p>(E1) 8486</p> <p><b>Rear fog lights (NES 9)</b></p> <p><b>Spare parts:</b>            Lens</p>
	<p>2ZR 003 315-041</p>	<p>1</p>	<p><b>Clear lens.</b></p> <p>(E1) 8732</p> <p><b>Reverse light (ZR 9)</b></p> <p>1x12V21W (P21W) 8GA 002 073-121</p>
 	<p>2NE 006 609-017</p> <p>2NE 006 609-011</p>	<p>20</p> <p>1</p>	<p><b>For flush mounting.</b>  <b>Red lens.</b>            Black plastic body.            Two 5.2 mm dia. holes for fixing screws.</p> <p>(E17) 3806</p> <p><b>Rear fog light</b></p> <p><b>Pro-fit pack</b></p>
	<p>2ZR 006 609-171</p>	<p>1</p>	<p><b>For flush mounting.</b>  <b>Clear lens.</b></p> <p>(E17) 2309</p> <p><b>Reverse light</b></p>
 	<p>2NE 006 609-007</p> <p>2NE 006 609-001</p> <p>2NE 006 609-187</p> <p>9EL 141 612-001</p>	<p>30</p> <p>1</p> <p>30</p> <p>10</p>	<p><b>For horizontal or vertical attachment at rear or vertical attachment on side of passenger car trailer.</b></p> <p>(E17) 3806</p> <p><b>Rear fog light without 12V bulb</b></p> <p><b>Pro-fit pack</b></p> <p><b>with 12V bulb</b></p> <p><b>Spare parts:</b>            Lens</p>
	<p>2ZR 006 609-087</p> <p>2ZR 006 609-081</p>	<p>30</p> <p>1</p>	<p><b>For surface mounting.</b>  <b>Clear lens.</b></p> <p>(E17) 2309</p> <p><b>Reverse light</b></p> <p><b>Pro-fit pack</b></p> <p>1x12V21W (P21W) 8GA 002 073-121</p>

# Signal Lights

for rear mounting







	<p><b>Part no.</b></p> <p><b>2ZR 997 506-391</b></p> <p><b>9GH 993 984-001</b>  <b>8JD 008 151-011</b>  <b>8KW 701 235-033</b>  <b>8KB 990 299-001</b></p>	<p><b>Pk.</b></p> <p><b>1</b></p> <p><b>Reverse lights</b></p> <p><b>Clear lens.</b>  <b>With AMP plug connector, without cap.</b></p> <p>Black fibre-glass reinforced plastic housing          With M10 fixing screw and vibration damping.          For upright or pendant mounting.          Type of protection: IP6K4K and IPX9K.  <b>With 24V bulb.</b></p> <p>(E12) 23005</p> <p><b>Reverse light (Ultra Beam FF®)</b></p> <p><b>Accessories:</b></p> <p>1 Cap for AMP plug connector          10 Socket for AMP plug connector          100 Blade receptacles          1 2 m long connecting lead for AMP plug connector</p> <p> 1x24V70W (H3) 8GH 002 090-251</p>
	<p><b>2ZR 005 700-191</b></p> <p><b>9EL 135 000-021</b></p>	<p><b>For upright mounting.</b>  <b>Clear lens, black housing.</b></p> <p>(E1) 2185</p> <p><b>Reverse light (Comet 550)</b></p> <p><b>Spare parts:</b></p> <p>1 Lens</p> <p> 1x24V70W (H3) 8GH 002 090-251</p>
	<p><b>2ZR 005 860-151</b></p> <p><b>9EL 145 660-021</b></p>	<p><b>For pendant mounting.</b>  <b>Clear lens, black housing.</b></p> <p>(E1) 2186</p> <p><b>Reverse light (Comet 450)</b></p> <p><b>Spare parts:</b></p> <p>1 Lens</p> <p> 1x24V70W (H3) 8GH 002 090-251</p>


	Part no.	Pk.	Reverse lights
 	<b>2ZR 004 542-001</b> **)	1	<b>Reverse light (ZR 138)</b>  <b>Clear lens.</b> Black housing. Chrome-type rim and protective grill. For upright mounting, also for pendant attachment after turning insert. Spherical base with M10 x 1 hollow screw.  (E1) 8743   1x12V21W (P21W) 8GA 002 073-121
 	<b>2ZR 001 193-011</b>  <b>9ES 082 333-031</b>	1  2	<b>Reverse light (ZR 92)</b>  <b>Clear lens.</b> Chrome-type body and rim. Spherical base with M10 hollow screw, for attachment to bumper or horizontal surfaces.  (E1) 8709  <b>Spare parts:</b> Lens   1x12V21W (P21W) 8GA 002 073-121
 	<b>2ZR 002 694-001</b> <b>2ZR 002 694-002</b>  <b>9EL 113 928-001</b>	1 1 2	<b>For surface mounting.</b> <b>Clear lens, chrome-plated rim.</b> <b>With 12V bulb.</b> Two B4.2 x 13 fixing screws.  (E1) 8708  <b>Reverse light (ZR 106)</b> <b>Pro-fit pack</b>  <b>Spare parts:</b> Lens with screws   1x12V21W (P21W) 8GA 002 073-121


\*\*) Available as long as stocks last

		Part no.	Pk.	<p><b>For interior mounting</b></p> <p><b>In Matrix-technology. Red lens.</b> Black housing. For mounting at the rear window. For rear window inclination 26° - 75°. <b>With 12V bulbs and mounting accessories.</b></p> <p>(E17) 795</p> <p><b>2DA 007 428-001</b> 1 <b>2DA 007 428-007</b> 40</p> <p><b>Universal safety brake light</b></p> <p> 4x12V5W (W5W) 8GP 003 594-121</p>
		2DA 007 592-101	1	<p><b>In LED-technology. Clear lens.</b> <b>With 16 red LEDs 12V3.0W and 3000 mm long lead.</b> For stick-down attachment to inside surface or rear window. For rear window inclination 25° - 67°. Consumption: 0.25A at 12V. <b>See page 5.226, instruction 2.</b></p> <p>(E1) 332</p> <p><b>Universal safety brake light</b></p>
		2DA 007 541-001	1	<p><b>For exterior mounting</b></p> <p><b>In Matrix-technology. Red lens.</b> For surface-mounting on boot lid or vehicle roof. <b>With 12V bulbs and mounting accessories.</b></p> <p>(E1) 343</p> <p><b>Universal safety brake light</b></p> <p> 4x12V5W (W5W) 8GP 003 594-121</p>
		2DA 007 657-001	1	<p><b>In LED-technology. Clear lens.</b> <b>With 16 red LEDs 3.0W and mounting accessories.</b> For surface-mounting on boot lid or vehicle roof. One hole fixing with cable entry. For mounting surfaces with -1° to +9° inclination. Consumption: 0.25A at 12V. <b>See page 5.226, instruction 2.</b></p> <p>(E1) 363</p> <p><b>Universal safety brake light</b></p>

	Part no.	Pk.	For flush mounting in rear spoiler
	<b>2DA 007 421-001</b> <b>2DA 007 421-007</b>	1 56	<p><b>In Matrix-technology. Red lens.</b>            Black housing.            Without lead (see accessories)            Two B3.9 x 22 fixing screws with red head.  <b>With 12V bulbs.</b></p> <p>(E1) 198</p> <p><b>Safety brake light to screw attachment from the front; for flush-fitting into rear spoiler or body parts</b></p>
	<b>2DA 007 421-017</b>	1	<p>(E1) 199</p> <p><b>For screw-attachment from below, with rounded lens.</b>            Two B3.9 x 22 fixing screws.            For flush-fitting from below into the rear spoiler.            Screws not visible from outside.</p>
	<b>2DA 007 421-027</b>	1	<p><b>Same as 2DA 007 421-017, but for screw-attachment from front, with fixing screws</b></p>
	<b>2DA 007 421-801</b>	1	<p><b>Safety brake light-set</b></p> <p><b>Contains:</b>            One safety brake light with 12V bulbs, fixing screws, 5000 mm long lead 8KA 144 707-007 and installation material.</p> <p>(E1) 198</p> <p><b>Safety brake light-set</b></p>
	<b>2DA 005 739-111</b> <b>2DA 005 739-117</b>	1 56	<p><b>Safety brake light to screw attachment from the front, two 6 mm dia. holes for fixing screws</b></p> <p><b>Accessories:</b>            Lead without gasket            with gasket for electrical connection            Grommet</p> <p>(E1) 65</p> <p><b>8KA 144 707-007</b> 56  <b>8KA 146 751-007</b> 56  <b>9GT 146 757-007</b> 1000</p> <p> 7x12V2,3W (T5/13,5) 8GP 938 026-001</p>
	<b>2DA 007 858-037</b>	1	<p><b>In LED-technology.</b>  <b>Clear PMMA lens, fixing from outside.</b>  <b>With 20 red LEDs and fixing screws.</b>            Consumption: 0.25A at 12V.  <b>See page 5.226, instruction 2.</b></p> <p>(E1) 1224</p> <p><b>Safety brake light, 12V3.0W</b></p>
	<b>8KA 146 751-007</b>	56	<p><b>Accessories:</b>            Lead with grommet</p>

	Part no.	Pk.	For flush mounting in rear spoiler
 	<p><b>2DA 959 380-111</b></p> <p><b>2DA 959 380-511</b></p>	<p>1</p> <p>1</p>	<p><b>In LED-technology.</b>  <b>With 20 LEDs 12V3.0W and lead.</b>                      Consumption: 0.25A at 12V.                      See page 5.226, instruction 2.</p> <p>(E1) 7515</p> <p><b>Safety brake light with red lens</b></p> <p><b>with grey lens</b></p>
 	<p><b>2DA 959 071-537</b></p> <p><b>2DA 959 071-737</b></p> <p><b>2DA 959 071-757</b></p> <p><b>2DA 959 071-037</b></p> <p><b>2DA 959 071-237</b></p>	<p>1</p> <p>1</p> <p>10</p> <p>1</p> <p>1</p>	<p><b>In LED-technology.</b>  <b>With 12 LEDs and lead.</b>                      Consumption: 0.16A at 12V, 0.08A at 24V.                      See page 5.226, instruction 2.</p> <p>(E4) 7547</p> <p><b>Safety brake light with red lens, 12V2.0W</b></p> <p><b>with red lens, 24V2.0W</b></p> <p><b>with red lens and installation material, 24V2.0W</b></p> <p><b>with clear lens, 12V2.0W</b></p> <p><b>with clear lens, 24V2.0W</b></p>
 	<p><b>2DA 008 136-007</b></p> <p><b>2DA 008 136-017</b></p> <p><b>2DA 008 136-027</b></p>	<p>60</p> <p>60</p> <p>60</p>	<p><b>For flush mounting in caravan-trailers and mobile homes</b></p> <p><b>In Matrix-technology. Red lens.</b>  <b>With 12V bulbs.</b></p> <p>(E1) 799</p> <p><b>Safety brake light with screw-connected to the casing</b></p> <p><b>with screw-connected to the lens</b>                      (Screws not supplied with lamp)</p> <p><b>with PE foam gasket coated with glue on both sides</b></p>
	<p><b>2DA 008 136-031</b></p> <p><b>9HB 152 021-007</b></p> <p><b>9HB 152 421-007</b></p> <p><b>8KA 146 751-007</b></p> <p><b>8KA 144 707-007</b></p> <p><b>9GT 146 757-007</b></p> <p><b>9BG 154 271-001</b></p>	<p>1</p> <p>60</p> <p>60</p> <p>56</p> <p>56</p> <p>1000</p> <p>2</p>	<p><b>With housing, wiring harness and sealant (for retrofitting)</b></p> <p><b>Accessories:</b>                      Cover for -007                      for wall thickness 10 mm                      for wall thickness 5 mm                      Lead                      with grommet                      without grommet                      Grommet                      Housing</p> <p> 7x12V2.3W (T5/13.5) 8GP 938 026-001</p>

	Part no.	Pk.	<p><b>For horizontal or vertical exterior mounting</b></p> <p><b>In LED-technology.</b>  <b>Lens and caps red.</b>  <b>With ten LEDs and 3000 mm long lead.</b>            Two holes 3 mm dia. for fixing screws            Consumption: 0.06A at 12V/24V.  <b>See page 5.226, instruction 2.</b></p> <p>Ⓔ 7696</p> <p><b>Safety brake light,</b>  <b>12V0.7W</b></p> <hr/> <p><b>24V1.4W</b></p> <hr/> <p><b>Self-adhesive,</b>  <b>12V0.7W</b></p> <hr/> <p><b>24V1.4W</b></p> <hr/> <p><b>Smoked lens coloured cap,</b>  <b>12V0.7W</b></p> <hr/> <p><b>24V1.4W</b></p> <hr/> <p><b>Self-adhesive,</b>  <b>12V0.7W</b></p> <hr/> <p><b>24V1.4W</b></p>
 	<p>2DA 343 106-001 1            2DA 343 106-007 30</p> <p>2DA 343 106-011 1            2DA 343 106-017 30</p> <hr/> <p>2DA 343 106-201 1            2DA 343 106-207 30</p> <p>2DA 343 106-211 1            2DA 343 106-217 30</p> <hr/> <p>2DA 343 106-021 1            2DA 343 106-027 30</p> <p>2DA 343 106-031 1            2DA 343 106-037 30</p> <hr/> <p>2DA 343 106-221 1            2DA 343 106-227 30</p> <p>2DA 343 106-231 1            2DA 343 106-237 30</p>		
 	<p>2DA 343 800-001 1            2DA 343 800-007 48</p> <hr/> <p>2DA 343 800-057 48</p> <p>2DA 343 800-047 48</p>		<p><b>For horizontal exterior mounting</b></p> <p><b>In LED-technology.</b>  <b>Red lens with brilliant look with 3D effect by embedding each LED in a separate reflector.</b>  <b>Red caps.</b>  <b>With twelve LEDs and 200 mm long lead.</b>            Two holes for fixing screws.            Consumption: 0.15A at 12V.  <b>See page 5.226, instruction 2.</b></p> <p>Ⓔ 7715</p> <p><b>Safety brake light,</b>  <b>12V1.8W</b></p> <hr/> <p><b>Seal fixed in place</b>  <b>by double-sided adhesive tape,</b>  <b>12V1.8W</b></p> <hr/> <p><b>24V3.6W</b></p>



## Front direction indicators

Category	Interval to dipped beam headlamp/front fog lamp	Luminous	Direction
1	> 40 mm	min. 175 cd	Towards front
1a	< 40 mm and > 20 mm	min. 250 cd	
1b	< 20 mm	min. 400 cd	

## Front side direction indicators


Category	Replaces category	To be mounted with category	Luminous	Direction
3*)	1, 5 and 2a	-	min. 175 cd min. 50 cd	Towards front Towards rear
4*)	1 and 5	2a	min. 175 cd min. 0,6 cd	Towards front Towards rear

## Side direction indicators

Category	Replaces category	To be mounted with category	Luminous	Direction
5	-	1 (1a) (1b) and 2a	min. 0,6 cd	Towards rear side
6	-	1 (1a) (1b) and 2a	min. 50 cd	

## Rear direction indicators






Category	Remarks	Luminous	Direction
2a	One luminous intensity for day and night	min. 50 cd	Towards rear













## Meaning of arrow on direction indicators

<b>With arrow</b>	Mounting is permissible on one side only (left or right)
<b>Without arrow</b>	Mounting is permissible on left or right

\*) Only usable, if vehicle is approved for use in Germany, e.g. farm vehicles and machines.

	Part no.	Pk.	For surface mounting
 	<p><b>2BA 003 022-001</b></p> <p><b>2BA 003 022-021</b></p>	<p>1</p> <p>1</p>	<p><b>For front, front/side or rear mounting (category 1, 2a, 3 and 4). Amber lens.</b> Black plastic body. M10 hollow screw for fixing.</p> <p>(E1) 32719</p> <p><b>Indicator light with lead</b></p> <p><b>without lead</b></p>
 	<p><b>2BA 003 022-057</b></p> <p>9EL 116 907-001</p> <p>9FT 117 109-007</p>	<p>1</p> <p>1500</p>	<p><b>For rear mounting. Front-facing part of lens black, rear-facing part amber, with lead and blade terminal contacts</b></p> <p><b>Spare parts:</b> Lens Bulb holder</p> <p>1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241</p> <hr/> <p><b>Indicator light for Buses</b></p> <p><b>Amber lens.</b> Black plastic body.</p> <p>(E1) 32719</p> <p><b>2XD 003 022-061</b></p> <p>9EL 116 907-001</p> <p>9FT 117 109-007</p> <p>1</p> <p>1500</p> <p><b>Indicator light</b></p> <p><b>Spare parts:</b> Lens Bulb holder</p> <p>1x12V21W (P21W) 8GA 002 073-121</p>
 	<p><b>2BA 001 227-201</b></p> <p>9EL 074 484-011</p> <p>9FT 117 109-007</p> <p><b>2BA 001 227-211</b></p> <p>9EL 074 484-031</p>	<p>2</p> <p>2</p> <p>1500</p> <p>2</p> <p>2</p>	<p><b>For front, side or rear mounting. Amber lens.</b> Two M4 fixing screws.</p> <p>K 12642 *)</p> <p><b>Indicator light with chrome type rim</b></p> <p><b>Spare parts:</b> Lens Bulbholder</p> <hr/> <p><b>Without chrome-type rim.</b></p> <p><b>Spare parts:</b> Lens</p> <p>1x12V18W (K) 8GM 002 091-121</p>
 	<p><b>2BA 001 248-001</b></p>	<p>4</p>	<p><b>For front, side or rear mounting. Amber lens.</b> Die-cast housing, silver coloured. Two M4 fixing screws.</p> <p>K 12793 *)</p> <p><b>Indicator light</b></p> <p>1x12V18W (K) 8GM 002 091-121</p>

\*) National type test for Germany

	Part no.	Pk.	For surface mounting
 	<b>2BA 002 652-101</b> <b>2BA 002 652-107</b>  9EL 134 658-001	2 96  2	<b>For front mounting (category 1).</b> <b>Amber lens.</b> Two holes for M5 fixing screws. Distance between screws: 42 mm. (E1) 42763 <b>Indicator light</b>  <b>Spare parts:</b> Lens with screw
 	<b>2BA 002 652-111</b> <b>2BA 002 652-117</b>  <b>2BA 002 652-121</b> <b>2BA 002 652-127</b>  9EL 134 659-001 9EL 134 660-001	2 96  2 96  2 2	<b>For front/side mounting (category 1, 4 and 5).</b> Distance between screws: 48 mm. (E1) 42764 <b>Indicator light,</b> <b>left</b>  <b>right</b>  <b>Spare parts:</b> Lens with screws, left right
 	<b>2BM 002 652-051</b>	1	<b>For side mounting (category 5).</b> With black plastic base plate. Distance between screws: 48 mm. (E1) 32785 <b>Auxiliary indicator</b>   1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241
 	<b>8XS 113 389-001</b>	2	<b>Protective cap.</b> Silver coloured, for lamps in model range 2BA 002 652-...
 	<b>2BA 002 324-001</b>  9EL 110 910-001	1  5	<b>For front mounting (category 1).</b> <b>Amber lens.</b> Two holes for B4.2 x 9.5 fixing screws. (E1) 32623 <b>Indicator light</b>  <b>Spare parts:</b> Lens with screws
 	<b>2BA 002 324-011</b> <b>2BA 002 324-021</b>  9EL 110 918-001 9EL 110 918-011	1 1  5 5	<b>For front/side mounting (category 3 and 4 for Germany), with additional filter.</b> (E1) 32621 <b>Indicator light,</b> <b>left</b>  <b>right</b>  <b>Spare parts:</b> Lens with screws, left right   1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241






	<b>Part no.</b>  <b>2BA 001 277-011</b> <b>2BA 001 277-021</b>	<b>Pk.</b>  <b>1</b> <b>1</b>	<b>For surface mounting</b>  <b>For front/side mounting (category 4 for Germany). Amber lens.</b> Two holes for 4.2 fixing screws.  (E1) 22796  <b>Indicator light, left</b> <b>Indicator light, right</b>  1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241
	<b>2BA 001 221-031</b> <b>2BA 001 221-041</b>  <b>9EL 110 013-001</b> <b>9EL 110 014-001</b>	<b>4</b> <b>4</b>  <b>4</b> <b>4</b>	<b>For front/side mounting (category 1 and 5). Amber lens.</b> Two holes for B4.2 x 13 fixing screws.  (E1) 32611  <b>Indicator light, left</b> <b>Indicator light, right</b>  <b>Spare parts:</b> Lens with screws, <b>left</b> <b>right</b>  1x12V21W (P21W) 8GA 002 073-121
	<b>2BA 002 939-251</b>	<b>1</b>	<b>For flush mounting</b>  <b>For front or rear mounting (category 1 and 2a). Amber lens.</b> Grey plastic body.  (E1) 42788  <b>Indicator light</b>  1x12V21W (P21W) 8GA 002 073-121
	<b>2BA 996 027-001</b>  <b>9EL 990 068-001</b>	<b>1</b>  <b>5</b>	<b>For front, side or rear flush mounting (category 1, 2a and 5). Amber lens.</b> Black plastic body. Two holes for B4.s or M4 fixing screws.  (E12) 6060  <b>Indicator light for horizontal mounting</b>  <b>Spare parts:</b> Lens  1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241

		<p><b>Part no.</b></p> <p><b>2BA 001 416-011</b></p> <p><b>2BA 001 416-021</b></p> <p>9EL 110 737-001</p> <p>9EL 110 736-001</p>	<p><b>Pk.</b></p> <p>1</p> <p>1</p> <p>2</p> <p>2</p>	<p><b>For surface mounting</b></p> <p><b>For front/side mounting (category 1 and 4). Amber lens.</b> Two holes for M6 fixing screws.</p> <p>(E1) 32617</p> <p><b>Indicator light, left</b></p> <p><b>right</b></p> <p><b>Spare parts:</b> Lens with screws, left right</p> <p>💡 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241</p>
		<p><b>2BA 009 204-041</b></p> <p><b>2BA 009 204-051</b></p>	<p>1</p> <p>1</p>	<p><b>For rear mounting (category 2a) of lifttype loading platforms. In LED-technology. With two amber LEDs. Clear lens.</b></p> <p>Die-cast zinc housing. Two M6 fixing screws. With 190 mm long potted lead. Type of protection: IP5K9K. Consumption: 0.33A at 12V/24V.</p> <p><b>See page 5.226, instruction 2.</b></p> <p>(E1) 989</p> <p><b>Indicator light, 12V4.0W</b></p> <p><b>24V8.0W</b></p>
		<p><b>2BA 008 260-017</b></p> <p><b>2BA 008 260-001</b></p> <p><b>2BA 008 260-007</b></p> <p><b>4AZ 001 879-011</b></p> <p><b>4AZ 001 879-021</b></p>	<p>1</p> <p>2</p> <p>20</p> <p>1</p> <p>1</p>	<p><b>For rear mounting (category 2a) of lifttype loading platforms. In LED-technology. With twelve amber LEDs 2.8W. Clear lens.</b></p> <p>Die-cast zinc housing. Two M6 fixing screws. With potted leads. Type of protection: IP5K9K. Consumption: 0.24A at 12V, 0.12A at 24V.</p> <p><b>See page 5.226, instruction 3.</b></p> <p>(E1) 989</p> <p><b>Indicator light, 12V</b></p> <p><b>24V</b></p> <p><b>Also required for installation:</b> <b>Flasher unit, 12V10-110W</b> or <b>Flasher unit, 24V10-110W</b></p>

	Part no.	Pk.	For surface mounting
     	<b>2BA 007 135-001</b>	2	<b>For rear mounting (category 2a) of lift type loading platforms. Amber lens.</b> Die-cast zinc housing. Four 5.4 mm dia. holes for fixing screws. With gland.
	9EL 146 073-001	6	(E1) 016 <b>Indicator light</b>  <b>Spare parts:</b> Lens with reflector
	<b>2BA 007 135-021</b>	2	<b>Without gland</b>  <b>Spare parts:</b> Lens with reflector
	<b>2BA 007 135-011</b>	2	<b>With heavy-duty lens and mounting bolts M5 x 35 extending all the way through</b>  <b>Also required for installation:</b> <b>Flasher unit, 12V</b> or <b>Flasher unit, 24V</b>  2x12V5W (W5W) 8GP 003 594-121 2x24V5W (W5W) 8GP 003 594-251






	<p><b>Part no.</b></p> <p><b>2BM 004 312-051</b></p> <p><b>2BM 004 312-061</b></p> <p>9EL 127 855-001</p> <p>9EL 127 856-001</p>	<p><b>Pk.</b></p> <p>1</p> <p>1</p> <p>5</p> <p>5</p>	<p><b>Auxiliary indicators</b></p> <p><b>For side mounting (category 5).</b> <b>Amber lens.</b></p> <p>(E1) 42669</p> <p><b>Auxiliary indicator, left</b></p> <p><b>right</b></p> <p><b>Spare parts:</b> Lens, left right</p> <p> 1x12V21W (P21W) 8GA 002 073-121  1x24V21W (P21W) 8GA 002 073-241</p>
	<p><b>2BM 003 647-021</b></p> <p><b>2BM 003 647-067</b></p> <p><b>2BM 003 647-801</b></p>	<p>1</p> <p>288</p> <p>1</p>	<p><b>For side mounting (category 5).</b> <b>Amber lens.</b></p> <p>(E1) 151</p> <p><b>Auxiliary indicator with 12V bulb</b></p> <hr/> <p><b>Complete set:</b> Two amber indicators with 12V bulbs, cable with two grommets and one cable holder.</p> <p><b>Auxiliary indicator set</b></p> <p> 1(2x)12V5W (W5W) 8GP 003 594-121</p>
	<p><b>2BM 003 933-031</b></p> <p><b>2BM 003 933-041</b></p>	<p>1</p> <p>1</p>	<p><b>For side mounting (category 5).</b> <b>Amber lens, black body,</b> with 2-pole cable.</p> <p>(E1) 42627</p> <p><b>Auxiliary indicator, left</b></p> <p><b>right</b></p> <p> 1x12V5W (W5W) 8GP 003 594-121</p>
	<p><b>2BM 002 847-011</b></p> <p><b>2BM 002 847-021</b></p> <p>9EL 115 830-001</p>	<p>1</p> <p>1</p> <p>5</p>	<p><b>For side mounting (category 5).</b> <b>Amber lens.</b> With wiring harness.</p> <p>(E1) 32692</p> <p><b>Auxiliary indicator, left</b></p> <p><b>right</b></p> <p><b>Spare parts:</b> Lens</p> <p> 1x12V21W (P21W) 8GA 002 073-121</p>
	<p><b>2BM 001 318-001</b></p>	<p>5</p>	<p><b>For side mounting (category 5).</b> <b>Amber lens, chrome-type rim.</b> Two M3 fixing screws.</p> <p>(E1) 32639</p> <p><b>Auxiliary indicator</b></p> <p> 1x12V4W (T4W) 8GP 002 067-121</p>

 	<p><b>Part no.</b></p> <p>2BM 001 313-001 2BM 001 313-002</p> <p>2BM 001 313-821</p>	<p><b>Pk.</b></p> <p>2 1</p> <p>1</p>	<p><b>Auxiliary indicators</b></p> <p><b>For side mounting (category 5). Amber lens.</b> Two B2.9 fixing screws.</p> <p>(E1) 32779</p> <p><b>Auxiliary indicator</b> <b>Pro-fit pack</b></p> <hr/> <p><b>Complete set:</b> Two indicators with amber lenses and 12V bulbs.</p> <p><b>Auxiliary indicator set carded</b></p> <p>1x12V4W (T4W) 8GP 002 067-121 1x12V2W (T8/2) 8GP 002 068-121</p>
 	<p>2BM 008 771-001 2BM 008 771-007</p>	<p>1 30</p>	<p><b>For side mounting (category 5). Also suitable for installation in the external mirror. In LED-technology.</b> <b>Clear lens.</b> Black body.</p> <p><b>With three amber LEDs and connecting cable.</b> Consumption: 0.06A <b>See page 5.126, instruction 2.</b></p> <p>(E1) 1423</p> <p><b>Auxiliary indicator, 12V0.7W</b></p>
 	<p>2BM 008 355-001 2BM 008 355-007</p> <p>2BM 008 355-017 8KA 157 425-007</p>	<p>1 30</p> <p>30 1</p>	<p><b>For side mounting (category 6). Amber lens, black housing.</b> Three 3.5 x 35 mm fixing screws. For use in splashwater-protected area.</p> <p>(E1) 1059</p> <p><b>Auxiliary indicator</b></p> <p>1x24V21W (P21W) 8GA 002 073-241</p> <hr/> <p>(E1) 1848</p> <p><b>With clear lens</b></p> <p><b>Accessories:</b> Cable set, 2-conductor for non-splashwater-protected area, 1200 mm long with two 6.3 mm blade terminals.</p> <p>1x24V21W (PY21W) 8GA 006 841-241</p>
  	<p>2BM 006 692-011 2BM 006 692-017</p> <p>2BM 006 692-021 2BM 006 692-027</p>	<p>1 18</p> <p>1 18</p>	<p><b>For side mounting (category 5 and 6). Amber lens.</b> Two B4.2 x 19 fixing screws.</p> <p>(E1) 52621</p> <p><b>Auxiliary indicator, left</b></p> <p><b>right</b></p> <p>1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241</p>





 	<b>Part no.</b>  <b>2JA 001 357-002</b> <b>2JA 001 357-012</b>	<b>Pk.</b>  6 5	<b>For flush mounting</b>  <b>Clear lens.</b> Lamp fastened with catch at side.  <b>Interior light with switch</b>  <b>without switch</b>  2x12V10W (K) 8GM 002 091-131 2x24V10W (K) 8GM 002 091-251
 	<b>2JA 996 038-001</b>	<b>1</b>	<b>Milky-white lens.</b> <b>With switch.</b>  <b>Interior light</b>  2x12V10W (K) 8GM 002 091-131 2x24V10W (K) 8GM 002 091-251
 	<b>2JA 002 661-001</b>  <b>9EL 116 607-005</b>	<b>1</b>  <b>1</b>	<b>Clear lens.</b> Two 7 mm dia. holes for fixing screws. <b>With switch and ON/OFF door contact.</b>  <b>Interior light</b>  <b>Spare parts:</b> Lens  2x12V21W (P21W) 8GA 002 073-121 2x24V21W (P21W) 8GA 002 073-241
 	<b>2JA 959 073-001</b>  <b>2JA 959 073-201</b>	<b>1</b>  <b>1</b>	<b>In LED-technology.</b> <b>Clear lens.</b> <b>With ten LEDs 1.7W and 2500 mm long lead.</b> Consumption: 0.17A at 12V, 0.09A at 24V.  <b>Interior light,</b> <b>12V</b>  <b>24V</b>

	<b>Part no.</b>  <b>2JA 006 447-041</b>	<b>Pk.</b>  <b>1</b>	<b>For flush mounting</b>  <b>Clear lens, with spot light.</b> <b>Switch for interior light and spot.</b> Grey body.  <b>Interior light</b>  Interior light 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241 Reading light 1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251
	<b>2JA 006 447-251</b>	<b>1</b>	<b>Without spot, with switch and ON/OFF door contact</b>  2x12V10W (R10W) 8GA 002 071-131 2x24V10W (R10W) 8GA 002 071-251 Suitable 2x12V21W (P21W) 8GA 002 073-121 2x24V21W (P21W) 8GA 002 073-241
	<b>2JA 009 037-017</b>  <b>2JA 009 037-027</b>	<b>1</b>  <b>1</b>	<b>Clear lens, with spot.</b> <b>Switch for interior light and spot.</b> Grey body.  <b>Interior light with 12V bulbs</b>  <b>with 24V bulbs</b>  Interior light 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241 Reading light 1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251
	<b>2JA 006 487-261</b>  <b>2JA 006 487-347</b>	<b>1</b>  <b>56</b>	<b>Clear lens, grey body.</b> <b>With switch and ON/OFF door contact.</b>  <b>Interior light without bulb</b>  <b>with 12V bulb</b>  1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251 Suitable 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241
	<b>2JA 003 236-357</b>	<b>1</b>	<b>Clear lens.</b> Grey rubber body. <b>With economy circuit. It is only permissible for one bulb to be connected.</b> Two BZ4.2 fixing screws .  <b>Interior light</b>  1x12V4W (T4W) 8GP 002 067-121 1x24V4W (T4W) 8GP 002 067-241  1x12V15W (-) 1x24V15W (-)

	Part no.	Pk.	For flush mounting
			<p><b>Spot LED</b></p> <p>In LED-technology. Clear lens. With one white Luxeon Power LED and 200 mm long connection lead. With adjustable spot, 20° to each side. Black body. Voltage range: 9V - 31V.</p>
	2JA 343 700-051	1	<p><b>Spot: 12V/24V2.5W.</b> Consumption: 0.21A at 12V, 0.10A at 24V. <b>Celis® ring light: 12V0.5W, 24V1.0W.</b> Consumption: 0.04A at 12V, 0.02A at 24V.</p>
			<p><b>Interior light</b> without Celis® ring light, with white covers and screw or spring fixing</p>
	2JA 343 700-221	1	<p>with blue Celis® ring light, white covers and screw or spring fixing</p>
	2JA 343 790-107	30	<p>with blue Celis® ring light, possible to switch between white functional lighting and blue night design. With white covers and screw or spring fixing</p>
	2JA 343 700-251	1	<p>without Celis® ring light, with black covers and screw or spring fixing</p>
	2JA 343 700-271	1	<p>with blue Celis® ring light, black covers and screw or spring fixing</p>
	2JA 343 700-167	30	<p>with red Celis® ring light, black covers and screw or spring fixing</p>
			<p><b>With fixed spotlight.</b></p>
	2JA 343 680-177	1	<p><b>Interior light</b> with blue Celis® ring light, black covers and screw fixing</p>
	2JA 343 680-127	30	<p>with blue Celis® ring light, grey covers and screw fixing</p>
	2JA 343 680-067	1	<p>with red Celis® ring light, white covers and screw fixing</p>
	2JA 343 980-217	1	<p>with white Celis® ring light, possible to switch between white functional lighting and blue night design. With black covers and screw fixing</p>




	Part no.	Pk.	For flush mounting
	<b>2JB 343 227-001</b> <b>2JB 343 227-047</b>	1 12	<b>CargoLED</b> <b>In LED-technology.</b> <b>Clear lens.</b> <b>With four white LEDs, 6.0W.</b> Silver-coloured frame with four 4 mm dia. holes for fixing screws. 310 mm long connecting lead with stripped cable ends. Temperature range: - 40 °C to + 60 °C. Voltage range: 9V - 31V. Consumption: 0.5A at 12V, 0.25A at 24V. <b>Interior light</b> <b>with ambient functional lighting</b>
	<b>2PF 008 405-061</b> <b>2JA 008 405-081</b>	1 1	<b>In LED-technology.</b> <b>Clear lens.</b> <b>With twelve LEDs 12V1.8W.</b> Consumption: 0.15A at 12V. <b>Interior light</b> <b>with white LEDs</b> <b>with blue LEDs</b>
	<b>2JA 009 208-001</b> <b>2JA 009 208-007</b>  <b>2JA 009 208-011</b> <b>2JA 009 208-017</b>	1 24  1 24	White body, silver-coloured rim. <b>With halogen bulb 12V10.0W and 300 mm long connecting lead.</b> <b>Interior light</b> <b>with milky-white lens</b>  <b>with clear lens</b>
	<b>2JA 343 570-011</b> <b>2JA 343 570-117</b>  <b>2JA 343 570-051</b> <b>2JA 343 570-157</b>	1 48  1 48	<b>Mini OvalLED</b> <b>In LED-technology.</b> <b>Clear lens.</b> <b>With four white LEDs and one red (or blue) LED, 12V6.0W. Electrical connection through a 150 mm long cable.</b> Black body. Temperature range: - 40 °C to + 60 °C. Consumption: 0.5A at 12V. <b>Interior light</b> <b>without frame, without switch,</b> <b>ambient red lighting can be switched on/off</b>  <b>ambient blu lighting can be switched on/off</b>  <hr/> <b>With frame and switch,</b> <b>ambient red lighting can be switched on/off</b>  <b>ambient blu lighting can be switched on/off</b>



		<p><b>Part no.</b></p> <p><b>2JA 998 560-017</b></p> <p><b>2JA 998 560-057</b></p> <p><b>2JA 998 560-037</b></p> <p><b>2JA 998 560-077</b></p>	<p><b>Pk.</b></p> <p>20</p> <p>20</p> <p>20</p> <p>20</p>	<p><b>For flush mounting</b></p> <p><b>In LED-technology.</b>  <b>Clear lens.</b>            With white cap and 100 mm long lead.            Consumption: 0.04A at 12V, 0.02A at 24V.</p> <p><b>Interior light with one white LED, 12V0.3W</b></p> <p><b>with one blue LED, 12V0.3W</b></p> <p><b>with one white LED, 24V0.3W</b></p> <p><b>with one blue LED, 24V0.3W</b></p>
		<p><b>2JA 008 615-001</b></p>	<p>1</p>	<p><b>Clear PC lens.</b>            Steel housing and reflector.            Four 4 mm dia. holes for fixing screws.  <b>With 24V bulb.</b></p> <p><b>Caution: High temperatures.</b>            Please use silicon leads.            The lamp must not come into contact with easily inflammable insulating material!</p> <p><b>Interior light</b></p> <p> 1x24V21W (P21W) 8GA 002 073-241</p>
		<p><b>2JA 005 590-001</b></p>	<p>1</p>	<p><b>Clear lens, white base plate.</b>  <b>With economy circuit.</b>            Four holes for M4 fixing screws.            2 x 10W (full power) or 1 x 4W/ 1 x 5W (economy circuit) bulbs as required.</p> <p><b>Interior light</b></p>
	<p><b>2JA 005 590-157</b></p>	<p>1</p>	<p><b>With clear lens and angular frame for flush-mounting</b></p> <p>Suitable bulbs:</p> <p> 2x12V10W (R10W) 8GA 002 071-131   2x24V10W (R10W) 8GA 002 071-251</p> <p> 1x12V4W (T4W) 8GP 002 067-121   1x24V4W (T4W) 8GP 002 067-241</p> <p>Halogen bulb if required</p> <p> 1x12V5W (-) 8GH 002 473-151</p>	






 	<p><b>Part no.</b></p> <p>2JA 343 660-101 2JA 343 660-107 2JA 343 660-117</p>	<p><b>Pk.</b></p> <p>1 30 30</p>	<p><b>For surface mounting</b></p> <p><b>Mini ThinLite</b></p> <p><b>In LED-technology.</b> <b>Clear lens.</b> <b>With five LEDs and 170 mm long lead.</b> <b>With grey caps.</b></p> <p>Two holes for M3 fixing screws. Consumption: 0.06A at 12V, 0.1A at 24V.</p> <p><b>Interior light,</b> <b>12V, 0.7W</b></p> <p><b>24V, 2.3W</b></p>
 	<p>2JA 343 606-007 2JA 343 606-007</p>	<p>1 1</p>	<p><b>ThinLite</b></p> <p><b>In LED-technology.</b> <b>Clear lens.</b> <b>With ten LEDs and 500 mm long lead.</b> <b>With grey caps.</b></p> <p>Consumption: 0.15A at 12V/24V.</p> <p><b>Interior light,</b> <b>12V, 1.8W</b></p> <p><b>24V, 3.6W</b></p>
 	<p>2JA 008 078-021 2JA 008 078-031</p>	<p>1 1</p>	<p><b>With LED light guide technology.</b> <b>Lens clear.</b> Grey plastic base plate and covers. Two 5.4 mm dia. holes for fixing screws. Consumption: 0.06A.</p> <p><b>With two red LEDs 12V0.7W.</b></p> <p><b>Interior light,</b> <b>blue</b></p> <p><b>white</b></p>
 	<p>2JA 001 346-011</p>	<p>2</p>	<p><b>Clear lens, chrome-type rim,</b> <b>with switch.</b> Two 4.5 mm dia. holes for fixing screws.</p> <p><b>Interior light</b></p> <p>1x12V10W (K) 8GM 002 091-131 1x24V10W (K) 8GM 002 091-251</p>





	<p><b>Part no.</b></p> <p><b>2JA 997 027-051</b></p>	<p><b>Pk.</b></p> <p>1</p>	<p><b>For surface mounting</b></p> <p><b>Clear lens, chrome-type rim, with switch.</b> Plastic base plate.</p> <p><b>Interior light</b></p> <p>1x12V18W (K) 8GM 002 091-121 1x24V18W (K) 8GM 002 091-241</p>
	<p><b>2JA 001 330-001</b> <b>2JA 001 330-007</b></p> <p><b>2JA 001 330-031</b></p>	<p>2 102</p> <p>2</p>	<p><b>Milky-white lens.</b> Two 5 mm dia. holes for fixing screws.</p> <p><b>Interior light with switch, without chrome-type rim</b></p> <p><b>without switch and chrome-type rim</b></p> <p>2x12V5W (C5W) 8GM 002 092-121 2x24V5W (C5W) 8GM 002 092-241</p>
	<p><b>2JA 001 364-001</b></p>	<p>2</p>	<p><b>Clear lens, chrome-type rim, with switch.</b> Switched on and off by sliding the lens. Two holes for B4.2 x 13 fixing screws.</p> <p><b>Interior light</b></p> <p>2x12V10W (K) 8GM 002 091-131 2x24V10W (K) 8GM 002 091-251</p>
	<p><b>2JA 004 192-001</b></p>	<p>1</p>	<p><b>Clear lens, with switch.</b> Black shutter adjusts light aperture. Light is switched off mechanically when shutter angle is 45°. Two 5.5 mm dia. holes for fixing screws.</p> <p><b>Interior light</b></p> <p>1x12V10W (K) 8GM 002 091-131 1x24V10W (K) 8GM 002 091-251</p>
	<p><b>2JA 001 360-001</b></p>	<p>1</p>	<p><b>Milky-white lens, black body, with 2 switches. Economy circuit, for switching on 1, 2 or 3 bulbs, as required.</b> Two 6 mm dia. holes for fixing screws.</p> <p><b>Interior light</b></p> <p>3x12V10W (K) 8GM 002 091-131 3x24V10W (K) 8GM 002 091-251</p>





		<p><b>Part no.</b></p> <p><b>2JA 003 354-001</b></p> <p><b>9AR 120 266-001</b></p> <p>9EL 120 240-011</p> <p><b>2JA 003 354-051</b></p> <p><b>2JA 003 354-031</b></p>	<p><b>Pk.</b></p> <p>1</p> <p>4</p> <p>2</p> <p>1</p> <p>1</p>	<p><b>For surface mounting</b></p> <p><b>Clear lens and rim, with switch.</b> <b>3 switch positions.</b> Two 6 mm dia. holes for fixing screws.</p> <p><b>Interior light</b></p> <p><b>Frame</b> (to be ordered separately)</p> <p><b>Spare parts:</b> Lens</p> <hr/> <p><b>Without switch</b></p> <hr/> <p><b>With switch and chrome-type rim</b></p> <p> 2x12V10W (K) 8GM 002 091-131 2x24V10W (K) 8GM 002 091-251</p>
		<p><b>2ZR 003 236-051</b></p> <p>9EL 119 544-111</p> <p>9DX 119 545-051</p>	<p>1</p> <p>1</p> <p>2</p>	<p><b>Clear lens, without switch.</b> Black plastic body. Two M6 x 12 fixing screws.</p> <p><b>Interior light</b></p> <p><b>Spare parts:</b> Lens Reflector</p> <p> 1x12V21W (P21W) 8GA 002 073-121 1x24V21W (P21W) 8GA 002 073-241</p>
		<p><b>2ZR 001 414-001</b></p>	<p>1</p>	<p><b>Clear lens, chrome-type rim.</b> <b>Without switch.</b> Two M4 x 13 fixing screws.</p> <p><b>Interior light</b></p> <p> 1x12V15W (-) 8GM 002 091-141</p>
		<p><b>2JA 001 331-011</b></p> <p>9EL 091 749-011</p>	<p>5</p> <p>5</p>	<p><b>Milky-white lens, chrome-type rim.</b> <b>Without switch.</b> Four 3.2 mm dia. holes for fixing screws.</p> <p><b>Interior light</b></p> <p><b>Spare parts:</b> Lens</p> <p> 2x12V10W (R10W) 8GA 002 071-131 2x24V10W (R10W) 8GA 002 071-251</p>

 	<b>Part no.</b>  <b>2JA 003 231-001</b> <b>2JA 003 231-011</b>	<b>Pk.</b>  1 1	<b>For surface mounting</b>  <b>Clear macrolon lens and frame. With switch. Switched on and off by rotating the lens. 3 switch positions.</b> Two holes for M4 fixing screws.  <b>Interior light with clear lens surround</b> <b>with aluminium-anodized effect lens surround</b>  1x12V10W (K) 8GM 002 091-131 1x24V10W (K) 8GM 002 091-251 or 1x12V15W (-) 8GM 002 091-141 1x24V15W (-) 8GM 002 091-261
 	<b>2JA 003 232-001</b> <b>2JA 003 232-011</b>	1 1	<b>Clear macrolon lens and frame. With switch. Switched on and off by rotating the lens. 3 switch positions.</b> Three holes for M4 fixing screws.  <b>Interior light with clear lens surround</b> <b>with aluminium-anodized effect lens surround</b>  2x12V10W (K) 8GM 002 091-131 2x24V10W (K) 8GM 002 091-251 or 1x12V15W (-) 8GM 002 091-141 1x24V15W (-) 8GM 002 091-261
 	<b>2JA 001 335-001</b> <b>2JA 001 335-011</b>  <b>2JA 001 335-121</b>	1 1  1	<b>Clear lens, chrome-type grille and rim. Switch with 2 switch positions.</b> Four holes for M4 fixing screws.  <b>Interior light with switch</b> <b>without switch</b>  <hr/> <b>With milky-white lens, white grille and frame, with switch</b>  Suitable bulbs 1x12V5W (R5W) 8GA 002 071-121 1x24V5W (R5W) 8GA 002 071-241 or 1x12V10W (R10W) 8GA 002 071-131 1x24V10W (R10W) 8GA 002 071-251 or 1x12V15W (F) (-)

 	<p><b>Part no.</b></p> <p><b>2JA 998 569-017</b></p>	<p><b>Pk.</b></p> <p><b>36</b></p>	<p><b>For surface mounting</b></p> <p><b>Clear lens. With switch.</b> Black body. <b>With 12V bulb.</b></p> <p><b>Interior light</b></p> <p> 1x12V21W (P21W) 8GA 002 073-121</p>
 	<p><b>2JA 998 565-012</b></p> <p><b>2JA 998 565-032</b></p>	<p><b>1</b></p> <p><b>1</b></p>	<p><b>Milky-white lens.</b> With 120 mm long connecting lead incl. overvoltage and undervoltage protection. Splash-water proof. Voltage range: 10V - 30V. Three holes for fixing screws. <b>With 7W fluorescent bulb.</b></p> <p><b>Interior light with switch</b></p> <p><b>without switch</b></p>

	Part no.	Pk.	For surface mounting
 	<p><b>2JA 007 373-001</b></p> <p><b>2JA 007 373-011</b></p> <p>8GS 861 955-001</p>	<p>1</p> <p>1</p> <p>1</p>	<p><b>Clear lens.</b>  <b>With switch and compact fluorescent tube 7W.</b>  <b>Consumption: 300 mA.</b></p> <p><b>Transistorized ceiling light,</b>  <b>12V, fully suppressed</b></p> <p><b>24V, fully suppressed</b></p> <p><b>Spare parts:</b>            Compact fluorescent tube 7W, white</p>
	<p><b>2JA 007 373-031</b></p> <p><b>2JA 007 373-041</b></p> <p>8GS 861 955-011</p>	<p>1</p> <p>1</p> <p>1</p>	<p><b>With compact fluorescent tube 9W.</b>  <b>Consumption: 385 mA.</b></p> <p><b>12V, fully suppressed</b></p> <p><b>24V, fully suppressed</b></p> <p><b>Spare parts:</b>            Compact fluorescent tube 9W, white</p>
	<p><b>2JA 007 373-061</b></p> <p><b>2JA 007 373-117</b></p> <p><b>2JA 007 373-127</b></p> <p><b>2JA 007 373-071</b></p> <p><b>2JA 007 373-107</b></p> <p><b>2JA 007 373-137</b></p> <p>8GS 861 955-021</p> <p>8GS 861 955-031</p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p><b>With compact fluorescent tube 11W.</b>  <b>Consumption: 550 mA.</b></p> <p><b>12V, fully suppressed</b></p> <p><b>12V, fully suppressed, without switch.</b>  <b>Colour temperature 4000° Kelvin</b></p> <p><b>12V, fully suppressed, without switch.</b>  <b>Colour temperature 4000° Kelvin</b></p> <p><b>24V, fully suppressed</b></p> <p><b>24V, fully suppressed, without switch.</b>  <b>Colour temperature 4000° Kelvin</b></p> <p><b>24V, fully suppressed, without switch,</b>  <b>with 2 x 6.3 mm blade receptacles.</b>  <b>Colour temperature 4000° Kelvin</b></p> <p><b>Spare parts:</b>            Compact fluorescent tube 11W, white,            for -061/-071            for -117/-107/-127/-137</p>
  	<p><b>2JA 007 372-001</b></p> <p><b>2JA 007 372-011</b></p> <p>8GS 002 296-101</p> <p>8GS 002 296-111</p> <p><b>2JA 007 372-041</b></p> <p><b>2JA 007 372-051</b></p> <p>8GS 861 953-011</p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p><b>Clear lens.</b>  <b>With switch and compact fluorescent tube 8W.</b>  <b>Consumption: 390 mA.</b></p> <p><b>Transistorized ceiling light,</b>  <b>12V, fully suppressed</b></p> <p><b>24V, fully suppressed</b></p> <p><b>Spare parts:</b>            Compact fluorescent tube 8W, warm tone            Compact fluorescent tube 8W, white</p> <p><b>With switch and compact fluorescent tube 13W.</b>  <b>Consumption: 580 mA.</b></p> <p><b>12V, fully suppressed</b></p> <p><b>24V, fully suppressed</b></p> <p><b>Spare parts:</b>            Compact fluorescent tube 13W, white</p>

	Part no.	Pk.	For surface mounting
	<p>2JA 004 531-001</p> <p>2JA 004 531-011</p> <p>9EL 856 010-001</p>	<p>1</p> <p>1</p> <p>1</p>	<p><b>Clear lens. With built-in, electronically-operated converter.</b>  <b>With switch, partially suppressed.</b>                      Blocking diode prevents damage to electronic components caused by incorrect polarity connection.                      Two 3.5 mm dia. holes for fixing screws.  <b>With fluorescent tube/8W.</b>  <b>Fully suppressed.</b></p> <p><b>Transistorized ceiling light,</b>  <b>12V</b></p> <p><b>Transistorized ceiling light,</b>  <b>24V</b></p> <p><b>Spare parts:</b>                      Lens</p> <div style="display: flex; align-items: center;">  <div style="margin-left: 10px;"> <p>Fluorescent tube                          8W, warm tone                          8GS 002 296-101</p> </div> </div> <p>White 8W fluorescent tube                      8GS 002 296-111 can be used                      if required.</p>
 	<p>2JA 340 111-001</p>	<p>1</p>	<p><b>Clear lens.</b>                      White body, without switch.  <b>RF-suppressed = suppression class N (semi-suppressed).</b>  <b>With fluorescent tube 8W.</b>  <b>Power consumption approx. 800 mA.</b>  <b>With connection junction box 8JE 340 061-...</b>  <b>see page 5.195</b></p> <p><b>Transistorized ceiling light,</b>  <b>24V</b></p> <div style="display: flex; align-items: center;">  <div style="margin-left: 10px;"> <p>Fluorescent tube                          8W, white                          8GS 002 296-111</p> </div> </div>
 	<p>2AB 001 208-001</p>	<p>1</p>	<p><b>For surface mounting</b></p> <p>Black body and anti-glare fitment.                      Switched on and off by anti-glare fitment.                      Two 5.3 mm dia. holes for fixing screws.</p> <p><b>Reading light</b></p> <div style="display: flex; align-items: center;">  <div style="margin-left: 5px;"> <p>1x12V5W (C5W) 8GM 002 092-121                          1x24V5W (C5W) 8GM 002 092-241                          suitable                          1x12V10W (K) 8GM 002 091-131                          1x24V10W (K) 8GM 002 091-251</p> </div> </div>

	Part no.	Pk.	For surface mounting
 	<p><b>2JA 343 720-011</b></p> <p><b>2JA 343 720-111</b></p> <p><b>2JA 343 720-021</b></p> <p><b>2JA 343 720-121</b></p> <p><b>2JA 343 720-157</b></p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>12</p>	<p><b>SpotLED</b>  <b>In LED-technology. With one white LED 3.0W.</b>  <b>With flexible arm, screw fixing and 115 mm long connecting lead.</b>            Voltage range: 9V - 31V.            Consumption:            0.25A at 12V, 0.13A at 24V.</p> <p><b>Reading light with white cap and 150 mm long arm</b></p> <p><b>with white cap and 400 mm long arm</b></p> <p><b>with black cap and 150 mm long arm</b></p> <p><b>with black cap and 400 mm long arm</b></p> <p><b>with one red LED 3.0W, black cap and 400 mm long arm</b></p>
 	<p><b>2AB 004 532-001</b></p> <p><b>2AB 004 532-061</b></p> <p><b>2AB 004 532-257</b></p> <p><b>2AB 004 532-051</b></p> <p><b>2AB 004 532-057</b></p> <p><b>9XB 136 202-005</b></p>	<p>1</p> <p>1</p> <p>40</p> <p>1</p> <p>40</p> <p>1</p>	<p><b>Clear lens, black body.</b>            Integrated ON/OFF switch in lamp head.            Black flexible metal arm with holder for permanent mounting.            Red lens 9EL 128 922-011 (Pk. 10), as accessories available.</p> <p><b>Reading light with 500 mm long arm, holder and 12V5W halogen bulb</b></p> <p><b>with 12V4W normal bulb</b></p> <p><b>same as -001, but with 60 mm long lead and round plug 8KW 044 040-003</b></p> <hr/> <p><b>With 28V7.5W Xenon bulb</b></p> <p><b>Spare parts:</b>            Bracket</p>
	<p><b>2AB 004 532-011</b></p> <p><b>2AB 004 532-031</b></p> <p><b>2AB 004 532-267</b></p>	<p>1</p> <p>1</p> <p>40</p>	<p><b>With 195 mm long arm, 12V5W halogen bulb and 100 mm long lead</b></p> <p><b>with 12V4W normal bulb</b></p> <p><b>same as -011, but with 60 mm long lead and round plug 8KW 044 040-003</b></p>
 	<p><b>2AB 004 532-021</b></p> <p><b>9EL 128 922-011</b></p>	<p>1</p> <p>10</p>	<p><b>With plug for cigarette lighter socket.</b></p> <p><b>With 160 mm long arm and 12V5W halogen bulb</b></p> <p><b>Accessories:</b>            Red lens</p> <p> 1x12V5W (-) 8GH 002 473-151</p> <p> 1x28V7.5W (-) 8GP 008 285-001</p> <p> 1x12V4W (T4W) 8GP 002 067-121</p> <p> 1x24V4W (T4W) 8GP 002 067-241</p>

	<b>Part no.</b>  <b>2AB 004 074-027</b>	<b>Pk.</b>  <b>1</b>	<b>For flush mounting</b>  <b>Clear lens.</b> Black plastic housing. <b>With 12V bulb and two connection leads.</b>  <b>Reading light</b>  1x12V5W (W5W) 8GP 003 594-121
	<b>2AB 004 813-072</b>	<b>1</b>	<b>With retaining spring.</b> Light can be switched on and off by lifting light head. Light with adjustable height and swivelling function (340°). <b>With pre-fitted Xenon bulb and 100 mm lead.</b>  <b>Xenon reading light</b>  1x12V6W (-) 8GP 007 676-121
	<b>2AB 004 813-082</b>	<b>1</b>	<b>For surface mounting</b>  <b>With fixing screws.</b>  <b>Xenon reading light</b>  1x12V6W (-) 8GP 007 676-121

	Part no.	Pk.	<b>Hobby handlamps</b> With rectifying ballast EVG. Handle and cap made of blue plastic with rotatable, flexible hook. Impact-proof, oil- and petrol resistant, transparent protective tube. With 5000 mm long lead and plain plug. Type of protection: IP20, protection class II. <b>With fitted fluorescent tube, 230V8W.</b>
	2XM 001 974-151	1	<b>Handlamp HL 08-475, 8W, Upgrade, 475 mm long</b>
	Part no.	Pk.	<b>Professional handlamps</b> With rectifying ballast GVG. Type of protection: IP64, protection class II. With 5000 mm long lead and shaped plug. With splinter-proof foil. <b>With fitted fluorescent lamp 220-240V8W (T5/8W) on plastic rail, replaceable.</b>
	2XM 008 779-001	1	<b>Handlamp HL 08-525, 8W, 525 mm long</b>
	Part no.	Pk.	<b>Spare parts:</b> Fluorescent lamp on plastic rail
	8GS 002 823-011	1	
	Part no.	Pk.	With rectifying ballast GVG. Handle and cap made of blue plastic, without hook. Impact-proof protective tube. Type of protection: IP20. With 5000 mm long lead and plain plug. <b>With fitted fluorescent tube, 230V4W.</b>
	2XM 001 974-031	1	<b>Handlamp HL 04-275, 4W, 275 mm long</b>
	Part no.	Pk.	With electronic ballast EVG. Handle and cap made of blue rubber, with rotatable, flexible hook, PMMA protective tube with splinter-proof foil. Oil- and petrol resistant. Type of protection: IP64, protection class II. With 5000 mm long lead and shaped plug. <b>With fitted fluorescent tube, 220-240V8W (T5/8W) on plastic rail, replaceable.</b>
	2XM 001 974-041	1	<b>Handlamp HL 08-545, 8W, 545 mm long</b>
	Part no.	Pk.	<b>Spare parts:</b> Fluorescent tube on plastic rail
	8GS 008 823-001	1	
	Part no.	Pk.	With electronic ballast EVG. Hexagonal handle and cap made of blue rubber. With rotatable, flexible hook made of black plastic. Impact-proof PMMA protective tube. Type of protection: IP64, protective class II. With 5000 mm long lead and shaped plug. <b>With fluorescent tube, 230V11W, on plastic rail, replaceable.</b>
	2XM 001 974-051	1	<b>Handlamp HL 11-440, 11W, 440 mm long</b>
	Part no.	Pk.	<b>Spare parts:</b> PL fluorescent tube on plastic rail
	8GS 008 822-001	1	







	Part no.	Pk.	<b>Professional handlamps</b>
	<p><b>2XM 001 974-101</b></p> <p>8GS 008 823-031</p>	<p>1</p> <p>1</p>	<p><b>With electronic ballast EVG.</b> Handle, cap and hook made of blue plastic. Impact-proof, oil- and petrol resistant PMMA protective tube with splinter-proof foil. With electronic fuse, radio interference suppression and switch-off. Type of protection: IP64, protection class II. With 5000 mm long lead and shaped plug. <b>With fluorescent tube 220-240V13W (T5/13W), replaceable.</b></p> <p><b>Handlamp HL 13-770, 13W, 770 mm long</b></p> <p><b>Spare parts:</b> Fluorescent tube</p>
	<p><b>2XM 001 974-111</b></p> <p>8GS 008 823-021</p> <p><b>8HG 863 186-001</b></p>	<p>1</p> <p>1</p> <p>1</p>	<p><b>With electronic ballast EVG.</b> Handle, cap and hook made of blue plastic. Oil- and petrol resistant. Type of protection: IP64, protection class II. With 5000 mm long lead and shaped plug. With electronic fuse, radio interference suppression, switch-off and splinter-proof foil. <b>With fluorescent tube, 220-240V21W (T5/21W), replaceable.</b></p> <p><b>Handlamp HL 21-1120, 21W, 1120 mm long</b></p> <p><b>Spare parts:</b> Fluorescent tube with splinter-proof foil</p> <p><b>Accessories:</b> Quick fastening</p>
	<p><b>2XM 001 974-121</b></p> <p>2XM 001 974-111 8GS 008 823-021</p>	<p>1</p> <p>1 1</p>	<p><b>With automatic clamping, quick fastening bracket for bonnets 1100 - 1900 mm.</b> Tight fit thanks to non-slip profile. With 5000 mm long lead and shaped plug. <b>With fluorescent tube, 220-240V21W (T5/21W), replaceable.</b></p> <p><b>Handlamp HL 21-1120-C, 21W, 1120 mm long</b></p> <p><b>Spare parts:</b> Handlamp HL 21-1120 Fluorescent tube with splinter-proof foil</p>
	<p><b>2XM 001 974-161</b></p> <p>8ES 004 417-241</p>	<p>1</p> <p>1</p>	<p><b>In LED-technology.</b> With 30 LEDs and charger. Impact-proof housing. Charger with plain plug. Type of protection: IP54. <b>1 hour charging time - 5 hours worklight.</b></p> <p><b>Handlamp HL 04-400, 400 mm</b></p> <p><b>Spare parts:</b> Charger for -161</p>
	<p><b>2XM 001 974-201</b></p>	<p>1</p>	<p><b>With 42 LEDs 220V-240V.</b> Oil- and petrol resistant. With 5000 mm long lead and shaped plug. Type of protection: IP64, protection class II.</p> <p><b>Handlamp</b></p>
	<p><b>2XM 001 974-181</b></p>	<p>1</p>	<p><b>In LED-technology.</b> Black housing made of aluminium. With flexible swan-neck. Dustproof and waterproof. Permanent operation: up to 60 hours. Length: 345 mm, bent: 172 mm. <b>With 1 white shatterproof LED and 3 (AAAA) batteries.</b></p> <p><b>LED inspection light, 345 mm</b></p>

Accessories see page 5.157

	Part no.	Pk.	<b>Professional handlamps</b>
	2XM 001 974-131	1	<p>With 2 conventional ballast units. Body and handle made of blue plastic. With additional socket with hinged cover for connection of additional equipment. 5000 mm lead with earthed plug. Type of protection: IP54, protection class II. <b>With two 220-240V24W fluorescent tubes, replaceable.</b> Twistable tripod 8XT 863 316-001 (Pk. 1). Height adjustable from 1550 mm to 2550 mm. Handle with cable roller. With clip joint, including mounting plate and screws.</p>
	8GS 008 822-011	1	<p><b>Garage lamp flood light</b></p> <p><b>Spare parts:</b> PL fluorescent tube, 24W</p> <hr/> <p>With an additional rear socket with hinged lid for connecting additional devices. 2500 mm lead with earthed plug. Twistable tripod 8XT 863 316-001 (Pk. 1). Type of protection: IP54, protection class II.</p>
	2XM 009 266-001	1	<p><b>Garage lamp flood light 24</b></p> <p><b>Spare parts:</b> PL fluorescent tube, 24W</p>
	9XD 863 958-001	1	<p><b>Accessories:</b> Retaining rail (tripod connection)</p>
	8HG 861 916-001	1	<p><b>Accessories:</b> <b>Holder, small</b> for 2XM 001 974-031</p>
	8HG 861 919-001	1	<p><b>Magnetic holder</b> for 2XM 001 974-021/-031</p>
	8HG 861 918-001	1	<p><b>Magnetic clamp with steel spring</b> for 2XM 008 779-001 and 2XM 001 974-041/-051/-071/-081/-091/ -101/-111/-141</p>
	8XT 863 316-001	1	<p><b>Tripod,</b> height adjustable from 1550 mm to 2550 mm.</p> <p><b>Tripod</b> for 2XM 001 974-131 and 2XM 009 266-001</p>

# Handlamps Door Lights








	Part no.	Pk.	Hand-held work lamps
 	<p><b>2XM 004 444-001</b></p> <p><b>2XM 004 444-011</b></p>	<p>1</p> <p>1</p>	<p><b>With stepless regulation from map to working, from pinpoint to wide-spread light. Clear lens.</b> Swiveling lamp head. Fixing of the lamp with holder or magnet to the bodywork. With spirally coiled cable (from 400 up to 3000 mm) and plug 8JA 004 667-001 (Pk. 10) for cigarette lighter socket.</p> <p><b>Handlamp with 12V Xenon bulb</b></p> <p><b>with 28V Xenon bulb and plug 8JA 007 158-001 (Pk.1)</b></p> <p> 1x12V6W (-) 8GP 007 676-121 1x28V7.5W (-) 8GP 008 285-001</p> <p> for older models 1x12V5W (-) 8GH 002 473-151</p>
 	<p><b>2XM 001 975-001</b></p>	<p>1</p>	<p><b>Magnetic inspection lamp</b></p> <p><b>Clear lens.</b> Powerful, permanent magnets hold it firmly in place on metal surfaces. With 4.5 m flat lead and universal plug 8JA 002 252-102 (Pk.1) for cigarette-lighter or 2-pole socket. <b>With 12V bulb.</b></p> <p><b>Handlamp</b></p> <p> 1x12V5W (R5W) 8GA 002 071-121</p>
 	<p><b>2XT 959 510-427</b></p> <p><b>2XT 959 510-467</b></p> <p><b>2XT 959 510-657</b></p>	<p>1</p> <p>1</p> <p>1</p>	<p><b>Door lights</b></p> <p><b>In LED-technology. For use as incremental light, emergency and night illumination. Clear lens.</b> With gasket, 2 fixing screws and screw caps, dust and water-proof, with polarity reversal protection. Voltage range: 10V - 33V. Consumption: 0.04A at 12V, 0.02A at 24V.</p> <p><b>Door light with 2 white LEDs 0.5W</b></p> <p><b>with 2 white LEDs 0.5W, 150 mm long lead and 2-pole Packard plug</b></p> <p><b>with 2 blue LEDs 0.5W</b></p>
 	<p><b>2XT 959 500-677</b></p> <p><b>2XT 959 500-207</b></p>	<p>1</p> <p>1</p>	<p><b>In LED-technology. For use as cockpit and map reading light, emergency and night illumination. Clear lens.</b> With white ring for covering the 3 fixing screws. With 120 mm long lead, gasket and fixing screws. Dust and water-proof, with polarity reversal protection. Voltage range: 10V - 33V. Consumption: 0.08A at 12V, 0.04A at 24V.</p> <p><b>Door light with 4 white LEDs 1.0W</b></p> <p><b>with 4 blue LEDs 1.0W</b></p>
 	<p><b>2XT 980 500-227</b></p>	<p>1</p>	<p><b>Built-in orientation light. In LED-technology. Milky-white lens.</b> With polished stainless-steel ring. Consumption: 0.08A at 12V.</p> <p><b>Orientation light with 4 white LEDs 12V1.0W</b></p>

		<p><b>Part no.</b></p> <p>2XT 007 945-007</p> <p>2XT 007 945-057</p> <p>2XT 007 945-017</p>	<p><b>Pk.</b></p> <p>30</p> <p>30</p> <p>30</p>	<p><b>Door lights</b></p> <p><b>For caravans.</b> <b>Clear lens.</b> Grey plastic body and glass-clear lens, for screwing into one another. <b>With grille opening for replacing bulb.</b> <b>For walls of 25 to 35 mm thickness.</b></p> <p><b>Door light,</b> <b>with cable entry right,</b> <b>without ON/OFF switch</b></p> <p><b>with cable entry left</b></p> <p><b>with cable entry right and ON/OFF switch on body</b></p> <p>Suitable bulbs, 220V max. 40W E14 socket available via stockist.</p> <hr/> <p><b>With cable entry right and 12V bulb, without switch</b></p> <p><b>with two pole safety switch</b></p> <p> 1x12V21W (P21W) 8GA 002 073-121</p>
		<p>2XT 003 560-007</p> <p>9EL 131 689-001</p>	<p>1</p> <p>1</p>	<p><b>For caravans.</b> <b>Clear lens.</b> <b>ON/OFF switch on inside part of housing (right).</b> The two parts of the body are made of plastic material and can be pulled apart/pushed together to accommodate wall thicknesses of 20 to 35 mm. Inside part with protective grille.</p> <p><b>Door light,</b> <b>outside part of body white, inside brown</b></p> <p><b>Spare parts:</b> Lens</p> <p>Suitable bulbs, 220V max. 40W E14 socket available via stockist.</p>
		<p>2XT 008 929-001</p> <p>2XT 008 929-007</p>	<p>1</p> <p>24</p>	<p><b>For surface mounting.</b> <b>Clear lens.</b> Silver coloured body. Two ST3.9x38-C fixing screws. <b>With 12V bulbs and gasket.</b></p> <p><b>Door light</b></p> <p> 3x12V5W (C5W) 8GM 002 091-121</p>

# Door Light Warning Lights



	Part no.	Pk.	Door light
	2XT 002 452-037	1	<p><b>Door light</b></p> <p>For caravans and buses. Milky-white lens. Black rubber body. Flush mounting for curves surfaces. 2 holes for B4.2 x 16 fixing screws.</p> <p><b>Door light</b></p> <p>1x12V5W (R5W) 8GA 002 071-121 1x24V5W (R5W) 8GA 002 071-241</p>
	2AA 008 592-001	15	<p><b>Warning lights</b></p> <p>Screw-type fixing, for dashboards with thickness of 0.3 to 1.8 mm. Screw-type connections.</p> <p><b>Warning light, blue</b></p>
	2AA 008 592-011	15	<p><b>amber</b></p>
	2AA 008 592-021	15	<p><b>green</b></p>
	2AA 008 592-031	15	<p><b>red</b></p>
	2AA 008 594-001	15	<p><b>Warning light, blue</b></p>
	2AA 008 594-011	15	<p><b>amber</b></p>
	2AA 008 594-021	15	<p><b>green</b></p>
	2AA 008 594-031	15	<p><b>red</b></p>
	2AA 008 595-001	15	<p><b>Warning light, blue</b></p>
	2AA 008 595-011	15	<p><b>amber</b></p>
	2AA 008 595-021	15	<p><b>green</b></p>
	2AA 008 595-031	15	<p><b>red</b></p>
			<p>1x12V2W (H) 8GP 002 068-121 1x24V2W (H) 8GP 002 068-241</p>
	2AA 008 593-001	15	<p><b>Warning light, blue</b></p>
	2AA 008 593-011	15	<p><b>amber</b></p>
	2AA 008 593-021	15	<p><b>green</b></p>
	2AA 008 593-031	15	<p><b>red</b></p>
			<p>1x12V2W (J) 8GP 002 066-121 1x24V3W (J) 8GP 002 066-241</p>

	Part no.	Pk.	Warning lights
 	<p><b>2AA 001 204-001</b></p> <p><b>2AA 001 204-011</b></p> <p><b>2AA 001 204-031</b></p>	<p>10</p> <p>10</p> <p>10</p>	<p>Push-in fitting, <b>for dashboards with thickness of 0.8 to 1.5 mm.</b> <b>Blade terminal connections.</b></p> <p><b>Warning light,</b> <b>red</b></p> <p><b>amber</b></p> <p><b>green</b></p> <p> 1x12V2W (J) 8GP 002 066-121 1x24V3W (J) 8GP 002 066-241</p>
 	<p><b>2AA 001 200-001</b></p> <p><b>2AA 001 200-002</b></p> <p><b>2AA 001 200-011</b></p> <p><b>2AA 001 200-012</b></p> <p><b>2AA 001 200-021</b></p> <p><b>2AA 001 200-023</b></p> <p><b>2AA 001 200-031</b></p> <p><b>2AA 001 200-032</b></p> <p><b>2AA 001 200-041</b></p> <p><b>2AA 001 200-042</b></p> <p><b>2AA 001 200-131</b></p> <p><b>2AA 001 200-141</b></p> <p><b>2AA 001 200-151</b></p>	<p>5</p> <p>1</p> <p>5</p> <p>1</p> <p>5</p> <p>1</p> <p>5</p> <p>1</p> <p>5</p> <p>1</p> <p>5</p> <p>5</p> <p>5</p>	<p><b>For dashboards with thickness of up to 4 mm.</b> <b>Combined screw/blade terminal connections.</b></p> <p><b>Warning light,</b> <b>blue</b></p> <p><b>blue, Pro-fit pack</b></p> <p><b>red</b></p> <p><b>red, Pro-fit pack</b></p> <p><b>green</b></p> <p><b>green, Pro-fit pack</b></p> <p><b>amber</b></p> <p><b>amber, Pro-fit pack</b></p> <p><b>With blade terminal connections,</b> <b>blue</b></p> <p><b>blue, Pro-fit pack</b></p> <p><b>red</b></p> <p><b>green</b></p> <p><b>amber</b></p> <p> 1x12V1.2W (W5/1.2) 8GP 002 095-121 1x24V1.2W (W5/1.2) 8GP 002 095-241</p>
 	<p><b>2AA 001 201-011</b></p> <p><b>9EL 043 137-001</b></p>	<p>10</p> <p>10</p>	<p>Spring-clamp fixing, <b>for dashboards with thickness of up to 1.5 mm.</b> <b>Blade terminal connections.</b></p> <p><b>Warning light, red</b></p> <p><b>Spare parts:</b> Lens</p> <p> 1x12V2W (J) 8GP 002 066-121 1x24V3W (J) 8GP 002 066-241</p>
 	<p><b>2AA 003 257-001</b></p> <p><b>2AA 003 257-011</b></p> <p><b>2AA 003 257-021</b></p> <p><b>2AA 003 257-031</b></p> <p><b>2AA 003 257-041</b></p> <p><b>2AA 003 257-042</b></p>	<p>10</p> <p>10</p> <p>10</p> <p>10</p> <p>10</p> <p>1</p>	<p>Dust and waterproof. Metal body, screw-type fixing, <b>for dashboards with thickness of up to 5.2 mm.</b> <b>With blade terminal connections.</b></p> <p><b>Warning light,</b> <b>red</b></p> <p><b>blue</b></p> <p><b>green</b></p> <p><b>yellow</b></p> <p><b>With 4 lenses (red, blue, green, yellow)</b> <b>included loose. With pre-fitted 12V bulb.</b></p> <p><b>Carded</b></p> <p><b>Pro-fit pack</b></p> <p> 1x12V2W (J) 8GP 002 066-121 1x24V3W (J) 8GP 002 066-241</p>

	Part no.	Pk.	Hazard flasher lights
			<p><b>3003</b></p> <p><b>Combined hazard warning flasher and work light with black mounting bracket.</b>            Yellow lens for hazard flasher, white for work light.            The bulb and reflector pivot to the desired function when the switch above the lens is actuated. The light exit angle on the work light can be varied by moving the feet to three different positions. The light is stable up to a wind velocity of 9.            Housing orange-coloured plastic, feet black plastic with rubber nubs.            5 x 1.5 mono cells (R20 or LR20) not included with light.            With built-in tester for battery capacity.</p> <p><b>With 6V bulb.</b>  <b>Flash frequency &gt; 60 flashes per minute.</b>  <b>Operating time with new alkaline batteries:</b>  <b>Hazard flasher approx. 40 hours</b>  <b>Work light approx. 25 hours.</b></p>
	2XW 007 146-001	1	<p>K 13949 *)</p> <p><b>Hazard flasher light</b></p>
			<p><b>3003 Accu</b></p> <p>With sulphur-yellow plastic housing, maintenance-free, rechargeable lead gel battery and charging holder, for connecting to terminal 15 (ignition on) and terminal 31 (earth). As soon as the light catches in the holder, the battery in the light starts being charged. The charger operates with 12V and 24V systems. Switch-over is automatic.</p> <p><b>With 6V bulb.</b>  <b>Flash frequency &gt; 60 flashes per minute.</b>  <b>Power supply: 6V, 3,0AH rechargeable battery.</b>  <b>Nominal voltage 12V and 24V.</b>  <b>Power supply for charger circuit 10V to 32V.</b></p> <p><b>Operating time with fully charged battery:</b>  <b>Hazard flasher approx. 40 hours</b>  <b>Work light approx. 7 hours.</b></p>
	2XW 007 146-011	1	<p>K 13950 *)</p> <p><b>Hazard flasher light</b></p> <p> 1x6V2.4W (F) 8GP 002 096-061</p>

\*) National type test for Germany







	Part no.	Pk.	<p><b>Hazard flasher lights</b></p> <p><b>2002 Europa</b></p> <p><b>Combined hazard flasher light and inspection light with mounting bracket.</b></p> <p>With folding supporting legs; rubber shoes ensure extreme stability (up to gale force 9). Amber lens for hazard flasher light. Light can be switched over to a powerful white repair light. Owing to its extremely flat design, the light can be stowed under the driver's seat. For use with five U2-type, single-cell, leak proof, 1.5V batteries. Batteries are not supplied with light. <b>With 6V bulbs.</b></p> <p>K 13932 *)</p>
	2XW 003 146-001	1	<p><b>Hazard flasher light</b></p> <p> 2x6V2.4W (F) 8GP 002 096-061</p>
	2XW 002 897-051	1	<p><b>2897</b></p> <p><b>Combined hazard flasher light and inspection light with mounting bracket.</b></p> <p>With folding supporting legs; rubber shoes ensure extreme stability (up to gale force 9). For use with five U2-type, single-cell, leak proof, 1.5V batteries. Batteries are not supplied with light. <b>With 6V bulb.</b></p> <p>K 13931 *)</p> <p><b>Hazard flasher light with plastic container</b></p> <p><b>2XW 002 897-041</b> 1 <b>without plastic container</b> (**)</p> <p><b>Accessories:</b></p> <p>8XH 002 975-017 10 Plastic container</p> <p> 1x6V2.4W (F) 8GP 002 096-061</p>

\*) National type test for Germany

\*\*) Available as long as stocks last

	Part no.	Pk.	<b>Emergency triangle</b>
	8RW 341 421-001	1	<b>Emergency triangle</b>
	8RW 341 235-007	20	<b>Emergency triangle for slow-moving vehicles</b>
	8HG 341 300-007	10	Precision-built, ultra-effective reflectors hit the eye both day and night. Very light in weight. Easy to store. Fastened with metal bracket and strip.
	8HG 341 301-007	10	E17 01 6901
			<b>Accessories:</b>
			Strip
			Holder




		Part no.	Pk.	Reflectors
		8RA 002 016-111	32	<b>Reflecting surface 38 sq. cm.</b> <b>With plastic base plate and rim.</b> With central M5 x 15 fixing screw. (E1) 01 31290
		8RA 002 016-101	20	<b>Reflector,</b> red white
		8RA 002 016-121	20	(E17) 01 339 <b>With PVC rim and base plate,</b> red
		8RA 004 412-001	20	<b>Reflecting surface 18 sq. cm.</b> <b>Self-adhesive.</b> For horizontal or vertical mounting. (E17) 01 338
		8RA 004 412-011	20	<b>Reflector,</b> amber
		8RA 004 412-021	20	white red
		8RA 342 014-157	100	<b>Reflecting surface 20.9 sq. cm.</b> <b>Self-adhesive.</b> (E17) 402 <b>Reflector,</b> red
		8RA 003 326-001	20	<b>Reflecting surface 29 sq. cm.</b> <b>With plastic base plate.</b> Two 4.3 m dia. holes for fixing screws. For horizontal or vertical mounting. (E1) 02 21395 <b>Reflector,</b> red
		8RA 003 326-002	200	
		8RA 003 326-011	20	Amber
		8RA 003 326-017	200	
		8RA 003 326-021	20	White
		8RA 003 326-031	20	<b>Self-adhesive.</b> (E2) 02 92031 <b>Reflector,</b> red Carded (2 pieces)
		8RA 003 326-931	1	
		8RA 003 326-041	20	Amber
8RA 003 326-047	200			
8RA 003 326-941	1	Carded (2 pieces)		
		8RA 003 326-051	20	White

		<b>Part no.</b>          <b>8RB 004 713-001</b>	<b>Pk.</b>          <b>20</b>	<b>Reflectors</b>  <b>Reflecting surface 50 sq. cm.</b> <b>With plastic base plate.</b> <b>Self-adhesive.</b> For horizontal or vertical mounting.  (E17) 01 353  <b>Reflector,</b> <b>amber</b>
		<b>8RA 002 023-001</b>  <b>8RA 002 023-011</b>  <b>8RA 002 023-021</b>	<b>20</b>  <b>20</b>  <b>20</b>	<b>Reflecting surface 47 sq. cm.</b> <b>With plastic base plate.</b> Two 6 mm dia. holes for fixing screws. For horizontal or vertical mounting.  (E17) 02379  <b>Reflector,</b> <b>red</b>  <b>white</b>  <b>amber</b>
		<b>8RL 002 009-021</b>  <b>8RL 002 009-011</b>  <b>8RL 002 009-001</b>	<b>20</b>  <b>20</b>  <b>20</b>	<b>Reflecting surface 60 sq. cm.</b> <b>With plastic base plate.</b> Two 6.5 mm dia. holes for fixing screws. For horizontal or vertical mounting.  (E1) 02 21340  <b>Reflector,</b> <b>red</b>  <b>amber</b>  <b>white</b>
		<b>8RA 003 660-007</b>	<b>8</b>	<b>Reflecting surface 101 sq. cm.</b> <b>With plastic base plate.</b> Two M6 x 12 fixing screws. For horizontal or vertical mounting.  (E1) 02 31242  <b>Reflector,</b> <b>red</b>
		<b>8RA 003 734-101</b>	<b>1</b>	<b>Reflecting surface 54 sq. cm.</b> <b>With rubber base plate.</b> Can be mounted either vertically or horizontally. Two B3.9 x 22 fixing screws.  (E1) 01 31298  <b>Reflector,</b> <b>red</b>

Part no.	Pk.	Reflectors
8RA 343 220-017	30	<p><b>Reflecting surface 95 sq. cm.</b> Reflector thickness 8.2 mm.</p> <p>(E4) 02 3191</p> <p><b>Reflector</b> with two 8.2 mm dia. holes for fixing screws, red</p>
8RA 343 220-007	30	<p><b>Self-adhesive, red</b></p>
8RA 002 020-001	25	<p><b>Reflecting surface 85 sq. cm.</b> <b>With plastic base plate.</b> Two 6 mm dia. holes for fixing screws.</p>
8RA 002 020-002	120	<p>(E17) 01 346</p> <p><b>Reflector,</b> <b>red</b></p>
8RA 002 020-003	1	<p><b>carded</b></p>
8RA 002 020-051	10	<p><b>With additional metal base plate.</b> Two M5 x 20 fixing screws.</p> <p><b>Red</b></p>
8RA 002 020-031	10	<p><b>With plastic base plate and</b> <b>sendzimir galvanized mounting bracket</b> <b>for compensating inclination.</b> Two 3.7 mm dia. holes for fixing screws.</p> <p><b>Red</b></p>
8RA 002 010-011	20	<p><b>Reflecting surface 101 sq. cm.</b> <b>With protective rubber rim.</b> Two M6 x 15 fixing screws.</p> <p>(E1) 02 13463</p> <p><b>Reflector,</b> <b>red</b></p>







## System for trailers and semi-trailers (24V)

Signal Lights and Cabling - Rear	5.172-5.186
Signal Lights and Cabling - Front	5.187-5.189
Signal Lights and Cabling - Side	5.190-5.193
Additional Lights and Cabling	5.194-5.196
Cabling EasyConn	5.197-5.202


## System for trailers (12V)

Signal Lights - Rear	5.203
Cabling	5.204-5.206

## Possible equipment for trucks, trailers and semi-trailers

Lighting equipment for trucks	5.207-5.214
Lighting equipment for trailers	5.215-5.218
Lighting equipment for semi-trailers	5.219-5.222
Lighting equipment for buses	5.223
Lighting equipment and cabling for car trailers	5.224-5.225




Image	Part no.	Pk.	For horizontal surface mounting on trailers																		
	2VP 340 450-031 2VP 340 450-037	1 12	Red reflector, rear, stop, rear fog and side-marker light, reverse light and indicator light (with yellow filter), smoke colour. Black plastic body. Two M8 fixing screws. <b>With vibration dampers.</b> <b>Two bulbs for rear light.</b> <b>Cable entrance over PG fitting.</b> <b>Type of protection: IP5K4K and IPX9K.</b>																		
	2VP 340 450-021 2VP 340 450-027	1 12	<b>Rear-stop-indicator-rear fog-reverse light with triangular reflector and side-marker light with reflector, left</b>																		
	2VP 340 450-441	1	<b>with 24V bulbs, 0.5 m lead and 7-pin EasyConn plug, right</b>																		
	2VP 340 450-451	1	<b>with 24V bulbs, 0.5 m lead and 7-pin EasyConn plug, to fit rear adapter lead 8KA 340 819-..., left</b>																		
	2VD 340 450-491	1	<b>with licence plate illumination, left</b>																		
	9EL 340 208-001 9EL 146 838-001	1 2	<b>Spare parts:</b> Lens with fixing screws Lens for side-marker light																		
	<table border="1"> <tr><td>1</td><td>Ground</td><td>white</td></tr> <tr><td>2</td><td>B</td><td>red</td></tr> <tr><td>3</td><td>ZR</td><td>green</td></tr> <tr><td>4</td><td>ind. 5V</td><td>blue</td></tr> <tr><td>5</td><td>ind. 5V</td><td>orange/yellow</td></tr> <tr><td>6</td><td>ind. 5V</td><td>black/brown</td></tr> </table>	1	Ground	white	2	B	red	3	ZR	green	4	ind. 5V	blue	5	ind. 5V	orange/yellow	6	ind. 5V	black/brown		
1	Ground	white																			
2	B	red																			
3	ZR	green																			
4	ind. 5V	blue																			
5	ind. 5V	orange/yellow																			
6	ind. 5V	black/brown																			
<p><b>Pin configuration:</b>  <b>B</b> = stop light  <b>BL</b> = indicator light  <b>ZR</b> = reverse light  <b>NES</b> = rear fog light  <b>S</b> = rear light  <b>SMLR</b> = side-markering light</p>	2VP 340 450-151 2VP 340 450-141	1 1	<b>Lens with horizontal optical fields.</b> <b>With vibration dampers and pre-fitted 24V bulbs.</b> <b>With 6-conductor, 1.7 m long lead with 6-pin plug.</b> <b>To fit combination distributor 8JE 340 060-..., left</b>																		
	2VP 340 450-511 2VP 340 450-501	1 1	<b>with 0.5 m lead and 7-pin EasyConn plug, to fit rear adapter lead 8KA 340 819-..., left</b>																		
	9EL 340 208-021 9EL 146 838-001	1 2	<b>Spare parts:</b> Lens with fixing screws Lens for side-marker light																		
			<p>4x24V21W (P21W) 8GA 002 073-241          4x24V21W (P21W) 8GA 002 073-251 (Heavy Duty)          2x24V5W (R5W) 8GA 002 071-241          1x24V10W (R10W) 8GA 002 071-252</p> <p>1x24V5W (C5W) 8GM 002 092-241</p>																		



1	Ground	white
2	B	red
3	ZR	green
4	ind. L	orange
5	BL	yellow/green
6	SMLR	yellow/orange



Pin configuration:  
 B = stop light  
 BL = indicator light  
 ZR = reverse light  
 NES = rear fog light  
 S = rear light  
 SMLR = side-markering light



Part no.

Pk.

## For horizontal surface mounting on trailers

Red rear, stop and rear fog light.  
 Amber indicator light, clear reverse light.  
 Black plastic body.  
 Two fixing screws.  
**With vibration dampers, 6-conductor, 1.4 m long lead with 6-pin plug and 24V bulbs. Two bulbs for rear light. To fit combination distributor 8JE 340 060-... With earth lead mounted.**

(E1) 71

2SK 340 101-001

1

**Rear-stop-indicator-rear fog-reverse light, left and right**

without wiring harness, with earth lead mounted, rear of housing with thread, union nut, sealing ring and sealing plug, left and right

2SK 340 101-021

1

2SK 340 101-011

1

**with side-marker light and reflector, left and right**

without wiring harness, with earth lead mounted, rear of housing with thread, union nut, sealing ring and sealing plug, left and right

2SK 340 101-031

1

### Spare parts:

1 Lens  
 1 6-pin connection kit

4x24V21W (P21W) 8GA 002 073-241  
 2x24V10W (R10W) 8GA 002 071-251

1x24V5W (C5W) 8GM 002 092-241

## For horizontal flush/surface mounting on trailers

Red rear, stop, rear fog light,  
 amber indicator light, white reverse light.  
 Black plastic body.  
 Two fixing screws M8.

**With pre-fitted 24V bulbs. Two bulbs for rear light. With 0.5 m long lead and 7-pin EasyConn-central plug.**

(E4) 377 (E4) 396 (E4) 397 (E4) 23215

(E4) 3880 (E4) 421 (E4) 3134 (E4) 4033

**Rear-stop-indicator-rear fog-reverse light, left**

2SK 340 103-131


1





**right**

2SK 340 103-121



1

4x24V21W (P21W) 8GA 002 073-241  
 2x24V10W (R10W) 8GA 002 071-251


   	<p><b>Part no.</b></p> <p><b>2VP 340 831-011</b></p> <p><b>2VP 340 831-001</b></p> <p><b>2VP 340 931-011</b></p> <p><b>2VP 340 931-001</b></p> <p><b>9EL 340 829-011</b></p> <p><b>9EL 340 829-001</b></p> <p><b>9EL 340 829-031</b></p> <p><b>9EL 340 829-021</b></p> <p><b>9XX 340 173-801</b></p>	<p><b>Pk.</b></p> <p><b>1</b></p> <p><b>1</b></p> <p><b>1</b></p> <p><b>1</b></p> <p><b>1</b></p> <p><b>1</b></p> <p><b>1</b></p> <p><b>1</b></p> <p><b>1</b></p>	<p><b>For horizontal surface mounting on trailers</b></p> <p>Red rear, stop, rear fog light and triangular reflector, amber indicator light, clear reverse light.</p> <p><b>With screwed cable gland and four vibration dampers.</b></p> <p><b>Without central plug and bulbs.</b></p> <p>Ⓔ4 10218   Ⓔ4 10219   Ⓔ4 10211</p> <p><b>Rear-reflector-stop-indicator-rear fog-reverse light,</b></p> <p><b>left</b></p> <p><b>right</b></p> <p><b>with two bulbs for rear light,</b></p> <p><b>left</b></p> <p><b>right</b></p> <p><b>Spare parts:</b></p> <p>Lens with screws, for 340 831-...,</p> <p>left</p> <p>right</p> <p>for 340 931-...,</p> <p>left</p> <p>right</p> <p><b>Accessories:</b></p> <p>LED module retrofit set for converting the rear light from bulbs to LED technology</p> <p> 1(2)x24V10W (R10W) 8GA 002 071-251</p> <p> 4x24V21W (P21W) 8GA 002 073-241</p>
---	---	--	--





Part no.	Pk.	For horizontal surface mounting on trailers
		<b>EasyConn I</b> Red rear, stop, rear fog light and triangular reflector, amber indicator light, clear reverse light. <b>With central plug, four vibration dampers and 24V bulbs.</b>
		Ⓔ4 10219   Ⓔ4 10218   Ⓔ4 10211
		<b>Rear-reflector-stop-indicator-rear fog-reverse light,</b>
2VP 340 830-011	1	left
2VP 340 830-001	1	right
<hr/>		
		<b>With two bulbs for rear light,</b>
2VP 340 930-011	1	left
2VP 340 930-001	1	right
<hr/>		
		<b>Rear light in LED-technology, 2 x 2 red LEDs for rear light,</b>
2VP 340 932-011	1	left
2VP 340 932-001	1	right
<hr/>		
		See page 5.226, instruction 1.
<hr/>		
		<b>With side-marker-light and reflector.</b>
<hr/>		
		<b>Rear-reflector-stop-indicator-rear fog-reverse light with side marker light,</b>
2VP 340 830-031	1	left
2VP 340 830-021	1	right
<hr/>		
		<b>With two bulbs for rear light,</b>
2VP 340 930-031	1	left
2VP 340 930-021	1	right
<hr/>		
		<b>With 2-pole output for reverse light,</b>
2VP 340 930-157	12	left
2VP 340 930-147	1	right
<hr/>		
		<b>Spare parts:</b>
		Lens with screws, for 340 830-...
9EL 340 829-011	1	left
9EL 340 829-001	1	right
		for 340 930-..., 340 932-...
9EL 340 829-031	1	left
9EL 340 829-021	1	right
<hr/>		
		<b>Accessories:</b>
		LED module retrofit set for converting the rear light from bulbs to LED technology. For 2VP 340 830/930-...
9XX 340 173-801	1	
		1(3)x24V10W (R10W) 8GA 002 071-251 4x24V21W (P21W) 8GA 002 073-241



Part no.	Pk.	For horizontal surface mounting on trailers
		<b>EasyConn I</b> Red rear, stop, rear fog light and triangular reflector, amber indicator light, clear reverse light. Rubber arm with clearance light and amber side-marker light. Front-facing part of lens clear, rear-facing part red. <b>With central plug, four vibrations dampers and 24V bulbs.</b>
		Ⓔ4 10219 Ⓔ4 10218 Ⓔ4 10211
2VP 340 830-111	1	<b>Rear-reflector-stop-indicator-rear fog-reverse-clearance light and side marker light, left</b>
2VP 340 830-101	1	<b>right</b>
2VP 340 930-111	1	<b>With two bulbs for rear light, left</b>
2VP 340 930-101	1	<b>right</b>
2VP 340 931-111	1	<b>Same as 2VP 340 930-111/-101, but with PG fitting, without bulbs, left</b>
2VP 340 931-101	1	<b>right</b>
2VP 340 934-111	1	<b>Inclusive rubber arm with clearance light, side marker light and position light in LED-technology. 1 red LED for clearance light, 2 white LEDs for position light and 2 amber LEDs for side-marker light, left</b>
2VP 340 934-101	1	<b>right</b>
		<b>See page 5.226, instruction 1.</b>
		<b>Spare parts:</b> Lens with screws, for 340 830-...
9EL 340 829-011	1	left
9EL 340 829-001	1	right
		for 340 930-..., 340 931-...
9EL 340 829-031	1	left
9EL 340 829-021	1	right
9EL 303 581-001	1	Lens for clearance/side-marker light
		Rubber-arm clearance light in LED technology with integrated side marker light and 300 mm connection lead.
2XS 340 418-071	1	left
		with 150 mm connection lead,
2XS 340 418-061	1	right
		Also as a replacement for rubber-arm clearance lights fitted with bulbs
		<b>Accessories:</b> LED module retrofit set for converting the rear light from bulbs to LED technology. For 2VP 340 830/930/931-...
		1(2)x24V10W (R10W) 8GA 002 071-251 4x24V21W (P21W) 8GA 002 073-241 2x24V4W (T4W) 8GP 002 067-241



1	Ground	white
2	B	red
3	S	brown/black
4	ZR	pink
5	UR	not used
6	NES	blue
7	BL	green/yellow



1	Ground	white
2	B	red
3	S	brown/black
4	ZR	pink
5	UR	black/brown
6	NES	blue
7	BL	green/yellow

Pin configuration:  
 B = stop light  
 S = rear light  
 ZR = reverse light  
 UR = clearance light  
 NES = rear fog light  
 BL = indicator light



Part no. Pk. **For horizontal surface mounting on trailers**

**EasyConn II**

Red rear, stop, rear fog light and triangular reflector, amber indicator light, clear reverse light.

**Rear light in LED-technology. With 7-pin EasyConn-central plug, vibration dampers, 24V bulbs and 10 red LEDs 2.0W. See page 5.226, instruction 1.**

Ⓔ 11779

**Rear-reflector-stop-indicator-rear fog-reverse light, left**

2VP 340 942-011 1

**right**

2VP 340 942-001 1

**Inclusive rubber arm with clearance light and amber side-marker light in LED-technology. Lens clear to the front, red to the rear, amber at the side.**

Ⓔ 11779

**Rear-reflector-stop-indicator-rear fog-reverse-clearance light with side marker light, left**

2VP 340 942-111 1

**right**

2VP 340 942-101 1

**Inclusive rubber arm with clearance light, side marker light and position light in LED-technology. Lens clear to the front, red to the rear, amber at the side. With 24V bulb and 15 red LEDs 3.5W.**

**Rear-reflector-stop-indicator-rear fog-reverse-clearance light with side-marker light and position light, left**

2VP 340 940-111 1

**right**

2VP 340 940-101 1

**Spare parts:**

Lens with screws,  
 left  
 right

9EL 340 829-051 1

9EL 340 829-061 1

Rubber-arm clearance light in LED technology with integrated side marker light and 300 mm connection lead.  
 left



2XS 340 418-071 1

with 150 mm connection lead,  
 right

2XS 340 418-061 1

Also as a replacement for rubber-arm clearance lights fitted with bulbs


- Ⓔ 4x24V21W (P21W) 8GA 002 073-241
- Ⓔ 1x24V21W (PY21W) 8GA 006 841-241
- Ⓔ 1x24V4W (T4W) 8GP 002 067-241







1	Ground	white
2	RL	red
3	LL	green
4	MSL	blue
5	---	not used
6	---	not used
7	SL	yellow





1	Ground	white
2	MSL	black


Left light -011  
also with 2-pole plug








Part no.	Pk.	For horizontal surface mounting on trailers
		<p><b>100% in LED-technology.</b> Red rear, stop light and triangular reflector, amber indicator light, white reverse light. Black body.</p> <p><b>With 0.5 m long cable, 7-pin plug housing, and 2-pin EasyConn plug for the additional connection of a rear fog light.</b></p> <p><b>Rear/stop light with 15 red LEDs, Rear light: 0.7W, stop light: 5.0W.</b> Consumption: 0.03A Consumption: 0.21A</p> <p><b>Indicator light with 15 yellow LEDs 3.0W.</b> Consumption: 0.125A</p> <p><b>Reverse light with 1 white LED 5.5W.</b> Consumption: 0.23A</p> <p><b>See page 5.226, instruction 1.</b></p> <p>(E1) 2376</p> <p><b>Rear-reflector-stop-indicator-reverse light, left, 24V</b></p>
2VP 340 950-011	1	
2VP 340 950-021	1	<b>right, 24V</b>
2VP 340 950-031	1	<b>With 5-wire lead 1550 mm long with 5 blade sliders attached, left, 24V</b>
2VP 340 950-041	1	<b>right, 24V</b>
		<p>Red rear, stop, rear fog light and triangular reflector, amber indicator light, white reverse light. Black plastic body. Two M8 fixing screws. With grommet.</p> <p>(E1) 864</p> <p><b>Rear-stop-indicator-rear fog-reverse light with triangular reflector, left</b></p>
2VP 340 400-151	1	
2VP 340 400-157	15	
2VP 340 400-141	1	<b>right</b>
2VP 340 400-147	15	
		<b>With side-marker light and reflector, left</b>
2VP 340 400-131	1	
2VP 340 400-121	1	<b>right</b>
		<b>With side-marker light, reflector, and illumination for 520 x 120 mm and 340 x 240 mm licence plates, left</b>
2VD 340 400-451	1	
2VD 340 400-471	1	<b>without side-marker light with reflector, left</b>
		<b>Spare parts:</b>
9EL 340 203-011	1	Lens with screws, left
9EL 340 203-001	1	right
		<p>3x12V21W (P21W) 8GA 002 073-121                      3x24V21W (P21W) 8GA 002 073-241                      1x12V21/5W (P21/5W) 8GD 002 078-121                      1x24V21/5W (P21/5W) 8GD 002 078-241                      suitable                      1x24V21/5W (P21/5W) 8GD 002 078-011 (Heavy Duty)</p>



	Part no.	Pk.	For horizontal surface mounting
 	<p><b>2SD 001 685-501</b></p>	<p>1</p> <p><b>Rear-stop-indicator light</b></p> <p>Red rear and stop light, amber indicator light. Black plastic body. Two M6 fixing screws.</p> <p><b>With 7-pin EasyConn central plug, vibration dampers and 24V bulbs.</b></p> <p>Ⓔ12 7146</p> <p>1x24V5W (R5W) 8GA 002 071-241 2x24V21W (P21W) 8GA 002 073-241</p>	
 	<p><b>2NE 001 423-211</b></p>	<p>1</p> <p><b>Rear fog light (NES 2)</b> (Two lights can be fitted next to each other.)</p> <p>Red lens. Black plastic body. For mounting to vertical surfaces. Two M6 fixing screws.</p> <p><b>With 2-pin EasyConn central plug and 24V bulb.</b></p> <p>Ⓔ1 8496</p>	
 	<p><b>2ZR 001 423-221</b></p>	<p>1</p> <p><b>Reverse light (ZR 2)</b></p> <p>Clear lens. With 2-pin EasyConn central plug and 24V bulb.</p> <p>Ⓔ1 8704</p> <p>1x24V21W (P21W) 8GA 002 073-241</p>	
 	<p><b>2TM 008 645-351</b></p> <p><b>9GD 157 876-007</b> <b>8HG 160 409-002</b></p>	<p>1</p> <p><b>Rear light with reflector, 24V1.2W</b></p> <p><b>For horizontal or vertical surface mounting</b></p> <p>In LED-technology. With 3 LEDs. Red light. With 5000 mm lead and 2-pin EasyConn central plug. Black body. Two holes for fixing screws B4.2. Consumption: 0.05A.</p> <p>Ⓔ1 1395    Ⓔ1 1398</p> <p><b>Accessories:</b> 1 Seal 1 Holder with 2 fixing screws</p>	

	Part no.	Pk.	For upright surface mounting on trailers and semi-trailers with tarpaulin
 	 <b>2XS 340 108-011</b> <b>2XS 340 108-001</b>	1 1	<p>Front-facing part of lens milky-white, rear-facing part red.            Black rubber housing.            Two 5.3 mm dia. holes for fixing screws.  <b>With 1.7 m long, 2-conductor round lead with 2-pin plug and 24V bulbs.</b>  <b>To fit combination distributor 8JE 340 060-...</b></p> <p>(E13) 9401</p> <p>Clearance light,            left            right</p>
 	 <b>2XS 340 107-011</b> <b>2XS 340 107-001</b>  9EL 950 315-031 9EL 950 315-061 9XX 340 220-001	1 1  5 5 1	<p>Front-facing part of lens milky-white, rear-facing part red.            Black rubber housing.            Two 5.3 mm dia. holes for fixing screws.  <b>With 1.7 m long, 2-conductor lead with 2-pin plug and 24V bulb.</b>  <b>To fit combination distributor 8JE 340 060-...</b></p> <p>(E13) 9401</p> <p>Clearance light,            left            right</p> <p><b>Spare parts (for 340 108/340 107):</b>            Lens, milky-white            red            2-pin connection kit</p> <p> 1x24V5W (R5W) 8GA 002 071-241</p>
 	<b>2XS 302 240-031</b>  <b>2XS 302 240-051</b>  9EL 303 581-001	1 1 1	<p>Front-facing part of lens for clearance light clear, rear-facing part red.  <b>Lens for side-marker light amber.</b>  <b>With 0.5 m lead and 24V bulb.</b>            With black rubber arm and frame.            Type of protection: IP6K9K.</p> <p>(E4) 10211</p> <p>Clearance light with side-marker light and Quick Link lead attachment,            left and right</p> <p>With 2-pin EasyConn plug,            left and right</p> <p><b>Spare parts:</b>            Lens</p> <p> 1x24V4W (T4W) 8GP 002 067-241</p>
 	  	1 1 1	<p><b>In LED-technology, 24V.</b>  <b>One red LED for clearance light, two amber LEDs for side-marker light and two white LEDs for position light.</b>  <b>See page 5.226, instruction 2.</b>            Consumption: 0.06A</p> <p>With 0.5 m lead and Quick Link lead attachment,            left and right</p>
 	<b>2XS 340 447-001</b>  <b>2XS 340 447-021</b>	1 1	<p>With 0.5 m lead and Quick Link lead attachment,            left and right</p> <p>With 0.5 m lead and 2-pin EasyConn plug,            left and right</p>
 	<b>2XS 340 447-071</b> <b>2XS 340 447-061</b>	1 1	<p>With 2.0 m lead and flat receptacles,            left            right</p>

	Part no.	Pk.	<b>For upright surface mounting on trailers and semi-trailers with tarpaulin</b>
			<p>Front-facing part of lens for clearance light clear, rear-facing part red.  <b>Lens for side-marker light amber.</b>  <b>With 0.5 m lead and 24V bulb.</b>            With black rubber arm and frame.            Type of protection: IP6K9K.</p> <p><b>(E4) 10211</b></p>
	<b>2XS 340 827-011</b> <b>2XS 340 827-001</b>	1 1	<b>Clearance light with side-marker and 2-pin EasyConn-plug, left</b> <b>right</b>
	<b>2XS 340 827-131</b> <b>2XS 340 827-121</b>	1 1	<b>With 0.5 m lead and Quick Link lead attachment, left</b> <b>right</b>
	<b>9EL 303 581-001</b>	1	<b>Spare parts:</b> Lens  1x24V4W (T4W) 8GP 002 067-241
	<b>2XS 340 418-031</b> <b>2XS 340 418-021</b>	1 1	<b>With 0.5 m lead and 2 pin EasyConn-plug, left</b> <b>right</b>
	<b>2XS 340 418-131</b> <b>2XS 340 418-121</b>	1 1	<b>With 0.5 m lead and Quick Link lead attachment, left</b> <b>right</b>
	<b>2XS 340 418-091</b> <b>2XS 340 418-081</b>	1 1	<b>With 3.0 m lead and flat receptacles, left</b> <b>right</b>
			<b>For pendant mounting, use the left-hand side-maker light, right version, or the right-hand side-marker light, left version.</b>

	Part no.	Pk.	For upright surface mounting on trailers and semi-trailers with tarpaulin
			<p><b>Front-facing part of lens for clearance light clear, rear-facing part red.</b>  <b>Lens for side-marker light amber.</b>  <b>With 0.5 m lead and 24V bulb.</b>                      Black rubber arm and frame.                      Type of protection: IP6K9K.</p>
	2XS 302 241-071	1	<p><b>Clearance light with side-marker light, with 2-pin EasyConn plug, left</b></p>
	2XS 302 241-081	1	<p><b>right</b></p>
	2XS 302 241-091	1	<p><b>With 0.5 m lead and Quick Link lead attachment, left</b></p>
	2XS 302 241-101	1	<p><b>right</b></p>
	9EL 303 581-001	1	<p><b>Spare parts:</b>                      Lens</p>
			<p><b>1x24V4W (T4W) 8GP 002 067-241</b></p>
	2XS 340 448-011	1	<p><b>With 0.5 m lead and 2-pin EasyConn plug, left</b></p>
	2XS 340 448-001	1	<p><b>right</b></p>
	2XS 340 448-031	1	<p><b>With 0.5 m lead and Quick Link lead attachment, left</b></p>
	2XS 340 448-021	1	<p><b>right</b></p>
 	2XS 340 109-011	1	<p><b>For surface mounting on trailers and semi-trailers with tarpaulin</b></p> <p><b>Front-facing part of lens clear, rear-facing part red.</b>                      With flexible rubber support 55 x 42 mm.  <b>With 2-conductor, 1.7 m long lead, 2-pin plug and 24V bulb.</b>                      To fit combination distributor 8JE 340 060-...</p>
	2XS 340 109-001	1	<p><b>Clearance light, left</b></p>
	9EL 132 215-001	2	<p><b>Spare parts:</b>                      Lens with screws</p>
	9XX 340 220-001	1	<p><b>2-pin connection kit</b></p>
			<p><b>1x24V4W (T4W) 8GP 002 067-241</b></p>



 	<p><b>Part no.</b></p> <p><b>2XS 340 000-101</b></p> <p><b>8KA 340 040-001</b></p> <p><b>8KL 340 050-001</b></p> <p><b>9XX 340 220-001</b></p> <p><b>9GS 340 051-001</b></p>	<p><b>Pk.</b></p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>20</p>	<p><b>For horizontal or vertical surface mounting on trailers and semi-trailers with tarpaulin</b></p> <p><b>Red lens.</b>  <b>With 24V bulb.</b>  <b>Connecting via splice clamp connection.</b>  Two fixing screws.</p> <p>(E1) 2544</p> <p><b>Clearance light</b></p> <p><b>Accessories:</b>  2-conductor PVC flat lead with 2-pin plug, 10 m long, for trailers  without plug, 100 m long  2-pin connection kit  Hot-shrink end cap</p> <p> 1x24V5W (C5W) 8GM 002 092-241</p>
  	<p><b>2KA 340 828-001</b></p> <p><b>2KA 340 828-001</b></p>	<p>1</p> <p>1</p>	<p><b>For surface mounting</b></p> <p><b>Clear lens.</b></p> <p>For mounting above 520 x 120 mm (1 light) and 340 x 240 mm (2 lights) license plates or mounting to left and right of 340 x 240 mm and 520 x 120 mm license plates.  Black plastic body. With M5 fixing screws.  <b>With 24V bulb.</b></p> <p>(E1) 597</p> <p><b>License plate light with 0.5 m lead and 2-pin EasyConn plug</b></p> <p><b>with 0.5 m lead and Quick Link lead attachment</b></p> <p> 1x24V5W (C5W) 8GM 002 092-241</p>
  	<p><b>2KA 959 640-661</b></p>	<p>1</p>	<p><b>In LED-technology.</b>  <b>With two white LEDs 0.5W.</b>  <b>Clear lens.</b></p> <p>For mounting above 520 x 120 mm license plates (3 lights) or mounting to left and right of 520 x 120 mm license plates (1 light).  Black plastic body.  Bulb holder with vibration damper.  Voltage range: 10 - 33V.  Consumption: 0.04A at 12V, 0.02A at 24V.  <b>See page 5.226, instruction 2.</b></p> <p>(E4) 4068</p> <p><b>License plate light with 0.5 m lead and 2-pin EasyConn plug</b></p>

  	<p><b>Part no.</b></p> <p><b>8JE 340 060-001</b></p> <p><b>8JE 340 060-011</b></p> <p><b>2KA 340 118-001</b></p> <p><b>8XS 340 095-001</b></p>	<p><b>Pk.</b></p> <p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p><b>Combination distributor</b></p> <p>For connection of all technical light functions. With built-in licence plate illumination and mounting section for licence plate 520 x 120 mm. Incl. cover for protection of connections.</p> <p>Ⓔ 534</p> <p><b>Combination distributor with black cover at front and rear. With 6-pin socket for additional illumination functions. Terminal 9-15 interior lights, work lights and rotating beacons.</b></p> <p><b>Combination distributor with black cover at front and rear. With two 6-pin sockets 1x for additional illumination functions: Terminal 9-15 interior lights, work lights and rotating beacons 1x for special functions: steering axle, axle lift, starting aid, ABS.</b></p> <p><b>Spare parts:</b> Licence plate light with mounting sections for fuses and 24V bulbs</p> <p><b>Accessories:</b> Rear cover, black</p> <p> Bulbs for licence plate illumination 2x24V5W (C5W) 8GM 002 092-241</p>
  	<p><b>8JE 340 151-001</b></p>	<p>1</p>	<p><b>Combination distributor as an alternative to 8JE 340 060-001</b></p> <p>Universal contact and installation thanks to plain sliders 6.3 x 0.8 mm: 1 plain connector strip with 14 terminals, 6 plain connector strips with 6 terminals, 8 plain connector strips with 4 terminals. Fitted with 12 cable glands: 10 x clamping range 3.5-10 mm, 2 x clamping range 9-18 mm. Type of protection: IP68.</p> <p><b>Combination distributor with plug-type connections</b></p>








	Part no.	Pk.	Main supply leads
 	8KA 340 010-001 8KA 340 010-011 9XX 340 223-001	1 1 1	<p>14-conductor (11 x 1.5 mm<sup>2</sup>, 3 x 2.5 mm<sup>2</sup>) with 15-pin plug and socket. To fit combination distributor 8JE 340 060-...</p> <p><b>Main supply lead, 15.5 m long</b></p> <p><b>12 m long</b></p> <p><b>Spare parts:</b> 15-pin connection kit</p>
 	8KA 340 012-001 9XX 340 223-041	1 1	<p>9-conductor (8 x 1.5 mm<sup>2</sup>, 1 x 2.5 mm<sup>2</sup>) with 15-pin plug and socket with cover. To fit combination distributor 8JE 340 060-....</p> <p><b>Main supply lead, 16 m long</b></p> <p><b>Spare parts:</b> 15-pin connection kit</p>
 	8KA 340 010-241	1	<p>14-conductor (11 x 1.5 mm<sup>2</sup>, 3 x 2.5 mm<sup>2</sup>) with 2 x 15-pin plugs. To fit front distributor 8JE 340 165-001 as input module or for combination distributor 8JE 340 060-...</p> <p><b>Main supply lead, 15.5 m long</b></p>
 	8KA 340 028-061	1	<p>15-conductor (12 x 1.5 mm<sup>2</sup>, 3 x 2.5 mm<sup>2</sup>) with blade receptacles and 15-pin socket with cover. To fit combination distributor 8JE 340 151-...</p> <p><b>Main supply lead, 15.5 m long</b></p>
	9XX 340 223-001	1	<p><b>Connection set</b></p> <p>15-pin connection set for main distribution lead. To fit combination distributor 8JE 340 060-... and front distributor 8JE 340 165-001 and as a replacement part for the following leads: 8KA 340 010-..., 8KA 340 020-..., 8KA 340 021-..., 8KA 340 030-... and 8KA 340 031-...</p> <p><b>Connection set, 15-pin</b></p>
 	8KA 340 817-077	1	<p><b>Main supply lead</b></p> <p>15-conductor lead (12 x 1.0 mm<sup>2</sup>/3 x 2.5 mm<sup>2</sup>), with two 15-pole EasyConn sockets and one 2-pole outlet, 0.3 m long, with EasyConn socket, assembled and extrusion-coated.</p> <p><b>Main supply lead, 9.0 m long</b></p>

	Part no.	Pk.	Adapter leads
 	8KA 340 846-067	1	<p>15-conductor lead (12 x 1.0 mm<sup>2</sup>/3 x 2.5 mm<sup>2</sup>), with two 15-pole EasyConn sockets and 2-pole outlets, each 0.3 m long, with two EasyConn sockets each for connecting additional functions (rear light left/right).</p> <p><b>Adapter lead, 0.5 m long</b></p>
 	8KA 340 896-027	1	<p>7-conductor lead (6 x 1.0 mm<sup>2</sup>/ 1 x 1.5 mm<sup>2</sup>), with two 7-pole EasyConn sockets and 2-pole outlets, each 0.5 m long, with two EasyConn sockets each for connecting additional functions (rear fog light and reverse light).</p> <p><b>Adapter lead, 0.5 m long</b></p>
 	8KA 340 910-007	1	<p>4-conductor lead (4 x 1.0 mm<sup>2</sup>), with one 7-pole EasyConn socket and two 4-pole outlets with one 7-pole EasyConn socket, each 0.5m long.</p> <p><b>Adapter lead, 0.5 m long</b></p>
 	8KA 340 040-001	1	<p><b>Flat leads for signal lamps with contacting via splice connection or with quick-link cabling</b></p> <p>Black PVC, 2-conductor (2 x 1.5 mm<sup>2</sup>), with 2-pin plug. To fit combination distributor 8JE 340 060-... and front distributor 8JE 340 161-... End of lead with hot-shrink end cap.</p> <p><b>Flat lead, 10 m long, for trailers</b></p>
 	8KL 340 050-001	1	<p><b>Without 2-pin plug and hot-shrink end cap.</b></p> <p><b>100 m drum</b></p>
	9XX 340 220-001	1	<p><b>Accessories:</b></p> <p>2-pin connection kit Hot-shrink end cap</p> <p><b>Connection kits</b></p> <p>For 2-conductor flat lead or round lead, to match combination distributor 8JE 340 060-... and front distributor 8JE 340 165-... and for 2-conductor flat lead 8KL 340 050-...</p> <p><b>2-pin connection kit</b></p>
	9XX 340 222-001	1	<p>For 6-conductor lead. To fit combination distributor 8JE 340 060-... and front distributor 8JE 340 165-..., as replacement part for combination rear lights with 6-conductor lead and plug as well as for distribution socket 8JE 340 061-...</p> <p><b>6-pin connection kit</b></p>









  	<b>Part no.</b>  <b>8JE 340 165-001</b>	<b>Pk.</b>  <b>1</b>	<b>Front distributor</b>  For front mounting. For connection of all technical light functions of trailers.  <b>Front distributor</b> with 3 sockets on the front (24-N-socket, 7-pin, acc. to DIN-ISO 1185 and 24-S-socket, 7-pin, acc. to DIN-ISO 3731 as well as 15-pin socket acc. to DIN-ISO 12098) as an input module for trailers and semi-trailers with or without tarpaulin.  On the reverse 1 x 15-pin jack suitable for main supply lead 8KA 340 010-241 or adapter 8KA 340 010-251 with 2 x 2-pin jack for optional connection of the side-marker lights/ side lights/clearance lights protected by 2 flat fuses (2A).
 	<b>8KA 340 010-251</b>	<b>1</b>	<b>Adapter lead</b>  15-conductor (10 x 1.5 mm <sup>2</sup> , 3 x 2.5 mm <sup>2</sup> , 2 x 1.5 mm <sup>2</sup> ) with 2 x 15-pin plugs. Suitable for front distributor 8JE 340 165-...  <b>Adapter lead,</b> <b>1.7 m long</b>
	<b>9XX 340 223-001</b>	<b>1</b>	<b>Connection kit</b>  15-pin connection set for main distribution lead. To fit combination distributor 8JE 340 060-... and front distributor 8JE 340 165-... and as replacement part for the following leads: 8KA 340 010-.../8KA 340 020-.../8KA 340 021-.../8KA 340 030-.../8KA 340 031-...  <b>Connection kit, 15-pin</b>
 	<b>8KA 340 040-001</b>	<b>1</b>	<b>Flat leads</b> <b>for signal lamps with contacting via splice clamp connection</b>  Black PVC, 2-conductor (2 x 1.5 mm <sup>2</sup> ), with 2-pin plug. To fit combination distributor 8JE 340 060-... and front distributor 8JE 340 165-... End of lead with hot-shrink end cap.  <b>Flat lead,</b> <b>10 m long, for trailer</b>
 	<b>8KL 340 050-001</b>	<b>1</b>	<b>Without 2-pin plug and hot-shrink end cap.</b>  <b>100 m drum</b>  <b>Accessories:</b> 2-pin connection kit Hot-shrink end cap
	<b>9XX 340 220-001</b>	<b>1</b>	<b>Connection kit</b>  For 2-conductor flat lead or round lead. To fit combination distributor 8JE 340 060-... and front distributor 8JE 340 165-... and for 2-conductor flat lead 8KL 340 050-...  <b>Connection kit, 2-pin</b>

	Part no.	Pk.	Adapter leads for trailers
 	<p>8KA 340 031-001</p> <p>9XX 340 223-001</p>	<p>1</p> <p>1</p>	<p>3.5 m long, 14-conductor (11 x 1.5 mm<sup>2</sup>, 3 x 2.5 mm<sup>2</sup>), with 15-pin plug. To fit main distribution lead 8KA 340 010-... as well as 15-pin plug (DIN-ISO 12098).</p> <p><b>Adapter lead</b></p> <p><b>Spare parts:</b> 15-pin connection kit</p>
 	<p>8KA 340 010-251</p>	<p>1</p>	<p>1.7 m long, with 2 x 15-pin plug, suitable for front distributor 8JE 340 165-... lead 10 x 1.5 mm<sup>2</sup>, 3 x 2.5 mm<sup>2</sup> and 2 x 1.5 mm<sup>2</sup>.</p> <p><b>Adapter lead</b></p>
 	<p>8KA 340 846-067</p>	<p>1</p>	<p>0.5 m long, 15--conductor (12 x 1,0 mm<sup>2</sup>/3 x 2,5 mm<sup>2</sup>), with two 15-pole EasyConn sockets and 2-pole outlets, each 0.3 m long, with two EasyConn sockets each for connecting additional functions (rear light left/right).</p> <p><b>Adapter lead</b></p>

	Part no.	Pk.	For horizontal surface mounting
    	<p><b>2PS 963 639-011</b> 1  <b>2PS 963 639-017</b> 12</p> <hr/> <p><b>2PS 963 639-071</b> 1  <b>2PS 963 639-077</b> 20</p>		<p><b>LED-technology. Amber light.</b>            Black base plate.            0.5 m lead with stripped ends.            Two 5.5 mm dia. holes for fixing screws.            Consumption: 0.05A  <b>With two LEDs 1.3W.</b>  <b>See page 5.226, instruction 2.</b></p> <p>(E17) 9605</p> <p><b>Side-marker light with reflector, without bracket, 24V</b></p> <hr/> <p><b>With bracket, 24V</b></p>
    	<p><b>2PS 007 943-011</b> 8  <b>2PS 007 943-017</b> 105</p> <hr/> <p><b>2PS 007 943-021</b> 10  <b>2PS 007 943-027</b> 124</p>		<p><b>LED-technology. Amber light.</b>            Black base plate.            0.5 m lead with stripped ends.            Two 4.5 mm dia. holes for fixing screws.            Consumption: 0.06A  <b>With three LEDs 1.4W.</b>  <b>See page 5.226, instruction 2.</b></p> <p>(E4) 9417</p> <p><b>Side-marker light with reflector, without bracket, 24V</b></p> <hr/> <p><b>With bracket, 24V</b></p>
      	<p><b>2PG 008 645-321</b> 1  <b>2PG 008 645-331</b> 1  <b>2PG 008 645-341</b> 1</p> <hr/> <p><b>2PS 008 645-301</b> 1  <b>2PS 008 645-311</b> 1  <b>2PS 008 645-361</b> 1</p> <p><b>9GD 157 876-007</b> 1  <b>8HG 160 409-002</b> 10</p>		<p><b>In LED-technology. Clear light.</b>            Black housing. With 2-pin EasyConn plug.            Consumption: 0.04A  <b>With three LEDs 0.9W.</b>  <b>See page 5.226, instruction 2.</b></p> <p>(E1) 1395    (E1) 1398</p> <p><b>Side light with reflector, with 0.3 m lead, 24V</b>  <b>with 1.3 m lead, 24V</b>  <b>with 3.0 m lead, 24V</b></p> <hr/> <p><b>Amber light.</b>            Consumption: 0.05A  <b>With three LEDs, 1.2W.</b></p> <p><b>Side-marker light with reflector, with 0.3 m lead, 24V</b>  <b>with 1.3 m lead, 24V</b>  <b>with 2.0 m lead, 24V</b></p> <p><b>Accessories:</b>            Gasket            Holder with two fixing screws</p>









Part no.	Pk.	For horizontal or vertical surface mounting
		<b>Amber lens.</b> Two fixing screws. <b>With 24V bulb.</b> Contacting via splice clamp connection.
		(E1) 2544
2PS 340 000-001	1	Side-marker light with reflector
2PS 340 000-171	1	With 35 mm mounting bracket
<b>For horizontal surface mounting</b>		
2PS 340 000-011	1	With transverse clip angle, front.
2PS 340 000-021	1	With longitudinal clip angle, rear.
2PS 340 000-051	1	With PC lens.
2PS 340 000-031	1	Holder mounting surface points towards the front
2PS 340 000-041	1	Holder mounting surface points towards the back
2PS 340 000-061	1	With PC lens.
9EL 340 002-011	1	<b>Spare parts:</b> Lens for -001/-011/-021/-031/-041/-171
8KA 340 040-001	1	<b>Accessories:</b> 2-conductor PVC flat lead with 2-pin plug, 10 m long, for trailer
8KL 340 050-001	1	without plug, 100 m long (from roll)
9XX 340 220-001	1	2-pin connection kit
9GS 340 051-001	20	Hot-shrink end cap

1x24V5W (C5W) 8GM 002 092-241


		<b>Part no.</b>  8KA 340 040-001	<b>Pk.</b>  1	<b>Flat leads</b> <b>for signal lights with contacting via splice clamp connection</b> Black PVC, 2-conductor (2 x 1.5 mm <sup>2</sup> ), with 2-pin plug. To match combination distributor 8JE 340 060-... and front distributor 8JE 340 165-... End of lead with hot-shrink end cap.  <b>Flat lead</b> <b>10 m long, for trailers</b>
		8KL 340 050-001  9XX 340 220-001 9GS 340 051-001	1  1 20	<b>Without 2-pin plug and hot-shrink end cap.</b>  <b>100 m drum</b>  <b>Accessories:</b> Connection set, 2-pin Hot-shrink end cap
		8KL 340 055-001	1	<b>Round lead</b>  Black, 2-conductor (2 x 1.5 mm <sup>2</sup> ), Only for LED-side-marker lights with reflector 2PS 340 001-... Usable 2-pin connection set 9XX 340 220-801.  <b>Round lead,</b> <b>100 m drum</b>
		8KB 340 820-057	32	<b>Lead</b>  With chain for connecting side-marker reflector lights with four 2-pin EasyConn sockets. L1 = 3.3 m, L2 = 3.0 m, L3 = 3.0 m, L4 = 3.0 m  <b>Lead</b>
		9XX 340 220-001	1	<b>Connection kits</b>  For 2-conductor flat lead or round lead, to match combination distributor 8JE 340 060-... and front distributor 8JE 340 165-... and for 2-conductor flat lead 8KL 340 050-...  <b>2-pin connection kit</b>
		9XX 340 220-011	10	2-pin connection set for 2-conductor round lead. 1 connection set for LED side-marker lights with reflector 2PS 340 001-... and 1 connection set for combination distributor 8JE 340 060-... and front distributor 8JE 340 165-...  <b>Connection set, 2-pin (2 ea.)</b>
		9XX 340 220-801	1	2-pin connection set for 2-conductor round lead. For connection of 10 LED side-marker lights 2PS 340 001-... To fit combination distributor 8JE 340 060-... and front distributor 8JE 340 165-...  <b>Connection set, 2-pin</b>



 	<p>Part no.</p> <p><b>1GA 340 110-001</b></p> <p><b>1GA 340 861-001</b></p> <p><b>9XD 130 261-001</b></p>	<p>Pk.</p> <p>1</p> <p>1</p> <p>5</p>	<p><b>For upright or pendant surface mounting</b></p> <p><b>Picador with FF reflector</b></p> <p>Lens pattern for long-range illumination. Black fibre-glass reinforced plastic housing. Universal bracket with M10 fixing screw. Connection to distribution box 8JE 340 061-... Type of protection: IP5K4K.</p> <p><b>With 24V bulb.</b> <b>Light aperture: 125 x 75 mm.</b></p> <p><b>H3 work light with 2 conductor, 8 m long lead</b></p> <p><b>with 1.6 m lead and 2-pin EasyConn plug</b></p> <p><b>Accessories:</b> Mounting bracket</p>  <p>1x24V70W (H3) 8GH 002 090-251</p>
 	<p><b>1G3 005 760-241</b></p>	<p>1</p>	<p><b>Torero 5760</b></p> <p>Lens pattern for long-range illumination. Black plastic housing, with extending edge to protect lens. Universal bracket with M10 fixing screws. With 1.6 m lead and 2-pin EasyConn plug. Type of protection: IP5K4K.</p> <p><b>With switch and 24V bulb.</b> <b>Light aperture: Ø 120 mm.</b></p> <p><b>H3 work light</b></p>  <p>1x24V70W (H3) 8GH 002 090-251</p>
 	<p><b>2JB 343 227-001</b></p>	<p>1</p>	<p><b>For flush mounting</b></p> <p><b>In LED-technology.</b> <b>Clear lens.</b></p> <p>With silver coloured rim. Four holes for fixing screws. With 310 mm long lead with stripped cable ends.</p> <p><b>Voltage range: 10V - 31V.</b> <b>With four white LEDs, 6.0W.</b></p> <p><b>Interior light</b></p>



 	<b>Part no.</b>  <b>2JA 340 111-001</b>	<b>Pk.</b>  <b>1</b>	<b>For surface mounting</b>  <b>Clear lens.</b> White body, without switch. <b>RF-suppressed = supression class N (semi-suppressed).</b> <b>With fluorescent tube 8W.</b> <b>Power consumption approx. 800 mA.</b> With connection junction box 8JE 340 061-...  <b>Transistorized ceiling light, 24V</b>   Fluorescent tube 8W, white 8GS 002 296-111
	<b>8JE 340 061-001</b>  <b>9XX 340 222-001</b>	<b>1</b>  <b>1</b>	<b>Distribution box</b>  For additional illumination functions: e. g. interior lights, work lamps, rotating beacons. With 6-conductor (5 x 1 mm <sup>2</sup> /1 x 2.5 mm <sup>2</sup> ), 2 m long lead and 6-pin plug. To fit combination distributor 8JE 340 060-... and front distributor 8JE 340 165-...  <b>Distribution box</b>  <b>Spare parts:</b> 6-pin connection set
	<b>9XX 340 222-001</b>	<b>1</b>	<b>Connection set</b>  For 6-conductor leads. To fit combination distributor 8JE 340 060-... and front distributor 8JE 340 165-... as replacement part for combination rear lights with 6-conductor lead and plug as well as for distribution socket 8JE 340 061-...  <b>6-pin connection set</b>






# Additional Lights and Cabling






	Part no.	Pk.	Leads
			2 x 1. mm <sup>2</sup> , black, white
	8KL 340 009-001	100	<b>Lead set</b>
			4 x 1.0 mm <sup>2</sup> , black, white, brown, red
	8KL 340 052-001	50	<b>Lead set</b>
			3 x 2.5 mm <sup>2</sup> , white, brown, black 4 x 1.5 mm <sup>2</sup> , red, green, amber, white-brown
	8KL 340 054-001	100	<b>Lead set</b>
			2 x 0.5 mm <sup>2</sup> , black, white
	8KL 340 055-021	100	<b>Lead set</b>
			12 x 1.0 mm <sup>2</sup> green, pink, blue, black, brown, grey, red, amber, white-green, white-blue, white-black, white-brown 3 x 2.5 mm <sup>2</sup> white-red, white, orange
	8KL 340 059-001	100	<b>Lead set</b>
	8KL 340 093-011	25	8 x 1.0 mm <sup>2</sup> , amber, green, blue, black, brown, red, pink, grey, 2 x 2.5 mm <sup>2</sup> white, orange
	8KL 340 412-001	50	6 x 1.0 mm <sup>2</sup> , black, brown, red, blue, pink, amber-green, 1 x 1.5 mm <sup>2</sup> , white
			<b>Lead set</b>

 	<b>Part no.</b>  <b>8JE 340 060-251</b>	<b>Pk.</b>  <b>1</b>	<b>Combination distributor</b> For connection of all technical light functions of trailers. With built-in licence plate illumination and mounting section for licence plate.  <b>Combination distributor with one 15-pin, five 7-pin and six 2-pin EasyConn-connections. With separately protected lighting circuits.</b>   Bulbs for licence plate illumination 2x24V5W (C5W) 8GM 002 092-241
 	<b>8JE 340 898-001</b>	<b>1</b>	<b>Front distributor</b> For front mounting. For connection of all technical light functions of trailers.  <b>Front distributor with three sockets on the front (socket acc. to DIN-ISO 12098, 7N socket, acc. to DIN-ISO 1185 and 7S socket, acc. to DIN-ISO 3731), as well as 15-pin EasyConn connection (for main supply), as well as two closed cable screwed connections on the underside (for additional functions)</b>  <b>Distribution box</b> With 15-pin EasyConn connection for main supply, 7-pin EasyConn connection for additional functions, 3 x 2-pin EasyConn connection (for licence plate-, clearance light or additional functions) and cable screwed connections. Wired completely via terminal block.  <b>Distribution box</b> <b>with 8 x 2-pin EasyConn connection</b>
	<b>8JE 340 867-001</b>  <b>8JE 340 867-011</b>	<b>1</b>  <b>1</b>	


	Part no.	Pk.	<b>Main supply leads</b>
			15 conductor lead (12 x 1.0 mm <sup>2</sup> /3 x 2.5 mm <sup>2</sup> ) with two 15-pin EasyConn sockets, assembled and overmoulded.
	8KA 340 815-001	1	<b>Main supply lead, 15.5 m long</b>
	8KA 340 815-011	1	<b>10.0 m long</b>
	8KA 340 815-021	1	<b>12.0 m long</b>
			15-conductor lead (12 x 1.0 mm <sup>2</sup> /3 x 2.5 mm <sup>2</sup> ) with two 15-pin EasyConn sockets, assembled and overmoulded.
	8KA 340 816-001	1	<b>Main supply lead, 9.0 m long</b>
	8KA 340 816-011	1	<b>12.0 m long</b>
			15-conductor lead (12 x 1.0 mm <sup>2</sup> /3 x 2.5 mm <sup>2</sup> ) with two 15-pin EasyConn-sockets and two 2-pole outlets, each 0.3 m long, with two EasyConn sockets each assembled and overmoulded, (for connecting 58L/R, 58R =brown).
	8KA 340 817-001	1	<b>Main supply lead, 14.0 m long</b>
	8KA 340 817-011	1	<b>15.0 m long</b>
	8KA 340 845-001	1	<b>Main supply lead</b>
	8KA 340 845-031	1	<b>with flexible helical cable</b>
			<b>Front adapter leads</b>
	8KA 340 818-001	1	2 x 7 conductor lead, with 15-pin EasyConn plug, suitable for main supply leads 8KA 340 815-..., 8KA 340 816-..., 8KA 340 817-... and 8KA 340 845-..., as well as 7-N socket (DIN-ISO 1185) lead 3 x 2.5 mm <sup>2</sup> and 4 x 1.5 mm <sup>2</sup> and 7-S socket (DIN-ISO 3731) lead 7 x 1.5 mm <sup>2</sup> . For semi-trailer.
	8KA 340 818-011	1	<b>Front adapter lead 1.70 m long</b>
	8KA 340 818-031	1	<b>0.60 m long</b>
			2 x 7-conductor lead, with 15-pin EasyConn plug, suitable for main supply leads 8KA 340 815-..., 8KA 340 816-..., 8KA 340 817-... and 8KA 340 845-..., as well as 7-N socket (DIN-ISO 1185) lead 3 x 2.5 mm <sup>2</sup> and 4 x 1.5 mm <sup>2</sup> and 7-S socket (DIN-ISO 3731) lead 7 x 1.5 mm <sup>2</sup> . For trailer.
	8KA 340 841-001	1	<b>Front adapter lead, 3.50 m long</b>
	8KA 340 841-021	1	<b>6.0 m long</b>

	Part no.	Pk.	Front adapter leads
	8KA 340 842-001	1	15-conductor lead (12 x 1.0 mm <sup>2</sup> /3 x 2.5 mm <sup>2</sup> ) with 15-pin EasyConn plug, suitable for main supply leads 8KA 340 815-..., 8KA 340 816-..., 8KA 340 817-... and 8KA 340 845-..., as well as 15-pin plug (DIN-ISO 12098). For semi-trailer.
	8KA 340 842-011	1	<b>Front adapter lead, 0.6 m long</b>
	8KA 340 843-001	1	15-conductor lead (12 x 1.0 mm <sup>2</sup> /3 x 2.5 mm <sup>2</sup> ) with 15-pin EasyConn plug, suitable for main supply leads 8KA 340 815-..., 8KA 340 816-..., 8KA 340 817-... and 8KA 340 845-..., as well as 15-pin socket (DIN-ISO 12098). For trailer.
	8KA 340 843-011	1	<b>Front adapter lead, 3.5 m long</b>
	8KA 340 843-021	1	<b>Front adapter lead, 6.0 m long</b>
	8KA 340 846-001	1	<b>Adapter leads</b> 15-conductor lead (12 x 1.0 mm <sup>2</sup> /3 x 2.5 mm <sup>2</sup> ) 0.5 m long, with a 15-pin EasyConn plug and a 15-pin EasyConn socket and two 2-pole outlets, each 0.3 m long, with two EasyConn sockets each for connecting additional functions (e.g. reverse light and stop light). <b>Adapter lead</b>
	8KA 340 852-051	1	For connecting to EasyConn system, with 1.0 m long lead. <b>Adapter lead with 2-pin EasyConn socket</b>
	8KA 340 854-021	1	<b>Adapter lead with 2-pin EasyConn socket</b>
	8KA 340 819-001	1	15-conductor lead (12 x 1.0 mm <sup>2</sup> /3 x 2.5 mm <sup>2</sup> ) with a 15-pin EasyConn plug suitable for main supply leads 8KA 340 815-..., 8KA 340 816-..., 8KA 340 817-... and 8KA 340 845-... With two leads (7 x 1.5 mm <sup>2</sup> /7 x 1.5 mm <sup>2</sup> ), each 1.30 m long, on the right and left going to two 7-pin EasyConn sockets (for combination rear lights). <b>Rear adapter lead with three 2-pin EasyConn plugs per side (e.g. for licence plate and rubber arm lights), connected by two leads per side (2 x 0.5 mm<sup>2</sup>). Cable length between the individual plugs 0.5 m.</b>
	8KA 340 819-011	1	<b>With two 2-pin EasyConn plugs per side (e.g. for licence plate and rubber arm lights), connected by two leads per side (2 x 0.5 mm<sup>2</sup>). Lead length between the individual plugs 0.5 m.</b>
	8KA 340 819-041	1	<b>With one two-pole EasyConn plug housing per side (e.g. for SMLR chains), connected with one 3 m long flat lead (2 x 1.5 mm<sup>2</sup>) per side.</b>


	<b>Part no.</b>          <b>8JE 340 847-001</b>	<b>Pk.</b>          <b>1</b>  <b>Distribution box</b>  Distribution box with PG-screwing and two 15-core (12 x 1.0 mm <sup>2</sup> /3 x 2.5 mm <sup>2</sup> ) lead ends, each 0.5 m long, with 15-pin EasyConn socket and 15-pin EasyConn plug.  <b>Distribution box</b>
	<b>8KA 340 859-001</b>          <b>8KA 340 859-011</b>	<b>1</b>          <b>1</b>  <b>Intermediate adapter</b>  2-wire Y-adapter cable with one 2-pole EasyConn plug housing and two 150 mm long outputs with one 2-pole EasyConn plug housing and one receptacle housing each.  <b>Intermediate adapter</b>  <b>Outputs with one 2-pole EasyConn receptacle housing each</b>
	<b>8KA 340 864-001</b>	<b>1</b>  <b>Cable distributor</b>  Y-cable distributor with one 15-pole EasyConn plug on one end and two 15-pole EasyConn receptacle housings in the other end. Can be used as an adapter for the front and rear.  <b>Cable distributor</b>
  	<b>8KB 340 820-001</b>          <b>8KB 340 820-061</b>          <b>8KA 340 822-001</b>	<b>1</b>          <b>1</b>  <b>Leads</b>  With chain for connecting side-marker reflector lights with five 2-pin EasyConn sockets and parklight. L1 = 5.30 m, L2 = 3.50 m, L3 = 3.70 m, L4 = 3.60 m, L5 = 3.70 m.  <b>Wiring harness</b>  With chain for connecting side-marker reflector lights with five 2-pin EasyConn sockets. L1 = 5.30 m, L2 = 3.50 m, L3 = 3.70 m, L4 = 3.60 m, L5 = 3.70 m.  <b>Wiring harness</b>  With a 2-pin EasyConn socket for connecting side-marker reflector lights. Length 21.0 m. Cable ends with heat-shrinkable cap.  <b>Flat wiring harness</b>

	<b>Part no.</b>	<b>Pk.</b>	<b>Main supply leads</b>
			With 2-pole EasyConn socket and hot-shrink end cap.
	8KA 340 822-051	1	<b>Lead set</b> 13.5 m long
	8KA 340 822-061	1	15.0 m long
	8KA 340 822-071	1	6.0 m long
	8KA 340 822-081	1	10.0 m long
	8KA 340 822-091	1	19.0 m long
			<b>Leads</b>
	8KL 340 009-001	100	2 x 1.0 mm <sup>2</sup> , black, white <b>Lead set</b>
	8KL 340 052-001	50	4 x 1.0 mm <sup>2</sup> , black, white, brown, red <b>Lead set</b>
8KL 340 054-001	100	3 x 2.5 mm <sup>2</sup> , white, brown, black 4 x 1.5 mm <sup>2</sup> , red, green, amber, white-brown <b>Lead set</b>	
8KL 340 055-021	100	2 x 0.5 mm <sup>2</sup> , black, white <b>Lead set</b>	
8KL 340 059-001	100	12 x 1.0 mm <sup>2</sup> green, pink, blue, black, brown, grey, red, amber, white-green, white-blue, white-black, white-brown 3 x 2.5 mm <sup>2</sup> white-red, white, orange <b>Lead set</b>	
8KL 340 093-011	25	8 x 1.0 mm <sup>2</sup> , amber, green, blue, black, brown, red, pink, grey, 2 x 2.5 mm <sup>2</sup> white, orange <b>Lead set</b>	
8KL 340 412-001	50	6 x 1.0 mm <sup>2</sup> , black, brown, red, blue, pink, amber-green, 1 x 1.5 mm <sup>2</sup> , white <b>Lead set</b>	
8KW 998 602-002	15	<b>Clamping element</b> for Quick Link lead attachment	

	Part no.	Pk.	EasyConn-Service-Sets
	9XX 340 879-001	1	<p>For connecting to EasyConn system. With cablestrips and contacts. To fit leads 8KL 340 009-001, 8KL 340 412-001 and 8KL 340 059-001.</p> <p><b>EasyConn Service Set with 2-pin socket</b></p>
	9XX 340 880-001	1	<p><b>with 7-pin socket</b></p>
	9XX 340 881-001	1	<p><b>with 15-pin socket</b></p>
	9XX 340 882-001	1	<p><b>with 2-pin socket</b></p>
	9XX 340 883-001	1	<p><b>with 7-pin socket</b></p>
	9XX 340 884-001	1	<p><b>with 15-pin socket</b></p>
	9HV 340 812-007	20	<p><b>Caps</b></p> <p>For tight sealing of a 2-pole EasyConn receptacle housing that is not required.</p> <p><b>Cap, 2-pin</b></p>
	9XX 340 870-007	20	<p>For tight sealing of a 2-pole EasyConn receptacle housing that is not required. With O-Ring.</p> <p><b>Cap for 2-pin EasyConn socket</b></p>
	9XX 340 871-007	10	<p><b>for 7-pin EasyConn socket</b></p>
	9XX 340 872-007	5	<p><b>for 15-pin EasyConn socket</b></p>
	9XX 340 876-007	20	<p><b>Fuse sets</b></p> <p>For additional protection of EasyConn plug connections under high tensile load. With sliding ring and union nut.</p> <p><b>Fuse set for 2-pin EasyConn socket</b></p>
	9XX 340 877-007	10	<p><b>for 7-pin EasyConn socket</b></p>
	9XX 340 878-007	5	<p><b>for 15-pin EasyConn socket</b></p>

  	<b>Part no.</b>  <b>2KA 998 523-131</b>	<b>Pk.</b> <b>Signal lights, rear</b>  <b>Clear lens.</b> For surface mounting above or below of 340 x 240 mm (1 light) and 520 x 120 mm (1 or 2 lights) licence plates or mounting left or right of 340 x 240 mm and 520 x 120 mm licence plates. Black plastic body and base plate. Lamp holder with vibration damping. Two holes for M5 fixing screws. <b>With grommet.</b>  (E12) 4031  <b>1 Licence plate light</b>   1x12V10W (R10W) 8GA 002 071-131
---	---	---

	Part no.	Pk.	Standard main supply leads
	<p>8KA 998 230-001 8KA 998 230-011 8KA 998 230-021</p>	<p>1 1 1</p>	<p>With 7-pin plug ISO 1724 for connection to the towing vehicle. On 7-pin plug with 400 mm protective tube. On the left side with 5-core lead and on the right side with 4-core lead. 5-pin central plug for connection to the combination rear light 2.. 998 232-... and 2.. 998 233-... with bayonet lock and double bush. Right-hand side with green central plug, left-hand side with yellow central plug.</p> <p><b>Note:</b> The lead cannot be used if a light with rear fog light is to be used on the left side and a light with reverse light is to be used on the right side. In this case, please use a 13-pole lead.</p> <p><b>Standard main supply lead,</b> 4.0 m long 5.0 m long 7.0 m long</p>
	<p>8KA 998 230-041 8KA 998 230-051</p>	<p>1 1</p>	<p>With 13-pin plug ISO 11446 for connection to the towing vehicle. On 13-pin plug with 400 mm protective tube. On the left and right side with 5-core lead. 5-pin central plug for connection to the combination rear light 2.. 998 232-... and 2.. 998 233-... with bayonet lock and double bush. Right-hand side with green central plug, left-hand side with yellow central plug.</p> <p><b>Note:</b> This lead can be used if a light with rear fog light is to be used on the left side and a light with reverse light is to be used on the right side.</p> <p><b>Standard main supply lead,</b> 5.0 m long 7.0 m long</p>
	<p>8KA 998 231-071 8KA 998 231-081 8KA 998 231-091</p>	<p>1 1 1</p>	<p><b>Main supply leads Option 1</b></p> <p>With 7-pin plug ISO 1724 for connection to the towing vehicle. On 7-pin plug with 400 mm protective tube. On the left side with 5-core lead and on the right side with 4-core lead. 5-pin central plug for connection to the combination rear lights 2.. 998 232-... and 2.. 998 233-... with bayonet lock and double bush.. Right-hand side with green central plug, left-hand side with yellow central plug. In addition, one 2-wire lead from each double bush, length 0.50 m with quick-line attachment incl. clamp for feeding into a 2-wire flat lead.</p> <p><b>Note:</b> The lead cannot be used if a light with rear fog light is to be used on the left side and a light with reverse light is to be used on the right side. In this case, please use a 13-pole lead.</p> <p><b>Main supply lead,</b> 6.0 m long 8.0 m long 10.0 m long</p>

	Part no.	Pk.	Main supply leads Option 1 (cont.)
	8KA 998 231-111	1	<p><b>Main supply leads Option 1 (cont.)</b></p> <p>With 13-pin plug ISO 11446 for connection to the towing vehicle.            On 13-pin plug with 400 mm protective tube.            On the left and right side with 5-core lead.            5-pin central plug for connection to the combination rear lights 2.. 998 232-... and 2.. 998 233-... with bayonet lock and double bush..            Right-hand side with green central plug, left-hand side with yellow central plug.            In addition, one 2-wire lead from each double bush, length 0.50 m with quick-line attachment incl. clamp for feeding into a 2-wire flat lead.</p> <p><b>Note:</b>            This lead can be used if a light with rear fog light is to be used on the left side and a light with reverse light is to be used on the right side.</p> <p><b>Main supply lead, 8.0 m long</b></p>
	8KL 998 228-001 8KL 998 228-011 8KL 998 228-021  8KL 340 050-001  9GS 340 051-001	1 1 1  1  20	<p><b>Flat leads</b></p> <p>2-wire flat lead for supplying various lights (side-marker reflector lights, clearance-, side-, side-reflector-, licence plate and interior lights).            End protected by hot-shrink end cap.</p> <p><b>Flat lead, 5.0 m long</b>  <b>Flat lead, 7.0 m long</b>  <b>Flat lead, 9.0 m long</b></p> <hr/> <p>Without 2-pin plug and hot-shrink end cap.</p> <p><b>Flat lead, 100 m drum</b></p> <p><b>Accessories:</b>            Hot-shrink end cap</p>
	8KA 998 229-011 8KA 998 229-021 8KA 998 229-031 8KA 998 229-041 8KA 998 229-061  8PE 008 932-001	1 1 1 1 1  1	<p><b>Round leads</b></p> <p>2-wire round lead with quick-link-attachment incl. clamp for contacting a 2-wire flat lead.            Free end for the supply of diverse single-function lights.</p> <p><b>Round lead, 0.50 m long</b>  <b>Round lead, 1.0 m long</b>  <b>Round lead, 1.5 m long</b>  <b>Round lead, 2.0 m long</b>  <b>Round lead, 5.0 m long</b></p> <p><b>Accessories:</b>            Mounting pliers for quick-link cable attachment</p>

	<p><b>Part no.</b></p> <p>8KA 998 231-001 8KA 998 231-011</p>	<p><b>Pk.</b></p> <p>1 1</p>	<p><b>Main supply leads Option 2</b></p> <p>With 7-pin plug ISO 1724 for connection to the towing vehicle. On 7-pin plug with 400 mm protective tube. On the left side with 5-core lead and on the right side with 4-core lead. 5-pin central plug for connection to the combination rear lights 2.. 998 232-... and 2.. 998 233-... with bayonet lock and double bush. Right-hand side with green central plug, left-hand side with yellow central plug. In addition, one 2-wire lead from each double bush, length 0.50 m, 2-pin central plug with bayonet lock for direct feeding into diverse single-function lamps or the T-distributor 8KV 998 225-101.</p> <p><b>Note:</b> The lead cannot be used if a light with rear fog light is to be used on the left side and a light with reverse light is to be used on the right side. In this case, please use a 13-pole lead.</p> <p><b>Main supply lead,</b> <b>4.0 m long</b> <b>5.0 m long</b></p> <hr/> <p>With 13-pin plug ISO 11446 for connection to the towing vehicle. On 13-pin plug with 400 mm protective tube. On the left and right side with 5-core lead.</p> <p><b>Note:</b> This lead can be used if a light with rear fog light is to be used on the left side and a light with reverse light is to be used on the right side.</p> <p><b>Main supply lead,</b> <b>8.0 m long</b></p>
	<p>8KA 998 229-081 8KA 998 229-121</p>	<p>1 1</p>	<p><b>Round leads</b></p> <p>2-wire round lead with 1 x 2 pin central plug with pins suitable for T-distributor 8KV 998 225-101. Free end for supply of diverse single-function lights.</p> <p><b>Round lead,</b> <b>1.0 m long</b> <b>4.0 m long</b></p>
	<p>8KA 998 226-001</p>	<p>1</p>	<p><b>Extension leads</b></p> <p>2-wire round leads as extension. One side with 2-plug, the other with 2-hole jack. Suitable for T-distributor 8KV 998 225-101 or diverse lights with 2-pin plug 2.. 998 523-... and 2.. 996 112-...</p> <p><b>Extension lead,</b> <b>0.5 m long</b></p>
	<p>8KV 998 225-101</p>	<p>1</p>	<p><b>T-distributor</b></p> <p>T-distributor, 2-pin. One 2-pin input (contact pins) suitable for connection to a main supply lead Option 2 (jack contacts). Two 2-pin outputs suitable for extension lead 8KA 998 226-..., diverse lights with 2-pin plug 2.. 998 523-... and 2.. 996 112-... or round lead 8KA 998 229-...</p> <p><b>T-distributor</b></p>



# Lighting Equipment for Trucks with Box Body

Lenght < 6 m				Width < 2.1 m			
							
Rear	Page	Front, above windscreen	Page	Side	Page	Additional lighting	Page
2VP 007 323-011/111	5.05			2BA 002 652-111/121	5.134	2PT 009 496-007	5.111
2VP 007 323-021/121	5.05						
2VD 007 323-031/131	5.05			2BA 996 027-001	5.135		
2VD 007 323-041/141	5.05					See program lights and rotating beacons	
2.. 008 204/008 205-...	5.06-5.09						
2VP 340 888-...	5.09						
2VD 007 500-091/201	5.10						
2.. 005 300-...	5.11						
2.. 004 887-...	5.12						
2.. 003 567-...	5.14						
2.. 343 640-...	5.18-5.19						
2.. 006 040-...	5.20-5.21						
2.. 003 167-...	5.23						
2.. 001 685-...	5.49						
2.. 959 821-...	5.53						
2.. 964 169-...	5.62-5.66						
2.. 344 169-007/017	5.63						
2.. 344 169-037	5.64						
2.. 344 169-027	5.65						
2.. 343 390-071/091/401	5.68-5.72						
<b>Also bottom rear</b>		<b>Also bottom front</b>					
2NE/2ZR 003 236-...	5.24-5.25	2.. 344 169-007	5.63				
2.. 001 423-...	5.67	2.. 344 169-027	5.65				
2NE 959 821-201	5.53						
2ZR 959 820-601	5.53						
2NE/2ZR 964 169-...	5.62-5.66						
2.. 344 169-007/017	5.63						
2.. 344 169-037	5.64						
2.. 344 169-027/-047	5.65						
8RA 343 160-007	5.101						
2KA 959 640-607/102	5.108						
2KA 998 523-001	5.116						
2KA 007 929-001	5.117						
2KA 003 389-...	5.117						
2ZR 997 506-391	5.126						
2ZR 005 700-191	5.126						
2ZR 005 860-151	5.126						
8RA 003 326-001/031	5.166						
8RA 003 660-007	5.167						
<b>Also top rear/ rear side</b>							
2.. 344 169-007	5.63						
2.. 344 169-027	5.65						
<b>Top rear/ top side</b>							
2.. 344 169-007	5.63						
2.. 344 169-027	5.65						

# Lighting Equipment for Trucks with Box Body



Length < 6 m



Width >= 2.1 m



Rear	Page	Front, above windscreen	Page	Side	Page	Additional lighting	Page
2VP 007 323-011/111	5.05	2PF 962 964-...	5.88	2BA 002 652-111/121	5.134	2PT 009 496-007	5.111
2VP 007 323-021/121	5.05	2PG 962 964-051	5.88	2BA 996 027-001	5.135	See program lights and rotating beacons	
2VD 007 323-031/131	5.05	2PF 997 027-011	5.90				
2VD 007 323-041/141	5.05	2PG 963 639-401/411	5.92				
2.. 008 204/ 008 205-...	5.06-5.09	2PG 003 748-151	5.91				
2VP 340 888-...	5.09	2PG 008 645-041/051	5.98				
2VD 007 500-091/201	5.10	2PG 964 295-111	5.100				
2.. 005 300-...	5.11	2PF 961 167-021	5.105				
2.. 004 887-...	5.12	2PF 006 679-007	5.106				
2.. 003 567-...	5.14	2PF 959 570-401/411	5.107				
2.. 343 640-...	5.18-5.19	2PF 959 590-401/411	5.108				
2.. 006 040-...	5.20-5.21	2XS 955 031-001	5.118				
2.. 003 167-...	5.23	2TJ 001 633-211	5.122				
2.. 001 685-...	5.49						
2.. 959 821-...	5.53						
2.. 964 169-...	5.62-5.66						
2.. 344 169-007/017	5.63						
2.. 344 169-037	5.64						
2.. 344 169-027	5.65						
2.. 343 390-071/091/401	5.68-5.72						
Also bottom rear		Also bottom front					
2NE/2ZR 003 236-...	5.24-5.25	2.. 344 169-007	5.63				
2.. 001 423-...	5.67	2.. 344 169-027	5.65				
2NE 959 821-201	5.53						
2ZR 959 820-601	5.53						
2NE/2ZR 964 169-...	5.62-5.66						
2.. 344 169-007	5.63						
2.. 344 169-027/-047	5.65						
8RA 343 160-007	5.101						
2KA 959 640-607/102	5.108						
2KA 998 523-001	5.116						
2KA 007 929-001	5.117						
2KA 003 389-...	5.117						
2ZR 997 506-391	5.126						
2ZR 005 700-191	5.126						
2ZR 005 860-151	5.126						
8RA 003 326-001/031	5.166						
8RA 003 660-007	5.167						
Also top rear/ rear side							
2.. 344 169-007	5.63						
2.. 344 169-027	5.65						
Top rear/ top side							
2.. 344 169-007	5.63						
2.. 344 169-027	5.65						
2SA 962 964-...	5.88						
2SA 997 027-001	5.90						
2TM 963 639-317	5.92						
2TM 003 748-011	5.91						
2TM 008 645-061/071	5.98						
2TM 964 295-...	5.101						
2TM 004 361-021	5.95						
2SA 006 679-027	5.106						
2XA 959 560-...	5.107						
2XA 959 610/790-...	5.108						
2XS 005 020-041/081	5.120						
2XS 008 479-041/051/ 081/091	5.121						
2XS 008 078-001/007	5.121						

Length $\geq$ 6 m				Width $<$ 2.1 m			
							
Rear	Page	Front, above windscreen	Page	Side	Page	Additional lighting	Page
2VP 007 323-011/111 2VP 007 323-021/121 2VD 007 323-031/131 2VD 007 323-041/141 2.. 008 204/008 205-... 2VP 340 888-... 2VD 007 500-111/221/ 411 2VP 007 500-421 2.. 005 300-... 2.. 004 887-... 2.. 003 567-... 2.. 343 640-... 2.. 006 040-... 2.. 003 167-... 2.. 001 685-... 2.. 959 821-... 2.. 964 169-... 2.. 344 169-007/017 2.. 344 169-037 2.. 344 169-027 2.. 343 390-071/091/401	5.05 5.05 5.05 5.05 5.06-5.09 5.09 5.10 5.10 5.11 5.12 5.14 5.18-5.19 5.20-5.21 5.23 5.49 5.53 5.62-5.66 5.63 5.64 5.65 5.68-5.72			2ZR 003 236-...  2ZR 001 423-001 2ZR 959 820-601 2ZR 964 169-... 2ZR 997 506-391 2ZR 005 700-191 2ZR 005 860-151  2PS 962 964-... 2PS 963 639-...  2PS 003 748-121/161 2PS 963 959-... 2PS 964 295-... 2PS 007 943-... 2PS 004 361-... 2BM 006 692-... 2BM 008 355-001/007/ 017	5.24- 5.25  5.67 5.53 5.66 5.126 5.126 5.126  5.88 5.92- 5.93  5.91 5.94 5.100 5.102 5.95 5.140 5.140	2PT 009 496-007  See program lights and rotating beacons	5.111
<b>Also bottom rear</b>		<b>Also bottom front</b>					
2NE/2ZR 003 236-... 2.. 001 423-... 2ZR 959 820-601 2NE 959 821-201 2NE/2ZR 964 169-... 2.. 344 169-007 2.. 344 169-027/-047 8RA 343 160-007 2KA 959 640-607/102 2KA 998 523-001 2KA 007 929-001 2KA 003 389-... 2ZR 997 506-391 2ZR 005 700-191 2ZR 005 860-151 8RA 003 326-001/031 8RA 003 660-007	5.24-5.25 5.67 5.53 5.53 5.62-5.66 5.63 5.65 5.101 5.108 5.116 5.117 5.117 5.126 5.126 5.126 5.166 5.167	2.. 344 169-007 2.. 344 169-027	5.63 5.65				
<b>Also top rear/ rear side</b>							
2.. 344 169-007 2.. 344 169-027	5.63 5.65						
<b>Top rear/ top side</b>							
2.. 344 169-007 2.. 344 169-027	5.63 5.65						

# Lighting Equipment for Trucks with Box Body



Length  $\geq$  6 m



Width  $\geq$  2.1 m



Rear	Page	Front, above windscreen	Page	Side	Page	Additional lighting	Page
2VP 007 323-011/111 2VP 007 323-021/121 2VD 007 323-031/131 2VD 007 323-041/141 2.. 008 204/008 205-... 2VP 340 888-... 2VD 007 500-111/221/411 2VP 007 500-421 2.. 005 300-... 2.. 004 887-... 2.. 003 567-... 2.. 343 640-... 2.. 006 040-... 2.. 003 167-... 2.. 001 685-... 2.. 959 821-... 2.. 964 169-... 2.. 344 169-007/017 2.. 344 169-037 2.. 344 169-027 2.. 343 390-071/091/401	5.05 5.05 5.05 5.05 5.06-5.09 5.09 5.10 5.10 5.11 5.12 5.14 5.18-5.19 5.20-5.21 5.23 5.49 5.53 5.62-5.66 5.63 5.64 5.65 5.68-5.72	2PF 962 964-... 2PG 962 964-051 2PF 006 717-011 2PF 997 027-011 2PG 963 639-401/411 2PG 003 748-151 2PG 008 645-041/051 2PG 964 295-111 2PF 961 167-021 2PF 006 679-007 2PF 959 570-401/411 2PF 959 590-401/411 2XS 955 031-001 2TJ 001 633-211	5.88 5.88 5.89 5.90 5.92 5.91 5.98 5.100 5.105 5.106 5.107 5.108 5.118 5.122	2ZR 003 236-...  2ZR 001 423-001 2ZR 959 820-601 2ZR 964 169-... 2ZR 997 506-391 2ZR 005 700-191 2ZR 005 860-151 2PS 962 964-... 2PS 963 639-...  2PS 003 748-121/161 2PS 963 959-... 2PS 964 295-... 2PS 007 943-... 2PS 004 361-... 2BM 006 692-... 2BM 008 355-001/007/ 017	5.24- 5.25 5.67 5.53 5.66 5.126 5.126 5.126 5.88 5.92- 5.93 5.91 5.94 5.100 5.102 5.95 5.140 5.140	2PT 009 496-007  See program lights and rotating beacons	5.111
Also bottom rear		Also bottom front					
2NE/2ZR 003 236-... 2.. 001 423-... 2ZR 959 820-601 2NE 959 821-201 2NE/2ZR 964 169-... 2.. 344 169-007 2.. 344 169-027/-047 8RA 343 160-007 2KA 959 640-607/102 2KA 998 523-001 2KA 007 929-001 2KA 003 389-... 2ZR 997 506-391 2ZR 005 700-191 2ZR 005 860-151 8RA 003 326-001/031 8RA 003 660-007	5.24-5.25 5.67 5.53 5.53 5.62-5.66 5.63 5.65 5.101 5.108 5.116 5.117 5.117 5.126 5.126 5.126 5.166 5.167	2.. 344 169-007 2.. 344 169-027	5.63 5.65				
Also top rear/ rear side							
2.. 344 169-007 2.. 344 169-027	5.63 5.65						
Top rear/ top side							
2.. 344 169-007 2.. 344 169-027 2SA 962 964-... 2SA 997 027-001 2TM 963 639-317 2TM 003 748-011 2TM 008 645-061/071 2TM 004 361-021 2SA 006 679-027 2XA 959 790-... 2XS 005 020-041/081 2XS 008 078-001 2XS 008 479-041/051/ 081/091	5.63 5.65 5.88 5.90 5.92 5.91 5.98 5.95 5.106 5.108 5.120 5.121 5.121						



# Lighting Equipment for Trucks with Tarpaulin

Length < 6 m				Width < 2.1 m			
							
Rear	Page	Front, above windscreen	Page	Side	Page	Additional lighting	Page
2.. 007 323-...	5.05			2BA 002 652-111/121	5.134	2PT 009 496-007	5.111
2.. 008 204/008 205-...	5.06-5.09			2BA 996 027-001	5.135	See program lights and rotating beacons	
2VP 340 888-...	5.09						
2VD 007 500-091/201	5.10						
2.. 005 300-...	5.11						
2.. 004 887-...	5.12						
2.. 003 567-...	5.14						
2.. 343 640-...	5.18-5.19						
2.. 006 040-...	5.20-5.21						
2.. 003 167-...	5.23						
2.. 001 685-...	5.49						
2.. 959 821-...	5.53						
2.. 964 169-...	5.62-5.66						
2.. 344 169-007/017	5.63						
2.. 344 169-037	5.64						
2.. 344 169-027	5.65						
2.. 343 390-071/091/401	5.68-5.72						
Also bottom rear		Also bottom front					
2NE/2ZR 003 236-...	5.24-5.25	2.. 344 169-007	5.63				
2.. 001 423-...	5.67	2.. 344 169-027	5.65				
2NE 959 821-201	5.53						
2ZR 959 820-601	5.53						
2NE/2ZR 964 169-...	5.62-5.66						
2.. 344 169-007	5.63						
2.. 344 169-027/-047	5.65						
2KA 959 640-607/102	5.108						
2KA 998 523-001	5.116						
2KA 007 929-001	5.117						
2KA 003 389-...	5.117						
2ZR 997 506-391	5.126						
2ZR 005 700-191	5.126						
2ZR 005 860-151	5.126						
8RA 003 326-001/031	5.166						
8RA 003 660-007	5.167						
Rear bottom side							

# Lighting Equipment for Trucks with Tarpaulin



Length < 6 m				Width >= 2.1 m			
							
Rear	Page	Front, above windscreen	Page	Side	Page	Additional lighting	Page
2.. 007 323-...	5.05	2PF 962 964-...	5.88	2BA 002 652-111/121	5.134	2PT 009 496-007	5.111
2.. 008 204/008 205-..	5.06-5.09	2PG 962 964-051	5.88	2BA 996 027-001	5.135	See program lights and rotating beacons	
2VP 340 888-...	5.09	2PF 997 027-011	5.90				
2VD 007 500-091/201	5.10	2PG 963 639-401/411	5.92				
2.. 005 300-...	5.11	2PG 003 748-151	5.91				
2.. 004 887-...	5.12	2PG 008 645-041/051	5.98				
2.. 003 567-...	5.14	2PG 964 295-111	5.100				
2.. 343 640-...	5.18-5.19	2PF 961 167-021	5.105				
2.. 006 040-...	5.20-5.21	2PF 959 570-407/417	5.107				
2.. 003 167-...	5.23	2PF 959 590-407/417/457	5.108				
2.. 001 685-...	5.49	2XS 005 020-077	5.120				
2.. 959 821-...	5.53	2TJ 001 633-211	5.122				
2.. 964 169-...	5.62-5.66						
2.. 344 169-007/017	5.63						
2.. 344 169-037	5.64						
2.. 344 169-027	5.65						
2.. 343 390-071/091/401	5.68-5.72						
Also bottom rear		Also bottom front					
2NE/2ZR 003 236-...	5.24-5.25	2.. 344 169-007	5.63				
2NE 959 821-201	5.53	2.. 344 169-027	5.65				
2ZR 959 820-601	5.53						
2NE/2ZR 964 169-...	5.62-5.66						
2.. 344 169-007	5.63						
2.. 344 169-027/-047	5.65						
8RA 343 160-007	5.101						
2KA 959 640-607/102	5.108						
2KA 998 523-001	5.116						
2KA 007 929-001	5.117						
2KA 003 389-...	5.117						
2ZR 997 506-391	5.126						
2ZR 005 700-191	5.126						
2ZR 005 860-151	5.126						
8RA 003 326-001/031	5.166						
8RA 003 660-007	5.167						
Rear bottom side							
2XS 005 020-041	5.120						
2XS 005 020-081	5.120						
2XS 007 841-... (replace black lens 9EL 148 673-021 with clear lens)	5.119						

Length $\geq$ 6 m				Width $<$ 2.1 m			
							
Rear	Page	Front, above windscreen	Page	Side	Page	Additional lighting	Page
2.. 007 323-...	5.05			2ZR 003 236-...	5.24-5.25	2PT 009 496-007	5.111
2.. 008 204/008 205-...	5.06-5.09			2ZR 001 423-001	5.67	See program lights and rotating beacons	
2VP 340 888-...	5.09			2ZR 964 169-...	5.66		
2VD 007 500-111/221/411	5.10			2ZR 959 820-601	5.53		
2VP 007 500-421	5.10			2ZR 997 506-391	5.126		
2.. 005 300-...	5.11			2ZR 005 700-191	5.126		
2.. 004 887-...	5.12			2ZR 005 860-151	5.126		
2.. 003 567-...	5.14			2PS 962 964-...	5.88		
2.. 343 640-...	5.18-5.19			2PS 963 639-...	5.92-5.93		
2.. 006 040-...	5.20-5.21			2PS 003 748-121/161	5.91		
2.. 003 167-...	5.23			2PS 963 959-...	5.94		
2.. 001 685-...	5.49			2PS 964 295-...	5.100		
2.. 959 821-...	5.53			2PS 007 943-...	5.102		
2.. 964 169-...	5.62-5.66			2PS 004 361-...	5.95		
2.. 344 169-007/017	5.63			2BM 008 355-001/007/017	5.140		
2.. 344 169-037	5.64			2BM 006 692-...	5.140		
2.. 344 169-027	5.65						
2.. 343 390-071/091/401	5.68-5.72						
<b>Also bottom rear</b>		<b>Also bottom front</b>					
2NE/2ZR 003 236-...	5.24-5.25	2.. 344 169-007	5.63				
2.. 001 423-...	5.67	2.. 344 169-027	5.65				
2ZR 959 820-601	5.53						
2NE 959 821-201	5.53						
2NE/2ZR 964 169-...	5.62-5.66						
2.. 344 169-007	5.63						
2.. 344 169-027/-047	5.65						
8RA 343 160-007	5.101						
2KA 959 640-607/102	5.108						
2KA 998 523-001	5.116						
2KA 007 929-001	5.117						
2KA 003 389-...	5.117						
2ZR 997 506-391	5.126						
2ZR 005 700-191	5.126						
2ZR 005 860-151	5.126						
8RA 003 326-001/031	5.166						
8RA 003 660-007	5.167						
<b>Rear bottom side</b>							

# Lighting Equipment for Trucks with Tarpaulin



Length  $\geq$  6 m



Width  $\geq$  2.1 m



Rear	Page	Front, above windscreen	Page	Side	Page	Additional lighting	Page	
2.. 007 323-...	5.05	2PF 962 964-...	5.88	ZZR 003 236-...	5.24-5.25	2PT 009 496-007	5.111	
2.. 008 204/008 205-...	5.06-5.09	2PG 962 964-051	5.88			See program lights and rotating beacons		
2VP 340 888-...	5.09	2PF 997 027-011	5.90	ZZR 001 423-001	5.67			
2VD 007 500-111/201/411	5.10	2PG 963 639-401/411	5.92	ZZR 959 820-601	5.53			
2VP 007 500-421	5.10	2PG 003 748-151	5.91	ZZR 964 169-...	5.66			
2.. 005 300-...	5.11	2PG 008 645-041/051	5.98	ZZR 997 506-391	5.126			
2.. 004 887-...	5.12	2PG 964 295-111	5.100	ZZR 005 700-191	5.126			
2.. 003 567-...	5.14	2PF 961 167-021	5.105	ZZR 005 860-151	5.126			
2.. 343 640-...	5.18-5.19	2PF 006 679-007	5.106	2PS 963 639-...	5.92-5.93			
2.. 006 040-...	5.20-5.21	2PF 959 570-407/417	5.107	2PS 003 748-121/161	5.91			
2.. 003 167-...	5.23	2PF 959 590-407/417	5.108	2PS 962 964-...	5.88			
2.. 959 821-...	5.53	2XS 005 020-077	5.120	2PS 963 959-...	5.94			
2.. 964 169-...	5.62-5.66	2TJ 001 633-211	5.122	2PS 964 295-...	5.100			
2.. 344 169-007/017	5.63			2PS 007 943-...	5.102			
2.. 344 169-037	5.64			2PS 004 361-...	5.95			
2.. 344 169-027	5.65			2BM 008 355-001/017/007	5.140			
2.. 343 390-071/091/401	5.68-5.72			2BM 006 692-...	5.140			
Also bottom rear		Also bottom front						
2NE/ZZR 003 236-...	5.24-5.25	2.. 344 169-007	5.63					
2.. 001 423-...	5.67	2.. 344 169-027	5.65					
ZZR 959 820-601	5.53							
2NE 959 821-201	5.53							
2NE/ZZR 964 169-...	5.62-5.66							
2.. 344 169-007	5.63							
2.. 344 169-027/-047	5.65							
8RA 343 160-007	5.101							
2KA 959 640-607/102	5.108							
2KA 998 523-001	5.116							
2KA 007 929-001	5.117							
2KA 003 389-...	5.117							
ZZR 997 506-391	5.126							
ZZR 005 700-191	5.126							
ZZR 005 860-151	5.126							
8RA 003 326-001/031	5.166							
8RA 003 660-007	5.167							
Rear bottom side								
2XS 005 020-041	5.120							
2XS 005 020-081	5.120							
2XS 007 841-... (replace black lens 9EL 148 673-021 with clear lens)	5.119							

Length  $\geq$  6 m



Width  $\geq$  2.1 m



Rear	Page	Top front (max. 900 mm above roadway)	Page	Side	Page	Additional lighting	Page
2.. 004 887-...	5.12	2PG 963 639-401/411	5.92	2ZR 003 236-...	5.24-	2JA 959 037-511	5.38
2VP 007 907-...	5.12	2PG 003 748-151	5.91		5.25	2JA 959 950-...	5.53
2.. 008 789-...	5.13	2PG 963 959-021	5.94	2ZR 001 423-001	5.67	2JA 343 680-177	5.143
2.. 003 567-...	5.14	2PG 340 000-121	5.96	2ZR 959 820-601	5.63	2JA 343 700-...	5.143
2.. 003 167-...	5.23	2PG 008 645-...	5.98	2ZR 964 169-...	5.66	2JA 008 615-001	5.145
2SD 959 050-401	5.38	2PG 964 295-111	5.100	2ZR 997 506-391	5.126	2JA 005 590-001/157	5.145
2.. 001 685-...	5.49	2PG 004 361-011	5.95	2ZR 005 700-191	5.126	2JA 343 606-017	5.146
2.. 959 821-...	5.53			2ZR 005 860-151	5.126	2JA 998 565-...	5.150
2.. 964 169-...	5.62-5.66			2PS 963 639-011/071	5.92	2JA 007 373-071/ 041/137	5.151
2.. 344 169-007/017	5.63			2PS 340 001-...	5.93	2JA 007 372-011/051	5.151
2.. 344 169-037	5.64			2PS 003 748-121/161	5.91	1GA 340 110-001	5.194
2.. 344 169-027	5.65			2PS 963 959-001/011	5.94	1G3 005 760-241	5.194
2.. 343 390-071/091/401	5.68-5.72			2PS 340 000-...	5.96- 5.97	1GA 340 861-001	5.194
2VP 340 450-...	5.172			2PS 008 645-...	5.98- 5.99	2JB 343 227-001	5.194
2SK 340 103-...	5.173				5.100	2JA 340 111-001	5.195
2SK 340 101-...	5.173			2PS 964 295-051/071	5.102		
2.. 340 831/340 931-...	5.174-5.176			2PS 007 943-011/021	5.103		
2.. 340 830/340 930-...	5.175-5.176			2PS 008 643-...	5.103		
2.. 340 932-...	5.175			2PS 008 616-...	5.103		
2VP 340 942-001/011	5.177			2PS 008 382-...	5.104		
2VP 340 400-...	5.178			2PS 004 361-001	5.95		
2.. 340 950-...	5.178			2PS 340 836-...	5.191		
2.. 001 423-...	5.179			2PS 340 837-...	5.191		
2SD 001 685-501	5.179						
		Top front/ top side					
Also bottom rear		2PG 963 639-401/411	5.92				
2.. 003 236-...	5.24-5.25	2PG 003 748-151	5.91				
2.. 001 423-...	5.67	2PG 963 959-021	5.94				
2NE 959 821-201	5.53	2PF 340 000-111	5.96				
2ZR 959 820-601	5.53	2PG 340 000-121	5.96				
2.. 964 169-...	5.62-5.66	2PG 008 645-...	5.98				
2.. 344 169-007	5.63	2PG 964 295-111	5.100				
2.. 344 169-027/-047	5.65	2PG 004 361-011	5.95				
2KA 959 640-607/102	5.108	2PF 006 679-007	5.106				
2KA 998 523-001	5.116	2PF 959 570-401/411	5.107				
2KA 007 929-001	5.117	2PF 959 590-401/411	5.108				
2KA 003 389-...	5.117	2PF 003 389-037	5.117				
2ZR 997 506-391	5.126	2XS 005 020-077	5.120				
2ZR 005 700-191	5.126	2PF 340 825-001	5.187				
2ZR 005 860-151	5.126						
8RA 002 010-011	5.168						
8RA 002 020-001	5.168						
2KA 340 828-001	5.183						
Also top rear/ rear side							
2.. 344 169-007	5.63						
2.. 344 169-027	5.65						
Top rear/ top side							
2.. 344 169-007	5.63						
2.. 344 169-027	5.65						
2TM 963 639-317	5.92						
2TM 003 748-011	5.91						
2XS 963 959-031	5.94						
2XS 340 000-101	5.96						
2TM 008 645-...	5.98						
2TM 964 295-091	5.101						
2TM 004 361-021	5.95						
2SA 006 679-027	5.106						
2XA 959 560-401/411	5.107						
2XA 959 610-401/411	5.108						
2XA 959 790-...	5.108						
2PF 003 389-041	5.117						
2XS 005 020-001/041/081	5.120						
2XS 008 078-001	5.121						

# Cabling for Trailers with Box Body



Rear	Page	Front	Page	Side	Page	Additional lighting	Page
8JE 340 060-001	5.184	8JE 340 165-001	5.188	8KA 340 040-001	5.193	8HG 340 413-001	5.191
8JE 340 060-011	5.184	8KA 340 040-001	5.188	8KL 340 050-001	5.193	8HG 340 489-001	5.191
8JE 340 151-001	5.184	8KL 340 050-001	5.188	8KL 340 055-001	5.193	8KL 340 050-001	5.193
8KA 340 010-001	5.185	9XX 340 220-001	5.188	9XX 340 220-001/011/ 801	5.193	9GS 340 051-001	5.193
8KA 340 010-011	5.185	9GS 340 051-001	5.188	9GS 340 051-001	5.193	8JE 340 061-001	5.195
8KA 340 010-241	5.185	9XX 340 223-001	5.188	8KB 340 820-001/057/ 061	5.193, 5.200	9XX 340 222-001	5.195
8KA 340 012-001	5.185	8KA 340 031-001	5.189	8KB 340 822-001/051/ 061/071/081/091	5.200- 5.201	8JE 340 898-001	5.197
8KA 340 040-001	5.186	8KA 340 010-251	5.189	8KA 340 859-011	5.200	8KA 340 852-051	5.199
8KA 340 028-061	5.185	8JE 340 867-001/011	5.197			8KA 340 854-021	5.199
9XX 340 223-001	5.185	8KA 340 841-001	5.198			8KL 340 009-001	5.201
8KL 340 050-001	5.186	8KA 340 818-001	5.198			8KL 340 052-001	5.201
9GS 340 051-001	5.186	8KA 340 815-001/011/ 021	5.198			8KL 340 054-001	5.201
9XX 340 220-001	5.186	8KA 340 816-001/011	5.198			8KL 340 055-021	5.201
9XX 340 222-001	5.186	8KA 340 817-001/011	5.198			8KL 340 059-001	5.201
8JE 340 060-251	5.197	8KA 340 845-001	5.198			8KL 340 093-011	5.201
8KA 340 815-011/021	5.198	8KA 340 841-021	5.198			8KL 340 412-001	5.201
8KA 340 816-011	5.198	8KA 340 842-001/011	5.199			9XX 340 870-007	5.202
8KA 340 817-011	5.198	8KA 340 843-001/011/ 021	5.199			9XX 340 871-007	5.202
8KA 340 819-001/011/ 041	5.199	8KA 340 846-001	5.199			9XX 340 872-007	5.202
8KA 340 859-001	5.200	8JE 340 847-001	5.200			9XX 340 876-007	5.202
8KA 340 864-001	5.200	8KA 340 864-001	5.200			9XX 340 877-007	5.202
9HV 340 812-007	5.202					9XX 340 878-007	5.202
9XX 340 870-007	5.202					9XX 340 879-001	5.202
						9XX 340 880-001	5.202
						9XX 340 881-001	5.202
						9XX 340 882-001	5.202
						9XX 340 883-001	5.202
						9XX 340 884-001	5.202



# Lighting Equipment for Trailers with Tarpaulin

Length $\geq$ 6 m				Width $\geq$ 2.1 m			
							
Rear	Page	Top front (max. 900 mm above roadway)	Page	Side	Page	Additional lighting	Page
2.. 004 887-... 2VP 007 907-... 2.. 008 789-... 2.. 003 567-... 2.. 003 167-... 2SD 959 050-401 2.. 001 685-... 2.. 959 821-... 2.. 964 169-... 2.. 344 169-007/017 2.. 344 169-037 2.. 344 169-027 2.. 343 390-071/091/401 2VP 340 450-... 2SK 340 101-... 2SK 340 103-... 2.. 340 831/340 931-... 2.. 340 830/340 930-... 2VP 340 934-101/-111 2VP 340 940-101/-111 2VP 340 942-... 2VP 340 400-... 2.. 340 950-... 2.. 001 423-... 2SD 001 685-501	5.12 5.12 5.13 5.14 5.23 5.38 5.49 5.53 5.62-5.66 5.63 5.64 5.65 5.68-5.72 5.172 5.173 5.173 5.174-5.176 5.175-5.176 5.176 5.177 5.177 5.178 5.178 5.179 5.179	2PG 963 639-401/411 2PG 003 748-151 2PG 963 959-021 2PG 340 000-121 2PG 008 645-... 2PG 964 295-111 2PG 004 361-011	5.92 5.91 5.94 5.96 5.98 5.100 5.95	2ZR 003 236-...  2ZR 001 423-001 2ZR 964 169-... 2ZR 959 820-601 2ZR 997 506-391 2ZR 005 700-191 2ZR 005 860-151 2PS 963 639-011/071 2PS 340 001-... 2PS 003 748-121/161 2PS 963 959-001/011 2PS 340 000-...  2PS 008 645-...  2PS 964 295-051/071 2PS 007 943-011/021 2PS 008 643-... 2PS 008 616-... 2PS 008 382-... 2PS 004 361-001 2PS 340 836-... 2PS 340 837-...	5.24- 5.25 5.67 5.66 5.53 5.126 5.126 5.126 5.92 5.93 5.91 5.94 5.96- 5.97 5.98- 5.99 5.100 5.102 5.103 5.103 5.104 5.95 5.191 5.191	1GA 340 110-001	5.194
Also bottom rear		Bottom front side					
2.. 003 236-... 2.. 001 423-... 2ZR 959 820-601 2NE 959 821-201 2.. 964 169-... 2.. 344 169-007 2.. 344 169-027/-047 2KA 959 640-607/-102 2KA 998 523-001 2KA 007 929-001 2KA 003 389-... 2ZR 997 506-391 2ZR 005 700-191 2ZR 005 860-151 8RA 002 010-011 8RA 002 020-001 2KA 340 828-001	5.24-5.25 5.67 5.53 5.53 5.62-5.66 5.63 5.65 5.108 5.116 5.117 5.117 5.126 5.126 5.126 5.168 5.168 5.183	2XS 005 020-077/121	5.120				
Bottom rear side							
2XS 950 071-... 2XS 955 232-... 2XS 955 031-001 2XS 007 841-011/021 2XS 955 260-001 2XS 005 020-001/011 2XS 005 020-021/041 2XS 005 020-081/091/111 2XS 302 240-... 2XS 340 107-001/011 2XS 340 108-001/011 2XS 340 447-... 2XS 340 827-... 2XS 340 418-... 2XS 340 109-001/011 2XS 302 241-... 2XS 340 448-...	5.118 5.118 5.118 5.119 5.119 5.120 5.120 5.120 5.180 5.180 5.180 5.180 5.181 5.181 5.182 5.182 5.182						

# Cabling for Trailers with Tarpaulin



Rear	Page	Front	Page	Side	Page	Additional lighting	Page
8JE 340 060-001	5.184	8KA 340 040-001	5.188	8KA 340 040-001	5.193	8JE 340 151-001	5.184
8JE 340 060-011	5.184	8KL 340 050-001	5.188	8KL 340 050-001	5.193	8HG 340 413-001	5.191
8JE 340 151-001	5.184	9XX 340 220-001	5.188	8KL 340 055-001	5.193	8HG 340 489-001	5.191
8KA 340 010-001	5.185	8KA 340 031-001	5.189	9XX 340 220-001/011/ 801	5.193	8JE 340 061-001	5.195
8KA 340 010-011	5.185	9GS 340 051-001	5.188	9GS 340 051-001	5.193	8JE 340 898-001	5.197
8KA 340 040-001	5.186	9XX 340 223-001	5.188	8KB 340 820-001/057/ 061	5.193, 5.200	8KA 340 852-051	5.199
8KL 340 028-061	5.185	8JE 340 867-001/011	5.197	8KB 340 822-001/051/ 061/071/081/091	5.200- 5.201	8KA 340 854-021	5.199
8KL 340 050-001	5.186	8KA 340 815-001/011/ 021	5.198	8KA 340 859-011	5.200	8KL 340 009-001	5.201
9GS 340 051-001	5.186	8KA 340 816-001/011	5.198			8KL 340 052-001	5.201
9XX 340 223-001	5.185	8KA 340 817-001/011	5.198			8KL 340 054-001	5.201
9XX 340 220-001	5.186	8KA 340 818-001	5.198			8KL 340 055-021	5.201
8JE 340 060-251	5.197	8KA 340 841-001/021	5.198			8KL 340 059-001	5.201
8KA 340 815-011/021	5.198	8KA 340 845-001	5.198			8KL 340 093-011	5.201
8KA 340 816-011	5.198	8KA 340 842-001/011	5.199			8KL 340 412-001	5.201
8KA 340 817-011	5.198	8KA 340 843-001/011/ 021	5.199			9XX 340 870-007	5.202
8KA 340 819-001/011/ 041	5.199	8KA 340 846-001	5.199			9XX 340 871-007	5.202
8KA 340 859-001	5.200	8JE 340 847-001	5.200			9XX 340 872-007	5.202
8KA 340 864-001	5.200	8KA 340 864-001	5.200			9XX 340 876-007	5.202
9HV 340 812-007	5.202					9XX 340 877-007	5.202
9XX 340 870-007	5.202					9XX 340 878-007	5.202
						9XX 340 879-001	5.202
						9XX 340 880-001	5.202
						9XX 340 881-001	5.202
						9XX 340 882-001	5.202
						9XX 340 883-001	5.202
						9XX 340 884-001	5.202

Length  $\geq$  6 m



Width  $\geq$  2.1 m



Rear	Page	Top front (max. 900 mm above roadway)	Page	Side	Page	Additional lighting	Page
2VP 007 907-...	5.12	2PG 003 748-151	5.91	2ZR 003 236-...	5.25	2JA 959 037-511	5.38
2.. 004 887-...	5.12	2PG 963 639-401/411	5.92	2ZR 001 423-001	5.67	2JA 959 950-...	5.53
2.. 008 789-...	5.13	2PG 004 361-011	5.95	2ZR 959 820-601	5.53	2JA 343 680-177	5.143
2.. 003 567-...	5.14	2PG 963 959-021	5.94	2ZR 964 169-...	5.66	2JA 343 700-...	5.143
2.. 003 167-...	5.23	2PG 340 000-121	5.96	2ZR 997 506-391	5.126	2JA 008 615-001	5.145
2SD 959 050-401	5.38	2PG 008 645-...	5.98	2ZR 005 700-191	5.126	2JA 005 590-001/157	5.145
2.. 001 685-...	5.49	2PG 964 295-111	5.100	2ZR 005 860-151	5.126	2JA 343 606-017	5.146
2.. 959 821-...	5.53					2JA 998 565-...	5.150
2.. 964 169-...	5.62-5.66			2PS 963 639-011/071	5.92	2JA 007 373-071/041	5.151
2.. 344 169-007/017	5.63			2PS 340 001-...	5.93	/137	
2.. 344 169-037	5.64			2PS 003 748-121/161	5.91	2JA 007 372-011/051	5.151
2.. 344 169-027	5.65			2PS 963 959-001/011	5.94	1GA 340 110-001	5.194
2.. 343 390-071/091/401	5.68-5.72			2PS 340 000-...	5.96-5.97	1GA 340 861-001	5.194
2VP 340 450-...	5.172			2PS 008 645-...	5.98-5.99	1G3 005 760-241	5.194
2SK 340 101-...	5.173				5.100	2JB 343 227-001	5.194
2SK 340 103-...	5.173				5.102	2JA 340 111-001	5.195
2.. 340 831/340 931-...	5.174-5.176			2PS 964 295-051/071	5.103		
2.. 340 932-...	5.175			2PS 007 943-011/021	5.103		
2.. 340 830/340 930-...	5.175-5.176			2PS 008 643-...	5.103		
2VP 340 942-001/-011	5.177			2PS 008 616-...	5.103		
2VP 340 400-...	5.178			2PS 008 382-...	5.104		
2VP 340 950-...	5.178			2PS 004 361-001	5.95		
2.. 001 423-...	5.179			2PS 340 836-...	5.191		
2SD 001 685-501	5.179			2PS 340 837-...	5.191		
		<b>Top front/top side</b>					
		2PG 003 748-151	5.91				
		2PG 963 639-401/411	5.92				
		2PG 963 959-021	5.94				
		2PG 004 361-011	5.95				
		2PF 340 000-111	5.96				
		2PG 340 000-121	5.96				
		2PG 008 645-...	5.98-5.99				
		2PG 964 295-111	5.100				
		2PF 006 679-007	5.106				
		2PF 959 570-401/411	5.107				
		2PF 959 590-401/411	5.108				
		2PF 003 389-037	5.117				
		2XS 005 020-077	5.120				
		2PF 340 825-001	5.187				
<b>Also bottom rear</b>							
2.. 003 236-...	5.24-5.25						
2.. 001 423-...	5.67						
2NE 959 821-201	5.53						
2ZR 959 821-601	5.53						
2.. 964 169-...	5.62-5.66						
2.. 344 169-007	5.63						
2.. 344 169-027/-047	5.65						
2KA 959 640-607	5.108						
2KA 998 523-001	5.116						
2KA 007 929-001	5.117						
2KA 003 389-...	5.117						
2ZR 997 506-391	5.126						
2ZR 005 700-191	5.126						
2ZR 005 860-151	5.126						
8RA 002 010-011	5.168						
8RA 002 020-001	5.168						
2KA 340 828-001	5.183						
<b>Also top rear/ rear side</b>							
2.. 344 169-007	5.63						
2.. 344 169-027	5.65						
<b>Top rear/ top side</b>							
2.. 344 169-007	5.63						
2.. 344 169-027	5.65						
2TM 003 748-011	5.91						
2XS 963 959-031	5.94						
2XS 340 000-101	5.96						
2TM 008 645-...	5.98						
2TM 004 361-021	5.95						
2SA 006 679-027	5.106						
2XA 959 790-...	5.108						
2XA 959 610-401/411	5.108						
2PF 003 389-041	5.117						
2XS 005 020-001/041/081	5.120						
2XS 008 078-001	5.121						

# Cabling for Semi-Trailers with Box Body



Rear	Page	Front	Page	Side	Page	Additional lighting	Page
8JE 340 060-001/011	5.184	8JE 340 165-001	5.188	8KA 340 040-001	5.193	8HG 340 413-001	5.191
8JE 340 151-001	5.184	8KA 340 010-251	5.188	8KL 340 050-001	5.193	8HG 340 489-001	5.191
8KA 340 010-001/011/ 241	5.185	8KA 340 040-001	5.188	8KL 340 055-001	5.193	8JE 340 061-001	5.195
8KA 340 012-001	5.185	8KL 340 050-001	5.188	9XX 340 220-001/011/ 801	5.193	9XX 340 222-001	5.195
8KA 340 040-001	5.186	9GS 340 051-001	5.188	9GS 340 051-001	5.193	8JE 340 898-001	5.197
8KA 340 028-061	5.185	9XX 340 220-001	5.188	8KB 340 820-001/057/ 061	5.193, 5.200	8KA 340 852-051	5.199
8KL 340 050-001	5.186	9XX 340 223-001	5.188	8KB 340 822-001/051/ 061/071/081/091	5.200- 5.201	8KA 340 854-021	5.199
9GS 340 051-001	5.186	8KA 340 031-001	5.189	8KA 340 859-011	5.200	8KL 340 009-001	5.201
9XX 340 223-001	5.185	8JE 340 867-001/011	5.197			8KL 340 052-001	5.201
9XX 340 220-001	5.186	8KA 340 815-001/011/ 021	5.198			8KL 340 054-001	5.201
9XX 340 222-001	5.186	8KA 340 816-001/011	5.198			8KL 340 055-021	5.201
8JE 340 060-251	5.197	8KA 340 817-001/011	5.198			8KL 340 059-001	5.201
8KA 340 815-011/021	5.198	8KA 340 818-001/011/ 031	5.198			8KL 340 093-011	5.201
8KA 340 816-011	5.198	8KA 340 818-011/031	5.198			8KL 340 412-001	5.201
8KA 340 817-011	5.198	8KA 340 841-001	5.198			9XX 340 870-007	5.202
8KA 340 819-001/011/ 041	5.199	8KA 340 845-001	5.198			9XX 340 871-007	5.202
8KA 340 859-001	5.200	8KA 340 842-001	5.199			9XX 340 872-007	5.202
8KA 340 864-001	5.200	8KA 340 843-001	5.199			9XX 340 876-007	5.202
9HV 340 812-007	5.202	8KA 340 846-001	5.199			9XX 340 877-007	5.202
9XX 340 870-007	5.202	8JE 340 847-001	5.200			9XX 340 878-007	5.202
		8KA 340 864-001	5.200			9XX 340 879-001	5.202
						9XX 340 880-001	5.202
						9XX 340 881-001	5.202
						9XX 340 882-001	5.202
						9XX 340 883-001	5.202
						9XX 340 884-001	5.202

Length  $\geq$  6 m



Width  $\geq$  2.1 m




Rear	Page	Top front (max. 900 mm above roadway)	Page	Side	Page	Additional lighting	Page		
2.. 004 887-...	5.12	2PG 963 639-401/411	5.92	2ZR 003 236-...	5.24-	1GA 340 110-001	5.194		
2VP 007 907-...	5.12	2PG 003 748-151	5.91		5.25				
2.. 008 789-...	5.13	2PG 963 959-021	5.94	2ZR 001 423-001	5.67				
2.. 003 567-...	5.14	2PG 340 000-121	5.96	2ZR 959 820-601	5.53				
2.. 003 167-...	5.23	2PG 008 645-...	5.98	2ZR 964 169-...	5.66				
2SD 959 050-401	5.38	2PG 964 295-111	5.100	2ZR 997 506-391	5.126				
2.. 001 685-...	5.49	2PG 004 361-011	5.95	2ZR 005 700-191	5.126				
2.. 959 821-...	5.53			2ZR 005 860-151	5.126				
2.. 964 169-...	5.62-5.66			2PS 963 639-011/071	5.92				
2.. 344 169-007/017	5.63			2PS 340 001-...	5.93				
2.. 344 169-037	5.64			2PS 003 748-121/161	5.91				
2.. 344 169-027	5.65			2PS 963 959-001/011	5.94				
2.. 343 390-071/091/401	5.68-5.72			2PS 340 000-...	5.96-				
2VP 340 450-...	5.172				5.97				
2SK 340 101-...	5.173			2PS 008 645-...	5.98-				
2SK 340 103-...	5.173				5.99				
2.. 340 831/340 931-...	5.174-5.176			2PS 964 295-051/071	5.100				
2.. 340 830/340 930-...	5.175-5.176			2PS 007 943-011/021	5.102				
2VP 340 934-101/-111	5.176			2PS 008 643-...	5.103				
2VP 340 940-101/-111	5.177			2PS 008 616-...	5.103				
2VP 340 942-...	5.177			2PS 008 382-...	5.104				
2VP 340 400-...	5.178			2PS 004 361-001	5.95				
2.. 340 950-...	5.178			2PS 340 836-...	5.191				
2.. 001 423-...	5.179			2PS 340 837-...	5.191				
2SD 001 685-501	5.179								
<b>Also bottom rear</b>		<b>Bottom front side</b>							
2.. 003 236-...	5.24-5.25	2XS 005 020-077/-121	5.120						
2.. 001 423-...	5.67								
2ZR 959 820-601	5.53								
2NE 959 821-201	5.53								
2.. 964 169-...	5.62-5.66								
2.. 344 169-007	5.63								
2.. 344 169-027/-047	5.65								
2KA 959 640-607/-102	5.108								
2KA 998 523-001	5.116								
2KA 007 929-001	5.117								
2KA 003 389-...	5.117								
2ZR 997 506-391	5.126								
2ZR 005 700-191	5.126								
2ZR 005 860-151	5.126								
8RA 002 010-011	5.168								
8RA 002 020-001	5.168								
2KA 340 828-001	5.183								
<b>Bottom rear side</b>									
2XS 950 071-...	5.118								
2XS 955 232-...	5.118								
2XS 955 031-001	5.118								
2XS 955 260-001	5.119								
2XS 007 841-011/021	5.119								
2XS 005 020-001/011/ 021/041/081/091/111	5.120								
2XS 340 447-...	5.180								
2XS 302 240-...	5.180								
2XS 340 107-001/011	5.180								
2XS 340 108-001/011	5.180								
2XS 340 418-...	5.181								
2XS 340 827-...	5.181								
2XS 302 241-...	5.182								
2XS 340 109-001/011	5.182								
2XS 340 448-...	5.182								

# Cabling for Semi-Trailers with Tarpaulin



Rear	Page	Front	Page	Side	Page	Additional lighting	Page
8JE 340 060-001	5.184	8JE 340 165-001	5.188	8KA 340 040-001	5.193	8HG 340 413-001	5.191
8JE 340 060-011	5.184	8KA 340 010-251	5.188	8KL 340 050-001	5.193	8HG 340 489-001	5.191
8JE 340 151-001	5.184	8KA 340 040-001	5.188	8KL 340 055-001	5.193	8JE 340 061-001	5.195
8KA 340 010-001/011/ 241	5.185	8KL 340 050-001	5.188	9XX 340 220-001/011/ 801	5.193	9XX 340 222-001	5.195
8KA 340 012-001	5.185	9GS 340 051-001	5.188	9GS 340 051-001	5.193	8JE 340 898-001	5.197
8KA 340 028-061	5.185	9XX 340 220-001	5.188	8KB 340 820-001/057/ 061	5.193, 5.200	8KA 340 852-051	5.199
8KA 340 040-001	5.186	9XX 340 223-001	5.188	8KB 340 822-001/051/ 061/071/081/091	5.200- 5.201	8KA 340 854-021	5.199
8KL 340 050-001	5.186	8KA 340 031-001	5.189	8KA 340 859-011	5.200	8KL 340 009-001	5.201
9GS 340 051-001	5.186	8JE 340 867-001/011	5.197			8KL 340 052-001	5.201
9XX 340 223-001	5.185	8KA 340 815-001/011/ 021	5.198			8KL 340 054-001	5.201
9XX 340 220-001	5.186	8KA 340 816-001/011	5.198			8KL 340 055-021	5.201
9XX 340 222-001	5.186	8KA 340 817-001/011	5.198			8KL 340 059-001	5.201
8JE 340 060-251	5.197	8KA 340 818-001/011/ 031	5.198			8KL 340 093-011	5.201
8KA 340 815-011/021	5.198	8KA 340 841-001	5.198			8KL 340 412-001	5.201
8KA 340 816-011	5.198	8KA 340 845-001	5.198			9XX 340 870-007	5.202
8KA 340 817-011	5.198	8KA 340 842-001	5.199			9XX 340 871-007	5.202
8KA 340 819-001/011/ 041	5.199	8KA 340 843-001	5.199			9XX 340 872-007	5.202
8KA 340 859-001	5.200	8KA 340 846-001	5.199			9XX 340 876-007	5.202
8KA 340 864-001	5.200	8JE 340 847-001	5.200			9XX 340 877-007	5.202
9HV 340 812-007	5.202	8KA 340 864-001	5.200			9XX 340 878-007	5.202
9XX 340 870-007	5.202					9XX 340 879-001	5.202
						9XX 340 880-001	5.202
						9XX 340 881-001	5.202
						9XX 340 882-001	5.202
						9XX 340 883-001	5.202
						9XX 340 884-001	5.202

Length $\geq$ 6 m				Width $\geq$ 2.1 m			
							
Rear	Page	Top front	Page	Side	Page	Additional lighting	Page
2VP 007 323-091/101	5.05	2PF 001 259-631	5.75	2ZR 003 236-...	5.25	2JA 959 037-511	5.38
2.. 003 236-...	5.24-5.25	2PF 962 964-061	5.88	2ZR 959 821-601	5.53	2JA 959 820-501	5.53
2SP 959 060-601	5.38	2PG 962 964-051	5.88	2ZR 997 506-391	5.126	2JA 959 950-...	5.53
2BA 959 070-631	5.38	2PG 963 639-401/411	5.92	2ZR 005 700-191	5.126	2JA 959 073-201	5.141
2.. 008 221-...	5.54-5.55	2PG 008 645-041/051	5.98	2ZR 005 860-151	5.126	2JA 006 447-041	5.142
2.. 008 405-...	5.54-5.55	2PG 964 295-011/111/ 121/257	5.100	2PS 962 964-012	5.88	2JA 343 680-177	5.143
2.. 009 001-...	5.56-5.58	2PF 964 295-021	5.101	2PS 963 639-177	5.93	2JA 343 700-...	5.143
2.. 965 039-...	5.60-5.61	2PF 961 167-021	5.105	2PS 007 972-011	5.94	2JA 998 560-...	5.145
2.. 959 821-...	5.53	2PF 959 570-401/411/427	5.107	2PS 008 645-001/021	5.98- 5.99	2JA 343 606-017	5.146
2.. 964 169-...	5.62-5.66	2PF 959 590-401/411	5.108	2PS 964 295-051/057/ 071/077	5.100	2JA 003 354-001	5.148
2.. 344 169-007/017	5.63			8RA 343 160-027	5.101	2JA 998 565-...	5.150
2.. 344 169-037	5.64			2PS 009 226-017	5.102	2AB 004 532-...	5.153
2.. 344 169-027	5.65			2PS 009 226-037		2JA 343 720-...	5.153
2.. 343 390-071/091/401	5.68-5.72			2BM 008 355-001/017	5.140	2XT 959 500-...	5.158
2.. 343 130-...	5.68-5.73			2BM 006 692-...	5.140	2XT 959 510-...	5.158
2.. 003 734-...	5.86-5.87						
2.. 008 805-...	5.83						
2.. 005 603-...	5.84						
<b>Also bottom rear</b>		<b>Also bottom front</b>					
8RA 008 405-007	5.55	2BA 008 221-...	5.54				
2NE 959 821-201	5.53	2PF 008 221-...	5.55				
2ZR 959 820-601	5.53	2PF 008 405-...	5.55				
2.. 344 169-007	5.63	2BA 965 039-...	5.61				
2.. 344 169-027/-047	5.65	2.. 344 169-007	5.63				
8RA 343 160-027	5.101	2.. 344 169-027	5.65				
2KA 959 640-607/-102	5.108	2BA 343 130-...	5.68-				
2KA 001 378-...	5.113		5.73				
2KA 005 049-011/017	5.113	2BA 004 119-017	5.85				
2KA 998 523-001	5.116	2BE 004 119-021	5.85				
2KA 003 389-...	5.117	8RA 343 160-027	5.101				
2ZR 005 700-191	5.126	2PF 003 563-151/187	5.100				
2ZR 005 860-151	5.126	2PT 008 362-801	5.111				
2ZR 997 506-391	5.126	2PT 009 496-007	5.111				
8RA 002 014-081	5.165						
8RA 003 326-001/031	5.166						
8RA 003 660-007	5.167						
<b>Also top rear/ rear side</b>							
2.. 344 169-007	5.63						
2.. 344 169-027	5.65						
<b>Top rear/ top side</b>							
2BA 003 236-541	5.25						
2XA 008 221-027	5.54						
8RA 008 405-007	5.55						
2.. 344 169-007	5.63						
2.. 344 169-027	5.65						
2SA 962 964-091	5.88						
2TM 963 639-317	5.92						
2TM 008 645-061/071	5.98						
2TM 964 295-091	5.101						
2SA 961 167-011	5.105						
2XA 959 560-401/411	5.107						
2XA 959 610-401/411	5.108						
2XA 959 790-...	5.108						
2XS 008 479-041/051/ 081/091	5.121						
2XS 008 078-001	5.121						
2DA 959 071-737/237	5.130						
2DA 343 106-...	5.131						

# Lighting Equipment for Car Trailers 12V



Length < 6 m				Width < 1.6 m				Length < 6 m				Width >= 1.6 m			
															
Rear	Page	Side	Page	Rear	Page	Side	Page								
2.. 343 640-...	5.18-5.19	8RA 343 160-...	5.101	2.. 343 640-...	5.18-5.19	8RA 343 160-...	5.101								
2.. 007 547-...	5.22	8RA 002 014-051/101/127	5.165	2.. 007 547-...	5.22	8RA 002 014-051/101/127	5.165								
2.. 341 032-...	5.33	8RA 003 326-011/041	5.166	2.. 341 032-...	5.33	8RA 003 326-011/041	5.166								
2.. 998 232-...	5.34-5.37	8RA 002 023-011	5.167	2.. 998 232-...	5.34-5.37	8RA 002 023-011	5.167								
2.. 998 233-...				2.. 998 233-...											
2.. 003 184-...	5.40			2.. 003 184-...	5.40										
2SE 002 578-701	5.46			2SE 002 578-701	5.46										
2.. 998 530-...	5.48			2.. 998 530-...	5.48										
2SD 343 130-157/-167	5.71			2SD 343 130-157/-167	5.71										
Also bottom rear		Front		Also bottom rear		Front									
2KA 959 640-607	5.108	8RA 343 160-...	5.101	2KA 959 640-607	5.108	2PG 006 717-021	5.89								
2KA 007 929-001	5.117	8RA 002 014-041/091	5.165	2KA 007 929-001	5.117	2PF 006 717-011	5.89								
2NE 006 609-001	5.125	8RA 003 326-021/051	5.166	2NE 006 609-001	5.125	2PG 964 295-121	5.100								
2ZR 006 609-081/-171	5.125	8RA 002 023-021	5.167	2ZR 006 609-081/-171	5.125	2PF 007 205-001	5.110								
8RA 002 020-001	5.168			8RA 002 020-001	5.168										
2KA 998 523-131	5.203			2KA 998 523-131/141	5.203										
Length < 6 m				Width >= 1.6 m to < 2.1 m				Length >= 6 m				Width >= 1.6 m to < 2.1 m			
															
Rear	Page	Side	Page	Rear	Page	Side	Page								
2.. 343 640-...	5.18-5.19	8RA 002 014-051/101/127	5.165	2.. 343 640-...	5.18-5.19	2PS 006 717-031/051	5.89								
2.. 007 547-...	5.22	8RA 003 326-011/041	5.166	2.. 007 547-...	5.22	2PS 008 645-031	5.98								
2.. 341 032-...	5.33	8RA 002 023-011	5.167	2.. 341 032-...	5.33	2PS 008 645-011	5.99								
2.. 998 232-...	5.34-5.37			2.. 998 232-...	5.34-5.37	2PS 964 295-061/081	5.100								
2.. 998 233-...				2.. 998 233-...		2PS 009 226-017	5.102								
2.. 003 184-...	5.40			2.. 003 184-...	5.40	2PS 008 643-331	5.103								
2SE 002 578-701	5.46			2SE 002 578-701	5.46	2ZR 006 609-081/-171	5.125								
2.. 998 530-...	5.48			2.. 998 530-...	5.48	2ZR 005 700-191	5.126								
2SD 343 130-157/-167	5.71			2SD 343 130-157/-167	5.71	2ZR 005 860-151	5.126								
Also bottom rear		Front		Also bottom rear		Front									
2KA 959 640-607	5.108	2PG 006 717-021	5.89	2KA 959 640-607	5.108	2PG 006 717-021	5.89								
2KA 007 929-001	5.117	2PF 006 717-011	5.89	2KA 007 929-001	5.117	2PF 006 717-011	5.89								
2NE 006 609-001	5.125	2PG 964 295-121	5.100	2NE 006 609-001	5.125	2PG 964 295-121	5.100								
2ZR 006 609-081/-171	5.125	2PF 007 205-001	5.110	2ZR 006 609-081/-171	5.125	2PF 007 205-001	5.110								
8RA 002 020-001	5.168			2ZR 005 700-191	5.126										
2KA 998 523-131	5.203			2ZR 005 860-151	5.126										
				8RA 002 020-001	5.168										
				2KA 998 523-131/141	5.203										



# Lighting Equipment and Cabling for Car Trailers 12V

Length < 6 m		Width >= 2.1 m		Length >= 6 m		Width >= 2.1 m	
Rear	Page	Side	Page	Rear	Page	Side	Page
2.. 343 640-...	5.18-5.19	8RA 343 160-...	5.101	2.. 343 640-...	5.18-5.19	2PS 006 717-031/051	5.89
2.. 007 547-...	5.22	8RA 002 014-051/101/127	5.165	2.. 007 547-...	5.22	2PS 008 645-031	5.98
2.. 341 032	5.33	8RA 003 326-011/041	5.166	2.. 341 032-...	5.33	2PS 008 645-011	5.99
2.. 998 232-...	5.34-5.37	8RA 002 023-011	5.167	2.. 998 232-...	5.34-5.37	2PS 964 295-061/081	5.100
2.. 998 233-...	5.40			2.. 998 233-...	5.40	2PS 009 226-017	5.102
2.. 003 184-...	5.46			2.. 003 184-...	5.46	2PS 008 643-331	5.103
2SE 002 578-701	5.48			2SE 002 578-701	5.48	2ZR 006 609-087/-171	5.125
2.. 998 530-...	5.50			2.. 998 530-...	5.50	2ZR 005 700-191	5.126
2.. 003 185-041/-047	5.71			2.. 003 185-041/-047	5.71	2ZR 005 860-151	5.126
2SD 343 130-157/-167				2SD 343 130-157/-167			
Also bottom rear		Front		Also bottom rear		Front	
2KA 959 640-607	5.108	2PF 006 717-011	5.89	2KA 959 640-607	5.108	2PF 006 717-011	5.89
2KA 007 929-001	5.117	2PG 006 717-021	5.89	2KA 007 929-001	5.117	2PG 006 717-021	5.89
2NE 006 609-001	5.125	2PS 964 295-121	5.100	2NE 006 609-001	5.125	2PS 964 295-121	5.100
2ZR 006 609-087/171	5.125	2PF 007 205-001	5.110	2ZR 006 609-087/171	5.125	2PF 007 205-001	5.110
8RA 002 020-001	5.168			2ZR 005 700-191	5.126		
2KA 998 523-131	5.203			2ZR 005 860-151	5.126		
				2KA 998 523-131/141	5.203		
				8RA 002 020-001	5.168		
Also rear/ rear side				Also rear/ rear side			
2SA 006 717-001/047	5.89			2SA 006 717-001/047	5.89		
2TM 008 645-081/-087	5.98			2TM 008 645-081/-087	5.98		
2TM 008 645-091	5.98			2TM 008 645-091	5.98		
2TM 964 295-101	5.1019			2TM 964 295-101	5.101		
2XS 955 031-001	5.118			2XS 955 031-001	5.118		
2XS 950 071-031	5.118			2XS 950 071-031	5.118		
2XS 955 232-001	5.118			2XS 955 232-001	5.118		
2XS 005 020-001/011	5.120			2XS 005 020-001/011	5.120		
Standard main supply cable	Page	Main supply cable Option 1	Page	Main supply cable Option 2	Page		
8KA 998 230-001	5.204	8KA 998 231-071/081/091	5.204	8KA 998 231-001/011	5.206		
8KA 998 230-011	5.204	8KA 998 231-111	5.205	8KA 998 231-051	5.206		
8KA 998 230-021	5.204	8KA 998 228-001/011/021	5.205	8KA 998 226-001	5.206		
8KA 998 230-041	5.204	8KL 340 050-001	5.205	8KA 998 229-081	5.206		
8KA 998 230-051	5.204	9GS 340 051-001 Shrink-end cap	5.205	8KA 998 229-121	5.206		
		8KA 998 229-011	5.205	8KV 998 225-101 T-joint	5.206		
		8KA 998 229-021/031	5.205				
		8KA 998 229-041/061	5.205				
		8PE 008 932-001 Crimping tool	5.205				

## Instruction 1

In connection with these low powers, which are very different from bulb versions, there can be problems with the bulb failure check during operation on various traction vehicles.

Since indicator failure checks are required by legislation, we recommend only operating the light in combination with an indicator control unit part no. "5DS 009 602-..., 5DS 009 552-... or LED flasher unit 4.. 009 492".

In addition, further lighting functions are detected by some traction vehicles. This is a vehicle comfort function which is not required

by legislation and does not release drivers from their obligation to see for themselves that the lighting equipment is working.

Here, too, faulty diagnoses can be a result of the lower power levels involved (instrument panel in the driver cab indicates a bulb failure although the function is working).

The functional ability of these light failure checks can only be established by the vehicle manufacturer.

The power specifications must be adapted to the respective lights!!!!

Operation of the light with alternating current or pulsed direct current is not permitted!

The functional ability of these light failure checks can only be established by the vehicle manufacturer.

## Instruction 2

In connection with these low powers, which are very different from bulb versions, there can be problems during operation on various traction vehicles because further lighting functions are detected by some traction vehicles.

This is a vehicle comfort function which is not required by legislation and does not release drivers from their obligation to see for themselves that the lighting equipment is working.

Here, too, faulty diagnoses can be a result of the lower power levels involved (instrument panel in the driver cab indicates a bulb failure although the function is working).

The functional ability of these light failure checks can only be established by the vehicle manufacturer.

The power specifications must be adapted to the respective lights!!!!

Operation of the light with alternating current or pulsed direct current is not permitted!

## Instruction 3

In connection with these low powers, which are very different from bulb versions, there can be problems with the bulb failure check during operation on various traction vehicles.

Since indicator failure checks are required by legislation, we recommend only operating the light in combination with an indicator control unit part no. "5DS 009 602-..., 5DS 009 552-... or LED flasher unit 4.. 009 492".

The power specifications must be adapted to the respective lights!!!!

Operation of the light with alternating current or pulsed direct current is not permitted!

## Legal requirement in all ECE states

In the case of vehicles approved for use on public roads, the indicators must be monitored: The failure of an indicator must be shown optically or acoustically in the vehicle. This applies in all ECE states. In other words, the potential failure of the indicator must be monitored by the vehicle. Manufacturers use various failure-control systems. The failure control systems currently in use cannot detect simple LED lights and display a fault. All Hella LED indicators have integrated electronics for failure control. The indicators are selfmonitoring. They generate a pulse that is evaluated by the electronic ballast. This ballast simulates a 21 W bulb, which makes operation with conventional flasher units possible.

As soon as one single LED fails, the light can be considered faulty, the pulse is not generated. The ballast then switches the bulb simulation off and the flasher unit indicates the fault to the driver.

## Safe conversion to LED indicators now possible thanks to patented Hella electronics

Hella supplies electronic ballasts for all Hella LED indicators which make it possible to convert the indicator failure display for various vehicles. This is necessary if the vehicle manufacturer does not guarantee indicator bulb failure control via the vehicle wiring system. The method has been patented for Hella. At the moment, there are three different ballasts and several different LED indicator types available.

## LED indicator failure control: Background information




Fig. 1

## Why does the failure detection required by law work with various LED lights with some flasher units and not with others?

Fig. 1 illustrates the typical current pattern when a bulb is switched on.

Different flasher units detect this in different ways, for example by

- measuring the pulse peak or
- measuring the current at some point during the switch-on pulse or
- measuring the current after the pulse, when the current is constant and has a certain intensity, or
- determining the total energy flowing through the light (size of area A)




Fig. 2

Fig. 2 shows the LED current (I LED) in relation to this. None of the methods mentioned above can work here, because there is neither a switch-on pulse available nor is the current intensity high enough or the total energy through both lights is identical (area B is as large as A).



Fig. 3

If a simple Ohmic resistor is inserted, e.g. a resistor cable, the current is increased by a certain value (IR) and the curve illustrated in Fig. 3 is the result. In this case, only a flasher unit according to principle c) would work. If the resistance is chosen somewhat higher, principle d) could also possibly work. If the light fails afterwards due to mechanical damage, the flasher unit could detect the insert resistor as a functional bulb. In this case, a light working perfectly would be indicated although this is not the case! This means: In this case the vehicle would lose this approval for use on public roads.

The only solution conceivable for universal use is one that works with all the flasher units on the market. As the above considerations have shown, this can practically only be guaranteed if the current pattern of a bulb is simulated exactly by means of an electronic circuit.

- I = Current
- t = Time
- 1 = Pulse peak
- 2 = Switch-on pulse
- 3 = Individual pulse
- 4 = Bulb
- 5 = LED

Since such a circuit is extremely complex, it is not possible to integrate this in the LED light. In order to be able to benefit from the advantages of LED lights despite this fact, a ballast is required for the circuit. This combination provides the perfect - and above all legally conform - solution to the problem.

## Hella patent for the perfect problem solution




Fig. 4

I = Current  
t = Time  
1 = Pulse peak  
2 = Switch-on pulse  
3 = Individual pulse  
4 = Bulb  
5 = LED

All Hella LED indicators with integrated electronics for failure control are self-monitoring and generate an individual pulse. This pulse is evaluated by the electronic ballasts. The ballasts simulate a 21 W bulb. This makes operation with conventional flasher units possible. If the light is faulty, which can be the case if only a single LED fails, the above-mentioned pulse is not generated. The ballasts then switch the bulb simulation off and the flasher unit indicates the LED fault to the driver.

By measuring the light current during a time window of 10 ms (Fig. 4), direct exchange between the Hella LED light and a bulb version is possible.

Hella ballasts are straightforward to convert even at a later date.

**Vehicle manufacturers can also ensure ECE-conform failure control by evaluating the pulse of the Hella LED indicators shown in the adjacent diagram directly in their control units.**

**The exact specification can be obtained from Hella.**

## Which Hella ballast for which vehicle?



### 1. Vehicles that use the cold scan for indicator failure control.

#### Description of fault indication:

Is a faulty light indicated when the ignition is switched on or directly when the fault occurs, or when the bulb is screwed out without the indicator being triggered?

**Solution: Simulation device for cold scan**

	Simulation device for cold scan,
5DS 009 602-011	12V
5DS 009 602-001	24V



### 2. Vehicles without flasher unit that carry out current measurement as failure control.

#### Description of fault indication:

Is a fault only determined during flashing (e.g. double flashing frequency)?

**Solution: Indicator control unit**

5DS 009 552-001	Indicator control unit for trucks and trailers, 24V, with one 15-pole EasyConn plug and one 15-pole Easy-Conn socket.
-----------------	---

5DS 009 552-011	Lead end with blade terminal contact 6.3 mm No separate power supply necessary. Protective rating: IP 6K9K
-----------------	--



### 3. Vehicles with flasher unit

**Solution: Replacement of the existing flasher unit by an LED flasher unit**

4DN 009 492-101	LED-flasher unit, 12V 2+1+1
4DW 009 492-111	LED-flasher unit, 12V 3+1
4DM 009 492-001	LED-flasher unit, 24V 2+1
4DW 009 492-011	LED-flasher unit, 24V 3+1



<b>Rotating beacons, flashing beacons, warning lights</b>	
Accessories for old-type rotating- and flashing beacons	6.17-6.19
Accessories for rotating- and flashing beacons	6.15-6.16
LED beacons	6.14
Flashing beacons	6.10-6.13
Flashing spotlight	6.20
Rotating beacons	6.03-6.09
Signal lights	6.26
Spare parts for old-type rotating- and flashing beacons	6.17-6.19
Strobe beacons	6.20-6.22
Warning lights	6.23-6.25
Codes	6.02
<b>Optical warning systems</b>	
OWS-QS: Product descriptions, accessories and spare parts	6.27-6.31
OWS 540 up to 1600: Product descriptions, accessories and spare parts	6.32-6.37
OWS 4: Spare parts for old-type systems	6.38
<b>Rotating-/flashing beacon and siren combination</b>	
RTK 5: Product descriptions, spare parts and accessories	6.39-6.41
RTK 6-SL: Product descriptions, modules and spare parts	6.42-6.52
RTK-QS: Product descriptions, modules and spare parts	6.53-6.61
RTK-VE: Product descriptions and accessories	6.62-6.64

Code	Explanation
ASG	Stop signal
ASG-GL	Stop signal with built-in incandescent bulbs
ASG-LED	Stop signal in LED-technology
ASG-LED-Matrix	Stop signal in Matrix-technology (programmable)
AZD	Push-pull-rotary alarm switch (mechanical operating concept)
BSX	Strobe beacons (Product lines: BSX-Micro, -Multi and -Compact)
C-LED	Corner light
eAZD	Electronic control unit
EMV	Electromagnetic compatibility
eNF-switching unit	Electronic operating concept for the control of communication functions in special signal systems
FL	Rotating beacon with tubular fitting for support
FuG 7/8	Standardised two-way radio
HWL	Warning light
HWL-LED	Warning light in LED-technology
HWL-X	Warning light in xenon-technology
Info-G	Information sign (Traffic jam sign on RTK 6-SL)
KL	Rotating beacon
KL-A	Tripod for fitting a high-mounted beacon (for RTK 6-SL)
K-LED	LED beacon
KL-ER	Beacon with single reflector system (for roof bar systems)
KL-MR	Beacon with multiple reflector system (for roof bar systems)
KLX	Strobe beacon
KL-XL	Beacon with xenon-double flashing system (for RTK 6-SL)
KL-XL2	Beacon with xenon-double flashing system (for RTK 5, RTK-QS, OWS and OWS-QS)
KL-XR	Beacon with xenon-parabolic trough reflector system (for RTK 6-SL)
KL-XR2	Beacon with xenon-parabolic trough reflector system (for RTK-QS and OWS-QS)
LSP-H	Loudspeaker, rear
LSP-V	Loudspeaker, front
M	Beacon attachment variant with magnetic attachment
OWS	Optical warning system (Product lines: OWS and OWS-QS)
OWS 4	Optical warning system (old-type)
OWS-MR	Optical warning system with multiple reflector system
OWS-X	Optical warning system with xenon system
PC	Polycarbonate
R	Rotating beacon with tubular fitting for support
RTK	Rotating beacon and siren combinations (Product lines: RTK 6-SL, RTK 5 and RTK-QS)
RTK-VE	Sound warning system
SB	Rotating beacon with single bolt for fitting
Teledux 9	non-standardised two-way radio
WL-LED	Warning light in LED-technology
ZSE	Control unit light
ZSE L	Control unit light (for RTK-QS)
ZSE L/A	Control unit light and acoustic (for RTK-QS)
ZSE-VE	Control unit (for RTK-VE)

Part no.	Pk.	Rotating beacons with halogen H1 light
<p><b>KL Rotaflex FL</b>            According to DIN 14 620, shape A.            Black rubber housing with tubular fitting for support, max. inclination 90°.  <b>With built-in bulb.</b>  <b>Light aperture (reflector dia.): 76.5 mm.</b></p> <p>Total power consumption:            12V55W = 5.5A, 24V70W = 3.5A.            Operating temperature: -40 °C to +60 °C.            RF suppression: CISPR 25, class 5 (conducted).            Resistant to high pressure cleaning.</p>		
<p>Ⓔ4 6513 blue    Ⓔ4 6509 amber    Ⓛ1 2181</p>		
<p><b>Rotating beacon, dome with optical pattern, blue, 12V</b></p>		
2RL 006 846-101	1	
2RL 006 846-111	1	<b>blue, 24V</b>
2RL 006 846-001	1	<b>amber, 12V</b>
2RL 006 846-011	1	<b>amber, 24V</b>
<p><b>KL Rotafix F</b>            According to DIN 14 620 form B1.  <b>With black base for permanent mounting on level surface,</b></p>		
2RL 007 337-101	1	<b>blue, 12V</b>
2RL 007 337-111	1	<b>blue, 24V</b>
2RL 007 337-001	1	<b>amber, 12V</b>
2RL 007 337-011	1	<b>amber, 24V</b>
2RL 007 337-041	1	<b>amber, 12V/24V, with 24V bulb and belt drive</b>
<p><b>KL Rotafix M</b>  <b>With magnetic attachment, spirally-coiled lead extends up to 2.5 m and 2-pole plug for connecting to the cigarette lighter socket,</b></p>		
2RL 007 337-121	1	<b>blue, 12V</b>
2RL 007 337-021	1	<b>amber, 12V</b>
2RL 007 337-031	1	<b>amber, 24V</b>
2RL 007 337-057	1	<b>amber, with spirit level, 24V</b>
9EL 859 020-101	1	<b>Spare parts:</b> Dome with optical pattern, blue
9EL 859 020-001	1	amber (PC)
9GP 859 115-001	1	Rubber housing for 2RL 006 846-...
<p>Motor,            12V            24V            12V/24V for -041            Drive belts (2 pieces) for -041</p>		
9MN 858 114-001	1	12V
9MN 858 114-011	1	24V
9MN 862 741-001	1	12V/24V for -041
9XR 854 840-001	1	Drive belts (2 pieces) for -041
<p>Reflector            for 2RL 006 846-...            for 2RL 007 337-... (except -041)            for 2RL 007 337-041</p>		
9DX 860 438-001	1	for 2RL 006 846-...
9DX 860 271-001	1	for 2RL 007 337-... (except -041)
9DX 862 844-001	1	for 2RL 007 337-041
<p> 12V55W (H1) 8GH 002 089-133   24V70W (H1) 8GH 002 089-251</p>		

Accessories see page 6.15-6.16.

# Rotating Beacons

180 rpm



		Part no.	Pk.	Rotating beacons with halogen H1 light
				<p><b>KL JuniorPlus F</b> According to DIN 14 620, shape B1. Blue rotating beacon with black base, amber rotating beacon with amber base. <b>With built-in bulb.</b> <b>Light aperture (reflector dia.): 95 mm.</b></p> <p>Total power consumption: 12V55W = 4,7A, 24V70W = 3A. Operating temperature: -40 °C to +60 °C. RF suppression: CISPR 25, class 3 (conducted). Resistant to high pressure cleaning.</p> <p>Ⓔ1 2140 blue Ⓔ1 1419 amber <span style="border: 1px solid black; padding: 0 2px;">e1</span> 2954</p>
		2RL 008 965-031	1	Rotating beacon for permanent mounting, blue, 12V
		2RL 008 965-041	1	blue, 24V
		2RL 008 965-001	1	amber, 12V
		2RL 008 965-011	1	amber, 24V
		2RL 008 965-021	1	without bulb, amber, 12V/24V
		2RL 008 966-031	1	blue, 12V
		2RL 008 966-001	1	amber, 12V
		2RL 008 966-021	1	without bulb, amber, 12V/24V
		2RL 008 967-031	1	blue, 12V
		2RL 008 967-041	1	blue, 24V
		2RL 008 967-001	1	amber, 12V
		2RL 008 967-011	1	amber, 24V
		2RL 008 967-021	1	without bulb, amber, 12V/24V
		2RL 008 990-001	1	amber, 12V
		2RL 008 990-011	1	amber, 24V
		2RL 008 990-021	1	amber, 12V/24V, without bulb
		9EL 863 100-041	1	<b>Spare parts:</b> Dome, blue
		9EL 863 100-001	1	amber
		9NM 863 332-001	1	Wing nut mount (Junior Plus FL)
		9MN 745 023-001	1	Motor, 12V/24V
		9XR 855 975-001	1	Drive belts (2 pieces)
				1x12V55W (H1) 8GH 002 089-133 1x24V70W (H1) 8GH 002 089-251

Accessories see page 6.15-6.16.

	Part no.	Pk.	Rotating beacons with halogen H1 light
	<p>2RL 007 550-001 2RL 007 550-011 2RL 007 550-021</p>	<p>1 1 1</p>	<p><b>KL Junior F</b> According to DIN 14 620, shape B1. With amber base for permanent mounting. <b>With built-in bulb.</b> <b>Light aperture (reflector dia.): 103 mm.</b></p> <p>Total power consumption: 12V55W = 5.5A, 24V70W = 3.5A. Operating temperature: -20 °C to +60 °C. RF suppression: CISPR 25, class 3 (conducted). Resistant to high pressure cleaning.</p> <p>Ⓔ4 6514    Ⓛ1 2182</p>
	<p>2RL 007 552-001 2RL 007 552-011 2RL 007 552-021</p>	<p>1 1 1</p>	<p><b>KL Junior M</b> Amber base with magnetic attachment, spirally-coiled lead extends up to 3.5 m and 2-pole plug for connecting to the cigarette lighter socket,</p>
	<p>2RL 007 551-001 2RL 007 551-011 2RL 007 551-021</p>	<p>1 1 1</p>	<p><b>KL Junior R</b> According to DIN 14 620 shape A. Amber base with tubular fitting for support,</p>
	<p>2RL 007 553-001 2RL 007 553-011 2RL 007 553-021</p>	<p>1 1 1</p>	<p><b>KL Junior FL</b> With PC light dome, base with flexible tubular fitting for support tube. <b>Max. inclination 90°.</b></p>
	<p>9EL 860 627-001 9EL 860 627-011 9EL 860 628-021  9NU 858 004-001  9MN 860 677-001 9MN 860 677-011 9MN 860 677-021</p>	<p>1 1 1  10  1 1 1</p>	<p><b>Spare parts:</b> Dome with optical pattern, amber, for 2RL 007 550-.../551-.../552-... amber (PC), for 2RL 007 553-... blue</p> <p>Protective foil for magnet</p> <p>Motor, 12V 24V 12V/24V</p> <p>12V55W (H1) 8GH 002 089-133 24V70W (H1) 8GH 002 089-251</p>

Accessories see page 6.15-6.16.




Image	Technical drawing	Part no.	Pk.	Rotating beacons with halogen H1 light
		2RL 008 061-001 2RL 008 061-011	1 1	<p><b>KL 7000 F</b> According to DIN 14 620, shape B1. Blue rotating beacon with black base, amber rotating beacon with amber base. <b>With built-in bulb.</b> <b>Light aperture (reflector dia.): 84 mm.</b></p> <p>Total power consumption: 12V55W = 5.5A, 24V70W = 3.5A. Operating temperature: -40 °C to +60 °C. RF suppression: CISPR 25, class 5 (conducted). Resistant to high pressure cleaning.</p> <p>Ⓔ 1240 blue   Ⓔ 1241 amber   Ⓛ 1740</p>
		2RL 008 062-001 2RL 008 062-011  2RL 008 062-101 2RL 008 062-111	1 1  1 1	<p><b>Rotating beacon for permanent mounting, with rubber gasket,</b></p> <p><b>KL 7000 M</b> With magnetic attachment, spirally-coiled lead extends up to 2.5 m and 2-pole plug for connecting to the cigarette lighter socket,</p> <p>1 blue, 12V, without optical pattern 1 blue, 24V, without optical pattern  1 amber, 12V, with optical pattern 1 amber, 24V, with optical pattern</p>
		2RL 008 063-001 2RL 008 063-011  2RL 008 063-101 2RL 008 063-111	1 1  1 1	<p><b>KL 7000 FL</b> According to DIN 14 620 shape A. With flexible tubular fitting for support tube. Max. inclination 90°,</p> <p>1 blue, 12V, without optical pattern 1 blue, 24V, without optical pattern  1 amber, 12V, with optical pattern 1 amber, 24V, with optical pattern</p>
		2RL 008 060-001 2RL 008 060-011  2RL 008 060-101 2RL 008 060-111	1 1  1 1	<p><b>KL 7000 R</b> With tubular fitting for support tube,</p> <p>1 blue, 12V, without optical pattern 1 blue, 24V, without optical pattern  1 amber, 12V, with optical pattern 1 amber, 24V, with optical pattern</p>
<p><b>Spare parts:</b> Dome, 9EL 862 140-001 1 blue 9EL 862 141-001 1 amber 9EL 862 141-021 1 amber, PC 9MN 862 741-001 1 Motor 12V/24V 9XR 854 840-001 1 Drive belts (2 pieces) 9DX 862 740-001 1 Reflector 9GD 862 164-001 5 Rubber gasket for KL 7000 F 9NM 863 332-001 5 Wing nut mount for KL 7000 FL and R</p>				<p>1x12V55W (H1) 8GH 002 089-133 1x24V70W (H1) 8GH 002 089-251</p>

Accessories see page 6.15-6.16.

# Rotating Beacons

160 rpm



Part. no.

Pk.

**Rotating beacons  
with standard light, 230V  
for stationary operation**

**KL 7000 230V**

**According to DIN 14 620, shape B1.**

With base for mounting on emergency call box, fire-alarm box etc.

**With rubber gasket and built-in bulb 230V25W.**

**Light aperture (reflector dia.): 84 mm.**

Total power consumption:

230V with 25W bulb = 0.2A.

Operating temperature: -30 °C to +60 °C.

Resistant to high pressure cleaning.

(E1) 1241

**Rotating beacon, 230V,  
with amber base,  
amber**

2RL 008 064-101

1

**with black base,  
red**

2RL 008 064-001

1

**Spare parts:**

Dome with optical pattern,

amber

amber, PC

red

9EL 862 141-001

1

9EL 862 141-021

1

9EL 862 141-011

1

9MN 854 290-001

1

Motor with gear unit, 240V


9GD 862 164-001

5

Gasket



230V25W (C2) 8GS 002 383-001



Part no.

Pk.

**Rotating beacons with halogen H1 light**

**KL 8000 F**

According to DIN 14 620, shape B2.  
With base for permanent mounting.  
With rubber gasket and built-in bulb.  
Light aperture (reflector dia.): 111.6 mm.

Motor power consumption:  
12V55W = 5.5A, 24V70W = 3.5A.  
Operating temperature: -40 °C to +60 °C.  
RF suppression: CISPR 25, class 5 (conducted).  
Resistant to high pressure cleaning.

Ⓔ1 1242    Ⓛ1 1740

2RL 008 065-001

1

**Rotating beacon with black base, blue, 12V**

2RL 008 065-011

1

**blue, 24V**

Ⓔ1 1243    Ⓛ1 1740

2RL 008 065-101

1

**Rotating beacon with amber base and dome with optical pattern, amber, 12V**

2RL 008 065-107

48

2RL 008 065-111

1

**amber, 24V**

**Spare parts:**

9EL 862 171-001

1

Dome, blue

9EL 862 172-001

1

amber

9MN 862 741-001

1

Motor 12V/24V

9XR 854 840-001

1

Drive belts (2 pieces)

9DX 862 742-001

1

Reflector

9GD 862 178-001

1

Rubber spacer, flat

1x12V55W (H1) 8GH 002 089-133  
1x24V70W (H1) 8GH 002 089-251

**Accessories:**

9GD 862 178-001

1

Rubber spacer, flat

9GD 862 734-001

1

high


9GD 859 037-011




1

wedge-shaped



	Part no.	Pk.	Electronic flashing beacons
			<p><b>KLX Junior Plus F</b>            According to DIN 14 620, shape B1.            PC dome.            With built-in xenon tube (gas discharge bulb with plug-in base).            Light aperture: 95 mm dia.</p> <p>Total power consumption:            12V = 3,3A, 24V = 1,7A.            Operating temperature: -40 °C to +60 °C.            Electrical strobe power: 10 + 2 Ws.            Strobe frequency: 2 Hz = double flashes.            RF suppression: CISPR 25, class 3 (conducted).            Resistant to high pressure cleaning.</p> <p>Ⓔ1 2141 blue Ⓔ1 1765 amber Ⓛe1 3486</p>
	2XD 009 051-021	1	blue, 12V
	2XD 009 051-031	1	blue, 24V
	2XD 009 051-001	1	amber, 12V
	2XD 009 051-011	1	amber, 24V
	2XD 009 053-021	1	blue, 12V
	2XD 009 053-001	1	amber, 12V
	2XD 009 052-021	1	blue, 12V
	2XD 009 052-031	1	blue, 24V
	2XD 009 052-001	1	amber, 12V
	2XD 009 052-011	1	amber, 24V
	2XD 009 054-001	1	amber, 12V
	9EL 863 100-051	1	blue
	9EL 863 100-031	1	amber
	9EL 862 678-001	1	Ring lens with Fresnel optics
	8GS 863 261-001	1	Xenon tube
	9NM 863 332-001	1	Wing nut mount (for KLX Junior Plus FL)


Accessories see page 6.15-6.16.

	Part no.	Pk.	Electronic flashing beacons
    	<p><b>2RL 008 366-021</b></p>  <p><b>2RL 008 366-031</b></p>  <p>9EL 862 267-001 8GS 859 634-001</p>  <p><b>8JB 008 839-001</b></p>	<p><b>KLX 5000 M</b> Rapidly attachable strobe beacon for use by police with unmarked vehicles. With black die-cast aluminium housing, magnet and integrated power supply. <b>With built-in xenon tube (gas discharge bulb).</b> Shielding basket over xenon bulb reduces high-frequency interference radiation and ensures good radio reception. <b>Light aperture: 80 mm dia.</b></p> <p>Power consumption: 3A. Electrical strobe power: 10 + 2 Ws. Strobe frequency: 2.1 Hz = approx. 120 double flashes/min. Operating temperature: -40 °C to +60 °C. RF suppression: CISPR 25, class 5 (conducted). Resistant to high pressure cleaning.</p> <p>Ⓔ 1290    Ⓔ 1775</p> <p><b>Flashing beacon with blue dome, 12V, with magnetic attachment, integrated power supply, spirally-coiled lead and 2-pole plug for connecting to the cigarette lighter socket</b></p> <hr/> <p><b>With Lemo plug, 12V</b></p> <p><b>Spare parts:</b> PC-dome with lens Xenon tube</p> <p><b>Accessories:</b> Socket for -031</p>	

	Part no.	Pk.	Electronic flashing beacons
 	<p><b>KLX 7000 F</b>  <b>According to DIN 14 620, shape B1.</b>                      With silver coloured metal housing.  <b>With built-in xenon tube</b>                      (gas discharge bulb with plug-in base).  <b>Light aperture: 90 mm dia.</b></p> <p>Total power consumption:                      12V 3.3A, 24V 1.6A.                      Operating temperature: -40 °C to +60 °C.                      Electrical strobe power: 12 + 2 Ws.                      Strobe frequency: 2.05 Hz = double flashes.                      RF suppression: CISPR 25, class 5 (conducted).                      Resistant to high pressure cleaning.</p> <p>Ⓔ1 1240 blue Ⓔ1 1399 amber Ⓛ1 1889</p> <p><b>Flashing beacon</b>  <b>for permanent mounting,</b>  <b>with rubber gasket,</b></p> <p>2RL 008 181-001 1 blue, 12V                      2RL 008 181-011 1 blue, 24V</p> <p>2RL 008 181-101 1 amber, 12V                      2RL 008 181-111 1 amber, 24V</p>		
 	<p><b>KLX 7000 M</b>  <b>With magnetic attachment, spirally-coiled lead</b>  <b>extends up to 2.5 m and 2-pole plug for</b>  <b>connecting to cigarette lighter socket,</b></p> <p>2RL 008 182-001 1 blue, 12V                      2RL 008 182-011 1 blue, 24V</p> <p>2RL 008 182-101 1 amber, 12V                      2RL 008 182-111 1 amber, 24V</p>		
 	<p><b>KLX 7000 FL</b>  <b>According to DIN 14 620, shape A.</b>  <b>With flexible tubular fitting for support tube.</b>  <b>Max. inclination 90°,</b></p> <p>2RL 008 183-001 1 blue, 12V                      2RL 008 183-011 1 blue, 24V</p> <p>2RL 008 183-101 1 amber, 12V                      2RL 008 183-111 1 amber, 24V</p> <p><b>Spare parts:</b>                      PC-dome,                      blue 9EL 862 140-021 1                      amber 9EL 862 140-031 1                      Ring lens with Fresnel optics 9EL 862 678-001 1                      Dome seal 9GD 862 679-001 1                      Xenon tube 8GS 859 634-001 1                      EMC shield for strobe lights 9HB 862 864-001 1</p> <p>Circuit board (replacement set),                      12V 9MK 862 863-001 1                      24V 9MK 862 862-001 1</p> <p>Rubber spacer for KLX 7000 F,                      flat 9GD 862 164-001 5</p> <p><b>Accessories:</b>                      Wing nut mount (for KLX 7000 FL) 9NM 863 332-001 1</p>		

Accessories see page 6.15-6.16.

	Part no.	Pk.	Electronic flashing beacons
 			<p><b>KLX</b>  <b>Double flasher beacon.</b>  <b>According to DIN 14 620, shape B1.</b>            With black plastic housing and rubber base plate for mounting on vehicle roof. Three holes for M6 x 35 or M5 x 35 fixing screws.</p> <p><b>With built-in xenon tube (gas discharge bulb).</b>  <b>Light aperture: 85 mm dia.</b></p> <p>Total power consumption: 12V 3.3A, 24V 1.7A.            Electrical strobe power: 10+2 Ws.            Strobe frequency: 2.0 Hz = 120 flashes/min.            Operating temperature: -40 °C to +60 °C.            RF suppression: CISPR 25, class 3 (conducted).            Resistant to high pressure cleaning.</p> <p>Ⓔ4 6510    Ⓛ1 3486</p>
	<p><b>2RL 007 017-041</b> 1  <b>2RL 007 017-051</b> 1</p>	<p>1            1</p>	<p><b>Flashing beacon, blue, 12V</b>  <b>blue, 24V</b></p> <hr/> <p>Ⓔ4 6511    Ⓛ1 3486</p> <p><b>2RL 007 017-061</b> 1  <b>2RL 007 017-071</b> 1</p> <p><b>amber, 12V</b>  <b>amber, 24V</b></p> <p><b>Spare parts:</b>            PC-dome, blue 1            amber 1            Rubber spacer 5            Xenon tube X1 1</p>
	<p><b>9GD 856 863-001</b> 1</p>	<p>1</p>	<p><b>Rubber spacer</b>            For mounting KLX on convex mounting surfaces.</p> <p><b>Rubber spacer (wedge-shaped)</b></p>
	<p><b>8HG 005 436-011</b> 1</p>	<p>1</p>	<p><b>Holder for tubular fitting</b>            For mounting KLX on 24 mm dia. attachment tube.</p> <p><b>Holder</b></p>
 	<p><b>5KG 007 629-001</b> 1  <b>5KG 007 629-011</b> 1</p>	<p>1            1</p>	<p><b>Control units for KLX</b>            With contact for control lamp and one beacon.</p> <p><b>Control unit, 4-pin, 12V</b>  <b>24V</b></p>



	Part no.	Pk. LED beacons
 	<p><b>2XD 009 386-021</b> 1</p> <p><b>2XD 009 386-121</b> 1</p> <p><b>2XD 009 386-421</b> 1</p> <p>9EL 863 943-031 1</p> <p>9EL 863 943-021 1</p> <p>9EL 863 943-051 1</p>	<p><b>K-LED</b>  <b>According to DIN 14 620, shape B1.</b>  <b>In LED-technology.</b>  <b>High-power LEDs in connection with high-sheen vapour-plated reflectors.</b>  <b>Clear-glass light dome with bayonet lock.</b>  <b>Unique 360° signal image.</b>          Aluminium housing.</p> <p><b>With 2 amber LED discs, rubber base and 265 mm cable.</b></p> <p>Rated voltage: 12V / 24V.          Supply voltage: 10V - 32V.          Average current consumption: 12V 1.5A, 24V 1.0A.          Operating temperature: -40 °C to +60 °C.          RF suppression: CISPR 25, class 5 (conducted).          Resistant to high pressure cleaning.</p> <p>Ⓔ1 2373    e1 4882</p> <p><b>LED beacon</b>  <b>with amber base</b></p> <p><b>with silver base</b></p> <p><b>with black base</b></p> <p><b>Spare parts:</b>          Dome, clear,          for -021          for -121          for -421</p>

	Part no.	Pk.	<p><b>Mounting bushes</b> for beacons with tubular fitting</p> <p><b>With built-in electrical socket to DIN 72 591 and rubber protecting cap.</b> For mounting beacon on support at side of vehicle or for welding to a flange, 24 mm dia., approx 100 mm.</p> <p><b>Mounting bush, complete</b></p> <p><b>with separate ground connection</b></p> <p><b>Spare parts:</b> Holder for -001 Socket Rubber protecting cap</p> <hr/> <p><b>With screw fixing</b></p> <p><b>with separate ground connection</b></p> <hr/> <p><b>For screwing onto horizontal cabin roofs (on top)</b></p> <hr/> <p><b>For screwing onto horizontal cabin roofs (on side)</b></p> <p><b>With 90 mm mounting bracket</b></p> <p><b>with 50 mm mounting bracket</b></p> <hr/> <p><b>With 90° angle of rotation</b></p> <hr/> <p><b>Swivelling holder for screwing onto horizontal and vertical cabin roofs</b></p> <hr/> <p><b>Telescopic holder for screwing onto back of cabin roof.</b> Length: 1000 mm Extension: 700 mm.</p> <hr/> <p><b>Black push-on pipe with thread M8</b> Length: 220 mm.</p> <p><b>Spare parts:</b> Socket Rubber protecting cap</p>
	8HG 002 365-001	1	<p><b>Mounting bush, complete</b></p> <p><b>with separate ground connection</b></p> <p><b>Spare parts:</b> Holder for -001 Socket Rubber protecting cap</p> <hr/> <p><b>With screw fixing</b></p> <p><b>with separate ground connection</b></p> <hr/> <p><b>For screwing onto horizontal cabin roofs (on top)</b></p> <hr/> <p><b>For screwing onto horizontal cabin roofs (on side)</b></p> <p><b>With 90 mm mounting bracket</b></p> <p><b>with 50 mm mounting bracket</b></p> <hr/> <p><b>With 90° angle of rotation</b></p> <hr/> <p><b>Swivelling holder for screwing onto horizontal and vertical cabin roofs</b></p> <hr/> <p><b>Telescopic holder for screwing onto back of cabin roof.</b> Length: 1000 mm Extension: 700 mm.</p> <hr/> <p><b>Black push-on pipe with thread M8</b> Length: 220 mm.</p> <p><b>Spare parts:</b> Socket Rubber protecting cap</p>
	8HG 006 294-101	1	
	8HG 096 531-007	2	
	8JB 850 434-011	10	
	9GH 096 532-001	10	
	8HG 006 294-051	1	
	8HG 006 294-091	1	
	8HG 006 294-011	1	
	8HG 006 294-021	1	
	8HG 006 294-111	1	
	8HG 006 294-131	1	
	8HG 006 294-031	1	
	8HG 006 294-041	1	
	8HG 990 368-001	1	
	8HG 990 368-007	50	
	8JB 850 434-011	10	
	9GH 096 532-001	10	

# Accessories

for beacons



	<p><b>Part no.</b></p> <p>9XD 990 284-001</p> <p>8JB 850 434-011</p> <p>9GH 096 532-001</p> <p>9NM 863 332-001</p>	<p><b>Pk.</b></p> <p>1</p> <p>10</p> <p>10</p> <p>1</p>	<p><b>Mounting bushes for beacons with tubular fitting</b></p> <p>With stopper for screwing to vertical vehicle surfaces (side). With protective cap, 1-pole socket and wire harness with ground contact. Attachment using two M8 bolts.</p> <p><b>Push-on pipe</b></p> <p><b>Spare parts:</b> Socket Rubber protecting cap</p> <hr/> <p><b>Accessory group</b></p> <p><b>For KL with tubular fitting or flexible base.</b> <b>Contents: Wing nut with screw and washer.</b></p>
	<p>9GD 860 396-001</p> <p>9GD 860 772-001</p> <p>9GD 862 164-001</p> <p>9GD 863 033-001</p>	<p>1</p> <p>1</p> <p>5</p> <p>1</p>	<p><b>Rubber spacer</b></p> <p>For mounting on convex mounting surfaces.</p> <p><b>Rubber spacer, wedge-shaped, for KL Rotafix</b></p> <p><b>for KL Junior</b></p> <hr/> <p><b>Rubber spacer for KL/KLX 7000, flat</b></p> <p><b>wedge-shaped</b></p>
	<p>5KG 007 629-001</p> <p>5KG 007 629-011</p>	<p>1</p> <p>1</p>	<p><b>Control units</b></p> <p>With contact for control lamp and one beacon.</p> <p><b>Control unit, 12V</b></p> <p><b>24V</b></p>
	<p>8JB 004 777-001</p>	<p>5</p>	<p><b>2-pole socket</b></p> <p>for beacons with magnetic attachment.</p> <p>According to DIN EN ISO 4165, with cover. <b>Max. load: 8A at 12V.</b> 2 blade terminal contacts 6.3 mm.</p> <p><b>2-pole socket</b></p>
 	<p>2AA 003 257-031</p>	<p>10</p>	<p><b>Warning light</b></p> <p>for all beacons.</p> <p>Dust and waterproof screw-type fixing, for dashboards with thickness of up to 5.2 mm. <b>With blade terminal connections.</b></p> <p><b>Warning light, amber</b></p>

## Spare parts for old-type rotating beacons

	Rotating beacon	Dome	1) Body		2) Drive belt		3) Base plate		Motor with		Bulb	
			Pk.		Pk.		Pk.		Pk.		Pk.	
KL 600 	<b>2RL 004 957-001 blue, 12V</b> <b>2RL 004 957-011 blue, 24V</b>	9EL 856 415-001 blue 1	1) for -101 9BG 859 695-101 1	1) 9MN 857 622-001 12V 1	8GH 002 089-133 12V55W (H1) 1							
	<b>2RL 004 957-101 amber, 12V</b> <b>2RL 004 957-111 amber, 24V</b>	9EL 856 416-001 amber 1	for -111 9BG 859 695-111 1	9MN 857 622-011 24V 1	8GH 002 089-251 24V70W (H1) 1							
		9EL 856 415-037 red *) 1	2) 9XR 854 840-001 (2 pieces) 1	Reflector with drive belt 9DX 859 560-001 1								
KL 610 	<b>2RL 005 446-00 amber, 12V</b> <b>2RL 005 446-01 amber, 24V</b>	9EL 856 416-001 amber 1		2) with drive belt and reflector 9MN 858 616-001 12V 1								
				9MN 858 616-011 24V 1								
KL 700 	<b>2RL 004 958-001 blue, 12V</b> <b>2RL 004 958-04 blue, 12V</b> <b>2RL 004 958-011 blue, 24V</b>	9EL 856 417-001 blue 1	2) 9XR 854 840-001 1									
	<b>2RL 004 958-101 amber, 12V</b> <b>2RL 004 958-14 amber, 12V</b> <b>2RL 004 958-111 amber, 24V</b>	9EL 856 418-001 amber 1	3) 9GD 856 562-001 1									
		9EL 856 418-011 red *) 1										
KL 710 	<b>2RL 006 295-001 blue, 12V</b> <b>2RL 006 295-011 blue, 24V</b>	9EL 856 415-001 blue 1	2) 9XR 854 840-001 1									
	<b>2RL 006 295-101 amber, 12V</b> <b>2RL 006 295-111 amber, 24V</b>	9EL 856 416-001 amber 1	3) 9GD 858 013-001 5									
KL 800 	<b>2RL 004 102-001 blue, 12V</b> <b>2RL 004 102-011 blue, 24V</b>	9EL 857 801-001 blue 1	2) 9XR 854 840-001 (2 pieces) 1	1) 9MN 857 622-001 12V 1								
	<b>2RL 004 102-101 amber, 12V</b> <b>2RL 004 102-111 amber, 24V</b>	9EL 857 803-001 amber 1		9MN 857 622-011 24V 1								
		9EL 857 801-011 amber, without optical pattern 1		Reflector 9DX 859 625-001 1								
				Contact ring with brush 9MK 854 066-001 1								

## Accessories for old-type rotating beacons

	<b>9GD 856 863-001</b> 1	<b>Rubber spacer for KL 700</b>		<b>9GD 859 037-001</b> 1	<b>Rubber spacer for KL 800</b>
	<b>9GD 858 086-001</b> 1	<b>for KL 710</b>			



\*) This product does not have an ECE marking and is therefore not authorized for use on public highways in the area of the European Union.

# Rotating Beacons

old-type



## Spare parts for old-type rotating beacons

	Rotating beacon	Dome	1) Reflector 2) Base plate		Motor and accessories		Bulb	
			Pk.	Pk.	Pk.	Pk.		
KLJ 60 	<b>2RL 003 134-00 blue, 12V</b> <b>2RL 003 134-01 blue, 24V</b>	9EL 852 061-001 blue	1	1) 9DX 859 560-001 *) 2)	1 9MN 857 622-001 12V **)	1 9MN 857 622-011 24V **)	1 8GH 002 089-133 12V55W (H1)	1 8GH 002 089-251 24V70W (H1)
	<b>2RL 003 134-12 amber, 12V</b> <b>2RL 003 134-13 amber, 24V</b>	9EL 854 912-001 amber	1					
	9EL 852 061-021 red *)	1						
KLJ 70 	<b>2RL 003 130-08 blue, 12V</b> <b>2RL 003 130-09 blue, 24V</b>				Drive belt (2pieces) 9XR 854 840-001 1	Contact ring with brush 9MK 854 066-001 1		
	<b>2RL 003 130-12 amber, 12V</b> <b>2RL 003 130-14 amber, 24V</b>							
KLJ 80 	<b>2RL 003 129-00 blue, 12V</b> <b>2RL 003 129-01 blue, 24V</b>	9EL 852 820-001 blue	1	1) 9DX 859 625-001 *) 2)	1			
	<b>2RL 003 129-10 amber, 12V</b> <b>2RL 003 129-11 amber, 24V</b>	9EL 855 097-001 amber	1					
2RL 002 472-... 	<b>2RL 002 472-00 amber, 220V</b>	9EL 854 912-001 amber	1	-	-	Motor with gear unit, 240V 9MN 854 290-001 1	-	-
	<b>2RL 002 472-01 red, 220V</b>	9EL 852 061-021 red	1					
	<b>2RL 002 472-02 green, 220V</b>							
2RL 005 403-... 	<b>2RL 005 403-00 amber, 220V</b>	9EL 856 418-001 amber	1	2) 9GD 856 562-001	1			
	<b>2RL 005 403-10 red, 220V</b>	9EL 856 418-011 red	1					
2RL 006 811-... 	<b>2RL 006 811-00 amber, 220V</b>	9EL 856 416-001 amber	1	2) 9GD 858 013-001	5			
	<b>2RL 006 811-01 red, 220V</b>	9EL 856 416-011 red	1					


\*\*) If motor base plate is metal, order reflector and motor (2 parts), if plastic, order only defective part (reflector or motor)

## Accessories for old-type rotating beacons

	<b>9GD 854 019-001</b>	5	<b>Rubber spacer for 2RL 003 129-...</b>
---	------------------------	---	--

\*) This product does not have an ECE marking and is therefore not authorized for use on public highways in the area of the European Union.

## Spare parts for old-type flashing beacons



	Flashing beacon	Dome	Rubber spacer		Power supply		Xenon strobe with reflector	
			Pk.	Pk.	Pk.	Pk.		
KLX 	2RL 007 017-00 blue, 12V 2RL 007 017-02 blue, 24V	9EL 859 658-001 blue	1	9GD 856 466-001 5	-	-	-	-
	2RL 007 017-011 amber, 12V 2RL 007 017-031 amber, 12V	9EL 859 658-011 amber	1	-	-	-	-	-
BSX-Micro 	2XD 008 605-80 blue, 12V 2XD 008 605-81 blue, 24V	Strobe beacon, blue 2XD 861 423-031	1	-	-	-	8GS 861 710-001 1	-
BSX-Compact 	2XD 007 853-80 blue, 12V 2XD 007 853-81 blue, 24V	Strobe beacon, blue 2XD 861 422-011	1	-	-	8ES 861 420-001 12V 8ES 861 420-011 24V	1 1	-

## Accessories for old-type flashing beacons




	9GD 856 863-001	1 Rubber spacer		5KG 007 629-001 5KG 007 629-011	1 1	Control unit, 12V 24V
	8HG 005 436-011	1 Holder for tubular fitting				

# Flashing Spotlight Strobe Beacons












	Part no.	Pk.	<p><b>Flashing spotlight for priority vehicles</b></p> <p>The flashing spotlamp is an effective additional warning device for police motorcycles, ambulances and fire brigades. Alternative methods of use are:</p> <ol style="list-style-type: none"> <li>1. As the sole warning implement</li> <li>2. In conjunction with rotating beacons</li> </ol> <p>Extremely slim black body. Water-tight, bonded light unit.</p> <p><b>H3 flashing spotlight with blue light, 12V/24V *)</b></p> <p> 1x12V55W (H3) 8GH 002 089-133 1x24V70W (H3) 8GH 002 089-251</p> <hr/> <p><b>Electronic flasher units</b></p> <p><b>For emergency flashers. Simultaneous flashing.</b></p> <p>Four blade terminal contacts. Max. load: 10 - 200W.</p> <p><b>Electronic flasher unit, 12V</b></p> <p><b>24V</b></p>
	<p><b>2XD 003 410-301</b></p> <p><b>4AZ 003 787-001</b></p> <p><b>4AZ 003 787-021</b></p>	<p>1</p> <p>1</p> <p>1</p>	
	<p><b>2XD 007 854-801</b></p> <p><b>2XD 007 854-811</b></p> <p><b>2XD 007 854-821</b></p> <p><b>2XD 007 854-831</b></p> <p>2XD 861 423-011</p> <p>2XD 861 423-021</p> <p>9ES 861 711-001</p> <p>8GS 861 710-001</p> <p>8ES 861 420-001</p> <p>8ES 861 420-011</p>	<p>1</p>	<p><b>Strobe beacons</b></p> <p><b>BSX-Micro</b> with push-in adapter mounting set. Black plastic housing. <b>Light aperture: 90 x 60 mm.</b> Power supply for synchronous strobe sequence, in stable extruded aluminium housing.</p> <p><b>Technical data:</b> Rated voltage: 12V / 24V. Operating voltage: 10V -15V at 12V, 20V - 30V at 24V.. Strobe frequency: 2.1 Hz = approx. 120 double flashes/min. Electrical strobe power: 2 x (6 + 1,5 Ws). Power consumption: 3.3A at 12V, 1.5A at 24V. Operating temperature: -40 °C to +60 °C. RF suppression: CISPR 25, class 5 (conducted). Type of protection strobe beacon: resistant to high pressure cleaning. Type of protection power supply: dustproof.</p> <p><b>Contents:</b> 2 blue strobe beacons with built-in xenonflash tubes, 3.5 m connecting lead and power unit.</p> <p>Ⓔ 1981    Ⓔ 1169</p> <p><b>Strobe beacon set, blue, 12V</b></p> <p><b>blue, 24V</b></p> <hr/> <p><b>Strobe beacon set, amber, 12V</b></p> <p><b>amber, 24V</b></p> <p><b>Spare parts:</b> Strobe beacon, blue amber Lens, blue, with screws and gasket Xenon strobe with reflector Power supply, 12V 24V</p>

\*) This product does not have an ECE marking and is therefore not authorized for use on public highways in the area of the European Union.













	Part no.	Pk.	Strobe beacons
 			<p><b>BSX-Micro</b> with push-in adapter mounting set. Black plastic housing. <b>With 3.5 m long connection lead and fitted xenonflash tubes.</b> <b>Light aperture: 90 x 60 mm.</b></p> <p>The multi-voltage power supply offers the possibility of alternating strobe sequences with integrated day/night switchover (high/low intensity) as well as switchover from double to quadruple strobe. With polarity reversal protection and self-diagnosis feature for electronics. In stable extruded aluminium housing.</p> <p><b>Technical data:</b> Rated voltage: 12V/24V. Operating voltage: 10V-30V. Strobe frequency: 2.2 Hz = double strobe, 2 Hz = quadruple strobe. Electrical strobe power: 15 Ws. Power consumption for 8ES 009 096-001: 3.5A at 12V, 1.5A at 24V, for 8ES 009 096-001: 6.6A at 12V, 2.8A at 24V. Operating temperature: - 40 °C to + 60 °C. RF suppression: CISPR 25, class 3 (conducted). Resistant to high pressure cleaning.</p> <p><span style="border: 1px solid black; padding: 2px;">e1</span> 1169</p>
	2XD 861 423-061	1	<b>Strobe beacon, 12V/24V, blue *)</b>
	2XD 861 423-071	1	<b>amber *)</b>
	2XD 861 423-081	1	<b>red *)</b>
 	9ES 861 711-001	1	Lens with screws and gasket, blue *)
	9ES 861 622-021	8	red *)
	8GS 861 710-001	1	Xenon strobe with reflector
	8ES 009 096-001	1	<b>Multi-voltage power supply, 10V - 30V, for control of 2 strobe beacons *)</b>
 	8ES 009 096-011	1	<b>for control of 3 or 4 strobe beacons *)</b>

\*) This product does not have an ECE marking and is therefore not authorized for use on public highways in the area of the European Union.

	Part no.	Pk.	Strobe beacons
 			<p><b>BSX-Multi</b> with push-in adapter mounting set. Black plastic housing. Two M6 fixing screws. <b>Light aperture: 110 x 130 mm.</b> Power supply for synchronous strobe sequence, in stable extruded aluminium housing.</p> <p><b>Technical data:</b> Rated voltage: 12V / 24V. Operating voltage: 10V - 15V at 12V, 20V - 30V at 24V. Strobe frequency: 2.1 Hz = approx. 120 double flashes/min Electrical strobe power: 2 x (6.5 + 1.5 Ws) Power consumption: 3.8A at 12V, 1.8 at 24V. Operating temperature: -40 °C to +60 °C. RF suppression: CISPR 25, class 5 (conducted). Type of protection strobe beacon: resistant to high pressure cleaning. Type of protection power supply: dustproof.</p> <p><b>Contents:</b> 2 blue strobe beacons with built-in xenonflash tubes, connecting lead and power supply.</p> <p>Ⓔ1 1982    Ⓛ1 1169</p>
 	<p><b>2XD 008 135-801</b></p> <p><b>2XD 008 135-811</b></p> <p>2XD 862 019-011 9ES 862 011-001 9DX 862 013-011 8GS 862 014-001  8ES 861 420-001 8ES 861 420-011</p>	<p>1</p> <p>1</p> <p>1</p> <p>5</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p><b>Strobe beacon set, blue, for front flush or surface mounting, 12V</b></p> <p><b>24V</b></p> <p><b>Spare parts:</b> Strobe beacon, blue Lens, blue Reflector Xenon tube Power supply, 12V 24V</p>
 	<p><b>2XD 008 135-821</b></p> <p><b>2XD 008 135-831</b></p> <p>2XD 862 111-011 9ES 862 011-001 9DX 862 013-011 9BG 121 740-001 8GS 862 014-001  8ES 861 420-001 8ES 861 420-011</p>	<p>1</p> <p>1</p> <p>1</p> <p>5</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p>Black rubber housing. Two BZ 4.2 fixing screws. <b>Light aperture: 110 x 130 mm.</b></p> <p>Ⓔ1 1982    Ⓛ1 1169</p> <p><b>Strobe beacon set, blue, for front flush mounting, 12V</b></p> <p><b>24V</b></p> <p><b>Spare parts:</b> Strobe beacon, blue Lens, blue Reflector Rubber body Xenon tube Power supply, 12V 24V</p>

	Part no.	Pk.	Rear warning lights
  	<p>2XD 965 429-001</p> <p>2XD 965 429-011</p> <p>2XD 965 429-021</p> <p>2XD 965 429-031</p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p>for horizontal mounting.</p> <p><b>DuraLed</b> In LED-technology. With fitted LED's and pre-fitted, 2.5 m long wiring harness. Plastic housing and housing caps, blue, red, amber or green.</p> <p>Up to 10 strobe sequences can be coded from single to quadruple strobe synchronous as alternating, for synchronisation of up to 4 lamps.</p> <p><b>Technical data:</b> Rated voltage: 12V / 24V. Operating voltage: 9 - 33V. Total power consumption DuraLed blue: 580 mA at 12V, 305 mA at 24V. DuraLed red: 460 mA at 12V, 250 mA at 24V. DuraLed amber: 500 mA at 12V, 265 mA at 24V. DuraLed green: 600 mA at 12V, 300 mA at 24V. Operating temperature: -30 °C to +50 °C. Protected against water jets with hightened pressure; protected against temporary immersion.</p> <p><span style="border: 1px solid black; padding: 2px;">e4</span> 0925</p> <p><b>Warning lamp with blue light *)</b></p> <p><b>with red light *)</b></p> <p><b>with amber light *)</b></p> <p><b>with green light *)</b></p>
    	<p>2XD 008 524-801</p> <p>2XD 008 524-811</p>	<p>1</p> <p>1</p>	<p><b>Provides a warning to the rear when the rear hatch is open</b></p> <p><b>HWL-LED</b> For vertically or horizontally installation in the rear hatch of the vehicle (inside). Black plastic housing. Two 5.2 mm dia. holes for fixing screws.</p> <p><b>Technical data:</b> Rated voltage: 12V. Operating voltage: 9V - 16V. Strobe frequency: 2.1 Hz. Power consumption: 1A each pair. Operating temperature: -40 °C to +60 °C. RF suppression: CISPR 25, class 5 (conducted). Type of protection: dustproof.</p> <p><b>Contents:</b> Two rear warning lights with clear lenses, 42 built-in blue LEDs and 0.5 m connecting lead.</p> <p><span style="border: 1px solid black; padding: 2px;">e1</span> 1698</p> <p><b>Rear warning light set, blue, with mounting frame, 12V</b></p> <hr/> <p><b>Without mounting frame, 12V</b></p>




\*) This product does not have an ECE marking and is therefore not authorized for use on public highways in the area of the European Union.


Part no.	Pk.	Rear warning lights
    	<p><b>2XD 861 421-021</b> 1</p> <p><b>2XD 861 421-031</b> 1</p>	<p><b>Provides a warning to the rear when the rear hatch is open.</b></p> <p><b>HWL-X</b> For vertically or horizontally installation in the rear hatch of the vehicle (inside). Black plastic housing. Two 5.2 mm dia. holes for fixing screws. Power supply in stable extruded aluminium housing.</p> <p><b>Technical data:</b> Rated voltage: 12V. Operating voltage: 10V - 15V. Strobe frequency: 2.1 Hz = approx. 120 double flashes/min. Electrical strobe power: 2 x (6 + 1.5 Ws). Power consumption: 3.5A. Operating temperature: -40 °C to +60 °C. RF suppression: CISPR 25, class 5 (conducted). Type of protection: dustproof.</p> <p>e1 1169</p>
  	<p><b>8GS 861 631-001</b> 1</p> <p><b>8ES 861 420-001</b> 1</p>	<p><b>Rear warning light set, blue, with mounting frame, 12V</b></p> <hr/> <p><b>Without mounting frame, 12V</b></p> <p><b>Spare parts:</b> Xenon tube</p> <p><b>Accessories:</b> Power supply, 12V</p>
    	<p><b>2XD 006 609-821</b> 1</p> <p><b>2XD 006 609-831</b> 1</p>	<p><b>HWL-GL</b> For vertically or horizontally installation in the rear hatch of the vehicle (inside). Black plastic body. Two 5.2 mm dia. holes for fixing screws. Type of protection: dustproof and splash-waterproof with hightened pressure.</p> <p><b>Contents:</b> Two blue warning lamps</p> <p><b>Rear warning lamp set with blue light and mounting frame, 12V *)</b></p> <p><b>without mounting frame, 12V *)</b></p> <p> 2x12V21W (P21W) 8GA 002 073-121</p>
 	<p><b>4DB 003 425-001</b> 1</p>	<p><b>Electronic flasher unit</b></p> <p><b>For emergency flashers.</b> Four blade terminal contacts.</p> <p>Max. load: 4 x 21W</p> <p><b>Electronic flasher unit, 12V</b></p>

\*) This product does not have an ECE marking and is therefore not authorized for use on public highways in the area of the European Union.

Part no.	Pk.	Warning lights For installation in tailgate or attachment to vehicle front end or side.
2XD 008 997-001	1	<b>WL-LED</b> Clear lens. Black plastic body. <b>With 12 LEDs.</b>  <b>Up to 8 strobe sequences can be coded, synchronous as well as alternating, for synchronisation of 2, 3 or 4 lamps.</b>  <b>Technical data:</b> Rated voltage: 12V / 24V. Operating voltage: 10V - 15V at 12V. Operating voltage: 20V - 30V at 24V. Power consumption: 0.7A at 12V, 0.35A at 24V. Strobe frequency: 2 Hz. Polarity reversal protection: yes. Operating temperature: -40 °C to +60 °C. RF suppression: CISPR 25, class 5 (conducted).  e1 3686
2XD 009 048-001	1	<b>Warning light without mounting frame, blue, 12V</b>
2XD 008 997-011	1	blue, 24V
2XD 009 048-011	1	amber, 12V *)
2XD 008 997-021	1	amber, 24V *)
2XD 009 048-021	1	red, 12V *)
2XD 008 997-251	1	red, 24V *)
2XD 009 048-251	1	white, 12V*)
2XD 008 997-231	1	white, 24V*)
2XD 009 048-231	1	green, 12V*)
2XD 008 997-201	1	green, 24V*)
2XD 009 048-201	1	<b>With mounting frame, blue, 12V</b>
2XD 008 997-211	1	blue, 24V
2XD 009 048-211	1	amber, 12V*)
2XD 008 997-221	1	amber, 24V *)
2XD 009 048-221	1	red, 12V *)
2XD 008 997-261	1	red, 24V *)
2XD 009 048-261	1	white, 12V*)
2XD 008 997-241	1	white, 24V*)
2XD 009 048-241	1	green, 12V*)
2XD 008 997-251	1	green, 24V*)
9XD 863 533-001	1	<b>Accessories:</b> Angular bracket (2 pcs.) including 4 screws
9XD 863 828-001	1	Built-in frame of black coated aluminium, adjustable bracket, including 4 screws, for warning lights without mounting frame

\*) This product does not have an ECE marking and is therefore not authorized for use on public highways in the area of the European Union.

	Part no.	Pk. Signal lights
  	<p><b>2XD 009 475-021</b> 1</p> <p><b>2XD 009 475-001</b> 1</p> <p><b>2XD 009 475-031</b> 1</p> <p><b>2XD 009 475-011</b> 1</p> <p><b>5KG 009 713-001</b> 1</p>	<p><b>C-LED</b></p> <p><b>Corner light system for protection of emergency vehicles</b></p> <p>In connection with two blue beacons in the front area, the C-LED corner light system achieves a 360° all-around warning effect.</p> <p><b>Technical data:</b>            Rated voltage: 12V / 24V.            Operating voltage: 12V - 30V at 12V, 18V - 32V at 24V.            Power consumption: (each C-LED modul) 300 mA at 12V, 150 mA at 24V.            Operating temperature: -40 °C to +60 °C.            RF suppression: CISPR 25, class 5 (conducted).            Resistant to high pressure cleaning.</p> <p>(E1) 2113 (e1) 3686</p> <p><b>Corner light for installation in pairs at the vehicle rear, silver coloured aluminium housing, with PC lens and 24 LEDs.</b></p> <p><b>Installation variant 1</b>  <b>blue, 12V</b></p> <p><b>Installation variant 2</b>  <b>blue, 12V</b></p> <p><b>blue, 24V</b></p> <p><b>Accessories:</b>            Control unit, 12V / 24V (one control unit is necessary for every C-LED corner light)</p>
	<p><b>2XD 008 997-101</b> 1</p> <p><b>2XD 009 048-101</b> 1</p> <p><b>5KG 009 713-001</b> 1</p> <p><b>6ED 004 778-001</b> 1</p>	<p><b>C-LED</b></p> <p><b>Single component for vertical, installation in pairs at the vehicle rear. (4 C-LED modules are required). Please observe defined angle arrangement. With 24 LEDs.</b></p> <p>(E1) 2113 (e1) 3686</p> <p><b>C-LED module, blue, 12V</b></p> <p><b>blue, 24V</b></p> <p><b>Accessories:</b>            Control unit, 12V / 24V (one control unit is necessary for every 2 C-LED modules)            Switch with warning light (for connection to the control unit)</p>



**Part no.** Pk. **OWS-QS**  
**Optical warning systems KL-ER, 1100 mm, 1400 mm, 1600 mm, 1800 mm, 2200 mm**

**For medium-sized to large special-purpose vehicles from the areas of breakdown service, building and construction industry, heavy goods vehicles, street-cleaning vehicles, etc.**

Modular design with a length range from 1100 mm to a possible 2200 mm for individual configuration possibilities.

As auxiliary lighting systems, adjustable H7 alley lights for side illumination or integrated H3 worklights (facing the front or rear) can be optionally selected. Housing silver-coloured; white inscribable panel.

A 6 m (4.2 m for OWS-QS 1100 mm) long connecting cable is included in the scope of supply.

**With two PC domes and H1 bulbs.**

**Light aperture (reflector dia.): 84 mm.**

**Technical data:**

Rated voltage: 12V / 24V.

Operating voltage range: 10.8V - 13.8V at 12V, 21.6V - 27.6V at 24V.

Power consumption of rotating beacons: 9.4A at 12V, 5.4A at 24V.

Power consumption illumination middle panel: 4A at 12V, 2A at 24V.

Belt drive: n = 160 rpm.

Operating temperature: - 40 °C to + 60 °C.

RF suppression: CISPR 25, class 5 (conducted).

Resistant to high pressure cleaning.

Weight: max. 25 kg.

(E1) 1719    e1 3829

**Optical warning system with single reflector system KL-ER,**

2RL 009 688-001	1	amber, 12V, 1100 mm
2RL 009 688-131	1	amber, 12V, 1100 mm, with two side-mounted lights incl. H7-bulbs
2RL 009 688-041	1	blue, 12V, 1100 mm
2RL 009 688-091	1	blue, 12V, 1100 mm, with two side-mounted lights incl. H7-bulbs
2RL 009 279-001	1	amber, 12V, 1400 mm
2RL 009 279-691	1	amber, 12V, 1400 mm, with two side-mounted lights incl. H7-bulbs
2RL 009 279-011	1	amber, 24V, 1400 mm
2RL 009 279-041	1	blue, 12V, 1400 mm
2RL 009 279-051	1	blue, 24V, 1400 mm
2RL 009 279-101	1	amber, 12V, 1600 mm
2RL 009 279-111	1	amber, 24V, 1600 mm
2RL 009 279-601	1	amber, 24V, 1600 mm, with two work lamps to the back incl. H3 bulbs
2RL 009 279-141	1	blue, 12V, 1600 mm
2RL 009 279-151	1	blue, 24V, 1600 mm
2RL 009 279-211	1	amber, 24V, 1800 mm
2RL 009 279-241	1	blue, 12V, 1800 mm
2RL 009 279-251	1	blue, 24V, 1800 mm
2RL 009 279-411	1	amber, 24V, 2200 mm
2RL 009 279-791	1	blue, 12V, 2200 mm


**Further versions with additional light modules, or with a length of 2000 mm on request.**

**Spare parts:**

9EL 863 117-071	1	Dome, amber
2RL 863 132-021	1	Rotating mirror module,
2RL 863 132-031	1	12V
9XR 855 975-001	1	24V
1GA 008 284-101	1	Drive belts (2 pieces)
	1	Side-mounted light Alley Light


2x12V55W (H1) 8GH 002 089-133  
 2x24V70W (H1) 8GH 002 089-251

Accessories see page 6.31



Part no.	Pk.	OWS-QS Optical warning systems KL-MR, 1100 mm, 1400 mm, 1600 mm, 1800 mm, 2000 mm
		<p><b>For medium-sized to large special-purpose vehicles from the areas of breakdown service, building and construction industry, heavy goods vehicles, street-cleaning vehicles, etc.</b>                      Modular design with a length range from 1100 mm to a possible 2200 mm for individual configuration possibilities. As auxiliary lighting systems, adjustable H7 alley lights for side illumination or integrated H3 worklights (facing the front or rear) can be optionally selected. Housing silver-coloured; white inscribable panel. A 6 m (4.2 m for OWS-QS 1100 mm) long connecting cable is included in the scope of supply.  <b>With two PC domes and H1 bulbs.</b>  <b>Light aperture (reflector dia.): 2 x 84 mm.</b></p> <p><b>Technical data:</b>                      Rated voltage: 12V / 24V.                      Operating voltage range: 10.8V - 13.8V at 12V, 21.6V - 27.6V at 24V.                      Power consumption of rotating beacons: 18.8A at 12V, 10.8A at 24V.                      Power consumption illumination middle panel: 4A at 12V, 2A at 24V.                      Belt drive: n = 160 rpm.                      Operating temperature: - 40 °C to + 60 °C.                      RF suppression: CISPR 25, class 5 (conducted).                      Resistant to high pressure cleaning.                      Weight: min. 10 kg, max. 16 kg.</p> <p>(E1) 1720    e1 3829</p>
		<b>Optical warning system with multiple reflector system KL-MR,</b>
2RL 009 688-031	1	amber, 12V, 1100 mm
2RL 009 688-121	1	amber, 12V, 1100 mm, with two side-mounted lights incl. H7-bulbs
2RL 009 688-081	1	blue, 12V, 1100 mm, with two work lamps to the back incl. H3 bulbs
2RL 009 279-081	1	amber, 12V, 1400 mm
2RL 009 279-581	1	amber, 12V, 1400 mm, with two work lamps to the back incl. H3 bulbs
2RL 009 279-091	1	amber, 24V, 1400 mm
2RL 009 279-591	1	amber, 24V, 1400 mm, with two work lamps to the back incl. H3 bulbs
2RL 009 279-501	1	blue, 12V, 1400 mm
2RL 009 279-181	1	amber, 12V, 1600 mm
2RL 009 279-191	1	amber, 24V, 1600 mm
2RL 009 279-511	1	amber, 24V, 1600 mm breed, with two work lamps to the back incl. H3 bulbs
2RL 009 279-521	1	blue, 12V, 1600 mm
2RL 009 279-291	1	amber, 24V, 1800 mm
2RL 009 279-721	1	amber, 24V, 1800 mm, with two work lamps to the back incl. H3 bulbs
2RL 009 279-541	1	blue, 24V, 1800 mm
2RL 009 279-391	1	amber, 24V, 2000 mm
2RL 009 279-551	1	blue, 24V, 2000 mm
		<b>Further versions with additional light modules, or with a length of 2200 mm on request.</b>
		<b>Spare parts:</b>
9EL 863 117-071	1	Dome, amber
1GA 008 284-101	1	Side-mounted light Alley Light
		4x12V55W (H1) 8GH 002 089-133 4x24V70W (H1) 8GH 002 089-251

Accessories see page 6.31



**Part no.** Pk. **OWS-QS**  
**Optical warning systems KL-XL2, 1100 mm, 1400 mm, 1600 mm, 1800 mm, 2200 mm**

**For medium-sized to large special-purpose vehicles from the areas of breakdown service, building and construction industry, heavy goods vehicles, street-cleaning vehicles, etc.**

Modular design with a length range from 1100 mm to a possible 2200 mm for individual configuration possibilities.

As auxiliary lighting systems, adjustable H7 alley lights for side illumination or integrated H3 worklights (facing the front or rear) can be optionally selected. Housing silver-coloured; white inscribable panel.

A 6 m (4.2 m for OWS-QS 1100 mm) long connecting cable is included in the scope of supply.

**With two PC domes and built-in xenon tubes.**

**Technical data:**

Rated voltage: 12V / 24V.

Operating voltage range: 10V - 15V at 12V, 20V - 31V at 24V.

Power consumption of flashing beacons: 7A at 12V, 3.2A at 24V.

Power consumption illumination middle panel: 4A at 12V, 2A at 24V.

Strobe frequency: 2Hz.

Operating temperature: - 40 °C to + 60 °C.

RF suppression: CISPR 25, class 5 (conducted).

Resistant to high pressure cleaning.

Weight: max. 20 kg.

(E1) 1721    e1 3829


2RL 009 688-011	1	amber, 12V, 1100 mm
2RL 009 688-141	1	amber, 12V, 1100 mm, with two side-mounted lights incl. H7-bulbs
2RL 009 688-051	1	blue, 12V, 1100 mm
2RL 009 688-101	1	blue, 12V, 1100 mm, with two side-mounted lights incl. H7-bulbs
2RL 009 279-021	1	amber, 12V, 1400 mm
2RL 009 279-031	1	amber, 24V, 1400 mm
2RL 009 279-061	1	blue, 12V, 1400 mm
2RL 009 279-071	1	blue, 24V, 1400 mm
2RL 009 279-121	1	amber, 12V, 1600 mm
2RL 009 279-131	1	amber, 24V, 1600 mm
2RL 009 279-161	1	blue, 12V, 1600 mm
2RL 009 279-171	1	blue, 24V, 1600 mm
2RL 009 279-231	1	amber, 24V, 1800 mm
2RL 009 279-271	1	blue, 24V, 1800 mm
2RL 009 279-371	1	blue, 24V, 2000 mm
2RL 009 279-431	1	amber, 24V, 2200 mm
2RL 009 279-481	1	blue, 24V, 2200 mm

**Further versions with additional light modules on request.**

**Spare parts:**



9EL 863 117-071	1	Dome, amber
		Double flashing module,
2RL 863 106-001	1	12V
2RL 863 106-011	1	24V
8GS 859 634-001	1	Xenon tube
1GA 008 284-101	1	Side-mounted light Alley Light

Accessories see page 6.31





Part no.	Pk.	OWS-QS Optical Warning Systems KL-XR2, 1100 mm, 1400 mm, 1600 mm
		<p><b>For medium-sized to large special-purpose vehicles from the areas of breakdown service, building and construction industry, heavy goods vehicles, street-cleaning vehicles, etc.</b></p> <p>Modular design with a length range from 1100 mm to a possible 2200 mm for individual configuration possibilities. As auxiliary lighting systems, adjustable H7 alley lights for side illumination or integrated H3 worklights (facing the front or rear) can be optionally selected. Housing silver-coloured; white inscribable panel. A 6 m (4.2 m for OWS-QS 1100 mm) long connecting cable is included in the scope of supply.</p> <p><b>With two PC domes and built-in xenon tubes.</b></p> <p><b>Technical data:</b>                      Rated voltage: 12V / 24V.                      Operating voltage range: 10V - 15V at 12V, 20V - 31V at 24V.                      Power consumption of flashing beacons: 12V 8A / 24V 4A.                      Power consumption illumination middle panel: 4A at 12V, 2A at 24V.                      Strobe frequency: 2.1Hz. (8 flash frequencies).                      Luminous power: <math>\geq</math> 350 cd.                      Integrated polarity reversal protection.                      Operating temperature: - 40 °C to + 60 °C.                      RF suppression: CISPR 25, class 5 (conducted).                      Resistant to high pressure cleaning.                      Weight: max. 13,5 kg.</p> <p> <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">E1</span> 2139 blue                                  <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">E1</span> 2243 amber                                  <span style="border: 1px solid black; padding: 2px;">e1</span> 3829                         </p> <p><b>Optical warning system with parabolic trough reflector system KL-XR2,</b></p> <p>2RL 009 688-021 1 amber, 12V, 1100 mm                      2RL 009 688-151 1 amber, 12V, 1100 mm, with two side-mounted lights incl. H7-bulbs                      2RL 009 688-061 1 blue, 12V, 1100 mm                      2RL 009 688-111 1 blue, 12V, 1100 mm, with two side-mounted lights incl. H7-bulbs</p> <p>2RL 009 279-611 1 amber, 12V, 1400 mm                      2RL 009 279-631 1 blue, 12V, 1400 mm</p> <p>2RL 009 279-651 1 amber, 12V, 1600 mm                      2RL 009 279-671 1 blue, 12V, 1600 mm                      2RL 009 279-781 1 blue, 12V, 1600 mm, with two side-mounted lights incl. H7-bulbs</p> <p>2RL 009 279-321 1 amber, 24V, 1800 mm                      2RL 009 279-341 1 amber, 24V, 1800 mm, with two work lamps to the back incl. H3 bulbs</p> <p><b>Further versions with additional light modules, or with a length of 2000 mm or 2200 mm on request.</b></p> <p><b>Spare parts:</b>                      9EL 863 117-071 1 Dome, amber                      Flashing module,                      2RL 863 123-001 1 12V                      2RL 863 123-011 1 24V                      8GS 863 889-001 1 Xenon tube                      1GA 008 284-101 1 Side-mounted light Alley Light</p>

Accessories see page 6.31

	<p>Part no.  6ED 004 778-011</p>	<p>Pk.  2</p>	<p><b>Push-pull switch</b>  With red warning light, without bulb.  <b>Push-pull switch</b>    1x12V1,2W (W5/1,2) 8GP 002 095-121   1x24V1,2W (W5/1,2) 8GP 002 095-241</p>
	<p>9FT 861 790-021 9FT 861 790-031</p>	<p>1 1</p>	<p><b>Bulb holder</b>  For illumination of the middle panel (2 pieces for OWS-QS 1400 mm/1600 mm/1800 mm)  <b>Bulb holder with 12V bulb</b>  <b>with 24V bulb</b>    10x12V5W (W5W) 8GP 003 594-121   10x24V5W (W5W) 8GP 003 594-251</p>
	<p>9GD 864 285-001 9GD 864 286-001 9GD 864 286-011 9GD 864 286-021</p>	<p>1 1 1 1</p>	<p><b>Rubber bases</b>  For OWS-QS 1100 mm, flat  wedge-shaped  For OWS-QS 1400 mm, wedge-shaped  For OWS-QS 1600 mm, wedge-shaped</p>
	<p>9GD 863 122-001</p>	<p>1</p>	<p><b>Installation kit</b>  For OWS-QS 1400 mm - 2200 mm  Installation kit</p>

# Optical Warning Systems


## OWS 540



Part no.	Pk.	Optical warning systems OWS 540, 540 mm
		<p><b>For tow-service vehicles, public-authority vehicles and excessively long or excessively wide trucks.</b>                      With two domes and rubber gasket.                      Amber and blue domes with optical pattern.                      One 4 m long connection lead is supplied with optical warning system.  <b>With built-in H1 bulbs.</b>  <b>Light aperture (reflector dia.): 83 mm.</b></p> <p><b>Technical data:</b>                      Rated voltage: 12V / 24V.                      Operating voltage range: 10V - 15.5V at 12V, 20V - 31V at 24V.                      Power consumption (rated voltage) of rotating beacons: 9.4A at 12V, 5.4A at 24V.                      Operating temperature: -40 °C to +60 °C.                      RF suppression: CISPR 25, class 5 (conducted).                      Resistant to high pressure cleaning.                      Weight: max. 5 kg.</p> <p>Ⓔ1 817    Ⓛ1 1309</p>
2RL 007 900-501	1	<b>Optical warning system OWS 540, 540 mm, amber, 12V</b>
2RL 007 900-511	1	<b>amber, 24V</b>
2RL 007 900-521	1	<b>amber, 12V, with magnetic attachment</b>
2RL 007 900-551	1	<b>OWS 540, 540 mm, blue, 12V</b>
2RL 007 900-561	1	<b>blue, 24V</b>
2RL 007 900-571	1	<b>blue, 12V, with magnetic attachment</b>
		<b>Spare parts:</b>
9EL 861 912-001	1	Dome, amber, left
9EL 861 913-001	1	right
9EL 861 912-021	1	Dome, blue, left
9EL 861 913-021	1	right
9EL 861 912-061	1	Dome, red, left *)
9EL 861 913-061	1	right *)
9DX 861 872-001	1	Reflector for amber version, with reflector made of plastic (for systems up to model year 2002)
9DX 862 849-001	1	for amber version, with reflector made of metal
9DX 861 976-001	1	for blue version
9MN 860 677-021	1	Motor 12V/24V
9GD 862 086-001	1	Rubber gasket
		 2x12V55W (H1) 8GH 002 089-133  2x24V70W (H1) 8GH 002 089-251

Accessories see page 6.36 - 6.37

\*) This product does not have an ECE marking and is therefore not authorized for use on public highways in the area of the European Union.



**Part no.** Pk. **Optical warning systems**  
**OWS 1000, 1000 mm. OWS 1250, 1250 mm. OWS 1400, 1400 mm. OWS 1600, 1600 mm**

**For tow-service vehicles, public-authority vehicles and excessively long or excessively wide trucks.**

With two domes and white panels designed to take lettering.

Can be illuminated with bulb holder (accessories).

Amber and blue domes with optical pattern.

One 4 m long connection lead is supplied with optical warning system.

**With built-in H1 bulbs. Light aperture (reflector dia.): 83 mm.**

**Technical data:**

Rated voltage: 12V / 24V.

Operating voltage range: 10V - 15.5V at 12V, 20V - 31V at 24V.

Power consumption of rotating beacons: 9.4A at 12V, 5.4A at 24V.

For consumption illumination middle panel: 4A at 12V, 2A at 24V.

Operating temperature: -40 °C to +60 °C.

RF suppression: CISPR 25, class 5 (conducted).

Resistant to high pressure cleaning.

Weight: max. 5 kg.

(E1) 817

e1 1309

2RL 007 900-001 1 **Optical warning system OWS 1000, 1000 mm long, amber, 12V**

2RL 007 900-151 1 **blue, 12V**

2RL 007 900-191 1 **OWS 1250, 1250 mm long, amber, 12V, with amber panel (FLN colour 1641)**

2RL 007 900-201 1 **OWS 1400, 1400 mm long, amber, 12V**

2RL 007 900-291 1 **amber, 12V, with amber panel (FLN colour 1641)**

2RL 007 900-211 1 **amber, 24V**

2RL 007 900-251 1 **blue, 12V**

2RL 007 900-601 1 **OWS 1600, 1600 mm long, amber, 12V**

2RL 007 900-611 1 **amber, 24V**

2RL 007 900-651 1 **blue, 12V**

**Spare parts:**

Dome, amber,

9EL 861 912-001 1 left

9EL 861 913-001 1 right

Dome, blue,

9EL 861 912-021 1 left

9EL 861 913-021 1 right

Dome, red,

9EL 861 912-061 1 left \*)

9EL 861 913-061 1 right \*)

White panel,

9EL 861 498-001 1 for OWS 1000 mm long

9EL 861 498-011 1 for OWS 1400 mm long

9EL 861 498-021 1 for OWS 1600 mm long

Reflector

9DX 861 872-001 1 for OWS amber, plastic reflector (for systems up to model year 2002)

9DX 862 849-001 1 for OWS amber, metal reflector

9DX 861 976-001 1 for OWS blue

9MN 860 677-021 1 Motor 12V/24V




2x12V55W (H1) 8GH 002 089-133

2x24V70W (H1) 8GH 002 089-251

# Optical Warning Systems


## OWS-MR 1400



Part no.	Pk.	Optical warning systems OWS-MR, 1400 mm
		<p><b>For tow-service vehicles, public-authority vehicles and excessively long or excessively wide trucks.</b>            With two domes and white panels designed to take lettering.            Can be illuminated with bulb holder (accessories).            Amber dome with optical pattern.            One 4 m long connection lead is supplied with optical warning system.</p> <p><b>With built-in H1 bulbs.</b>  <b>Light aperture (reflector dia.): 2 x 83 mm.</b></p> <p><b>Technical data:</b>            Rated voltage: 12V.            Operating voltage range: 10V - 15.5V at 12V.            Power consumption: 19.5 A.            Operating temperature: -40 °C to +60 °C.            RF suppression: CISPR 25, class 5 (conducted).            Resistant to high pressure cleaning.            Weight: 7 kg.</p> <p>Ⓔ4 6516    e1 1309</p>
2RL 007 900-701	1	<p><b>Optical warning system OWS-MR, 1400 mm long, amber, 12V</b></p>
		<p><b>Spare parts:</b>            Dome, amber,            left</p>
9EL 861 912-001	1	
9EL 861 913-001	1	right
		<p>Dome, red,            left *)</p>
9EL 861 912-061	1	
9EL 861 913-061	1	right *)
		<p> 4x12V55W (H1) 8GH 002 089-133</p>

Accessories see page 6.36 - 6.37

\*) This product does not have an ECE marking and is therefore not authorized for use on public highways in the area of the European Union.



Part no.	Pk.	<b>Optical warning systems with flashing beacons.</b> <b>OWS-X 1000, 1000 mm. OWS-X 1400, 1400 mm. OWS-X 1600, 1600 mm</b>  <b>For tow-service vehicles, public-authority vehicles and excessively long or excessively wide trucks.</b> With two domes and white panels designed to take lettering. Can be illuminated with bulb holder (accessories). Amber and blue domes with optical pattern. One 4 m long connection lead is supplied with optical warning system. <b>With built-in xenon tubes.</b>  <b>Technical data:</b> Rated voltage: 12V / 24V. Strobe frequency: 2.05 Hz double flashes. Power consumption of flashing beacons: 3.3A at 12V, 1.6A at 24V. Power consumption of the illuminated panels: 4A at 12V, 2A at 24V. Operating temperature: -40 °C to +60 °C. RF suppression: CISPR 25, class 5 (conducted). Resistant to high pressure cleaning. Weight: max. 9 kg.  (E1) 774 amber    (E1) 817 blue    (e1) 1309
2RL 007 900-121	1	<b>Optical warning system OWS-X 1000, 1000 mm long,</b> <b>amber, 12V</b>
2RL 007 900-171	1	<b>blue, 12V</b>
2RL 007 900-221	1	<b>OWS-X 1400, 1400 mm long,</b> <b>amber, 12V</b>
2RL 007 900-241	1	<b>amber, 24V</b>
2RL 007 900-271	1	<b>blue, 12V</b>
2RL 007 900-281	1	<b>blue, 24V</b>
2RL 007 900-631	1	<b>OWS-X 1600, 1600 mm long</b> <b>amber, 24V</b>
2RL 007 900-681	1	<b>blue, 24V</b>
9EL 861 912-041	1	<b>Spare parts:</b> Dome, amber, left
9EL 861 913-041	1	right
9EL 861 912-051	1	Dome, blue, left
9EL 861 913-051	1	right
9EL 861 912-061	1	Dome, red, left *)
9EL 861 913-061	1	right *)
2RL 863 106-001	1	Double flashing module, 12V
2RL 863 106-011	1	24V
8GS 859 634-001	1	Xenon tube X1
9EL 861 498-001	1	White panel, for OWS 1000 mm long
9EL 861 498-011	1	for OWS 1400 mm long
9EL 861 498-021	1	for OWS 1600 mm long

Accessories see page 6.36 - 6.37

\*) This product does not have an ECE marking and is therefore not authorized for use on public highways in the area of the European Union.

# Accessories

for OWS- and OWS-X 540 to 1600



	Part no.	Pk.	Panels
	9HB 862 827-031	1	<b>For OWS- and OWS-X 1000</b> with tail lights
	9HB 862 827-041	1	with work lights
	9HB 862 827-011	1	<b>For OWS- and OWS-X 1400</b> with flasher lights
	9HB 862 827-051	1	with work lights
	9HB 862 827-071	1	with flasher lights and work lights
	9HB 862 827-091	1	with tail- and flasher lights
	9HB 862 827-021	1	<b>For OWS- and OWS-X 1600</b> with flasher lights
	9HB 862 827-061	1	with work lights
	9HB 862 827-081	1	with flasher lights and work lights
		9FT 861 790-001	1
9FT 861 790-011		1	<b>Bulb holder with 12V bulb</b>
9FT 861 790-011		1	<b>Bulb holder with 24V bulb</b> 12V5W (W5W) 8GP 003 594-121 24V5W (W5W) 8GP 003 594-251
	6ED 004 778-011	2	<b>ON/OFF switch</b> With red warning light, without bulb.
	6ED 004 778-011	2	<b>ON/OFF switch</b> 1x12V1.2W (W5/1.2) 8GP 002 095-121 1x24V1.2W (W5/1.2) 8GP 002 095-241
	9GD 882 086-001	1	<b>Rubber gaskets</b> for OWS 540
	9GD 882 080-001	1	for OWS 1000
	9GD 882 080-011	1	for OWS 1000 (for very curved surfaces)
	9GD 882 081-001	1	for OWS 1400
	9GD 882 085-001	1	for OWS 1600






# Optical Warning Systems OWS 4

Spare parts for old-type systems



	Optical warning system	Dome	1) Motor 2) Reflector 3) Drive belt 4) Contact ring		Bulb		
			Pk.	Pk.	Pk.	Pk.	
	<b>2RL 005 410-02 12V</b>	9EL 857 576-021 amber	1	1) 9MN 857 622-101 12V	1	8GH 002 089-133 12V55W (H1)	1
		9EL 856 989-001 white, can be printed as required (2 pieces)	1		9MN 857 622-111 24V	1	8GH 002 089-251 24V70W (H1)
	<b>2RL 005 410-03 24V</b>	9EL 857 576-031 amber	1	2) with drive belt 9DX 859 626-001	1	for illumination of the white panels 8GM 002 091-131 12V10W (K)	10
		9EL 856 989-001 white, can be printed as required (2 pieces)	1				
		<b>2RL 005 410-00 12V</b>	9EL 856 989-001 white, can be printed as required (2 pieces)	1	4) with brush 9MK 854 066-001	1	
			<b>2RL 005 410-08 12V</b>	9EL 857 576-021 amber			
9EL 859 541-011 white (2 pieces)		1					
	<b>2RL 005 410-09 24V</b>	9EL 857 576-031 amber	1	1) 9MN 857 622-111 24V	1	8GH 002 089-251 24V70W (H1)	1
		9EL 859 541-011 white (2 pieces)	1				
	<b>2RL 005 410-14 24V</b>	9EL 857 576-031 amber	1	3) with brush 9MK 854 066-001	1		
		to be ordered separately					
		9EL 860 135-011 white, without cutouts (2 pieces)	1				



Part no.	Pk.	Rotating beacon and siren combinations RTK 5
<b>Technical data:</b> Rated voltage: 12V. Operating voltage: 9V - 16V. Strobe frequency: 2,05Hz = double flashes. Operating temperature: -40 °C to +60 °C. RF suppression: CISPR 25, class 5 (conducted). Resistant to high pressure cleaning. Weight: max. 20 kg.		
(E1) 1413      e1 2293		
2RM 008 858-221	1	<b>Rotating beacon and siren combinations with blue light and xenon strobes</b> 12V, white panel, 1100 mm long, without ASG-GL signal, loudspeaker toward front
2RM 008 858-261	1	12V, green panel, 1100 mm long, with STOP POLIZEI and BITTE FOLGEN signal, loudspeaker toward front (text for specific countries on request)
2RM 008 858-241	1	12V, white panel, 1400 mm long, without ASG-GL signal, loudspeaker toward front
<b>Spare parts:</b>		
2RL 863 106-001	1	Double-flash module
		Dome, blue
9EL 863 136-001	1	for 1100 mm long version
9EL 863 137-001	1	for 1400 mm long version
		Panel with gasket,
9AB 860 796-001	1	green
9AB 860 796-021	1	white
5XA 008 198-031	1	Central control unit
9MM 863 165-001	1	Loudspeaker, front
8GS 859 634-001	1	Xenon tube
(E1) 1482      e1 2293		
2RM 008 858-211	1	<b>Rotating beacon and siren combinations with blue light and H1 bulbs</b> 12V, white panel, 1100 mm long, without ASG-GL signal, loudspeaker toward front
2RM 008 858-251	1	12V, green panel, 1100 mm long, with STOP POLIZEI and BITTE FOLGEN signal, loudspeaker toward front and back (text for specific countries on request)
2RM 008 858-231	1	12V, white panel, 1400 mm long, without ASG-GL signal, loudspeaker toward front
2RM 008 858-291	1	12V, blue panel (RAL 5017), 1400 mm long, without ASG-GL signal, loudspeaker toward front
2RM 008 858-401	1	12V, green panel, 1400 mm long, without ASG-GL signal, loudspeaker toward front with mounting system for VW T5 including interior wiring
2RM 008 858-431	1	12V, blue panel (RAL 5017), 1400 mm long, without ASG-GL signal, loudspeaker toward front, with mounting system for VW T5 including interior wiring
<b>Spare parts:</b>		
2RL 863 132-001	1	Rotating mirror module
		Dome, blue
9EL 863 136-011	1	for 1100 mm long version
9EL 863 137-011	1	for 1400 mm long version
		Panel with gasket,
9AB 860 796-001	1	green
9AB 860 796-021	1	white
5XA 008 198-031	1	Central control unit
9MM 863 165-001	1	Loudspeaker, front
9MM 863 164-011	1	Loudspeaker, rear
9XR 855 975-001	1	Drive belts (2 pieces)
		1x12V55W (H1) 8GH 002 089-133
<b>Accessories:</b>		
9XB 010 081-001	1	Cable adapter for the connection of 2 loudspeakers 9MM 863 164-011 to a cable assembly 8KB 862 346-001 2 m and 8KB 346-011 4 m

# Rotating Beacon and Siren Combinations

Accessories for RTK 5






	<p><b>Part no.</b></p> <p>9SX 008 902-021</p> <p>8KB 864 105-801</p> <p>8HG 863 383-001</p>	<p><b>Pk.</b></p> <p>1</p> <p>1</p> <p>1</p>	<p><b>Control units</b></p> <p>eAZD control unit with programmable keys with function, indicator and background illumination for control of optical and acoustic signals from RTK 5.</p> <p><b>eAZD control unit, 12V with 300 mm lead</b></p> <p><b>Accessories:</b> 2 extension leads, 3.5 m</p> <p><b>Installation frame (DIN) shaft for installation of eAZD and eNF (delivered with eNF blind cover)</b></p>
	<p>9SX 863 114-001</p> <p>8HG 863 383-001</p> <p>8KB 863 322-001</p> <p>8KB 863 322-011</p> <p>8KB 863 323-001</p> <p>8KB 863 323-011</p> <p>8KB 863 325-001</p> <p>8KB 863 324-001</p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p>eNF switching unit for control of communication functions: Radio switch on (for standardised and non-standardised two-way radios). Microphone switch (up to 2 microphones), CD player connection, multiple stage volume control, function illumination, background illumination.</p> <p><b>Technical data:</b> Rated voltage: 12V / 24V. Supply voltage: 9V - 32V. Power consumption: max. 500 mA. NF level microphone 1: USS up to 4 mV / 450 mV, Microphone 2: USS up to 4 mV / 450 mV, Radio: USS to 800 mV, Recorder: 2000 mV. Operating temperature: -40 °C to +90 °C. Type of protection: dustproof.</p> <p> 3313</p> <p><b>Contents:</b> Control unit, operating panel and 2 m connection lead.</p> <p><b>eNF switching unit</b> can be used separately or in combination with eAZD control unit</p> <p><b>Installation frame (DIN) shaft for installation of eAZD and eNF (delivered with eNF blind cover)</b></p> <p><b>Accessories:</b> eNF cable for handset, 1 m eNF cable for handset, 3 m eNF cable for FuG 7/8, 1 m eNF cable for FuG 7/8, 3 m eNF cable for Teldux FuG 9, 1,5 m eNF cable for microphone, 1 m</p>
	<p>9MM 862 358-801</p> <p>8HG 854 516-001</p> <p>8KB 862 689-001</p> <p>9MK 860 255-001</p> <p>9MM 859 358-801</p> <p>8KB 862 689-001</p> <p>9MK 860 255-001</p>	<p>1</p> <p>4</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p><b>Microphones</b></p> <p>With ON / OFF switch, 0.5 m spiral lead, plug and volume control including holder.</p> <p><b>Rod-type microphone</b></p> <p><b>Spare parts:</b> Holder</p> <p><b>Accessories:</b> Adapter lead, 1 m Device socket</p> <p><b>Hand-held microphone with holder and 0.5 m lead</b></p> <p><b>Accessories:</b> Adapter lead, 1 m Device socket</p>





# Rotating Beacon and Siren Combinations

RTK 6-SL for police, fire brigade, rescue vehicles, ambulances




Part no.	Pk.	Rotating beacon and siren combinations, RTK 6-SL
		<p>The modular design of the RTK 6-SL allows the basic version to be equipped with various accessory modules right up to the maximum version to meet all ranges of application. The microprocessor-controlled central control unit and electronic bus system significantly reduce the vehicle wiring and facilitate installation.</p> <p><b>The entire system can be completed with an intelligent control unit.</b></p> <p>Erroneous operation as well as malfunctions in the system are indicated optically and acoustically.</p> <p><b>Light aperture (reflector dia.): 111.6 mm.</b></p> <p><b>The RTK 6-SL fulfils all legal regulations for acoustic and optical warning devices in accordance with specifications to ECE and ISO.</b></p> <p><b>Technical data:</b>            Rated voltage: 12V.            Operating voltage: 9V - 16V at 12V.            Quiescent current consumption: 1.0 mA.            Operating temperature: -40 °C to +60 °C.            RF suppression: CISPR 25, class 5 (conducted).            Resistant to high pressure cleaning.            Weight: max. 22 kg.</p> <p>Power consumption:            Rotating beacons (2 or 4 per system): 5.0A at 12V.            Strobe-type beacons (2 per system): 4.5A at 12V.            Attachable rotating beacon: 4.5A.            Loudspeaker, front: 5.5A.            Loudspeaker, rear: 2.5A.</p> <p>Ⓔ1 433 RTK 6-SL with rotating beacons</p> <p>Ⓔ1 434 RTK 6-SL with strobe-type beacons</p> <p>Ⓔ1 0995</p>
2RM 007 200-...	1	<p><b>RTK 6-SL for police</b>  <b>A survey of the 12V equipment versions is given on pages 6.46 - 6.47.</b></p>
2RM 007 200-...	1	<p><b>RTK 6-SL for fire brigade, rescue vehicles, ambulances</b>  <b>A survey of the 12V equipment versions are given on pages 6.48 -6.49</b></p>

	Part no.	Pk.	Basic equipment
	2RM 007 200-...	1	<b>RTK 6-SL</b> with blue beacons or strobe beacons, 1100 mm or 1400 mm long (see next pages)
	8KB 007 896-801 8KB 007 896-811	1 1	<b>Vehicle wiring harness</b>  <b>Comprises:</b> Power supply and BUS-lead RTK 6 SL, power lead for control unit, plug for HWL and BSX.
	9SX 007 609-001 9SX 007 609-031 9SX 007 609-041 9SX 007 609-051  9SX 007 609-021 9SX 007 609-011 9SX 007 609-041 9SX 007 609-051  8KB 861 218-037	1 1 1 1  1 1 1 1  25	<b>BE control units</b>  For police, 12V, with DIN signals  12V, with programming function for RTK 6-SL with ASG matrix  12V, for control of US tone sequence signals (Wail, Yelp) and for ASG-LED or ASG-GL  12V, for control of US tone sequence signals (Wail, Yelp etc.) and for ASG matrix  <hr/> For fire brigade, rescue vehicles and ambulances, 12V  24V  12V, for control of US tone sequence signals (Wail, Yelp)  12V, for control of US tone sequence signals (Wail, Yelp) and for ASG-Matrix  <b>Accessories:</b> Lead, 6 m, for separate control unit
 <p>Standard</p>	9GD 861 470-001 9GD 861 810-001  9GD 860 936-001 9GD 861 531-001	1 1  1 1	<b>Rubber bases</b>  Straight, for mounting on roof attachments, 900 mm  1055 mm  <hr/> Standard, for slightly arched roofs, 1100 mm  1400 mm
	9XD 863 521-001	1	<b>Mounting system</b> for 1400 mm systems  For Mercedes Benz Vito and Viano 01/03 -> without roof rails  <b>Mounting system (2 mounting plates)</b>
	9XD 863 403-801	1	For 1400 mm systems  <b>Contents:</b> 2 steel supports with plastic bases  For VW T5 Multivan, only for vehicles with fastening rails  <b>Mounting system</b>

# Rotating Beacon and Siren Combinations

RTK 6-SL Special Equipment



	Part no.	Pk.	<b>Wiring harness</b>
	8KB 007 895-801	1	For hand and standard two-way radio FUG 7/8, 1 m long
	8KB 007 895-811	1	3 m long
	8KB 007 895-821	1	1.5 m and 0.5 m long
	8KB 007 897-801	1	For hand and standard two-way radio Teledux 9, 1.5 m long
	8KB 007 897-811	1	3 m long
	8KB 861 596-001	1	Wiring harness for mounting additional beacon
	9MM 860 814-801	1	<b>Microphone</b> Rod-type microphone with holder (see adapter cable)
	8HG 854 516-001	4	<b>Spare parts:</b> Holder
	9MM 859 358-801	1	Hand-held microphone with holder (see adapter cable)
	8KB 861 213-011	1	<b>Adapter cables</b> For connecting microphone to control unit. For rod-type microphone 9MM 860 814-801, 1 m
	8KB 861 213-001	1	For hand-held microphone 9MM 859 358-801, 1 m
	8KB 861 213-021	1	2 m
	9SX 861 562-001	1	<b>Installation sets</b> For separate control unit, 2 m
	9SX 861 562-011	1	5 m

	<b>Part no.</b>  2RL 860 880-001	<b>Pk.</b>  1	<b>KL-XR</b>  Strobe-type beacon with built-in strobe tube, 12V
	2XD 860 910-001	1	<b>ASG-GL</b>  Stop signal with built-in incandescent bulbs, 12V, with normal lettering: STOP POLIZEI
	2XD 860 910-021	1	with mirror-image lettering: STOP POLIZEI
	2XD 860 910-011	1	with normal lettering: BITTE FOLGEN
	2XD 860 910-031	1	with normal lettering: NOTARZT NOTARZT
	2XD 860 618-011	1	<b>ASG-LED</b>  Stop signal LED-type, 12V, with normal lettering: STOP POLIZEI/BITTE FOLGEN
	2XD 860 618-001	1	with mirror-image lettering: STOP POLIZEI
	2XD 860 618-021	1	<b>ASG-Matrix</b>  Various messages and languages can be selected and displayed in combination with control module 9SX 007 609-031.  Stop signal in Matrix-technology, 12V
	9MM 853 518-001	1	<b>Loudspeaker</b>  <b>LSP-V</b> Loudspeaker pointing toward front, for use with central control unit 5XA 860 907-031
	9MM 853 518-021	1	Loudspeaker pointing toward front, for use with central control unit 5XA 860 907-021 (old part)
	9MM 862 206-011	1	<b>LSP-H</b> Loudspeaker pointing toward rear
	5XA 860 907-031	1	<b>Central control unit</b>  Central control unit only for use with loudspeaker pointing toward front 9MM 863 518-001 and pointing toward rear 9MM 862 206-041

# Rotating Beacon and Siren Combinations

RTK 6-SL Module equipment for police



Part no.	Volt	Width	Beacons with DC-motor KL-ER (single reflector) KL-MR (multiple reflector)	Strobe-type beacons with parabolic trough type-reflector KL-XR	Strobe headlights BSX	Stop signal with incandescent bulbs ASG-GL *)
						
2RM 007 200-001	12V	1100 mm	●			
2RM 007 200-011	12V	1100 mm	●			● STOP POLIZEI *) mirror image a. norm. ● Bitte FOLGEN norm.
2RM 007 200-101	12V	1100 mm	●			
2RM 007 200-121	12V	1100 mm	●			● STOP POLIZEI *) with offset ASG cable
2RM 007 200-091	12V	1400 mm	●			
2RM 007 200-181	12V	1400 mm	● 2 reflectors per side			
2RM 007 200-041	12V	1100 mm		●		
2RM 007 200-111	12V	1100 mm		●	●	
2RM 007 200-021	12V	1100 mm		●	●	
2RM 007 200-211	12V	1100 mm		●	●	● STOP POLIZEI *) mirror image a. norm.
2RM 007 200-221 ****)	12V	1100 mm				● Bitte FOLGEN norm.
2RM 007 200-131	12V	1100 mm		●		
2RM 007 200-051	12V	1100 mm		●		
2RM 007 200-161	12V	1400 mm		●		
2RM 007 200-231	12V	1100 mm		●	●	
2RM 007 200-261 ***)	12V	1100 mm		●	●	● STOP POLIZEI *) mirror image a. norm. ● Bitte FOLGEN norm.
2RM 007 200-271	12V	1100 mm		●	●	with offset ASG cable
2RM 007 200-371 **)	12V	1400 mm		●		
2RM 007 200-391	12V	1400 mm		●	●	3 leads for AS-GL 1x front, 2x rear

\*) ASG-GL: other signs available on request \*\*) With mounting system for VW T5 (interior wiring) \*\*\*) With video lead  
\*\*\*\*\*) Amber flasher lights rear  
The part numbers for the modular equipment are given on page 6.45

Stop signal 1) ASG-LED 2) ASG-Matrix	Front loudspeaker LSP-V	Rear loudspeaker LSP-H	Attachable rotating beacons KL-A	Information sign Info-G	Colour of panel and cover
					
	●				pure white
	●				mint green
	●	●			mint green
	●				mint green
	●				pure white
	●				
	●				
	●				
1) ● STOP POLIZEI mirror image a. norm. ● STOP POLIZEI / Bitte FOLGEN norm.	●	●	Pre-equipped (not for retrofitting)	Pre-equipped	mint green
	●		Pre-equipped		
	●				
2) ● Programmable	●				
	●				pure white
1) ● STOP POLIZEI mirror image a. norm. ● STOP POLIZEI / Bitte FOLGEN norm.	●				Cover pure white, without panel
	●	●	Pre-equipped	Pre-equipped	mint green
	●	●	Pre-equipped	Pre-equipped	mint green
	●				mint green
	●	●		Pre-equipped	mint green

# Rotating Beacon and Siren Combinations

RTK 6-SL Module equipment for fire brigade, rescue vehicles and ambulances



Part no.	Volt	Width	Beacons with DC motor KL-ER (single reflector) KL-MR (multiple reflector)	Strobe-type beacons with parabolic trough type reflector KL-XR	Strobe headlights BSX	Identification sign with incandescent bulbs ASG-GL
2RM 007 200-001	12V	1100 mm	●			
2RM 007 200-201	12V	1100 mm	●			● 2x *)
2RM 007 200-071	12V	1100 mm	●			
2RM 007 200-081	12V	1100 mm	●		●	
2RM 007 200-041	12V	1100 mm		●		
2RM 007 200-111	12V	1100 mm		●	●	
2RM 007 200-061	12V	1100 mm		●	●	● 1x *)
2RM 007 200-141	12V	1100 mm		●		
2RM 007 200-151	12V	1100 mm		●		● 2x *)
2RM 007 200-191	12V	1100 mm		●		
2RM 007 200-091	12V	1400 mm	●			
2RM 007 200-161	12V	1400 mm		●		
2RM 007 200-181	12V	1400 mm	● 2 reflectors per side			

\*) ASG-GL: other signs available on request

The part numbers for the modular equipment are given on page 6.45



# Rotating Beacon and Siren Combinations

RTK 6-SL Module equipment for fire brigade, rescue vehicles and ambulances

Front loudspeaker LSP-V	Rear loudspeaker LSP-H	Attachable rotating beacon KL-A	Color of panel and cover
•			pure white
•			pure white
•	•		pure white, lett.: FEUERWEHR
•			pure white
•		Pre-equipped	pure white, lett.: FEUERWEHR
•			pure white
•			pure white, lett.: FEUERWEHR
•			pure white
•			pure white
•			pure white

# Spare Parts for RTK 6-SL

for police



Version	Panel	1) Dome 2) Reflector		Foam rubber gasket	1) Motor 2) Drive belt		Bulbs Strobe tube		
		Pk.	Pk.		Pk.	Pk.	Pk.	Pk.	
2RM 007 200-001 12V KL-ER	9AB 860 796-021	1	1) 9EL 860 743-011  9EL 860 743-021 red **)	1	9GD 862 868-001 Replace foam rubber gasket each time the central control module is disassembled	1	1) 9MN 857 622-101  2) 9XR 855 975-001 (2 pieces)	1	8GH 002 089-133 H1
2RM 007 200-011 12V KL-ER	9AB 860 796-001	1	2) 9DX 859 626-001	1				1	8GH 002 089-133 H1
2RM 007 200-091 12V KL-ER	9AB 860 796-021	1	1) 9EL 861 597-011  2) 9DX 859 626-001	1				10	8GA 002 073-121 4 each per stop signal
2RM 007 200-101 12V KL-ER	9AB 860 796-001	1	1) 9EL 860 743-011  2) 9DX 859 626-001	1				1	8GH 002 089-133 H1
2RM 007 200-121 12V KL-ER	9AB 860 796-001	1	1) 9EL 860 743-011 9EL 860 743-021 red **)  2) 9DX 859 626-001	1					
2RM 007 200-181 12V KL-MR	9AB 860 796-021	1	1) 9EL 861 597-011  2) 2x 9DX 861 976-001	1		1) 9MN 859 116-101	1	1	8GH 002 089-133 H1
2RM 007 200-041 12V KL-XR	9AB 860 796-021	1	1) 9EL 860 743-001	1		-	-	-	-
2RM 007 200-021 12V KL-XR	9AB 860 796-001 9AB 860 796-061 **)	1 1						1	8GS 860 848-001 Strobe tube *)
2RM 007 200-111 12V KL-XR	9AB 860 796-021 9AB 860 796-071 **)	1 1							
2RM 007 200-131 12V KL-XR	9AB 860 796-001	1						10	8GA 002 073-121 4 each per stop signal
2RM 007 200-211 12V KL-XR	9AB 860 796-001 9AB 860 796-061	1 1						1	8GS 860 848-001 Strobe tube *)
2RM 007 200-051 12V KL-XR	9AB 860 796-001	1	1) 9EL 860 743-001	1					-
2RM 007 200-161 12V KL-XR	9AB 860 796-021	1	1) 9EL 861 597-001	1					-

\*) For strobe headlights BSX-F \*\*) With cut-out for strobe headlights BSX-F

\*\*) This product does not have an ECE marking and is therefore not authorized for use on public highways in the area of the European Union.



# Spare Parts for RTK 6-SL

for police

Version	Panel		1) Dome 2) Reflector		Foam rubber gasket	1) Motor 2) Drive belt		Bulbs Strobe tube		
		Pk.		Pk.			Pk.		Pk.	
<b>2RM 007 200-231 12V KL-XR</b>	-	-	9EL 860 743-001	1	9GD 862 868-001 Replace foam rubber gasket each time the central control module is disassembled	1	-	-	8GS 860 848-001 Strobe tube *)	1
<b>2RM 007 200-251 12V KL-XR</b>	9AB 860 796-001	1	9EL 860 743-001	1					8GA 002 073-121 4 each per stop signal	10
	9AB 860 796-061 **)	1							8GS 860 848-001 Strobe tube *)	1
<b>2RM 007 200-261 12V KL-XR</b>	9AB 860 796-001	1	9EL 860 743-001	1					8GA 002 073-121 4 each per stop signal	10
	9AB 860 796-061 **)	1							8GS 860 848-001 Strobe tube *)	1
<b>2RM 007 200-271 12V KL-XR</b>	9AB 860 796-001	1	9EL 860 743-001	1					-	-
	9AB 860 796-061 **)	1							-	-
<b>2RM 007 200-371 12V KL-XR</b>	9AB 860 796-001	1	9EL 861 597-001	1						
<b>2RM 007 200-391 12V KL-XR</b>	9AB 860 796-001	1	9EL 861 597-001	1						
	9AB 860 796-061 **)	1								

\*) For strobe headlights BSX-F    \*\*) With cut-out for strobe headlights BSX-F

**KL-ER = Single reflector sytem**  
**KL-MR = Multiple reflector sytem**  
**KL-XR = Parabolic trough reflector system**

# Spare Parts for RTK 6-SL

for fire brigade, rescue vehicles and ambulances



Version	Panel	1) Dome 2) Reflector		Foam rubber gasket	1) Motor 2) Drive belt		Bulbs Strobe tube			
		Pk.	Pk.		Pk.	Pk.	Pk.	Pk.		
2RM 007 200-001 12V KL-ER	9AB 860 796-021	1	1) 9EL 860 743-011	1	9GD 862 868-001 Replace foam rubber gasket each time the central control module is disassembled	1	1) 9MN 857 622-101	1	8GH 002 089-133 H1	1
2RM 007 200-071 12V KL-ER	9AB 860 796-011	1	9EL 860 743-021 red **)	1			2) 9XR 855 975-001 (2 pieces)	1		
2RM 007 200-201 12V KL-ER	9AB 860 796-021	1	2) 9DX 859 626-001	1					8GH 002 089-133 H1	1
									8GA 002 073-121 4 each per stop signal	10
2RM 007 200-081 12V KL-ER	9AB 860 796-021 9AB 860 796-071	1 1							8GH 002 089-133 H1	1
									8GS 860 848-001 Strobe tube *)	1
2RM 007 200-091 12V KL-ER	9AB 860 796-021	1	1) 9EL 861 597-011	1					8GH 002 089-133 H1	1
			2) 9DX 859 626-001	1						
2RM 007 200-181 12V KL-MR			1) 9EL 861 597-011	1		1) 9MN 859 116-101	1			
			2) 2x 9DX 861 976-001	1						
2RM 007 200-041 12V KL-XR			1) 9EL 860 743-001	1		-	-	-	-	-
2RM 007 200-141 12V KL-XR	9AB 860 796-011	1								
2RM 007 200-191 12V KL-XR	9AB 860 796-011	1								
2RM 007 200-111 12V KL-XR	9AB 860 796-021 9AB 860 796-071	1 1							8GS 860 848-001 Strobe tube *)	1
2RM 007 200-061 12V KL-XR									8GS 860 848-001 Strobe tube *)	1
									8GA 002 073-121 4 each per stop signal	10
2RM 007 200-151 12V KL-XR	9AB 860 796-021	1							8GA 002 073-121 4 each per stop signal	10
2RM 007 200-161 12V KL-XR			1) 9EL 861 597-001	1					-	-


\*) For strobe headlamps BSX-F

\*\*\*) This product does not have an ECE marking and is therefore not authorized for use on public highways in the area of the European Union.

KL-ER = Single reflector sytem

KL-MR = Multiple reflector sytem

KL-XR = Parabolic trough reflector system




<p><b>Part no.</b></p>	<p><b>Pk. Rotating beacon and siren combinations RTK-QS with single reflector system KL-ER, 1100 mm, 1400 mm, 1600 mm, 1800 mm, 2000 mm</b></p> <p>The modular and flexible set-up allows the RTK-QS to be designed tailor made to customer requirements. The variable lengths make the unit particularly suitable for large official vehicles. Five different widths are available with light domes in the colour combinations blue / blue.</p> <p>The control concept for this system processes conventional, analogue signals as well as modern data bus systems (e.g. CAN bus). Control of the system is accomplished optionally with the eAZD control unit, standard button or vehicle interface. As an option to the two speakers pointing forward, a third speaker pointing to the rear is also available.</p> <p><b>Light aperture (reflector dia.): 84 mm.</b></p> <p>Ⓔ1 1719    Ⓔ1 3312</p> <p><b>Technical data:</b>  Rated voltage: 12V / 24V.  Operating voltage: 10.8V - 15V at 12V, 21.6V - 30V at 24V.  Function voltage: 10V - 16V at 12V, 20V - 32V at 24V.  Undervoltage: 12V &lt;10V, 24V &lt;20V.  Overvoltage: 12V &gt;16V, 24V &gt;32V.  Quiescent current consumption: &lt;- 1 mA.  Operating temperature: - 40 °C to + 60 °C.  RF suppression: CISPR 25, class 5 (conducted).  Resistant to high pressure cleaning.  Weight: max. 22.5 kg.</p> <p><b>Configuration possibilities:</b>  Voltage: 12V / 24V.  Type of control: analogue/CAN.  Width: 1100 / 1400 / 1600 / 1800 / 2000 mm.  Light systems main beacons: KL-ER single reflector system.  Optional light modules (exterior): Side mounted lights Alley Lights, connection lead for one 3rd and 3rd and 4th beacons.  Light dome colours: blue / blue.  Loudspeakers: towards front, towards front and rear.</p> <p>Current consumption of modular equipment:  KL-ER (2 per system): 5.5A at 12V, 3.0A at 24V.  Side-mounted lights: 4.5A at 12V, 2.7A at 24V.  Loudspeaker front: 1.7A at 12V / 24V.  Loudspeaker rear: 1.7A at 12V / 24V.</p> <p>Control units/roof attachment interface  Unidirectional NF-BU: 5V 100 kHz.</p>
<p><b>2RM 379 500-...</b></p>	<p><b>1 Rotating beacon and siren combinations RTK-QS with single reflector system KL-ER</b></p>
<p>9EL 863 117-011  2RL 863 132-001  2RL 863 132-011  9XR 855 975-001  8GH 002 089-133  8GH 002 089-251  5XA 008 877-001  5XA 008 877-011  5XA 863 115-001  5XA 863 115-011  9MM 863 165-001  9MM 863 164-011  1GA 008 284-101  8KB 863 243-001  8KB 863 120-011</p>	<p><b>Spare parts:</b>  1 Dome blue  1 Rotating mirror module,  1 12V  1 24V  1 Drive belts (2 pieces)  1 H1 bulb,  1 12V55W  1 24V70W  1 Control unit light and acoustic ZSE L/A,  1 12V  1 24V  1 Control unit light ZSE L,  1 12V  1 24V  1 Loudspeaker,  1 front  1 rear  1 Side mounted light Alley Light  1 Lead set for main beacons, 1050 mm  1 Lead set incl. possibility for public address (NF)</p>

Examples with various module equipment can be found on pages 6.57 - 6.59



# Rotating Beacon and Siren Combinations

RTK-QS for fire brigades and rescue vehicles



Part no.	Pk. <b>Rotating beacon and siren combinations RTK-QS with multiple reflector system KL-MR, 1100 mm, 1400 mm, 1600 mm, 1800 mm, 2000 mm</b>
	<p>The modular and flexible set-up allows the RTK-QS to be designed tailor made to customer requirements. The variable lengths make the unit particularly suitable for large official vehicles. Five different widths are available with light domes in the colour combinations blue / blue.</p>
	<p>The control concept for this system processes conventional, analogue signals as well as modern data bus systems (e.g. CAN bus). Control of the system is accomplished optionally with the eAZD control unit, standard button or vehicle interface. As an option to the two speakers pointing forward, a third speaker pointing to the rear is also available.  <b>Light aperture (reflector dia.): 2 x 84 mm.</b></p>
	<p>E1 1720    e1 3312</p>
	<p><b>Technical data:</b>          Rated voltage: 12V / 24V.          Operating voltage: 10.8V - 15V at 12V, 21.6V - 30V at 24V.          Function voltage: 10V - 16V at 12V, 20V - 32V at 24V.          Undervoltage: 12V &lt;10V, 24V &lt;20V.          Overvoltage: 12V &gt;16V, 24V &gt;32V.          Quiescent current consumption: &lt;- 1 mA.          Operating temperature: - 40 °C to + 60 °C.          RF suppression: CISPR 25, class 5 (conducted).          Resistant to high pressure cleaning.          Weight: max. 24 kg.</p> <p>Current consumption of modular equipment:          KL-MR (2 per system): 11A at 12V, 6A at 24V.          Side-mounted lights: 4.5A at 12V, 2.7A at 24V.          Work lamps: 5.5A at 12V, 3A at 24V.          Loudspeaker front: 1.7A at 12V / 24V.          Loudspeaker rear: 1.7A at 12V / 24V.</p> <p>Control units/roof attachment interface          Unidirectional NF-BU: 5V 100 kHz.</p>
	<p><b>Configuration possibilities:</b>          Voltage: 12V / 24V.          Type of control: analogue/CAN.          Width: 1100 / 1400 / 1600 / 1800 / 2000 mm.          Light systems main beacons: KL-MR multiple reflector system.          Optional light modules (exterior): Side mounted lights Alley Lights, connection lead for one 3rd and 3rd and 4th beacons.          Light dome colours: blue / blue.          Loudspeakers: towards front, towards front and rear.</p>
2RM 379 500-...	1 <b>Rotating beacon and siren combinations RTK-QS with multiple reflector system KL-MR</b>
9EL 863 117-011	1 <b>Spare parts:</b> Dome blue
8GH 002 089-133	1 H1 bulb,
8GH 002 089-251	1 12V55W
	1 24V70W
5XA 008 877-001	1 Control unit light and acoustic ZSE L/A,
5XA 008 877-011	1 12V
	1 24V
5XA 863 115-001	1 Control unit light ZSE L,
5XA 863 115-011	1 12V
	1 24V
9MM 863 165-001	1 Loudspeaker,
9MM 863 164-011	1 front
	1 rear
1GA 008 284-101	1 Side mounted light Alley Light
8KB 863 243-001	1 Lead set for main beacons, 1050 mm
8KB 863 120-011	1 Lead set incl. possibility for public address (NF)

Examples with various module equipment can be found on pages 6.57 - 6.59



**Part no.** Pk. **Flashing beacon and siren combinations RTK-QS with double strobe system KL-XL2, 1100 mm, 1400 mm, 1600 mm, 1800 mm, 2000 mm, 2200 mm**

The modular and flexible set-up allows the RTK-QS to be designed tailor made to customer requirements. The variable lengths make the unit particularly suitable for large official vehicles. Six different widths are available with light domes in the colour combinations blue / blue.

The control concept for this system processes conventional, analogue signals as well as modern data bus systems (e.g. CAN bus).

Control of the system is accomplished optionally with the eAZD control unit, standard button or vehicle interface. As an option to the two speakers pointing forward, a third speaker pointing to the rear is also available.

Ⓔ 1721    e1 3312

**Technical data:**

Rated voltage: 12V / 24V.  
 Operating voltage: 10.8V - 15V at 12V, 21.6V - 30V at 24V.  
 Function voltage: 10V - 16V at 12V, 20V - 32V at 24V.  
 Undervoltage: 12V <10V, 24V <20V.  
 Overvoltage: 12V >16V, 24V >32V.  
 Quiescent current consumption: <- 1 mA.  
 Operating temperature: - 40 °C to + 60 °C.  
 RF suppression: CISPR 25, class 5 (conducted).  
 Resistant to high pressure cleaning.  
 Weight: max. 26 kg.

Current consumption of modular equipment:  
 KL-XL2 (2 per system): 3.5A at 12V, 1.8A at 24V.  
 Side-mounted lights: 4.5A at 12V, 2.7A at 24V.  
 Loudspeaker front: 1.7A at 12V/24V.  
 Loudspeaker rear: 1.7A at 12V/24V.

Control units/roof attachment interface  
 Unidirectional NF-BU: 5V 100 kHz.

**Configuration possibilities:**

Voltage: 12V/24V.  
 Type of control: analogue/CAN.  
 Width: 1100 / 1400 / 1600 / 1800 / 2000 / 2200 mm.  
 Light systems main beacons: KL-XL2 double strobe system.  
 Optional light modules (interior): work lights.  
 Optional light modules (exterior): Side mounted lights Alley Lights,  
 connection lead for one 3rd and 3rd and 4th beacons.  
 Light dome colours: blue / blue, amber / amber.  
 Loudspeakers: towards front, towards front and rear.

**2RM 379 500-...** 1 **Flashing beacon and siren combinations RTK-QS with double strobe system KL-XL2**


**Spare parts:**

9EL 863 117-001	1	Dome blue
		Double flashing module,
2RL 863 106-001	1	12V
2RL 863 106-011	1	24V
8GS 859 634-001	1	Xenon tube X1
		Control unit light and acoustic ZSE L/A,
5XA 008 877-001	1	12V
5XA 008 877-011	1	24V
		Control unit light ZSE L,
5XA 863 115-001	1	12V
5XA 863 115-011	1	24V
		Loudspeaker,
9MM 863 165-001	1	front
9MM 863 164-011	1	rear
1GA 008 284-101	1	Side mounted light Alley Light
8KB 863 243-001	1	Lead set for main beacons, 1050 mm
8KB 863 120-011	1	Lead set incl. possibility for public address (NF)

Examples with various module equipment can be found on pages 6.57 - 6.59

# Flashing Beacon and Siren Combinations

RTK-QS for fire brigades and rescue vehicles



Part no.	Pk.	Flashing beacon and siren combinations RTK-QS with parabolic trough reflector system KL-XR2, 1100 mm, 1400 mm, 1600 mm, 1800 mm, 2000 mm
		<p>The modular and flexible set-up allows the RTK-QS to be designed tailor made to customer requirements. The variable lengths make the unit particularly suitable for large official vehicles. Five different widths are available with light domes in the colour combinations blue / blue.</p> <p>The control concept for this system processes conventional, analogue signals as well as modern data bus systems (e.g. CAN bus). Control of the system is accomplished optionally with the eAZD control unit, standard button or vehicle interface.</p> <p>Ⓔ 2139    Ⓔ 3312</p> <p><b>Technical data:</b>            Rated voltage: 12V / 24V.            Operating voltage: 10.8V - 15V at 12V, 21.6V - 30V at 24V.            Function voltage: 10V - 16V at 12V, 20V - 32V at 24V.            Undervoltage: 12V &lt;10V, 24V &lt;20V.            Overvoltage: 12V &gt;16V, 24V &gt;32V.            Quiescent current consumption: &lt;math&gt;\pm 1\text{ mA}&lt;/math&gt;.            Luminous power: <math>\geq 350\text{ cd}</math>.            Integrated polarity reversal protection.            Operating temperature: - 40 °C to + 60 °C.            RF suppression: CISPR 25, class 5 (conducted).            Resistant to high pressure cleaning.            Weight: max. 26 kg.</p> <p><b>Configuration possibilities:</b>            Voltage: 12V / 24V.            Type of control: analogue/CAN.            Width: 1100 / 1400 / 1600 / 1800 / 2000 mm.            Light systems main beacons: KL-XR2 parabolic trough reflector system with 8 different flash frequencies and integrated day / night change-over..            Connection lead for one 3rd and 4th beacons.            Light dome colours: blue/blue.            Loudspeakers: towards front.</p> <p>Current consumption of modular equipment:            KL-XR2 (2 per system): 4A at 12V, 1.8A at 24V.            Side-mounted lights: 4.5A at 12V, 2.7A at 24V.            Loudspeaker front: 1.7A at 12V/24V.            Loudspeaker rear: 1.7A at 12V/24V.</p> <p>Control units/roof attachment interface            Unidirectional NF-BU: 5V 100 kHz.</p>
2RM 379 500-...	1	Flashing beacon and siren combinations RTK-QS with parabolic trough reflector system KL-XR2
9EL 863 117-001	1	<b>Spare parts:</b> Dome blue
2RL 863 123-001	1	Flashing module, 12V
2RL 863 123-011	1	24V
8GS 863 889-001	1	Xenon tube
5XA 008 877-001	1	Control unit light and acoustic ZSE L/A, 12V
5XA 008 877-011	1	24V
5XA 863 115-001	1	Control unit light ZSE L, 12V
5XA 863 115-011	1	24V
9MM 863 165-001	1	Loudspeaker, front
9MM 863 164-011	1	rear
1GA 008 284-101	1	Side mounted light Alley Light
8KB 863 243-001	1	Lead set for main beacons, 1050 mm
8KB 863 120-011	1	Lead set incl. possibility for public address (NF)

Examples with various module equipment can be found on pages 6.57 - 6.59



# Rotating Beacon and Siren Combinations

RTK-QS for fire brigade and rescue vehicles

Part no.	Volt	Rotating beacon	Dome	Width	Auxiliary light module	Loud-speaker	ZSE L/A **)	ZSE L **)	Pre-equipped for PA system
2RM 379 500-571	12V	KL-ER	blue/blue	1100 mm		front			●
2RM 379 500-631	12V	KL-ER	blue/blue	1100 mm	Side-mounted lights	front			●
2RM 379 500-221	12V	KL-ER	blue/blue	1400 mm	Side-mounted lights	front	●		●
2RM 379 500-081	12V	KL-ER	blue/blue	1400 mm	3./4. KL *)	front	●		●
2RM 379 500-391	12V	KL-ER	blue/blue	1400 mm	3./4. KL *)	front and rear	●		●
2RM 379 500-101	12V	KL-ER	blue/blue	1400 mm	Side-mounted lights/ 3./4. KL *)	front	●	●	●
2RM 379 500-121	12V	KL-ER	blue/blue	1600 mm	3./4. KL *)	front	●		●
2RM 379 500-141	24V	KL-ER	blue/blue	1600 mm	3./4. KL *)	front	●		●
2RM 379 500-011	12V	KL-ER	blue/blue	1800 mm	3./4. KL *)	front	●		
2RM 379 500-161	24V	KL-ER	blue/blue	1800 mm	3./4. KL *)	front	●		●
2RM 379 500-741	24V	KL-ER	blue/blue	2000 mm	3./4. KL *)	front	●		●
2RM 379 500-581	12V	KL-MR	blue/blue	1100 mm		front	●		●
2RM 379 500-301	12V	KL-MR	blue/blue	1400 mm		front	●		●
2RM 379 500-691	12V	KL-MR	blue/blue	1400 mm	3./4. KL *)	front and rear	●	●	●
2RM 379 500-401	24V	KL-MR	blue/blue	1600 mm		front	●		●
2RM 379 500-071	12V	KL-MR	blue/blue	1800 mm	3./4. KL *)	front	●		●
2RM 379 500-031	24V	KL-MR	blue/blue	1800 mm	3./4. KL *)	front	●		
2RM 379 500-261	24V	KL-MR	blue/blue	1800 mm	3./4. KL *)	front	●	●	●
2RM 379 500-361	24V	KL-MR	blue/blue	2000 mm	Side-mounted lights/ 3./4. KL *)	front	●	●	●
2RM 379 500-411	24V	KL-MR	blue/blue	2000 mm		front	●		●
2RM 379 500-591	12V	KL-XL2	blue/blue	1100 mm		front	●		●
2RM 379 500-641	12V	KL-XL2	blue/blue	1100 mm	Side-mounted lights	front	●		●
2RM 379 500-661	12V	KL-XL2	blue/blue	1100 mm	Work lights front	front	●		●
2RM 379 500-041	12V	KL-XL2	blue/blue	1400 mm	3. KL *)	front und hinten	●		

KL-ER (single reflector) KL-MR (multiple reflector) KL-XL2 (double flashing) \*) \*\*) Explanation see 6.59

# Rotating Beacon and Siren Combinations

RTK-QS for fire brigade and rescue vehicles



Part no.	Volt	Rotating beacon	Dome	Width	Auxiliary light module	Loud-speaker	ZSE L/A **)	ZSE L **)	Pre-equipped for PA system
2RM 379 500-181	12V	KL-XL2	blue/blue	1400 mm	Side-mounted lights	front	●	●	●
2RM 379 500-191	12V	KL-XL2	blue/blue	1400 mm	3. KL *)	front	●		●
2RM 379 500-091	12V	KL-XL2	blue/blue	1400 mm	3./4. KL *)	front	●		●
2RM 379 500-111	12V	KL-XL2	blue/blue	1400 mm	Side-mounted lights/ 3./4. KL *)	front	●	●	●
2RM 379 500-271	12V	KL-XL2	blue/blue	1400 mm	Side-mounted lights	front	●		●
2RM 379 500-381	12V	KL-XL2	blue/blue	1400 mm	3./4. KL *)	front and rear	●		●
2RM 379 500-671	12V	KL-XL2	amber/amber	1400 mm		front and rear	●		●
2RM 379 500-421	12V	KL-XL2	blue/blue	1600 mm		front	●		
2RM 379 500-131	12V	KL-XL2	blue/blue	1600 mm	3./4. KL *)	front	●		●
2RM 379 500-331	12V	KL-XL2	blue/blue	1600 mm	Side-mounted lights	front	●		●
2RM 379 500-151	24V	KL-XL2	blue/blue	1600 mm	3./4. KL *)	front	●		●
2RM 379 500-681	24V	KL-XL2	blue/blue	1600 mm	Work lights front/ 3. KL *)	front	●		●
2RM 379 500-211	12V	KL-XL2	blue/blue	1800 mm	3./4. KL *)	front	●		●
2RM 379 500-021	24V	KL-XL2	blue/blue	1800 mm	3./4. KL *)	front	●		
2RM 379 500-171	24V	KL-XL2	blue/blue	1800 mm	3./4. KL *)	front	●		●
2RM 379 500-201	24V	KL-XL2	blue/blue	1800 mm	Work lights front/ 3. KL *)	front	●		●
2RM 379 500-231	12V	KL-XL2	blue/blue	2000 mm	3./4. KL *)	front	●		●
2RM 379 500-241	24V	KL-XL2	blue/blue	2000 mm	3. KL *)	front	●		●
2RM 379 500-351	24V	KL-XL2	blue/blue	2000 mm	Side-mounted lights/ 3./4. KL *)	front	●	●	●
2RM 379 500-371	24V	KL-XL2	blue/blue	2000 mm	3./4. KL *)	front	●		●
2RM 379 500-531	24V	KL-XL2	blue/blue	2000 mm		front	●		●
2RM 379 500-731	24V	KL-XL2	blue/blue	2200 mm	3./4. KL *)	front			●
2RM 379 500-321	24V	KL-XL2	blue/blue	2200 mm	3./4. KL *)	front	●		●

KL-XL2 (double flashing)

\*) \*\*) Explanation see 6.59



# Rotating Beacon and Siren Combinations

RTK-QS for fire brigade and rescue vehicles

Part no.	Volt	Rotating beacon	Dome	Width	Auxiliary light module	Loud-speaker	ZSE L/A **)	ZSE L **)	Pre-equipped for PA system
2RM 379 500-601	12V	KL-XR2	blue/blue	1100 mm		front	●		●
2RM 379 500-651	12V	KL-XR2	blue/blue	1100 mm	Side-mounted lights	front	●		●
2RM 379 500-431	12V	KL-XR2	blue/blue	1400 mm	3./4. KL *)	front	●		●
2RM 379 500-501	12V	KL-XR2	blue/blue	1400 mm	Side-mounted lights/ 3./4. KL *)	front and rear	●	●	●
2RM 379 500-701	12V	KL-XR2	blue/blue	1400 mm	Side-mounted lights	front	●		●
2RM 379 500-711	12V	KL-XR2	blue/blue	1400 mm	3./4. KL *)	front and rear	●		●
2RM 379 500-541	24V	KL-XR2	blue/blue	1400 mm	3./4. KL *)	front	●		●
2RM 379 500-721	12V	KL-XR2	blue/blue	1600 mm	3./4. KL *)	front	●		●
2RM 379 500-781	12V	KL-XR2	blue/blue	1600 mm	Side-mounted lights	front and rear	●		●
2RM 379 500-771	24V	KL-XR2	blue/blue	1600 mm	3./4. KL *)	front	●		●
2RM 379 500-761	24V	KL-XR2	blue/blue	1800 mm	3./4. KL *)	front	●		●
2RM 379 500-511	24V	KL-XR2	blue/blue	2000 mm	3./4. KL *)	front	●		●
2RM 379 500-831	24V	KL-XR2	blue/blue	2200 mm	3./4. KL *)	front	●		●

## KL-XR2 (parabolic trough reflector system)

\*) With wiring harness for connection of one 3rd or 3rd and 4th beacon (including switching and monitoring functions).

\*\*) The light/acoustic module ZSE L/A allows, as central control unit with programmable microcontroller, operation of 4 light modules as well as various alarm sequences. For model versions with more than 4 light modules, the control unit can be supplemented with an additional ZSE L electronic module for up to 6 light modules.

# Rotating Beacon and Siren Combinations

Accessories for RTK-QS



Part no.	Pk.	Control units
9SX 008 902-001	1	eAZD control unit with programmable keys with function, indicator and background illumination for control of optical and acoustic signals from RTK-QS.
8HG 863 383-001	1	<b>Installation frame (DIN) shaft for installation of eAZD and eNF (delivered with eNF blind cover)</b>
		<b>As an alternative to the eAZD control unit, see the range of Hella switches in the Electrics catalogue</b>
		eNF switching unit for control of communication functions: Radio switch on (for standardised and non-standardised two-way radios). Microphone switch (up to 2 microphones), CD player connection, multiple stage volume control, function illumination, background illumination.
		<b>Technical data:</b> Rated voltage: 12V / 24V. Supply voltage: 9 - 32V. Power consumption: max. 500 mA. NF level microphone 1: USS up to 4 mV / 450 mV, Microphone 2: USS up to 4 mV / 450 mV, Radio: USS to 800 mV, Recorder: 2000 mV. Operating temperature: -40 °C to +90 °C. Type of protection: dustproof.
		e1 3313
		<b>Contents:</b> Control unit, operating panel and 2 m connection cable.
9SX 863 114-001	1	<b>eNF switching unit</b> Can be used separately or in combination with eAZD control unit
8HG 863 383-001	1	<b>Installation frame (DIN) shaft for installation of eAZD and eNF (delivered with eNF blind cover)</b>
8KB 863 116-001	1	Connection line for 3rd KL
8KB 863 120-011	1	Device lead for the possibility of public address NF
8KB 863 243-001	1	Lead for main beacons
5XA 863 850-801	1	<b>Accessories:</b> Programming set consisting of: 1xUSB/CAN adapter, 1 x cable 4 m, 1 x software CD
8KB 863 322-001	1	eNF cable for handset, 1 m
8KB 863 322-011	1	3 m
8KB 863 323-001	1	eNF cable for FuG 7/8, 1 m
8KB 863 323-011	1	3 m
8KB 863 325-001	1	eNF cable for Teldux FuG 9, 1,5 m
8KB 863 324-001	1	eNF cable for microphone, 1 m
8KB 863 119-001	1	Standard vehicle wiring harness, 4 m
8KB 863 119-011	1	Standard vehicle wiring harness including pre-equipped public address system (NF), 4 m
8KB 863 119-031	1	Standard vehicle wiring harness and light/acoustic module (ZSE L), 4 m
8KB 863 119-041	1	Standard vehicle wiring harness including pre-equipped public address system (NF) and light acoustic module (ZSE L), 4 m Wiring harnesses for CAN available on request.

	<p>Part no.</p> <p>9MM 862 358-801</p> <p>8HG 854 516-001</p> <p>8KB 862 689-001</p> <p>9MK 860 255-001</p>	<p>Pk.</p> <p>1</p> <p>4</p> <p>1</p> <p>1</p>	<p><b>Microphones</b></p> <p>With ON/OFF switch, 0.5 m spiral lead, plug and volume control including holder</p> <p><b>Rod-type microphone</b></p> <p><b>Spare parts:</b> Holder</p> <p><b>Accessories:</b> Adapter lead, 1 m Device socket</p>
	<p>9MM 859 358-801</p> <p>8KB 862 689-001</p> <p>9MK 860 255-001</p>	<p>1</p> <p>1</p> <p>1</p>	<p><b>Hand-held microphone with holder and 0,5 m lead</b></p> <p><b>Accessories:</b> Adapter lead, 1 m Device socket</p>
	<p>9GD 864 285-001</p> <p>9GD 864 286-001</p> <p>9GD 864 286-011</p> <p>9GD 864 286-021</p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p><b>Rubber bases</b></p> <p>For OWS-QS 1100 mm, flat</p> <p>wedge-shaped</p> <p>For OWS-QS 1400 mm, wedge-shaped</p> <p>For OWS-QS 1600 mm, wedge-shaped</p>
	<p>9GD 863 122-001</p>	<p>1</p>	<p><b>Installation kit</b></p> <p>For OWS-QS 1400 mm - 2200 mm.</p> <p>Installation kit</p>
	<p>9AB 864 273-001</p> <p>9AB 864 273-011</p>	<p>1</p> <p>1</p>	<p><b>Trim panels</b></p> <p>Trim panel, black with white lettering 'FEUERWEHR'</p> <p>with white lettering 'NOTARZT'</p>

# Sound Warning System RTK-VE

for police, rescue and fire brigade



	Part no.	Pk.	<b>Sound Warning System</b> <b>For concealed installation in cars, trucks and motorcycles.</b>
			<b>RTK-VE</b> The unit can easily be combined with all Hella KL, KLX and OWS.  <b>Technical data - power unit ZSE-VE:</b> Rated voltage: 12V. Operating voltage: 9V - 16V. Operating temperature: -40 °C to +85 °C. Total power consumption: max. 20A. Acoustic pressure level: >/- 112 dB at distance of 3.5 m. Frequency, city signal: 410Hz low, 547Hz high. Frequency, country signal: 362Hz low, 483Hz high. Other frequencies are programmed for specific countries. Control of the tone sequence and rotating beacons is accomplished over separate individual switches or alarm pull/rotary switches. Type of protection loudspeaker: resistant to high pressure cleaning. Type of protection ZSE-VE: dustproof and splash-waterproof with highened pressure.  <b>Contents:</b> 1 control unit 12V ZSE-VE 1 mounting kit and installation instructions  e1 21772
 	<b>3SL 008 604-821</b>  <b>9MM 863 164-011</b>  <b>8KB 863 514-001</b> <b>8KB 862 346-001</b> <b>8KB 862 346-011</b> <b>9XB 167 882-001</b>	1  1  1 1 1 1	<b>Signal-warning set, 12V</b>  <b>To be ordered separately:</b> Loudspeaker (2 off required, max. 3)  Loudspeaker cable (1 cable required per loudspeaker) 6 m, unshielded, for self-assembly 2 m, shielded, pre-assembled 4 m, shielded, pre-assembled Cable adapter for 8KB 862 346-001/-011
 <p>eAZD</p>  <p>eNF</p>	<b>9SX 008 902-021</b>  <b>8KB 864 105-801</b>  <b>9SX 863 114-001</b> <b>8HG 863 383-001</b>	1  1  1 1	<b>Control unit</b>  <b>eAZD control unit with 300 mm lead</b>  <b>Accessories:</b> Extension cable set Contents: 2 cables, each 3.5 m long  <b>eNF switching unit</b>  <b>Installation frame (DIN) shaft for installation of eAZD and eNF (delivered with eNF blind cover)</b>  <b>See RTK 5 for technical data and details.</b>
	<b>6ZE 001 759-051</b>  <b>6ZE 001 759-071</b>	1  1	<b>Push-pull-rotary alarm switches as an alternative to the control unit</b>  <b>Alarm switch with 4 switch positions for police</b>  <b>with 3 switch positions for rescue and fire brigade</b>  <b>See RTK 5 for technical data and details.</b>  <b>As an alternative Hella switches in the Electrics catalogue</b>

	<p>Part no.</p> <p><b>9MM 862 358-801</b></p> <p>8HG 854 516-001</p> <p><b>8KB 862 689-001</b></p> <p><b>9MK 860 255-001</b></p>	<p>Pk.</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p><b>Option Sprachdurchsage</b></p> <p>With ON/OFF switch, 0.5 m spiral lead, plug and volume control including holder.</p> <p><b>Rod-type microphone</b></p> <p><b>Spare parts:</b> Holder</p> <p><b>Accessories:</b> Adapter lead, 1 m Device socket</p>
	<p><b>9MM 859 358-801</b></p> <p><b>8KB 862 689-001</b></p> <p><b>9MK 860 255-001</b></p>	<p>1</p> <p>1</p> <p>1</p>	<p><b>Hand-held microphone with holder and 0,5 m lead</b></p> <p><b>Accessories:</b> Adapter lead, 1 m Device socket</p>
	<p><b>9SX 863 114-001</b></p>	<p>1</p>	<p><b>Public address option and radio or recorder override</b></p> <p><b>eNF switching unit</b></p> <p>See RTK 5 for technical data and details.</p>
	<p><b>3AG 003 399-081</b></p> <p><b>3AG 003 399-101</b></p>	<p>1</p> <p>1</p>	<p><b>Acoustic components for basic requirements</b></p> <p><b>B 133</b> Black metal body, with blade terminal contacts, Bracket on horn for M10 fixing screw. Teflon seal protects against damp.</p> <p><b>Sound pressure level 2 m away: 118 dB(A).</b></p> <p><b>Comprises:</b> 2 supertone horns 375/500 Hz B 08 (12V) B 09 (24V)</p> <p><b>Supertone horn-set, 12V, power consumption: 78W per horn</b></p> <p><b>24V, power consumption: 84W per horn</b></p>
	<p><b>5AB 005 944-001</b></p> <p><b>5AB 005 944-011</b></p>	<p>1</p> <p>1</p>	<p><b>Tone sequence control module, 12V</b></p> <p><b>24V</b></p>

# Sound Warning System RTK-VE

for police, rescue and fire brigade



	Part no.	Pk.	Auxiliary light systems
	2RL 008 364-021	1	<p><b>Rotating beacon KL 5000 M</b></p> <p>Description see page 6.06</p>
	2RL 008 366-021 2RL 008 366-031	1 1	<p><b>Flashing beacon KLX 5000 M</b></p> <p><b>with Lemo plug</b></p> <p>Description see page 6.11</p>
	2XD 008 597-001	1	<p><b>FWL-LED</b> <b>for use behind windscreen.</b> <b>With 42 blue LEDs and clear cover lens.</b> With black plastic housing, 2 suckers, 0.5 m spiral lead and 2-pole plug.</p> <p><span style="border: 1px solid black; padding: 0 2px;">e1</span> 1698</p> <p><b>Technical data:</b> Rated voltage: 12V. Operating voltage: 9V - 16V. Strobe frequency: 2.1Hz double flashes. Power consumption: 1A. RF suppression: CISPR 25, class 5 (conducted). Type of protection: dustproof.</p> <p><b>Front warning lamp with blue light, 12V *)</b></p>
	8JB 004 777-001	5	<p><b>2-pole socket</b></p> <p><b>For flush mounting, with cover DIN ISO 4165.</b> Mounting aperture 18.5 mm. For dashboards up to 7 mm. 2 blade terminal contacts 6.3 mm. <b>Max. load: 8A at 12V.</b></p> <p><b>2-pole socket</b></p>
	8XS 008 633-001	1	<p><b>Crimping pliers case</b></p>

\*) This product does not have an ECE marking and is therefore not authorized for use on public highways in the area of the European Union.



**SEG IV C, spare parts and accessories**

**7.02**

**SEG IV DLX, DL, D, spare parts and accessories**

**7.03**

**SEG IV AL, A, spare parts and accessories**

**7.04**

**SEG-Economy D and spare parts**

**7.05**

**Spare parts for SEG III**

**7.05**



Part no.	Pk.	<b>Beamsetters for testing all types of headlights systems</b>		
		<p><b>SEG IV DLX</b> With digital luxmeter. The laser positioning aid makes precise alignment of the beamsetter box to the headlight possible. This means that bulbs can be sighted directly, particularly for free-form headlights. Eccentric axle and spirit level to compensate uneven surfaces. With a deflection mirror to enable the test monitor to be seen from behind.</p>		
	<p>8PA 007 732-083</p>	1	<p><b>SEG IV DLX</b> <b>Contents:</b> <b>beamsetter box, broad-band sight and wheel-mounted base</b></p>	
		<p>8XT 861 234-003</p>	1	<p><b>Column</b></p>
		<p>8PA 007 732-093</p>	1	<p><b>Same as SEG IV DLX, but without eccentric axle and spirit level</b></p>
		<p>8PA 007 732-093</p>	1	<p><b>SEG IV DL</b> <b>Contents:</b> <b>beamsetter box, broad-band sight and wheel-mounted base</b></p>
		<p>8XT 861 234-003</p>	1	<p><b>Column</b></p>
		<p>8PA 007 732-103</p>	1	<p><b>Same as SEG IV DLX, but without eccentric axle, spirit level and laser positioning aid</b></p>
		<p>8PA 007 732-103</p>	1	<p><b>SEG IV D</b> <b>Contents:</b> <b>beamsetter box, broad-band sight and wheel-mounted base</b></p>
		<p>8XT 861 234-003</p>	1	<p><b>Column</b></p>
		<p>8PL 863 005-001</p>	1	<p><b>Spare parts:</b> Luxmeter</p>
		<p>9ST 863 241-001</p>	1	<p>Switch for luxmeter</p>
		<p>9EV 861 038-001</p>	1	<p>Window for console</p>
		<p>9ST 861 074-001</p>	1	<p>Button</p>
		<p>8PV 861 112-001</p>	1	<p>Broad-band sight without holder</p>
		<p>9SG 855 498-001</p>	1	<p>Handwheel for sight holder</p>
		<p>9SG 855 454-011</p>	5	<p>Handwheel for fixing the column in place</p>
		<p>8XT 861 234-001</p>	1	<p>Column</p>
		<p>9XD 857 744-001</p>	1	<p>Clamp for column</p>
		<p>9XS 862 004-001</p>	1	<p>Set of wheels (3 pieces)</p>
		<p>9XS 861 127-051</p>	1	<p>Red cover, with deflection mirror and attachment material</p>
		<p>Further spare parts are available. Replacement requires readjustment of the beamsetter. This is carried out by a specially equipped Hella agency or wholesaler.</p>		

	Part no.	Pk.	<b>Beamsetters</b>
	8PA 007 732-003	1	<b>SEG IV AL</b> With analogue display and deflection mirror to enable the test monitor to be seen from behind. The laser positioning aid makes precise alignment of the beamsetter box to the headlight possible. This means that bulbs can be sighted directly, particularly for free-form headlights. <b>SEG IV AL</b> <b>Contents: beamsetter box, broad-band sight and wheel-mounted base</b>
	8XT 861 234-003	1	<b>Column</b> <hr/> <b>Same as SEG IV AL, jedoch without laser positioning aid.</b>
	8PA 007 732-013	1	<b>SEG IV A</b> <b>Contents: beamsetter box, broad-band sight and wheel-mounted base</b>
	8XT 861 234-003	1	<b>Column</b>
	8PL 861 660-001	1	<b>Spare parts:</b> Lux-/Voltmeter
	9EV 861 038-001	1	Window for console
	9ST 861 074-001	1	Button
	8PV 861 112-001	1	Broad-band sight without holder
	9SG 855 498-001	1	Handwheel for sight holder
	9SG 855 454-011	5	Handwheel for fixing the column in place
8XT 861 234-001	1	Column	
9XD 857 744-001	1	Clamp for column	
9XS 862 004-001	1	Set of wheels (3 pieces)	
9XS 861 127-051	1	Red cover, with deflection mirror and attachment material  Further spare parts are available. Replacement requires readjustment of the beamsetter. This is carried out by a specially equipped Hella agency or wholesaler.	
	8PD 860 755-001	1	<b>Accessories:</b> <b>Adjusting device</b> Adjusting device for all beamsetters. <b>Adjusting device</b>
	9XS 861 736-001	1	<b>Rail kit for SEG IV</b> For workshops with a large vehicle volume, it makes sense to mount the beamsetter on rails. The recommended rail length is min. 3 m. <b>Rail kit, 1,5 m with fixing materials</b>
	8XS 002 500-011	1	<b>Protective hood</b> Protects beamsetter from dust, dirt and moisture when not in use. <b>Protective hood</b>


	<b>Part no.</b>	<b>Pk.</b>	<b>Beamsetters</b>
			<b>Economy</b> With wheel-mounted base, broad-band sight and luxmeter. Red beamsetter box.
	8PA 006 796-031	1	<b>SEG-Economy D with digital display</b>
	8PA 006 796-041	1	<b>with silver beamsetter box and sight and base painted in an anthracite colour.</b>
	9EV 859 051-011	1	<b>Spare parts:</b> Window for console ->04/06  Further spare parts are available. Replacement requires readjustment of the beamsetter. This is carried out by a specially equipped Hella agency or wholesaler.

## Spare parts for old-type beamsetters

### SEG III

Part no.	Pk.	Description	Part no.	Pk.	Description
9SG 855 454-011	5	Handwheel for fixing the column in place	9EL 857 597-001	1	Fresnel lens *)
8XT 857 740-001	1	Column	9EV 857 067-011	1	Protective glass cover for fresnel lens *)
9XD 857 744-001	1	Clamp for column	9XS 857 588-001	1	Column guide *)
8PV 855 390-001	1	Broad-band sight *)	8PL 859 418-001	1	Luxmeter with test screen *)
9SG 855 498-001	1	Handwheel for sight holder	9XS 854 769-001	1	Set of wheels for wheel-mounted base
9EV 855 455-001	1	Window for console	9XS 855 646-001	1	Set of wheels for rail-mounted base
9ST 855 447-001	1	Button for beamsetter box brake			
9XD 857 579-001	10	Clamp for beamsetter box brake			
9XS 857 585-001	10	Clamp with axle for beamsetter box brake			


\*) Replacement of these spare parts requires readjustment of the beamsetter. This is carried out by a specially equipped Hella agency or wholesaler.





<b>Bulb overview</b>	8.02
<b>Bulb sets</b>	8.03-8.05
<b>Assortments of bulbs for garages</b>	8.06
<b>Bulbs for headlights</b>	8.07-8.11
<b>Bulbs for signal lights</b>	8.12-8.18
<b>Bulb with glass socket</b>	8.18
<b>Bulbs with plastic sockets for dashboard and interior lighting</b>	8.18-8.21
<b>Bulb holders</b>	8.22
<b>Connectors</b>	8.22
<b>Explanations</b>	
<p><b>+ 50</b> = up to 50% more light. Better detection of hazards and obstacles</p> <p><b>Blue Light</b> = Xenon-look bulbs</p> <p><b>Yellow Light</b> = Lower subjective self-glare in rain, snow and fog</p> <p><b>Double Power</b> = Service life increased by up to 100%. For commercial vehicles</p> <p><b>Heavy Duty</b> = Particularly resistant to blows and vibrations</p> <p><b>Long Life</b> = Service life increased by up to 100%</p>	

# Bulb overview for Cars and Trucks



	Part no.	Pk.	Bulb sets
	8GH 007 157-901	1	<p><b>For 12V vehicles with H7 lighting.</b></p> <p><b>Contains:</b>            1 each of            12V55W (H7)            12V21/5W (P21/5W)            12V21/4W (P21/4W)            12V21W (P21W)            12V21W (PY21W)            12V5W (R5W)            12V5W (W5W)            12V5W (C5W)</p> <p>Blade-type fuses 10A, 15A and 30A</p> <p><b>H7 bulb set, 12V</b></p> <hr/> <p><b>Contains:</b>            1 each of            12V55W (H7)            12V21/5W (P21/5W)            12V21W (P21W)            12V5W (R5W)            12V5W (W5W)            12V5W (C5W)</p> <p>Blade-type fuses 10A, 15A and 30A</p>
	8GH 007 157-913	1	<p><b>H7 bulb set, 12V</b></p> <hr/> <p><b>Contains:</b>            1 each of            12V55W (H7)            12V21W (P21W)            12V5W (R5W)            12V4W (T4W)</p> <p>Blade-type fuses 10A, 15A and 30A</p>
	8GH 007 157-941	1	<p><b>H7 Mini bulb set, 12V</b></p> <hr/> <p><b>For 12V vehicles with H7 lighting.</b></p> <p><b>Contains:</b>            2 each of            24V70W (H7)            24V21/5W (P21/5W)            24V21W (P21W)            24V10W (R10W)            24V5W (W5W)            24V5W (C5W)</p> <p>2 each of blade-type fuses            10A, 15A and 30A</p> <p><b>H7 bulb set, 24V</b></p>
	8GH 007 157-921	1	<p><b>For 12V vehicles with H7/HB3 lighting.</b></p> <p><b>Contains:</b>            1 each of            12V55W (H7)            12V60W (HB3)            12V21/5W (P21/5W)            12V21W (P21W)            12V21W (PY21W)            12V5W (R5W)            12V5W (W5W)            12V5W (C5W)</p> <p>Blade-type fuses 10A, 15A and 30A</p> <p><b>H7/HB3 bulb set, 12V</b></p>

	Part no.	Pk.	Bulb sets
	8GH 007 157-951	1	<p><b>For 12V vehicles with H7/H1 lighting.</b></p> <p><b>Contains:</b>            1 each of            12V55W (H7)            12V55W (H1)            12V21W (P21W)            12V21W (PY21W)            12V5W (R5W)            12V5W (W5W)            12V5W (C5W)</p> <p>Blade-type fuses 10A, 15A and 30A</p> <p><b>H7/H1 bulb set, 12V</b></p>
	8GJ 002 525-913	1	<p><b>For 12V vehicles with H4 lighting.</b></p> <p><b>Contains:</b>            1 each of            12V60/55W (H4)            12V21/5W (P21/5W)            12V21W (P21W)            12V5W (R5W)            12V4W (T4W)</p> <p>Blade-type fuses 10A, 15A and 30A</p> <p><b>H4 bulb set, 12V</b></p>
	8GJ 002 525-971	1	<p><b>Contains:</b>            1 each of            12V60/55W (H4)            12V21W (P21W)            12V5W (R5W)            12V4W (T4W)</p> <p>Blade-type fuses 10A, 15A and 30A</p> <p><b>H4 Mini bulb set, 12V</b></p>
	8GJ 002 525-941	1	<p><b>For 24V vehicles with H4 lighting.</b></p> <p><b>Contains:</b>            2 each of            24V75/70W (H4)            24V21/5W (P21/5W)            24V21W (P21W)            24V10W (R10W)            24V5W (C5W)            24V4W (T4W)</p> <p>2 each of blade-type fuses            10A, 15A and 30A</p> <p><b>H4 bulb set, 24V</b></p>

	Part no.	Pk.	Bulb sets
	8GH 002 089-921	1	<p><b>For 12V vehicles with H1 light.</b></p> <p><b>Contains:</b>            1 each of            12V55W (H1)            12V21/5W (P21/5W)            12V21W (P21W)            12V5W (R5W)            12V5W (C5W)            12V4W (T4W)</p> <p>Blade-type fuses 10A, 15A and 30A</p> <p><b>H1 bulb set, 12V</b></p> <hr/> <p><b>Contains:</b>            1 each of            12V55W (H1)            12V21W (P21W)            12V5W (R5W)            12V4W (T4W)</p> <p>Blade-type fuses 10A, 15A and 30A</p>
	8GH 002 089-931	1	<p><b>For 24V vehicles with H1 light.</b></p> <p><b>Contains:</b>            2 each of            24V70W (H1)            24V21/5W (P21/5W)            24V21W (P21W)            24V10W (R10W)            24V5W (C5W)            24V4W (T4W)</p> <p>2 each of blade-type fuses            10A, 15A and 30A</p> <p><b>H1 bulb set, 24V</b></p>

	Part no.	Pk.	Assortments of bulbs for garages
			<p><b>For cockpit-dashboards and interior lighting</b></p> <p><b>Contains:</b>            10 each of            8GA 007 997-101, B 10d, 12V3W            8GA 007 997-111, B 10d, 12V5W            8GA 007 997-121, BX 8.4d, 12V1.2W            8GA 007 997-041, B 8.3d, 12V1.2W            8GA 007 997-001, B 8.3d, 12V2W            8GA 007 997-141, BX 8.4d, 12V1.5W            8GA 007 997-031, B 8.5d, 12V1.2W            8GA 007 997-081, B 8.5d, 12V2W            8GA 007 997-051, BX 8.7d, 12V1.2W            8GA 007 997-091, BX 8.7d, 12V2W</p>
	8GA 007 997-901	1	<p><b>Assortment of bulbs for garages 1, 12V</b></p> <hr/> <p><b>Contains:</b>            10 each of            8GA 007 997-131, BX 8.4d, 12V1.3W            8GS 006 677-121, BX 8.5d, 12V2W            8GA 007 997-171, BX 8.4d, 12V1.2W            8GA 007 997-151, BX 8.5d, 12V0.36W            8GA 007 997-161, B 8.5d, 12V1.5W            8GA 007 997-211, BX 8.5d, 12V1.2W            8GA 007 997-221, BX 8.5d, 12V2W            8GA 007 997-231, BG 8.5 - 5.5d, 12V1.2W            8GA 007 997-241, BG 8 - 5.5d, 12V1.2W            8GA 007 997-251, B 8.5 S - 4d, 12V1.2W</p>
	8GA 007 997-911	1	<p><b>Assortment of bulbs for garages 2, 12V</b></p> <hr/> <p><b>Contains:</b>            10 each of            8GP 002 095-241, W 2x4.6d, 24V1.2W (W5/1.2)            8GA 007 997-181, W 2x4.6d, 24V2W            8GP 003 594-241, W 2.1x9.5d, 24V3W (W3W)            8GA 008 901-241, W 2.1x9.5d, 24V2W            8GP 003 594-251, W 2.1x9.5d, 24V5W (W5W)            8GA 007 997-061, B 8.3d, 24V1.2W            8GA 007 997-071, B 8.5d, 24V1.2W            8GA 007 997-261, BX 8.5d, 24V1.2W            8GA 007 997-191, EBS R4, 24V1.2W            8GA 007 997-201, EBS R6, 24V1.2W</p>
	8GA 007 997-921	1	<p><b>Assortment of bulbs for garages 3, 24V</b></p>

Part no.	Pk.	Philips part no.	Osram part no.	Bulbs for headlights	
	8GS 009 028-001	1	85410	66142	<b>Gas discharge bulb for headlights, driving lights and work lights</b>  <b>D1S, bulb cap PK 32 d-2, 12/24V35W</b>
	8GS 007 949-101	1	85122	66240	<b>Gas discharge bulb for headlights, driving lights and work lights</b>  <b>D2S, bulb cap P 32 d-2, 12/24V35W</b>
	8GS 007 001-121	1	85126	66250	<b>Gas discharge bulb for headlights</b>  <b>D2R, bulb cap P 32 d-3, 12/24V35W</b>
	8GJ 008 837-121	1	-	-	<b>For H13 headlights (2-headlight system)</b>  <b>H13, ECE-R 37, lampvoet P 26.4T, 12V60/55W</b>
	8GH 008 358-121 8GH 008 358-151 8GH 008 358-181  8GH 008 358-241 8GH 008 358-251	1 1 1  1 1	12362    - -	64211    - 64216 LTS	<b>For H11 headlights</b>  <b>H11, ECE-R 37, bulb cap PGJ 19-2, 12V55W</b> 12V55W H11 + 30 12V55W blue *)  24V70W 24V70W Double Power



\*) Convert in pairs only

	Part no.	Pk.	Philips part no.	Osram part no.	Bulbs for headlights
	8GH 008 357-001	1	12361	64213	<b>For H9-headlights and driving lights</b>  <b>H9, ECE-R 37, bulb cap PGJ 19-5,</b> 12V65W 12V65W H9 + 30
	8GH 008 357-151	1			
	8GH 008 356-121	1	12360	64212	<b>For H8-headlights</b>  <b>H8, ECE-R 37, bulb cap PGJ 19-1,</b> 12V35W 12V35W Blue Light *)
	8GH 008 356-181	1			
	8GH 007 157-121	1	12972	64210	<b>For H7 headlights and fog lights</b>  <b>H7, ECE-R 37, bulb cap PX 26 d,</b> 12V55W 12V55W blue *) 12V55W Long Life 12V55W H7 + 50 *) 12V55W yellow 12V55W set H7 + 50 *) 24V70W 24V70W Double Power
	8GH 007 157-181	1	12972BV	64210CB	
	8GH 007 157-201	1	12972LL	64210L	
	8GH 007 157-471	1	12972VP	64210VS	
	8GH 007 157-481	1	-	-	
	8GH 007 157-801	1	12972VP	-	
	8GH 007 157-241	1	13972	64215	
	8GH 007 157-231	1	13972HDLL	64215LTS	
	8GJ 002 525-131	1	12342	64193	<b>For H4 headlights</b>  <b>H4, ECE-R 37, bulb cap P 43 t-38,</b> 12V60/55W 12V60/55W 12V60/55W H4 + 30 Long Life *) 12V60/55W H4 + 50 *) 12V60/55W H4 + 50, set *) 12V60/55W 10 sets H4 + 50 *) 12V60/55W blue *) 12V60/55W blue, set *) 12V60/55W Heavy Duty 12V60/55W Long Life 12V60/55W yellow 24V75/70W 24V75/70W 24V75/70W Heavy Duty 24V75/70W Double Power
	8GJ 002 525-133	1	12342	64193	
	8GJ 002 525-001	1	12342PR	-	
	8GJ 002 525-471	1	12342VP	64193VS	
	8GJ 002 525-821	1	12342VP	-	
	8XS 002 525-961	1	-	-	
	8GJ 002 525-361	1	12342BV	64193CB	
	8GJ 002 525-801	1	12342BV	64193CB	
	8GJ 002 525-301	1	12342HD	64193	
	8GJ 002 525-481	1	12342LL	64193L	
	8GJ 002 525-341	1	-	-	
	8GJ 002 525-251	1	13342	64196	
	8GJ 002 525-253	1	13342	64196	
	8GJ 002 525-281	1	13342HD	64196	
8GJ 002 525-511	1	13342HOLL	64196LTS		
	8GJ 004 173-121	1	-	-	<b>H4, ECE-R 37, bulb cap P 45t,</b> 12V60/55W 24V75/70W
	8GJ 003 133-242	1	13555	-	





\*) Convert in pairs only

Part no.	Pk.	Philips part no.	Osram part no.	Bulbs for headlights
8GH 005 636-201	1	-	9006XS	<b>For HB4a dipped-beam headlights</b> <b>HB4a, ECE-R 37, bulb cap P 22 d, 12V51W</b>
8GH 005 636-121	1	9006	9006	<b>For HB4 dipped-beam headlights</b> <b>HB4, ECE-R 37, bulb cap P 22 d, 12V51W</b>
8GH 005 635-161	1	-	9005XS	<b>For HB3a main-beam headlights</b> <b>HB3a, ECE-R 37, bulb cap P 20 d, 12V60W</b>
8GH 005 635-121 8GH 005 635-181	1 1	9005 9005PR	9005 -	<b>For HB3 main-beam headlights</b> <b>HB3, ECE-R 37, bulb cap P 20 d, 12V60W</b> <b>12V60W Long Life</b>
8GH 002 090-133 8GH 002 090-371 8GH 002 090-481 8GH 002 090-251 8GH 002 090-253 8GH 002 090-471	1 1 1 1 1 1	12336 12336BV - 13336 13336 13336HDLL	64151 64151CB - 64156 64156 64156LTS	<b>For H3 dipped-beam headlights, driving, fog and work lights</b> <b>H3, ECE-R 37, bulb cap PK 22 s,</b> <b>12V55W</b> <b>12V55W blue light *)</b> <b>12V55W yellow light</b> <b>24V70W</b> <b>24V70W</b> <b>24V70W Double Power</b>

\*) Convert in pairs only

Part no.	Pk.	Philips part no.	Osram part no.	Bulbs for headlights
				<b>Bulbs for headlights</b>  <b>For H2 driving and fog lights</b>  <b>H2, DIN 72 601, bulb cap X 511</b> 12V55W 24V70W
				<b>For H1 headlights, fog lights and rotating beacons</b>  <b>H1, ECE-R 37, bulb cap P 14,5 s,</b> 12V55W 64150CB 12V55W blue light *) - 12V55W yellow light 64150L 12V55W Long Life 64150SVS 12V55W H1 + 50 *) - 12V55W set H1 + 50 *) 64155 24V70W 64155 24V70W - 24V70W Heavy Duty 64155LTS 24V70W Double Power
				<b>For asymmetrical R2 headlights</b>  <b>R2, ECE-R 37, bulb cap P 45 t-41,</b> 7950 6V45/40W 7951 12V45/40W 7952 24V55/50W
				<b>For symmetrical S1 headlights (for two wheeled vehicles)</b>  <b>S1, ECE-R 37, bulb cap BA 20 d,</b> 7323 6V25/25W 7326 12V25/25W
				<b>For symmetrical S2 headlights</b>  <b>S2, ECE-R 37, bulb cap BA 20 d,</b> 7324 6V35/35W 7327 12V35/35W - 12V45/40W - 24V45/40W

\*) Convert in pairs only

Part no.	Pk.	Philips part no.	Osram part no.	Bulbs for headlights
	<p>8GA 008 899-061 10</p> <p>8GA 008 899-121 10</p>	<p>7008</p> <p>12008</p>	<p>7130</p> <p>7135</p>	<p><b>For S3 driving lights for two wheeled vehicles</b></p> <p><b>S3, ECE-R 37, bulb cap P 26 s,</b> 6V15W 12V15W</p>
	<p>8GA 002 083-131 1</p> <p>8GA 002 083-251 1</p>	<p>12227</p> <p>13227</p>	<p>7309</p> <p>7409</p>	<p><b>For F2 work lights, fog lights, rear fog lights and reversing lights</b></p> <p><b>F2, DIN 72 601, bulb cap BA 20 s,</b> 12V35W 24V35W</p>
	<p>8GH 008 417-001 1</p> <p>8GH 008 417-012 1</p>	<p>-</p> <p>24356</p>	<p>-</p> <p>64138</p>	<p><b>For indicator lights</b></p> <p><b>H21W, ECE-R 37, bulb cap BAY 9 s,</b> 12V21W Long Life 24V21W</p>
	<p>8GP 002 067-061 10</p> <p>8GP 002 067-121 10</p> <p>8GP 002 067-281 10</p> <p>8GP 002 067-011 10</p> <p>8GP 002 067-241 10</p> <p>8GP 002 067-261 10</p>	<p>6929</p> <p>12929</p> <p>12929CC</p> <p>12929BLS2</p> <p>13929</p> <p>13929HD</p>	<p>3892</p> <p>3893</p> <p>3893D</p> <p>3893CB</p> <p>3930</p> <p>3930LTS</p>	<p><b>For side lights</b></p> <p><b>T4W, ECE-R 37, bulb cap BA 9 s,</b> 6V4W 12V4W 12V4W Long Life 12V4W blue light *) 24V4W 24V4W Heavy Duty</p>





\*) Convert in pairs only

Part no.	Pk.	Philips part no.	Osram part no.	Bulbs for signal lights	
	8GA 002 074-121 8GA 002 074-241	1 1	- -	7569 7669	<b>Bulbs for signal lights</b>  <b>For rotating beacons</b>  <b>U, DIN 72 601, bulb cap BA 15 s,</b> 12V45W 24V45W
	8GD 002 078-121 8GD 002 078-221 8GD 002 078-241 8GD 002 078-011	10 10 10 10	12499 12499LL 13499 13499HD	7528 7528L 7537 -	<b>For rear-stop or rear-indicator lights</b>  <b>P21/5W, ECE-R 37, bulb cap BAY 15 d,</b> 12V21/5W 12V21/5W Long Life 24V21/5W 24V21/5W Heavy Duty
	8GD 004 772-121 8GD 004 772-151	10 10	12594 12594LL	7225 -	<b>For rear and stop lights</b>  <b>P21/4W, ECE-R 37, bulb cap BAZ 15 d,</b> 12V21/4W 12V21/4W Long Life
	8GD 008 893-002	10	12066	7515	<b>For rear and stop lights</b>  <b>W21/5W, bulb cap W 3 x 16 g</b> 12V21/5W
	8GA 002 073-121 8GA 002 073-271 8GA 002 073-241 8GA 002 073-251	10 10 10 10	12498 12498LL 13498 13498HD	7506 7506D 7511 7511LTS	<b>For indicator, stop, rear fog and reverse lights</b>  <b>P21W, ECE-R 37, bulb cap BA 15 s,</b> 12V21W 12V21W Long Life 24V21W 24V21W Heavy Duty








\*) Convert in pairs only

Part no.	Pk.	Philips part no.	Osram part no.	Bulbs for signal lights
	10	12496	7507	<b>For indicator lights</b> <b>PY21W, ECE-R 37, bulb cap BAU 15 s,</b> 12V21W amber
	1	12496SV	7507LDA	12V21W Magic Star (2 pieces)
	10	13496	-	24V21W amber
	10	13496HDLL	7510LTS	24V21W amber Heavy Duty
	(older types)			<b>For indicator and stop lights</b> <b>R, DIN 72 601, bulb cap BA 15 s,</b> 12V18W
	10	12445	7527	24V18W
	10	12821	5007	<b>For rear, license plate, side, clearance and interior lights</b> <b>R5W, ECE-R 37, bulb cap BA 15 s,</b> 12V5W
	10	12821LL	5007L	12V5W Long Life
	10	13821	5627	24V5W
	10	13821HD	5627LTS	24V5W Heavy Duty
	10	12822	5407	<b>bulb cap BA 15 d,</b> 24V5W
	10	12814	5008	<b>For rear, license plate, side, clearance and interior lights</b> <b>R10W, ECE-R 37, bulb cap BA 15 s,</b> 12V10W
	10	-	5008L	12V10W Long Life
	10	13814	5637	24V10W
	10	13814HD	5637LTS	24V10W Heavy Duty
	1	12025	64115	<b>For reverse, interior and reading lights</b> <b>YL, bulb cap BA 9s,</b> 12V20W
	1	12023	64111	12V5W
	10	12036	64132	<b>For halogen side lights and daytime running lights</b> <b>H6W, ECE-R 37, bulb cap BAX 9 s,</b> 12V6W
	10	-	64132D	12V6W Long Life

Part no.	Pk.	Philips part no.	Osram part no.	Bulbs for signal lights
	<b>8GH 008 417-001</b> <b>8GH 008 417-012</b>	1 12356LL 1 24356	- 64138	<b>For indicator lights</b>  <b>H21W, bulb cap BAY 9 s,</b> 12V21W 12V21W
	<b>8GM 002 091-121</b> <b>8GM 002 091-241</b>	10 12807 10 13807	6475 6480	<b>For stop and indicator lights</b>  K, DIN 72 601, bulb cap SV 8,5, 12V18W 24V18W
	<b>8GM 002 092-121</b> <b>8GM 002 092-171</b> <b>8GM 002 092-241</b>	10 12844 10 12844LL 10 13844	6418 6418L 6423	<b>For rear, licence plate, side, clearance and interior lights</b>  <b>C5W, ECE-R 37, bulb cap SV 8,5,</b> 12V5W 12V5W Long Life 24V5W
	<b>8GM 002 091-131</b> <b>8GM 002 091-251</b>	10 12866 10 13866	6411 6429	<b>For signal and sundry lights</b>  <b>K, DIN 72 601, bulb cap SV 8,5,</b> 12V10W 24V10W
	(older types)  <b>8GM 002 091-141</b> <b>8GM 002 091-261</b> <b>8GM 002 091-121</b>	10 12850 10 13850 10 12807	6451 6453 6475	<b>For reverse lights</b>  <b>Bulb cap SV 8,5,</b> 12V15W 24V15W 12V18W
	<b>8GM 002 091-181</b>	10 12803	6476	<b>C21W, ECE-R 37, bulb cap SV 8,5,</b> 12V21W

Part no.	Pk.	Philips part no.	Osram part no.	Bulbs for signal lights	
	8GM 002 094-121	10	12818	6428	<b>Bulbs for signal lights</b>  <b>For signal and sundry lights</b>  <b>M, bulb cap SV 7-8,</b> 12V3W 24V3W
	8GM 002 094-241	10	13818	6430	
	8GP 002 067-061	10	6929	3892	<b>For interior and reading lights</b>  <b>T4W, ECE-R 37, bulb cap BA 9 s,</b> 6V4W 12V4W 12V4W Long Life 12V4W blue light *) 24V4W 24V4W Heavy Duty
	8GP 002 067-121	10	12929	3893	
	8GP 002 067-281	10	12929LL	3893D	
	8GP 002 067-011	10	12929BV	3893CB	
	8GP 002 067-241	10	13929	3930	
	8GP 002 067-261	10	13929HD	3930LTS	
	8GP 007 676-121	10	12052	3886X	<b>For interior and reading lights</b>  <b>Xenon, T6W, ECE-R37, bulb cap BA 9 s,</b> 12V6W
	8GP 008 285-001	1	-	-	<b>For reading lights and hand lamps</b>  <b>Xenon, bulb cap BA 9 s,</b> 24V7,5W
	8GP 002 068-121	10	12913	3796	<b>For interior lights and dashboard lighting</b>  <b>H, (T2W/T3W)</b> <b>DIN 49 715, bulb cap BA 9 s,</b> 12V2W 12V3W 24V2W
	8GP 002 068-131	10	12910	3894	
	8GP 002 068-241	10	13913	3797	

\*) Convert in pairs only

Part no.	Pk.	Philips part no.	Osram part no.	Bulbs for signal lights
 8GP 002 096-061	10	-	-	<b>Bulbs for signal lights</b> <b>For hazard warning flasher lights</b> <b>B2,4W, DIN 49 848, bulb cap EP 10, 6V2,4W</b>
 8GP 002 066-121 8GP 002 066-241	10 10	- -	- -	<b>For warning lights and switches</b> <b>J, DIN 72 601, bulb cap BA 7 s, 12V2W 24V3W</b>
 8GA 008 246-001	10	12067	921	<b>For side lights</b> <b>W16W, ECE-R 37, bulb cap W 2,1 x 9,5 d, 12V16W</b>
 8GA 008 892-002	10	12065	7505	<b>For stop lights</b> <b>W21W, ECE-R 37, bulb cap W 3 x 16 d, 12V21W</b>
 8GP 003 594-141 8GP 003 594-241	10 10	12256 13256	2821 2841	<b>For side lights and numberplate lights</b> <b>W3W, ECE-R37, bulb cap W 2,1 x 9,5 d, 12V3W 24V3W</b>
 8GP 003 594-121 8GP 003 594-261 8GP 003 594-251	10 1 10	12961 12961BV 13961	2825 2825CB 2845	<b>W5W, ECE-R 37, bulb cap W 2,1 x 9,5 d, 12V5W 12V5W blue light *) 24V5W</b>
 8GP 003 594-002	10	-	-	<b>W6W, bulb cap W 2,1 x 9,5 d, 12V6W</b>
 8GA 008 901-241	10	7779	2840	<b>For dashboard lighting</b> <b>Bulb cap W 2,1 x 9,5 d, 24V2W</b>

\*) Convert in pairs only

Part no.	Pk.	Philips part no.	Osram part no.	Bulbs for signal lights
	10	12396	2827	<b>Bulbs for signal lights</b>  <b>For side lights</b>  <b>WY5W, ECE-R 37,</b> <b>bulb cap W 2,1 x 9,5 d,</b> 12V5W amber
	10	12071	7504	<b>For indicator lights</b>  <b>WY21W, ECE-R 37,</b> <b>bulb cap W 3 x 16 d,</b> 12V21W amber
	10 10	12516 13516	2721 2741	<b>For warning lights and switches</b>  <b>W1,2W, DIN 72 601,</b> <b>bulb cap W 2 x 4,6 d,</b> 12V1,2W 24V1,2W
	10	12061	2723	<b>For safety brake lights</b>  <b>W2,3W, ECE-R 37,</b> <b>bulb cap W 2 x 4,6 d,</b> 12V2,3W
	1 1	- -	- -	<b>Fluorescent tubes</b>  <b>For ceiling lights</b>  <b>TL, bulb cap G5/11x15</b> Light flux 450 lm, 4000 Kelvin, 8W, Light colour 25, cold white Light flux > 300 lm, 2950 Kelvin, 8W, Light colour 32, soft glow
	1	-	-	<b>For ceiling lights</b>  <b>TL, bulb cap G5/11x15,</b> Light flux 850 lm, 3450 Kelvin, 13W, Light colour 35, white

	Part no.	Pk.	Philips part no.	Osram part no.	Bulbs for signal lights
	8GS 861 955-001	1	-	-	<b>Fluorescent tubes</b>
	8GS 861 955-011	1	-	-	<b>For interior lights</b>
	8GS 861 955-021	1	-	-	<b>PL, bulb cap 2G7,</b> 12V/24V7W, 4000Kelvin, cold white, 113 mm, 12V/24V9W, 4000 Kelvin, cold white, 144 mm 12V/24V11W, 4000 Kelvin, cold white, 212 mm 12V/24V11W, 2700 Kelvin, cold white, 212 mm
	8GS 861 955-031	1	-	-	
	8GA 007 997-181	10	13974	-	<b>Bulb with glass cap</b>
					<b>For dashboard lighting</b>
					<b>Bulb cap W 2 x 4,6 d,</b> 24V2W
	8GA 007 997-001	10	-	2722MF8	<b>Bulbs with plastic sockets for dashboard and interior lighting</b>
					<b>Bulb cap B 8,3 d, white,</b> 12V2W
	8GA 007 997-011	10	-	-	<b>Bulb cap W 2 x 4,6 d, white,</b> 12V1,2W
	8GA 007 997-021	10	13521	-	<b>Bulb cap W 2 x 4,6 d, white,</b> 24V1W
	8GA 007 997-031	10	12597	2721MF	<b>Bulb cap B 8,5 d, black,</b> 12V1,2W
	8GA 007 997-041	10	12597	2721MF8	<b>Bulb cap B 8,3 d, black,</b> 12V1,2W
	8GA 007 997-051	10	-	2721 MF8W	<b>Bulb cap B 8,7 d, grey,</b> 12V1,2W

	Part no.	Pk.	Philips part no.	Osram part no.	<b>Bulbs with plastic sockets for dashboard and interior lighting</b>
	8GA 007 997-061	10	13598	2741MF8	<b>Bulb cap B 8,3 d, grey, 24V1,2W</b>
	8GA 007 997-071	10	13597	2741MF	<b>Bulb cap B 8,5 d, grey, 24V1,2W</b>
	8GA 007 997-081	10	12600	2722MFX	<b>Bulb cap B 8,5 d, green, 12V2W</b>
	8GA 007 997-091	10	-	-	<b>Bulb cap B 8,7 d, green, 12V2W</b>
	8GA 007 997-101	10	-	64122MF	<b>Bulb cap B 10 d, brown, mini-halogen, 12V3W</b>
	8GA 007 997-111	10	-	64124MF	<b>Bulb cap B 10 d, black, mini-halogen, 12V5W</b>
	8GA 007 997-121	10	-	2351 MFx6	<b>Bulb cap BX 8,4 d, black, 12V1,2W</b>
	8GA 007 997-131	10	12628	-	<b>Bulb cap BX 8,4 d, green, 12V1,3W</b>

	Part no.	Pk.	Philips part no.	Osram part no.	Bulbs with plastic sockets for dashboard and interior lighting
	8GA 007 997-141	10	12627	2452 MFX6	<b>Bulb cap BX 8,4 d, beige,</b> 12V1,5W
	8GA 007 997-151	10	12640	2322MFX	<b>Bulb cap BX 8,5 d, blue violet,</b> 12V0,36W
	8GA 007 997-161	10	12637	2752MF	<b>Bulb cap B 8,5 d, beige,</b> 12V1,5W
	8GA 007 997-171	10	12624	2473 MFX6	<b>Bulb cap BX 8,4 d, amber,</b> 12V1,1W
	8GA 007 997-191	10	-	-	<b>Bulb cap EBS R4, yellow,</b> 24V1,2W
	8GA 007 997-201	10	-	-	<b>Bulb cap EBS R6, brown,</b> 24V1,2W
	8GA 007 997-211	10	-	-	<b>Bulb cap BX 8,5 d, light blue,</b> 12V1,2W
	8GA 007 997-221	10	-	-	<b>Bulb cap BX 8,5 d, light green,</b> 12V2W

	Part no.	Pk.	Philips part no.	Osram part no.	Bulbs with plastic sockets for dashboard and interior lighting
	8GA 007 997-231	10	-	-	Bulb cap BG 8,5 - 5,5 d, black, 12V1,2W
	8GA 007 997-241	10	-	-	Bulb cap SG 8 - 5,5 d, black, 12V1,2W
	8GA 007 997-251	10	-	-	Bulb cap B 8,5 S - 40, black, 12V1,2W
	8GA 007 997-261	10	24032	-	Bulb cap BX 8,5 d, brown, 24V1,2W
	8GA 007 997-272	10	-	-	Bulb cap EBS N10, beige, 24V1,2W
	8GS 006 677-121	10	-	2352 MFX6	Bulb cap BX 8,4 d, weiß-grün, 12V2W

	<b>Part no.</b> <b>9FF 085 081-001</b>	<b>Pk.</b> <b>10</b>	<b>Bulb holders</b> <b>Bulb cap BA 15 s, 1-pole,</b> DIN 49 725, blade terminal contacts
	<b>9FF 138 324-001</b>	<b>10</b>	<b>Bulb cap BA 15 s, 1-pole,</b> blade terminal contacts
	<b>9FF 133 025-007</b>	<b>20</b>	<b>Bulb cap BA 15 s, 1-pole,</b> screw-type contacts
	<b>9FF 071 116-001</b>	<b>10</b>	<b>Bulb cap BAY 15 d, 2-pole,</b> screw-type contacts
	<b>9FF 078 830-001</b>	<b>10</b>	<b>Bulb cap BA 9 s, 1-pole,</b>
	<b>9FF 042 509-001</b>	<b>10</b>	<b>Bulb cap BA 7 s, 1-pole,</b> blade terminal contacts
<b>9FF 135 906-021</b>	<b>10</b>	<b>Bulb cap X 511,</b> blade terminal contacts	
	<b>8JA 001 909-001</b>	<b>10</b>	<b>Connectors</b> <b>Connector for H4- or RL-bulbs.</b> For cable cross-section. 2,5 sq. mm. Cable connection via clamping, can be released via push-buttons.
	<b>8JA 001 909-011</b>	<b>10</b>	<b>3-pole connector,</b> <b>without earthing cable</b>
	<b>8JA 001 914-011</b>	<b>10</b>	<b>with earthing cable 130 mm long</b>
	<b>8KB 863 949-001</b>	<b>1</b>	<b>Plug with preinstalled leads and</b> <b>butt connectors for H1 bulbs.</b> To fit leads with max. cross-section up to 1.0 mm <sup>2</sup> . Crimped lead connections. Length of brown lead (earth): 60 mm. Length of white lead: 40 mm.
<b>8KB 863 949-011</b>	<b>1</b>	<b>Plug with preinstalled leads and</b> <b>butt connectors for H7 bulbs.</b> To fit leads with max. cross-section up to 1.0 mm <sup>2</sup> . Crimped lead connections. Length of brown lead (earth): 120 mm. Length of white lead: 100 mm.	



# List of Part Numbers Vehicle Manufacturer's No. - Hella No.

—	—	—
—	—	—
—	—	—
—	—	—
—	—	—
—	—	—
—	—	—
—	—	—
—	—	—
—	—	—
—	—	—

List of part numbers

9.02-9.17

Vehicle manufacturer's no. - Hella no.

9.18-9.58

**Note:**

The original numbers listed in the manufacturer number - Hella number comparison serve exclusively for comparison purposes and are not to be used otherwise.

# List of Part Numbers



Part number	Page	Part number	Page	Part number	Page	Part number	Page
<b>1A3...</b>		<b>1AB...</b>		<b>1AG...</b>		<b>1AL...</b>	
1A3 001 120-001	4.41	1AB 006 213-027	4.73	1AG 006 920-221	1.144	1AL 008 875-011	1.38
1A3 002 850-001	4.40, 4.52	1AB 006 277-127	3.124, 4.43	1AG 007 302-171	1.265, 1.267	1AL 008 875-021	1.38
1A3 002 850-031	4.40, 4.52-4.53	1AB 006 977-021	3.37, 3.43	1AG 007 302-181	1.265, 1.267	1AL 008 875-111	1.38
1A3 003 370-041	3.48-3.49	1AB 007 145-001	3.12, 3.43-3.44, 4.79	1AG 007 573-011	1.134	1AL 008 875-121	1.38
1A3 005 760-501	4.57	1AB 007 145-007	4.79	1AG 007 573-021	1.134	1AL 008 875-801	1.38
1A3 005 760-518	4.57	1AB 008 888-041	4.43	1AG 007 573-051	1.134	1AL 008 875-851	1.38
1A3 125 195-015	3.48-3.49	1AB 008 888-051	4.43	1AG 007 573-061	1.134	1AL 008 934-001	4.32
1A3 990 016-011	4.52	1AB 990 335-111	3.32, 4.50	1AG 007 573-091	1.134	1AL 008 934-021	4.32
1A3 990 026-041	4.53	1AB 996 157-081	4.67	1AG 007 573-101	1.134	1AL 009 213-011	1.206
1A3 996 002-051	4.39	1AB 996 157-091	3.32, 4.67	1AG 007 573-111	1.134	1AL 009 213-021	1.206
1A3 996 002-161	4.52	1AB 996 157-131	4.67	1AG 007 573-121	1.134	1AL 009 213-801	1.206
1A3 996 002-181	4.39	1AB 996 157-151	4.67	1AG 007 660-011	2.08-2.09	1AL 009 554-801	1.40
1A3 996 002-191	4.52	1AB 996 213-001	4.78	1AG 007 660-021	2.08-2.09	1AL 009 997-001	4.35
1A3 996 002-211	4.39			1AG 007 660-091	2.11	1AL 009 998-001	4.35
1A3 996 002-261	4.39	<b>1AD...</b>		1AG 007 660-101	2.11		
1A3 996 002-531	4.39	1AD 003 305-001	1.66, 4.44	1AG 007 752-011	1.70	<b>1B3...</b>	
1A3 996 026-011	4.53	1AD 960 725-311	1.126	1AG 007 752-021	1.70	1B3 114 179-001	4.40
1A3 996 026-021	4.53	1AD 960 725-321	1.126	1AG 007 861-411	1.265, 1.267	1B3 126 677-041	1.35
1A3 996 026-121	4.53	1AD 996 018-001	4.74	1AG 007 861-421	1.265, 1.267	1B3 126 677-051	1.35
1A3 996 162-071	4.39	1AD 996 018-641	4.74	1AG 007 861-431	1.265, 1.267	1B3 128 267-001	4.40
1A3 996 162-321	4.39	1AD 996 018-651	4.74	1AG 007 861-441	1.265, 1.267		
1A3 996 162-381	4.39			1AG 008 563-011	1.90	<b>1BA...</b>	
		<b>1AE...</b>		1AG 008 563-021	1.90	1BA 963 667-051	1.65
<b>1A5...</b>		1AE 001 103-031	1.126, 1.129, 2.23, 2.62, 2.68, 2.73	1AG 008 763-011	1.171, 1.248	1BA 963 667-061	1.65
1A5 003 178-231	2.80, 4.54	1AE 001 103-041	1.126, 1.129, 2.23, 2.62, 2.68, 2.73	1AG 008 763-021	1.171, 1.248	1BA 996 261-021	4.59
1A5 003 178-401	4.54			1AG 009 059-011	1.40	1BA 996 261-021	4.59
1A5 003 178-411	4.54			1AG 009 059-021	1.40		
1A5 003 190-001	4.55	<b>1AF...</b>		1AG 236 004-091	1.93	<b>1BL...</b>	
1A5 118 740-001	4.55	1AF 003 427-011	4.44	1AG 236 004-101	1.93	1BL 005 380-011	2.29, 4.44
		1AE 003 427-021	4.44, 4.56	1AG 354 023-011	1.90	1BL 005 380-021	2.29, 4.44
<b>1A6...</b>		1AE 003 427-151	4.45	1AG 354 023-021	1.90	1BL 005 380-031	4.44
1A6 001 128-021	4.41	1AE 003 427-161	4.45	1AG 354 023-051	1.90	1BL 005 380-041	4.44
1A6 001 128-061	4.41	1AE 003 440-451	2.83, 2.86	1AG 354 023-061	1.90	1BL 005 740-091	2.31, 2.33, 4.45
1A6 002 395-031	4.41	1AE 003 440-461	2.83, 2.86			1BL 005 740-101	2.31, 2.33, 4.45
1A6 002 395-071	4.41	1AE 003 440-611	1.130, 2.62, 2.68, 2.74	<b>1AH...</b>		1BL 006 349-007	4.38
1A6 002 395-387	4.41	1AE 003 440-621	1.130, 2.62, 2.68, 2.74	1AH 004 089-071	1.30	1BL 006 349-011	4.38
1A6 002 395-821	4.41	1AE 003 440-631	1.130, 2.62, 2.68, 2.74	1AH 004 089-291	1.30	1BL 007 834-007	2.101, 2.108, 2.118, 4.36
1A6 003 939-021	2.05	1AE 003 440-641	1.130, 2.62, 2.68, 2.74	1AH 004 089-301	1.30		
1A6 003 939-071	2.05	1AE 003 440-671	2.83, 2.86, 3.15	1AH 004 565-171	1.224	1BL 007 834-037	2.108, 2.118, 4.36
1A6 004 855-021	1.200, 1.236-1.237	1AE 003 440-681	2.83, 2.86, 3.15	1AH 004 565-181	1.224	1BL 007 834-047	4.36
1A6 125 792-011	1.41, 1.57	1AE 004 234-001	4.56	1AH 004 565-391	1.224	1BL 007 834-132	4.36
1A6 125 801-011	1.41, 1.57	1AE 005 274-027	3.36	1AH 004 565-401	1.224	1BL 008 193-001	1.64, 1.67, 1.152, 4.32
		1AE 006 319-171	1.237	1AH 005 148-011	1.142	1BL 008 193-007	4.32
<b>1A7...</b>		1AE 006 319-181	1.237	1AH 005 148-021	1.142	1BL 008 193-011	4.32
1A7 003 099-001	4.55	1AE 006 659-111	1.27	1AH 005 148-061	1.142	1BL 008 193-017	4.32
1A7 003 099-011	4.55	1AE 006 659-121	1.27	1AH 005 272-011	1.170	1BL 008 193-172	4.32
1A7 117 596-001	4.55	1AE 008 561-011	1.174, 1.176	1AH 005 272-021	1.170	1BL 008 194-001	1.64, 1.67, 1.153, 4.32
1A7 118 750-001	4.55	1AE 008 561-021	1.174, 1.176	1AH 005 295-131	1.26	1BL 008 194-027	4.32
		1AE 008 564-011	1.09	1AH 005 295-141	1.26	1BL 009 071-001	4.30
<b>1A8...</b>		1AE 008 564-021	1.09	1AH 005 383-211	1.268	1BL 009 071-007	4.30
1A8 001 149-011	1.255	1AE 010 199-011	1.73	1AH 005 383-221	1.268	1BL 009 071-027	4.30
1A8 001 149-331	2.65			1AH 005 454-291	1.228	1BL 009 071-047	4.30
1A8 001 149-341	2.65	<b>1AF...</b>		1AH 005 454-301	1.228	1BL 009 071-067	4.30
1A8 001 149-351	2.65	1AF 006 120-191	1.31	1AH 006 546-471	1.252	1BL 009 999-001	4.35
1A8 001 149-361	2.65	1AF 006 120-201	1.31	1AH 006 546-481	1.252	1BL 009 999-041	4.35
1A8 001 156-011	1.255	1AF 006 826-171	1.65	1AH 006 840-211	1.230	1BL 139 277-001	1.229
1A8 001 156-281	1.255	1AF 006 826-181	1.65	1AH 006 840-221	1.230	1BL 139 277-031	4.38
1A8 003 060-541	1.113, 1.154, 1.197, 1.201, 1.256-1.257, 1.259, 2.36, 2.53	1AF 006 826-271	1.65	1AH 006 850-111	1.269	1BL 139 278-001	1.229
		1AF 006 826-281	1.65	1AH 006 850-121	1.269	1BL 139 278-031	4.38
<b>1A8 003 060-551</b>	1.197, 1.201, 1.256-1.257, 1.259, 2.36, 2.53	1AF 006 827-171	1.65	1AH 006 900-011	1.127	1BL 158 060-021	1.64, 1.67, 1.153, 4.32
		1AF 006 827-181	1.65	1AH 006 900-021	1.127	1BL 247 042-001	4.34
<b>1A8 003 060-761</b>	1.113, 1.154, 2.79	1AF 006 827-251	1.65	1AH 007 045-031	1.37	1BL 247 042-011	4.34
1A8 003 564-391	1.260	1AF 006 827-261	1.65	1AH 007 045-041	1.37	1BL 247 042-017	4.34
1A8 003 564-401	1.260	1AF 007 620-051	1.232	1AH 007 600-151	1.265-1.266, 1.268	1BL 998 570-001	4.31
1A8 004 148-007	1.114-1.115, 1.154-1.155, 2.79	1AF 007 620-061	1.232	1AH 007 600-161	1.265-1.266, 1.268		
		1AF 007 786-041	1.69, 1.89	1AH 007 774-011	2.81	<b>1D3...</b>	
<b>1A8 004 190-101</b>	1.202	1AF 007 850-051	1.233	1AH 007 774-021	2.81	1D3 004 105-501	1.35
1A8 121 149-001	1.113, 1.154, 1.197, 1.201, 1.256-1.257, 1.259, 2.36, 2.53	1AF 007 850-061	1.233	1AH 961 560-171	1.180	1D3 009 027-011	2.39, 2.50
		1AF 008 560-011	1.84	1AH 961 560-181	1.180	1D3 009 027-021	2.39, 2.50
<b>1A8 121 150-001</b>	1.197, 1.201, 1.256-1.257, 1.259, 2.36, 2.53	1AF 008 560-021	1.84	1AH 963 025-091	1.181		
		1AF 246 000-091	1.187, 1.197	1AH 963 025-101	1.181	<b>1D7...</b>	
<b>1A8 127 147-021</b>	1.202	1AF 246 000-101	1.187, 1.197			1D7 963 100-011	1.86, 1.132
		1AF 246 014-091	1.187	<b>1AJ...</b>		1D7 963 100-021	1.86, 1.132
<b>1AA...</b>		1AF 246 014-101	1.187	1AJ 005 595-011	1.171		
1AA 004 109-001	3.13, 3.17, 3.36, 3.59-3.60, 3.62, 3.65-3.66, 3.70, 4.47	1AF 246 017-051	1.132	1AJ 005 595-021	1.171	<b>1D9...</b>	
		1AF 246 017-061	1.132	1AJ 005 775-411	1.268	1D9 007 095-091	1.108
<b>1AA 004 109-021</b>	3.59-3.60, 3.62, 3.64-3.66, 3.68-3.70, 4.47	1AF 960 723-111	1.68, 1.88	1AJ 005 775-421	1.268	1D9 007 095-101	1.108
		1AF 960 723-121	1.68, 1.88	1AJ 006 051-211	1.261	1D9 007 380-051	1.108
<b>1AA 004 109-031</b>	3.77, 3.96, 3.98, 4.47	1AF 962 489-111	1.240	1AJ 006 051-221	1.261	1D9 007 380-061	1.108
1AA 004 109-041	4.47	1AF 962 489-121	1.240	1AJ 007 143-091	1.37	1D9 007 450-131	1.102
1AA 004 109-201	3.108	1AF 962 489-131	1.240	1AJ 007 143-101	1.37	1D9 007 450-141	1.102
1AA 126 924-035	3.77, 3.96, 3.98, 4.47	1AF 962 489-141	1.240	1AJ 007 235-231	1.204	1D9 007 450-151	1.103
1AA 127 473-015	3.59-3.60, 3.62, 3.64-3.66, 3.68-3.70, 4.47	1AF 963 030-291	1.07	1AJ 007 235-241	1.204	1D9 007 450-161	1.103
		1AF 963 030-301	1.07	1AJ 007 235-271	1.204	1D9 007 970-031	1.109
<b>1AA 143 897-011</b>	4.56	<b>1AG...</b>		1AJ 007 235-281	1.204	1D9 007 970-041	1.109
		1AG 001 108-291	2.66	1AJ 007 677-011	1.147	1D9 007 970-071	1.109
<b>1AB...</b>		1AG 001 108-301	2.66	1AJ 007 677-021	1.147	1D9 007 970-081	1.109
1AB 001 100-001	3.11, 3.33, 3.58-3.60, 3.76, 3.78, 3.119, 4.48	1AG 001 108-451	2.66	1AJ 007 677-031	1.147		
		1AG 001 108-531	2.79	1AJ 007 677-041	1.147	<b>1DB...</b>	
<b>1AB 001 100-107</b>	3.108	1AG 002 343-101	2.14, 2.17, 2.19, 2.37, 2.102	1AJ 010 202-031	1.188	1DB 007 988-191	1.104
1AB 003 177-001	3.14, 3.17, 3.42, 3.63, 3.65-3.66, 3.70, 4.42	1AG 003 434-051	4.48	1AJ 010 202-041	1.188	1DB 008 461-191	1.157, 1.168
		1AG 003 434-137	2.17, 2.19, 2.24, 4.48	1AJ 136 501-021	1.261	1DB 00	



# List of Part Numbers

Part number	Page	Part number	Page	Part number	Page	Part number	Page
<b>1DJ...</b>		<b>1EB...</b>		<b>1EG...</b>		<b>1EJ...</b>	
1DJ 005 995-071	1.23, 1.29	1EB 247 012-011	1.129	1EG 010 204-031	1.217	1EJ 010 045-021	1.93
1DJ 005 995-081	1.23, 1.29	1EB 247 012-021	1.129	1EG 010 204-041	1.217	1EJ 247 046-011	2.04, 2.06-2.07
1DJ 006 360-651	1.205	1EB 247 012-051	1.129	1EG 246 041-011	1.119	1EJ 247 046-021	2.04, 2.06-2.07
1DJ 006 360-661	1.205	1EB 247 012-061	1.129	1EG 246 041-021	1.119	1EJ 247 046-031	2.04, 2.06-2.07
1DJ 006 442-211	1.22-1.23, 1.27	1EB 270 521-231	1.94	1EG 247 007-011	1.217	1EJ 247 046-041	2.04, 2.06-2.07
1DJ 006 442-221	1.22-1.23, 1.27	1EB 270 521-241	1.94	1EG 247 007-021	1.217		
1DJ 006 649-011	1.205	1EB 270 521-431	1.94	1EG 247 007-171	1.217, 1.226	<b>1EL...</b>	
1DJ 006 649-021	1.205	1EB 270 521-441	1.94	1EG 247 007-181	1.217, 1.226	1EL 006 110-371	1.140
1DJ 008 187-011	1.205	1EB 996 167-031	4.50	1EG 247 007-211	1.218, 1.226	1EL 006 110-381	1.140
1DJ 008 187-021	1.205	1EB 996 167-038	4.50	1EG 247 007-221	1.218, 1.226	1EL 006 110-391	1.140
1DJ 008 187-031	1.206	1EB 996 167-041	4.50	1EG 247 007-871	1.218, 1.226	1EL 006 110-401	1.140
1DJ 008 187-041	1.206	1EB 996 167-048	4.50	1EG 270 370-311	1.137	1EL 006 640-151	1.31
1DJ 008 187-801	1.205	1EB 996 167-177	4.50	1EG 270 370-321	1.137	1EL 006 640-161	1.31
1DJ 008 187-811	1.206	1EB 996 167-187	4.50	1EG 270 370-611	1.137	1EL 006 970-191	1.06
				1EG 270 370-621	1.137	1EL 006 970-201	1.06
<b>1DL...</b>		<b>1ED...</b>		1EG 354 024-011	1.91	1EL 007 270-151	1.12
1DL 005 600-097	4.46	1ED 008 387-011	1.163	1EG 354 024-021	1.91	1EL 007 270-161	1.12
1DL 005 600-107	4.46	1ED 008 387-021	1.163	1EG 354 024-031	1.91	1EL 007 410-111	1.45
1DL 005 630-011	1.35	1ED 246 044-211	1.84	1EG 354 024-041	1.91	1EL 007 410-121	1.45
1DL 005 630-021	1.35	1ED 246 044-221	1.84	1EG 354 024-091	1.92	1EL 007 510-091	1.156, 1.167
1DL 005 900-451	1.57	1ED 247 025-211	1.186, 1.192	1EG 354 024-101	1.92	1EL 007 510-101	1.156, 1.167
1DL 005 900-461	1.57	1ED 247 025-221	1.186, 1.192	1EG 354 024-111	1.92	1EL 007 700-051	1.206, 1.213
1DL 005 930-371	1.36	1ED 247 038-831	1.250	1EG 354 024-121	1.92	1EL 007 700-061	1.206, 1.213
1DL 005 930-381	1.36	1ED 962 060-111	1.86, 1.132			1EL 007 700-151	1.207, 1.213
1DL 006 020-391	1.42	1ED 962 060-121	1.86, 1.132	<b>1EH...</b>		1EL 007 700-161	1.207, 1.213
1DL 006 020-401	1.42	1ED 964 210-011	1.133	1EH 002 658-031	2.90	1EL 007 821-091	1.13
1DL 006 383-801	1.229	1ED 964 210-021	1.133	1EH 002 658-041	2.90	1EL 007 821-101	1.13
1DL 007 739-011	2.134-2.135	1ED 964 210-211	1.133	1EH 002 658-311	2.95	1EL 007 823-051	1.14
1DL 007 739-021	2.134-2.135	1ED 964 210-221	1.133	1EH 002 658-321	2.95	1EL 007 823-061	1.14
1DL 007 859-011	2.12, 2.61			1EH 002 658-331	2.96	1EL 007 950-271	1.144
1DL 007 859-021	2.12, 2.61	<b>1EE...</b>		1EH 002 658-341	2.96	1EL 007 950-281	1.144
1DL 007 859-051	2.12, 2.61	1EE 007 350-091	1.156, 1.167	1EH 002 658-391	2.96	1EL 008 020-251	1.144
1DL 007 859-061	2.12, 2.61	1EE 007 350-101	1.156, 1.167	1EH 002 658-401	2.96	1EL 008 020-261	1.144
1DL 007 872-017	4.46	1EE 008 388-011	1.69	1EH 002 658-551	2.96	1EL 008 052-511	1.47-1.48
1DL 007 872-027	4.46	1EE 008 388-021	1.69	1EH 002 658-561	2.96	1EL 008 052-521	1.47-1.48
1DL 007 872-037	3.08, 4.46	1EE 008 685-011	1.09	1EH 006 900-051	1.127	1EL 008 052-571	1.47-1.48
1DL 007 872-047	3.08, 4.46	1EE 008 685-021	1.09	1EH 006 900-061	1.127	1EL 008 052-581	1.47-1.48
1DL 007 872-077	4.46	1EE 008 880-011	1.18-1.19	1EH 008 010-011	1.127	1EL 008 053-511	1.46-1.47
1DL 007 872-087	4.46	1EE 008 880-021	1.18-1.19	1EH 008 010-021	1.127	1EL 008 053-521	1.46-1.47
1DL 007 988-211	1.104	1EE 009 055-011	1.99	1EH 008 010-051	1.127	1EL 008 053-571	1.46, 1.48
1DL 007 988-221	1.104	1EE 009 055-021	1.99	1EH 008 010-061	1.127	1EL 008 053-581	1.46, 1.48
1DL 008 461-771	1.158	1EE 009 056-011	1.245	1EH 008 684-011	1.141	1EL 008 306-031	1.07
1DL 008 461-781	1.158	1EE 009 056-021	1.245	1EH 008 684-021	1.141	1EL 008 306-041	1.07
1DL 008 461-791	1.157	1EE 009 058-011	1.72	1EH 008 688-011	2.55, 2.58	1EL 008 307-011	1.07
1DL 008 461-801	1.157	1EE 009 058-021	1.72	1EH 008 688-021	2.55, 2.58	1EL 008 307-021	1.07
1DL 008 945-891	1.64, 1.67, 1.152	1EE 009 058-051	1.72	1EH 008 688-031	2.55	1EL 008 309-071	1.14
1DL 008 945-911	1.64, 1.67, 1.153	1EE 009 058-061	1.72	1EH 008 688-041	2.55	1EL 008 309-081	1.14
1DL 963 843-091	1.243	1EE 010 198-011	1.74	1EH 008 688-051	2.55	1EL 008 310-071	1.14
1DL 963 843-101	1.243	1EE 010 198-011	1.74	1EH 008 688-061	2.55	1EL 008 310-081	1.14
		1EE 010 198-021	1.74	1EH 008 688-071	2.55, 2.58	1EL 008 313-131	1.17
<b>1DR...</b>		1EE 010 198-031	1.74	1EH 008 688-081	2.55, 2.58	1EL 008 313-141	1.17
1DR 007 984-091	1.101	1EE 010 198-041	1.74	1EH 008 688-091	2.55, 2.58	1EL 008 314-071	1.17
1DR 007 984-101	1.101	1EE 010 198-081	1.74	1EH 008 688-101	2.55, 2.58	1EL 008 314-081	1.17
		1EE 010 198-111	1.74	1EH 246 047-011	1.128	1EL 008 320-071	1.146, 1.148
<b>1E3...</b>		1EE 010 198-121	1.74	1EH 246 047-021	1.128	1EL 008 320-081	1.146, 1.148
1E3 996 160-637	4.51	1EE 010 198-131	1.75	1EH 246 047-051	1.128	1EL 008 320-131	1.147, 1.149
1E3 996 160-647	4.51	1EE 010 198-141	1.75	1EH 246 047-061	1.128	1EL 008 320-141	1.147, 1.149
1E3 996 160-671	4.51	1EE 010 203-011	1.198, 1.251	1EH 963 560-591	1.195	1EL 008 321-071	1.146, 1.149
1E3 996 160-681	4.51	1EE 010 203-021	1.198, 1.251	1EH 963 560-601	1.195	1EL 008 321-081	1.146, 1.149
		1EE 247 013-051	1.222	1EH 963 560-631	1.194	1EL 008 329-251	1.136
<b>1E5...</b>		1EE 247 013-061	1.222	1EH 963 560-641	1.194	1EL 008 329-261	1.136
1E5 996 124-001	4.53	1EE 247 013-841	1.222	<b>1EJ...</b>		1EL 008 340-071	1.234
		1EE 247 019-171	1.246	1EJ 003 050-111	1.122	1EL 008 340-081	1.234
<b>1E7...</b>		1EE 247 019-181	1.246	1EJ 003 050-121	1.122	1EL 008 350-011	1.234
1E7 271 510-311	1.169	1EE 247 019-211	1.247	1EJ 003 050-171	1.122	1EL 008 350-021	1.234
1E7 271 510-321	1.169	1EE 247 019-221	1.247	1EJ 003 050-181	1.122	1EL 008 361-611	1.118
1E7 271 510-351	1.169	1EE 247 019-801	1.247	1EJ 003 050-191	1.122	1EL 008 361-621	1.118
1E7 271 510-361	1.169	1EE 270 000-011	1.140-1.141	1EJ 004 070-071	1.120	1EL 008 361-711	1.118
		1EE 270 000-021	1.140-1.141	1EJ 004 070-081	1.120	1EL 008 361-721	1.118
<b>1EA...</b>		1EE 270 600-171	1.83	1EJ 004 440-251	1.124	1EL 008 369-071	1.110
1EA 007 108-011	4.56	1EE 270 600-181	1.83	1EJ 004 440-261	1.124	1EL 008 369-081	1.110
1EA 007 108-017	4.56			1EJ 004 440-291	1.124	1EL 008 369-091	1.110
1EA 007 108-021	4.56	<b>1EF...</b>		1EJ 004 440-601	1.124	1EL 008 369-101	1.110
1EA 963 130-451	1.115	1EF 003 808-211	1.228	1EJ 007 219-051	1.106	1EL 008 420-311	1.59
1EA 963 130-461	1.115	1EF 007 520-051	1.232	1EJ 007 219-061	1.106	1EL 008 420-321	1.59
1EA 990 185-021	3.42, 4.69-4.71	1EF 007 520-061	1.232	1EJ 007 400-051	1.44	1EL 008 454-091	1.159
1EA 993 975-011	4.69	1EF 008 673-071	1.53	1EJ 007 400-061	1.44	1EL 008 454-101	1.159
1EA 993 975-017	4.69	1EF 008 673-081	1.53	1EJ 007 700-071	1.206, 1.212	1EL 008 472-011	1.15
1EA 993 975-017	4.69	1EF 009 057-011	1.87	1EJ 007 700-081	1.206, 1.212	1EL 008 472-021	1.15
1EA 993 975-021	4.69	1EF 009 057-021	1.87	1EJ 007 833-091	1.162	1EL 008 473-071	1.15
1EA 993 975-027	4.69	1EF 009 237-011	1.63	1EJ 007 833-101	1.162	1EL 008 473-081	1.15
1EA 993 975-051	4.69	1EF 009 237-021	1.63	1EJ 008 040-011	1.96	1EL 008 540-551	1.21
1EA 993 975-057	4.69	1EF 010 197-011	1.72	1EJ 008 040-021	1.96	1EL 008 540-561	1.21
1EA 993 975-061	4.69	1EF 010 197-021	1.72	1EJ 008 040-031	1.97	1EL 008 700-311	1.138
1EA 993 975-067	4.69	1EF 354 025-091	1.94	1EJ 008 040-041	1.97	1EL 008 700-321	1.138
1EA 993 975-091	3.42, 4.69	1EF 354 025-101	1.94	1EJ 008 040-051	1.97	1EL 008 821-011	1.105
1EA 993 975-097	4.69	1EF 963 030-271	1.07	1EJ 008 040-061	1.97	1EL 008 821-021	1.105
1EA 993 975-101	3.42, 4.69	1EF 963 030-281	1.07	1EJ 008 041-011	1.71, 1.96	1EL 008 862-191	1.160, 1.165
1EA 993 975-107	4.69			1EJ 008 041-021	1.71, 1.96	1EL 008 862-201	1.160, 1.165
1EA 993 975-337	4.69	<b>1EG...</b>		1EJ 008 401-011	1.86	1EL 008 881-411	1.18-1.19
1EA 993 975-347	4.69	1EG 005 480-011	2.10	1EJ 008 401-021	1.86	1EL 008 881-421	1.18-1.19
1EA 996 074-051	4.68	1EG 005 480-021	2.10	1EJ 008 401-031	1.86	1EL 008 950-061	1.152
1EA 996 074-061	4.68	1EG 005 480-051	2.10	1EJ 008 401-041	1.86	1EL 009 020-211	1.145
1EA 996 074-177	4.68	1EG 005 480-06					

# List of Part Numbers



Part number	Page	Part number	Page	Part number	Page	Part number	Page
<b>1EL...</b>		<b>1F1...</b>		<b>1F8...</b>		<b>1G3...</b>	
1EL 009 300-031	1.207, 1.214	1F1 009 094-041	4.09	1F8 148 009-011	4.16	1G3 003 710-021	3.116, 4.104
1EL 009 300-041	1.207, 1.214	1F1 009 094-051	4.09	1F8 148 131-011	4.16, 4.18	1G3 005 760-001	3.21, 3.36, 3.95, 3.101, 3.104, 3.111, 3.120, 3.125, 4.58
1EL 009 300-801	1.207, 1.214	1F1 009 094-081	4.09	1F8 149 644-011	4.17		
1EL 009 300-811	1.207, 1.214	1F1 009 094-091	4.09	1F8 157 042-011	4.14	1G3 005 760-011	3.95, 3.101, 3.104, 3.120, 3.125, 4.58
1EL 009 447-091	1.160, 1.166	1F1 009 390-021	4.11	1F8 158 926-011	4.18		
1EL 009 447-101	1.160, 1.166	1F1 009 390-041	4.11	1F8 161 326-011	4.17	1G3 005 760-021	3.120, 3.125, 4.58
1EL 009 476-011	1.218, 1.226	1F1 161 825-021	4.09, 4.11	1F8 162 870-011	4.16, 4.18	1G3 005 760-031	4.58
1EL 009 476-021	1.218, 1.226	1F1 161 825-041	4.09	1F8 162 871-011	4.18	1G3 005 760-041	3.05, 3.21, 4.58
1EL 009 488-011	1.75			1F8 162 872-011	4.14	1G3 005 760-057	4.58
1EL 009 488-021	1.75	<b>1F3...</b>		1F8 162 873-011	4.14	1G3 005 760-201	4.58
1EL 009 488-451	1.76	1F3 009 094-021	4.10	1F8 162 874-011	4.14	1G3 005 760-207	4.58
1EL 009 488-461	1.76	1F3 009 094-031	4.10	1F8 165 940-011	4.14	1G3 005 760-211	4.58
1EL 009 488-801	1.75	1F3 009 094-061	4.10	1F8 165 941-011	4.14	1G3 005 760-221	3.113, 4.57
1EL 009 488-821	1.76	1F3 009 094-071	4.10	1F8 165 942-011	4.14	1G3 005 760-227	4.57
1EL 009 489-011	1.219, 1.227	1F3 009 094-142	4.10	1F8 165 946-011	4.18	1G3 005 760-241	5.194
1EL 009 489-021	1.219, 1.227	1F3 009 094-171	4.10	1F8 165 947-011	4.18	1G3 135 211-011	3.21, 3.36, 3.95, 3.101, 3.104, 3.111, 3.113, 3.120, 3.125, 4.57-4.58
1EL 009 489-451	1.219, 1.227	1F3 009 390-011	4.11	1F8 165 949-011	4.17		
1EL 009 489-461	1.219, 1.227	1F3 009 390-031	4.11			1G3 141 019-011	3.95
1EL 009 489-801	1.219, 1.227	1F3 009 390-051	4.11	<b>1FA...</b>		1G3 990 008-001	3.95
1EL 009 489-821	1.219, 1.227	1F3 009 906-001	1.70	1FA 007 133-021	4.22	1G3 996 001-001	3.102, 4.108
1EL 010 201-011	1.79	1F3 009 906-011	1.70	1FA 007 133-811	4.22	1G3 996 001-041	4.108
1EL 010 201-021	1.79	1F3 010 119-001	4.15	1FA 007 891-061	4.20	1G3 996 001-131	3.95, 4.108
1EL 010 201-051	1.79	1F3 010 119-011	4.15	1FA 007 891-811	4.20	1G3 996 001-271	3.46, 3.73, 3.116-3.117, 4.108
1EL 010 201-061	1.79	1F3 010 119-021	4.15	1FA 007 891-841	4.20		
1EL 010 201-091	1.80	1F3 161 825-011	4.10-4.11	1FA 008 283-011	4.19	1G3 996 001-301	3.06, 4.108
1EL 010 201-101	1.80	1F3 161 825-031	4.10-4.11	1FA 008 283-811	4.19	1G3 996 001-331	4.108
1EL 010 201-131	1.81	1F3 161 825-071	4.10	1FA 008 283-861	4.19	1G3 996 001-351	4.108
1EL 010 201-141	1.81	1F3 161 825-081	4.10-4.11	1FA 008 284-011	4.19	1G3 996 001-391	4.108
1EL 010 201-171	1.80			1FA 008 284-031	4.19		
1EL 010 201-181	1.80	<b>1F4...</b>		1FA 008 284-811	4.19	<b>1G4...</b>	
1EL 010 201-211	1.80	1F4 002 608-001	4.07	1FA 008 284-861	4.19	1G4 003 470-001	3.72, 4.109
1EL 010 201-221	1.80	1F4 005 750-011	4.08	1FA 008 284-861	4.19	1G4 003 470-011	4.109
1EL 010 202-011	1.189	1F4 005 750-071	4.08	1FA 149 504-011	4.20	1G4 003 470-031	3.94, 4.109
1EL 010 202-021	1.189	1F4 005 750-301	4.08			1G4 003 470-051	3.06, 3.20, 4.109
1EL 010 202-091	1.189	1F4 005 750-811	4.08	<b>1FB...</b>		1G4 003 470-147	4.109
1EL 010 202-101	1.189	1F4 005 750-831	4.08	1FB 003 367-001	2.27	1G4 004 480-001	4.110
1EL 158 075-011	1.59	1F4 005 750-871	4.08	1FB 005 860-031	4.23		
1EL 158 076-011	1.59	1F4 007 893-021	4.06	1FB 005 860-061	4.23	1G4 004 480-011	4.110
1EL 158 083-011	1.59	1F4 007 893-081	4.06	1FB 005 860-831	4.23	1G4 129 089-011	2.36, 2.43, 2.47, 2.53
1EL 158 084-011	1.59	1F4 007 893-141	4.07	1FB 007 360-031	4.22	1G4 997 033-011	4.110
1EL 160 287-011	1.53	1F4 007 893-191	1.132, 4.06	1FB 007 360-041	4.22		
1EL 160 288-011	1.53	1F4 007 893-201	4.06	1FB 007 892-011	4.21	<b>1G5...</b>	
1EL 160 295-001	1.53	1F4 007 893-241	4.06	1FB 007 892-071	4.21	1G5 003 241-021	3.104, 4.111
1EL 160 296-001	1.53	1F4 007 893-811	4.06	1FB 007 892-131	4.21	1G5 003 241-071	4.111
1EL 163 073-011	1.54	1F4 007 893-841	4.06	1FB 007 892-811	4.21	1G5 003 241-081	3.05, 4.111
1EL 163 074-011	1.54	1F4 007 893-871	4.07	1FB 007 892-841	4.21	1G5 119 738-001	4.111
1EL 163 079-001	1.54	1F4 007 893-891	1.132	1FB 137 006-021	4.23	1G5 120 510-001	3.05, 3.104, 4.111
1EL 163 080-001	1.54	1F4 007 893-911	4.06	1FB 149 519-011	4.21		
1EL 223 151-171	1.116	1F4 007 893-921	4.06	1FB 162 881-011	4.21	<b>1G8...</b>	
1EL 223 151-181	1.116	1F4 135 230-011	4.08			1G8 002 340-001	3.101, 3.113, 3.121, 4.112
1EL 223 151-191	1.116	1F4 149 537-011	4.06	<b>1FD...</b>		1G8 002 340-011	3.101, 3.113, 3.121, 4.112
1EL 223 151-201	1.116	1F4 157 022-011	4.07	1FD 003 590-017	2.14	1G8 132 233-011	3.101, 3.113, 3.121, 4.112
1EL 224 485-411	1.34	1F4 160 300-011	4.06	1FD 003 590-411	4.23		
1EL 224 485-421	1.34	1F4 160 302-011	4.06	1FD 005 700-031	4.24	<b>1G9...</b>	
1EL 224 486-211	1.34	1F4 162 883-011	4.06	1FD 005 700-051	4.24	1G9 001 523-021	4.113
1EL 224 486-221	1.34			1FD 005 700-301	4.24	<b>1GA...</b>	
1EL 246 003-171	1.189	<b>1F5...</b>		1FD 005 700-851	4.24	1GA 005 060-001	3.26, 3.103, 3.112, 4.82
1EL 246 003-181	1.189	1F5 008 273-001	4.12	1FD 124 291-001	2.14	1GA 005 060-041	3.15, 4.82
1EL 246 042-091	1.192	1F5 008 273-011	4.12	1FD 135 198-011	4.23-4.24	1GA 005 060-337	4.82
1EL 246 042-101	1.192	1F5 008 273-041	4.12			1GA 006 875-001	3.08, 3.19, 3.93, 3.102-3.103, 3.110, 3.117, 3.123, 4.84
1EL 246 042-431	1.193	1F5 008 273-071	4.12	<b>1FE...</b>		1GA 006 876-001	3.06, 3.35, 3.73, 3.92, 3.100, 3.102, 3.123, 3.131-3.132, 4.83
1EL 246 042-441	1.193	1F5 154 522-001	4.12	1FE 002 537-191	4.25	1GA 006 991-021	3.13, 3.99, 4.80
1EL 246 045-111	1.76	1F5 154 875-011	4.12	1FE 002 537-311	2.97	1GA 006 991-031	3.92, 3.125, 3.132, 4.80
1EL 246 045-121	1.76			1FE 002 537-461	4.25	1GA 006 991-041	3.05, 3.09, 3.93, 3.103, 3.113-3.114, 3.116, 3.122, 3.124, 4.80
1EL 247 010-291	2.124	<b>1F6...</b>		1FE 002 537-471	4.25	1GA 006 991-051	3.19, 3.57, 4.80
1EL 247 010-301	2.124	1F6 003 939-031	2.05	1FE 002 537-481	2.98	1GA 006 991-061	3.111, 4.80
1EL 247 010-351	2.124			1FE 005 478-011	2.31, 2.33, 4.45	1GA 006 991-071	3.132, 4.81
1EL 247 010-361	2.124	<b>1F7...</b>		1FE 005 478-021	2.31, 2.33, 4.45	1GA 006 991-081	4.81
1EL 247 010-371	2.124	1F7 004 700-031	4.13	1FE 006 300-001	4.26	1GA 006 991-091	3.08, 3.111, 4.80
1EL 247 014-011	1.235	1F7 004 700-071	4.13	1FE 006 300-041	4.26	1GA 007 506-001	3.05, 3.14, 3.119-3.20, 3.45, 3.72, 3.92, 3.94-3.95, 3.101, 3.109, 3.114, 3.119, 3.121, 3.123, 4.91
1EL 247 014-021	1.235	1F7 004 700-321	4.13	1FE 006 300-081	4.26		
1EL 247 014-831	1.235	1F7 004 700-391	4.13	1FE 006 300-121	4.26	1GA 007 506-021	3.94, 3.101, 4.93
1EL 263 037-411	1.117	1F7 004 700-431	4.13	1FE 006 300-191	2.97	1GA 007 506-061	3.45, 3.115, 4.90
1EL 263 037-421	1.117	1F7 146 713-001	4.13	1FE 006 300-251	2.133, 2.136-2.137	1GA 007 506-081	3.34, 3.56, 4.91
1EL 270 600-371	1.83			1FE 006 300-261	4.26	1GA 007 506-091	4.92
1EL 270 600-381	1.83	<b>1F8...</b>		1FE 008 773-001	4.27	1GA 007 506-101	3.45, 3.115, 4.93
1EL 354 025-011	1.95	1F8 006 800-181	4.14	1FE 008 773-011	4.27	1GA 007 506-121	3.34, 3.92, 3.99, 3.121, 3.123, 4.91
1EL 354 025-021	1.95	1F8 006 800-191	4.14	1FE 008 773-021	4.27	1GA 007 506-391	4.90
1EL 354 025-051	1.95	1F8 006 800-221	4.14	1FE 008 773-041	4.27		
1EL 354 025-061	1.95	1F8 006 800-301	4.14	1FE 008 773-051	4.27	1GA 007 506-431	3.120, 4.92
1EL 354 027-011	1.190	1F8 006 800-311	4.14	1FE 008 773-061	4.27	1GA 007 506-491	4.92
1EL 354 027-021	1.190	1F8 006 800-321	4.14	1FE 125 510-011	2.91, 2.97	1GA 007 506-651	4.92
1EL 354 027-031	1.191	1F8 006 800-331	4.14	1FE 138 520-011	2.133, 2.136-2.137, 4.26	1GA 007 506-681	3.07, 3.110, 3.117, 3.120, 4.98
1EL 354 027-041	1.191	1F8 006 800-341	4.14	1FE 152 896-011	2.98	1GA 008 284-101	6.27-6.30, 6.53-6.56
1EL 354 027-071	1.191	1F8 006 800-351	4.14	1FE 158 578-011	4.26	1GA 132 459-011	3.26, 3.103, 3.112, 4.82
1EL 354 027-081	1.191	1F8 006 800-361	4.14	1FE 158 877-011	4.26	1GA 340 110-001	5.194
		1F8 006 800-401	4.14	1FE 161 576-011	4.27	1GA 340 861-001	5.194
<b>1ER...</b>		1F8 007 560-011	4.16	1FE 161 641-011	4.27	1GA 990 183-001	3.122, 4.86
1ER 246 046-511	2.123	1F8 007 560-041	4.16	1FE 161 641-021	4.27		
1ER 246 046-521	2.123	1F8 007 560-051	4.18	1FE 161 642-011	4.27		
1ER 247 017-051	1.256	1F8 007 560-131					



# List of Part Numbers

Part number	Page	Part number	Page	Part number	Page	Part number	Page
<b>1GA...</b>		<b>1GB...</b>		<b>1N0...</b>		<b>1NA...</b>	
1GA 990 305-001	3.72, 3.112, 3.114, 4.87, 4.89	1GB 996 147-101	4.76	1N0 008 582-001	4.29	1NA 009 026-021	1.49
1GA 990 305-011	4.88, 4.113	1GB 996 158-081	4.67	1N0 008 582-007	4.29	1NA 009 029-011	1.136
1GA 996 020-001	3.07, 3.56, 3.109, 3.117, 4.85	1GB 996 213-511	3.123, 4.78	1N0 008 582-011	4.29	1NA 009 029-021	1.136
1GA 996 082-001	3.93, 4.84	<b>1GD...</b>		1N0 008 582-017	4.29	1NA 009 031-011	1.141
1GA 996 083-001	4.94	1GD 003 590-701	3.06, 3.37	1N0 009 295-011	1.81, 1.220, 4.05	1NA 009 031-021	1.141
1GA 996 083-011	3.07, 3.110, 3.118, 4.94	1GD 003 690-287	3.56	1N0 009 295-021	1.81, 1.220, 4.05	1NA 009 032-011	1.148
1GA 996 083-021	3.07, 3.110, 3.118, 4.94	1GD 005 700-501	4.85	1N0 009 295-031	4.05	1NA 009 032-021	1.148
1GA 996 140-021	4.72	1GD 005 700-511	3.21	1N0 009 295-037	4.05	1NA 009 033-011	1.150
1GA 996 142-001	4.87	1GD 137 355-011	3.21, 4.85	1N0 009 295-041	4.05	1NA 009 033-021	1.150
1GA 996 142-011	3.72, 3.112, 3.114, 4.87	1GD 996 018-541	3.57, 3.100, 3.109, 4.77	1N0 009 295-047	4.05	1NA 010 205-011	1.77
1GA 996 142-021	4.87	<b>1GL...</b>		1N0 009 295-057	4.05	1NA 010 205-021	1.77
1GA 996 142-041	4.87	1GL 008 090-201	4.104	1N0 009 295-067	4.05	1NA 149 501-011	4.20
1GA 996 142-061	4.88	1GL 008 090-207	4.104	1N0 009 295-801	4.05	1NA 354 015-011	1.76
1GA 996 142-071	4.88	1GL 008 090-211	3.19, 4.104	1N0 009 436-801	1.220	1NA 354 015-021	1.76
1GA 996 142-081	4.88	1GL 008 090-217	4.104	1N0 009 436-811	1.81	1NA 907 312-111	1.174, 1.176
1GA 996 142-091	4.88	<b>1GM...</b>		1N0 009 436-821	1.81	1NA 907 312-121	1.174, 1.176
1GA 996 142-131	4.88	1GM 990 303-011	3.121	1N0 009 594-011	1.10-1.11	1NA 961 557-731	1.176, 1.181
1GA 996 142-141	4.87	1GM 990 303-151	4.101	1N0 009 594-021	1.10-1.11	1NA 961 557-741	1.176, 1.181
1GA 996 142-151	4.88	1GM 996 134-051	4.102	1N0 009 617-011	1.178	1NA 961 557-751	1.174, 1.176, 1.179
1GA 996 142-221	4.113	1GM 996 134-061	4.102	1N0 246 039-011	1.16	1NA 961 557-761	1.174, 1.176, 1.179
1GA 996 142-241	4.87	1GM 996 134-071	4.102	1N0 246 039-021	1.16	1NA 962 490-011	1.240
1GA 996 142-251	4.88	1GM 996 134-081	4.102	1N0 247 003-011	1.08, 1.24	1NA 962 490-021	1.240
1GA 996 142-311	4.87	1GM 996 134-091	4.99	1N0 247 003-021	1.08, 1.24	1NA 962 530-011	1.240
1GA 996 150-021	4.97	1GM 996 134-171	4.102	1N0 270 204-051	1.173, 1.185, 1.187, 1.227	1NA 962 530-021	1.240
1GA 996 150-071	4.97	1GM 996 134-241	4.103	1N0 270 204-061	1.173, 1.185, 1.187, 1.227	1NA 963 022-031	1.181
1GA 996 150-081	4.97	1GM 996 134-271	3.95, 4.103	1N0 270 255-051	1.227	1NA 963 022-041	1.181
1GA 996 150-151	4.98	1GM 996 134-311	4.99	1N0 270 255-061	1.245	1NA 963 965-051	1.175, 1.178
1GA 996 161-101	3.104, 4.61	1GM 996 134-321	4.102	1N0 270 481-051	1.185, 1.263	1NA 963 965-061	1.175, 1.178
1GA 996 161-111	4.60	1GM 996 134-371	3.95, 4.103	1N0 270 481-061	1.185, 1.263	1NA 963 981-031	1.243
1GA 996 161-121	3.104, 4.63	1GM 996 135-001	4.100	1N0 270 595-011	1.219	1NA 963 981-041	1.243
1GA 996 161-131	4.64	1GM 996 135-001	4.100	1N0 270 595-021	1.219	<b>1NB...</b>	
1GA 996 161-281	3.93, 4.62	1GM 996 135-041	3.122, 4.100	1N0 270 596-051	1.198, 1.251	1NB 003 367-091	2.27
1GA 996 161-291	3.104, 4.63	1GM 996 135-051	3.121, 4.100	1N0 270 596-061	1.198, 1.251	1NB 003 367-137	2.32-2.33
1GA 996 161-331	4.64	1GM 996 135-071	3.35	1N0 271 022-051	1.172, 1.179, 1.184	1NB 004 691-147	4.42
1GA 996 161-351	4.60	1GM 996 135-101	4.101	1N0 271 022-061	1.172, 1.179, 1.184	1NB 005 394-051	1.199
1GA 996 161-391	4.66	1GM 996 135-111	4.101	1N0 271 247-051	1.247, 1.256, 1.263	1NB 005 394-061	1.199
1GA 996 161-581	4.63	1GM 996 135-551	4.100	1N0 271 247-061	1.247, 1.256, 1.263	1NB 005 860-001	4.23
1GA 996 161-671	4.61	1GM 996 136-101	4.99	1N0 271 284-031	1.219	1NB 005 860-021	4.23
1GA 996 179-001	4.85	1GM 996 136-111	4.99	1N0 271 284-041	1.219	1NB 005 860-801	4.23
1GA 996 179-021	4.85	1GM 996 136-131	4.99	1N0 271 289-031	1.198, 1.201, 1.222, 1.250-1.251	1NB 006 270-051	1.39
1GA 996 242-111	4.89	<b>1H5...</b>		1N0 271 289-041	1.198, 1.201, 1.222, 1.250-1.251	1NB 006 270-061	1.39
1GA 996 261-511	4.64	1H5 998 502-002	4.118	1N0 271 295-031	1.220, 1.227	1NB 007 360-011	4.22
1GA 996 261-521	4.64	1H5 998 502-022	4.118	1N0 271 295-041	1.220, 1.227	1NB 007 360-021	4.22
1GA 996 261-531	4.65	1H5 998 502-051	4.118	1N0 271 296-031	1.235	1NB 007 555-031	1.103, 1.109, 1.117
1GA 996 261-561	4.65	<b>1K0...</b>		1N0 271 296-041	1.235	1NB 007 555-041	1.103, 1.109, 1.117
1GA 996 261-571	4.65	1K0 008 191-001	4.33	1N0 271 296-041	1.235	1NB 007 892-001	4.21
1GA 996 261-581	4.65	1K0 008 191-007	4.33	1N0 354 013-011	1.19-1.20, 1.22	1NB 007 892-041	4.21
1GA 996 261-691	4.65	1K0 008 191-011	4.33	1N0 354 013-021	1.19-1.20, 1.22	1NB 008 122-011	1.261
1GA 996 261-701	4.65	1K0 008 191-017	1.64, 1.67, 1.152-1.153, 4.33	1N0 354 016-011	1.81, 1.84	1NB 008 122-021	1.261
1GA 996 361-011	4.64	1K0 008 191-021	4.33	1N0 354 016-021	1.81, 1.84	1NB 008 275-031	1.113, 1.129
1GA 996 361-171	4.63	1K0 008 191-027	4.33	1N0 354 017-011	1.191	1NB 008 275-041	1.113, 1.129
1GA 996 361-421	4.63	1K0 008 191-041	4.33	1N0 354 017-021	1.191	1NB 008 275-071	1.113
1GA 996 361-431	4.61	1K0 008 191-047	4.33	1N0 354 018-011	1.186, 1.192	1NB 008 275-081	1.113
1GA 996 361-581	4.60	1K0 008 191-212	4.33	1N0 354 018-021	1.186, 1.192	1NB 123 581-001	1.36, 1.41, 1.56-1.57
1GA 997 506-021	4.91	1K0 008 192-001	4.33	<b>1N3...</b>		1NB 123 582-001	1.36, 1.41, 1.56-1.57
1GA 997 506-157	4.93	1K0 008 192-007	4.33	1N3 009 094-001	4.10	1NB 137 001-021	4.23
1GA 997 506-371	4.91	1K0 008 192-011	4.33	1N3 009 094-011	4.10	<b>1ND...</b>	
1GA 997 506-377	4.91	1K0 008 192-017	4.33	1N3 009 390-001	4.11	1ND 003 590-001	2.14
1GA 998 522-011	3.07, 3.18-3.20, 3.46, 3.57, 3.73, 3.93, 3.100, 3.103, 3.110, 3.114-3.115, 3.118-3.120, 3.123, 4.83	1K0 008 192-027	4.33	1N3 161 825-001	4.10-4.11	1ND 003 590-401	4.23
1GA 998 524-001	3.13, 3.99, 4.80	1K0 158 059-061	4.33	<b>1N4...</b>		1ND 005 700-001	4.24
1GA 998 524-011	3.05, 3.09, 3.92-3.93, 3.113-3.114, 3.116, 3.122, 3.124-3.125, 3.132, 4.80	1K0 158 059-071	4.33	1N4 002 608-021	4.07	1ND 005 700-021	4.24
1GA 998 525-001	3.05, 3.07, 3.14, 3.19-3.20, 3.34, 3.45, 3.56, 3.72, 3.92, 3.94-3.95, 3.99, 3.101, 3.109-3.110, 3.114-3.121, 3.123, 3.131, 4.90-4.94, 4.98	1K0 247 043-001	4.34	1N4 005 750-001	4.08	1ND 005 700-061	4.24
1GA 998 525-011	3.34-3.35, 3.100, 3.112-3.113, 3.122, 4.95	1K0 247 043-007	4.34	1N4 005 750-801	4.08	1ND 007 646-011	1.40
1GA 998 525-041	4.97-4.98	1K0 247 043-011	4.34	1N4 007 893-001	4.06	1ND 007 646-021	1.40
1GA 998 525-071	3.32, 4.96	1K0 247 043-017	4.34	1N4 007 893-181	4.06	1ND 122 390-001	1.127, 1.130, 2.83, 2.86
1GA 998 532-011	3.122, 4.86	1K0 247 043-021	4.34	1N4 007 893-821	4.06	<b>1NE...</b>	
1GA 998 532-081	4.86	1K0 247 043-027	4.34	1N4 135 224-011	4.08	1NE 002 537-201	4.25
1GA 998 534-001	3.34, 4.95	1K0 247 043-031	4.34	1N4 149 531-011	4.06	1NE 002 537-301	2.97
1GA 998 534-011	3.100, 3.112-3.113, 3.122, 4.95	1K0 247 043-037	4.34	<b>1N7...</b>		1NE 006 300-011	4.26
1GA 998 534-061	3.35	<b>1K2...</b>		1N7 004 700-281	4.13	1NE 006 300-051	2.44, 2.47, 4.26
1GA 998 534-221	3.32, 4.96	1K2 006 147-031	4.38	<b>1N8...</b>		1NE 006 300-071	4.26
1GA 998 534-231	4.96	1K2 006 147-041	4.38	1N8 006 800-001	4.14	1NE 006 300-101	4.26
1GA 998 534-271	4.96	1K2 006 147-051	4.38	1N8 007 560-021	4.18	1NE 006 300-201	2.97
1GA 998 534-541	4.96	1K2 140 165-001	1.229	1N8 007 560-031	4.16	1NE 006 300-231	2.44, 2.48
1GA 998 534-571	4.96	1K2 140 166-001	1.229	1N8 007 560-031	4.16	1NE 007 517-051	1.69, 1.90
<b>1GB...</b>		<b>1K3...</b>		1N8 142 350-011	4.14	1NE 007 517-061	1.69, 1.90
1GB 006 213-101	3.06, 3.19-3.20, 3.35, 3.100, 3.111, 4.77	1K3 114 155-001	4.40	1N8 148 103-011	4.16, 4.18	1NE 008 773-031	4.27
1GB 006 213-107	4.77	1K3 126 680-001	1.35, 1.56	<b>1NA...</b>		1NE 138 555-011	2.44, 2.47-2.48, 4.26
1GB 006 213-111	3.06, 3.20, 3.35, 3.46, 3.116, 4.77-4.78	1K3 132 253-011	1.42, 1.57	1NA 006 790-071	1.230	1NE 138 575-011	4.26
1GB 006 213-117	4.77	1K3 132 266-011	1.42, 1.57	1NA 006 790-081	1.230	1NE 161 643-011	4.27
1GB 007 145-101	4.79	1K3 134 855-011	1.35-1.36	1NA 006 790-811	1.230	<b>1NL...</b>	
1GB 007 145-107	3.12, 4.79	1K3 134 856-011	1.35-1.36	1NA 007 039-011	1.58	1NL 004 840-081	2.31, 2.33
1GB 990 182-001	3.103	<b>1KA...</b>		1NA 007 039-021	1.58	1NL 005 150-051	1.23, 1.29
1GB 996 080-001	3.93, 3.103, 4.75	1KA 996 261-091	4.59	1NA 007 039-021	1.58	1NL 005 150-061	1.23, 1.29
1GB 996 080-011	3.35, 3.57, 3.93, 4.75	<b>1KB...</b>		1NA 007 133-001	4.22	1NL 005 150-111	1.23-1.24, 1.28
1GB 996 080-021	3.08, 3.20, 3.100, 3.111, 3.118, 4.75						

# List of Part Numbers



Part number	Page	Part number	Page	Part number	Page	Part number	Page
<b>1NL...</b>		<b>2AA...</b>		<b>2BA...</b>		<b>2BA...</b>	
1NL 006 280-061	1.237	2AA 001 200-031	5.161	2BA 003 236-541	2.75, 5.25	2BA 010 118-041	1.235
1NL 006 315-051	1.202, 1.224	2AA 001 200-032	5.161	2BA 003 411-001	2.69	2BA 010 231-011	1.92
1NL 006 315-061	1.202, 1.224	2AA 001 200-041	5.161	2BA 003 482-017	2.130	2BA 010 231-021	1.92
1NL 006 315-111	1.202, 1.224	2AA 001 200-042	5.161	2BA 003 482-027	2.130	2BA 010 232-011	1.92
1NL 006 315-121	1.202, 1.224	2AA 001 200-131	5.161	2BA 003 727-071	1.248	2BA 010 232-021	1.92
1NL 006 580-051	1.134	2AA 001 200-141	5.161	2BA 003 727-081	1.248	2BA 247 015-031	2.60
1NL 006 580-061	1.134	2AA 001 200-151	5.161	2BA 003 734-001	5.87	2BA 247 015-041	2.60
1NL 007 180-011	1.208	2AA 001 201-011	5.161	2BA 003 734-061	2.104, 2.111, 5.87	2BA 247 016-031	2.59
1NL 007 180-021	1.208	2AA 001 204-001	5.161	2BA 003 975-031	2.86, 3.15	2BA 247 016-041	2.59
1NL 007 186-027	1.168, 4.29	2AA 001 204-011	5.161	2BA 003 975-041	2.86, 3.15	2BA 270 016-031	1.65
1NL 007 186-047	2.101, 4.29	2AA 001 204-031	5.161	2BA 004 119-001	2.76, 5.85	2BA 270 016-041	1.65
1NL 007 186-061	4.29	2AA 003 257-001	5.161	2BA 004 119-017	3.09, 5.85	2BA 343 130-051	5.72
1NL 007 186-067	4.29	2AA 003 257-011	5.161	2BA 004 257-011	1.120	2BA 343 130-057	5.72
1NL 007 220-031	1.208, 1.252	2AA 003 257-021	5.161	2BA 004 257-021	1.120	2BA 343 130-297	5.70
1NL 007 220-041	1.208, 1.252	2AA 003 257-031	5.161, 6.16	2BA 004 257-031	1.120	2BA 343 130-307	5.70
1NL 007 220-801	1.208, 1.252	2AA 003 257-041	5.161	2BA 004 257-041	1.120	2BA 343 130-537	5.70
1NL 007 594-031	1.87	2AA 003 257-042	5.161	2BA 004 257-801	1.120	2BA 343 130-547	5.70
1NL 007 594-041	1.87	2AA 008 592-001	5.160	2BA 004 499-001	2.63, 2.74	2BA 343 130-577	5.72
1NL 007 834-017	2.109, 2.118, 4.36	2AA 008 592-011	5.160	2BA 004 528-051	1.228	2BA 343 130-587	5.72
1NL 007 834-057	4.36	2AA 008 592-021	5.160	2BA 004 528-061	1.228	2BA 343 390-071	5.72
1NL 007 906-031	1.15, 1.179, 1.183	2AA 008 592-031	5.160	2BA 004 693-031	1.106-1.107, 1.125	2BA 344 169-007	5.63
1NL 007 906-041	1.15, 1.179, 1.183	2AA 008 593-001	5.160	2BA 004 693-041	1.106-1.107, 1.125	2BA 344 169-027	5.63
1NL 008 090-031	1.195, 1.214, 1.220, 1.225, 1.234, 4.03	2AA 008 593-011	5.160	2BA 004 693-801	1.125	2BA 919 370-051	1.70-1.71
		2AA 008 593-021	5.160	2BA 005 200-311	5.26	2BA 919 370-061	1.70-1.71
1NL 008 090-037	4.03	2AA 008 593-031	5.160	2BA 005 296-031	1.26	2BA 959 011-301	5.51
1NL 008 090-117	4.03	2AA 008 594-001	5.160	2BA 005 296-041	1.26	2BA 959 011-307	5.51
1NL 008 090-301	4.04	2AA 008 594-011	5.160	2BA 005 398-031	1.199	2BA 959 070-631	5.38
1NL 008 090-317	4.04	2AA 008 594-021	5.160	2BA 005 398-041	1.199	2BA 959 822-601	5.53
1NL 008 090-327	4.04	2AA 008 594-031	5.160	2BA 005 407-001	2.05	2BA 961 554-111	1.181
1NL 008 090-821	4.03	2AA 008 595-001	5.160	2BA 005 481-001	2.10	2BA 961 554-121	1.181
1NL 008 090-831	4.03	2AA 008 595-011	5.160	2BA 005 481-011	2.11	2BA 962 625-821	1.241
1NL 008 090-871	4.04	2AA 008 595-021	5.160	2BA 005 603-001	2.31, 2.34, 2.107, 2.114, 2.117, 5.84	2BA 964 169-011	5.65
1NL 008 383-821	1.214	2AA 008 595-031	5.160			2BA 964 169-017	5.65
1NL 008 383-861	1.195	<b>2AB...</b>		2BA 005 603-007	5.84	2BA 964 169-041	5.66
1NL 008 383-871	1.234	2AB 001 208-001	5.152	2BA 005 603-011	2.107, 2.114, 2.117, 2.120, 5.84	2BA 964 169-047	5.66
1NL 008 383-901	1.195, 1.225	2AB 004 074-027	5.154			2BA 964 169-237	5.66
1NL 008 383-911	1.220	2AB 004 532-001	5.153	2BA 005 603-017	5.84	2BA 964 169-501	5.63
1NL 009 034-011	1.234	2AB 004 532-011	5.153	2BA 005 603-117	2.102, 2.109, 2.119, 5.84	2BA 964 169-507	5.63
1NL 009 034-021	1.234	2AB 004 532-021	5.153			2BA 964 169-647	5.63
1NL 009 071-317	4.30	2AB 004 532-031	5.153	2BA 005 603-217	5.84	2BA 964 255-011	1.133
1NL 009 071-327	4.30	2AB 004 532-031	5.153	2BA 006 091-011	1.143	2BA 964 255-021	1.133
		2AB 004 532-051	2.28, 2.76, 2.78, 5.153	2BA 006 091-021	1.143	2BA 964 255-031	1.133
<b>1PE...</b>		2AB 004 532-057	5.153	2BA 006 334-051	1.237-1.238	2BA 964 255-041	1.133
1PE 965 410-111	2.07	2AB 004 532-061	5.153	2BA 006 334-061	1.237-1.238	2BA 965 039-021	5.61
1PE 965 410-121	2.07	2AB 004 532-257	5.153	2BA 006 386-071	1.32	2BA 965 039-027	5.61
		2AB 004 532-267	5.153	2BA 006 386-081	1.32	2BA 965 039-061	5.61
<b>1S0...</b>		2AB 004 813-072	5.154	2BA 006 728-801	1.203, 1.225	2BA 965 039-067	5.61
1S0 001 430-011	3.25, 3.30, 3.32	2AB 004 813-082	5.154	2BA 006 749-051	1.66	2BA 965 039-101	5.61
		<b>2BA...</b>		2BA 006 749-061	1.66	2BA 965 039-107	5.61
<b>1S3...</b>		2BA 001 221-031	2.26, 2.129, 2.132, 2.138, 5.135	2BA 006 749-071	1.66	2BA 965 039-141	5.61
1S3 001 117-041	4.49			2BA 006 749-081	1.66	2BA 965 039-147	5.61
1S3 001 442-001	3.57	2BA 001 221-041	2.26, 2.129, 2.132, 2.138, 5.135	2BA 007 016-031	1.128	2BA 966 012-061	5.77
				2BA 007 016-041	1.128	2BA 966 012-071	5.77
<b>1S5...</b>		2BA 001 227-201	3.54, 3.105-3.107, 5.133	2BA 007 042-031	1.06	2BA 966 012-147	5.77
1S5 003 178-421	4.54	2BA 001 227-211	3.73, 3.86-3.87, 3.96, 3.98, 3.126-3.128, 5.133	2BA 007 042-041	1.06	2BA 996 027-001	5.135
1S5 003 178-431	4.54			2BA 007 135-001	5.137	2BA 997 027-031	5.90
				2BA 007 135-011	5.137	<b>2BE...</b>	
<b>1TA...</b>		2BA 001 234-251	2.66	2BA 007 135-021	5.137	2BE 001 259-061	3.09, 3.22, 3.25, 3.30, 3.36, 3.39, 3.51, 3.129, 5.76
1TA 003 570-001	3.54, 3.74-3.75, 3.96-3.97, 4.47	2BA 001 234-261	2.66	2BA 007 177-011	1.209, 1.253		
		2BA 001 236-001	5.138	2BA 007 177-021	1.209, 1.253	2BE 001 278-011	3.106
1TA 003 570-101	3.80-3.85, 3.87, 4.55	2BA 001 240-301	2.24, 5.74	2BA 007 177-801	1.209, 1.253	2BE 001 278-021	3.106
1TA 122 718-001	3.54, 3.74-3.75, 3.96-3.97, 4.47	2BA 001 244-001	3.69	2BA 007 249-011	1.143	2BE 002 582-031	3.18, 3.125, 3.128-3.131, 5.39
		2BA 001 248-001	5.133	2BA 007 249-021	1.143		
1TA 122 718-021	3.80-3.85, 3.87, 4.55	2BA 001 259-611	3.71, 5.76	2BA 007 275-011	1.36	2BE 002 776-251	3.14, 3.47-3.50, 3.60, 5.45
		2BA 001 259-618	2.67, 5.76	2BA 007 275-021	1.36		
<b>1VB...</b>		2BA 001 263-001	5.138	2BA 007 775-051	2.81	2BE 002 776-257	5.45
1VB 005 444-037	3.42	2BA 001 275-011	2.63, 2.74	2BA 007 775-061	2.81	2BE 002 776-261	3.14, 3.47-3.50, 3.60, 5.45
		2BA 001 275-021	2.63, 2.74	2BA 007 839-001	2.34, 2.38		
<b>1X0...</b>		2BA 001 277-011	2.26, 2.129, 3.16, 3.77-3.78, 5.135	2BA 007 840-001	2.44, 2.48	2BE 002 776-267	5.45
1X0 001 515-021	4.49			2BA 007 924-071	1.266, 1.268	2BE 002 776-267	5.45
				2BA 007 924-081	1.266, 1.268	2BE 003 014-251	3.15, 3.17, 3.31, 3.33, 3.37, 3.39-3.40, 3.48, 3.51, 3.60-3.61, 3.63, 3.65-3.66, 3.68-3.69, 3.71, 3.87-3.91, 3.112, 5.81
<b>1ZL...</b>		2BA 001 277-021	3.77-3.78, 5.135	2BA 008 221-001	1.64, 1.67, 1.77, 1.152-1.153, 5.54		
1ZL 009 487-011	1.138			2BA 008 221-007	5.54	2BE 003 014-257	5.81
1ZL 009 487-021	1.138	2BA 001 416-011	5.136	2BA 008 221-041	1.137, 5.54	2BE 003 018-011	5.51
1ZL 009 487-801	1.138	2BA 001 416-021	5.136	2BA 008 221-047	5.54	2BE 003 182-091	3.75, 5.44
1ZL 009 488-091	1.75	2BA 001 423-087	5.67	2BA 008 221-107	3.29, 5.54	2BE 003 182-101	3.75, 5.44
1ZL 009 488-101	1.75	2BA 002 324-001	5.134	2BA 008 221-147	5.54	2BE 003 184-051	5.40
1ZL 009 488-841	1.75	2BA 002 324-011	2.77, 3.52, 5.134	2BA 008 260-001	5.136	2BE 003 184-061	5.40
		2BA 002 324-021	2.77, 3.52, 5.134	2BA 008 260-007	5.136	2BE 003 185-031	5.50
1ZL 009 489-091	1.219, 1.227	2BA 002 652-...	3.79, 3.86	2BA 008 260-017	5.136	2BE 003 185-051	3.22-3.23, 3.25-3.26, 3.30-3.31
1ZL 009 489-101	1.219, 1.227	2BA 002 652-101	5.134	2BA 008 404-011	1.40	2BE 003 347-001	3.21-3.22, 3.24-3.25, 3.27-3.29, 3.42, 3.52-3.54, 3.59, 3.67
1ZL 009 489-841	1.219, 1.227	2BA 002 652-107	5.134	2BA 008 404-021	1.40		
		2BA 002 652-111	3.10, 3.38, 3.55, 3.74, 3.79-3.85, 5.134	2BA 008 404-031	1.41	2BE 003 649-011	2.125
				2BA 008 404-041	1.41	2BE 004 119-021	2.101, 2.109, 2.118, 5.85
<b>1ZS...</b>		2BA 002 652-117	5.134	2BA 008 467-801	1.77		
1ZS 008 540-651	1.21	2BA 002 652-121	3.10, 3.38, 3.55, 3.74, 3.79-3.85, 5.134	2BA 008 805-051	5.83	2BE 343 130-001	5.72
1ZS 008 540-661	1.21			2BA 008 805-187	5.83	2BE 343 130-007	5.72
1ZS 008 710-311	1.138	2BA 002 652-127	1.197, 1.200-1.201, 1.203, 1.224,	2BA 008 805-057	5.83	2BE 343 130-657	5.69, 5.72
1ZS 008 710-321	1.138	2BA 002 939-171	1.236-1.237, 2.104	2BA 008 982-041	5.82	2BE 343 130-667	5.69, 5.72
1ZS 008 950-251	1.152			2BA 008 982-047	5.82	2BE 343 130-777	5.69
1ZS 008 950-261	1.152	2BA 002 939-251	5.135	2BA 008 982-341	5.82		



# List of Part Numbers



Part number	Page	Part number	Page	Part number	Page	Part number	Page
<b>2PF...</b>		<b>2PS...</b>		<b>2PS...</b>		<b>2RL...</b>	
2PF 002 452-017	2.71	2PS 002 727-001	5.95	2PS 963 639-077	5.92, 5.190	2RL 008 060-001	6.07
2PF 002 860-031	2.72, 2.77, 2.104	2PS 002 727-007	5.95	2PS 963 639-081	5.92	2RL 008 060-011	6.07
2PF 003 014-071	3.33, 3.40, 3.52, 5.81	2PS 003 057-051	5.78	2PS 963 639-091	5.92	2RL 008 060-101	6.07
2PF 003 014-301	5.81	2PS 003 057-052	5.78	2PS 963 639-097	5.92	2RL 008 060-111	6.07
2PF 003 057-001	5.78	2PS 003 057-057	5.78	2PS 963 639-101	5.92	2RL 008 061-001	6.07
2PF 003 057-002	5.78	2PS 003 748-121	5.91	2PS 963 639-111	5.92	2RL 008 061-011	6.07
2PF 003 057-041	3.76, 5.78	2PS 003 748-127	5.91	2PS 963 639-117	5.92	2RL 008 061-101	6.07
2PF 003 389-037	5.117	2PS 003 748-161	5.91	2PS 963 639-127	5.92	2RL 008 061-111	6.07
2PF 003 389-041	5.117	2PS 003 748-167	5.91	2PS 963 639-137	5.93	2RL 008 062-001	6.07
2PF 003 563-151	1.64, 1.67, 1.152-1.153, 5.110	2PS 003 748-177	5.91	2PS 963 639-147	5.93	2RL 008 062-011	6.07
2PF 003 563-177	5.110	2PS 004 361-001	2.125, 5.95	2PS 963 639-157	5.93	2RL 008 062-101	6.07
2PF 003 563-187	5.110	2PS 004 361-007	5.95	2PS 963 639-167	5.92	2RL 008 062-111	6.07
2PF 003 734-031	5.87	2PS 006 717-031	5.89	2PS 963 639-177	5.93	2RL 008 063-001	6.07
2PF 004 081-001	3.55, 5.79	2PS 006 717-032	5.89	2PS 963 639-197	5.92	2RL 008 063-011	6.07
2PF 004 081-007	5.79	2PS 006 717-037	5.89	2PS 963 639-207	5.92	2RL 008 063-101	6.07
2PF 004 081-011	5.79	2PS 006 717-051	2.27-2.29, 5.89	2PS 963 959-001	5.94	2RL 008 063-111	6.07
2PF 004 081-017	5.79	2PS 006 717-057	5.89	2PS 963 959-007	5.94	2RL 008 064-001	6.08
2PF 004 081-107	5.79	2PS 006 717-061	5.89	2PS 963 959-011	5.94	2RL 008 064-101	6.08
2PF 004 081-117	5.79	2PS 006 717-067	5.89	2PS 963 959-017	5.94	2RL 008 065-001	6.09
2PF 006 679-007	5.106	2PS 006 717-071	5.89	2PS 964 295-001	5.100	2RL 008 065-011	6.09
2PF 006 717-011	5.89	2PS 007 943-011	5.102, 5.190	2PS 964 295-002	5.100	2RL 008 065-107	6.09
2PF 007 205-001	5.110	2PS 007 943-017	5.102, 5.190	2PS 964 295-007	5.100	2RL 008 065-111	6.09
2PF 007 205-007	5.110	2PS 007 943-021	5.102, 5.190	2PS 964 295-051	5.100	2RL 008 181-001	6.12
2PF 007 205-017	5.110	2PS 007 943-027	5.102, 5.190	2PS 964 295-057	5.100	2RL 008 181-011	6.12
2PF 008 221-011	5.55	2PS 007 943-311	5.102	2PS 964 295-061	5.100	2RL 008 181-101	6.12
2PF 008 221-017	5.55	2PS 007 943-317	5.102	2PS 964 295-067	5.100	2RL 008 181-111	6.12
2PF 008 221-177	3.29, 5.55	2PS 007 943-321	5.102	2PS 964 295-071	5.100	2RL 008 182-001	6.12
2PF 008 405-051	5.55	2PS 007 972-011	5.94	2PS 964 295-077	5.100	2RL 008 182-011	6.12
2PF 008 405-057	5.55	2PS 007 972-017	5.94	2PS 964 295-081	5.100	2RL 008 182-101	6.12
2PF 008 405-061	5.55, 5.144	2PS 008 050-007	5.102	2PS 964 295-087	5.100	2RL 008 182-111	6.12
2PF 008 405-067	5.55	2PS 008 050-027	5.102	<b>2PT...</b>		2RL 008 182-201	6.12
2PF 009 001-081	5.57	2PS 008 138-001	5.102	2PT 008 362-801	5.111	2RL 008 183-001	6.12
2PF 009 001-087	5.57	2PS 008 138-101	5.102	2PT 008 935-001	5.111	2RL 008 183-011	6.12
2PF 009 001-177	5.57	2PS 008 138-111	5.102	2PT 008 935-001	1.139, 1.220, 5.111	2RL 008 183-101	6.12
2PF 009 001-421	5.56	2PS 008 138-801	5.102	2PT 008 935-011	1.214, 5.111	2RL 008 183-111	6.12
2PF 009 001-521	5.56	2PS 008 138-811	5.102	2PT 008 935-017	5.111	2RL 008 364-021	6.06, 6.64
2PF 009 514-001	5.105	2PS 008 138-821	5.102	2PT 008 935-801	5.111	2RL 008 366-021	6.11, 6.64
2PF 009 514-011	5.105	2PS 008 382-001	5.104	2PT 008 935-811	5.111	2RL 008 366-031	6.11, 6.64
2PF 340 000-111	5.96, 5.187	2PS 008 382-007	5.104	2PT 008 956-801	1.208, 1.252	2RL 008 965-001	6.04
2PF 340 825-001	5.187	2PS 008 382-801	5.104	2PT 009 305-801	1.220	2RL 008 965-011	6.04
2PF 959 570-401	5.107	2PS 008 382-807	5.104	2PT 009 305-811	1.214	2RL 008 965-021	6.04
2PF 959 570-407	5.107	2PS 008 382-811	5.104	2PT 009 305-821	1.139	2RL 008 965-031	6.04
2PF 959 570-411	5.107	2PS 008 382-817	5.104	2PT 009 496-007	5.111	2RL 008 965-041	6.04
2PF 959 570-417	5.107	2PS 008 541-801	5.99	2PT 009 496-801	5.111	2RL 008 966-001	6.04
2PF 959 570-427	5.107	2PS 008 616-001	5.103, 5.191	2PT 009 599-011	5.112	2RL 008 966-021	6.04
2PF 959 590-401	5.108	2PS 008 616-011	5.103, 5.191	2PT 009 599-021	5.112	2RL 008 966-031	6.04
2PF 959 590-407	5.108	2PS 008 616-017	5.103, 5.191	2PT 009 599-031	5.112	2RL 008 967-001	6.04
2PF 959 590-411	5.108	2PS 008 643-011	5.103	2PT 009 599-041	5.112	2RL 008 967-011	6.04
2PF 959 590-417	5.108	2PS 008 643-017	5.103	2PT 009 599-801	5.112	2RL 008 967-021	6.04
2PF 959 590-437	5.108	2PS 008 643-021	5.103	2PT 965 039-161	5.61	2RL 008 967-031	6.04
2PF 959 590-457	5.108	2PS 008 643-027	5.103	2PT 965 039-167	5.61	2RL 008 967-041	6.04
2PF 961 167-021	2.08-2.09, 2.91, 2.98, 2.104, 2.114, 2.116, 5.105	2PS 008 643-031	5.103	2PT 965 039-171	5.61	2RL 008 990-001	6.04
2PF 962 964-061	5.88	2PS 008 643-037	5.103	2PT 965 039-177	5.61	2RL 008 990-011	6.04
2PF 962 964-071	5.88	2PS 008 643-331	5.103	<b>2RL...</b>		2RL 008 990-021	6.04
2PF 964 295-021	5.101	2PS 008 645-001	5.99	2RL 006 846-001	6.03	2RL 009 279-001	6.27
2PF 964 295-027	5.101	2PS 008 645-007	5.99	2RL 006 846-011	6.03	2RL 009 279-011	6.27
2PF 964 295-257	5.100	2PS 008 645-011	5.99	2RL 006 846-011	6.03	2RL 009 279-021	6.27
2PF 965 039-071	5.60	2PS 008 645-021	5.98	2RL 006 846-101	6.03	2RL 009 279-031	6.27
2PF 965 039-077	5.60	2PS 008 645-031	5.98	2RL 006 846-111	6.03	2RL 009 279-041	6.27
2PF 965 039-151	5.60	2PS 008 645-187	5.99	2RL 007 017-041	6.13	2RL 009 279-051	6.27
2PF 965 039-157	5.60	2PS 008 645-301	5.190	2RL 007 017-051	6.13	2RL 009 279-061	6.27
2PF 966 012-051	5.77	2PS 008 645-311	5.190	2RL 007 017-061	6.13	2RL 009 279-071	6.27
2PF 997 022-011	5.107	2PS 008 645-361	5.190	2RL 007 017-071	6.13	2RL 009 279-081	6.28
2PF 997 022-021	5.107	2PS 008 645-497	5.99	2RL 007 337-001	6.03	2RL 009 279-091	6.28
2PF 997 023-011	5.107	2PS 008 645-601	5.99	2RL 007 337-011	6.03	2RL 009 279-101	6.27
2PF 997 027-011	5.90	2PS 008 645-607	5.99	2RL 007 337-021	6.03	2RL 009 279-111	6.27
<b>2PG...</b>		2PS 008 645-611	5.99	2RL 007 337-031	6.03	2RL 009 279-121	6.29
2PG 002 727-021	5.95	2PS 008 645-617	5.99	2RL 007 337-041	6.03	2RL 009 279-131	6.29
2PG 003 057-011	5.78	2PS 008 645-621	5.99	2RL 007 337-051	6.03	2RL 009 279-141	6.27
2PG 003 057-012	5.78	2PS 009 226-017	5.102	2RL 007 337-057	6.03	2RL 009 279-151	6.27
2PG 003 057-067	5.78	2PS 009 226-027	5.102	2RL 007 337-101	6.03	2RL 009 279-161	6.29
2PG 003 748-151	5.91	2PS 009 226-027	5.102	2RL 007 337-111	6.03	2RL 009 279-171	6.29
2PG 004 361-011	5.95	2PS 009 226-037	5.102	2RL 007 337-121	6.03	2RL 009 279-181	6.28
2PG 004 361-017	5.95	2PS 340 000-001	5.96, 5.192	2RL 007 550-001	6.05	2RL 009 279-191	6.28
2PG 006 717-021	5.89	2PS 340 000-011	5.96, 5.192	2RL 007 550-011	6.05	2RL 009 279-201	6.27
2PG 006 717-022	5.89	2PS 340 000-021	5.96, 5.192	2RL 007 550-021	6.05	2RL 009 279-211	6.29
2PG 006 717-027	5.89	2PS 340 000-031	5.97, 5.192	2RL 007 550-021	6.05	2RL 009 279-221	6.27
2PG 008 434-001	5.104	2PS 340 000-041	5.97, 5.192	2RL 007 551-001	6.05	2RL 009 279-231	6.27
2PG 008 645-041	5.98	2PS 340 000-051	5.96, 5.192	2RL 007 551-011	6.05	2RL 009 279-241	6.27
2PG 008 645-047	5.98	2PS 340 000-061	5.97, 5.192	2RL 007 551-021	6.05	2RL 009 279-251	6.27
2PG 008 645-051	5.98	2PS 340 000-171	5.96, 5.192	2RL 007 552-001	6.05	2RL 009 279-271	6.29
2PG 008 645-057	5.98	2PS 340 001-001	5.93	2RL 007 552-011	6.05	2RL 009 279-291	6.28
2PG 008 645-167	5.98	2PS 340 001-011	5.93	2RL 007 552-021	6.05	2RL 009 279-321	6.30
2PG 008 645-321	5.190	2PS 340 836-011	5.191	2RL 007 553-001	6.05	2RL 009 279-341	6.30
2PG 008 645-331	5.190	2PS 340 836-051	5.191	2RL 007 553-011	6.05	2RL 009 279-371	6.29
2PG 008 645-341	5.98	2PS 340 837-031	5.191	2RL 007 553-021	6.05	2RL 009 279-101	6.27
2PG 008 645-641	5.98	2PS 340 837-041	5.191	2RL 007 900-001	6.33	2RL 009 279-111	6.27
2PG 008 645-647	5.98	2PS 340 837-101	5.191	2RL 007 900-011	6.33	2RL 009 279-121	6.29
2PG 340 000-121	5.96, 5.187	2PS 340 837-111	5.191	2RL 007 900-121	6.35	2RL 009 279-131	6.29
2PG 962 964-041	5.88	2PS 340 837-101	5.191	2RL 007 900-151	6.33	2RL 009 279-141	6.29
2PG 962 964-042	5.88	2PS 340 837-111	5.191	2RL 007 900-171	6.35	2RL 009 279-151	6.28
2PG 962 964-051	5.88	2PS 962 964-012	2.105, 2.113, 2.115-2.116, 2.120, 5.88	2RL 007 900-191	6.33	2RL 009 279-161	6.29
2PG 962 964-057	5.						



# List of Part Numbers

Part number	Page	Part number	Page	Part number	Page	Part number	Page
<b>2RL...</b>		<b>2RM...</b>		<b>2SB...</b>		<b>2SD...</b>	
2RL 009 688-061	6.30	2RM 379 500-731	6.58	2SB 964 169-717	5.64	2SD 343 130-017	5.71
2RL 009 688-081	6.28	2RM 379 500-741	6.57	2SB 965 039-051	5.60	2SD 343 130-071	5.71
2RL 009 688-091	6.27	2RM 379 500-761	6.59	2SB 965 039-057	5.60	2SD 343 130-137	5.71
2RL 009 688-101	6.29	2RM 379 500-771	6.59	2SB 965 039-131	5.60	2SD 343 130-147	5.71
2RL 009 688-111	6.30	2RM 379 500-781	6.59	2SB 965 039-137	5.60	2SD 343 130-157	5.71
2RL 009 688-121	6.28	2RM 379 500-831	6.59			2SD 343 130-167	5.71
2RL 009 688-131	6.27					2SD 343 130-227	5.69
2RL 009 688-141	6.29					2SD 343 130-337	5.68
2RL 009 688-151	6.30	<b>2SA...</b>		<b>2SD...</b>		2SD 343 130-377	5.68
2RL 860 880-001	6.45	2SA 001 240-331	2.72, 5.74	2SD 001 305-021	5.42	2SD 343 130-397	5.69
2RL 863 123-001	6.29, 6.35, 6.39, 6.55	2SA 001 259-751	3.23, 3.25-3.26, 3.28, 3.31, 3.86, 3.106, 5.75	2SD 001 306-061	3.47	2SD 343 130-737	5.69
2RL 863 123-011	6.30, 6.56		2.67, 5.75	2SD 001 679-001	3.129, 5.50	2SD 343 130-747	5.69
2RL 863 123-021	6.30, 6.56	2SA 001 259-757	5.106	2SD 001 680-271	2.63, 2.74, 5.17	2SD 343 130-757	5.70
2RL 863 123-031	6.39, 6.53	2SA 001 634-121	5.106	2SD 001 680-281	1.131, 2.63-2.64, 2.74, 5.17	2SD 343 130-797	5.69
2RL 863 132-011	6.53	2SA 001 638-021	2.26-2.27, 2.66, 2.121, 5.109	2SD 001 680-391	5.17	2SD 343 130-807	5.70
2RL 863 132-021	6.27		2.103, 2.105, 2.122, 5.109	2SD 001 680-401	5.17	2SD 343 930-401	5.68
2RL 863 132-031	6.27	2SA 001 647-041	2.72, 2.77	2SD 001 685-211	2.67, 2.69, 3.126-3.128, 5.49	2SD 344 169-037	5.64
			2.72, 2.77	2SD 001 685-218	5.49	2SD 354 040-011	1.221
<b>2RM...</b>		2SA 002 860-041	3.33, 5.80	2SD 001 685-231	5.49	2SD 354 040-021	1.221
2RM 007 200-001	6.46, 6.48	2SA 003 014-051	3.53, 5.78	2SD 001 685-232	5.49	2SD 959 050-401	5.38
2RM 007 200-011	6.46	2SA 003 057-021	5.78	2SD 001 685-277	5.49	2SD 964 169-111	3.32, 5.64
2RM 007 200-021	6.46	2SA 003 057-022	2.15, 2.30, 2.103, 2.106, 2.112, 2.121, 5.24	2SD 001 685-307	5.49	2SD 964 169-117	5.64
2RM 007 200-041	6.46, 6.48	2SA 003 236-041	5.24	2SD 001 685-317	5.49	2SD 964 961-011	1.223
2RM 007 200-051	6.46		5.24	2SD 001 685-501	5.179	2SD 964 961-021	1.223
2RM 007 200-061	6.48	2SA 003 236-047	5.24	2SD 001 686-101	5.50	2SD 996 030-021	3.08, 3.118, 5.43
2RM 007 200-071	6.48	2SA 003 236-048	5.24	2SD 001 688-141	3.126-3.128, 3.130-3.131, 5.16	2SD 997 005-021	5.41
2RM 007 200-081	6.48	2SA 003 236-341	2.111, 5.25	2SD 001 688-171	3.126-3.128, 3.131, 5.16	2SD 997 006-021	5.43
2RM 007 200-091	6.46, 6.48	2SA 003 734-121	5.86	2SD 001 688-171	2.23, 5.32	2SD 997 006-031	5.43
2RM 007 200-101	6.46	2SA 004 431-071	5.27	2SD 001 693-011	2.18, 2.20, 2.22, 2.38, 2.67, 2.70-2.71, 2.80, 2.92, 5.17	2SD 997 131-051	5.42
2RM 007 200-111	6.46, 6.48	2SA 005 200-331	5.26	2SD 001 699-061	2.18, 2.20, 2.22, 2.38, 2.67, 2.70-2.71, 2.80, 2.92, 5.17	2SD 998 531-057	5.39
2RM 007 200-121	6.46	2SA 005 603-021	2.102, 2.108-2.109, 2.113, 2.117, 2.119-2.120, 5.84			2SD 998 531-067	5.39
2RM 007 200-131	6.46						
2RM 007 200-141	6.48	2SA 005 603-027	5.84	2SD 001 699-511	5.17		
2RM 007 200-151	6.48	2SA 005 603-227	5.84	2SD 002 514-161	5.46	<b>2SE...</b>	
2RM 007 200-161	6.46, 6.48	2SA 006 679-027	5.106	2SD 002 582-011	3.18, 3.125, 3.130, 5.39	2SE 001 306-051	3.47
2RM 007 200-181	6.46, 6.48	2SA 006 717-001	5.89	2SD 002 582-012	5.39	2SE 001 679-051	5.50
2RM 007 200-191	6.48	2SA 006 717-007	5.89	2SD 002 582-021	3.18, 3.39, 3.41, 3.125, 3.130, 5.39	2SE 001 680-291	1.131, 2.64, 5.17
2RM 007 200-201	6.48	2SA 008 221-127	5.54	2SD 002 582-027	5.39	2SE 001 680-301	5.17
2RM 007 200-211	6.46	2SA 008 405-011	5.54	2SD 002 582-117	2.106, 2.113	2SE 001 685-201	2.67, 2.69, 5.49
2RM 007 200-221	6.46	2SA 008 405-017	5.54	2SD 002 582-127	2.106, 2.113	2SE 001 685-221	5.49
2RM 007 200-231	6.46	2SA 008 405-021	1.137, 5.54	2SD 002 776-231	3.10, 3.14, 3.16, 3.39, 3.41, 3.56, 3.61, 3.77, 3.86, 5.45	2SE 001 685-227	5.49
2RM 007 200-261	6.46	2SA 008 405-027	5.54			2SE 001 685-227	5.49
2RM 007 200-271	6.46	2SA 008 805-001	5.83			2SE 001 686-142	5.50
2RM 007 200-371	6.46	2SA 008 805-007	5.83	2SD 002 776-237	5.45	2SE 001 688-151	2.125, 2.138, 3.130, 5.16
2RM 007 200-391	6.46	2SA 009 001-041	5.57	2SD 002 776-241	3.10, 3.14, 3.16, 3.34, 3.37, 3.39, 3.41, 3.47-3.51, 3.56, 3.61, 3.77, 3.86, 5.45	2SE 001 699-071	2.18, 2.20, 2.38, 2.67, 2.70-2.71, 2.80, 2.92, 5.17
2RM 008 858-211	6.39	2SA 009 001-047	5.57				
2RM 008 858-221	6.39	2SA 009 001-137	5.57				
2RM 008 858-231	6.39	2SA 961 167-011	5.105				
2RM 008 858-241	6.39	2SA 962 964-091	5.88	2SD 002 776-247	5.45	2SE 002 514-171	5.46
2RM 008 858-251	6.39	2SA 964 169-091	5.64	2SD 002 776-277	3.62	2SE 002 578-701	1.126, 2.16, 3.15-3.16, 3.81-3.85, 5.46
2RM 008 858-261	6.39	2SA 964 169-097	5.64	2SD 002 776-287	3.62	2SE 002 578-707	5.46
2RM 008 858-291	6.39	2SA 964 169-277	5.64	2SD 002 844-021	5.33	2SE 002 582-071	3.39, 3.41, 5.39
2RM 008 858-401	6.39	2SA 965 038-031	1.11	2SD 002 844-031	5.33	2SE 002 582-071	3.34, 3.37, 3.47-3.51, 5.45
2RM 008 858-431	6.39	2SA 965 038-041	1.11	2SD 002 844-061	3.18, 5.33	2SE 002 776-217	5.45
2RM 379 500-011	6.57	2SA 965 039-001	5.60	2SD 002 844-067	5.33	2SE 002 776-221	5.45
2RM 379 500-021	6.58	2SA 965 039-007	5.60	2SD 002 844-131	3.18, 5.33	2SE 002 844-011	5.33
2RM 379 500-031	6.57	2SA 965 039-081	5.60	2SD 003 167-011	3.28, 5.23	2SE 002 844-051	5.33
2RM 379 500-041	6.57	2SA 965 039-087	5.60	2SD 003 167-021	2.18, 2.21, 2.25, 2.67, 2.70, 2.93, 3.28, 3.67, 5.23	2SE 003 167-031	2.18, 2.21, 2.25, 2.67, 2.70, 2.93, 3.67, 5.23
2RM 379 500-071	6.57	2SA 965 039-307	5.77				
2RM 379 500-081	6.57	2SA 996 012-091	5.107	2SD 003 167-371	5.23	2SE 003 167-041	2.128, 2.130, 5.23
2RM 379 500-091	6.58	2SA 997 022-001	5.107	2SD 003 167-521	2.128, 2.130, 5.23	2SE 003 167-511	3.80-3.81, 3.83, 5.44
2RM 379 500-101	6.57	2SA 997 023-001	5.107	2SD 003 167-531	2.30, 2.32, 5.23	2SE 003 182-011	5.44
2RM 379 500-111	6.58	2SA 997 027-001	5.90	2SD 003 167-541	2.30, 2.32, 5.23	2SE 003 182-017	3.79, 5.44
2RM 379 500-121	6.57			2SD 003 182-051	3.75, 3.79, 3.97-3.98, 5.44	2SE 003 182-021	5.44
2RM 379 500-131	6.58	<b>2SB...</b>		2SD 003 182-057	5.44	2SE 003 182-027	5.44
2RM 379 500-141	6.57	2SB 001 240-311	2.24, 5.74	2SD 003 182-061	3.75, 3.79-3.81, 3.97-3.98, 5.44	2SE 003 184-011	3.40, 3.59, 3.64, 3.66, 3.71, 5.40
2RM 379 500-151	6.58	2SB 001 259-261	3.10, 3.26, 3.30, 3.88, 3.105, 5.75	2SD 003 182-067	5.44	2SE 003 184-017	5.40
2RM 379 500-161	6.57		3.34, 3.55, 3.107, 3.129, 5.52	2SD 003 184-031	3.40, 3.75, 3.77-3.78, 5.40	2SE 003 184-101	5.40
2RM 379 500-171	6.58	2SB 001 301-021	5.67	2SD 003 184-037	3.40, 3.75, 3.77-3.78, 5.40	2SE 003 409-171	5.32
2RM 379 500-181	6.58			2SD 003 184-041	3.40, 3.59, 3.64, 3.66, 3.71, 3.75, 3.77-3.78, 5.40	2SE 003 409-191	5.32
2RM 379 500-191	6.58	2SB 001 423-097	3.58, 3.70, 5.52			2SE 003 409-197	5.32
2RM 379 500-201	6.58	2SB 001 673-002	5.80	2SD 003 184-047	5.40	2SE 004 623-001	3.12, 3.89-3.90, 5.45, 5.47
2RM 379 500-211	6.58	2SB 003 014-151	5.51	2SD 003 409-181	5.32	2SE 004 623-007	5.45
2RM 379 500-221	6.57	2SB 003 018-031	2.105	2SD 003 409-201	5.32	2SE 006 040-011	5.21
2RM 379 500-231	6.58	2SB 003 236-537	5.28	2SD 003 409-207	5.32	2SE 007 547-011	5.22
2RM 379 500-241	6.58	2SB 004 460-061	5.84	2SD 003 409-317	5.32	2SE 007 547-021	5.22
2RM 379 500-261	6.57	2SB 005 603-137	5.54	2SD 003 409-327	5.32	2SE 007 547-027	5.22
2RM 379 500-271	6.58	2SB 008 405-091	5.54	2SD 004 431-011	5.27	2SE 007 547-041	5.22
2RM 379 500-301	6.57	2SB 008 405-101	5.54	2SD 004 460-001	5.28	2SE 996 030-011	3.08, 3.118, 5.43
2RM 379 500-321	6.58	2SB 008 805-021	5.83	2SD 004 460-007	5.28	2SE 997 005-011	5.41
2RM 379 500-331	6.58	2SB 008 805-027	5.83	2SD 004 460-011	5.28	2SE 997 006-011	5.43
2RM 379 500-351	6.58	2SB 008 982-001	5.82	2SD 004 460-017	5.28	2SE 997 006-041	5.43
2RM 379 500-361	6.57	2SB 008 982-007	5.82	2SD 004 623-028	5.45	2SE 997 008-001	5.46
2RM 379 500-371	6.58	2SB 008 982-301	5.82	2SD 006 040-031	5.21	2SE 997 088-001	2.04, 2.124, 5.16
2RM 379 500-381	6.58	2SB 008 982-307	5.82	2SD 006 040-037	5.21	2SE 997 111-011	5.41
2RM 379 500-391	6.57	2SB 008 982-367	5.82	2SD 006 040-041	5.21	2SE 997 111-021	5.41
2RM 379 500-401	6.57	2SB 009 001-061	5.57	2SD 006 040-131	5.21	2SE 998 530-061	5.48
2RM 379 500-411	6.57	2SB 009 001-067	5.57	2SD 006 040-137	5.21	2SE 998 530-067	5.48
2RM 379 500-421	6.58	2SB 009 001-157	5.57	2SD 006 040-141	3.53-3.54, 5.21		
2RM 379 500-431	6.59	2SB 009 001-401					

# List of Part Numbers



Part number	Page	Part number	Page	Part number	Page	Part number	Page
<b>2SK...</b>		<b>2TM...</b>		<b>2VD...</b>		<b>2VP...</b>	
2SK 008 272-831	1.51	2TM 964 295-097	5.101	2VD 007 323-031	5.05	2VP 008 204-121	1.259, 5.07
2SK 008 579-091	1.263	2TM 964 295-101	5.101	2VD 007 323-041	5.05	2VP 008 204-161	2.09-2.10, 5.07
2SK 008 579-101	1.263	2TM 964 295-107	5.101	2VD 007 323-131	5.05	2VP 008 204-181	2.13-2.14, 5.07
2SK 008 579-111	1.264	<b>2VA...</b>		2VD 007 323-141	5.05	2VP 008 204-201	5.06
2SK 008 579-121	1.264	2VA 004 887-031	1.131, 2.56-2.57, 2.59, 2.82, 2.84, 5.12	2VD 007 500-091	2.100, 5.10	2VP 008 204-221	2.123, 5.06
2SK 008 579-131	1.263	2VA 005 553-111	1.43	2VD 007 500-111	2.100, 5.10	2VP 008 204-241	2.04, 2.07-2.09, 2.11, 2.52, 5.06
2SK 008 579-141	1.263	2VA 005 553-121	1.43	2VD 007 500-201	2.100, 5.10	2VP 008 205-031	2.133, 2.136-2.137, 5.09
2SK 008 579-151	1.264	2VA 005 553-131	1.44	2VD 007 500-221	2.100, 5.10	2VP 008 272-211	1.52
2SK 008 659-091	1.161, 1.166	2VA 005 553-141	1.44	2VD 007 500-251	2.56-2.57, 2.59-2.61, 5.10	2VP 008 272-221	1.52
2SK 008 659-101	1.161, 1.166	2VA 006 040-071	5.20	2VD 007 547-181	5.22	2VP 008 272-231	1.51
2SK 008 659-111	1.161, 1.166	2VA 006 040-077	5.20	2VD 008 204-051	2.35, 2.38-2.39, 2.51, 2.126, 5.07	2VP 008 272-241	1.51
2SK 008 659-121	1.161, 1.166	2VA 006 040-291	5.20	2VD 008 204-071	2.35, 2.38-2.39, 2.51, 2.126, 5.07	2VP 008 272-811	1.52
2SK 008 679-811	1.55	2VA 006 040-297	5.20	2VD 008 204-091	2.58, 2.81, 5.08	2VP 008 272-821	1.50
2SK 008 679-831	1.55	2VA 006 040-457	5.20	2VD 008 204-111	1.128, 5.08	2VP 008 272-861	1.51
2SK 008 748-801	1.140	2VA 006 356-081	3.44	2VD 008 204-131	1.259, 5.07	2VP 008 326-051	1.105
2SK 009 467-111	1.161, 1.167	2VA 006 356-101	3.38, 3.43-3.44	2VD 008 204-141	2.126, 5.07	2VP 008 326-061	1.105
2SK 009 467-121	1.161, 1.167	2VA 007 502-011	5.29	2VD 008 204-151	2.126, 5.07	2VP 008 406-031	1.119
2SK 009 477-051	1.251	2VA 007 502-017	5.29	2VD 008 204-171	2.09-2.10, 5.07	2VP 008 406-041	1.119
2SK 009 477-061	1.251	2VA 007 502-021	5.29	2VD 008 204-191	2.13-2.14, 5.07	2VP 008 427-091	1.118
2SK 009 988-801	1.151	2VA 007 502-027	5.29	2VD 008 204-211	5.06	2VP 008 427-101	1.118
2SK 010 083-801	1.41	2VA 007 502-061	5.29	2VD 008 204-231	2.123, 5.06	2VP 008 468-051	1.16
2SK 010 133-801	1.61, 1.150	2VA 007 502-067	5.29	2VD 008 204-251	2.04, 2.07-2.09, 2.11, 2.52, 5.06	2VP 008 468-061	1.16
2SK 010 133-811	1.61, 1.151	2VA 007 502-111	5.29	2VD 008 205-011	2.127, 5.09	2VP 008 679-111	1.55
2SK 340 101-001	5.173	2VA 007 502-117	5.29	2VD 008 205-021	2.127, 5.09	2VP 008 736-111	1.164
2SK 340 101-011	5.173	2VA 341 419-011	5.30	2VD 008 205-041	2.133, 2.136-2.137, 5.09	2VP 008 736-121	1.164
2SK 340 101-021	5.173	2VA 341 419-017	5.30	2VD 008 205-051	2.133, 2.136-2.137, 5.09	2VP 008 759-051	1.251
2SK 340 101-031	5.173	2VA 341 419-021	5.30	2VD 008 789-021	5.13	2VP 008 759-061	1.251
2SK 340 103-121	5.173	2VA 341 419-027	5.30	2VD 008 789-011	5.178	2VP 008 789-021	5.13
2SK 340 103-131	5.173	2VA 341 419-061	5.30	2VD 340 400-451	5.178	2VP 008 789-041	5.13
2SK 354 032-011	1.63	2VA 341 419-067	5.30	2VD 340 400-471	5.178	2VP 008 789-051	5.13
2SK 354 032-021	1.63	2VA 341 419-077	5.30	2VD 340 400-491	5.172	2VP 008 789-071	5.13
2SK 354 035-011	1.95	2VA 341 419-097	5.30	<b>2VP...</b>		2VP 008 863-801	1.137
2SK 354 035-021	1.95	2VA 341 419-111	5.30	2VP 003 069-011	1.123	2VP 009 500-801	1.221
2SK 964 596-011	1.119	2VA 341 419-117	5.30	2VP 003 069-021	1.123	2VP 009 500-831	1.221
2SK 964 596-021	1.119	2VA 341 419-147	5.30	2VP 003 069-061	1.123	2VP 340 400-121	5.178
2SK 964 961-811	1.223	2VA 341 419-167	5.30	2VP 003 529-131	1.260	2VP 340 400-131	5.178
2SK 964 961-821	1.223	2VA 341 419-187	5.30	2VP 003 529-141	1.260	2VP 340 400-141	5.178
2SK 982 000-821	1.180	2VA 343 640-067	5.19	2VP 003 567-111	2.41, 5.14	2VP 340 400-151	5.178
2SK 982 001-821	1.180	2VA 343 640-071	5.19	2VP 003 567-121	2.41, 5.14	2VP 340 400-161	5.178
<b>2SL...</b>		2VA 343 640-077	5.19	2VP 003 567-127	5.14	2VP 340 450-021	5.172
2SL 003 567-311	5.14	2VA 343 640-101	5.19	2VP 003 685-071	1.42	2VP 340 450-031	5.172
2SL 003 567-691	5.14	2VA 343 640-107	5.19	2VP 003 685-081	1.42	2VP 340 450-037	5.172
2SL 005 883-031	2.132, 2.134-2.135, 2.138, 5.11	2VA 343 640-117	5.19	2VP 004 220-051	1.204	2VP 340 450-141	5.172
2SL 005 883-041	2.132, 2.134-2.135, 2.138, 5.11	2VA 343 640-137	5.19	2VP 004 220-061	1.204	2VP 340 450-151	5.172
2SL 007 547-061	5.22	2VA 343 640-207	5.19	2VP 004 220-071	1.204	2VP 340 450-441	5.172
2SL 007 547-067	5.22	2VA 343 640-237	5.19	2VP 004 220-081	1.204	2VP 340 450-451	5.172
<b>2SP...</b>		2VA 964 957-011	1.250	2VP 004 220-091	1.225	2VP 340 450-501	5.172
2SP 959 060-601	5.38	2VA 964 957-021	1.250	2VP 004 401-091	1.225	2VP 340 450-511	5.172
<b>2ST...</b>		2VA 965 303-071	1.247	2VP 004 401-101	1.225	2VP 340 830-001	5.175
2ST 001 259-321	3.10, 5.75	2VA 965 303-801	1.245	2VP 004 686-111	1.125	2VP 340 830-011	5.175
2ST 001 673-011	3.58, 3.70, 5.52	2VA 965 303-811	1.246, 1.248	2VP 004 686-121	1.125	2VP 340 830-021	5.175
2ST 003 014-141	5.80	2VA 965 303-821	1.246, 1.248	2VP 004 686-131	1.125	2VP 340 830-031	5.175
2ST 003 018-061	3.74, 5.51	2VA 998 232-251	5.33	2VP 004 686-141	1.125	2VP 340 830-101	5.176
<b>2SW...</b>		2VA 998 232-271	5.34	2VP 004 686-151	1.107, 1.125	2VP 340 830-111	5.176
2SW 003 014-131	3.33, 3.55, 3.87, 3.97-3.98, 5.80	2VA 998 232-281	5.34	2VP 004 686-181	1.131, 2.56-2.57, 2.59, 2.82, 2.84, 5.12	2VP 340 831-001	5.174
2SW 003 185-041	3.22-3.24, 3.26-3.27, 3.30, 5.50	2VA 998 232-291	5.35	2VP 004 887-021	3.13, 5.20	2VP 340 831-011	5.174
2SW 003 185-047	5.50	2VA 998 232-497	5.34	2VP 006 040-111	5.20	2VP 340 888-001	5.09
2SW 964 169-081	5.65	2VA 998 233-051	5.36	2VP 006 040-117	5.20	2VP 340 888-007	5.09
2SW 964 169-087	5.65	2VA 998 233-061	5.36	2VP 006 040-121	3.13, 3.91, 3.109, 5.20	2VP 340 888-011	5.09
<b>2SY...</b>		2VA 998 233-091	5.37	2VP 006 040-127	5.20	2VP 340 888-017	5.09
2SY 003 014-121	3.74, 3.84, 5.80	2VA 998 233-101	5.37	2VP 006 040-301	5.20	2VP 340 930-011	5.175
<b>2TA...</b>		2VA 998 233-171	5.37	2VP 006 040-307	5.20	2VP 340 930-011	5.175
2TA 964 169-061	5.64	2VA 998 233-201	5.37	2VP 006 040-351	5.20	2VP 340 930-021	5.175
2TA 964 169-067	5.64	2VA 998 233-211	5.36	2VP 006 040-357	5.20	2VP 340 930-031	5.175
2TA 964 169-251	5.64	2VA 998 233-221	5.36	2VP 006 040-397	5.20	2VP 340 930-101	5.176
2TA 964 169-257	5.64	2VA 998 233-231	5.37	2VP 006 040-407	5.20	2VP 340 930-111	5.176
2TA 964 169-797	5.64	2VA 998 233-241	5.37	2VP 006 040-437	5.20	2VP 340 930-147	5.175
<b>2TF...</b>		2VA 998 233-251	5.37	2VP 006 040-447	5.20	2VP 340 930-157	5.175
2TF 001 259-761	5.75	2VA 998 233-271	5.37	2VP 006 040-467	5.20	2VP 340 931-001	5.174
<b>2TJ...</b>		2VA 998 233-357	5.36	2VP 006 040-477	5.20	2VP 340 931-011	5.174
2TJ 001 633-211	2.69, 2.71, 2.128, 2.130, 5.122	2VA 998 233-367	5.36	2VP 006 040-487	5.20	2VP 340 931-101	5.176
2TJ 003 168-151	2.88, 2.91	2VA 998 531-031	5.39	2VP 007 167-011	1.120	2VP 340 931-111	5.176
<b>2TM...</b>		<b>2VB...</b>		2VP 007 167-021	1.120	2VP 340 932-001	5.175
2TM 003 057-031	3.53, 3.76, 5.78	2VB 004 887-011	1.131, 2.56-2.57, 2.59, 2.82, 2.84, 5.12	2VP 007 240-091	1.50	2VP 340 932-011	5.175
2TM 003 748-011	5.91	2VB 006 040-051	3.91, 3.109, 5.20	2VP 007 240-101	1.50	2VP 340 934-101	5.176
2TM 004 361-021	5.95	2VB 007 547-171	5.22	2VP 007 323-011	5.05	2VP 340 934-111	5.176
2TM 006 717-047	3.28-3.29, 5.89	2VB 007 323-111	5.33	2VP 007 323-021	5.05	2VP 340 940-101	5.177
2TM 008 645-061	5.98	2VB 007 323-091	5.05	2VP 007 323-101	5.05	2VP 340 940-111	5.177
2TM 008 645-067	5.98	2VP 007 323-101	5.05	2VP 007 323-111	5.05	2VP 340 942-001	5.177
2TM 008 645-067	5.98	2VP 007 323-111	5.05	2VP 007 323-121	5.05	2VP 340 942-011	5.177
2TM 008 645-071	5.98	2VP 007 323-121	5.05	2VP 007 500-421	2.56-2.57, 2.59-2.61, 5.10	2VP 340 942-111	5.177
2TM 008 645-077	5.98	2VP 007 500-421	2.56-2.57, 2.59-2.61, 5.10	2VP 007 502-031	5.29	2VP 340 950-011	5.178
2TM 008 645-081	5.98	2VP 007 502-031	5.29	2VP 007 502-037	5.29	2VP 340 950-021	5.178
2TM 008 645-087	5.98	2VP 007 502-041	5.29	2VP 007 502-047	5.29	2VP 340 950-031	5.178
2TM 008 645-091	5.98	2VP 007 502-121	5.29	2VP 007 502-127	5.29	2VP 340 950-041	5.178
2TM 008 645-351	5.179	2VP 007 907-031	5.12	2VP 007 907-037	5.12	2VP 341 419-031	5.30
2TM 008 645-651	5.98	2VP 007 907-037	5.12	2VP 007 907-041	5.12	2VP 341 419-037	5.30
2TM 008 645-661	5.98	2VP 008 031-051	1.102	2VP 007 907-047	5.12	2VP 341 419-041	5.30
2TM 008 645-667	5.98	2VP 008 031-061	1.102	2VP 008 031-051	1.102	2VP 341 419-047	5.30



# List of Part Numbers

Part number	Page	Part number	Page	Part number	Page	Part number	Page
<b>2VP...</b>		<b>2XD...</b>		<b>2XS...</b>		<b>2ZR...</b>	
2VP 343 640-021	5.19	2XD 009 052-011	6.10	2XS 008 479-097	5.121	2ZR 006 609-081	5.125
2VP 343 640-027	5.19	2XD 009 052-021	6.10	2XS 008 479-107	5.121	2ZR 006 609-087	5.125
2VP 343 640-031	5.19	2XD 009 052-031	6.10	2XS 008 479-117	5.121	2ZR 006 609-171	5.125
2VP 343 640-037	5.19	2XD 009 053-001	6.10	2XS 302 240-031	5.180	2ZR 008 221-051	1.137, 5.55
2VP 343 640-041	5.19	2XD 009 053-021	6.10	2XS 302 240-051	5.180	2ZR 008 221-057	5.55
2VP 343 640-047	5.19	2XD 009 054-001	6.10	2XS 302 241-071	5.182	2ZR 008 221-157	5.55
2VP 343 640-051	5.19	2XD 009 386-021	6.14	2XS 302 241-081	5.182	2ZR 008 805-041	5.83
2VP 343 640-057	5.19	2XD 009 386-121	6.14	2XS 302 241-091	5.182	2ZR 008 805-047	5.83
2VP 343 640-081	5.19	2XD 009 386-421	6.14	2XS 302 241-101	5.182	2ZR 009 001-011	5.58
2VP 343 640-087	5.19	2XD 009 475-001	6.26	2XS 340 000-101	5.96, 5.183	2ZR 009 001-017	5.58
2VP 343 640-091	5.19	2XD 009 475-011	6.26	2XS 340 107-001	5.180	2ZR 009 001-117	5.58
2VP 343 640-097	5.19	2XD 009 475-021	6.26	2XS 340 107-011	5.180	2ZR 343 130-041	5.73
2VP 343 640-131	5.19	2XD 009 475-031	6.26	2XS 340 108-001	5.180	2ZR 343 130-047	5.73
2VP 343 640-247	5.18	2XD 860 618-001	6.45	2XS 340 108-011	5.180	2ZR 343 130-317	5.70
2VP 343 640-257	5.18	2XD 860 618-011	6.45	2XS 340 109-001	5.182	2ZR 343 130-327	5.70
2VP 343 640-267	5.18	2XD 860 618-021	6.45	2XS 340 109-011	5.182	2ZR 343 130-387	5.68
2VP 343 640-277	5.18	2XD 860 910-001	6.45	2XS 340 418-021	5.181	2ZR 343 130-607	5.73
2VP 354 030-011	1.62	2XD 860 910-011	6.45	2XS 340 418-031	5.181	2ZR 354 041-021	1.221
2VP 354 030-021	1.62	2XD 860 910-021	6.45	2XS 340 418-061	5.176-5.177	2ZR 354 052-021	1.62
2VP 354 030-031	1.62	2XD 860 910-031	6.45	2XS 340 418-071	5.176-5.177	2ZR 354 063-021	1.78
2VP 354 030-041	1.62	2XD 861 421-021	6.24	2XS 340 418-081	5.181	2ZR 354 069-021	1.82
2VP 354 034-011	1.73, 1.90-1.91	2XD 861 421-031	6.24	2XS 340 418-091	5.181	2ZR 959 820-601	5.53
2VP 354 034-021	1.73, 1.90-1.91	2XD 861 422-011	6.19	2XS 340 418-121	5.181	2ZR 964 169-031	3.32, 5.66
2VP 354 037-011	1.92	2XD 861 423-011	6.20	2XS 340 418-131	5.181	2ZR 964 169-037	5.66
2VP 354 037-021	1.92	2XD 861 423-021	6.20	2XS 340 447-001	5.180	2ZR 964 169-107	5.66
2VP 354 038-011	1.151	2XD 861 423-031	6.19	2XS 340 447-021	5.180	2ZR 964 169-351	5.62
2VP 354 038-021	1.151	2XD 861 423-061	6.21	2XS 340 447-061	5.180	2ZR 964 169-361	5.62
2VP 354 039-011	1.151	2XD 861 423-071	6.21	2XS 340 447-071	5.180	2ZR 964 169-511	5.63
2VP 354 039-021	1.151	2XD 861 423-081	6.21	2XS 340 448-001	5.182	2ZR 964 169-517	5.63
2VP 354 042-011	1.199	2XD 862 019-011	6.22	2XS 340 448-011	5.182	2ZR 964 169-657	5.63
2VP 354 042-021	1.199	2XD 862 111-011	6.22	2XS 340 448-021	5.182	2ZR 964 169-737	5.66
2VP 354 043-011	1.199	2XD 965 429-001	6.23	2XS 340 448-031	5.182	2ZR 964 958-021	1.250
2VP 354 043-021	1.199	2XD 965 429-011	6.23	2XS 340 827-001	5.181	2ZR 964 962-021	1.223
2VP 962 165-131	1.177	2XD 965 429-021	6.23	2XS 340 827-011	5.181	2ZR 965 039-041	5.61
2VP 962 165-161	1.177	2XD 965 429-031	6.23	2XS 340 827-121	5.181	2ZR 965 039-047	5.61
2VP 962 165-171	1.177			2XS 340 827-131	5.181	2ZR 965 039-121	5.61
2VP 962 165-201	1.177			2XS 950 071-031	5.118	2ZR 965 039-127	5.61
2VP 964 087-881	1.242			2XS 955 031-001	5.118	2ZR 965 039-337	5.61
2VP 964 087-891	1.242			2XS 955 232-001	5.118	2ZR 996 012-101	5.77
2VP 964 892-011	1.164			2XS 955 232-017	5.118	2ZR 996 012-111	5.77
2VP 964 892-021	1.164			2XS 955 260-001	5.119	2ZR 997 506-391	5.126
2VP 965 037-051	1.11			2XS 955 260-007	5.119		
2VP 965 037-061	1.11			2XS 963 959-031	5.94		
2VP 965 303-081	1.247			2XS 963 959-037	5.94		
2VP 982 006-011	1.164			2XS 964 295-031	5.101		
2VP 982 006-021	1.164			2XS 964 295-037	5.101		
2VP 998 232-261	5.35						
2VP 998 232-301	5.35						
2VP 998 233-161	5.37						
2VP 998 233-261	5.37						
2VP 998 233-281	5.37						
<b>2XA...</b>		<b>2XL...</b>		<b>2XM...</b>		<b>2XT...</b>	
2XA 008 221-021	1.137, 5.54	2XL 004 762-001	5.47	2XM 001 974-031	5.155	2XT 002 452-037	5.160
2XA 008 221-027	5.54	2XL 005 194-011	5.47	2XM 001 974-041	5.155	2XT 003 560-007	5.159
2XA 959 560-401	5.107	2XL 005 194-021	5.47	2XM 001 974-051	5.155	2XT 007 945-007	5.159
2XA 959 560-407	5.107			2XM 001 974-101	5.156	2XT 007 945-017	5.159
2XA 959 560-411	5.107			2XM 001 974-111	5.156	2XT 007 945-027	5.159
2XA 959 560-417	5.107			2XM 001 974-121	5.156	2XT 007 945-057	5.159
2XA 959 610-401	5.108			2XM 001 974-131	5.157	2XT 007 945-077	5.159
2XA 959 790-401	5.108			2XM 001 974-151	5.155	2XT 008 929-001	5.159
2XA 959 790-407	5.108			2XM 001 974-161	5.156	2XT 008 929-007	5.159
2XA 959 790-411	5.108			2XM 001 974-181	5.156	2XT 959 500-207	5.158
2XA 959 790-418	5.108			2XM 001 974-201	5.156	2XT 959 500-677	5.158
2XA 959 790-437	5.108			2XM 001 975-001	5.158	2XT 959 510-427	5.158
				2XM 004 444-001	5.158	2XT 959 510-467	5.158
				2XM 004 444-011	5.158	2XT 959 510-657	5.158
				2XM 008 779-001	5.155	2XT 980 500-227	5.158
				2XM 009 266-001	5.157		
<b>2XD...</b>		<b>2XS...</b>		<b>2XW...</b>		<b>2XX...</b>	
2XD 003 022-061	5.133	2XS 003 168-071	5.122	2XW 002 897-041	2.101, 5.163	2XX 354 033-011	1.63
2XD 003 410-301	6.20	2XS 003 168-081	5.122	2XW 002 897-051	5.163	2XX 354 033-021	1.63
2XD 006 609-821	6.24	2XS 003 168-131	5.122	2XW 003 146-001	5.163		
2XD 006 609-831	6.24	2XS 004 237-291	2.80, 2.85-2.86, 2.98	2XW 007 146-001	5.162		
2XD 007 854-801	6.20	2XS 004 237-301	2.80, 2.85-2.86, 2.98	2XW 007 146-011	5.162		
2XD 007 854-811	6.20	2XS 004 237-311	2.85				
2XD 007 854-821	6.20	2XS 004 237-321	2.85				
2XD 007 854-831	6.20	2XS 005 020-001	2.105, 2.114, 2.121, 3.38, 5.120				
2XD 008 135-801	6.22	2XS 005 020-002	5.120				
2XD 008 135-811	6.22	2XS 005 020-003	5.120				
2XD 008 135-821	6.22	2XS 005 020-011	3.12, 5.120				
2XD 008 135-831	6.22	2XS 005 020-017	5.120				
2XD 008 524-801	6.23	2XS 005 020-021	5.120				
2XD 008 524-811	6.23	2XS 005 020-041	2.35, 2.45, 2.50-2.51, 5.120				
2XD 008 597-001	6.64	2XS 005 020-047	5.120				
2XD 008 997-001	6.25	2XS 005 020-057	5.120				
2XD 008 997-011	6.25	2XS 005 020-067	5.120				
2XD 008 997-021	6.25	2XS 005 020-077	5.120				
2XD 008 997-101	6.26	2XS 005 020-081	5.120				
2XD 008 997-201	6.25	2XS 005 020-091	5.120				
2XD 008 997-211	6.25	2XS 005 020-111	5.120				
2XD 008 997-221	6.25	2XS 005 020-121	5.120				
2XD 008 997-231	6.25	2XS 005 020-137	5.120				
2XD 008 997-241	6.25	2XS 005 020-147	5.120				
2XD 008 997-251	6.25	2XS 005 639-001	5.79				
2XD 008 997-261	6.25	2XS 005 639-002	5.79				
2XD 009 048-001	6.25	2XS 007 841-011	5.119				
2XD 009 048-011	6.25	2XS 007 841-017	5.119				
2XD 009 048-021	6.25	2XS 007 841-021	5.119				
2XD 009 048-101	6.26	2XS 007 841-027	5.119				
2XD 009 048-201	6.25	2XS 008 078-001	5.121				
2XD 009 048-211	6.25	2XS 008 078-007	5.121				
2XD 009 048-221	6.25	2XS 008 078-011	5.121				
2XD 009 048-231	6.25	2XS 008 078-001	5.121				
2XD 009 048-241	6.25	2XS 008 479-001	5.121				
2XD 009 048-251	6.25	2XS 008 479-007	5.121				
2XD 009 048-261	6.25	2XS 008 479-011	5.121				
2XD 009 051-001	6.10	2XS 008 479-017	5.121				
2XD 009 051-011	6.10	2XS 008 479-041	5.121				
2XD 009 051-021	6.10	2XS 008 479-047	5.121				
2XD 009 051-031	6.10	2XS 008 479-051	5.121				
2XD 009 052-001	6.10	2XS 008 479-057	5.121				
		2XS 008 479-061	5.121				
		2XS 008 479-071	5.121				
		2XS 008 479-081	5.121				
		2XS 008 479-087	5.121				
		2XS 008 479-091	5.121				

# List of Part Numbers



Part number	Page	Part number	Page	Part number	Page	Part number	Page
<b>5DV...</b>		<b>8GA...</b>		<b>8GH...</b>		<b>8HG...</b>	
5DV 008 856-001	4.17, 4.27, 4.32, 4.96, 4.101	8GA 002 083-251	8.11	8GH 008 357-001	8.08	8HG 003 799-001	5.79, 5.165
5DV 008 856-007	4.32, 4.96, 4.101	8GA 006 841-121	8.13	8GH 008 357-151	8.08	8HG 003 799-007	5.79, 5.165
5DV 990 264-001	3.34-3.35, 4.95, 4.100	8GA 006 841-241	8.13	8GH 008 358-121	8.07	8HG 003 799-017	5.79, 5.165
5DV 990 264-011	3.100, 3.112-3.113, 3.121-3.122, 4.95, 4.100	8GA 006 841-251	8.13	8GH 008 358-151	8.07	8HG 004 806-001	4.83, 4.87, 4.91, 4.117
<b>5KG...</b>		8GA 006 841-801	8.13	8GH 008 358-181	8.07	8HG 005 436-011	6.13, 6.19
5KG 007 629-001	6.13, 6.16, 6.19	8GA 007 997-001	8.18	8GH 008 358-241	8.07	8HG 006 294-011	4.115, 6.15
5KG 007 629-011	6.13, 6.16, 6.19	8GA 007 997-011	8.18	8GH 008 358-251	8.07	8HG 006 294-021	4.98, 4.115, 6.15
5KG 009 713-001	6.26	8GA 007 997-021	8.18	8GH 008 417-001	8.11, 8.14	8HG 006 294-031	4.115, 6.15
<b>5XA...</b>		8GA 007 997-031	8.18	8GH 008 417-012	8.11, 8.14	8HG 006 294-041	4.115, 6.15
5XA 008 198-031	6.39	8GA 007 997-041	8.18	<b>8GJ...</b>		8HG 006 294-051	4.115, 6.15
5XA 008 877-001	6.53-6.56	8GA 007 997-051	8.18	8GJ 002 525-001	8.08	8HG 006 294-091	4.115, 6.15
5XA 008 877-011	6.53-6.56	8GA 007 997-061	8.19	8GJ 002 525-131	8.08	8HG 006 294-101	4.115, 6.15
5XA 860 907-031	6.45	8GA 007 997-071	8.19	8GJ 002 525-133	8.08	8HG 006 294-111	4.115, 6.15
5XA 863 115-001	6.53-6.56	8GA 007 997-081	8.19	8GJ 002 525-251	8.08	8HG 006 294-131	6.15
5XA 863 115-011	6.53-6.56	8GA 007 997-091	8.19	8GJ 002 525-253	8.08	8HG 006 294-131	6.15
5XA 863 850-801	6.60	8GA 007 997-101	8.19	8GJ 002 525-281	8.08	8HG 006 294-131	6.15
<b>6EB...</b>		8GA 007 997-111	8.19	8GJ 002 525-301	8.08	8HG 006 294-131	6.15
6EB 005 633-001	3.05, 3.21, 3.36, 3.72, 3.95, 3.101, 3.104, 3.111, 3.120, 3.125, 4.57-4.58, 4.109	8GA 007 997-121	8.19	8GJ 002 525-341	8.08	8HG 006 294-131	6.15
<b>6ED...</b>		8GA 007 997-131	8.19	8GJ 002 525-361	8.08	8HG 116 741-801	4.14, 4.16-4.18, 4.28
6ED 004 778-001	6.26	8GA 007 997-141	8.20	8GJ 002 525-471	8.08	8HG 151 866-001	4.32-4.33
6ED 004 778-011	6.31, 6.36	8GA 007 997-151	8.20	8GJ 002 525-481	8.08	8HG 153 152-001	4.03, 4.31, 4.104
6ED 708 919-001	3.105, 3.101, 3.104, 3.113, 3.121, 4.111	8GA 007 997-161	8.20	8GJ 002 525-511	8.08	8HG 157 007-001	4.12
<b>6EG...</b>		8GA 007 997-171	8.20	8GJ 002 525-801	8.08	8HG 159 455-001	4.114
6EG 001 567-041	4.08, 4.22-4.24	8GA 007 997-181	8.18	8GJ 002 525-821	8.08	8HG 160 409-002	5.98-5.99, 5.179, 5.190
6EG 990 007-001	3.95, 4.108	8GA 007 997-191	8.20	8GJ 002 525-913	8.04	8HG 162 530-002	5.59
<b>6EH...</b>		8GA 007 997-201	8.20	8GJ 002 525-941	8.04	8HG 165 967-001	5.112
6EH 004 406-032	1.208, 1.230, 1.252	8GA 007 997-211	8.20	8GJ 002 525-971	8.04	8HG 247 376-011	2.60
6EH 007 946-001	4.06, 4.28	8GA 007 997-221	8.20	8GJ 002 525-913	8.04	8HG 247 377-011	2.60
<b>6NM...</b>		8GA 007 997-231	8.21	8GJ 002 525-941	8.04	8HG 340 413-001	5.98-5.99, 5.191
6NM 004 375-311	1.39, 1.43, 1.58	8GA 007 997-241	8.21	8GJ 002 525-971	8.04	8HG 340 489-001	5.98-5.99, 5.191
6NM 004 375-541	4.36	8GA 007 997-251	8.21	8GJ 003 133-242	8.08	8HG 341 300-007	5.164
6NM 004 375-547	4.36	8GA 007 997-261	8.21	8GJ 004 173-121	8.08	8HG 341 301-007	5.164
6NM 007 231-037	4.46	8GA 007 997-272	8.21	8GJ 008 897-121	8.07	8HG 854 516-001	6.40, 6.44, 6.61, 6.63
6NM 007 282-211	1.12, 1.22, 1.24, 1.27, 1.31, 1.205, 1.228, 1.230, 1.233, 1.252, 1.261	8GA 007 997-901	8.06	<b>8GM...</b>		8HG 861 916-001	5.157
6NM 007 282-221	4.30, 4.34-4.35	8GA 007 997-911	8.06	8GM 002 091-121	8.14	8HG 861 918-001	5.157
6NM 007 282-231	4.30	8GA 007 997-921	8.06	8GM 002 091-131	6.38, 8.14	8HG 861 919-001	5.157
6NM 007 282-631	1.233	8GA 008 246-001	8.16	8GM 002 091-141	8.14	8HG 863 186-001	5.156
6NM 007 282-641	1.145	8GA 008 892-002	8.16	8GM 002 091-181	8.14	8HG 863 383-001	6.40, 6.60, 6.62
6NM 007 282-651	1.266-1.267	8GA 008 899-061	8.11	8GM 002 091-241	8.14	8HG 959 571-007	5.107
6NM 007 282-661	1.65	8GA 008 899-121	8.11	8GM 002 091-251	8.14	8HG 990 003-001	4.108
6NM 007 878-041	1.06, 1.09-1.10, 1.24, 1.173, 1.175, 1.177-1.179, 1.183-1.184, 1.192-1.193, 1.195, 1.205, 1.214, 1.227, 1.234, 1.243, 1.136	8GA 008 901-241	8.16	8GM 002 091-261	8.14	8HG 990 263-001	4.94
6NM 007 878-351	1.156, 1.158-1.166, 1.168-1.170	<b>8GD...</b>		8GM 002 092-121	8.14	8HG 990 263-111	4.62-4.65, 4.83, 4.86-4.88, 4.91, 4.93, 4.97, 4.102-4.103, 4.106-4.107, 4.116
6NM 007 878-521	1.15	8GD 002 078-011	8.12	8GM 002 092-171	8.14	8HG 990 320-001	4.115, 6.15
6NM 007 878-531	1.08, 1.15, 1.20, 1.189	8GD 002 078-121	8.12	8GM 002 092-241	8.14	8HG 990 368-001	4.115, 6.15
6NM 007 878-541	1.08	8GD 002 078-221	8.12	8GM 002 094-121	8.15	8HG 990 368-007	4.115, 6.15
6NM 007 878-551	1.266, 1.268	8GD 002 078-241	8.12	8GM 002 094-241	8.15	8HG 998 519-002	4.118
6NM 008 299-501	4.34	8GD 002 084-131	8.10	<b>8GP...</b>		<b>8JA...</b>	
<b>6ZE...</b>		8GD 002 084-151	8.10	8GP 002 066-121	8.16	8JA 001 909-001	8.22
6ZE 001 759-051	6.41, 6.62	8GD 002 084-251	8.10	8GP 002 066-241	8.16	8JA 001 909-011	8.22
6ZE 001 759-071	6.41, 6.62	8GD 002 088-071	8.10	8GP 002 067-011	8.11, 8.15	8JA 001 914-011	8.22
<b>6ZN...</b>		8GD 002 088-131	8.10	8GP 002 067-061	8.11, 8.15	8JA 001 915-001	4.87, 4.91
6ZN 160 705-001	1.220, 4.28, 4.117	8GD 002 088-251	8.10	8GP 002 067-121	8.11, 8.15	8JA 001 921-102	4.118
6ZN 160 705-011	4.28, 4.117	8GD 004 772-121	8.12	8GP 002 067-241	8.11, 8.15	8JA 001 925-001	4.113
<b>8ES...</b>		8GD 008 893-002	8.12	8GP 002 067-261	8.11, 8.15	8JA 001 930-001	5.47
8ES 004 417-241	5.156	8GD 008 893-002	8.12	8GP 002 068-121	8.11, 8.15	8JA 002 263-031	4.93
8ES 009 096-001	6.21	8GD 008 897-061	8.10	8GP 002 068-131	8.15	8JA 008 658-001	5.103, 5.191
8ES 009 096-011	6.21	8GD 008 897-121	8.10	8GP 002 068-241	8.15	8JA 008 658-011	5.103, 5.191
8ES 861 420-001	6.19-6.20, 6.22, 6.24	8GD 008 898-061	8.10	8GP 002 068-241	8.15	8JA 008 658-017	5.103, 5.191
8ES 861 420-011	6.19-6.20, 6.22	<b>8GH...</b>		8GP 002 068-121	8.15	8JA 746 184-032	5.111-5.112
<b>8GA...</b>		8GH 002 089-133	6.17-6.18, 6.38, 6.50, 6.52-6.54, 8.10	8GP 002 068-131	8.15	8JA 990 065-001	4.53
8GA 002 071-121	8.13	8GH 002 089-141	8.10	8GP 002 068-131	8.15	8JA 990 295-127	4.32, 4.89
8GA 002 071-131	8.13	8GH 002 089-251	6.17-6.18, 6.38, 6.53-6.54, 8.10	8GP 002 068-131	8.15	8JA 990 295-217	4.31
8GA 002 071-241	8.13	<b>8GH 002 089-253</b>	8.10	8GP 002 068-131	8.15	<b>8JB...</b>	
8GA 002 071-251	8.13	8GH 002 089-351	8.10	8GP 002 068-241	8.15	8JB 001 933-031	4.93
8GA 002 071-261	8.13	8GH 002 089-361	8.10	8GP 003 594-121	8.16	8JB 001 943-003	5.47
8GA 002 071-271	8.13	8GH 002 089-471	8.10	8GP 003 594-241	8.16	8JB 004 777-001	6.06, 6.16, 6.64
8GA 002 071-341	8.13	8GH 002 089-491	8.10	8GP 003 594-251	8.16	8JB 004 777-002	6.06
8GA 002 071-351	8.13	8GH 002 089-501	8.10	8GP 003 594-251	8.16	8JB 008 839-001	6.11
8GA 002 071-361	8.13	8GH 002 089-801	8.10	8GP 003 594-251	8.16	8JB 850 434-011	4.115, 6.15-6.16
8GA 002 072-121	8.13	8GH 002 089-921	8.05	8GP 003 594-541	8.17	<b>8JD...</b>	
8GA 002 072-141	8.13	8GH 002 089-931	8.05	8GP 007 676-121	8.15	8JD 008 151-011	3.34, 3.45, 3.115, 4.60-4.65, 4.86-4.88, 4.90-4.94, 4.102, 5.126
8GA 002 072-241	8.13	8GH 002 089-941	8.05	8GP 008 285-001	8.15	8JD 008 151-041	4.69-4.71
8GA 002 073-121	6.50-6.52, 8.12	8GH 002 090-133	8.09	8GP 009 021-002	8.17	8JD 156 150-807	1.168, 1.214, 1.234, 2.101, 4.03-4.04, 4.29-4.30, 4.33, 4.104, 5.56-5.59
8GA 002 073-241	8.12	8GH 002 090-251	8.09	8GP 938 026-001	8.17	<b>8JE...</b>	
8GA 002 073-251	8.12	8GH 002 090-253	8.09	8GS 002 296-101	5.151, 8.17	8JE 340 060-001	5.184
8GA 002 073-271	8.12	8GH 002 090-371	8.09	8GS 002 296-111	5.151, 8.17	8JE 340 060-011	5.184
8GA 002 074-121	8.12	8GH 002 090-471	8.09	8GS 002 823-011	5.155	8JE 340 060-251	5.197
8GA 002 074-241	8.12	8GH 002 090-481	8.09	8GS 006 677-121	8.21	8JE 340 061-001	5.195
8GA 002 083-131	8.11	8GH 002 090-481	8.09	8GS 007 001-121	8.07	8JE 340 151-001	5.184
		8GH 002 473-132	8.13	8GS 007 949-101	3.121-3.122, 8.07	8JE 340 165-001	5.188
		8GH 002 473-151	8.13	8GS 008 822-001	5.155	8JE 340 847-001	5.200
		8GH 002 857-121	8.10	8GS 008 822-011	5.157	8JE 340 867-001	5.197
		8GH 002 857-241	8.10	8GS 008 823-001	5.155	8JE 340 867-011	5.197
		8GH 005 635-121	8.09	8GS 008 823-021	5.156	8JE 340 898-001	5.197
		8GH 005 635-161	8.09	8GS 008 823-031	5.156	<b>8JS...</b>	
		8GH 005 635-181	8.09	8GS 009 028-001	8.07	8JS 711 687-821	4.65, 4.76, 4.87-4.89, 4.113
		8GH 005 636-121	8.09	8GS 009 469-001	5.157	<b>8KA...</b>	
		8GH 005 636-201	8.09	8GS 859 634-001	6.11-6.12, 6.29, 6.35, 6.39, 6.55	8KA 002 309-811	4.14, 4.28



# List of Part Numbers

Part number	Page	Part number	Page	Part number	Page	Part number	Page
<b>8KA...</b>		<b>8KB...</b>		<b>8RA...</b>		<b>8XU...</b>	
8KA 146 152-001	1.204-1.206	8KB 863 325-001	6.40, 6.60	8RA 003 326-001	5.166	8XU 144 430-001	1.208-1.209, 1.252-1.253
8KA 146 751-007	5.129-5.130	8KB 863 462-001	6.41	8RA 003 326-002	5.166	8XU 964 435-021	1.250
8KA 148 541-001	4.16, 4.18	8KB 863 462-011	6.41	8RA 003 326-011	2.87, 2.99, 5.11, 5.166	8XU 964 981-001	1.250
8KA 152 134-007	5.55	8KB 863 462-031	6.41	8RA 003 326-017	5.166		
8KA 152 601-001	1.156, 1.167	8KB 863 514-001	6.62	8RA 003 326-021	5.166	<b>8XX...</b>	
8KA 157 425-007	5.140	8KB 863 949-001	8.22	8RA 003 326-031	5.166	8XX 008 614-011	4.37
8KA 340 010-001	5.185	8KB 863 949-011	8.22	8RA 003 326-041	2.100, 5.10, 5.166	8XX 008 614-031	4.37
8KA 340 010-011	5.185	8KB 864 105-801	6.40, 6.62	8RA 003 326-047	5.166	8XX 008 614-101	4.37
8KA 340 010-241	5.185	8KB 990 299-001	3.34, 3.45, 3.115, 4.60-4.64, 4.86, 4.90-4.94, 4.97, 4.102, 5.126	8RA 003 326-051	5.166	8XX 008 644-001	4.37
8KA 340 010-251	5.188-5.189			8RA 003 326-931	5.166		
8KA 340 012-001	5.185			8RA 003 326-941	5.166	<b>9AB...</b>	
8KA 340 028-061	5.185			8RA 003 503-001	5.169	9AB 053 336-007	2.79
8KA 340 031-001	5.189	8KB 990 299-011	4.91-4.92	8RA 003 660-007	5.24, 5.167	9AB 860 796-001	6.39, 6.50-6.51
8KA 340 040-001	5.183, 5.186-5.188, 5.192-5.193	8KB 990 299-057	4.68	8RA 003 734-101	5.87, 5.167	9AB 860 796-011	6.52
		8KB 990 299-101	3.35	8RA 004 412-001	5.166	9AB 860 796-021	6.39, 6.50, 6.52
8KA 340 815-001	5.198	8KB 990 299-121	3.72, 3.112, 3.114, 4.65, 4.87-4.88	8RA 004 412-011	5.166	9AB 860 796-061	6.50-6.51
8KA 340 815-011	5.198			8RA 004 412-021	5.166	9AB 860 796-071	6.50, 6.52
8KA 340 815-021	5.198	8KB 990 299-221	3.32, 4.32, 4.64-4.65, 4.87, 4.96, 4.101	8RA 004 412-041	1.16-1.17, 1.196-1.197, 1.211, 1.216, 1.242	9AB 864 273-001	6.61
8KA 340 816-001	5.198					9AB 864 273-011	6.61
8KA 340 816-011	5.198	8KB 990 299-231	4.32, 4.65, 4.87, 4.89, 4.96, 4.101				
8KA 340 817-001	5.198			8RA 007 051-031	1.146	<b>9AG...</b>	
8KA 340 817-011	5.198	8KB 990 299-251	4.101	8RA 007 051-041	1.146	9AG 017 970-001	4.49
8KA 340 817-077	5.185	8KB 990 299-311	4.66	8RA 008 146-031	1.146	9AG 071 903-001	3.57
8KA 340 818-001	5.198			8RA 008 405-001	1.137, 5.55	9AG 104 328-001	3.11, 3.13, 3.17, 3.33, 3.58-3.60, 3.76, 3.78, 3.119, 4.48
8KA 340 818-011	5.198			8RA 008 405-007	5.55		
8KA 340 818-031	5.198			8RA 009 001-031	5.58	9AG 122 798-005	2.14, 2.17, 2.19, 2.37, 2.102
8KA 340 819-001	5.199			8RA 009 001-037	5.58	9AG 125 569-001	3.108
8KA 340 819-011	5.199			8RA 009 001-037	5.58	9AG 126 942-031	2.98
8KA 340 819-041	5.199			8RA 123 251-005	3.40, 3.59, 3.64, 3.66, 3.71, 5.40	9AG 129 328-001	2.43, 2.47, 2.97
8KA 340 822-001	5.200					9AG 132 453-005	3.15, 3.26, 3.103, 3.112, 4.82
8KA 340 822-051	5.201	8KL 340 052-001	5.196, 5.201	8RA 342 014-157	5.166		
8KA 340 822-061	5.201	8KL 340 054-001	5.196, 5.201	8RA 343 160-002	5.101	9AG 138 131-001	4.26
8KA 340 822-071	5.201	8KL 340 055-001	5.193	8RA 343 160-007	5.101	9AG 138 131-011	2.44, 2.47-2.48, 2.133, 2.136-2.137, 4.26
8KA 340 822-081	5.201	8KL 340 055-021	5.196, 5.201	8RA 343 160-012	5.101		
8KA 340 822-091	5.201	8KL 340 059-001	5.196, 5.201	8RA 343 160-017	5.101	9AG 141 819-001	4.14
8KA 340 841-001	5.198	8KL 340 093-011	5.196, 5.201	8RA 343 160-022	5.101	9AG 141 819-011	4.14
8KA 340 841-021	5.198	8KL 340 412-001	5.196, 5.201	8RA 343 160-027	5.101	9AG 141 819-041	4.14
8KA 340 842-001	5.199	8KL 998 228-001	5.205	8RA 343 220-007	5.168	9AG 147 939-011	4.16
8KA 340 842-011	5.199	8KL 998 228-011	5.205	8RA 343 220-017	5.168	9AG 147 939-021	4.18
8KA 340 843-001	5.199	8KL 998 228-021	5.205	8RA 354 031-011	1.84	9AG 147 939-031	4.17
8KA 340 843-011	5.199			8RA 354 031-021	1.84	9AG 161 844-011	4.09-4.10
8KA 340 843-021	5.199			8RA 354 036-011	1.179	9AG 161 844-021	4.09-4.10
8KA 340 845-001	5.198			8RA 354 036-021	1.179	9AG 162 938-001	4.14
8KA 340 845-031	5.198			8RA 964 292-001	5.119	9AG 162 940-001	4.11
8KA 340 846-001	5.199					9AG 168 666-001	4.15
8KA 340 846-067	5.186, 5.189					9AG 990 006-017	3.06, 4.108
8KA 340 852-051	5.199						
8KA 340 854-021	5.199						
8KA 340 859-001	5.200						
8KA 340 859-011	5.200						
8KA 340 864-001	5.200						
8KA 340 864-027	5.186						
8KA 340 910-007	5.186						
8KA 950 073-001	5.110, 5.118						
8KA 962 886-001	5.118						
8KA 998 226-001	5.206						
8KA 998 229-011	5.205						
8KA 998 229-021	5.205						
8KA 998 229-031	5.205						
8KA 998 229-041	5.205						
8KA 998 229-061	5.205						
8KA 998 229-081	5.206						
8KA 998 229-121	5.206						
8KA 998 230-001	5.204						
8KA 998 230-011	5.204						
8KA 998 230-021	5.204						
8KA 998 230-041	5.204						
8KA 998 230-051	5.204						
8KA 998 231-001	5.206						
8KA 998 231-011	5.206						
8KA 998 231-051	5.206						
8KA 998 231-071	5.204						
8KA 998 231-081	5.204						
8KA 998 231-091	5.204						
8KA 998 231-111	5.205						
<b>8KB...</b>		<b>8PA...</b>		<b>8RB...</b>		<b>9AH...</b>	
8KB 007 895-801	6.44	8PA 006 796-031	7.05	8RB 004 713-001	5.167	9AH 127 703-051	1.120
8KB 007 895-811	6.44	8PA 006 796-041	7.05			9AH 127 704-051	1.120
8KB 007 895-821	6.44	8PA 007 732-003	7.04			9AH 130 137-021	1.124
8KB 007 896-801	6.43	8PA 007 732-013	7.04			9AH 130 138-021	1.124
8KB 007 896-811	6.43	8PA 007 732-083	7.03			9AH 131 740-011	1.42, 1.57
8KB 007 897-801	6.44	8PA 007 732-093	7.03			9AH 131 741-011	1.42, 1.57
8KB 007 897-811	6.44	8PA 007 732-103	7.03			9AH 138 299-021	1.124
8KB 149 147-001	3.34, 4.76, 4.95, 4.100	8PA 007 732-123	7.02			9AH 138 300-021	1.124
8KB 157 198-801	1.46-1.47					9AH 144 231-031	1.108
8KB 340 820-001	5.200					9AH 144 232-031	1.108
8KB 340 820-057	5.193					9AH 144 815-021	1.106
8KB 340 820-061	5.200					9AH 144 816-021	1.106
8KB 861 213-001	6.44					9AH 146 735-041	1.108
8KB 861 213-011	6.44					9AH 146 736-041	1.108
8KB 861 213-021	6.44					9AH 149 259-015	3.08, 4.46
8KB 861 213-037	6.43					9AH 149 260-015	3.08, 4.46
8KB 861 596-001	6.44					9AH 150 865-001	1.96-1.97
8KB 862 346-001	6.62					9AH 150 865-011	1.97
8KB 862 346-011	6.62					9AH 150 866-001	1.96-1.97
8KB 862 689-001	6.40, 6.61, 6.63					9AH 150 866-011	1.97
8KB 863 116-001	6.60					9AH 157 659-007	4.32-4.33
8KB 863 119-001	6.60					9AH 161 784-017	4.30
8KB 863 119-011	6.60					9AH 161 786-017	4.04, 4.30-4.31
8KB 863 119-031	6.60					9AH 165 968-001	5.112
8KB 863 119-041	6.60					9AH 169 580-011	4.35
8KB 863 120-011	6.53-6.56, 6.60					9AH 254 228-012	4.34
8KB 863 243-001	6.53-6.56, 6.60					9AH 254 228-017	4.34
8KB 863 322-001	6.40, 6.60						
8KB 863 322-011	6.40, 6.60					<b>9AR...</b>	
8KB 863 323-001	6.40, 6.60					9AR 120 266-001	5.148
8KB 863 323-011	6.40, 6.60						
8KB 863 324-001	6.40, 6.60					<b>9BG...</b>	
						9BG 101 230-001	1.258, 2.22, 3.27, 3.131, 5.116
						9BG 101 230-011	5.116
						9BG 119 721-001	3.56, 3.61, 3.88, 3.97-3.98, 3.112, 3.125-3.126, 3.128, 5.114
						9BG 120 581-001	5.117
						9BG 121 587-031	1.258, 1.262, 1.264, 2.30, 2.33, 2.35, 2.42, 2.45, 2.49, 2.51-2.52, 2.64, 2.75, 2.78, 2.82, 2.85, 2.122, 2.128, 3.10, 3.12, 3.16, 3.18, 3.38, 3.41, 3.43, 3.50, 3.64-3.65, 3.68-3.69, 3.72, 5.117
						9BG 121 587-037	5.117
						9BG 121 587-071	5.117
						9BG 121 740-001	2.103, 2.105, 2.110-2.111, 5.25, 6.22
						9BG 127 179-001	3.116, 4.52, 4.104





# List of Part Numbers

Part number	Page	Part number	Page	Part number	Page	Part number	Page
<b>9EL...</b>		<b>9EL...</b>		<b>9EL...</b>		<b>9EL...</b>	
9EL 136 819-041	3.53-3.54, 5.21	9EL 144 431-001	1.209, 1.253	9EL 153 568-051	1.52	9EL 354 071-021	1.88
9EL 136 825-001	3.13, 5.20	9EL 144 431-801	1.209, 1.253	9EL 153 568-061	1.50	9EL 354 072-011	1.91
9EL 136 825-011	3.13, 3.91, 3.109, 5.20	9EL 144 443-001	1.181	9EL 153 568-071	1.51	9EL 354 072-021	1.91
9EL 136 825-081	5.20	9EL 144 444-001	1.181	9EL 153 568-101	1.51	9EL 354 073-011	1.139
9EL 136 833-001	5.21	9EL 145 103-011	2.126-2.127	9EL 153 923-021	1.10	9EL 354 073-021	1.139
9EL 136 833-011	3.91, 3.109, 5.20	9EL 145 104-011	2.126-2.127	9EL 153 924-021	1.10	9EL 354 074-011	1.190
9EL 137 241-001	2.08-2.09, 2.91, 2.98, 2.104, 2.114, 2.116, 5.105	9EL 145 284-011	1.68, 1.89	9EL 154 637-001	5.104	9EL 354 074-021	1.190
9EL 137 307-001	3.10, 3.14, 3.16, 3.39, 3.41, 3.56, 3.61, 3.77, 3.86, 5.45	9EL 145 284-021	1.68, 1.89	9EL 156 099-801	1.171, 1.174, 1.179, 1.183, 1.195, 1.214, 1.233, 1.244-1.245, 1.249	9EL 354 075-011	1.190
9EL 137 308-001	3.10, 3.14, 3.16, 3.34, 3.37, 3.39, 3.41, 3.47-3.51, 3.56, 3.61, 3.77, 3.86, 5.45	9EL 145 660-021	5.126	9EL 156 099-811	1.08, 1.10, 1.20, 1.175, 1.178, 1.185, 1.190	9EL 354 075-021	1.190
9EL 137 792-011	3.53-3.54, 5.21	9EL 145 801-001	1.147	9EL 156 099-821	1.136, 1.150	9EL 354 076-011	1.191
9EL 137 792-031	1.68-1.70	9EL 145 802-001	1.147	9EL 156 099-831	1.39, 1.42-1.43, 1.56, 1.58	9EL 354 076-021	1.191
9EL 137 820-031	1.237	9EL 145 833-021	1.12	9EL 158 251-061	1.55	9EL 354 077-011	1.192
9EL 137 839-011	1.237	9EL 145 834-021	1.12	9EL 158 251-071	1.55	9EL 354 077-021	1.192
9EL 137 840-011	1.237	9EL 145 909-041	1.13, 1.33	9EL 158 251-101	1.56	9EL 354 078-011	1.193
9EL 138 463-031	1.33	9EL 145 997-021	1.13	9EL 158 252-061	1.55	9EL 354 078-021	1.193
9EL 138 464-031	1.33	9EL 145 998-021	1.13	9EL 158 252-071	1.55	9EL 354 079-011	1.194
9EL 138 567-031	1.32	9EL 146 021-001	1.148	9EL 158 252-101	1.56	9EL 354 079-021	1.194
9EL 138 567-061	1.12, 1.32-1.33	9EL 146 022-001	1.148	9EL 158 254-011	1.09	9EL 354 080-011	1.173
9EL 138 568-031	1.32	9EL 146 073-001	5.137	9EL 158 254-021	1.09	9EL 354 080-021	1.173
9EL 138 568-061	1.12, 1.32-1.33	9EL 146 293-031	1.49	9EL 158 254-101	1.56	9EL 354 081-021	1.173
9EL 138 601-031	1.269	9EL 146 294-031	1.49	9EL 158 254-101	1.56	9EL 354 082-011	1.173
9EL 138 601-041	1.269	9EL 146 369-001	1.239	9EL 158 254-101	1.56	9EL 852 061-001	6.18
9EL 138 602-031	1.269	9EL 146 370-001	1.239	9EL 158 254-101	1.56	9EL 852 061-021	6.18
9EL 138 602-041	1.269	9EL 146 371-001	1.262	9EL 158 254-101	1.56	9EL 852 820-001	6.18
9EL 138 649-031	1.269	9EL 146 372-001	1.262	9EL 158 993-001	5.13	9EL 854 912-001	6.18
9EL 138 649-041	1.270	9EL 146 373-001	1.262	9EL 160 467-011	1.139	9EL 855 097-001	6.18
9EL 138 650-031	1.269	9EL 146 491-001	1.126, 2.16, 3.15-3.16, 3.81-3.85, 5.46	9EL 160 468-011	1.139	9EL 856 010-001	5.152
9EL 138 650-041	1.270	9EL 146 525-021	1.98	9EL 161 421-011	1.139	9EL 856 415-001	6.17
9EL 139 137-051	1.210	9EL 146 525-041	1.98	9EL 161 422-011	1.139	9EL 856 415-037	6.17-6.18
9EL 139 137-061	1.210	9EL 146 526-021	1.98	9EL 171 558-011	1.87	9EL 856 416-001	6.18
9EL 139 137-071	1.210	9EL 146 526-041	1.98	9EL 171 558-011	1.87	9EL 856 416-011	6.18
9EL 139 137-081	1.210	9EL 146 607-001	1.36	9EL 171 558-021	1.87	9EL 856 417-001	6.17
9EL 139 137-091	1.211	9EL 146 607-001	1.36	9EL 171 558-031	1.88	9EL 856 418-001	6.17-6.18
9EL 139 137-161	1.211	9EL 146 838-001	2.56-2.57, 2.59-2.61, 2.100, 5.05, 5.10, 5.119, 5.172	9EL 171 558-041	1.88	9EL 856 418-011	6.17-6.18
9EL 139 138-051	1.210	9EL 146 887-001	5.05	9EL 171 558-051	1.88	9EL 856 989-001	6.38
9EL 139 138-061	1.210	9EL 147 073-001	1.84, 1.171, 1.174, 1.176, 1.179, 1.182, 1.198, 1.210, 1.231, 1.241, 1.248, 1.253	9EL 171 558-061	1.88	9EL 857 576-021	6.38
9EL 139 138-071	1.210	9EL 147 073-801	1.85, 1.171, 1.174, 1.177, 1.182, 1.210, 1.231, 1.241, 1.249, 1.253	9EL 171 968-011	1.93	9EL 857 576-031	6.38
9EL 139 138-081	1.210	9EL 147 096-001	5.22	9EL 171 968-021	1.93	9EL 857 801-001	6.17
9EL 139 138-091	1.211	9EL 147 096-021	5.22	9EL 171 968-021	1.93	9EL 857 801-011	6.17
9EL 139 138-161	1.211	9EL 147 096-031	5.22	9EL 171 974-011	1.186	9EL 857 803-001	6.17
9EL 139 138-171	1.211	9EL 147 097-001	5.22	9EL 171 974-021	1.186	9EL 859 020-001	6.03
9EL 139 263-041	1.33	9EL 147 605-021	1.104	9EL 171 975-011	1.186	9EL 859 020-101	6.03
9EL 139 383-031	1.31	9EL 147 606-021	1.104	9EL 171 975-021	1.186	9EL 859 541-011	6.38
9EL 139 384-031	1.31	9EL 147 723-071	1.265-1.266, 1.268	9EL 171 976-011	1.185	9EL 859 541-011	6.38
9EL 139 898-005	2.75, 5.25	9EL 147 724-071	1.265-1.266, 1.268	9EL 171 976-021	1.185	9EL 859 558-001	6.13, 6.19
9EL 140 063-021	1.13, 1.33	9EL 147 747-001	2.18, 2.21, 2.25, 2.30, 2.32, 2.67, 2.70, 2.93, 3.28, 3.67, 5.23	9EL 171 977-011	1.185	9EL 859 558-011	6.13, 6.19
9EL 140 064-021	1.13, 1.33	9EL 147 747-007	5.23	9EL 171 977-021	1.185	9EL 860 135-011	6.38
9EL 140 347-021	1.28	9EL 147 845-021	1.103	9EL 236 217-011	1.93	9EL 860 627-001	6.05
9EL 140 348-021	1.28	9EL 147 846-021	1.103	9EL 236 218-011	1.93	9EL 860 627-011	6.05
9EL 140 413-031	1.254	9EL 147 910-001	5.91	9EL 236 237-011	1.93	9EL 860 628-021	6.05
9EL 140 413-041	1.254	9EL 147 910-001	5.91	9EL 236 238-011	1.93	9EL 860 743-001	6.50-6.52
9EL 140 414-031	1.254	9EL 147 992-001	3.38, 3.43-3.44	9EL 246 151-021	1.187-1.188, 1.198	9EL 860 743-011	6.50, 6.52
9EL 140 414-041	1.254	9EL 148 141-021	1.16	9EL 246 152-021	1.187-1.188, 1.198	9EL 860 743-021	6.50, 6.52
9EL 140 431-041	1.254	9EL 148 141-031	1.16	9EL 246 175-011	1.190	9EL 861 498-001	6.33, 6.35
9EL 140 431-061	1.255	9EL 148 142-021	1.16	9EL 246 176-011	1.190	9EL 861 498-011	6.33, 6.35
9EL 140 432-041	1.254	9EL 148 142-031	1.16	9EL 246 201-011	1.187-1.188	9EL 861 498-021	6.33, 6.35
9EL 140 432-051	1.254	9EL 148 179-021	1.215	9EL 246 202-011	1.187-1.188	9EL 861 597-001	6.50-6.52
9EL 140 432-061	1.255	9EL 148 179-031	1.215	9EL 270 107-011	1.187-1.188	9EL 861 597-011	6.50, 6.52
9EL 141 115-021	1.28	9EL 148 179-101	1.216	9EL 270 197-011	1.259	9EL 861 912-001	6.32-6.34
9EL 141 116-021	1.28	9EL 148 179-111	1.216	9EL 270 198-011	1.259	9EL 861 912-021	6.32-6.33
9EL 141 135-001	5.89	9EL 148 179-131	1.216	9EL 303 581-001	5.176, 5.180-5.182	9EL 861 912-041	6.35
9EL 141 135-011	5.89	9EL 148 180-021	1.215	9EL 303 581-001	5.176, 5.180-5.182	9EL 861 912-051	6.35
9EL 141 135-021	5.89	9EL 148 180-031	1.215	9EL 340 002-011	5.96-5.97, 5.192	9EL 861 912-061	6.32-6.35
9EL 141 135-031	2.27-2.29, 5.89	9EL 148 180-101	1.216	9EL 340 002-021	5.96	9EL 861 913-001	6.32-6.34
9EL 141 605-011	1.28	9EL 148 180-111	1.216	9EL 340 201-001	5.173	9EL 861 913-021	6.32-6.33
9EL 141 606-011	1.28	9EL 148 180-111	1.216	9EL 340 201-001	5.173	9EL 861 913-041	6.35
9EL 141 612-001	5.125	9EL 148 180-131	1.216	9EL 340 203-001	5.178	9EL 861 913-041	6.35
9EL 141 701-001	1.203, 1.225	9EL 148 180-131	1.216	9EL 340 203-001	5.178	9EL 861 913-051	6.35
9EL 141 702-001	1.203, 1.225	9EL 148 274-001	5.91	9EL 340 208-001	5.172	9EL 861 913-061	6.32-6.35
9EL 141 705-001	1.203, 1.225	9EL 148 345-011	1.68-1.69, 1.89	9EL 340 208-001	5.172	9EL 862 140-001	6.07
9EL 141 706-001	1.203, 1.225	9EL 148 345-021	1.68-1.69, 1.89	9EL 340 208-021	5.172	9EL 862 140-021	6.12
9EL 141 889-031	1.231	9EL 148 347-011	1.68	9EL 340 829-001	5.174-5.176	9EL 862 140-031	6.12
9EL 141 889-041	1.231-1.232	9EL 148 347-021	1.68	9EL 340 829-021	5.174-5.176	9EL 862 141-001	6.07-6.08
9EL 141 890-031	1.231	9EL 148 673-021	5.119	9EL 340 829-031	5.174-5.176	9EL 862 141-011	6.08
9EL 141 890-041	1.231-1.232	9EL 150 867-001	1.97-1.98	9EL 340 829-051	5.177	9EL 862 141-021	6.07-6.08
9EL 141 907-071	1.232	9EL 150 868-001	1.97-1.98	9EL 340 829-061	5.177	9EL 862 171-001	6.09
9EL 141 908-071	1.232	9EL 150 965-001	5.12	9EL 341 325-311	1.266	9EL 862 172-001	6.09
9EL 142 459-011	1.230	9EL 150 966-001	5.12	9EL 341 325-321	1.266	9EL 862 267-001	6.11
9EL 142 460-011	1.230	9EL 150 987-001	1.96-1.97	9EL 341 326-311	1.267	9EL 862 267-031	6.06
9EL 142 723-011	1.269	9EL 150 988-001	1.96-1.97	9EL 341 326-321	1.267	9EL 862 678-001	6.10, 6.12
9EL 142 724-011	1.269	9EL 151 127-001	2.125	9EL 343 142-001	5.18-5.19	9EL 863 100-001	6.04
9EL 142 825-021	1.211	9EL 151 128-001	2.125	9EL 343 142-011	5.19	9EL 863 100-031	6.10
9EL 142 825-031	1.212	9EL 151 494-001	5.49	9EL 343 143-001	5.18-5.19	9EL 863 100-041	6.04
9EL 142 826-021	1.211	9EL 151 829-011	1.233	9EL 343 143-011	5.19	9EL 863 100-051	6.10
9EL 142 826-031	1.212	9EL 151 830-011	1.233	9EL 343 273-001	5.99, 5.191	9EL 863 117-001	6.55-6.56
9EL 143 579-021	1.145	9EL 151 875-021	1.2				

# List of Part Numbers



Part number	Page	Part number	Page	Part number	Page	Part number	Page
<b>9EL...</b>		<b>9EL...</b>		<b>9ES...</b>		<b>9GD...</b>	
9EL 962 027-011	1.182	9EL 997 320-001	5.43	9ES 152 179-801	1.49	9GD 341 063-007	5.93
9EL 962 028-011	1.182	9EL 997 332-001	5.46	9ES 152 180-001	1.49	9GD 746 185-002	5.111-5.112
9EL 962 029-341	1.183	9EL 997 387-001	5.90	9ES 246 051-001	1.187, 1.197	9GD 854 019-001	6.18
9EL 962 541-051	1.241	9EL 997 388-001	5.90	9ES 246 052-001	1.187, 1.197	9GD 856 466-001	6.13, 6.19
9EL 962 541-071	1.242	9EL 997 451-001	5.41	9ES 246 077-011	1.188-1.189	9GD 856 562-001	6.17-6.18
9EL 962 542-041	1.241	9EL 997 452-001	5.41	9ES 246 078-011	1.188-1.189	9GD 856 863-001	6.13, 6.17, 6.19
9EL 962 542-061	1.242	9EL 997 453-001	5.33	9ES 246 147-001	1.187	9GD 858 013-001	6.17-6.18
9EL 962 584-101	1.249	9EL 997 459-001	3.43, 5.42	9ES 246 148-001	1.187	9GD 858 086-001	6.17
9EL 962 584-131	1.85	9EL 997 469-001	5.42	9ES 246 223-001	1.132	9GD 859 037-001	6.17
9EL 962 585-041	1.249	9EL 998 001-031	5.39	9ES 247 753-001	2.60	9GD 859 037-011	6.09
9EL 962 585-051	1.85	9EL 998 001-041	5.39	9ES 247 754-001	2.60	9GD 860 396-001	6.16
9EL 962 586-041	1.249	9EL 998 002-031	5.48	9ES 861 622-021	6.21	9GD 860 772-001	6.16
9EL 962 586-051	1.85	<b>9EM...</b>		9ES 861 711-001	6.20-6.21	9GD 860 936-001	6.41, 6.43
9EL 962 839-021	1.241	9EM 117 795-001	1.123	9ES 862 011-001	6.22	9GD 861 470-001	6.43
9EL 962 839-031	1.240	9EM 117 798-001	1.123	<b>9EV...</b>		9GD 861 531-001	6.41, 6.43
9EL 962 840-021	1.241	9EM 126 345-021	1.30	9EV 101 125-001	1.121	9GD 861 810-001	6.41, 6.43
9EL 962 840-031	1.240	9EM 126 346-021	1.30	9EV 113 436-005	2.89-2.90, 2.95-2.96	9GD 862 086-001	6.32
9EL 963 111-011	1.08	9EM 127 009-061	1.204	9EV 855 455-001	7.05	9GD 862 164-001	6.07-6.08, 6.12, 6.16
9EL 963 112-011	1.08	9EM 127 010-061	1.204	9EV 857 067-011	7.05	9GD 862 178-001	6.09
9EL 963 261-011	1.182	9EM 128 229-001	2.72, 5.74	9EV 859 051-011	7.05	9GD 862 679-001	6.12
9EL 963 262-011	1.182	9EM 128 229-011	2.24, 5.74	9EV 861 038-001	7.02-7.04	9GD 862 734-001	6.09
9EL 963 335-021	1.183	9EM 128 230-001	2.72, 5.74	<b>9FF...</b>		9GD 862 868-001	6.50-6.52
9EL 963 336-021	1.183	9EM 128 230-031	2.72, 5.74	9FF 042 509-001	8.22	9GD 863 033-001	6.16
9EL 963 561-801	1.196	9EM 128 244-001	5.74	9FF 042 509-001	8.22	9GD 863 122-001	6.31, 6.61
9EL 963 561-811	1.197	9EM 131 613-021	1.27	9FF 071 116-001	8.22	9GD 864 285-001	6.31, 6.61
9EL 963 669-081	1.196	9EM 131 614-021	1.27	9FF 078 830-001	8.22	9GD 864 286-001	6.31, 6.61
9EL 963 669-091	1.196	9EM 133 319-031	1.230	9FF 085 081-001	8.22	9GD 864 286-011	6.31, 6.61
9EL 963 670-081	1.196	9EM 133 320-031	1.230	9FF 085 642-001	1.199, 2.66, 2.79, 4.40	9GD 864 286-021	6.31, 6.61
9EL 963 670-091	1.196	9EM 137 819-021	1.68-1.70	9FF 090 500-001	3.09, 3.25, 3.30, 3.32, 3.38, 3.57, 3.69, 3.108, 4.49	9GD 882 080-001	6.36
9EL 963 701-011	1.184	<b>9ES...</b>		9FF 111 606-021	3.77, 3.96, 3.98, 3.108, 4.47, 4.56	9GD 882 080-011	6.36
9EL 963 702-011	1.184	9ES 012 060-011	3.09, 3.25, 3.30, 3.32, 3.38, 3.69	9FF 121 000-001	2.102, 2.109, 2.119	9GD 882 081-001	6.36
9EL 963 982-001	5.94	9ES 015 675-001	3.08, 4.49	9FF 126 444-001	1.113-1.115, 1.154-1.155, 1.197, 1.200-1.202, 1.228, 1.236-1.237, 1.256-1.257, 1.259-1.260, 2.36, 2.53, 2.79, 3.124, 4.43	9GD 882 081-001	6.36
9EL 963 983-001	5.94	9ES 069 831-001	3.78, 3.85, 3.119	9FF 133 025-007	8.22	9GD 882 085-001	6.36
9EL 963 984-001	5.94	9ES 071 899-021	2.78	9FF 135 906-021	8.22	9GD 882 085-001	6.36
9EL 964 005-021	1.244	9ES 082 333-031	5.127	9FF 137 580-005	1.106, 1.124, 4.41	9GD 882 086-001	6.36
9EL 964 006-021	1.244	9ES 082 415-001	2.66, 2.79	9FF 138 324-001	8.22	9GD 963 281-001	2.105, 2.113, 2.115-2.116, 2.120, 5.88
9EL 964 023-011	1.178	9ES 091 183-001	2.34, 2.65	<b>9FH...</b>		<b>9GH...</b>	
9EL 964 024-011	1.178	9ES 093 815-001	3.11, 3.51	9FH 093 887-001	1.255, 3.11, 3.33, 3.58-3.60, 3.76, 3.78, 3.108, 3.119, 4.48	9GH 096 532-001	4.115, 6.15-6.16
9EL 964 055-011	1.178	9ES 094 588-001	1.126, 1.129, 2.23, 2.62, 2.68, 2.73	9FH 112 497-001	2.79	9GH 116 966-011	1.68, 1.88, 1.113-1.115, 1.126, 1.142, 1.154-1.155, 1.197, 1.200-1.202, 1.228, 1.236-1.237, 1.256-1.257, 1.259-1.260, 2.36, 2.53, 2.79, 3.31, 3.61, 3.63-3.64, 3.67-3.68, 3.70-3.71, 3.88-3.92, 4.73
9EL 964 056-011	1.178	9ES 106 588-001	5.67	9FH 113 447-011	1.130, 2.62, 2.68, 2.74, 2.83, 2.86, 3.15	9GH 118 017-021	1.66, 3.108, 3.124, 4.40-4.41, 4.43-4.44, 4.52, 4.56
9EL 964 057-811	1.244	9ES 111 704-001	2.89, 2.95	<b>9FT...</b>		9GH 136 698-007	5.26
9EL 964 115-111	1.244	9ES 111 705-001	2.89, 2.95	9FT 087 771-001	3.106	9GH 145 943-001	2.101, 2.108, 2.118, 4.36
9EL 964 115-131	1.242	9ES 112 293-001	2.66, 2.79	9FT 088 047-001	3.09-3.10, 3.22-3.23, 3.25-3.26, 3.28, 3.30-3.31, 3.36, 3.39, 3.51, 3.71, 3.86, 3.88, 3.105-3.106, 3.129, 5.75-5.76	9GH 145 943-012	4.32
9EL 964 115-141	1.242	9ES 113 916-001	2.90, 2.96	9FT 117 109-007	2.16-2.17, 2.20-2.21, 5.133	9GH 147 009-007	3.19, 4.03-4.04, 4.29-4.30, 4.104
9EL 964 116-111	1.244	9ES 113 917-001	2.90, 2.96	9FT 129 176-001	1.120, 1.124	9GH 152 654-007	1.64, 1.67, 1.152-1.153, 4.33
9EL 964 116-131	1.242	9ES 116 061-005	1.126, 1.129, 2.23, 2.62, 2.68, 2.73	9FT 129 176-001	6.36	9GH 152 654-012	4.32
9EL 964 116-141	1.242	9ES 120 719-005	1.130, 2.62, 2.68, 2.74	9FT 861 790-001	6.36	9GH 156 191-001	1.159, 2.60
9EL 964 289-001	5.119	9ES 120 720-005	1.130, 2.62, 2.68, 2.74	9FT 861 790-011	6.31	9GH 158 051-007	4.29
9EL 964 290-001	5.119	9ES 120 721-001	1.130, 2.62, 2.68, 2.74	9FT 861 790-021	6.31	9GH 190 316-031	4.69
9EL 964 291-001	5.119	9ES 120 722-001	2.17, 2.19, 2.24, 2.30, 2.32, 2.40, 2.43, 2.46, 4.48	9FT 861 790-031	6.31	9GH 990 334-011	4.66
9EL 964 479-011	1.85	9ES 120 743-001	2.32, 2.40, 2.43, 2.46, 4.48	9FT 998 007-011	5.49	9GH 993 984-001	3.05, 3.14, 3.19-3.20, 3.34, 3.45, 3.72, 3.92-3.95, 3.99, 3.101, 3.104, 3.109, 3.112, 3.114-3.116, 3.119, 3.121, 3.123, 3.131, 4.60-4.64, 4.86-4.88, 4.90-4.94, 4.97, 4.99, 4.102, 5.126, 4.69-4.72
9EL 964 480-011	1.85	9ES 126 469-005	2.83	<b>9GD...</b>		<b>9GH...</b>	
9EL 964 483-011	1.85	9ES 126 470-005	2.83	9GD 023 639-001	3.09, 3.25, 3.30, 3.32, 3.38, 3.69, 3.96, 3.105-3.107, 4.49	9GH 993 988-007	4.69-4.72
9EL 964 484-011	1.85	9ES 126 471-001	2.83, 2.86, 3.15	9GD 024 183-001	3.51, 3.57, 3.108, 4.49	<b>9GP...</b>	
9EL 964 501-011	1.172, 1.249	9ES 126 472-001	2.83, 2.86, 3.15	9GD 052 710-021	2.66, 2.79	9GP 003 995-801	2.37, 2.41-2.42, 2.44, 2.49, 2.54, 5.14-5.15, 5.23
9EL 964 502-011	1.172, 1.249	9ES 127 153-001	1.122	9GD 082 716-001	2.26-2.27, 2.69, 2.71, 2.83, 2.121	9GP 341 427-801	2.126
9EL 964 526-001	5.65	9ES 127 154-001	1.122	9GD 087 429-001	2.79	9GP 859 115-001	6.03
9EL 964 527-001	5.65	9ES 131 955-001	1.30	9GD 087 883-355	2.18, 2.21, 2.25, 2.30, 2.32, 2.67, 2.70, 2.77, 2.87, 2.93, 2.113, 2.115-2.116, 2.128, 2.130, 3.28, 3.67, 5.23	<b>9GS...</b>	
9EL 964 527-011	5.63	9ES 131 956-001	1.30	9GD 094 601-001	2.87, 2.93, 2.113, 2.115-2.116, 2.128, 2.130, 3.28, 3.67, 5.23	9GS 146 999-727	4.37
9EL 964 529-001	3.32, 5.66	9ES 132 891-001	1.26	9GD 100 140-001	2.62, 2.68, 2.73	9GS 340 051-001	5.183, 5.186-5.188, 5.192-5.193, 5.205
9EL 964 529-011	5.63	9ES 132 892-001	1.26	9GD 100 711-021	2.26-2.27, 2.69, 2.71, 2.83, 2.121	<b>9GT...</b>	
9EL 964 530-001	5.66	9ES 133 466-001	1.228	9GD 102 484-001	2.125, 2.138, 3.13, 3.53-3.54, 3.91, 3.109, 3.126-3.128, 3.130-3.131, 5.16, 5.20-5.21	9GT 005 166-001	1.258, 2.22, 3.27, 3.131, 5.116, 5.119
9EL 964 531-001	5.66	9ES 133 513-001	2.10	9GD 113 431-005	1.12	9GT 067 751-001	2.18, 2.20, 2.22-2.23, 2.38, 2.41, 2.67, 2.70-2.71, 2.80, 2.92, 2.100, 2.125, 2.138, 3.126-3.128, 3.130-3.131, 5.10, 5.16-5.17
9EL 964 532-001	5.64	9ES 133 514-001	2.10	9GD 117 451-006	1.123	9GT 074 132-001	2.18, 2.20, 2.22-2.23, 2.38, 2.41, 2.67, 2.70-2.71, 2.80, 2.92, 2.100, 2.125, 2.138, 3.126-3.128, 3.130-3.131, 5.10, 5.16-5.17
9EL 964 533-001	5.66	9ES 133 863-005	1.171	9GD 117 670-001	1.122	9GT 104 802-001	2.05
9EL 964 534-001	5.65	9ES 133 864-005	1.171	9GD 118 983-021	2.77, 2.113, 2.115-2.116, 2.128, 2.130, 5.23	9GT 134 130-001	3.67
9EL 964 535-001	5.64	9ES 136 143-001	1.23, 1.29	9GD 120 670-001	2.72, 2.77, 2.104	9GT 134 655-007	2.101, 2.109, 2.118, 5.85
9EL 964 535-001	5.64	9ES 136 144-001	1.23, 1.29	9GD 128 553-007	1.37	9GT 137 236-007	1.64, 1.67, 1.152-1.153
9EL 964 536-001	3.32, 5.64	9ES 137 169-001	1.31	9GD 142 757-031	1.37	9GT 141 941-001	1.131, 2.56-2.57, 2.59, 2.82, 2.84, 5.12
9EL 964 541-021	1.249	9ES 137 169-031	1.31	9GD 143 248-001	1.37		
9EL 964 542-021	1.249	9ES 137 170-001	1.31	9GD 157 876-007	5.98-5.99, 5.179, 5.190		
9EL 964 599-001	1.184	9ES 137 170-031	1.31	9GD 159 740-007	5.83		
9EL 964 800-011	5.63	9ES 138 835-031	1.22, 1.24, 1.27				
9EL 964 800-011	5.63	9ES 138 836-031	1.22, 1.24, 1.27				
9EL 964 949-001	1.175	9ES 140 721-005	2.08				
9EL 964 950-001	1.175	9ES 140 722-005	2.08				
9EL 964 951-001	1.176	9ES 141 179-001	1.27				
9EL 964 952-001	1.176	9ES 141 180-001	1.27				
9EL 982 000-051	1.180	9ES 143 409-001	1.37				
9EL 982 0							



# List of Part Numbers

Part number	Page	Part number	Page	Part number	Page	Part number	Page
<b>9GT...</b>		<b>9NU...</b>		<b>9XX...</b>			
9GT 143 133-007	2.101, 2.109, 2.118, 3.09, 5.85	9NU 858 004-001	6.05	9XX 340 876-007	5.202		
9GT 146 757-007	5.129-5.130	<b>9SG...</b>		9XX 340 877-007	5.202		
9GT 341 438-007	5.63-5.66	9SG 703 965-007	6.41	9XX 340 878-007	5.202		
9GT 343 367-002	5.100-5.101	9SG 855 454-011	7.02-7.05	9XX 340 879-001	5.202		
9GT 963 129-001	2.105, 2.113, 2.115-2.116, 2.120, 5.88	9SG 855 498-001	7.02-7.05	9XX 340 880-001	5.202		
9GT 990 338-001	3.99	9SG 998 005-002	4.118	9XX 340 881-001	5.202		
<b>9HB...</b>		<b>9ST...</b>		9XX 340 882-001	5.202		
9HB 006 948-031	1.230	9ST 855 447-001	7.05	9XX 340 883-001	5.202		
9HB 006 948-041	1.230	9ST 861 074-001	7.02-7.04	9XX 340 884-001	5.202		
9HB 126 601-001	5.15	9ST 863 241-001	7.03				
9HB 152 021-007	5.130	<b>9SX...</b>					
9HB 152 421-007	5.130	9SX 007 609-001	6.43				
9HB 161 122-007	5.59	9SX 007 609-011	6.43				
9HB 161 122-012	5.59	9SX 007 609-021	6.43				
9HB 161 283-001	1.64, 1.67, 1.152	9SX 007 609-031	6.43				
9HB 161 284-001	1.64, 1.67, 1.152	9SX 007 609-041	6.43				
9HB 162 203-001	1.214	9SX 007 609-051	6.43				
9HB 162 204-001	1.214	9SX 008 902-001	6.60				
9HB 162 205-001	1.195, 1.225	9SX 008 902-021	6.40, 6.62				
9HB 162 206-001	1.195, 1.225	9SX 861 562-001	6.44				
9HB 163 085-001	5.56	9SX 861 562-011	6.44				
9HB 163 085-012	5.56	9SX 863 114-001	6.40, 6.60, 6.62-6.63				
9HB 164 168-002	5.59	<b>9XB...</b>					
9HB 862 827-011	6.36	9XB 010 081-001	6.39				
9HB 862 827-021	6.36	9XB 136 202-005	5.153				
9HB 862 827-031	6.36	9XB 152 977-001	4.32-4.33				
9HB 862 827-041	6.36	9XB 161 749-007	5.54-5.55				
9HB 862 827-051	6.36	9XB 167 882-001	6.62				
9HB 862 827-061	6.36	<b>9XD...</b>					
9HB 862 827-071	6.36	9XD 127 264-007	5.79				
9HB 862 827-081	6.36	9XD 130 261-001	2.36, 2.43, 2.47, 2.53, 3.06, 3.13, 3.19-3.20, 3.45, 3.57, 3.72, 3.92, 3.94, 3.99, 3.115-3.116, 3.125, 3.132, 4.58, 4.83, 4.87, 4.109-4.110, 4.117, 5.194				
9HB 862 864-001	6.12	9XD 132 749-005	3.40, 3.59, 3.64, 3.66, 3.71, 5.40				
<b>9HD...</b>		9XD 160 867-007	5.108				
9HD 121 297-001	1.130, 2.08-2.11, 2.17, 2.19, 2.24, 2.62, 2.68, 2.74, 2.83, 2.86, 3.15	9XD 161 119-007	5.58-5.59				
9HD 121 297-035	2.30, 2.32, 2.40, 2.43, 2.46, 4.48	9XD 161 119-017	5.56, 5.58				
9HD 140 976-001	4.40	9XD 247 755-001	2.60				
9HD 140 977-001	4.40	9XD 247 756-001	2.60				
9HD 149 253-007	1.168, 1.214, 1.234, 2.101, 4.03-4.04, 4.29-4.30, 4.104	9XD 857 445-801	6.37				
9HD 155 239-001	2.101, 2.108-2.109, 2.118, 4.36	9XD 857 579-001	7.05				
9HD 990 040-001	4.73-4.77	9XD 857 744-001	7.02-7.05				
9HD 990 044-001	4.39, 4.74	9XD 861 990-001	6.37				
9HD 990 101-001	4.105-4.106	9XD 861 990-011	6.37				
<b>9HG...</b>		9XD 861 990-021	6.37				
9HG 150 259-001	1.132	9XD 861 995-801	6.37				
<b>9HV...</b>		9XD 863 403-801	6.41, 6.43				
9HV 340 812-007	5.202	9XD 863 521-001	6.41, 6.43				
<b>9KD...</b>		9XD 863 533-001	6.25				
9KD 116 415-005	4.43	9XD 863 828-001	6.25				
<b>9KS...</b>		9XD 863 958-001	5.157				
9KS 071 571-001	3.51	9XD 990 284-001	4.115, 6.16				
9KS 075 139-001	4.49	9XD 990 298-001	3.05, 3.08-3.09, 3.93-3.94, 3.101, 3.103, 3.111, 3.113-3.114, 3.116, 3.121-3.124, 3.131-3.132, 4.66, 4.73-4.75, 4.77-4.78, 4.80-4.81, 4.93-4.94, 4.102, 4.106-4.107, 4.117				
9KS 075 307-001	4.49	9XD 997 909-801	4.32-4.33 5.49, 5.67				
<b>9MK...</b>		<b>9XR...</b>					
9MK 854 066-001	6.17-6.18, 6.38	9XR 854 840-001	6.03, 6.06-6.07, 6.09, 6.17-6.18				
9MK 860 255-001	6.40, 6.61, 6.63	9XR 855 975-001	6.04, 6.27, 6.38-6.39, 6.50, 6.52-6.53				
9MK 862 862-001	6.12	<b>9XS...</b>					
9MK 862 863-001	6.12	9XS 027 639-001	4.113-4.114				
<b>9MM...</b>		9XS 854 769-001	7.05				
9MM 853 518-001	6.45	9XS 855 646-001	7.05				
9MM 853 518-021	6.45	9XS 857 585-001	7.05				
9MM 859 358-801	6.40, 6.44, 6.61, 6.63	9XS 857 588-001	7.05				
9MM 860 814-801	6.44	9XS 861 127-051	7.03-7.04				
9MM 862 206-011	6.45	9XS 861 736-001	7.04				
9MM 862 358-801	6.40, 6.61, 6.63	9XS 862 004-001	7.02-7.04				
9MM 863 164-011	6.39, 6.53-6.56, 6.62	<b>9XX...</b>					
9MM 863 165-001	6.39, 6.53-6.56	9XX 161 115-001	1.137				
<b>9MN...</b>		9XX 166 909-001	1.75-1.76				
9MN 745 023-001	6.04	9XX 340 173-801	5.174-5.176				
9MN 854 290-001	6.08, 6.18	9XX 340 220-001	5.180, 5.182-5.183, 5.186-5.188, 5.192-5.193				
9MN 857 622-001	6.17-6.18	9XX 340 220-011	5.93, 5.193				
9MN 857 622-011	6.17-6.18	9XX 340 220-801	5.193				
9MN 857 622-101	6.38, 6.50, 6.52	9XX 340 222-001	5.173, 5.186, 5.195				
9MN 857 622-111	6.38	9XX 340 222-001	5.185, 5.188-5.189				
9MN 858 114-001	6.03	9XX 340 223-001	5.185				
9MN 858 114-011	6.03	9XX 340 223-041	5.202				
9MN 858 616-001	6.17	9XX 340 870-007	5.202				
9MN 858 616-011	6.17	9XX 340 871-007	5.202				
9MN 859 116-101	6.50, 6.52	9XX 340 872-007	5.202				
9MN 860 677-001	6.05						
9MN 860 677-011	6.05						
9MN 860 677-021	6.05, 6.32-6.33						
9MN 862 741-001	6.03, 6.07, 6.09						
<b>9NM...</b>							
9NM 863 332-001	4.115, 6.04, 6.07, 6.10, 6.12, 6.16						

# Manufacturer's no. / Hella no.

## Cross-Reference



Agria	Hella	Audi	Hella	Audi	Hella	Audi	Hella
1065 6	9EL 074 484-011	480 941 295 B	6NM 007 878-521	8L0 953 050	9EL 963 112-011	KDWHL09507	2NE 006 609-001
1140 226 15	2BA 001 227-201	480 941 699 C	1NO 246 039-011	911 652 127 00	8JA 001 921-102	KDWHL09507	2NE 006 609-007
1140 476 85	2KA 001 389-101	480 941 700 C	1NO 246 039-021	KDWHL09033	2BA 003 022-021	KDWHL09508	2NE 006 609-011
1140 618 75	2XS 955 031-003	480 949 127	9EL 270 107-011	KDWHL09074	2AB 004 532-001	KDWHL09508	2NE 006 609-017
2295 6	8JB 001 943-003	485 945 095 B	2VP 008 468-051	KDWHL09086	2BA 003 022-001	KDWHL09510	2RL 007 337-101
3148 5	2PF 001 634-101	485 945 096 B	2VP 008 468-061	KDWHL09206	2JA 004 192-001	KDWHL09511	2XW 007 146-001
4508 411 14-0	2SW 003 014-131	485 945 217	9EL 148 141-021	KDWHL09246	6ED 004 778-001	KDWHL09514	9MK 860 255-001
53344	9EL 115 003-011	485 945 218	9EL 148 142-021	KDWHL09421	2XW 003 146-001	KDWHL09517	9GD 859 037-001
5629 4	1TA 003 570-101	4E0 941 003 BM	1EL 009 236-011	KDWHL09493	2AB 004 532-011	KDWHL09521	2SD 001 688-171
5629 4A1 14-0	1TA 003 570-101	4E0 941 004 BM	1EL 009 236-021	KDWHL09002	2RM 007 200-051	KDWHL09522	2SD 001 688-141
60145	9GH 096 532-001	4E0 941 029 BP	1EL 009 236-611	KDWHL09007	9EL 854 912-001	KDWHL09524	8GA 002 071-131
61940	1TA 122 718-001	4E0 941 030 BP	1EL 009 236-621	KDWHL09008	2RM 007 200-271	KDWHL09526	2AA 003 257-031
6339 9	2XS 950 071-031	4F0 941 003 A	1EE 008 880-011	KDWHL09012	8GP 002 068-121	KDWHL09527	1G4 003 470-147
66699	9EL 854 912-001	4F0 941 004 A	1EE 008 880-021	KDWHL09027	8HG 002 365-001	KDWHL09529	2JA 004 531-011
<b>Ahlmann</b>	<b>Hella</b>	4F0 941 029 AF	1ZS 009 701-111	KDWHL09028	2BA 001 277-021	KDWHL09533	9MM 857 622-101
4109323A	1GA 007 506-001	4F0 941 029 AK	1EL 008 881-411	KDWHL09029	2BA 001 277-011	KDWHL09535	9DX 859 626-001
4191781A	1G5 003 241-081	4F0 941 029 BB	1ZS 009 701-111	KDWHL09031	9EL 852 061-001	KDWHL09537	9EL 852 820-001
4198009A	1G3 005 760-041	4F0 941 029 E	1EL 008 881-411	KDWHL09033	2BA 003 022-021	KDWHL09540	2VP 006 040-111
<b>Alfa Romeo</b>	<b>Hella</b>	4F0 941 030 AF	1ZS 009 701-121	KDWHL09042	4AZ 001 879-011	KDWHL09540	2VP 006 040-117
467 3999 1	1EL 006 970-201	4F0 941 030 AK	1EL 008 881-421	KDWHL09044	8GP 002 068-241	KDWHL09541	2VP 006 040-121
467 3999 2	1EL 006 970-191	4F0 941 030 BB	1ZS 009 701-121	KDWHL09045	6ZE 001 759-071	KDWHL09541	2VP 006 040-127
606 2872 0	1EL 006 970-191	4F0 941 030 E	1EL 008 881-421	KDWHL09050	6ED 004 778-011	KDWHL09543	2XD 860 618-011
606 2872 1	1EL 006 970-201	4F0 941 699	1NO 354 013-021	KDWHL09053	2RL 007 900-001	KDWHL09552	2RL 006 846-101
994 6766	2BA 007 042-041	4F0 941 700	1NO 354 013-011	KDWHL09054	9XD 861 995-801	KDWHL09555	2AA 003 257-001
994 6767	2BA 007 042-031	6Y0 941 295	6NM 007 878-521	KDWHL09057	2RL 007 900-201	KDWHL09557	9GD 856 466-001
<b>Audi</b>	<b>Hella</b>	811 953 049 D	9EL 129 161-011	KDWHL09061	3AG 003 399-081	KDWHL09558	8BK 861 596-001
181 941 425	9GH 096 532-001	811 953 049 F	9EL 129 161-011	KDWHL09064	2AB 001 208-001	KDWHL09559	2RM 007 200-101
183 945 095 A	2SD 002 582-011	811 953 050 D	9EL 129 162-011	KDWHL09066	2AA 001 204-011	KDWHL09560	8KB 007 896-801
183 945 095 A	2SD 002 582-017	811 953 050 F	9EL 129 162-011	KDWHL09068	2JA 001 364-001	KDWHL09561	8KB 007 895-801
183 945 096	2SD 002 582-021	893 941 029	1AH 005 295-131	KDWHL09071	1G5 003 241-021	KDWHL09562	9GD 860 936-001
183 945 096	2SD 002 582-027	893 941 029 A	1AH 005 295-131	KDWHL09073	2JA 003 231-001	KDWHL09573	2RM 007 200-041
1H0 941 295 E	6NM 007 282-211	893 941 029 C	1AH 005 295-131	KDWHL09074	2AB 004 532-001	KDWHL09575	2RM 007 200-071
1J0 941 295 B	6NM 007 878-041	893 941 029 D	1AE 006 659-111	KDWHL09078	8GA 002 074-121	KDWHL09579	2RL 860 880-001
1J0 941 295 C	6NM 007 878-041	893 941 029 E	1AE 006 659-111	KDWHL09083	8GM 002 091-131	KDWHL09580	2RM 007 200-011
3B0 941 295 B	6NM 007 878-531	893 941 029 F	1AE 006 659-111	KDWHL09084	2XD 008 524-811	KDWHL09581	2RM 007 200-021
431 941 155	9FH 112 497-001	893 941 029 H	1AH 005 295-131	KDWHL09086	2BA 003 022-001	KDWHL09583	2RM 007 200-091
443 941 029 A	1AH 004 089-071	893 941 029 I	1AH 005 295-141	KDWHL09087	2JA 003 354-001	KDWHL09585	2XD 006 609-831
443 941 029 E	1AH 004 089-071	893 941 030 A	1AH 005 295-141	KDWHL09089	9AR 120 266-001	KDWHL09586	2XD 860 618-001
443 941 030 A	1AH 004 089-081	893 941 030 C	1AH 005 295-141	KDWHL09099	8GA 002 083-131	KDWHL09589	8GA 002 073-121
443 941 030 E	1AH 004 089-081	893 941 030 D	1AH 005 295-141	KDWHL09102	2AA 001 201-011	KDWHL09590	8GA 002 073-241
443 941 115 A	9ES 131 955-001	893 941 030 E	1AE 006 659-121	KDWHL09111	8RL 002 009-011	KDWHL09591	8GH 002 089-251
443 941 115 F	9ES 131 955-001	893 941 030 F	1AE 006 659-121	KDWHL09115	2RL 008 061-001	KDWHL09591	8GH 002 089-253
443 941 116 A	9ES 131 956-001	893 941 030 H	1AH 005 295-141	KDWHL09116	8HG 854 516-001	KDWHL09594	8KB 861 213-011
443 941 116 F	9ES 131 956-001	893 941 115	9ES 132 891-001	KDWHL09124	9SX 007 609-051	KDWHL09596	9AB 860 796-001
443 945 217	9EL 126 339-021	893 941 115 A	9ES 132 891-001	KDWHL09129	2AA 001 200-041	KDWHL09597	9AB 860 796-021
443 945 218	9EL 126 340-021	893 941 115 B	9ES 141 179-001	KDWHL09129	2AA 001 200-042	KDWHL09599	9EL 860 743-011
443 945 225 A	9EM 126 345-021	893 941 115 C	9ES 141 179-001	KDWHL09131	8JB 004 777-001	KDWHL09600	9GD 861 470-001
443 945 226 A	9EM 126 345-021	893 941 116	9ES 132 892-001	KDWHL09131	8JB 004 777-002	KDWHL09601	9GD 861 531-001
443 945 226 A	9EM 126 346-021	893 941 116 A	9ES 132 892-001	KDWHL09132	1GA 007 506-011	KDWHL09603	9MM 860 814-801
443 953 049	9EL 127 353-011	893 941 116 B	9ES 141 180-001	KDWHL09133	8KB 990 299-001	KDWHL09608	9SX 861 562-011
443 953 049 E	9EL 127 353-011	893 945 217	9ES 141 180-001	KDWHL09134	8GH 002 090-133	KDWHL09611	8GH 002 073-132
443 953 049 E	9EL 127 353-011	893 945 218	9EL 131 651-031	KDWHL09135	2XD 003 410-301	KDWHL09616	2XD 003 425-001
443 953 050	9EL 127 354-011	893 945 225 A	9EL 131 652-031	KDWHL09136	2SD 001 679-001	KDWHL09618	8KB 007 895-811
443 953 050 E	9EL 127 354-011	893 945 225 B	9EL 131 613-031	KDWHL09139	2DA 003 014-031	KDWHL09623	2RM 007 200-121
445 945 217	9EL 129 149-021	893 945 226 A	9EM 131 613-021	KDWHL09139	2DA 003 014-037	KDWHL09628	2XD 007 854-801
445 945 218	9EL 129 150-001	893 945 226 B	9EL 131 614-031	KDWHL09151	2XW 003 146-001	KDWHL09638	9SX 007 609-041
4A0 035 787	6ED 004 778-001	893 953 049	9EM 131 614-021	KDWHL09157	2PS 962 964-031	KDWHL09639	2VA 006 040-291
4A0 941 029	1AF 006 120-191	893 953 050	9EL 135 007-001	KDWHL09161	9EL 855 097-001	KDWHL09639	2VA 006 040-297
4A0 941 029 B	1EL 006 640-151	895 941 029	9EL 135 008-001	KDWHL09172	1GA 996 142-041	KDWHL09640	2VP 006 040-307
4A0 941 029 G	1EL 006 640-151	895 941 029 B	1DJ 005 995-071	KDWHL09172	8HG 116 741-801	KDWHL09645	2RM 007 200-191
4A0 941 029 L	1AL 007 270-171	895 941 029 C	1DJ 005 995-071	KDWHL09200	2XS 950 071-031	KDWHL09654	2RL 007 337-011
4A0 941 029 N	1EL 007 270-151	895 941 029 D	1DJ 006 442-211	KDWHL09201	2X5 003 168-131	KDWHL09659	2JA 001 357-002
4A0 941 030	1AF 006 120-201	895 941 029 E	1AL 007 140-071	KDWHL09202	1G8 002 340-011	KDWHL09661	8KB 007 895-821
4A0 941 030 B	1EL 006 640-161	895 941 029 K	1AL 007 140-071	KDWHL09204	8XT 002 120-001	KDWHL09667	8JA 001 925-001
4A0 941 030 G	1EL 006 640-161	895 941 029 N	1DJ 005 995-081	KDWHL09205	2JA 004 192-001	KDWHL09668	2RL 007 900-551
4A0 941 030 L	1AL 007 270-181	895 941 030	1DJ 005 995-081	KDWHL09206	2BA 001 227-201	KDWHL09674	2BA 002 324-011
4A0 941 030 N	1EL 007 270-161	895 941 030 B	1DJ 006 442-221	KDWHL09209	8GM 002 091-121	KDWHL09675	2BA 002 324-021
4A0 941 115	9ES 137 169-001	895 941 030 C	1DJ 006 442-221	KDWHL09210	8GH 002 857-121	KDWHL09677	2JA 005 590-157
4A0 941 115 B	9ES 137 169-031	895 941 030 F	1AL 007 140-081	KDWHL09216	2BA 003 236-021	KDWHL09681	2JA 001 331-011
4A0 941 115 J	9ES 145 599-001	895 941 030 N	1AL 007 140-081	KDWHL09216	2BA 003 236-027	KDWHL09683	2RL 008 366-021
4A0 941 116	9ES 137 170-001	895 941 115	9ES 136 143-001	KDWHL09217	8JA 001 915-001	KDWHL09684	2RM 007 200-261
4A0 941 116 B	9ES 137 170-031	895 941 115 A	9ES 136 143-001	KDWHL09223	2AA 001 200-131	KDWHL09689	2RL 008 366-031
4A0 941 116 J	9ES 145 600-001	895 941 115 E	9ES 136 143-001	KDWHL09224	2AA 001 200-151	KDWHL09690	2RM 007 200-261
4A0 941 295	6NM 007 282-211	895 941 116	9ES 136 144-001	KDWHL09225	2AA 003 257-042	KDWHL09690	9MM 860 358-801
4A0 941 699	1NL 006 150-071	895 941 116 A	9ES 136 144-001	KDWHL09225	2AA 001 204-001	KDWDKN9203	8KB 861 213-001
4A0 941 700	1NL 006 150-081	895 941 116 E	9ES 138 836-031	KDWHL09230	8JA 001 921-102	KDWDKN 9205	2XD 008 597-001
4A0 945 223 A	9EL 138 463-031	895 941 699	1NL 005 150-051	KDWHL09233	8RL 002 009-001	KDWDKN9261	2RL 008 183-001
4A0 945 223 D	9EL 145 997-021	895 941 700	1NL 005 150-061	KDWHL09234	8GH 006 294-011	KDWDKN9262	8HG 006 294-011
4A0 945 224 A	9EL 138 464-031	8A0 945 217	9EL 140 347-021	KDWHL09236	8GM 002 092-121	KDWDKN9263	8HG 006 294-021
4A0 945 224 D	9EL 145 998-021	8A0 945 217 B	9EL 140 347-021	KDWHL09246	6ED 004 778-001	N0177612	8GH 002 089-133
4A0 953 049	9EL 139 383-031	8A0 945 217 C	9EL 140 347-021	KDWHL09252	2BA 001 275-011	N 10256401	8GA 006 841-121
4A0 953 049 D	9EL 145 833-021	8A0 945 218	9EL 140 348-021	KDWHL09253	8GM 002 09		



# Manufacturer's no. / Hella no.

## Cross-Reference

Becker Group	Hella	BMW	Hella	BMW	Hella	BMW	Hella
1120092	2SD 001 699-511	1 385 605	1DL 005 630-011	63 11 6 933 182	1EL 160 288-011	63 13 1 386 011	9EL 146 607-001
1120094	2SE 001 699-071	1 385 606	1DL 005 630-021	63 11 7 166 803	1EL 224 485-411	63 13 6 902 765	2BA 008 404-011
1120096	9EL 109 139-001	1 385 634	9BG 134 888-011	63 11 7 166 804	1EL 224 485-421	63 13 6 902 766	2BA 008 404-021
1120097	9EL 118 445-001	1 385 767	1DL 005 630-011	63 12 1 356 409	1K3 114 155-001	63 13 6 902 769	2BA 008 404-031
1120124	2VP 003 069-061	1 385 768	1DL 005 630-021	63 12 1 356 412	1B3 114 179-001	63 13 6 902 770	2BA 008 404-041
1120153	2VP 007 167-011	1 386 011	9EL 146 607-001	63 12 1 368 861	1B3 126 677-051	63 17 1 243 975	9EL 852 061-001
1120154	2VP 007 167-021	1 386 403	1K3 134 855-011	63 12 1 368 862	1B3 126 677-041	63 17 1 243 977	9EL 852 061-021
1120155	9EL 144 375-011	1 386 404	1K3 134 856-011	63 12 1 369 851	1A6 125 801-011	63 17 1 352 685	9KS 075 139-001
1120156	9EL 144 375-021	1 386 407	1K3 134 855-011	63 12 1 369 852	1A6 125 792-011	63 17 1 375 067	1NB 123 581-001
1120167	2VP 004 686-111	1 386 408	1K3 134 856-011	63 12 1 370 904	1K3 126 680-001	63 17 1 375 068	1NB 123 582-001
1120168	2VP 004 686-121	1 386 636	9BG 134 888-011	63 12 1 373 505	1B3 126 677-051	63 17 1 379 103	1NL 005 230-051
1120169	9EL 129 763-001	1 386 715	9BG 135 941-011	63 12 1 373 506	1B3 126 677-041	63 17 1 379 104	1NL 005 230-061
1120196	2VP 004 686-141	1 386 716	9BG 135 942-011	63 12 1 373 512	1K3 126 680-001	63 17 1 379 104	1NL 005 230-121
1120198	9EL 129 762-001	1 386 805	1DL 005 930-371	63 12 1 378 325	9AH 131 741-011	63 17 1 381 198	2RL 007 337-121
1220023	9EL 128 949-011	1 386 806	1DL 005 930-381	63 12 1 378 326	9AH 131 740-011	63 17 1 384 233	9BG 135 163-011
1220024	9EL 128 948-011	1 387 041	1AL 007 045-011	63 12 1 378 337	1K3 132 253-011	63 17 1 384 234	9BG 135 164-011
1520004	2SD 001 699-061	1 387 042	1AL 007 045-021	63 12 1 378 338	1K3 132 266-011	63 17 1 384 245	1NL 005 680-011
1520004	2SD 001 699-511	1 387 091	1NB 006 270-051	63 12 1 379 823	9BG 136 027-011	63 17 1 384 246	1NL 005 680-021
1520005	9EL 109 139-001	1 387 092	1NB 006 270-061	63 12 1 379 824	9BG 136 028-011	63 17 1 387 091	1NB 006 270-051
1520006	2SE 001 699-071	1 387 311	9GD 143 248-001	63 12 1 382 495	8GH 005 635-121	63 17 1 387 092	1NB 006 270-061
1520007	2SD 003 167-011	1 387 883	9ES 143 409-001	63 12 1 382 496	8GH 005 636-121	63 17 1 390 879	1NL 005 230-111
1520007	2SD 003 167-021	1 387 884	9ES 143 410-001	63 12 1 385 461	1K3 134 855-011	63 17 1 390 880	1NL 005 230-121
1520008	2SE 003 167-031	1 390 270	9DR 136 958-021	63 12 1 385 462	1K3 134 856-011	63 17 1 391 757	1NL 005 680-111
1520008	2SE 003 167-041	1 390 271	1DL 005 900-451	63 12 1 385 605	1DL 005 630-011	63 17 1 391 758	1NL 005 680-121
1520009	9EL 118 445-001	1 390 272	1DL 005 900-461	63 12 1 385 606	1DL 005 630-021	63 17 2 305 637	2RL 006 846-101
1520018	2KA 001 378-041	1 390 275	9BG 135 927-011	63 12 1 385 634	9BG 134 888-011	63 17 2 305 638	9EL 859 020-101
1520025	2VD 005 300-551	1 390 276	9BG 135 928-011	63 12 1 385 767	1DL 005 630-011	63 17 2 305 640	9EL 859 020-001
1520028	2KA 001 386-281	1 390 289	1DL 005 900-451	63 12 1 385 768	1DL 005 630-021	63 17 4 257 704	2RL 007 337-101
1520043	2VD 007 500-091	1 390 290	1DL 005 900-461	63 12 1 386 403	1K3 134 855-011	63 17 4 257 705	9GD 860 396-001
1520045	2VD 007 500-111	1 390 388	9SG 703 965-007	63 12 1 386 404	1K3 134 856-011	63 17 8 352 023	1NA 007 039-011
2200055	6EG 001 567-041	1 390 879	1NL 005 230-111	63 12 1 386 407	1K3 134 855-011	63 17 8 352 024	1NA 007 039-021
221A084	2PF 002 860-031	1 390 880	1NL 005 230-121	63 12 1 386 408	1K3 134 856-011	63 17 8 357 385	1NB 006 270-051
221A085	2SA 002 860-041	1 391 329	1DL 006 020-391	63 12 1 386 636	9BG 134 888-011	63 17 8 357 386	1NB 006 270-061
5700375	8HG 002 240-001	1 391 330	1DL 006 020-401	63 12 1 386 715	9BG 135 941-011	63 17 8 357 389	1NB 006 270-051
5700378	8HG 002 240-021	1 391 597	1DL 006 020-391	63 12 1 386 716	9BG 135 942-011	63 17 8 357 390	1NB 006 270-061
5700710	8RA 002 020-051	1 391 598	1DL 006 020-401	63 12 1 386 805	1DL 005 930-371	63 17 8 360 941	1NL 005 680-111
5700763	2SE 001 699-071	1 391 757	1NL 005 680-111	63 12 1 386 806	1DL 005 930-381	63 17 8 360 942	1NL 005 680-121
5700764	2SD 001 699-061	1 391 758	1NL 005 680-121	63 12 1 387 041	1AL 007 045-011	63 17 8 361 951	1ND 007 646-011
5700764	2SD 001 699-511	1 393 271	1AL 007 045-011	63 12 1 387 042	1AL 007 045-021	63 17 8 361 952	1ND 007 646-021
5700765	9EL 109 139-001	1 393 272	1AL 007 045-021	63 12 1 387 311	9GD 143 248-001	63 17 8 378 088	2XD 006 609-821
5700883	2SA 002 860-041	1 393 853	9GD 143 248-001	63 12 1 387 883	9ES 143 409-001	63 17 8 378 088	2XD 006 609-831
5700891	2SD 003 167-011	1 403 286	8KA 146 571-007	63 12 1 387 884	9ES 143 410-001	63 17 8 381 977	1NA 009 026-011
5700891	2SD 003 167-021	1 772 860	9KS 071 571-001	63 12 1 390 270	9DR 136 958-001	63 17 8 381 978	1NA 009 026-021
5700892	2SE 003 167-031	2 126 427	8HG 854 516-001	63 12 1 390 271	1DL 005 900-451	63 21 1 366 769	2VP 003 685-071
5700892	2SE 003 167-041	2 127 425	8HG 854 516-001	63 12 1 390 272	1DL 005 900-461	63 21 1 366 770	2VP 003 685-081
5700893	9EL 118 445-001	2 130 715	2NE 001 173-061	63 12 1 390 275	9BG 135 927-011	63 21 1 384 010	2VA 005 553-111
5709499	2KA 001 389-101	2 137 730	2JA 004 192-001	63 12 1 390 276	9BG 135 928-011	63 21 1 384 010	2VA 005 553-121
570A242	2KA 001 386-231	2 137 742	8GM 002 091-131	63 12 1 390 289	1DL 005 900-451	63 21 1 384 011	2NR 005 554-111
570B965	2SA 001 638-021	2 137 977	9SX 007 609-001	63 12 1 390 290	1DL 005 900-461	63 21 1 384 012	2NR 005 554-121
570D013	2BA 001 275-011	2 146 102	9SX 007 609-041	63 12 1 391 329	1DL 006 020-391	63 21 6 900 209	2VP 008 272-231
570D014	2BA 001 275-021	2 146 102-01	9SX 007 609-041	63 12 1 391 330	1DL 006 020-401	63 21 6 900 210	2VP 008 272-241
570E121	9EL 110 737-001	2 146 120	9GD 861 470-001	63 12 1 391 597	1DL 006 020-391	63 21 6 910 767	2VP 008 679-111
5790002	8JA 001 909-011	2 146 158	2RM 007 200-019	63 12 1 391 598	1DL 006 020-401	63 21 6 910 768	2VP 008 679-121
		2 146 159	2RM 007 200-191	63 12 1 393 271	1AL 007 045-011	63 21 8 363 557	9EL 146 293-031
		2 146 159-01	2RM 007 200-191	63 12 1 393 272	1AL 007 045-021	63 21 8 363 558	9EL 146 294-031
1 126 427	8HG 854 516-001	2 146 160	2RM 007 200-081	63 12 1 393 853	9GD 143 248-001	63 23 8 374 235	2BA 003 326-321
1 243 841	9GH 096 532-001	2 146 160-01	2RM 007 200-081	63 12 2 776 500	2BA 001 236-001	63 23 8 376 679	2XD 006 609-831
1 243 857	9EL 852 061-021	2 146 161	2RM 007 200-041	63 12 6 900 197	1EL 008 053-511	63 23 8 379 679	2XD 006 609-831
1 243 975	9EL 852 061-001	2 146 162	2RM 007 200-111	63 12 6 900 198	1EL 008 053-521	63 26 1 354 665	2KA 004 331-031
1 243 977	9EL 852 061-021	2 146 162-01	2RM 007 200-111	63 12 6 902 425	1EL 008 053-571	63 31 1 363 234	2JA 003 388-001
1 351 317	4RA 003 510-081	2 146 163	2RM 007 200-141	63 12 6 902 426	1EL 008 053-581	63 31 1 367 353	2JA 003 388-001
1 351 608	4DB 003 425-001	2 146 163-01	2RM 007 200-141	63 12 6 902 745	1AL 008 403-011	63 31 1 376 329	2JA 004 192-001
1 352 685	9KS 075 139-001	2 146 164	2RM 007 200-151	63 12 6 902 746	1AL 008 403-021	63 31 2 137 730	2JA 004 192-001
1 353 721	2NE 003 030-151	2 146 164-01	2RM 007 200-151	63 12 6 904 048	9DX 153 746-011	63 31 2 137 742	8GM 002 091-131
1 353 789	4RA 003 510-081	2 146 209	9MM 859 358-801	63 12 6 906 493	1AL 008 403-011	6 398 001	2BA 003 014-011
1 354 665	2KA 004 331-031	2 146 209	8KB 861 213-001	63 12 6 906 494	1AL 008 403-021	6 398 020	2BM 002 847-011
1 356 409	1K3 114 155-001	2 183 995	2KA 001 378-001	63 12 6 910 777	1EF 008 673-071	65 73 2 137 977	9SX 007 609-001
1 356 412	1B3 114 179-001	2 183 995	2KA 001 378-002	63 12 6 910 778	1EF 008 673-081	6 900 197	1EL 008 053-511
1 363 234	2JA 003 388-001	2 230 248	2AA 003 257-031	63 12 6 910 955	1AG 009 059-011	6 900 198	1EL 008 053-521
1 364 984	4DB 003 425-001	2 230 249	2AA 003 257-021	63 12 6 910 956	1AG 009 059-021	6 900 209	2VP 008 272-231
1 366 361	2KA 004 331-031	2 230 250	2AA 003 257-011	63 12 6 912 429	1EL 008 052-511	6 900 210	2VP 008 272-241
1 366 769	2VP 003 685-071	2 305 637	2RL 006 846-101	63 12 6 912 430	1EL 008 052-521	6 900 797	9ES 862 011-001
1 366 770	2VP 003 685-081	2 305 638	9EL 859 020-101	63 12 6 912 435	1EL 008 052-571	6 902 221	2RM 007 200-131
1 367 041	1NB 123 581-001	2 305 640	9EL 859 020-001	63 12 6 912 436	1EL 008 052-581	6 902 221-02	2RM 007 200-131
1 367 042	1NB 123 582-001	2 772 800	9EL 859 020-001	63 12 6 917 115	1EL 158 075-011	6 902 425	1EL 008 053-571
1 367 353	2JA 003 388-001	2 776 500	2BA 001 236-001	63 12 6 917 116	1EL 158 076-011	6 902 426	1EL 008 053-581
1 368 861	1B3 126 677-051	2 982 203	9FF 085 642-001	63 12 6 917 123	1EL 158 083-011	6 902 745	1AL 008 403-011
1 368 862	1B3 126 677-041	31 11 1 126 427	8HG 854 516-001	63 12 6 917 124	1EL 158 084-011	6 902 746	1AL 008 403-021
1 369 851	1A6 125 801-011	32 64 0 308 01	8JB 004 777-001	63 12 7 160 149	1EL 163 073-011	6 902 765	2BA 008 404-011
1 369 852	1A6 125 792-011	32 64 0 308 01	8JB 004 777-002	63 12 7 160 150	1EL 163 074-011	6 902 766	2BA 008 404-021
1 370 904	1K3 126 680-001	3 381 900	8JA 001 909-001	63 12 7 160 193	1EL 163 079-001	6 902 769	2BA 008 404-031
1 371 208	2BA 003 022-021	3 434 957	9EL 854 512-001	63 12 7 160 194	1EL 163 080-001	6 902 770	2BA 008 404-041
1 372 765	2KA 004 331-031	3 436 336	8GA 002 073-121	63 12 7 162 111	1ZS 009 044-511	6 903 371	2RM 007 2

# Manufacturer's no. / Hella no.

## Cross-Reference



BMW	Hella	Bosch	Hella	Bosch	Hella	Bosch	Hella
6 952 586	2XD 008 997-001	1 305 232 923	9EL 150 867-001	1 315 610 907	9EL 110 928-001	1 987 305 020	9EL 963 112-011
07 11 9 978 227	8GA 002 071-121	1 305 232 924	9EL 150 868-001	1 315 620 909	9EL 092 435-011	1 987 305 020 850 59	9EL 963 112-011
07 11 9 978 311	8GM 002 091-121	1 305 233 051	2BA 003 110-011	1 315 620 956	9EL 112 763-001	2 301 014 107	9GD 113 431-005
07 11 9 978 372	8GP 003 594-141	1 305 233 052	2BA 003 110-021	1 315 620 957	9EL 109 139-001	2 305 320 918	9DE 116 730-001
07 11 9 978 373	8GP 003 594-121	1 305 233 066	9EL 129 615-011	1 315 620 960	9EL 107 368-001	2 305 320 920	9DE 116 732-001
07 11 9 978 391	8GH 002 090-133	1 305 233 916	9EL 120 651-001	1 315 620 960	9EL 111 647-001	2 305 320 920	9DE 116 733-001
07 11 9 978 396	8GD 002 088-131	1 305 233 917	9EL 120 652-001	1 682 329 061	9XS 861 736-001	2 305 610 301	9EV 113 436-005
7 160 193	1EL 163 079-001	1 305 233 928	9EL 129 615-011	1 987 301 010	8GJ 002 525-801	0 300 383 001	1S3 001 117-041
7 160 194	1EL 163 080-001	1 305 233 929	9EL 129 614-011	1 987 301 024	8GA 006 841-801	0 301 007 007	1AG 001 108-301
7 162 111	1ZS 009 044-511	1 305 301 918	1G4 129 089-011	1 987 301 042	8GH 007 157-471	0 301 007 008	1AG 001 108-291
7 162 112	1ZS 009 044-521	1 305 303 959	1A8 121 149-001	1 987 301 071	8GH 002 089-801	0 301 007 101	1AG 001 108-451
7 162 117	1EL 009 043-411	1 305 303 961	1A8 121 150-001	1 987 301 072	8GH 007 157-801	0 301 007 102	1AG 001 108-451
7 162 118	1EL 009 043-421	1 305 311 050	9DR 060 567-001	1 987 302 015	8GH 002 089-141	0 301 008 103	1AG 002 343-101
7 164 441	1EL 224 486-211	1 305 311 062	9DR 104 336-001	1 987 302 022	8GH 002 857-121	0 301 008 106	1AG 002 343-101
7 164 442	1EL 224 486-221	1 305 313 051	9DR 091 085-001	1 987 302 023	8GD 002 088-131	0 301 010 101	1AE 001 103-031
7 165 561	1EF 008 673-071	1 305 313 910	9DR 082 351-021	1 987 302 031	8GH 002 090-133	0 301 010 102	1AE 001 103-041
7 165 561-03	1EF 008 673-071	1 305 313 935	1G8 132 233-011	1 987 302 035	8GH 002 090-371	0 301 017 101	1AG 003 434-051
7 165 562	1EF 008 673-081	1 305 314 126	9DR 080 700-011	1 987 302 041	8GJ 002 525-131	0 301 017 102	1AG 003 434-137
7 165 562-03	1EF 008 673-081	1 305 314 127	9DR 080 691-011	1 987 302 041	8GJ 002 525-133	0 301 017 303	1AG 003 434-251
7 165 567	1EL 160 295-001	1 305 314 923	9DR 112 547-001	1 987 302 043	8GJ 002 525-341	0 301 017 304	1AG 003 434-211
7 165 568	1EL 160 296-001	1 305 320 406	9DE 118 792-001	1 987 302 045	8GJ 002 525-361	0 301 019 100	1AE 003 427-011
7 165 571	1EL 160 287-011	1 305 320 407	9DE 118 793-001	1 987 302 071	8GH 007 157-121	0 301 019 101	1AE 003 427-021
7 165 572	1EL 160 288-011	1 305 320 816	9DF 112 246-001	1 987 302 075	8GH 007 157-181	0 301 021 201	1AE 003 440-611
7 166 803	1EL 224 485-411	1 305 320 818	9DF 112 247-001	1 987 302 081	8GH 008 356-121	0 301 021 202	1AE 003 440-621
7 166 804	1EL 224 485-421	1 305 320 902	9DE 087 430-011	1 987 302 082	8GH 008 357-001	0 301 021 301	1AE 003 440-631
07 50 9 063 573	8GA 002 071-121	1 305 331 901	1B3 126 677-051	1 987 302 084	8GH 008 358-121	0 301 021 302	1AE 003 440-641
7 740 038	2AA 003 257-001	1 305 331 902	1B3 126 677-041	1 987 302 152	8GH 005 635-121	0 301 021 303	1AE 003 440-631
7 767 895	1FO 160 197-001	1 305 331 904	1K3 126 680-001	1 987 302 153	8GH 005 636-121	0 301 021 304	1AE 003 440-641
8 352 023	1NA 007 039-011	1 305 331 909	1K3 134 855-011	1 987 302 201	8GA 002 073-121	0 301 021 315	1AE 003 440-671
8 352 024	1NA 007 039-021	1 305 331 910	1K3 134 856-011	1 987 302 202	8GD 002 078-121	0 301 021 316	1AE 003 440-681
8 353 543	1AJ 007 143-091	1 305 333 909	1A8 127 147-021	1 987 302 203	8GA 002 071-131	0 301 021 317	1AE 003 440-651
8 353 544	1AJ 007 143-101	1 305 363 958	9DE 129 975-021	1 987 302 204	8GA 002 071-121	0 301 021 318	1AE 003 440-461
8 357 004	5AB 005 944-001	1 305 363 959	9DE 129 974-021	1 987 302 206	8GP 003 594-121	0 301 026 100	1AG 004 679-041
8 357 385	1NB 006 270-051	1 305 365 900	9DE 116 065-001	1 987 302 207	8GP 002 067-121	0 301 028 105	1AJ 007 677-011
8 357 386	1NB 006 270-061	1 305 365 900	9DE 116 066-001	1 987 302 208	8GP 002 095-121	0 301 028 106	1AJ 007 677-021
8 357 389	1NB 006 270-051	1 305 365 911	9DE 122 228-011	1 987 302 209	8GD 002 084-131	0 301 028 135	1AJ 007 677-031
8 357 390	1NB 006 270-061	1 305 365 911	9DE 122 228-021	1 987 302 210	8GM 002 091-131	0 301 028 136	1AJ 007 677-041
8 360 941	1NL 005 680-111	1 305 365 913	9DE 122 850-005	1 987 302 211	8GM 002 092-121	0 301 028 136	1AJ 007 677-031
8 360 942	1NL 005 680-121	1 305 501 022	9AG 017 970-001	1 987 302 212	8GP 002 068-121	0 301 028 305	1AJ 007 677-041
8 361 007	8GS 007 949-101	1 305 543 911	9AG 104 328-001	1 987 302 213	8GA 006 841-121	0 301 028 306	1AJ 007 677-011
8 361 099	9ES 145 251-005	1 305 601 082	9ES 015 675-001	1 987 302 214	8GA 002 072-121	0 301 028 335	1AJ 007 677-021
8 361 100	9ES 145 252-005	1 305 601 905	9EL 101 353-001	1 987 302 215	8GD 004 772-121	0 301 028 335	1AJ 007 677-031
8 361 103	9GD 142 757-031	1 305 601 909	9ES 106 588-001	1 987 302 217	8GP 003 594-141	0 301 028 336	1AJ 007 677-041
8 361 951	1ND 007 646-011	1 305 604 117	9ES 071 899-021	1 987 302 219	8GA 007 997-031	0 301 028 336	1AJ 007 677-031
8 361 952	1ND 007 646-021	1 305 604 089	9ES 091 183-001	1 987 302 220	8GA 007 997-041	0 301 028 336	1AJ 007 677-041
8 363 079	1AL 007 045-011	1 305 615 002	9ES 082 415-001	1 987 302 221	8GA 007 997-081	0 301 031 105	1AG 007 573-051
8 363 080	1AL 007 045-021	1 305 615 004	9ES 112 293-001	1 987 302 224	8GP 002 066-121	0 301 031 106	1AG 007 573-061
8 363 081	1AL 007 045-011	1 305 615 026	9ES 150 869-001	1 987 302 226	8GM 002 094-121	0 301 031 111	1AG 007 573-011
8 363 082	1AL 007 045-021	1 305 615 027	9ES 150 870-001	1 987 302 229	8GM 002 091-121	0 301 031 112	1AG 007 573-121
8 363 493	1AH 007 045-031	1 305 620 046	9ES 094 588-001	1 987 302 230	8GM 002 091-181	0 301 031 112	1AG 007 573-021
8 363 494	1AH 007 045-041	1 305 620 076	9EV 101 125-001	1 987 302 231	8GH 002 473-151	0 301 031 112	1AG 007 573-121
8 363 495	1AH 007 045-031	1 305 620 121	9ES 082 415-001	1 987 302 232	8GH 007 643-121	0 301 031 305	1AG 007 573-011
8 363 496	1AH 007 045-041	1 305 620 200	9ES 127 153-001	1 987 302 232	8GH 007 643-171	0 301 031 306	1AG 007 573-021
8 363 557	9EL 146 293-031	1 305 620 201	9ES 127 154-001	1 987 302 238	8GM 002 091-141	0 301 034 103	1AJ 007 235-271
8 363 558	9EL 146 294-031	1 305 620 268	9ES 120 721-001	1 987 302 240	8GP 938 026-001	0 301 034 104	1AJ 007 235-281
8 374 235	2BA 003 236-321	1 305 620 269	9ES 120 722-001	1 987 302 241	8GP 003 594-541	0 301 034 113	1AJ 007 235-231
8 374 235-02	2BA 003 236-321	1 305 620 272	9ES 120 719-005	1 987 302 244	8GA 007 997-001	0 301 034 114	1AJ 007 235-241
8 374 238	9SX 007 609-021	1 305 620 273	9ES 120 720-005	1 987 302 245	8GH 002 473-132	0 301 034 124	1AJ 007 235-241
8 374 238-02	9SX 007 609-021	1 305 620 321	9ES 116 061-005	1 987 302 411	8GH 002 089-251	0 301 036 201	1EJ 008 040-011
8 376 311	9GD 860 936-001	1 305 620 321	9ES 116 062-005	1 987 302 411	8GH 002 089-253	0 301 036 202	1EJ 008 040-021
8 376 311-01	9GD 860 936-001	1 305 620 365	9EL 122 268-001	1 987 302 421	8GD 002 088-251	0 301 036 205	1EJ 008 040-031
8 376 679	2XD 006 609-831	1 305 620 468	9ES 120 743-001	1 987 302 422	8GH 002 857-241	0 301 036 206	1EJ 008 040-041
8 378 088	2XD 006 609-821	1 305 620 524	9ES 131 955-001	1 987 302 431	8GH 002 090-251	0 301 048 301	1AG 008 763-011
8 378 088	2XD 006 609-831	1 305 620 525	9ES 131 956-001	1 987 302 431	8GH 002 090-253	0 301 048 302	1AG 008 763-021
8 379 538	2RM 007 200-071	1 305 620 959	9EL 118 445-001	1 987 302 441	8GJ 002 525-281	0 301 048 311	1AF 008 560-011
8 379 538-02	2RM 007 200-071	1 305 620 971	9EL 123 632-001	1 987 302 442	8GJ 002 525-251	0 301 048 312	1AF 008 560-021
8 379 539	2RM 007 200-061	1 305 620 977	9AH 127 703-051	1 987 302 442	8GJ 002 525-253	0 301 049 003	1EJ 008 041-011
8 379 679	2XD 006 609-831	1 305 620 978	9AH 127 704-051	1 987 302 471	8GH 007 157-241	0 301 049 004	1EJ 008 041-021
8 379 681	1EL 008 420-311	1 305 620 981	9EL 123 631-001	1 987 302 501	8GA 002 073-241	0 301 057 007	1EH 002 658-311
8 379 682	1EL 008 420-321	1 305 620 982	9AH 127 703-051	1 987 302 503	8GA 002 073-251	0 301 057 008	1EH 002 658-321
8 381 977	1NA 009 026-011	1 305 620 983	9AH 127 704-051	1 987 302 504	8GP 002 095-241	0 301 057 100	1EH 002 658-031
8 381 978	1NA 009 026-021	1 305 621 072	9EL 123 635-001	1 987 302 505	8GA 002 071-251	0 301 057 101	1EH 002 658-041
8 680 130	9FF 085 642-001	1 305 621 121	9ES 132 891-001	1 987 302 507	8GM 002 092-241	0 301 057 105	1EH 002 658-331
9 063 573	8GA 002 071-121	1 305 621 122	9ES 132 892-001	1 987 302 508	8GP 002 068-241	0 301 057 106	1EH 002 658-341
9 400 198	2AB 004 532-021	1 305 621 464	9ES 141 179-001	1 987 302 510	8GA 002 071-241	0 301 057 303	1EH 002 658-391
9 822 034	9FF 085 642-001	1 305 621 465	9ES 141 180-001	1 987 302 511	8GA 002 071-261	0 301 057 303	1EH 002 658-551



# Manufacturer's no. / Hella no.

## Cross-Reference

Bosch	Hella	Bosch	Hella	Bosch	Hella	Bosch	Hella
0 301 087 026	1AL 007 045-021	0 311 313 001	2BA 001 234-251	8 787 022 001	8HG 002 365-001	RKLE 200 D	2RL 008 062-101
0 301 087 035	1AL 007 045-011	0 311 313 002	2BA 001 234-261	8 787 022 013	8HG 006 294-051	RKLE 200 D	2RL 008 062-111
0 301 087 036	1AL 007 045-021	0 311 316 004	2BA 003 734-001	8 787 022 016	8HG 006 294-011	<b>Bremi</b>	<b>Hella</b>
0 301 089 205	1AL 008 403-011	0 311 316 004	2BA 003 734-061	8 787 220 627	9MN 860 677-001	10402A	8KW 701 235-033
0 301 089 206	1AL 008 403-021	0 311 328 001	2BA 008 404-011	8 787 510 023	8GH 002 089-251	10452K	8JB 001 943-003
0 301 095 003	1AH 007 045-031	0 311 328 002	2BA 008 404-021	8 787 510 023	8GH 002 089-253	10908B	2AA 001 200-001
0 301 095 004	1AH 007 045-041	0 311 328 003	2BA 008 404-031	8 787 540 003	8GM 002 092-121	10908GE	2AA 001 200-031
0 301 098 003	1EJ 008 401-011	0 311 328 004	2BA 008 404-041	8 797 022 002	2JA 003 231-001	10908GR	2AA 001 200-021
0 301 098 004	1EJ 008 401-021	0 311 424 004	2SD 001 686-101	8 797 337 026	2AA 001 200-131	10908R	2AA 001 200-011
0 301 098 007	1EJ 008 401-051	0 311 424 005	2SE 001 686-142	0 963 310 416	1EL 008 472-021	10920SBL	2AA 003 257-011
0 301 098 008	1EJ 008 401-061	0 311 424 006	2SD 001 686-101	0 986 302 000	1EJ 007 400-061	10920SGR	2AA 003 257-021
0 301 098 023	1EJ 008 401-011	0 311 424 007	2SE 001 685-201	0 986 310 093	2AA 003 257-041	10920SR	2AA 003 257-001
0 301 098 024	1EJ 008 401-021	0 311 424 008	2SE 001 685-221	0 986 310 203	2AA 003 257-042	11555A	8JA 001 909-011
0 301 098 027	1EJ 008 401-051	0 311 424 007	2SE 001 685-227	0 986 310 203 000 59	1D9 007 095-091	11575/155B	8JS 711 687-821
0 301 098 028	1EJ 008 401-061	0 311 424 008	2SD 001 685-211	0 986 310 204	1D9 007 095-101	<b>Case IH</b>	<b>Hella</b>
0 301 098 203	1EJ 008 401-031	0 311 424 008	2SD 001 685-218	0 986 310 204 000 59	1D9 007 095-101	1 07484C 1	8RA 002 016-111
0 301 098 204	1EJ 008 401-041	0 311 424 008	2SD 001 685-231	0 986 310 301	1EJ 007 400-051	1 07484O 1	8RA 002 016-111
0 301 098 207	1EJ 008 401-071	0 311 424 008	2SD 001 685-232	0 986 310 301 000 59	1EJ 007 400-051	1 089208 R91	1G4 003 470-031
0 301 098 208	1EJ 008 401-081	0 311 424 010	2SE 001 686-142	0 986 310 302	1EJ 007 400-061	0 111950 1	1GA 006 991-021
0 301 098 223	1EJ 008 401-031	0 311 425 001	2SE 001 686-101	0 986 310 302 000 59	1EJ 007 400-061	0 112255 4	1AB 004 231-001
0 301 098 224	1EJ 008 401-041	0 311 425 002	2SE 003 167-031	0 986 310 303	1EL 008 053-511	1 20139A 1	1A3 005 760-501
0 301 098 227	1EJ 008 401-071	0 311 425 002	2SD 003 167-021	0 986 310 303 000 59	1EL 008 053-511	1 328046 C1	1G4 004 480-001
0 301 098 228	1EJ 008 401-081	0 312 201 002	2SD 003 167-011	0 986 310 304	1EL 008 053-521	1 328113 C1	9EL 115 662-021
0 301 152 201	1EJ 008 402-011	0 313 050 005	2DA 003 734-011	0 986 310 304 000 59	1EL 008 053-521	1 333 291 C1	1AB 003 177-001
0 301 152 202	1EJ 008 402-021	0 313 104 001	2SA 003 734-121	0 986 310 305	1EL 008 053-521	1 333292 C2	1VB 005 444-037
0 301 152 211	1EJ 008 402-011	0 313 110 002	2NE 002 589-001	0 986 310 305 000 59	1EL 008 053-571	1 34 672 4001	1GA 996 020-001
0 301 152 212	1EJ 008 402-021	0 314 107 002	2NE 003 734-091	0 986 310 306	1EL 008 053-581	1-34-701-505	2BE 003 014-251
0 301 166 201	1EE 009 055-011	0 315 104 027	2ZR 003 734-041	0 986 310 306 000 59	1EL 008 053-581	1-34-701-505	2BE 003 014-251
0 301 166 202	1EE 009 055-021	0 318 029 013	2PF 003 734-031	0 986 310 401	1AL 007 270-171	1 347760 10	9EL 118 614-011
0 301 172 203	1EH 008 684-011	0 318 029 014	1AF 006 826-171	0 986 310 401 000 59	1AL 007 270-171	1-40-172-007	1GB 996 080-021
0 301 173 106	1EH 008 684-021	0 318 029 113	1AF 006 826-181	0 986 310 402	1AL 007 270-181	1-40-172-011	1GB 996 080-021
0 301 173 305	1EE 009 058-011	0 318 029 114	1AF 006 827-171	0 986 310 402 000 59	1AL 007 270-181	1-40-172-012	1GA 996 083-011
0 301 173 306	1EE 009 058-021	0 318 029 213	1AF 006 827-181	0 986 310 403	1EL 007 270-151	1-40 172 014	1GA 996 083-021
0 301 174 205	1EE 009 058-061	0 318 029 214	1AF 006 826-281	0 986 310 403 000 59	1EL 007 270-151	1-40 172 015	1GA 996 083-021
0 301 174 206	1EF 009 057-011	0 318 029 313	1AF 006 827-181	0 986 310 404	1EL 007 270-161	1-40-172-016	1GA 996 083-011
0 301 177 201	1EF 009 057-021	0 318 029 313	1AF 006 827-251	0 986 310 404 000 59	1EL 007 270-161	1-40 179 021	1GA 996 582-011
0 301 177 202	1AG 009 059-011	0 318 029 314	1AF 006 827-261	0 986 310 411	1EL 007 821-091	1-40 179 003	1GA 998 522-011
0 301 190 201	1AG 009 059-021	0 318 029 314	1AF 006 827-171	0 986 310 411 000 59	1EL 007 821-091	1-40 572 001	1GA 996 083-011
0 301 190 202	1EE 009 056-011	0 318 029 314	1AF 006 827-261	0 986 310 412 000 59	1EL 007 821-101	1-40 572 002	1GA 996 582-011
0 301 202 003	1EE 009 056-021	0 318 041 113	1AF 006 827-261	0 986 310 412	1EL 007 821-101	1 407722 12	1GA 998 525-001
0 301 203 001	1B3 128 267-001	0 318 041 114	1AF 960 723-111	0 986 310 413	1EL 007 821-091	1 89124A 2	2PS 003 748-121
0 301 204 001	1AB 001 100-001	0 318 044 114	1AF 960 723-121	0 986 310 413 000 59	1EL 008 309-071	1 89124A 2	2PS 003 748-121
0 301 204 002	1AA 004 109-001	0 318 044 114	1AG 007 752-011	0 986 310 414	1EL 008 309-071	1 987 491 C2	1GA 998 522-011
0 301 204 003	1AA 004 109-031	0 318 044 313	1AG 007 752-021	0 986 310 414 000 59	1EL 008 309-081	0 211950 2	2VP 006 040-111
0 301 204 101	1AA 004 109-041	0 318 100 213	1AG 007 752-021	0 986 310 415	1EL 008 309-081	0 211950 2	2VP 006 040-111
0 301 212 201	1EG 247 007-011	0 318 100 213	1EJ 007 700-071	0 986 310 415 000 59	1EL 008 472-011	0 211950 3	2VP 006 040-127
0 301 212 202	1EG 247 007-021	0 318 105 114	1EJ 007 700-081	0 986 310 416	1EL 008 472-021	3 051599 R91	2BE 001 259-061
0 301 302 101	1A3 002 850-001	0 318 105 114	1AG 006 560-231	0 986 310 416 000 59	1EL 008 472-021	3 051600 R91	2SB 001 259-261
0 301 302 102	1A3 002 850-031	0 318 105 213	1AG 006 560-241	0 986 310 421	1AF 963 030-291	3 053498 R91	8HG 002 247-001
0 301 303 028	1K3 114 155-001	0 318 105 213	1AG 006 560-231	0 986 310 421 850 59	1AF 963 030-291	3 053499 R91	2KA 001 389-147
0 301 303 032	1K3 114 155-001	0 318 106 114	1AG 006 560-241	0 986 310 422	1AF 963 030-301	3 053499 R91	9EL 088 538-001
0 301 383 001	1DL 005 630-011	0 318 106 114	1ED 008 387-011	0 986 310 422 850 59	1AF 963 030-301	3 053498 R91	9EL 088 525-001
0 301 383 002	1DL 005 630-021	0 318 107 113	1ED 008 387-021	0 986 310 422 850 59	1AF 963 030-271	3 053 586 R91	2AA 001 201-011
0 301 384 001	1DL 006 020-391	0 318 107 114	1EE 270 000-011	0 986 310 424	1EF 963 030-271	3 059695 R91	2BA 001 227-201
0 301 384 002	1DL 006 020-401	0 318 107 213	1EE 270 000-021	0 986 310 424 850 59	1EF 963 030-281	3 118 665 R2	8RA 002 014-031
0 301 384 201	1DL 006 020-391	0 318 107 213	1EE 270 000-011	0 986 310 501	1AH 006 840-211	3 121 089 R91	8RA 002 014-032
0 301 384 202	1DL 006 020-401	0 318 107 214	1EE 270 000-021	0 986 310 501 000 59	1AH 006 840-211	3 121 089 R91	2BE 003 014-251
0 301 385 001	1DL 005 930-371	0 318 124 203	2BA 006 749-071	0 986 310 502	1AH 006 840-221	3 121 171 R91	2AA 001 200-031
0 301 385 002	1DL 005 930-381	0 318 348 103	2BA 006 749-081	0 986 310 502 000 59	1AH 006 840-221	3 131223 R91	2AA 001 200-032
0 301 385 201	1DL 005 930-371	0 318 348 104	9EL 151 875-021	0 986 310 511	1AF 007 620-051	3 139251 R91	2BA 002 324-021
0 301 385 202	1DL 005 930-381	0 318 408 013	9EL 151 876-021	0 986 310 511 000 59	1AF 007 620-051	3 145942 R91	2SD 002 582-011
0 301 400 109	1A6 004 855-021	0 318 408 014	1NA 009 026-011	0 986 310 512	1AF 007 620-061	3 145942 R91	2SD 002 582-021
0 301 600 006	1A6 001 128-021	0 332 014 409	1NA 009 026-021	0 986 310 512 000 59	1AF 007 620-061	3 145943 R91	2SD 002 582-021
0 301 600 015	1A6 001 128-061	0 335 200 021	4RA 003 510-081	0 986 310 513	1EF 007 520-051	3 145943 R91	2SD 002 582-021
0 301 600 107	1A6 002 395-031	0 335 411 016	4DB 003 425-001	0 986 310 513 000 59	1EF 007 520-051	3 148492 R91	2SW 003 014-131
0 301 600 804	1A6 002 395-821	0 341 201 006	5AB 005 944-001	0 986 310 514	1EF 007 520-061	3 148501 R1	9EL 115 003-055
0 301 608 027	1A8 003 060-541	0 341 500 801	5AB 005 944-011	0 986 310 514 000 59	1EF 007 520-061	3 149526 R1	9KS 075 307-001
0 301 608 120	1A8 003 060-551	0 352 070 009	6E2 001 759-051	0 986 310 515	1EL 008 350-011	3 217309 R92	1G3 005 760-001
0 301 608 123	1A8 003 060-551	0 352 070 012	6E2 001 759-061	0 986 310 515 000 59	1EL 008 350-011	3 220360 R1	2DA 003 014-031
0 301 608 124	1A8 004 190-101	0 352 170 003	6E2 001 759-071	0 986 310 515 390 59	1EL 008 350-011	3 220360 R1	2DA 003 014-037
0 301 608 125	1A8 003 060-551	0 352 170 005	6E2 001 759-081	0 986 310 516	1EL 008 350-021	3 221209 R92	2SE 002 844-051
0 301 709 001	1KB 003 177-061	0 352 320 001	6E2 001 759-091	0 986 310 516 000 59	1EL 008 350-021	3 221209 R92	2SE 002 844-057
0 301 709 100	1AB 003 177-001	0 366 206 004	6E2 001 759-101	0 986 310 516 390 59	1EL 008 350-021	3 221210 R92	2SD 002 844-061
0 301 709 101	1AB 003 177-071	7 781 999 002	6E2 001 759-111	0 986 310 531	1DJ 006 360-651	3 221210 R92	2SD 002 844-067
0 301 808 011	1A8 001 156-011	7 781 999 300	6E2				

# Manufacturer's no. / Hella no.

## Cross-Reference



Case IH	Hella	Citroën	Hella	Claas	Hella	DAF	Hella
0 605070 67	1GB 006 213-117	KN.213.01	2ZR 003 030-171	501 003 2	2JA 004 531-001	121 3898	1EG 005 480-061
0 605098 64	2SE 002 578-701	KN.215.04	2DA 007 428-001	057 097 51	1G4 003 470-051	121 3924	1EG 005 480-011
0 605098 64	2SE 002 578-707	KN.215.04	2DA 007 428-007	057 097 90	2XM 001 975-001	121 3925	1EG 005 480-021
0 605191 34	2PF 001 259-631			058 368 00	1EA 993 975-011	122 7608	1AG 006 660-011
0 605191 42	2SA 001 259-751			058 368 00	1EA 993 975-011	122 7609	1AG 006 660-021
0 605191 42	2SA 001 259-757			058 368 10	1EA 993 975-021	123 0972	2PF 001 647-031
0 605193 43	1DL 007 872-037			058 368 10	1EA 993 975-027	123 0972	2PF 001 647-037
0 605193 51	2BA 004 119-017			058 499 90	2KA 003 738-057	125 0158	8GA 002 083-251
0 605193 76	1DL 007 872-047			059 157 20	2BA 003 014-111	125 2218	9XB 136 202-005
0 605245 33	2JA 001 346-011			059 157 20	2SD 003 182-051	125 8785	9ES 140 721-005
0 605257 76	2BM 002 847-021			059 157 30	2SD 003 182-057	125 8786	9ES 140 722-005
0 605257 84	2BM 002 847-011			059 157 30	2SD 003 182-061	127 2653	9EL 152 889-001
0 605315 16	1GA 007 506-001			059 157 40	2SD 003 182-067	128 0716	2KA 003 389-061
0 605329 10	2BE 003 014-251			059 157 40	8RA 003 326-001	128 0716	2KA 003 389-062
0 605329 10	2BE 003 014-257			059 157 40	8RA 003 326-002	128 0716	2KA 003 389-068
0 605338 72	2JA 004 192-001			059 197 00	9ES 069 831-001	128 3167	2SD 001 685-231
0 606057 80	1AE 003 440-671			059 197 20	9DE 077 356-021	128 3168	2SD 001 685-232
679 850 R91	2AA 001 200-011			059 197 30	9EL 110 536-001	128 3168	2SE 001 685-221
679 850 R91	2AA 001 200-012			059 197 40	9EL 118 614-011	128 3168	2SE 001 685-227
679 873 R91	2AA 001 200-021			059 510 10	2KA 001 386-231	128 3169	9EL 113 324-001
679 873 R91	2AA 001 200-023			059 538 50	8JA 001 909-001	128 3231	1AG 006 660-011
0 700501 0	2BA 002 652-121			059 758 90	1AB 996 157-091	128 3232	1AG 006 660-021
0 700501 0	2BA 002 652-127			059 846 10	2ZR 964 169-031	128 3239	1EG 005 480-011
0 700502 7	2BA 002 652-111			059 846 10	2ZR 964 169-037	128 3240	1EG 005 480-021
0 700502 7	2BA 002 652-117			059 879 80	1AB 996 157-081	128 3245	1EG 005 480-051
0 706770 6	2SD 002 776-241			05989090	1GA 998 534-221	128 3246	1EG 005 480-061
0 706770 6	2SD 002 776-247			059 942 80	1AB 996 157-131	128 9261	2KX 002 897-041
0 706771 4	2SD 002 776-237			060 405 30	2BM 002 652-031	129 1216	2VD 008 204-051
0 706771 4	2SD 002 776-231			060 605 30	2BM 002 652-031	129 3360	1AG 007 660-091
0 706774 7	2KA 003 389-061			062 228 60	2JA 006 447-041	129 3361	1AG 007 660-101
0 706774 7	2KA 003 389-062			062 289 80	2BE 003 347-001	129 3368	1AG 007 660-111
0 706774 7	2KA 003 389-068			062 290 70	1AE 003 427-011	129 3369	1AG 007 660-121
0 707370 4	2XS 950 071-031			062 438 72	2SA 001 259-751	129 9751	1F8 006 800-191
0 707374 5	8HG 006 294-051			062 438 72	2SA 001 259-757	129 9752	1N8 006 800-001
0 707383 3	2VA 006 040-071			062 455 90	2BE 001 259-061	130 0835	8HG 116 741-801
0 707383 3	2VA 006 040-077			062 456 00	2SB 001 259-261	130 1368	2BA 005 481-011
0 707384 1	2VP 006 040-121			062 458 60	2JA 006 447-041	130 1758	8JB 001 943-003
0 707384 1	2VP 006 040-127			062 571 90	1GB 006 213-111	130 1760	8JA 001 930-001
0 707481 8	2RL 006 846-001			062 571 90	1GB 006 213-117	130 2721	2PS 004 361-001
0 707596 4	8JA 001 909-001			062 591 40	1GB 006 213-101	130 2721	2PS 004 361-007
0 707657 1	1AB 007 145-001			062 591 40	1GB 006 213-107	130 2722	2PG 004 361-011
0 707657 1	1AB 007 145-007			6-27906100020	8GA 002 071-251	130 2722	2PG 004 361-017
0 707658 8	1GB 007 145-101			064 398 00	2XS 005 020-021	130 2723	2TM 004 361-021
0 707658 8	1GB 007 145-107			065 817 60	2BE 003 185-051	130 2724	9EL 114 401-001
0 708108 7	2XS 005 020-077			065 817 70	2SW 003 185-041	130 2725	9EL 114 401-031
0 709038 5	1AB 006 213-011			065 817 70	2SW 003 185-047	130 2726	9EL 114 401-041
0 709088 3	8JB 004 777-001			065 818 60	2BE 003 185-051	130 2727	2PS 006 717-031
0 709088 3	8JB 004 777-002			065 828 40	1SO 001 430-011	130 2727	2PS 006 717-032
7 13860R 1	9GD 100 711-021			065 829 50	1G3 005 760-001	130 2728	2PS 006 717-061
7 16160R 1	9ES 012 060-011			065 840 30	2KA 001 386-281	130 2728	2PS 006 717-067
7 16161R 1	9GD 023 639-001			066 642 10	2PF 003 014-071	130 2728	2PS 006 717-067
7 16162R 1	9KS 075 139-001			066 642 20	2SA 003 014-051	130 2729	9EL 141 135-031
82 994 C91	2SD 002 844-131			067 144 00	8RA 002 016-111	130 4073	2ZR 003 315-041
8 422050 03	2BA 002 652-121			068 225 80	2BA 001 277-021	130 4095	9EL 132 404-001
8 422050 03	2BA 002 652-127			068 225 90	2BA 001 277-011	130 4096	9EL 132 403-001
8 481 446 8	1GB 006 213-111			685 403 0	2KA 001 386-281	130 4788	2VP 008 204-161
8 481 446 8	1GB 006 213-117			007 153 00	2JA 002 931-031	130 4789	2VD 008 204-171
8 481 446 9	1AB 006 213-011			007 169 40	1G4 004 480-011	131 1220	2KX 007 146-011
9 25305C 92	2SD 001 680-281			007 639 60	9GH 126 647-011	131 8135	9ES 147 313-001
9 25306C 92	2SE 001 680-291			007 463 20	1GA 998 522-011	131 8140	9ES 147 314-001
9 28044C 1	8JA 001 909-011			075 107 10	2SD 003 167-011	131 8149	9ES 147 315-005
9 802909 6	1G3 005 760-221			075 107 30	2SD 003 167-021	131 8150	9ES 147 316-005
9 802909 6	1G3 005 760-227			007 752 00	2RL 006 846-001	132 1023	1NE 006 300-071
9 803274 4	1GD 003 690-281			007 752 10	8JB 850 434-011	132 8860	9BG 147 497-002
9 803274 4	1AA 004 109-031			007 752 20	9GH 096 532-001	132 8861	9BG 147 498-002
9 803936 9	2TJ 001 633-211			007 776 20	2TM 006 717-047	133 5901	1GA 007 506-011
9 804137 1	2SB 003 014-151			07946400	2KA 003 389-061	133 6853	2RL 007 550-011
9 804245 9	2KA 001 386-281			07946400	2KA 003 389-062	134 1734	1G4 003 470-031
9 804591 0	2RL 007 551-001			07946400	2KA 003 389-068	134 4984	2PF 001 259-631
9 804617 1	1GB 006 213-101			817 623 8	2JA 001 364-001	134 6293	8HG 006 294-011
9 804617 1	1GB 006 213-107			081 969 81	8RW 341 235-007	135 0426	2PS 007 943-011
9 804669 8	9EL 136 825-011			083 529 40	2PF 003 563-177	135 0426	2PS 007 943-017
9 804669 9	9EL 136 825-001			836 254.0	2BA 003 014-011	135 0427	2PS 007 943-021
9 804750 6	9EL 860 627-001			864 625 10	8RA 002 014-101	135 0427	2PS 007 943-027
9 961 9A1	9DX 859 626-001			875 059 030353	2SD 002 582-011	135 0428	2PS 963 639-011
E46821	1GA 998 522-011			875 059 030353	2SD 002 582-017	135 0428	2PS 963 639-017
G841783	1GA 998 522-011			875 059 030354	2SD 002 582-027	135 0429	2PS 963 639-071
K 303 720	2JA 002 931-031			875 059 030354	2SD 002 582-027	135 0429	2PS 963 639-077
K 965 604	2SD 001 693-011			908 430 301	2JA 003 232-001	135 0464	8JB 850 434-011
<b>Caterpillar</b>	<b>Hella</b>			091 730 10	1G5 003 241-071	135 3665	9GH 096 532-001
120-6776	1G4 003 470-051			092 959 20	8JA 001 914-011	135 4854	8GP 003 594-121
120-6776	1GB 006 213-101			940 350 0	9EL 950 315-001	135 4855	8GP 002 095-241
00137330	1GA 007 506-001			940 351 0	9EL 950 315-031	135 4856	8GM 002 091-121
00137350	1GA 007 506-001			094 079 70	9EL 136 833-001	135 4857	8GM 002 091-241
199-3137	1GA 998 522-011			094 576 20	2PF 001 634-101	135 4858	8GH 002 089-133
199-3139	1GA 007 506-491			094 576 40	2SD 002 776-241	135 4860	8GH 002 857-241
5W-2681	1G4 003 470-051			094 576 60	2SD 002 776-247	135 4861	8GP 003 594-141
L04002	1GA 006 875-001			094 576 60	2SE 002 776-211	135 4862	8GM 002 092-121
L04026	1GL 008 090-211			096 341 40	2SE 002 776-217	135 4863	8GM 002 092-241
L04026	1GL 008 090-211			096 341 60	2SD 003 409-207	135 4864	8GM 002 091-131
L04030	1GA 006 991-051			096 341 60	2SE 003 409-191	135 4865	8GA 002 071-121
L04026	1GL 008 090-211			968 997.0	2SE 003 409-197	135 4867	8GA 002 071-241
L04026	1GL 008 090-211			968 997.0	2SE 004 623-007	135 4868	8GP 002 068-121
L04030	1GA 006 991-051			968 999 80	2SD 004 623-028	135 4869	8GP 002 066-241
<b>Citroën</b>	<b>Hella</b>			096 978 50	2XS 950 071-031	135 4870	8GP 002 095-121
6350.S7	2VP 354 030-011			096 981 50	9EL 121 260-061	135 4871	8GA 002 073-121
6350.T6	2SK 354 032-011			096 981 70	9EL 121 260-051	135 4872	8GA 002 073-241
6350.T7	2NE 354 053-011			096 989 70	9EL 121 260-051	135 4873	8GP 003 594-241
6350.T8	9EL 354 050-011			096 989 70	2SE 004 623-007		



# Manufacturer's no. / Hella no.

## Cross-Reference

DAF	Hella	DAF	Hella	DAF	Hella	DAF	Hella
135 4886	8GA 002 072-241	148 7327	9EL 860 627-001	053 2855	2SE 001 688-151	086 7472	2PS 003 748-121
135 4887	8GH 002 089-251	148 9286	2KA 004 525-001	053 4597	8GA 002 071-251	086 7472	2PS 003 748-127
135 4887	8GH 002 089-253	148 9727	2PG 964 295-111	055 2953	8HG 002 365-001	086 7473	2PS 003 748-161
135 4888	8GJ 002 525-131	148 9727	2PG 964 295-117	055 7060	2BA 003 014-111	086 7473	2PS 003 748-167
135 4888	8GJ 002 525-133	148 9728	1ND 005 700-841	055 7096	2KA 001 378-041	086 7474	2PS 006 717-061
135 4889	8GJ 002 525-251	151 7076	1F1 009 094-051	056 0333	2PF 001 259-631	086 7474	2PS 006 717-067
135 4889	8GJ 002 525-253	152 2232	2VP 008 204-181	056 3047	2SE 001 685-201	086 7475	2PS 007 972-011
135 4890	8GM 002 094-241	152 2278	2VD 008 204-191	056 3048	2SD 001 685-211	086 7475	2PS 007 972-017
135 4893	8GJ 002 525-281	152 2386	2VD 008 204-091	056 3048	2SD 001 685-218	086 7476	2PS 008 382-001
135 4894	8GA 002 071-271	152 2387	2VP 008 204-081	057 4235	2PF 001 648-171	086 7476	2PS 008 382-007
135 4895	8GA 002 071-261	152 3548	2VP 006 040-121	0614367	2ZR 001 423-001	086 7477	2PS 008 382-811
135 4896	8GP 002 067-261	152 3548	2VP 006 040-127	062 1969	8JA 001 915-001	086 7477	2PS 008 382-817
135 7075	2VD 008 204-251	152 3987	1F3 009 094-031	627 236	2NE 001 423-011	086 7478	2PS 008 616-001
135 7076	2VP 008 204-241	152 4085	9EL 147 097-001	063 3406	9GH 096 532-001	086 7479	2PS 008 643-031
135 7426	2BA 007 135-011	152 4093	9EL 145 103-011	064 1800	2JA 003 231-001	086 7479	2PS 008 643-037
135 8193	2XS 955 232-001	152 4094	9EL 145 104-011	064 4711	9GH 118 017-021	086 7480	2PS 963 639-157
135 8201	8KA 962 886-001	152 4097	2SB 009 362-011	064 6507	9GT 104 802-001	086 7481	2RL 007 337-001
135 8320	8HG 006 294-041	152 4100	2BA 009 001-107	066 6613	9DS 121 707-001	086 7482	2RL 008 660-111
135 8321	8HG 006 294-021	152 4102	2SA 008 405-011	066 6614	6ED 708 919-001	086 7483	2SB 003 014-151
135 8779	2RL 006 846-001	152 4102	2SA 008 405-017	066 6691	9HD 121 297-001	086 7484	2SD 001 680-271
135 8780	2RL 006 846-011	152 4391	1F1 009 390-021	066 6692	9ES 133 513-001	086 7485	2SD 001 680-281
135 8781	9EL 859 020-001	152 4392	2BA 008 221-001	066 6693	9ES 133 514-001	086 7486	2SD 003 184-031
135 8782	9EL 950 315-061	152 4392	2BA 008 221-007	066 6698	2BA 005 481-001	086 7486	2SD 003 184-037
135 8783	9EL 950 315-001	152 4393	2ZR 008 221-051	066 7392	2XS 950 071-031	086 7487	2SD 003 184-041
135 8784	9EL 950 315-031	152 4393	2ZR 008 221-057	067 6003	2JA 003 354-001	086 7487	2SD 003 184-047
1358785	8KA 950 073-001	152 4394	2XA 008 221-021	069 2279	9EL 101 353-001	086 7488	2SE 001 685-221
135 8786	2VP 007 907-031	152 4394	2XA 008 221-027	069 2421	2XW 003 146-001	086 7488	2SE 001 685-227
135 8786	2VP 007 907-037	152 4396	1FA 008 284-011	069 2705	9ES 106 588-001	086 7489	2SE 002 578-701
135 8787	2VP 007 907-041	152 4399	8HG 160 409-002	069 4231	1GS 003 241-081	086 7489	2SE 002 578-707
135 8787	2VP 007 907-047	152 4400	2PS 008 645-601	069 6363	9EL 120 240-011	086 7490	2SE 007 547-041
135 8788	9EL 150 965-001	152 4400	2PS 008 645-607	069 8807	9EL 110 737-001	086 7491	2SK 340 101-001
135 8789	9EL 150 966-001	152 4401	1GM 996 134-171	069 8808	9EL 110 736-001	086 7492	2SK 340 101-011
135 8790	2KA 007 929-001	152 4403	2NE 008 221-031	070 2462	2SD 001 688-141	086 7493	2TM 003 748-011
135 8790	2KA 007 929-007	152 4403	2NE 008 221-037	007 2637	1A6 003 939-071	086 7494	2TM 008 645-061
135 8791	2XS 955 260-001	152 4404	2XA 008 221-021	007 2726	1A6 003 939-071	086 7494	2TM 008 645-067
135 8791	2XS 955 260-007	152 4404	2XA 008 221-027	073 2617	8RA 002 014-051	086 7495	2TM 008 645-071
135 9738	8GP 003 594-251	152 4405	8KA 152 134-007	073 2617	8RA 002 014-052	086 7495	2TM 008 645-077
135 9951	8GA 002 073-251	152 4430	2PT 009 599-801	075 5355	2AB 004 532-051	086 7496	2TM 963 639-317
135 9952	9EL 122 772-001	152 4431	2PT 009 599-801	075 5355	2AB 004 532-057	086 7498	2VB 007 547-171
135 9953	2SK 003 567-321	152 4432	8XU 009 362-111	0813700	2KA 001 386-301	086 7499	2VD 008 205-011
135 9954	2SK 003 567-331	152 4433	8XU 009 362-101	832 096	1G5 120 510-001	086 7500	2VD 008 205-021
135 9956	2XW 007 146-001	152 4434	9HB 163 085-012	083 5792	2BA 001 259-611	086 7502	2VP 340 450-021
135 9959	1GA 005 060-001	152 4435	9HB 161 122-012	083 5792	2BA 001 259-618	086 7502	2VP 340 450-027
135 9960	2SA 962 964-091	152 4449	9XD 161 119-007	083 7034	9EL 110 536-011	086 7503	2XA 959 790-411
135 9961	2PG 962 964-051	152 4452	1F8 161 326-011	083 7036	8GS 002 296-111	086 7503	2XA 959 790-418
135 9961	2PG 962 964-057	152 4639	1GA 996 083-021	837 057	9GD 120 670-001	086 7504	2XS 005 020-001
135 9962	2SA 006 717-001	152 4694	2VP 340 830-111	083 7227	9GD 856 863-001	086 7504	2XS 005 020-002
135 9962	2SA 006 717-007	152 4695	2VP 340 830-101	083 7230	2SA 001 259-751	086 7504	2XS 005 020-003
135 9963	9EL 141 135-001	152 4704	2RL 008 183-111	083 7230	2SA 001 259-757	086 7505	2XS 008 078-001
135 9964	2PF 006 717-011	152 4725	2RL 008 181-111	083 7246	9EL 856 418-001	086 7505	2XS 008 078-007
135 9965	9EL 141 135-011	152 4735	1F8 009 797-021	083 7247	9EL 856 416-001	086 7506	2XS 955 031-001
135 9966	2PG 006 717-021	152 4736	1F8 009 797-031	008 3764	2AB 004 532-051	086 7507	2ZR 002 589-011
135 9966	2PG 006 717-022	152 4795	9EL 152 884-001	008 3764	2AB 004 532-057	086 7510	4AZ 001 879-021
135 9966	2PG 006 717-027	152 4886	2SE 997 005-011	084 1885	8RA 002 010-011	086 7513	4RA 003 510-081
135 9967	9EL 141 135-021	152 5015	2VP 340 830-001	084 1981	1G4 003 470-001	086 7520	6ED 004 778-001
135 9970	2BA 002 939-171	152 5016	9EL 340 829-001	084 1981	1G4 003 470-011	086 7526	8GH 002 089-361
136 0045	1F8 147 077-011	152 5168	8GA 002 073-271	084 4501	2XW 002 897-051	086 7527	8HG 006 294-021
136 0046	9AG 141 819-001	152 5177	9EL 152 889-001	084 6006	2XS 950 071-031	086 7528	8JA 001 909-011
136 0047	1N8 142 350-011	161 6169	2RL 008 061-101	086 579	9EL 990 034-051	086 7534	8JA 008 658-011
136 0086	1F8 007 560-051	161 6257	2PG 008 645-041	086 5792	2BA 001 259-611	086 7534	8JA 008 658-017
136 0087	1F8 148 131-011	162 2273	2PG 008 645-047	086 5792	2BA 001 259-618	086 7539	8JE 340 060-011
136 0088	9AG 147 939-021	162 2273	1F8 007 560-131	086 5814	9EL 088 150-001	086 7548	8RA 002 014-091
136 7166	9GH 096 532-001	162 2671	2SL 003 567-311	086 6405	9EL 340 829-001	086 7549	8RA 002 016-121
137 5758	1AH 005 295-141	162 3563	1FE 002 537-191	086 6409	9EL 340 829-011	086 7550	8RA 003 326-031
137 5936	2PF 007 205-001	162 3564	2ZR 001 193-011	086 6416	1FE 008 773-061	086 7551	8RA 003 326-051
137 5936	2PF 007 205-007	162 4964	2KA 006 896-001	086 6417	1FE 008 773-041	086 7553	8RA 964 292-001
137 8137	2PS 962 964-012	162 4964	2KA 006 896-007	086 7428	1FB 005 860-031	086 7556	9BG 119 721-001
137 8137	2PS 962 964-018	162 5985	2VD 008 204-251	086 7429	1FE 006 300-261	086 7557	9BG 121 587-031
138 2999	2KA 001 386-231	162 5986	2VP 008 204-241	086 7430	1FE 138 520-011	086 7557	9BG 121 587-037
138 3020	1NE 006 300-051	163 6919	5DV 008 856-001	086 7431	1NB 005 860-001	086 7558	9EL 107 368-001
138 4518	9EL 116 771-031	163 6919	5DV 008 856-007	086 7432	1NE 006 300-071	086 7559	9EL 111 647-001
139 1259	2SA 001 259-751	163 7337	8GH 007 157-121	086 7433	2AB 004 532-001	086 7560	9EL 117 334-001
139 1259	2SA 001 259-757	163 7338	8GH 007 157-241	086 7434	2AB 004 532-011	086 7561	9EL 118 700-001
139 9200	2NE 003 315-011	164 4058	2RL 008 061-111	086 7435	2XM 001 974-131	086 7562	9EL 118 701-001
139 9392	9EL 119 977-001	164 4059	1F8 007 560-211	086 7439	8XT 863 316-001	086 7563	9EL 119 544-021
139 9393	2ZR 003 315-041	165 984	9EL 102 240-031	086 7440	9DF 112 246-001	086 7568	9EL 137 241-001
142 7048	2PF 003 057-041	166 0613	9GD 863 033-001	086 7442	1A8 001 156-011	086 7569	9EL 146 491-001
142 7049	2SA 003 057-021	166 5750	9GH 156 191-001	086 7443	1AA 004 109-031	086 7570	9EL 146 838-001
142 7049	2SA 003 057-022	167 8624	2XM 001 974-151	086 7444	1G3 003 710-021	086 7571	9EL 147 717-001
142 7050	2PF 001 648-161	168 3694	1GA 007 506-021	086 7445	1G4 003 470-051	086 7571	9EL 147 717-007
142 7051	2BA 003 014-111	168 3695	1F8 006 800-401	086 7446	1GA 006 876-001	086 7572	9EL 147 910-001
142 7052	1F8 006 800-221	168 4027	8JD 008 151-011	086 7447	1GA 006 991-021	086 7573	9EL 148 274-001
142 7053	2SD 001 699-061	168 9949	1F8 007 560-201	086 7448	1GA 006 991-041	086 7574	9EL 340 201-001
142 7054	2SD 001 699-511	169 9297	1EJ 247 046-011	086 7449	1GA 006 991-091	086 7575	9EL 340 208-001
142 7058	2KA 997 011-021	169 9299	1EJ 247 046-021	086 7450	1GA 007 506-001	086 7576	9EL 963 984-001
142 7059	9EL 109 139-001	169 9300	1EJ 247 046-031	086 7451	1GA 998 525-001	086 7577	9EL 964 289-001
142 7061	9EL 117 330-001	169 9301	1EJ 247 046-041	086 7452	1S3 001 117-041	086 7578	9EL 964 290-001
142 7062	9EL 108 435-001	169 9435	9EL 862 141-001	086 7454	2BA 007 135-001	086 7579	9EL 990 034-051
142 7063	9EL 135 266-001	170 1119	2PS 008 645-031	086 7455	2BM 006 692-021	086 7584	9GD 963 281-001
142 7064	9EL 109 208-011	1725270	1PE 965 410-111	086 7455	2BM 006 692-027	086 7585	9XD 997 909-801
143 5116	2KA 001 386-281	1725271	1PE 965 410-121	086 7456	2BM 009 320-807	086 7588	1G4 997 033-011
143 5134	9EL 122 689-021	173 1959					

# Manufacturer's no. / Hella no.

## Cross-Reference



DAF	Hella	Deere, John	Hella	Deere, John	Hella	Deere, John	Hella
086 8230	2VP 008 204-101	00 13 34	2SA 003 057-022	56 64 4	2NE 002 589-001	AL Y4 3450A	1GD 003 590-701
086 8291	2VP 007 323-101	00 13 35	2PF 003 057-041	56 66 5	2ZR 004 542-001	AT130 104	8GH 002 090-133
086 8292	2PS 008 643-011	14 08 9023	2SD 001 680-281	56 66 7	2ZR 002 589-011	AT 20 692	2AA 008 594-031
086 8292	2PS 008 643-011	14 09 4022	2SK 003 567-331	56 95 2	9FF 085 081-001	AT 27 371	2AA 008 594-021
086 8293	2ZR 964 169-517	14 12 9023	2ZR 003 236-051	57 05 0	6ZE 001 759-071	AT 27 535	2KA 001 389-147
086 8293	2ZR 964 169-517	14 12 9023	2ZR 003 236-057	57 05 2	6ED 004 778-011	AT 32 246	2SE 001 679-051
086 8296	2NE 964 169-021	14 13 0022	2SD 001 699-511	05 72 1352	2PF 003 014-071	AT 32 247	2SD 001 679-001
087 1191	2NE 964 169-027	14 15 9068	9EL 118 445-001	57 21 356	9EL 115 003-001	AZ 100 331	1GB 996 147-101
087 1191	2PS 003 057-051	14 58 3023	2SA 003 057-021	05 72 2006	2BE 003 185-031	AZ 10 3535	2AA 008 594-021
087 1191	2PS 003 057-052	14 58 3023	2SA 003 057-022	05 72 2007	9EL 119 397-001	AZ 10 792	2BA 001 227-201
087 1201	2PS 003 057-057	14 72 3022	2NE 003 236-001	05 72 6806	2BA 003 014-011	AZ 13 377	2PF 001 634-101
087 1215	1GA 007 506-081	14 72 3022	2NE 003 236-008	05 72 6807	9EL 110 536-011	AZ 23 618	2BA 003 014-111
087 1567	2RL 007 900-001	01 52 04	2AB 004 532-021	05 72 7078	8RA 002 015-031	AZ 28 085	8JA 001 914-011
087 1569	2PS 340 001-011	01 52 10	1G5 003 241-021	57 M6 274	8GM 002 092-121	AZ 30 044	2SA 001 259-751
087 1569	9XX 340 220-011	15 93 4032	8RA 002 010-011	57 M6 844	8GD 002 088-131	AZ 30 044	2SA 001 259-751
087 1659	9EL 115 830-001	16 51 4023	2SD 001 685-211	57 M7 011	8GD 002 078-121	AZ 31 113	1GD 003 590-707
087 8908	9EL 147 096-031	16 51 4023	2SD 001 685-218	57 M7 013	8GA 002 071-131	AZ 34 621	8JB 850 434-011
087 8909	9EL 147 096-021	16 51 6022	2SD 001 699-061	57 M7 014	8GA 002 073-121	AZ 35 474	2SA 003 236-041
087 8982	2PS 008 616-011	16 51 7023	2SD 003 167-011	57 M7 019	8GH 002 089-133	AZ 35 474	2SA 003 236-047
087 8982	2PS 008 616-017	16 51 8023	2SE 001 685-201	57 M7 086	8GM 002 092-121	AZ 35 474	2SA 003 236-048
087 8986	2XS 004 237-311	16 51 9022	2SE 001 699-071	57 M7 504	8GM 002 091-131	AZ 39 022	1AA 004 109-001
087 8995	2SA 003 734-121	16 52 0022	2SE 003 167-031	57 M9 328	8GH 008 358-121	AZ 39 025	1AE 005 274-027
087 8998	1F8 006 800-311	16 52 1023	2SD 003 167-021	79 69 723	8HG 002 365-001	AZ 39 131	2XS 005 020-001
087 8999	2PT 008 935-811	01 70 51	2SB 001 673-002	79 92 285	8XS 002 500-011	AZ 39 131	2XS 005 020-002
087 9047	9EL 136 819-031	01 70 52	1TA 003 570-101	80 79 003	2JA 003 354-001	AZ 39 131	2XS 005 020-003
087 9082	2SE 997 008-001	01 71 39	8RA 002 015-031	80 80 055	8RA 003 326-051	AZ 41 570	1GB 006 213-107
087 9085	9EL 997 332-001	00 17 70	8RA 002 014-051	80 80 082	9FF 078 830-001	AZ 41 571	1GB 006 213-117
087 9100	2ZR 005 860-151	00 17 70	8RA 002 014-052	80 80 255	8RA 003 326-041	AZ 42 982	2BE 003 347-001
087 9101	2ZR 997 506-391	00 17 80	8RA 003 326-011	80 80 255	8RA 003 326-047	AZ 44 705	2RL 006 846-001
087 9102	2ZR 005 700-191	00 17 80	8RA 003 326-017	87 50 249	9ES 082 333-031	AZ 46 922	9EL 859 020-001
087 9122	1F8 007 560-311	18 06 7023	2XS 005 020-021	87 52 297	9GH 096 532-001	AZ 46 924	9GP 859 115-001
087 9123	1F8 007 560-301	18 06 9023	2XS 005 020-001	AH 13 4125	2BA 002 652-121	AZ 50 258	1AB 007 145-001
087 9124	1F8 007 560-321	18 06 9023	2XS 005 020-002	AH 13 4125	2BA 002 652-127	AZ 50 258	1AB 007 145-007
087 9125	1F8 006 800-321	18 06 9023	2XS 005 020-003	AH 20 6185	9BG 990 297-001	AZ 50 274	2BA 002 324-001
087 9143	9EL 134 296-051	19 80 8019	6ZE 001 759-051	AL 11 0365	2JA 001 357-002	AZ 51 917	2SB 003 014-151
087 9144	9EL 134 296-041	19 81 2023	2XS 005 020-011	AL 11 0365	2VA 006 356-081	AZ 54 037	1EA 993 975-101
087 9147	9EL 119 614-031	19 81 2023	2XS 005 020-017	AL 11 2474	9EL 147 992-001	AZ 54 037	1EA 993 975-107
087 9156	1FE 006 300-001	19 82 6067	3AG 003 399-081	AL 11 2964	2VA 006 356-101	AZ 54 038	1EA 993 975-091
087 9183	2VA 004 887-031	21 29 4	2BA 003 022-001	AL 11 7065	1GA 998 525-001	AZ 54 038	1EA 993 975-097
088 0195	2VP 007 500-421	21 56 4108	9XS 027 639-001	AL 11 740	1GA 998 534-061	AZ 55 077	1EA 993 975-101
088 0196	2VD 007 500-411	22 66 0068	9EL 122 772-001	AL 13 659	2BE 001 259-061	AZ 55 077	1EA 993 975-107
088 0215	2XA 959 560-401	24 22 6019	8JB 004 777-001	AL 14 203	9DR 090 206-001	AZ 55 251	4RA 003 510-361
088 0215	2XA 959 560-407	24 22 6019	8JB 004 777-002	AL 15 005	9DR 060 567-001	AZ 55 463	1AB 004 231-001
088 0216	2XA 959 790-401	24 23 0067	2JA 004 531-001	AL 15 006	9AG 017 970-001	AZ 55 464	1EA 996 127-001
088 0216	2XA 959 790-407	24 95 4999	9GD 087 883-355	AL 15 2459	1GA 998 525-011	AZ 55 464	1EA 996 127-007
088 1373	2ZR 003 734-041	00 36 11	2BA 003 014-011	AL 15 2460	8KB 980 299-101	AZ 55 467	1GB 996 080-021
088 1374	2DA 003 734-011	00 45 40	2ZR 003 030-171	AL 154 988	2KA 998 523-117	AZ 55 467	1GA 007 506-001
088 1375	2BA 003 734-001	46 07 0947	2SB 003 018-031	AL 158 141	2XT 959 510-467	AZ 55 633	1GA 007 506-651
088 2004	2VD 007 500-201	46 07 1425	9EL 089 114-001	AL 161 807	2KA 998 523-117	AZ 55 633A	2RL 007 552-001
088 2011	2SE 003 167-031	00 49 02	2JA 004 531-011	AL 16 2349	2TJ 001 633-211	AZ 55 633A	2RL 007 552-001
088 2012	2SD 003 167-021	50 50 83	9EL 052 476-001	AL 16 6982	2BA 008 221-001	AZ 56 280	1GB 996 147-101
088 2064	9EL 117 330-011	50 50 95	9EL 112 743-001	AL 16 6982	2BA 008 221-007	AZ 56 322	2RL 007 552-001
088 2065	9EL 117 334-021	50 50 96	9EL 112 741-001	AL 16 6982	2BA 008 221-107	AZ 56 595	2JA 001 330-031
088 2083	8RA 004 412-001	50 51 05	2PF 001 650-001	AL 16 6982	2BA 008 221-147	AZ 57 444	8RA 003 326-031
088 2084	8RA 004 412-011	50 51 09	8RA 002 016-101	AL167631	2AA 008 594-031	AZ 59 789	1AB 006 213-001
088 2235	2BA 008 260-001	50 51 12	2PF 003 057-001	AL23015	2AA 003 257-021	AZ 59 791	1GA 007 506-061
088 2235	2BA 008 260-007	50 51 12	2PF 003 057-002	AL 24 042	6ED 708 919-001	AZ 59 958	2BE 997 131-081
088 2236	1NE 008 773-031	50 51 15	2KA 001 622-001	AL 24 544	2SD 002 582-011	AZ 61 044	1EA 990 185-021
088 2331	2VD 003 567-377	50 51 21	9EL 118 700-001	AL 24 544	2SD 002 582-017	AZ 61 047	9MM 860 677-001
904 1381	2XS 950 071-031	50 51 22	9EL 118 701-001	AL 24 545	2SD 002 582-021	AZ 61 159	2XS 950 071-031
009 3609	1N7 004 700-281	50 51 23	2XS 005 020-001	AL 24 545	2SD 002 582-027	AZ Y1 0001	1VB 005 444-037
X54 565	2BA 003 022-021	50 51 23	2XS 005 020-002	AL 24 547	2BA 002 652-111	AZ Y7 0622	9BG 127 426-001
X94 684	2KA 003 168-021	50 51 23	2XS 005 020-003	AL 24 547	2BA 002 652-117	AZ Y7 5217	2JA 003 115-001
		50 51 63	2SD 002 582-011	AL 24 548	2BA 002 652-121	AZ Y7 5630	1AB 003 177-001
		50 51 63	2SD 002 582-017	AL 24 548	2BA 002 652-127	AZ Y7 53658	1GB 006 213-111
		50 51 64	2SD 002 582-021	AL 25 537	2BA 002 652-101	AZ Y7 53658	1GB 006 213-117
		50 51 64	2SD 002 582-027	AL 25 537	2BA 002 652-107	AZ Y7 5365A	1GB 006 213-101
		50 51 69	2SD 003 184-031	AL 25 645	2SE 002 582-071	AZ Y7 5365A	1GB 006 213-107
		50 51 69	2SD 003 184-037	AL 25 877	2PF 003 014-071	CE 14 020	9FF 078 830-001
		50 51 70	2SD 003 184-041	AL 25 879	2SD 001 693-011	DD 11 491	2KA 001 389-101
		50 51 70	2SD 003 184-047	AL 27 007	9EL 112 743-001	DD 12 056	2KA 001 386-281
		50 51 83	2DA 003 014-031	AL 27 008	9EL 112 741-001	F0 24 690	2JA 003 236-357
		50 51 83	2DA 003 014-037	AL 27 009	9EL 113 639-021	F0 24 931	2PS 006 717-031
		50 51 83	2BA 003 014-011	AL 27 010	9EL 113 639-021	F0 246 93	2PS 006 717-032
		50 51 85	2SA 003 014-051	AL 27 012	9EL 110 542-001	F0 246 93	2PS 006 717-037
		50 51 89	9EL 110 536-001	AL 27 013	9EL 115 003-055	L1 39 57	9GD 023 639-001
		50 51 89	9EL 110 540-001	AL 27 014	9EL 116 844-001	L1 39 58	9FF 090 500-001
		50 51 95	2SD 006 040-131	AL 27 016	9EL 110 736-001	L1 50 689	8GS 007 949-101
		50 51 95	2SD 006 040-137	AL 27 017	9EL 110 737-001	L1 76 73	9ES 012 060-011
		50 51 96	2SD 006 040-141	AL 27 978	2SA 003 014-051	L1 76 74	9KS 075 139-001
		50 51 96	2SD 006 040-147	AL 28 296	1S3 001 117-041	L1 87 03	9GD 024 183-001
		50 61 18	2XM 001 975-001	AL 29 614	1G5 119 738-001	L1 87 04	9ES 015 675-001
		50 61 51	2JA 003 354-001	AL 31 621	2SB 003 014-151	L1 87 05	9KS 075 307-001
		50 61 53	9EL 120 240-011	AL 32 067	8RA 123 251-005	L2 57 40	9ES 093 815-001
		50 65 69	8JA 001 921-102	AL 32 071	2SE 003 184-011	L3 34 63	9GD 120 670-001
		50 66 34	2AB 004 532-001	AL 32 071	2SE 003 184-017	L3 38 99	9GD 120 670-001
		53 50 50	2SE 002 578-701	AL 33 161	2KA 003 389-061	L5 69 06	9XD 132 749-005
		53 50 50	2SE 002 578-707	AL 33 161	2KA 003 389-062	L6 35 06	9EL 137 308-001
		53 53 08	2SD 003 182-061	AL 33 1			



# Manufacturer's no. / Hella no.

## Cross-Reference

Deere, John	Hella	Evobus	Hella	Faun	Hella	Faun	Hella
ZZ 10 001	2XM 001 975-001	7 542 108 000 0	25B 003 014-151	5241-288	2ZR 004 542-001	9970-7011463	2RL 008 060-111
ZZ 10 006	1GA 005 060-001	7 544 103 000 0	2KA 001 389-101	5241-379	8GP 003 594-241	99707011950	2RL 007 900-511
<b>Evobus</b>	<b>Hella</b>	7 544 111 000 0	2KA 003 389-001	5241-380	2PS 006 717-031	99707013043	9EL 862 141-001
001 544 92 90	9EL 119 544-111	7 544 114 000 0	2KA 001 386-281	5241-380	2PS 006 717-032	99707013878	2RL 008 183-011
001 544 94 90	9EL 119 544-001	7 544 119 000 0	2KA 003 389-061	5241-380	2PS 006 717-037	99707014602	2VD 007 323-131
001 545 04 26	8JB 001 933-031	7 544 119 000 0	2KA 003 389-062	5241-401	2RL 007 551-011	99707014603	2VP 007 323-121
001 820 05 01	2AB 004 532-051	7 544 119 000 0	2KA 003 389-068	5241-472	9EL 119 544-021	99707014709	2RL 007 551-011
001 820 05 01	2AB 004 532-057	7 552 026 000 0	2ZR 002 589-011	5241-473	9EL 119 544-031	99707015359	9EL 110 542-001
001 820 13 21	2BM 002 847-107	7 552 026 004 0	9EL 112 858-011	5241-474	9EL 120 201-001	9970 7015510	9GH 993 984-001
001 820 25 21	2BA 003 236-541	7 552 030 000 0	2JA 001 331-011	5242-372	2NE 003 236-301	9970 7015528	1GA 996 142-151
001 820 39 21	2BM 006 692-011	7 553 016 000 0	2JA 004 531-011	5242-372	2NE 003 236-307	99707015845	1GA 998 525-001
001 820 39 21	2BM 006 692-017	000 820 04 57	2DA 959 071-737	5242-372	2RL 007 337-011	9970 7016350	8GS 007 949-101
001 820 40 21	2BM 006 692-021	000 820 18 60	2KA 001 388-051	5243-536	1GA 007 506-011	9970 7016499	1GA 007 506-431
001 820 40 21	2BM 006 692-027	000 820 25 68	2BM 002 847-097	5243-537	2ZR 003 315-041	99707016583	9BG 990 353-001
001 820 67 21	2BA 001 423-087	000 820 37 21	2DA 001 240-341	5243-538	2NE 003 315-011	9970 7016602	9EL 146 887-001
001 820 77 01	2JA 006 447-251	000 820 44 57	2BA 004 119-001	5246-248	2RL 007 337-011	99707016603	9EL 146 838-001
001 820 83 01	2PF 006 717-011	000 820 41 64	25B 001 423-097	5246254	1GM 996 135-051	9970 7017009	2TM 008 645-061
001 820 96 56	2PF 002 860-031	000 820 63 01	2JA 003 115-001	5246-736	2VD 007 547-181	9970 7017009	2TM 008 645-067
001 820 97 56	2SA 002 860-041	000 820 90 56	2KA 003 389-061	5246-762	2NE 002 985-001	99707017363	2VD 007 323-141
001 822 28 20	2BA 001 240-301	000 820 90 56	2KA 003 389-062	5246-777	8GD 002 078-241	99707017364	2VP 007 323-111
001 822 34 20	2BA 002 324-011	000 820 90 56	2KA 003 389-068	5246789	2PS 008 382-811	99707017939	2TM 008 645-071
002 544 01 90	9EL 119 544-021	000 820 95 56	2TJ 003 168-151	5246789	2PS 008 382-817	99707017939	2TM 008 645-077
002 820 05 00	2AB 001 208-001	000 825 01 03	2PF 002 452-017	5246-845	2ZR 002 985-261	99707018060	2RL 008 183-111
002 820 21 61	1DL 007 859-011	000 825 02 03	2KA 001 389-101	5246-950	8RA 003 326-041	997070300981	9EL 856 416-001
002 820 22 61	1DL 007 859-021	000 825 06 03	2PF 004 081-001	5246-950	8RA 003 326-047	9970-7301861	9EL 122 689-021
002 820 47 56	2PF 006 679-007	000 825 06 03	2PF 004 081-007	5247-61	2RL 008 181-111	99707302238	1GS 135 211-011
002 820 50 61	1DL 007 859-051	000 826 09 40	8RL 002 009-001	5247 258	1ND 005 700-061	99707305610	9EL 120 240-011
002 820 51 61	1DL 007 859-061	000 826 10 40	8RA 003 660-007	5247 259	8GH 002 090-251	9970 7307671	9EL 950 315-001
002 820 57 56	2XS 003 168-071	000 826 11 91	9GD 118 983-021	5247 259	8GH 002 090-253	9970 7308166	9EL 950 315-031
370 821 00 65	8JA 002 263-031	000 826 14 41	2PS 002 727-001	5247 605	1GD 005 700-501	99707723461	1AB 003 177-001
372 826 00 31	9XD 127 264-007	000 826 14 41	2PS 002 727-007	5247 653	2SE 007 547-041	99707723462	1VB 005 444-037
372 826 00 47	2PF 004 081-001	000 826 18 40	8RA 003 326-031	5247 667	2RL 007 017-071	99707723582	2XS 005 020-001
372 826 00 56	2PF 004 081-007	000 826 26 10	9EL 116 380-045	5247 757	2ZR 997 506-391	99707723582	2XS 005 020-002
003 820 01 56	2DA 959 071-237	000 826 27 10	9EL 116 380-035	5247-915	2VA 343 640-117	99707723582	2XS 005 020-007
003 820 01 56	2KA 001 388-097	000 826 28 97	9GD 128 553-007	5249-16	2VA 343 640-207	99707723582	2XS 005 020-011
003 820 13 15	2XS 005 020-001	000 826 30 47	2SA 001 259-751	524951	2KA 003 389-061	99707723637	2VP 003 567-121
003 820 13 15	2XS 005 020-002	000 826 30 47	2SA 001 259-757	524951	2KA 003 389-062	99707723802	2VP 003 567-127
003 820 13 15	2XS 005 020-003	000 826 42 47	2PF 001 259-631	524951	2KA 003 389-068	99707723803	2VP 003 567-127
003 820 13 56	2XS 005 020-001	000 826 47 47	2PF 001 647-067	0552-315	2BA 002 652-111	99707723803	2BA 996 027-001
003 820 13 56	2XS 005 020-002	000 826 49 47	2PF 001 647-067	0552-315	2BA 002 652-117	9970-7730539	2BA 996 027-001
003 820 13 56	2XS 005 020-003	000 997 32 86	9GH 096 532-001	5641 110	9EL 146 887-001	9970-7751204	9XD 100 261-001
003 820 14 15	2XS 005 020-003	000 998 57 05	9GT 137 236-007	0576-427	2BA 002 652-101	9970-7751228	1G3 005 760-011
003 820 14 56	2XS 005 020-077	HXB 373 820 17 64	HXB 373 820 17 64	0576-427	2BA 002 652-107	9970-7751280	8HG 006 294-021
003 820 15 56	2KA 005 049-011	HXB 373 820 17 64	HXB 373 820 17 64	6254 93	2XS 955 031-001	9970-7751492	2PF 006 679-007
003 820 15 56	2KA 005 049-017	HXB 373 820 18 64	HXB 373 820 18 64	7000-939	2PS 006 717-031	9970-7751917	2XE 001 685-201
003 820 16 56	2XS 005 020-001	HXB 373 820 18 64	HXB 373 820 18 64	7000-939	2PS 006 717-032	9970-7758097	2XS 950 071-031
003 820 16 56	2XS 005 020-002	HXB 373 826 15 10	HXB 373 826 15 10	7000-939	2PS 006 717-037	9970-7764767	2XW 007 146-001
003 820 16 56	2XS 005 020-003			7004-770	2SA 001 259-751	99708007784	8GJ 002 525-251
003 820 20 56	2PF 959 590-457			7005-086	2SA 001 259-757	99708007784	8GJ 002 525-253
003 820 21 56	2NE 008 221-031			7300-981	1G3 005 760-001	997080102799	8GH 002 857-241
003 820 21 56	2NE 008 221-037	1537-807	2JA 003 354-001	7482 62	9EL 856 416-001	99708412667	2SD 001 699-061
000 544 11 04	9EL 139 898-005	1706-036	8GA 002 071-241	7723-461	1GA 007 506-001	99708412674	2BA 003 022-001
000 544 18 04	2NE 003 236-008	1706-105	8GA 002 071-251	7730-968	1KB 003 177-061	99708412675	2SE 001 699-071
000 544 18 04	2NE 003 236-307	1706-109	8GH 002 090-251	7751-492	8HG 006 294-041	99708412692	2BA 003 734-061
000 544 24 34	2KA 003 010-007	1706-111	8GH 002 089-251	8412-667	2PF 006 679-007	99708412742	1AG 003 434-137
000 544 24 37	2ZR 003 236-051	1706 111	8GH 002 089-253	8412-695	2SD 001 699-061	9970 8412748	1G5 003 241-171
000 544 33 07	2ZR 003 236-317	1706-112	8GA 002 073-241	8412-695	2BE 003 014-251	99708413122	2JA 003 231-001
000 544 37 34	2ZR 003 236-351	1710-120	2SE 002 578-701	8413-122	2BE 003 014-257	99708413715	6ED 708 919-001
000 544 77 02	2KA 003 168-021	1710-120	2BA 001 227-201	8464-239	2JA 003 231-001	9970-8436830	9EL 115 003-055
000 545 82 26	9BG 121 740-001	1710-141	2KA 001 389-101	8464-239	2PS 004 361-001	99708464300	2XS 005 020-001
000 585 11 03	8JB 850 434-011	1710-145	2BA 002 324-021	8464-953	2AB 004 532-051	99708464300	2XS 005 020-003
612 820 00 56	8XH 002 975-011	1710-168	2BA 003 022-001	8464-953	2AB 004 532-057	99708464301	2XS 005 020-011
612 820 00 56	2KA 005 049-008	1710-218	2KA 003 389-061	8467-024	9EL 110 542-001	99708464301	2XS 005 020-017
612 820 00 56	2KA 005 049-011	1710-218	2KA 003 389-062	8475-135	2SE 001 685-201	99708464788	2PF 003 389-037
612 820 01 56	2KA 005 049-017	1710-218	2KA 003 389-068	8475-319	1N4 002 608-021	9970-8464789	2PF 003 014-071
612 820 01 20	2BM 008 355-001	1710-312	2XS 950 071-031	0090-251	2JA 001 330-001	9970-8467024	9EL 110 542-001
613 826 02 41	2BM 008 355-007	1710-313	2XS 005 020-001	0090-251	2JA 001 330-007	9970-8467134	9EL 116 907-001
613 826 02 41	2PS 962 964-031	1710-313	2XS 005 020-003	99700028918	8GA 002 083-251	9970-8475136	2BA 003 014-011
627 820 00 20	2BA 996 027-001	1710-84	2AB 001 208-001	99700030228	8GM 002 091-241	9970-8476344	2XS 955 031-001
6 290 010 089 1 14	2PF 004 081-001	1711-003	8RA 002 016-111	99700030229	8GP 002 067-241	99708519965	2SA 003 057-021
6 290 010 089 1 24	2PF 004 081-007	1711-033	8RA 002 016-121	99700090251	2JA 001 330-001	99708519965	2SA 003 057-022
666 820 03 56	9XD 127 264-007	1712-099	1G9 001 523-021	99700090251	2JA 001 330-007	99708520062	2PF 003 057-041
671 820 04 56	2PF 003 563-151	1712 218	2ZR 001 423-001	9970018663	8JA 001 909-011	9970-8520690	9EL 117 330-001
671 820 04 56	2KA 006 896-001	1712-140	2ZR 003 014-091	99700524951	8GM 002 091-251	9970-8520691	
7 512 129 000 0	2KA 006 896-007	1714-539	9EL 146 491-001	99700524951	2KA 003 389-061		
7 512 129 012 0	1BL 005 380-011	1715-326	9ES 082 415-001	99700552314	2KA 003 389-068		
7 512 131 000 0	1VB 005 444-037	1715-838	9DF 112 246-001	99700552314	2BA 002 652-121		
7 512 307 000 0	1BL 005 380-021	1836 319	2TJ 001 633-211	99700552315	2BA 002 652-127		
7 512 310 000 0	1FB 003 367-001	3171-1060	8RA 002 016-121	99700552315	2BA 002 652-111		
7 512 317 000 0	1KB 006 277-051	0339-992	2BA 002 324-001	99700552315	2BA 002 652-117		
7 513 114							

# Manufacturer's no. / Hella no.

## Cross-Reference



Fendt	Hella	Fendt	Hella	Fiat	Hella	Fiat	Hella
F 225 901 020 040	2SB 001 673-002	X 830 180 039	2SD 002 776-247	2304486	2DA 003 236-031	46512542	2BA 270 016-031
F 225 901 020 060	9EL 110 928-001	X 830 180 040	2KA 001 389-101	2304486	2DA 003 236-037	4833768	2SA 001 259-751
F 225 901 020 030	2BA 001 244-001	X 830 180 040 000	2KA 001 389-101	2304487	2NE 003 236-001	4833768	2SA 001 259-757
F 225 901 100 070	9EL 085 478-001	X 830 180 041 000	2KA 003 168-021	2304487	2NE 003 236-008	4961371	2SD 001 680-281
F 228 900 020 010	2BE 001 278-011	X 830 180 042 000	2PF 003 014-071	2304488	2ZR 003 236-051	4961372	2SD 001 680-291
F 228 900 020 020	2BE 001 278-021	X 830 180 043	2KA 003 389-061	2304488	2ZR 003 236-057	593628	2SD 001 693-011
F 228 900 020 060	9EL 087 769-001	X 830 180 043	2KA 003 389-062	2480751	2SE 001 699-071	60657892	2DA 007 421-027
F 250 900 020 010	2SA 001 634-121	X 830 180 043	2KA 003 389-068	2525995	2KA 001 386-231	638230	2PS 002 727-001
F 716 900 020 030	9GH 126 647-011	X 830 180 046	2SD 003 184-041	2593628	2SD 001 693-011	638230	2PS 002 727-007
F 716 900 020 040	9EL 113 324-001	X 830 180 046	2SD 003 184-047	2600659	9EL 116 907-001	71130013	2KA 001 389-101
F930.900.020.010	1A3 002 850-031	X 830 180 046 000	2SD 003 184-041	2633999	2BA 003 022-001	71130027	2AA 001 200-001
F930.900.111.010	1GA 990 305-001	X 830 180 046 000	2SD 003 184-047	2780812	9EL 855 097-001	71130027	2AA 001 200-002
F930.900.111.020	5DV 990 264-001	X 830 180 046 010	9EL 118 701-001	2781601	2BA 003 014-011	71130034	8HG 002 240-021
G 210.902.140.020	2RL 007 551-001	X 830 180 047	2SD 003 184-031	2967157	9GT 074 132-001	71130046	2BA 001 259-611
G 246 900 020 010	1AB 006 213-001	X 830 180 047	2SD 003 184-037	2968264	9EL 109 139-001	71130046	2BA 001 259-618
G 246 900 020 010	1AD 996 018-651	X 830 180 047 000	2SD 003 184-031	2969511	9DF 112 246-001	71130101	8HG 002 240-031
G 246 900 020 040	1AB 006 213-001	X 830 180 047 000	2SD 003 184-037	2969581	9EL 110 736-001	7130027	2AA 001 200-001
G 246 900 020 040	1AD 996 018-651	X 830 180 047 010	9EL 118 700-001	322313600	1A5 003 178-411	7130027	2AA 001 200-002
G 260 900 020 020	1AL 009 998-001	X 830 180 048	2SE 003 184-011	3416605	8JA 001 909-011	71403699	8XS 113 389-001
G 294 900 110 010	1GB 006 213-111	X 830 180 048	2SE 003 184-017	3416680	2PF 001 648-161	71701052	2AB 004 532-001
G 294 900 110 010	1GB 006 213-117	X 830 180 048 000	2SE 003 184-011	3440754	9GD 100 140-001	71904420	2BE 003 014-251
G 294 900 110 010	1GD 996 018-541	X 830 180 048 000	2SE 003 184-017	3567321	2SK 003 567-331	71904420	2BE 003 014-257
G 312 900 110 010	1GA 007 506-081	X 830 180 048 010	9EL 118 697-001	41822954	2KA 003 389-061	7732116	1AF 006 827-181
G 312 900 110 030	1GA 006 991-051	X830.180.063.010	8GH 002 089-133	41822954	2KA 003 389-062	7732117	1AF 006 827-171
G 312 900 113 020	1GB 996 080-011	X 830 180 080	2PS 002 727-001	41822954	2KA 003 389-068	7732120	1AF 006 827-181
G 312 901 110 020	1GA 007 506-081	X 830 180 080	2PS 002 727-007	41933709	2ZR 003 030-171	7732121	1AF 006 827-171
G 334 900 111 010	1GD 996 176-021	X 830 180 080	2PS 004 361-001	41966531	2BA 001 416-011	7732127	1AF 006 826-181
G 380 902 110 010	1GA 998 522-011	X 830 180 080	2PS 004 361-007	42013057	2SE 003 167-031	79069588	1AF 006 826-111
G 380.902.110.020	1GA 998 522-011	X 830 180 085	2NE 002 985-001	42013058	2SD 003 167-021	79069588	2BA 002 652-117
G 524 900 115 020	1GA 007 506-081	X 830 180 095	2BE 003 347-001	42013059	2SD 003 167-011	79069589	2BA 002 652-121
G 716 900 020 090	2SD 001 685-317	X 830 180 095 000	2BE 003 347-001	42013060	2SE 003 167-041	79069589	2BA 002 652-127
G718.970.010.010	8HG 004 806-001	X 830 180 095 010	9EL 120 224-001	42024986	2SE 001 685-201	8119043	2KA 004 525-001
G 916 901 020 010	1GA 996 020-001	X830180122	2PF 964 295-257	42024987	2SD 001 685-211	81812945	9EL 135 266-001
G 916 901 210 010	2TJ 003 168-151	X830.180.147.000	2XS 005 020-001	42024987	2SD 001 685-218	81813545	9RA 002 016-121
G 930 900 020 010	1AB 008 888-051	X830.180.147.000	2XS 005 020-002	42025923	2SE 002 578-701	81815335	9EL 043 137-001
G930.900.020.070	1EB 996 167-041	X 830 180 147 000	2XS 005 020-003	42025923	2SE 002 578-707	81817350	8JA 001 930-001
G930.900.020.080	1EB 996 167-048	X 830 180 152	2PS 002 727-001	42046008	2XW 002 897-051	81838694	8RA 002 023-001
G930.900.020.080	1EB 996 167-038	X 830 180 152 000	2PS 002 727-007	42046397	8RA 003 326-011	83926045	8RA 002 015-001
G 930.900.111.010	1GA 996 142-021	X 830 180 162	2PS 002 727-007	42046397	8RA 003 326-017	83931521	8GH 002 089-133
G930.900.111.020	1GA 996 261-511	X 830 180 162	2PS 964 295-001	42047225	2NE 003 236-001	83952724	8GA 002 071-131
G930.900.112.020	1GA 996 261-511	X 830 180 162	2PS 964 295-002	42047225	2NE 003 236-008	83961516	2BE 002 582-031
G930.900.113.010	1GB 996 147-101	X 830 180 162	2PS 964 295-007	42047226	2BA 003 236-321	83985986	8GD 002 078-121
G931900020120	2BA 008 221-107	X 830 180 165	2PS 962 964-031	42047227	2DA 003 236-331	83989283	9EL 112 741-001
G931900020120	2PF 008 221-177	X 830 180 165	2PS 962 964-037	42047228	2SA 003 236-341	83989315	9EL 112 743-001
G931900020130	2BA 008 221-107	X 830 180 172	2KA 004 331-061	42047229	2ZR 003 236-311	83989780	1A3 002 850-031
G931900020130	2PF 008 221-177	X 830 180 172	2KA 004 331-067	42047579	1ND 003 590-001	84037090	2SE 002 578-701
G931.900.020.140	1BL 008 193-001	X 830 180 180	2SD 004 460-011	42048298	8RA 002 014-051	84037090	2SE 002 578-707
G931.900.020.140	1BL 008 193-007	X 830 180 180	2SD 004 460-017	42048298	8RA 002 014-052	87700084	2BA 001 248-001
G931.900.020.150	1K0 008 191-011	X 830 180 180 000	2SD 004 460-011	42069131	1FD 003 590-017	88700087	2SB 003 018-031
G931.900.020.150	1K0 008 191-017	X 830 180 180 000	2SD 004 460-017	42073886	8RA 002 014-101	88900167	9EL 089 527-001
G931.900.220.030	2KA 004 331-031	X 830 180 181	2SD 004 460-001	42080296	3AG 003 399-101	88900168	9EL 111 647-001
G931.901.020.120	2PF 008 221-107	X 830 180 181	2SD 004 460-007	42080316	2ZR 004 542-001	88900169	9EL 107 368-001
G931.901.020.130	2BA 008 221-177	X 830 180 181 000	2SD 004 460-001	42225071	2PS 006 717-031	93191714	9EL 119 544-021
H 816 810 200 010	2JA 002 931-031	X 830 180 181 000	2SD 004 460-007	42225071	2PS 006 717-032	93191715	9EL 119 544-001
H922.500.410.020	8RW 341 235-007	X 830 180 182	2SK 004 460-041	42225071	2PS 006 717-037	93191716	9EL 119 544-031
H931.901.020.080	5DS 009 602-011	X 830 180 183	2SK 004 460-031	42304484	2BA 003 236-021	93191717	9EL 120 201-001
X671.306.000.000	8GM 002 092-121	X 830 180 183	2SK 004 460-037	42304484	2BA 003 236-027	93191718	9EL 119 544-111
X671.306.500.000	8GA 002 071-131	X 830 180 190	2DA 007 421-001	42304485	2SA 003 236-041	9638230	2PS 002 727-001
X 825 282 160	2BA 001 259-611	X 830 180 190	2DA 007 421-007	42304485	2SA 003 236-047	9638230	2PS 002 727-007
X 825 282 160	2BA 001 259-618	X 830 180 190	2DA 007 541-001	42304485	2SA 003 236-048	9651052	2PF 001 648-161
X 825 282 160 000	2BA 001 259-611	X 830 180 193	8KA 146 751-007	42304486	2DA 003 236-031	9750360701	1A3 002 850-031
X 825 282 160 000	2BA 001 259-618	X 830 180 195	2VA 007 502-011	42304486	2DA 003 236-037	98434335	1ND 003 590-001
X 825 282 160 010	9EL 088 150-001	X 830 180 195	2VA 007 502-017	42304487	2NE 003 236-001	9843435	1ND 003 590-001
X825.283.214.000	8GS 007 949-101	X 830 180 195 000	2VA 007 502-011	42304487	2NE 003 236-008	98456568	9GT 134 130-001
X 825.283.248.000	8GJ 002 525-131	X 830 180 195 000	2VA 007 502-017	42304488	2ZR 003 236-051	98466409	1ND 003 590-001
X 825.283.248.000	8GJ 002 525-133	X 830 180 196	2VP 007 502-041	42304488	2ZR 003 236-057	99446124	2SE 001 685-221
X825.283.253.000	8GP 002 067-121	X 830 180 196	2VP 007 502-047	42317738	2ZR 003 236-051	99446124	2SE 001 685-227
X825.283.254.000	8GP 002 067-121	X 830 180 196 000	2VP 007 502-041	42331327	2ZR 003 236-057	99446125	2XS 950 071-031
X825283262	8GA 006 841-121	X 830 180 197	2VP 007 502-047	42340069	8RA 003 660-007	99446125	2SD 001 685-231
X825283263	8GD 002 078-121	X 830 180 197	2VA 007 502-111	42460351	2JA 001 357-002	99446126	2SD 001 685-232
X825.283.277.000	8GA 006 841-121	X 830 180 198	2VA 007 502-117	42464666	9EL 110 536-001	9946766	2XS 950 071-031
X825.283.286.000	8GH 002 090-133	X 830 180 197	2VP 007 502-121	42487086	9EL 118 445-001	9946767	2BA 007 042-031
X825.283.291.000	8GM 002 091-131	X 830 180 198	2VP 007 502-127	42530460	9EL 113 324-001	9947665	2BA 007 042-031
X825.283.299.000	8GA 002 073-121	X 830 180 200	2DA 008 136-007	42531998	9EL 146 491-001		6NM 007 282-661
X 830 108 003 5010	9EL 108 435-001	X 830 180 200	9HB 152 421-007	445502	9EL 115 830-001		
X 830 108 035 010	9EL 108 435-001	X830180202	8KA 144 707-007	4474443	2KA 003 168-021	<b>Fibron</b>	<b>Hella</b>
X 830 160 039 000	1AB 003 177-001	X 830 180 205	2XS 008 479-001	44902454	1A6 002 395-031	13-01.136	1GA 998 534-061
X 830 160 040	1AA 004 109-001	X 830 180 205	2XS 008 479-007	44906471	2KA 001 389-101	13-01.401	1GM 996 135-071
X 830 160 100	1GD 003 690-287	X 830 180 206	2XS 008 479-011	44906471	2BE 003 014-251	0523540	1A3 003 370-041



# Manufacturer's no. / Hella no.

## Cross-Reference

Ford	Hella	Ford	Hella	Ford	Hella	Ford	Hella
1 058 420	1EJ 008 401-071	1 119 440	9EL 354 057-021	1 214 226	9EL 354 061-021	1 480 994	1EL 010 201-171
1 058 421	1EJ 008 401-051	1 119 442	9EL 354 057-011	1 215 917	9EL 354 059-021	1 480 996	1EL 010 201-051
1 063 533	9EL 354 072-021	1 120 245	9EL 171 556-021	1 216 874	1EE 010 198-021	1 480 998	1EL 010 201-131
1 063 534	9EL 354 072-011	1 120 247	9EL 171 556-011	1 216 877	1EE 010 198-041	1 481 000	1EL 010 201-211
1 063 805	2NE 354 062-011	1 120 616	9EL 354 061-021	1 216 917	1EE 010 198-011	1 481 005	1N0 354 016-021
1 063 819	1AE 010 199-021	1 120 617	9EL 354 061-011	1 216 918	1EE 010 198-031	1 481 007	1N0 354 016-011
1 063 820	1AE 010 199-011	1 121 317	9EL 354 071-021	1 218 235	1EE 010 198-081	1 483 060	1EL 010 201-221
1 063 837	9EL 354 059-021	1 121 318	9EL 171 558-011	1 218 250	1EE 010 198-071	1 505 147	2KA 001 622-001
1 063 838	9EL 354 059-011	1 121 319	9EL 354 071-011	1 219 836	9EL 354 059-011	1 516 578	2SD 001 688-171
1 063 871	9EL 171 556-011	1 124 435	2NE 354 062-011	1 222 990	8RA 354 031-021	1 516 579	2SD 001 688-141
1 063 875	1NA 354 015-011	1 124 570	2ZR 354 063-021	1 222 991	8RA 354 031-011	1 530 665	6ED 004 778-011
1 063 876	9EL 171 556-021	1 125 614	9EL 964 484-011	1 227 684	9EL 171 558-011	1 536 477	1A6 002 395-071
1 063 877	1NA 354 015-021	1 125 615	9EL 964 483-011	1 227 685	9EL 171 558-021	1 568 199	2SA 001 259-751
1 063 885	2ZR 354 063-021	1 126 628	1EF 009 057-021	1 232 633	1EG 354 024-021	1 568 199	2SA 001 259-757
1 065 778	9EL 354 061-021	1 126 631	1EF 009 057-011	1 232 634	1EG 354 024-041	1 582 913	2AA 001 200-151
1 065 780	9EL 354 061-011	1 126 641	9EL 354 071-021	1 232 636	1EG 354 024-101	1 583 532	1 626 001 759-051
1 065 782	9EL 354 057-021	1 126 642	9EL 354 071-011	1 232 637	1EG 354 024-121	1 583 542	9NMK 854 066-001
1 065 783	9EL 354 057-011	1 126 643	9EL 171 558-021	1 232 643	1EG 354 024-011	1 631 498	2VP 354 034-021
1 065 784	9EL 171 556-021	1 126 644	9EL 171 558-011	1 232 644	1EG 354 024-031	1 631 499	2VP 354 034-011
1 065 785	9EL 171 556-011	1 127 638	9EL 354 071-021	1 232 645	1EG 354 024-091	1 641 671	2VP 354 034-021
1 065 878	1NA 354 015-011	1 127 639	9EL 354 071-011	1 232 646	1EG 354 024-111	1 641 672	2VP 354 034-011
1 065 879	1NA 354 015-021	1 127 644	9EL 354 071-021	1 233 322	9EL 171 556-021	1 641 702	2VP 354 034-021
1 067 264	2NE 354 062-011	1 127 645	9EL 354 071-011	1 233 323	9EL 171 556-011	1 641 703	2VP 354 034-011
1 067 267	9EL 354 059-021	1 127 790	9EL 009 058-021	1 255 214	9EL 171 558-061	1 657 858	6ZE 001 759-071
1 067 268	9EL 354 059-011	1 127 791	1EE 009 058-011	1 306 252	1NA 010 205-021	1 660 382	2BA 003 022-021
1 068 440	9EL 171 556-021	1 128 752	9EL 171 558-021	1 306 253	1NA 010 205-011	1 660 431	2AA 001 200-151
1 068 443	9EL 171 556-011	1 128 753	9EL 171 558-011	1 309 162	9EL 354 060-021	1 813 545	8RA 002 016-121
1 069 265	2ZR 354 063-021	1 128 754	9EL 171 558-021	1 309 164	9EL 354 060-011	1 815 335	9EL 043 137-001
1 069 982	9EL 354 061-021	1 128 755	9EL 354 071-021	1 319 871	9EL 171 558-061	1 838 694	8RA 002 023-001
1 069 984	9EL 354 061-011	1 128 757	9EL 354 071-011	1 319 873	9EL 171 558-021	1 951 875	1ED 962 060-121
1 070 139	1AE 010 199-021	1 130 104	9EL 354 071-021	1 319 874	9EL 171 558-011	1 951 876	1ED 962 060-121
1 070 141	1AE 010 199-011	1 130 105	9EL 354 071-011	1 320 348	1EF 010 197-021	1 951 879	1ED 962 060-111
1 070 678	1AE 010 199-021	1 130 110	9EL 354 071-021	1 320 349	1EF 010 197-011	1 951 880	1ED 962 060-111
1 070 680	1AE 010 199-011	1 130 111	9EL 354 071-011	1 324 247	1EL 010 201-021	1M51 13005 FA	1AE 010 199-021
1 070 832	9EL 354 057-021	1 134 214	1AE 010 199-011	1 324 252	1EL 010 201-101	1M51 13006 FA	1AE 010 199-011
1 070 833	9EL 171 556-021	1 134 217	1AE 010 199-021	1 324 254	1EL 010 201-181	1M51 13A602 AA	9EL 354 061-021
1 070 837	9EL 354 057-011	1 134 300	9EL 354 051-011	1 324 256	1EL 010 201-011	1M51 13A602 AB	2VP 354 061-021
1 070 838	9EL 171 556-011	1 134 301	1NA 354 015-021	1 324 260	1EL 010 201-091	1M51 13A602 BA	9EL 354 057-021
1 071 973	1AE 010 199-021	1 136 537	9EL 171 558-021	1 324 262	1EL 010 201-171	1M51 13A602 EA	9EL 171 556-021
1 071 975	1AE 010 199-011	1 136 538	9EL 171 558-011	1 327 649	9EL 354 071-021	1M51 13A602 EB	9EL 171 556-021
1 072 423	2VP 354 034-021	1 137 928	9EL 354 060-021	1 327 650	9EL 354 071-011	1M51 13A603 AA	9EL 354 061-011
1 072 424	2VP 354 034-011	1 137 929	9EL 354 060-011	1 329 407	1EL 010 201-061	1M51 13A603 AB	9EL 354 061-011
1 074 084	9EL 354 061-021	1 138 142	2ZR 354 063-021	1 329 409	1EL 010 201-141	1M51 13A603 BA	9EL 354 057-011
1 074 085	9EL 354 061-011	1 138 145	2NE 354 062-011	1 329 411	1EL 010 201-221	1M51 13A603 CA	2NE 354 062-011
1 074 879	1AE 010 199-021	1 140 060	1EG 354 024-101	1 329 413	1EL 010 201-051	1M51 13A603 CB	2NE 354 062-011
1 074 882	1AE 010 199-011	1 140 062	1EG 354 024-121	1 329 415	1EL 010 201-131	1M51 13A603 CC	2NE 354 062-011
1 075 076	1AE 010 199-021	1 140 069	1EG 354 024-091	1 329 417	1EL 010 201-211	1M51 13A603 CE	9EL 171 556-011
1 075 077	1AE 010 199-011	1 140 072	1EG 354 024-111	1 329 635	9EL 354 067-021	1M51 13A603 EB	9EL 171 556-011
1 076 373	9EL 354 061-021	1 140 076	9EL 171 558-021	1 329 637	9EL 354 067-011	1M51 15511 AA	2ZR 354 063-021
1 076 374	9EL 354 061-011	1 140 077	9EL 171 558-011	1 331 600	9EL 354 071-021	1M51 15511 AB	2ZR 354 063-021
1 084 737	1NA 354 015-011	1 142 870	1EF 010 197-021	1 331 601	9EL 354 071-011	1M51 15511 AC	2ZR 354 063-021
1 084 738	1NA 354 015-021	1 142 874	1EF 010 197-011	1 333 743	9EL 354 064-021	1M51 15K258 AA	1NA 354 015-011
1 084 889	1AE 010 199-021	1 143 164	1EE 010 198-021	1 333 745	9EL 354 064-011	1M51 15K274 AA	1NA 354 015-021
1 084 890	1AE 010 199-011	1 143 165	1EE 010 198-041	1 333 832	9EL 354 066-021	1M50 13100 BA	1EE 010 198-021
1 085 526	9EL 354 061-021	1 143 169	1EE 010 198-011	1 333 834	9EL 354 066-011	1M50 13100 BB	1EE 010 198-081
1 085 653	9EL 171 556-021	1 143 170	1EE 010 198-031	1 343 653	1EE 010 198-021	1M50 13100 BC	1EE 010 198-081
1 085 660	9EL 171 556-011	1 143 437	9EL 354 061-021	1 343 654	1EE 010 198-041	1M50 13101 BA	1EE 010 198-071
1 088 970	1AE 010 199-021	1 143 438	9EL 354 061-011	1 343 657	1EE 010 198-011	1M50 13101 BB	1EE 010 198-071
1 088 973	1AE 010 199-011	1 145 719	1EE 010 198-021	1 343 658	1EE 010 198-031	1M50 13101 BC	1EE 010 198-071
1 091 951	9EL 171 556-021	1 145 720	1EE 010 198-041	1 345 972	1EE 010 198-081	1MVO 13368 BA	9EL 354 060-021
1 091 975	9EL 171 556-011	1 145 722	1EE 010 198-011	1 345 974	1EE 010 198-071	1MVO 13368 BB	9EL 354 060-021
1 092 586	9EL 354 061-021	1 145 723	1EE 010 198-031	1 353 947	1EG 354 024-021	1MVO 13369 BA	9EL 354 060-011
1 092 589	9EL 354 061-011	1 148 289	9EL 171 556-021	1 353 948	1EG 354 024-041	1MVO 13369 BB	9EL 354 060-011
1 095 311	9EL 354 057-021	1 148 291	9EL 171 556-011	1 353 949	1EG 354 024-101	S71 13404 AF	9EL 171 558-021
1 095 312	9EL 354 057-011	1 149 113	1NA 010 205-011	1 353 950	1EG 354 024-121	S71 13404 AH	9EL 171 558-021
1 097 793	1AG 354 023-061	1 149 114	1NA 010 205-021	1 353 984	1EG 354 024-011	S71 13404 AL	9EL 171 558-021
1 097 796	1AG 354 023-021	1 150 021	9EL 354 057-021	1 353 985	1EG 354 024-031	S71 13404 AM	9EL 171 558-021
1 097 798	1AG 354 023-051	1 150 022	9EL 354 057-011	1 353 986	1EG 354 024-091	S71 13404 CN	9EL 354 071-021
1 097 801	1AG 354 023-011	1 151 625	9EL 171 558-021	1 353 987	1EG 354 024-111	S71 13404 CE	9EL 354 071-021
1 098 043	9EL 354 057-021	1 151 627	9EL 171 558-011	1 370 129	2ZR 354 063-021	S71 13404 CF	9EL 354 071-021
1 098 056	9EL 171 556-021	1 152 091	1AE 010 199-011	1 370 144	2NE 354 062-011	S71 13404 CG	9EL 354 071-021
1 098 086	9EL 354 057-011	1 152 096	1AE 010 199-021	1 371 849	9EL 171 558-021	S71 13404 CH	9EL 354 071-021
1 098 786	9EL 171 556-011	1 152 388	1EE 010 198-011	1 371 852	9EL 171 558-061	S71 13404 CJ	9EL 354 071-021
1 101 815	2BA 010 231-021	1 152 389	1EE 010 198-031	1 371 855	9EL 171 558-041	S71 13405 AF	9EL 171 558-011
1 101 816	2BA 010 231-011	1 152 390	1EL 246 045-111	1 371 857	9EL 171 558-031	S71 13405 AG	9EL 171 558-011
1 102 008	9EL 137 820-031	1 152 394	1EE 010 198-021	1 371 859	9EL 171 558-051	S71 13405 AH	9EL 171 558-011
1 102 009	9EM 137 819-021	1 152 396	1EE 010 198-041	1 371 861	9EL 171 558-011	S71 13405 AM	9EL 171 558-011
1 102 373	2VP 354 037-021	1 152 401	1EL 246 045-121	1 380 503	9EL 354 055-021	S71 13405 AN	9EL 354 071-011
1 102 374	2VP 354 037-011	1 152 469	1EE 010 198-021	1 380 505	9EL 354 055-011	S71 13405 AO	9EL 354 071-011
1 103 150	1NL 007 594-041	1 152 470	1EE 010 198-041	1 383 603	9EL 354 070-021	S71 13405 AP	9EL 354 071-011
1 103 496	1NL 007 594-031	1 152 472	1EE 010 198-011	1 383 636	9EL 354 054-021	S71 13405 AQ	9EL 354 071-011
1 104 276	9EL 354 059-021	1 152 473	1EE 010 198-031	1 383 638	9EL 354 070-011	S71 13405 AR	9EL 354 071-011
1 104 277	9EL 354 059-011	1 198 172	2ZR 354 063-021	1 383 641	9EL 354 054-011	S71 13405 AS	9EL 354 071-011
1 106 854	1AE 010 199-021	1 198 221	1EF 010 197-021	1 386 532	2NE 354 062-011	S71 13A602 CA	9EL 354 071-021
1 106 856	1AE 010 199-011	1 198 225	1EF 010 197-011	1 406 676	2NR 010 229-021	S71 13A602 CB	9EL 354 071-021
1 106 921	1EE 009 058-021	1 202 148	2BA 010 231-021	1 406 677	2NR 010 229-011	S71 13A602 CC	9EL 354 071-021
1 106 922	1EE 009 058-061	1 202 217	2BA 010 232-011	1 406 679	2SD 010 230-021	S71 13A602 CD	9EL 354 071-021
1 106 939	1EE 009 058-011	1 202 218	2BA 010 232-021	1 406 680	2SD 010 230-011	S71 13A602 CE	9EL 354 071-021
1 106 940	1EE 009 058-051	1 20					

# Manufacturer's no. / Hella no.

## Cross-Reference



Ford	Hella	Ford	Hella	Ford	Hella	Ford	Hella
2M51 13100 BD	1EE 010 198-021	3M51 13100 EE	1EL 270 600-381	6 134 866	2PF 001 648-171	93 191 716	9EL 119 544-031
2M51 13100 CA	1EE 010 198-041	3M51 13101 AA	1EE 270 600-171	6 155 951	1AF 960 723-121	95AG 15201AA	1ND 005 700-001
2M51 13100 CB	1EE 010 198-041	3M51 13101 EE	1EE 270 600-371	6 155 953	1AF 960 723-111	95VG 13005 SAA	1AG 354 023-061
2M51 13100 CC	1EE 010 198-041	3M51 13B414 AB	8RA 354 031-021	6 158 263	2VP 354 034-021	95VG 13005 SAB	1AG 354 023-061
2M51 13100 CD	1EE 010 198-041	3M51 13B415 AB	8RA 354 031-011	6 158 264	2VP 354 034-011	95VG 13005 SAC	1AG 354 023-061
2M5113100DC	1EL 246 045-121	3M51 15K201 AA	1N0 354 016-011	6 161 440	9EL 919 370-121	95VG 13005 SCA	1AG 354 023-021
2M5113100EC	1EL 246 045-121	3M51 15K202 AA	1N0 354 016-021	6 161 441	9EL 919 370-111	95VG 13005 SCC	1AG 354 023-021
2M51 13101 BA	1EE 010 198-011	3S5115B504AA	2ZR 008 221-157	6 161 978	2VP 354 034-021	95VG 13005 SCB	1AG 354 023-021
2M51 13101 BB	1EE 010 198-011	3S71 13A602 EA	9EL 171 558-061	6 161 979	2VP 354 034-011	95VG 13006 SAA	1AG 354 023-051
2M51 13101 BC	1EE 010 198-011	3S71 13A602 EB	9EL 171 558-061	6 188 647	2VP 354 034-021	95VG 13006 SAB	1AG 354 023-051
2M51 13101 BD	1EE 010 198-011	3S71 13A602 EC	9EL 171 558-061	6 188 648	2VP 354 034-011	95VG 13006 SAC	1AG 354 023-051
2M51 13101 CA	1EE 010 198-031		2VP 354 037-021	6 192 993	1AG 007 752-021	95VG 13006 SCA	1AG 354 023-011
2M51 13101 CB	1EE 010 198-031		2VP 354 037-011	6 192 994	1AG 007 752-021	95VG 13006 SCB	1AG 354 023-011
2M51 13101 CC	1EE 010 198-031		8RA 002 014-051	6 192 997	1AG 007 752-021	95VG 13006 SCC	1AG 354 023-011
2M51 13101 CD	1EE 010 198-031		8RA 002 014-052	6 192 998	1AG 007 752-011	95VG 13368 AB	9EL 354 072-021
2M5113101DC	1EL 246 045-111		8RA 002 014-101	6 192 999	1AG 007 752-011	95VG 13368 AA	9EL 354 072-021
2M5113101EC	1EL 246 045-111		1EE 010 198-111	6 193 002	1AG 007 752-011	95VG 13368 AC	9EL 354 072-021
2M5113101EAC	1EL 246 045-111		1EE 010 198-131	6 197 982	9EL 354 072-021	95VG 13369 AA	9EL 354 072-011
2M5113101EAB	1EL 246 045-111		1EE 010 198-121	6 197 983	9EL 354 072-011	95VG 13369 AB	9EL 354 072-011
2M5113101EAD	1EL 246 045-111		1EE 010 198-141	6 200 194	2VP 354 034-021	95VG 13369 AC	9EL 354 072-011
2M5113101EAE	1EL 246 045-111		9EL 354 058-001	6 200 195	2VP 354 034-011	95VG 13404 AA	2VP 354 034-021
2M5113101EAF	1EL 246 045-111		4 364 357	6 484 646	9EL 137 820-031	95VG 13404 AB	2VP 354 034-021
2M5113101EAG	1EL 246 045-111		4 371 158	6 484 648	9EM 137 819-021	95VG 13404 AC	2VP 354 034-021
2M5113101EAH	1EL 246 045-111		4 371 159	6 677 253	1AG 008 563-021	95VG 13404 AD	2VP 354 034-021
2M5113101EAI	1EL 246 045-111		4 371 174	6 677 256	1AG 008 563-011	95VG 13404 AE	2VP 354 034-011
2M5113101EAJ	1EL 246 045-111		4 371 175	6 695 705	2VP 354 034-021	95VG 13405 AB	2VP 354 034-011
2M5113101EAK	1EL 246 045-111		4 372 305	6 695 706	2VP 354 034-011	95VG 13405 AC	2VP 354 034-011
2M5113101EAL	1EL 246 045-111		4 372 306	6 777 877	2BA 919 370-051	95VG 13405 AD	2VP 354 034-011
2M5113101EAM	1EL 246 045-111		4 372 308	6 777 878	2BA 919 370-061	96BG15205AB	1NL 007 594-031
2M5113101EAN	1EL 246 045-111		4 372 309	6 955 366	9EL 354 072-021	96BG15205AC	1NL 007 594-031
2M5113101EAO	1EL 246 045-111		4 388 591	6 955 367	9EL 354 072-011	96BG15205AD	1NL 007 594-031
2M5113101EAP	1EL 246 045-111		4 433 924	6C1113450AA	9EL 171 968-011	96BG15K205AB	1NL 007 594-041
2M5113101EAQ	1EL 246 045-111		4 433 925	6C1113451AA	9EL 171 968-021	96BG15K205AC	1NL 007 594-041
2M5113101EAR	1EL 246 045-111		4 433 955	6ED 004 778-011	6ED 004 778-011	96BG15K205AD	1NL 007 594-041
2M5113101EAS	1EL 246 045-111		4 433 981	6E1113A602 AB	9EL 354 070-021	96BG15K205AE	1NL 007 594-041
2M5113101EAT	1EL 246 045-111		45 05 431	6N11 13A603 AB	9EL 354 070-011	96BG15K205AF	1NL 007 594-041
2M5113101EAU	1EL 246 045-111		45 05 432	6S61 13A602 AE	9EL 354 054-021	96BG15K205AG	9EL 354 072-011
2M5113101EAV	1EL 246 045-111		4 516 738	6S61 13A602 BD	9EL 354 055-021	96BG15K205AH	2BM 006 692-011
2M5113101EAW	1EL 246 045-111		4 516 739	6S61 13A603 AE	9EL 354 054-011	96BG15K205AI	2BM 006 692-011
2M5113101EAX	1EL 246 045-111		4 616 973	6S61 13A603 BD	9EL 354 055-011	96BG15K205AJ	2BM 006 692-021
2M5113101EAY	1EL 246 045-111		4 616 974	6S71 13A602 EA	9EL 171 558-041	96BG15K205AK	2BM 006 692-021
2M5113101EAZ	1EL 246 045-111		4 616 976	6S71 13A603 EA	9EL 171 558-031	96BG15K205AL	2NE 001 423-011
2M5113101EBA	1EE 010 198-141		4 616 977	7 070 864	9EL 961 256-001	96BG15K205AM	2KA 004 525-001
2M5113101EBC	1EE 010 198-141		4 695 191	7 070 865	9EL 961 255-001	96BG15K205AN	2VP 354 034-021
2M5113101EBD	1EE 010 198-141		4 695 243	7 242 045	1AG 008 563-021	96BG15K205AO	2VP 354 034-011
2M5113101EBE	1EE 010 198-141		4 695 246	7 242 051	1AG 008 563-011	96BG15K205AP	8RA 002 015-001
2M5113101EBF	1EE 010 198-141		4 695 247	7 273 967	1AG 354 023-061	96BG15K205AQ	2JA 003 231-001
2M5113101EBG	1EE 010 198-141		4 695 247	7 334 711	9EL 354 072-021	96BG15K205AR	1G4 003 470-031
2M5113101EBH	1EE 010 198-141		4 695 289	7 334 712	9EL 354 072-011	96BG15K205AS	1G4 003 470-051
2M5113101EBI	1EE 010 198-141		4 695 290	7 334 713	2VP 354 034-021	96BG15K205AT	2TJ 001 633-211
2M5113101EBJ	1EE 010 198-141		4 695 292	7 334 714	2VP 354 034-011	96BG15K205AU	8HG 006 294-011
2M5113101EBK	1EE 010 198-141		4 696 765	7 370 027	9FF 090 500-001	96BG15K205AV	8GH 002 090-251
2M5113101EBL	1EE 010 198-141		4 696 767	73 843 372	1S0 001 430-011	96BG15K205AW	2PF 003 057-541
2M5113101EBM	1EE 010 198-141		4 696 769	73 843 378	1X0 001 515-021	96BG15K205AX	6ZE 001 759-051
2M5113101EBN	1EE 010 198-141		4 696 771	73 843 402	2BA 003 014-011	96BG15K205AY	5AB 005 944-001
2M5113101EBP	1EE 010 198-141		4 696 786	73 843 474	2SB 001 259-261	96BG15K205AZ	6ZE 001 759-071
2M5113101EBQ	1EE 010 198-141		4 696 792	73 843 485	2SB 001 673-002	96BG15K205BA	2JA 001 357-002
2M5113101EBR	1EE 010 198-141		4 696 796	73 843 510	2SB 003 014-151	96BG15K205BB	5AB 005 944-011
2M5113101EBR	1EE 010 198-141		4 696 800	73 843 510	2SD 002 776-241	96BG15K205BC	8J8 004 777-001
2M5113101EBR	1EE 010 198-141		4 696 800	73 843 521	2SD 002 776-231	96BG15K205BD	8J8 004 777-002
2M5113101EBR	1EE 010 198-141		4 696 800	73 843 521	2SD 002 776-221	96BG15K205BE	8RA 003 326-011
2M5113101EBR	1EE 010 198-141		4 696 800	73 843 521	2SD 002 776-211	96BG15K205BF	8RA 003 326-011
2M5113101EBR	1EE 010 198-141		4 696 800	73 843 521	2SD 002 776-201	96BG15K205BG	8RA 003 326-011
2M5113101EBR	1EE 010 198-141		4 696 800	73 843 521	2SD 002 776-191	96BG15K205BH	8RA 003 326-011
2M5113101EBR	1EE 010 198-141		4 696 800	73 843 521	2SD 002 776-181	96BG15K205BI	8RA 003 326-011
2M5113101EBR	1EE 010 198-141		4 696 800	73 843 521	2SD 002 776-171	96BG15K205BJ	8RA 003 326-011
2M5113101EBR	1EE 010 198-141		4 696 800	73 843 521	2SD 002 776-161	96BG15K205BK	8RA 003 326-011
2M5113101EBR	1EE 010 198-141		4 696 800	73 843 521	2SD 002 776-151	96BG15K205BL	8RA 003 326-011
2M5113101EBR	1EE 010 198-141		4 696 800	73 843 521	2SD 002 776-141	96BG15K205BM	8RA 003 326-011
2M5113101EBR	1EE 010 198-141		4 696 800	73 843 521	2SD 002 776-131	96BG15K205BN	8RA 003 326-011
2M5113101EBR	1EE 010 198-141		4 696 800	73 843 521	2SD 002 776-121	96BG15K205BO	8RA 003 326-011
2M5113101EBR	1EE 010 198-141		4 696 800	73 843 521	2SD 002 776-111	96BG15K205BP	8RA 003 326-011
2M5113101EBR	1EE 010 198-141		4 696 800	73 843 521	2SD 002 776-101	96BG15K205BQ	8RA 003 326-011
2M5113101EBR	1EE 010 198-141		4 696 800	73 843 521	2SD 002 776-091	96BG15K205BR	8RA 003 326-011
2M5113101EBR	1EE 010 198-141		4 696 800	73 843 521	2SD 002 776-081	96BG15K205BS	8RA 003 326-011
2M5113101EBR	1EE 010 198-141		4 696 800	73 843 521	2SD 002 776-071	96BG15K205BT	8RA 003 326-011
2M5113101EBR	1EE 010 198-141		4 696 800	73 843 521	2SD 002 776-061	96BG15K205BU	8RA 003 326-011
2M5113101EBR	1EE 010 198-141		4 696 800	73 843 521	2SD 002 776-051	96BG15K205BV	8RA 003 326-011
2M5113101EBR	1EE 010 198-141		4 696 800	73 843 521	2SD 002 776-041	96BG15K205BW	8RA 003 326-011
2M5113101EBR	1EE 010 198-141		4 696 800	73 843 521	2SD 002 776-031	96BG15K205BX	8RA 003 326-011
2M5113101EBR	1EE 010 198-141		4 696 800	73 843 521	2SD 002 776-021	96BG15K205BY	8RA 003 326-011
2M5113101EBR	1EE 010 198-141		4 696 800	73 843 521	2SD 002 776-011	96BG15K205BZ	8RA 003 326-011
2M5113101EBR	1EE 010 198-141		4 696 800	73 843 521	2SD 002 776-001	96BG15K205CA	8RA 003 326-011
2M5113101EBR	1EE 010 198-141		4 696 800	73 843 521	2SD 002 776-001	96BG15K205CB	8RA 003 326-011
2M5113101EBR	1EE 010 198-141		4 696 800	73 843 521	2SD 002 776-001	96BG15K205CC	8RA 003 326-011
2M5113101EBR	1EE 010 198-141		4 696 800	73 843 521	2SD 002 776-001	96BG15K205CD	8RA 003 326-011
2M5113101EBR	1EE 010 198-141		4 696 800	73 843 521	2SD 002 776-001	96BG15K205CE	8RA 003 326-011
2M5113101EBR	1EE 010 198-141		4 696 800	73 843 521	2SD 002 776-001	96BG15K205CF	8RA 003



# Manufacturer's no. / Hella no.

## Cross-Reference

Ford	Hella	Fritzmeier	Hella	Hako	Hella	Hanomag-Henschel	Hella
XS4X 13006 FC	1AE 010 199-011	218 308	2JA 002 661-001	90-17773-4	2BA 001 277-011	1730 232 M1	8GA 002 072-121
XS4X 13006 FD	1AE 010 199-011	218 510	2JA 003 231-001	90-17774-2	2BA 001 277-021	2895 819 M91	1G5 003 241-021
XS4X 13A602 BB	9EL 354 057-021	218 513	9BG 993 345-001	90178062	2KA 003 168-021	2949 826 M1	9EL 110 918-011
XS4X 13A602 BC	9EL 354 057-021	218 548	8HG 002 365-001	90-17808-6	2SD 003 184-041	2949 827 M1	9EL 110 918-011
XS4X 13A602 BD	9EL 354 057-021	218 580	2JA 001 330-001	90-17808-6	2SD 003 184-041	2949 833 M91	2BA 002 324-011
XS4X 13A602 CB	9EL 354 061-021	218 580	2JA 001 330-007	90-17808-8	2SD 003 184-031	2949 834 M91	2BA 002 324-021
XS4X 13A602 CD	9EL 354 061-021	218 595	2JA 004 531-011	90-17808-8	2SD 003 184-037	2949 835 M91	8JA 001 909-011
XS4X 13A602 EE	9EL 171 556-021	218 630	2KA 001 386-281	90-17809-6	2SD 003 184-041	2954 497 M91	2BA 002 324-011
XS4X 13A602 EF	9EL 171 556-021	218 764	2BE 997 131-207	90-17809-6	2SD 003 184-047	3061 358 M8	2BE 003 018-011
XS4X 13A602 GA	9EL 171 556-011	218 947	2SD 002 776-231	90191594	2SD 003 182-051	3061 399 M8	2SB 003 018-031
XS4X 13A602 GC	9EL 171 556-011	218 947	2SD 002 776-237	90191594	2SD 003 182-057	3086 298 M91	2KA 003 389-061
XS4X 13A602 GD	9EL 171 556-011	218 948	2SD 002 776-241	90-19160-2	2SE 003 182-021	3086 298 M91	2KA 003 389-068
XS4X 13A602 GE	9EL 171 556-021	218 948	2SD 002 776-241	90-19160-2	2SE 003 182-027	3093 002 M1	8GM 002 094-241
XS4X 13A602 GD	9EL 171 556-011	218 949	2BE 002 776-251	90-19161-0	2SD 003 182-061	3101 698 M1	1G5 120 510-001
XS4X 13A602 GD	9EL 171 556-021	218 949	2BE 002 776-257	90-19161-0	2SD 003 182-067	159 9334 0	2AA 001 200-131
XS4X 13A603 AC	2NE 354 062-011	218 950	2BE 002 776-261	90-19162-8	2SE 003 182-011	000 1821 351	8JA 001 909-011
XS4X 13A603 AD	2NE 354 062-011	218 950	2BE 002 776-267	90-19162-8	2SE 003 182-017	20G 0631 170	1EA 996 074-177
XS4X 13A603 BB	9EL 354 057-011	220 441	1GA 007 506-001	90-19162-8	1G4 003 470-031	20G 0631 270	1EA 996 074-187
XS4X 13A603 BC	9EL 354 057-011	220 462	2DA 003 014-031	90-19456-4	8GH 002 090-251	20G 06K1 130	1AA 004 109-031
XS4X 13A603 BD	9EL 354 057-011	220 462	2DA 003 014-037	90-19456-4	8GH 002 090-253	20G46K1681	8RA 004 412-001
XS4X 13A603 CD	9EL 354 061-011	220 462	2SB 003 014-151	90197500	2TJ 001 633-211	20G 47K1 690	8RA 002 014-031
XS4X 13A603 CB	9EL 354 061-011	220 479	2SA 003 014-051	90-22568-1	1AA 004 109-031	20G 47K1 690	8RA 002 014-032
XS4X 13A603 EE	9EL 171 556-011	220 564	2BE 003 014-251	90-22708-3	2BE 003 014-251	20K4631820	8RA 004 412-021
XS4X 13A603 EF	9EL 171 556-011	220 564	2BE 003 014-257	90-22708-3	2BE 003 014-257	21F0 614 410	8RA 004 412-021
XS4X 13K384 AD	9EL 354 059-021	220816	2BA 002 652-101	90-23160-6	8RA 004 412-021	289 5819 M91	2PF 001 650-001
XS4X 13K384 AE	9EL 354 059-021	220816	2BA 002 652-107	90-23160-6	2SE 002 578-701	289 7205 M91	1G5 003 241-021
XS4X 13K384 AF	9EL 354 059-021	221 809	2JA 001 357-002	90-23388-2	2SE 002 578-707	290 951 M91	2BA 001 208-001
XS4X 13K384 AG	9EL 354 059-021	222 559	1TA 003 570-101	90-24826-1	2BA 002 652-117	292 4326 M91	2JA 001 360-001
XS4X 13K385 AD	9EL 354 059-011	222643	2SD 003 184-031	90-24826-1	2BA 002 652-117	292 4326 M91	2BA 001 208-001
XS4X 13K385 AE	9EL 354 059-011	222643	2SD 003 184-041	90-24827-9	2BA 002 652-101	292 4326 M91	2JA 001 360-001
XS4X 13K385 AF	9EL 354 059-011	222643	2SD 003 184-041	90-24827-9	2BA 002 652-107	292 4326 M91	2AA 001 200-011
XS4X 13K385 AG	9EL 354 059-011	222644	2SD 003 184-047	90-24827-9	2BA 002 652-121	292 4326 M91	2AA 001 200-012
XS4X 15511 AC	2ZR 354 063-021	222 775	2ZR 003 014-091	90-29104-8	2BA 002 652-127	292 4328 M91	2AA 001 200-031
XS4X 15511 AD	2ZR 354 063-021	222 778	2BA 003 014-111	90-29104-8	2XS 950 071-031	292 4328 M91	2AA 001 200-032
XS4X 15K258 AC	1NA 354 015-011	224 170	1K0 008 191-001	90-31507-8	8RA 002 014-031	292 4332 M91	2AA 001 200-021
XS4X 15K258 AD	1NA 354 015-011	224 170	1K0 008 191-007	90-31507-8	8RA 002 014-032	292 4332 M91	2AA 001 200-022
XS4X 15K258 AE	1NA 354 015-011	224 171	1BL 008 193-001	90-31520-1	8RA 002 014-051	292 4342 M91	2ZR 001 240-351
XS4X 15K258 AF	1NA 354 015-011	224 171	1BL 008 193-007	90-31520-1	8RA 002 014-052	292 8260 M1	153 001 117-041
XS4X 15K274 AC	1NA 354 015-021	224 172	9GH 152 654-007	90-32191-0	2XS 005 020-011	292 8454 M1	2BA 001 248-001
XS4X 15K274 AD	1NA 354 015-021	293 3967	2JA 001 364-001	90-32191-0	2XS 005 020-017	293 2480 M1	9FB 090 500-001
XS4X 15K274 AE	1NA 354 015-021	620 269	2JA 001 330-031	90321928	1GA 005 060-001	293 3949 M1	9DR 104 336-001
XS4X 15K274 AF	1NA 354 015-021	631 632	2JA 003 232-011	90-33707-2	8JA 001 909-001	293 3953 M1	9FH 093 887-001
YC15 13404 AD	2VP 354 037-021	751 759	2PF 961 167-021	90-34013-1	8GJ 002 525-131	293 3967 M91	2JA 001 364-001
YC15 13404 AE	2VP 354 037-021	853 45	9BG 993 345-001	90-34013-1	8GJ 002 525-133	2933 967 M91	2KA 001 386-231
YC15 13404 AF	2VP 354 037-021	EC2888632	4DM 009 492-001	90-34014-6	2SD 002 582-011	294 2064 M1	9ES 012 060-011
YC15 13404 AG	2VP 354 037-021	EC6C9121	2JA 001 357-002	90-34014-6	2SD 002 582-017	294 2095 M1	9GD 023 639-001
YC15 13405 AD	2VP 354 037-011	HA4 220512	1GA 005 060-001	90-34014-7	2SD 002 582-021	294 2097 M1	9DR 090 206-001
YC15 13405 AE	2VP 354 037-011	HA4 240149	1GB 006 213-101	90-34014-7	2SD 002 582-027	294 2098 M1	9KS 075 139-001
YC15 13405 AF	2VP 354 037-011	HA4 240149	1GB 006 213-107	90-34015-3	1AB 006 213-011	294 2098 M1	9KS 075 139-001
YC15 13405 AG	2VP 354 037-011			90-34015-3	2KA 004 525-001	2942 098 M1	2BA 002 324-011
YC1513B376AD	2BA 010 231-021			90-34015-4	2JA 001 330-001	2948 833 M91	2BA 002 324-021
YC1513B376AE	2BA 010 231-021	90457812	6NM 007 282-641	90-34015-4	2JA 001 330-007	2948 834 M91	8JA 001 909-011
YC1513B376AF	2BA 010 231-021	90492832	6NM 007 282-641	90-34017-1	8JA 001 909-001	2948 835 M91	8JA 001 909-011
YC1513B376BA	2BA 010 232-021	90590665	6NM 007 878-351	90-34058-1	8HG 006 294-031	2948 835 M91	8JA 001 909-011
YC1513B376BB	2BA 010 232-021	9193418	1EL 009 050-221	90-34334-4	2BM 004 965-801	295 1380 M91	2PF 001 634-101
YC1513B377AD	2BA 010 231-011	93175368	1EG 007 640-311	90-34396-3	2RL 006 846-001	2951 380 M91	2PF 001 634-101
YC1513B377AE	2BA 010 231-011	93175369	1EG 007 640-321	90-34397-1	8HG 006 294-051	2954 497 M91	2BA 002 324-001
YC1513B377AF	2BA 010 231-011	93190069	1EG 270 370-611	90-34526-5	2BA 002 324-001	296 1719 M1	9ES 093 815-001
YC1513B377BA	2BA 010 232-011	93190070	1EG 270 370-621	90-34526-5	2BA 002 324-011	296 1720 M1	9GD 024 183-001
YC1515201AA	1NE 007 517-051			90-34530-7	9FF 126 444-001	296 1721 M1	9KS 075 307-001
YC1515201AD	1NE 007 517-051	19-11001-7	2SE 003 184-011	90-34602-8	2KA 006 896-001	296 2889 M1	9DR 060 567-001
YC1515K201AA	1NE 007 517-061	19-11001-7	2SE 003 184-017	90-34602-8	2KA 006 896-007	2981 532 M91	1A7 003 099-011
YC1515K201AD	1NE 007 517-061	19-11006-6	2ZR 003 014-091	90-34602-8	2KA 006 896-007	299 8822 M1	9ES 015 675-001
YC15201AD	1NE 007 517-051	19-11007-4	2BA 001 227-211	90-34602-8	2ZR 003 315-041	299 797 M1	2XW 003 146-001
YC1X 13008 EF	1EG 354 024-101	19-11008-2	2SD 003 182-051	90-34602-8	4AZ 003 787-021	20G0 6K1 120	2BA 003 014-111
YC1X 13008 GF	1EG 354 024-121	19-11008-2	2SD 003 182-057	90-34602-8	8HG 003 799-001	20G0 6K1 130	1AA 004 109-031
YC1X 13008 JA	1EG 354 024-021	19-11009-0	2SD 003 182-061	90-34602-8	8HG 003 799-007	306 2196 M8	9EL 087 769-001
YC1X 13008 LA	1EG 354 024-041	19-11009-0	2SD 003 182-067	90-34602-8	2NE 003 315-011	306 2213 M8	9ES 069 831-001
YC1X 13008 NA	1EG 354 024-021	19-74003-4	8GM 002 091-241	90-34602-8	2KA 001 389-101	306 2225 M8	9DE 077 356-021
YC1X 13008 NB	1EG 354 024-021	19-74007-5	8GP 002 095-121	90-34602-8	2ZR 006 609-081	306 2228 M8	2BE 001 278-011
YC1X 13008 PA	1EG 354 024-041	19-74103-2	8GM 002 091-121	90-34602-8	2ZR 006 609-087	306 2228 M8	2BE 001 278-021
YC1X 13008 PB	1EG 354 024-041	19-74104-0	8GP 002 068-121	90-34602-8	2BA 008 221-001	306 5113 M8	2SB 003 018-031
YC1X 13008 RA	1EG 354 024-101	19-74112-3	8GP 002 067-121	90-34602-8	2BA 008 221-007	307 5726 M91	2SA 001 634-121
YC1X 13008 RB	1EG 354 024-101	19-74114-9	8GD 002 088-131	90417932	2PT 008 362-801	3081 528 M1	8RA 002 016-121
YC1X 13008 SA	1EG 354 024-121	19-74116-4	8GA 002 073-121	90-43445-7	1GL 008 090-211	3082 018 M1	9EL 146 941-001
YC1X 13008 SB	1EG 354 024-121	19-74117-2	8GA 002 071-131	90-43445-7	1GL 008 090-217	308 3483 M91	2AA 001 200-001
YC1X 13035 BA	1EG 354 024-091	19-74118-0	8GM 002 092-121	90-43446-5	4AZ 001 879-021	308 3483 M91	2AA 001 200-002
YC1X 13035 BB	1EG 354 024-091	19-74121-4	8GP 002 067-241	90445602	8RA 004 412-001	308 6298 M91	2KA 003 389-061
YC1X 13035 EF	1EG 354 024-091	19-74123-0	8GA 002 073-241	90 49874 2	2BA 009 001-071	308 6298 M91	2KA 003 389-062
YC1X 13035 GF	1EG 354 024-111	19-741255	8GA 002 074-121	90 49874 2	2BA 009 001-077	308 6298 M91	2KA 003 389-068
YC1X 13035 JA	1EG 354 024-011	19-74126-3	8GA 002 071-121	90 49875 9	2SB 009 001-061	309 3000 M91	2BE 001 259-061
YC1X 13035 LA	1EG 354 024-031	19-74132-1	8GM 002 092-241	90 49875 9	2SB 009 001-067		

# Manufacturer's no. / Hella no.

## Cross-Reference



Hanomag-Henschel	Hella	Hanomag-Henschel	Hella	Ikarus	Hella	Iveco	Hella
4241 079 M91	2BA 002 652-121	X 880 000 920 644	2AA 001 200-001	70004-05022	1KB 003 177-061	1748 21	9HD 121 297-001
4241 079 M91	2BA 002 652-127	X 880 000 920 644	2AA 001 200-002	70004-05023	1BL 005 380-031	1748 22	9ES 133 513-001
4241 080 M91	2BA 002 652-111	X 880 000 920 645	2BA 001 240-301	70004-05235	8RL 002 009-021	1748 23	9ES 133 514-001
4241 080 M91	2BA 002 652-117	X 880 000 920 649	2SA 001 240-331	70004-05265	8KW 701 235-033	1759 65	9EL 101 899-001
4241 358 M91	1EA 007 108-011	X 880 000 920 651	2AA 001 200-021	70004-05407	8JD 156 150-807	1759 66	9EL 101 900-001
4241 358 M91	1EA 007 108-017	X 880 000 920 651	2AA 001 200-023	70004-05408	8KA 152 134-007	1819 37	2VP 003 567-121
4241 359 M91	1EA 007 108-021	X 880 000 921 222	2AA 001 200-011	70004-07208	1ND 005 700-061	1819 37	2VP 003 567-127
4241 359 M91	1EA 007 108-027	X 880 000 921 222	2AA 001 200-011	70004-07218	2AB 004 532-051	1978 95	9EL 132 403-001
4241 625 M91	8HG 006 294-051	X 880 000 921 222	2AA 001 200-011	70004-07218	2AB 004 532-057	230 6631KZ1001-49	2SD 001 306-061
4241 657 M91	2RL 006 846-001	X 880 000 921 223	2AA 001 200-031	70004-07224	2XS 005 020-001	230 6632KZ1001-49	2SE 001 306-051
4246 417 M91	2RL 006 846-011	X 880 000 921 223	2AA 001 200-032	70004-07224	2XS 005 020-002	233 2189E-1001-49	9GD 100 711-021
4246 418 M91	8HG 006 294-021	X 880 000 922 244	2SD 001 685-211	70004-14081	2XS 005 020-003	233 2194E-1001-49	9EL 104 571-041
4246 418 M94	8HG 006 294-021	X 880 000 922 245	2SE 001 685-201	70004-200031	8RA 002 014-081	233 2197E-1001-49	9EL 104 571-031
42709H0380	2XW 003 146-001	X 880 000 922 256	1A6 001 128-021	70004-200031	2KA 001 378-001	233 9143KZ1210-49	2BA 001 259-611
42U0619120	8HG 006 294-051	X 880 000 922 258	8RA 002 016-111	70004-20011	2KA 001 378-002	233 9143KZ1210-49	2BA 001 259-618
42U0619140	2RL 006 846-001	X 880 000 922 258	8RA 002 016-121	70004-20011	2BM 006 692-011	236 2524KZ1041-49	2SD 002 776-231
42U9 571 110	8HG 006 294-001	X 880 000 922 260	2SB 001 259-261	70004-20021	2BM 006 692-017	236 2524KZ1041-49	2SD 002 776-237
42Y0 6H3 050	8RA 004 412-001	X 880 000 922 262	2PF 001 259-631	70004-20021	2BM 006 692-021	236 3999KZ	2BA 003 022-001
42Y0 6H3 190	2VP 006 040-111	X 880 000 922 269	8JA 001 914-011	70004-21007	2BM 006 692-027	237 0585E-1001-49	9DR 113 199-005
42Y0 6H3 190	2VP 006 040-117	X 880 000 956 474	2BA 001 227-201	70004-21007	2BA 008 221-001	237 2740KZ1210-49	2PF 001 259-631
42Y0 6H3 200	2VP 006 040-121	X 880 001 084 963	1AG 001 108-291	70004-21007	2BA 008 221-007	237 2742KZ1210-49	2BF 001 259-631
42Y0 6H3 200	2VP 006 040-127	X 880 001 084 964	1AG 001 108-301	70004-55007	9GH 152 654-007	237 7137 KZ1001-49	2SD 002 776-241
42Y0 6H3 200	9GD 102 484-001	X 880 001 085 063	2KA 001 386-291	70004-55001	2BM 008 355-001	237 7137 KZ1001-49	2SD 002 776-247
42Y06HOP02	9EL 136 825-011	X 880 001 085 313	9GD 082 716-001	70004-60307	2BM 008 355-007	237 7137 KZ1001-49	2SE 002 776-211
4600 186 M1	8HG 002 240-021	X 880 001 085 313	2PF 001 638-001	70004-60307	2BA 005 603-001	237 7137 KZ1001-49	2SE 002 776-217
4603 153 M1	8RA 003 326-011	X 880 001 085 790	2BA 001 277-011	70004-60410	2PS 963 639-011	237 7448KZ1001-49	2BE 002 776-251
4603 153 M1	8RA 003 326-017	X 880 001 085 890	2BA 001 277-021	70004-60410	2PS 962 964-012	237 7448KZ1001-49	2BE 002 776-257
4603 561 M1	8XS 113 389-001	X 885 957 660 390	2JA 003 232-011	70004-64011	2PS 962 964-018	237 7450KZ1001-49	2BE 002 776-261
4603 645 M91	1AB 003 177-071	Y252 702 0	2BA 003 022-021	70004-64011	9GT 963 129-001	237 7450KZ1001-49	2BE 002 776-267
4901 612 M1	1AA 004 109-031	Y252 702 4	2SD 003 184-031	70004-64012	9GT 963 129-001	238 1675E21210-49	9EL 109 208-011
4901 618 M1	2BA 002 652-101	Y252 702 4	2SD 003 184-037	70004-64013	9GD 963 281-001	238 1675E21210-49	9EL 088 538-001
4901 618 M1	2BA 002 652-107	Y252 702 7	2SD 003 184-041	70004-67011	2SA 961 167-011	238 9569KZ1001-49	9EL 088 538-001
4917 451 M91	1AB 003 177-071	Y252 702 7	2SD 003 184-047	70004-67021	2PF 961 167-021	238 9569KZ1001-49	2SE 002 776-211
4917 453 M1	9EL 134 659-001	Y650 000 1	9EL 118 700-001	70004-69001	2DA 964 169-001	238 9571KZ1001-49	2SD 002 776-241
4917 455 M1	9EL 134 660-001	Y650 000 2	9EL 118 701-001	70004-69001	2DA 964 169-007	2400 1590	2SD 002 776-247
4918 463 M91	1AA 004 109-041	<b>Hercules</b>	<b>Hella</b>	70004-69011	2BA 964 169-011	2462 141	8JA 001 914-011
4918 464 M1	9EL 113 639-021	927 340 18 01	2BA 001 263-001	70004-69021	2NE 964 169-021	2462 0679	2BA 001 277-011
4918 465 M1	9EL 113 639-011	927 340 18 02	2BA 001 236-001	70004-69021	2NE 964 169-027	2468 0680	2BA 001 277-021
4919 157 M91	1AA 143 897-011	P00927 340 1802000	2BA 001 236-001	70004-69031	2ZR 964 169-031	2480 751	2SE 001 699-071
50102640	2JA 003 232-001	P00927 360 1104	8JA 001 909-001	70004-69031	2ZR 964 169-037	2480 752	2SE 001 699-071
50134398	8GP 002 095-241	<b>Holder</b>	<b>Hella</b>	70004-69081	2SW 964 169-081	2481 978	2SD 001 699-061
516 2459 8	8GM 002 091-251	111774	2BE 003 014-251	70004-69081	2SW 964 169-087	2481 980	2NE 001 423-011
05726740	8HG 002 365-001	111774	2BE 003 014-257	70004-69091	2SA 964 169-091	2481 980	2NE 001 423-011
57622340	1S5 003 178-431	128289	1AB 006 213-001	70004-69091	2SA 964 169-097	248 1980KZ5024-80	2ZR 001 423-001
058 2504 0	8GD 002 084-251	147243	1BL 008 193-001	70004-71737	2DA 959 071-737	0248 2092	1NE 006 300-051
05836640	1S5 003 178-421	147243	1BL 008 193-007	70004-86047	1NL 007 186-047	0248 2830	1AG 002 343-101
05838040	2JA 003 232-011	147244	1KO 008 191-011	70004-91027	1KO 008 191-021	2482 832	1AG 001 108-451
751 8700 07	2AA 001 200-151	147244	1KO 008 191-017	70004-91027	1BL 008 193-011	2506 751	2ZR 001 240-351
76629173	8GH 002 089-251	148028	1GA 996 161-121	70004-93017	1BL 008 193-017	250 6751KZ5024-80	2ZR 001 240-351
76629173	8GH 002 089-253	0001801021	2SB 001 301-021	70004-93114	2DA 007 421-001	2506 753	2BA 001 240-301
769 6167 3	2JA 004 192-001	0001801220	2ST 001 259-321	70004-93114	2DA 007 421-007	250 6753KZ5025-80	2BA 001 240-301
76961873	8GS 007 949-101	0001801221	2SB 001 259-261	70004-93115	8KA 146 751-007	250 6755KZ5026-80	2SB 001 240-311
76961973	5DV 990 264-011	0001807865	2BE 001 259-061	70004-93168	2SA 005 603-021	250 6757KZ5026-80	2DA 001 240-341
77004473	1GA 998 525-011	0001810009	2AA 001 200-011	70004-93168	2SA 005 603-027	0250 6759	2SA 001 240-331
79334373	1GA 998 525-011	0001810009	2AA 001 200-012	70004-93169	2ZR 005 603-061	2506 759KZ5027-80	2SA 001 240-331
794 3817 3	8GP 002 067-241	0001821351	8JA 001 909-011	70004-93169	2ZR 005 603-067	2525 411	1A6 001 128-021
89649740	2RL 006 846-011	019596	2BA 001 227-201	70004-93170	2NE 005 603-071	2525 487	6EG 001 567-041
89674540	1GA 998 532-011	021663	2SA 001 634-121	70004-93170	2NE 005 603-077	2525 995	2KA 001 386-231
89674540	1GA 998 534-011	021164	2KA 001 389-101	70004-93209	2NE 005 603-031	0253 4403	2KA 001 389-101
000 0904 868	8RA 002 016-121	022369	2KA 003 168-021	70004-93209	2DA 005 603-037	0253 4404	2KA 001 389-101
B 969 071 237 101	2BE 003 185-031	023683	9EL 854 912-001	70004-93210	2BA 005 603-011	0256 3885	2PF 001 648-171
B 969 071 237 102	2ZR 003 030-171	023683	1GA 007 506-001	70004-93210	2BA 005 603-017	2593 626	2KA 001 386-291
B 969 071 237 103	1X0 001 515-021	024290	8JA 001 909-001	70004-93260	2BM 006 692-011	0259 3628	2SD 001 693-011
B 969 071 238 401	2SE 001 679-051	025813	1AB 004 231-001	70004-93260	2BM 006 692-017	260 0655KZ5508-76	2BA 003 022-001
B 969 071 282 008	2SD 003 184-031	027178	9GH 116 966-011	70004-93261	2BM 006 692-021	0260 0659	9EL 116 907-001
B 969 071 282 009	2SD 003 184-037	027887	2SE 004 623-001	70004-93261	2BM 006 692-027	260 0659E25508-76	9EL 116 907-001
B 969 071 282 009	2SD 003 184-041	027888	2RL 006 846-001	70004-93293	1GA 007 506-001	2628 233	2BA 003 022-001
B 969 071 282 010	2SD 003 184-047	027888	2VP 006 040-121	<b>Industrias</b>	<b>Hella</b>	0262 8233 KZ5508-76	2BA 003 022-001
B 969 071 282 010	2AA 001 200-131	027888	2VP 006 040-127	<b>Arteb S/a</b>	<b>Hella</b>	2629 855	1AE 001 103-031
B 969 071 282 011	8RA 003 503-001	027889	2VB 006 040-051	1BL 007 834-047	1BL 007 834-047	2629 856	1AE 001 103-041
B 969 171 324 212	2SD 001 305-021	027890	9EL 859 020-001	8L0 941 003 AD	1EL 008 307-011	2633 999	2BA 003 022-001
B 969 171 346 205	8HG 854 516-001	027952	9EL 129 519-001	8L0 941 003 K	1EL 008 306-031	263 3999KZ5508-76	2BA 003 022-001
B 969 171 346 206	6ZE 001 759-071	028143	2VP 006 040-111	8L0 941 004 AD	1EL 008 307-021	2751 193	1G9 001 523-021
B 969 271 409 210	2SD 002 776-231	029990	2VP 006 040-117	8L0 941 004 K	1EL 008 306-041	2780 621	9EL 852 061-001
B 969 271 409 211	2SD 002 776-241	030074	8GH 002 090-133	<b>Iveco</b>	<b>Hella</b>	2780 811	9EL 852 820-001
B 969 271 409 211	2SD 002 776-247	030819	9GH 993 984-001	1102 259	8GH 002 090-251	0278 0812	9EL 855 097-001
B 969 271 456 001	1GA 005 060-041	030941	9GH 152 654-007	1102 259	8GH 002 090-253	0278 0816	9EL 854 912-001
B 969 271 456 004	8RA 003 503-001	52341800179	8HG 002 365-001	1119 943	9XS 027 639-001	2781 601	2BA 003 014-011
B 969 271 456 007							



# Manufacturer's no. / Hella no. Cross-Reference

Iveco	Hella	Iveco	Hella	Iveco	Hella	Iveco	Hella
2984 406	9EL 110 918-011	4193 3709	22R 003 030-171	4248 6466	9EL 118 445-001	5003 19556	25K 008 208-061
298 4406EY8751-80	9EL 110 918-011	419 33709KZ6927-13	22R 003 030-171	4248 6466EY5026-80	9EL 118 445-001	5005 70280	2PS 008 645-021
0320 5388	9GH 993 988-007	4195 2452	2XW 003 146-001	4248 6467	9GD 087 883-355	5005 70280	2AB 004 532-051
03351866KZ8976-47	8RA 002 016-121	4199 1420	2KA 001 386-281	4248 7086	9EL 113 324-001	5006 143111	1K0 008 191-021
3385 820M01A	2JA 001 357-002	4199 4651	1G9 001 523-021	4248 9073	8JB 001 943-003	5006 143111	1K0 008 191-027
0338 6485	2AA 001 200-011	4199 6531	2BA 001 416-011	4248 9346	9HD 121 297-001	5006 143113	2BA 008 221-001
0338 6485	2AA 001 200-012	4199 65316729-80	2BA 001 416-011	4248 9346EY5022-80	9HD 121 297-001	5006 143113	2BA 008 221-007
0338 8059	2KA 001 389-101	4199 6532	2BA 001 416-021	4248 9477	9DE 122 850-005	5010 043471	2AB 004 532-051
0341 6454	2SD 001 686-101	4199 6532EZ6727-80	2BA 001 416-021	4248 9477EY5022-80	9DE 122 850-005	5010 043471	2AB 004 532-057
3416 544	9AB 053 336-007	4199 7529	9EL 852 061-021	4249 0670	9GD 120 670-001	5031 27216	1K1 007 834-027
3416 605	8JA 001 909-011	4199 7529	9EL 856 415-037	4253 0460	9EL 146 491-001	5031 27216	8GH 002 089-251
3416 605	8JA 001 914-011	4199 7529	9EL 856 416-011	4253 1998	9EL 115 830-001	5031 27216	8GH 002 089-253
0341 6605 EE5041-80	8JA 001 909-011	4199 7529EZ6700-80	9EL 852 061-021	4253 3016	2JA 002 661-001	5031 27219	1NL 007 834-017
0341 6680	2PF 001 648-171	4199 7529EZ6700-80	9EL 856 416-011	4255 6591	2JA 007 372-011	5031 27226	8GA 006 841-241
0341 6722	2SD 001 685-211	4200 5186	1A6 002 395-031	4282 3678	2PS 002 727-001	5031 27229	8GP 003 594-251
0341 6722	2SD 001 685-218	4200 5629	1A6 002 395-071	4282 3678	2PS 002 727-007	5031 27262	8GA 002 071-241
341 6727KZ5026-80	2SD 001 688-141	4201 3057	2SE 003 167-031	4282 3678EY8776-54	2PS 002 727-001	5031 28360	2KA 005 049-011
3440 754	9GD 100 140-001	4201 3058	2SD 003 167-021	4282 3678EY8776-54	2PS 002 727-007	5031 28360	2KA 005 049-017
345 1057KZ5736-78	2ZR 001 240-351	4201 3059	2SD 003 167-011	4390	1S3 001 117-041	5031 70131	1GA 996 179-000
3464 801	8HG 002 365-001	4201 3060	2SE 003 167-041	4390 KY8751-80	1S3 001 117-041	5040 19896	2XW 007 146-011
3466 213	2KA 001 386-301	4201 3486	4AZ 001 879-021	4461 731	8XH 002 975-017	5041 27393	2SD 964 169-111
0347 4671	2KA 001 389-101	420 24860EZ5027-80	8RA 003 326-011	0446 1865	1AG 002 343-101	5041 27393	2SD 964 169-117
0347 4671EY0909-12	2KA 001 389-101	420 24860EZ5027-80	8RA 003 326-017	0470 7925EY9999-99	2PF 961 167-021	0514 5801701	8JA 001 909-011
0347 4671EY0919-12	2KA 001 389-101	4202 4986	2SE 001 685-201	4833 768	2SA 001 259-751	6125 8222	1N4 005 750-041
0347 5398	1AG 001 108-291	4202 4987	2SD 001 685-211	4833 768	2SA 001 259-757	6126 1542	2XW 002 897-051
0347 5399	1AG 001 108-301	4202 4987	2SD 001 685-218	0483 3768EC7620-37	2SA 001 259-751	680 966	9EL 087 769-001
0347 6471	2KA 001 389-101	420 25822KZ5022-80	1AG 003 434-051	0483 3768EC7620-37	2SA 001 259-757	6890 81	9HD 121 297-001
3476 687	2AA 001 200-001	4202 5923	2SE 002 578-701	5000 821813	2KA 003 168-021	6950 1644	1BL 008 193-001
3476 687	2AA 001 200-002	4202 5923	2SE 002 578-707	5001 021036	1K0 008 191-021	6950 1644	1BL 008 193-007
3476 688	2AA 001 200-011	4204 5986EZ5018-65	8RA 002 014-051	5001 021036	1K0 008 191-027	6950 1645	9AH 157 659-007
3476 688	2AA 001 200-012	4204 5986EZ5018-65	8RA 002 014-052	5001 021037	1BL 008 193-011	6950 1646	1N0 008 582-001
3476 689	2AA 001 200-021	4204 6397	8RA 003 326-011	5001 021037	1BL 008 193-017	6950 1646	1N0 008 582-007
3476 689	2AA 001 200-023	4204 6397	8RA 003 326-017	5001 021038	1NL 007 186-047	7017 0	2PS 004 361-001
3478 683	9FF 085 642-001	4204 7226	2BA 003 236-321	5001 021039	2PF 961 167-021	7017 0	2PS 004 361-007
0347 9142	2JA 001 346-011	4204 7226	2SA 003 236-341	5001 021041	2PS 962 964-012	7017 0	2PS 006 717-051
3502 400	1A3 001 120-001	4204 7227	2DA 003 236-331	5001 021041	2PS 962 964-018	7017 0	2PS 006 717-057
3505 853	2AA 001 200-031	4204 7228	2BA 003 236-321	5001 021044	2BM 008 355-001	0007 0524	1EA 993 975-061
3505 853	2AA 001 200-032	4204 7229	2ZR 003 236-311	5001 021044	2BM 008 355-007	0007 0524	1EA 993 975-067
3517 928	2RL 007 017-071	4204 7579	1ND 003 590-001	5001 021045	2BA 008 221-001	0007 0525	1EA 993 975-051
3522 674	2AB 001 208-001	4204 8298	8RA 002 014-051	5001 021045	2BA 008 221-007	0007 0525	1EA 993 975-057
3540 288	1G3 996 001-331	4204 8298	8RA 002 014-052	5001 021053	8RA 002 014-081	7101 621301	8JA 001 909-001
4105 4985	2PS 003 748-121	4206 8086	1G8 002 340-011	5001 826876	1ND 005 700-061	0007 5043	5KG 007 629-011
4105 4985	2PS 003 748-127	420 69135	1FD 003 590-017	5001 842626	9XB 136 202-005	7696 92	2SE 003 167-041
4120 0525	2SE 001 685-201	4206 9984	9GH 126 647-011	5002 43132	9GD 863 122-001	7696 93	2SE 003 167-031
4120 0526	2SD 001 685-211	4207 3886	8RA 002 014-101	5002 46293	2BE 003 014-251	7696 99	9EL 118 445-001
4120 0526	2SD 001 685-218	4208 0296	3AG 003 399-101	5002 46293	2BE 003 014-257	7816 5701	2VP 003 567-121
4120 0761	1G3 005 760-021	4208 0316	2ZR 004 542-001	5002 50531	2XD 008 135-811	7816 5701	2VP 003 567-127
4120 0761	1N8 007 560-021	420 80316ED7623-34	2ZR 004 542-001	5002 50531	2XD 008 135-831	7984 876	6ED 708 919-001
4120 0762	2RL 008 063-111	4208 2136	1AG 003 434-137	5002 50532	2XD 007 854-811	8119 043	2KA 004 525-001
4120 0763	8HG 006 294-021	420 82136KZ7605-30	1AG 003 434-137	5002 50532	2XW 007 146-011	8121 2433	1FD 124 291-001
4157 2338	2BA 003 022-021	4209 9026	2BA 002 324-021	5002 51217	9XS 027 639-001	8194 921	9DS 088 583-001
4157 6613	2DA 003 014-031	4221 5556	2VP 003 567-111	5005 51298	1GA 996 142-221	0819 4921KY7602-30	9SD 088 583-001
4157 6613	2DA 003 014-037	4221 5557	2VP 003 567-121	5002 51299	9XS 027 639-001	9121 3897	1EG 005 480-051
4157 6613	2SW 003 014-131	4221 5557	2VP 003 567-127	5002 51320	2RL 008 181-011	9121 3898	1EG 005 480-061
4160 184	2BA 003 236-541	4221 8387	2SE 002 578-701	5002 51321	2RL 008 181-111	9121 3924	1EG 005 480-011
4162 2525	2ZR 003 014-091	4221 8387	2SE 002 578-707	5002 51472	2RM 379 500-371	9121 3925	1EG 005 480-021
4162 2525EE6927-13	2ZR 003 014-091	422 20069EY5759-80	2ZR 002 589-011	5002 51474	2RM 379 500-171	9201 69	2TJ 001 633-211
4162 2580	2JA 007 373-101	4222 5071	2PS 006 717-031	5002 53050	1H5 998 502-002	9201 6900	2TJ 001 633-211
4162 3679	2KA 001 389-101	4222 5071	2PS 006 717-032	5002 53051	8HG 998 519-002	9223 09	1FE 006 300-011
4162 3679	2KA 003 389-061	4222 5071	2PS 006 717-037	5002 53078	2XD 009 475-001	9319 1714	9EL 119 544-021
4162 3679	2KA 003 389-062	4222 5177	2JA 004 531-011	5002 53079	2XD 009 475-011	9319 1715	9EL 119 544-001
4162 3679	2KA 003 389-068	4222 5226	2ZR 003 236-311	5002 53131	8KB 863 119-011	9319 1716	9EL 119 544-031
4162 3979	2JA 007 372-001	4222 5508	2RL 007 017-051	5002 53133	9SX 008 902-001	9319 1717	9EL 120 201-001
4162 4870	6ZE 001 759-071	4222 5777	2XS 005 020-001	5002 53134	9SX 863 114-001	9319 1718	9EL 119 544-111
4162 4924	2NE 006 609-001	4222 5777	2XS 005 020-002	5002 53135	8HG 863 383-001	9333 870	2PF 001 638-011
4162 4924	2NE 006 609-007	4222 5777	2XS 005 020-003	5002 54090	2RL 008 065-011	9384 981	1EG 005 480-011
4162 4928	1ND 003 590-001	4222 6126	1NE 002 537-201	5002 54091	2RL 008 065-111	9384 982	1EG 005 480-021
4162 4928	2ZR 006 609-081	4222 6181	2PF 006 679-007	5002 54097	2RL 008 061-011	9384 988	2BA 005 481-001
4162 4928	2ZR 006 609-087	423 04484KZ5763-76	2BA 003 236-021	5002 54098	2RL 008 061-111	9395 646	1EG 005 480-051
4162 5266	1GB 006 213-111	423 04484KZ5763-76	2BA 003 236-027	5002 57038	2KA 005 049-011	9395 647	1EG 005 480-061
4162 5266	1GB 006 213-117	4230 4485	2SA 003 236-041	5002 57038	2KA 005 049-017	963 8230	2PS 002 727-001
4162 8725	2SD 003 167-011	4230 4485	2SA 003 236-047	5002 58137	1GA 998 534-011	9641 800	2PS 002 727-007
4162 8726	2SD 003 167-021	4230 4485	2SA 003 236-048	5002 58141	1GA 998 532-011	9641 800	2JA 003 231-001
4162 8727	2ZR 003 236-051	4230 4485KZ5763-76	2SA 003 236-041	5002 58416	1GA 996 142-071	9665 1052	2PF 001 648-161
4162 8727	2ZR 003 236-057	4230 4485KZ5763-76	2SA 003 236-047	5002 58460	1GA 007 506-011	9710 3573	4AZ 001 879-021
4162 8728	2BA 003 236-021	4230 4485KZ5763-76	2SA 003 236-048	5002 58466	2PF 959 590-401	9843 4335	1ND 003 590-001
4162 8728	2BA 003 236-027	423 04486KZ5763-76	2DA 003 236-031	5002 58466	2PF 959 590-407	9845 6658	9GT 134 130-001
4162 8729	2NE 003 236-001	423 04486KZ5763-76	2DA 003 236-037	5002 58584	1GA 996 142-091	9846 5422	5KG 007 629-011
4162 8729	2NE 003 236-008	4230 4487	2NE 003 236-001	5002 58584	1GA 996 142-221	9944 6124	2SE 001 685-221
4162 9261	8HG 006 294-011	4230 4487	2NE 003 236-008	5002 59150	2PF 964 295-021	9944 6124	2SE 001 685-227
41629815	2XS 005 020-011	423 044					

# Manufacturer's no. / Hella no.

## Cross-Reference



J.C.B.	Hella	Jungheinrich	Hella	Jungheinrich	Hella	Kässbohrer	Hella
700/50029	1GA 007 506-391	002587	1G3 005 760-001	05035227	1GA 007 506-001	0.370.135.305	2JA 001 357-002
700/50063	1GA 007 506-391	26903023	2BA 002 652-101	50409964	8GA 002 073-241	6.008.007.97	2JA 001 364-001
700/50077	1GA 996 083-001	26903023	2BA 002 652-107	50422871	2DA 996 012-041	7.131.000.0	1GA 998 534-011
700/50078	1GA 996 083-001	26903025	2KA 001 389-101	50423345	1EA 007 108-011	7.312.020.000.0	6ED 004 778-001
700/50081	1GA 996 161-281	26906440	1GA 996 083-251	50423345	1EA 007 108-011	7.512.029.000	1AA 004 109-041
700/50082	1GA 996 161-281	28300060	8GP 002 068-241	504233461	1EA 007 108-021	7.512.030.000	1AB 006 213-027
700/50091	1GA 007 506-001	28300130	8GD 002 084-131	504233461	1EA 007 108-027	7.512.030.000.0	1AB 006 213-027
700/50102	1GA 007 506-001	28300160	8GM 002 092-121	50423347	2SD 997 131-051	7.512.030.001	9BG 993 345-001
JHR 0151	1GA 998 522-011	28300880	2RL 008 061-111	50423369	2ZR 002 985-261	7.512.030.001.0	9BG 993 345-001
JNR 0022	1GA 998 522-011	28301140	9PF 090 500-001	50423370	8GD 002 078-241	7.512.030.000.0	1BL 008 194-027
<b>Jokon</b>	<b>Hella</b>	28301690	8GM 002 091-121	50436549	2JA 007 372-011	7.512.033.021.0	1BL 158 060-021
10.1002.000	2SE 004 623-001	28303350	2BA 003 014-011	50468122	2SW 003 014-131	7.512.033.000.0	1K0 008 192-027
10.1002.100	2SE 004 623-001	28303540	8GA 002 083-131	510026218	8GS 002 296-101	7.512.034.027.0	5DV 007 810-171
10.1002.100	2SE 004 623-007	28304140	8GA 002 073-241	51004920	4AZ 003 787-021	7.512.034.028.0	8HG 151 866-001
10.1004.002	2SD 001 685-211	28304390	8GP 002 067-241	51006218	8GS 002 296-101	7.512.036.000.0	1K0 008 191-021
10.1004.100	2SE 001 685-201	28304760	2JA 004 531-011	51015057	1A3 996 002-191	7.512.036.000.0	1K0 008 191-027
10.1014.011	2SE 003 184-011	28304810	2AB 004 532-001	51016328	2SD 343 130-227	7.512.036.001.0	9GH 152 654-007
10.1014.011	2SE 003 184-017	28304900	8GA 002 074-241	51017428	1GA 996 361-421	7.512.037.000.0	1BL 008 193-011
10.1014.021	2SE 003 184-101	28304910	8GH 002 090-251	51017429	1GA 996 361-431	7.512.037.000.0	1BL 008 193-017
10.1023.001	2SD 004 460-011	28304910	8GH 002 090-253	51026926	2RL 006 846-001	7.512.040.000.0	1BA 996 261-021
10.1023.001	2SD 004 460-017	28304940	8GA 002 071-271	51061360	1G0 996 176-021	7.512.041.000.0	1KA 996 261-091
10.2008.001	2SD 004 460-007	28304950	2SD 003 184-031	51079580	1AB 996 213-001	7.512.118.014	9FH 113 447-011
10.2008.001	2SD 004 460-007	28304950	2SD 003 184-037	51079581	2BA 002 652-111	7.513.114.000	1NB 003 867-137
10.2009.001	2SK 004 460-041	28305120	8GA 002 071-241	51079581	2BA 002 652-117	7.513.117.000	1NA 007 393-181
10.2010.001	2SK 004 460-031	28305250	2BA 003 022-021	51079584	2BA 002 652-121	7.515.105.000	2ZR 001 240-351
10.2010.001	2SK 004 460-037	28305560	2PF 003 389-037	51079584	2BA 002 652-127	7.515.110.000	2ZR 001 193-011
11.0001.000	2BE 003 185-031	28305710	8GP 002 095-241	5108516	1GM 996 135-001	7.515.110.004	9ES 082 333-031
12.0002.001	2TJ 001 633-211	28306140	2ZR 003 014-091	51097232	8GH 002 089-361	7.515.114.000	2ZR 001 240-351
13.1006.000	2BA 001 259-611	28306400	8GH 002 073-151	05112186	2SD 001 679-001	7.515.115.000	2ZR 002 694-001
13.4001.101	2KA 001 389-101	28306430	8RA 002 014-081	52021959	2JA 006 447-041	7.515.115.000	2ZR 002 694-002
13.4001.101	2KA 003 168-021	28306510	2DA 003 014-031	52030617	2AB 004 532-031	7.515.115.004	9EL 113 928-001
13.4002.100	2KA 001 386-231	28306630	2DA 003 014-037	52030665	8GP 002 067-241	7.515.118.000.0	2ZR 964 169-031
13.4002.110	2KA 001 386-281	28306740	8GM 002 092-241	083.0029	2KA 001 386-281	7.517.127.000.0	1GA 007 506-011
13.4002.130	2KA 003 389-061	28306750	8HG 003 799-007	0830071	8GA 002 074-121	7.517.127.000.0	1GA 007 506-011
13.4006.100	2KA 003 389-001	28306760	1TA 003 570-101	083.0159	8GM 002 091-241	7.517.130.000.0	1GB 996 080-011
13.4006.120	2KA 003 389-001	28306760	2SA 003 057-021	0830415	4AZ 001 879-021	7.517.131.000.0	1GA 998 534-011
13.4008.100	2KA 004 331-031	28306760	2SA 003 057-022	083.0471	8GP 002 066-241	7.517.133.000.0	1GA 007 506-111
13.5001.000	2PF 001 634-101	421-440051419	2BA 003 014-111	0830494	8GA 002 071-251	7.517.133.000.0B	1GA 007 506-121
13.5003.000	2PF 001 648-161	440050164	2SB 003 014-151	0830495	2SD 003 184-031	7.517.133.000.0	1GA 007 506-111
16.0005.002	2RL 006 846-001	440054642	8RA 002 014-031	0830495	2SD 003 184-037	7.517.134.000.0	1GA 996 142-071
16.0005.012	2RL 006 846-011	440054642	8RA 002 014-032	0830496	2SD 003 184-041	7.517.134.006.0	1GA 996 142-131
19.0003.000	9EL 118 633-001	440056314	2KA 001 389-101	0830496	2SD 003 184-047	7.517.134.012.0	1GA 998 305-011
19.0003.200	9EL 119 397-001	440072055	2SD 001 305-021	<b>Karmann</b>	<b>Hella</b>	7.517.134.108.0	9GH 993 984-001
19.0007.000	9EL 129 519-001	440073217	2ZR 003 014-091	1HM 941 005 A	1DJ 006 649-011	7.517.134.110.0	9GT 137 236-007
19.2101.002	8HG 005 436-011	440074545	4AZ 003 787-001	1HM 941 006 A	1DJ 006 649-021	7.517.135.000.0	8KB 990 299-121
19.2102.012	8HG 006 294-011	440075253	8GH 002 090-133	1HM 941 699 A	1NL 007 180-011	7.517.135.000.0	1GL 008 090-211
19.2107.002	8EL 859 020-001	440075509	8GM 002 091-241	1HM 941 700 A	1NL 007 180-021	7.517.136.000.0	1GL 008 090-217
30.0003.000	8RA 002 014-031	440075513	4AZ 003 787-002	2050	2X5 005 020-001	7.517.136.000.0	1H5 998 502-051
30.0003.010	8RA 002 014-051	44057072	2DA 003 014-031	2050	2X5 005 020-002	7.517.136.000.0	1H5 998 502-051
30.0003.020	8RA 002 014-041	44057072	2DA 003 014-037	2050	2X5 005 020-003	7.517.137.000.0	1GB 996 147-011
30.0006.000	8RA 002 014-081	449090012	8GM 002 092-121	421182	1DB 007 988-191	7.517.140.000.0	1GM 996 135-551
30.0006.010	8RA 002 014-101	449090042	8GP 002 067-121	421183	1DB 007 988-201	7.517.141.000.0	1GM 996 134-311
30.0006.020	8RA 002 014-091	449090067	8GP 002 067-241	421188	1DL 007 988-211	7.517.143.000.0	1GM 996 134-171
30.0007.020	8RA 002 016-101	449090074	8GA 002 083-251	421189	1DL 007 988-221	7.517.144.000.0	1GM 996 134-371
31.0001.000	8RA 002 023-001	449090076	8GP 002 095-121	4501017	1DL 007 988-221	7.521.104.000.0	1GA 996 361-581
31.0001.010	8RA 002 023-021	449090084	8GM 002 091-121	4501017	8XU 008 405-031	7.521.104.000.0	2BA 001 227-201
31.0001.020	8RA 002 023-011	449090087	8GA 002 073-121	4501017	8XU 008 405-037	7.521.113.500	2BA 001 240-301
31.0004.000	8RA 003 326-031	449090088	8GA 002 073-241	4501036	2PS 964 295-001	7.521.120.004	9EL 110 014-001
31.0004.010	8RA 003 326-041	4565385	8GH 002 089-251	4501036	2PS 964 295-002	7.521.131.000	2BA 002 324-011
31.0004.020	8RA 003 326-051	50002660	8GH 002 089-253	4501036	2PS 964 295-007	7.521.131.000.0	2BA 002 324-011
31.0008.000	8RL 002 009-021	50002660	4AZ 001 879-021	4501075	2PF 959 570-411	7.521.131.004	9EL 110 918-001
31.0008.010	8RL 002 009-011	50011267	2SE 002 578-701	4501075	2PF 959 570-417	7.521.132.000.0	2BA 002 324-021
31.0008.020	8RL 002 009-001	50011267	2SE 002 578-707	4501076	2XA 959 560-411	7.521.132.004	9EL 110 918-011
32.0002.000	8RA 003 503-001	50011268	2ZR 003 030-171	4501076	2XA 959 560-417	7.521.132.004.0	9EL 110 918-011
32.0004.000	8RA 002 020-001	50011360	8GA 002 071-251	4501077	2SA 008 405-021	7.521.136.000.0	2BM 002 847-107
42.0001.000	8JB 001 943-003	50012742	8GA 002 074-241	4501077	2SA 008 405-027	7.521.137.000	2BA 001 240-301
61.0015.001	8JB 001 947-771-001	50015918	2SE 004 623-001	4501078	2SA 008 221-127	7.521.166.000.0	2BA 008 221-007
<b>Jungheinrich</b>	<b>Hella</b>	50015918	2SE 004 623-007	4501079	2BA 008 221-147	7.521.166.000.0	2BA 008 221-007
14038590	2ST 003 018-061	50035528	2SB 003 014-151	4501080	2NE 008 221-137	7.521.166.005.0	8XU 008 405-031
1404469	8RL 002 009-021	50035531	8GA 002 073-121	4501082	8RA 003 326-031	7.521.166.005.0	8XU 008 405-037
14048950	2BA 003 014-111	50035540	8GP 002 095-121	4501082	8RA 343 160-002	7.521.168.000.0	2BM 003 563-111
14051130	8RA 002 014-031	50035558	2SD 003 182-051	4501082	8RA 343 160-007	7.521.169.000.0	2BA 965 039-141
14051130	8RA 002 014-032	50035559	2SD 003 182-057	4501083	2DA 007 858-037	7.521.169.000.0	2BA 965 039-147
14053840	1S5 003 178-431	50035558	2SD 003 182-061	451081	2ZR 008 221-157	7.521.169.025.0	9XR 854 840-001
14087530	8GM 002 091-141	50035559	2SD 003 182-067	705 049	2SE 002 844-011	7.521.420.000.0	2RL 007 337-011
14290910	8GD 002 084-251	50037209	2BA 001 277-021	728 360	2JA 007 372-001	7.521.420.000.0	2RL 007 337-011
14429790	2RL 008 060-101	50038755	8GA 002 071-131	802460	2PS 962 964-031	7.521.420.004.0	9EL 859 020-001
14433590	8GH 002 089-133	50042037	8GH 002 089-251	802460	2PS 962 964-037	7.521.421.000.0	9EL 859 020-001
14436780	1GA 007 506-021	50051471	8GH 002 089-253	802819	9GT 963 129-001	7.521.423.000.0	2RL 007 337-041
14436790	8GH 002 090-133	50051822	1GA 007 506-001	803655	6EH 004 406-032	7.521.423.000.0	2RL 007 337-041
14521627	9EL 052 476-001	50051823	8GD				



# Manufacturer's no. / Hella no. Cross-Reference

Kässbohrer	Hella	Kramer	Hella	Kramer	Hella	Krone	Hella
7.526.326.000.0	2SW 964 169-087	1000151064	2KA 003 389-061	56317	2BM 006 692-027	5800123/0	2SE 001 685-221
7.526.327.000.0	2NE 964 169-021	1000151064	2KA 003 389-062	56319	9EL 950 315-001	5800123/0	2SE 001 685-227
7.526.327.000.0	2NE 964 169-027	1000151064	2KA 003 389-068	56320	9EL 950 315-031	5800809/0	9GP 003 995-801
7.526.328.000.0	2SD 964 169-111	1000152856	9EL 343 143-001	56322	9ES 113 916-001	5801411	2KA 001 378-001
7.526.328.000.0	2SD 964 169-117	1000152857	9EL 343 142-001	56338	2KA 001 386-231	5801411	2KA 001 378-002
7.526.329.000.0	2SA 964 169-091	1000167663	1GA 996 261-511	56354	9EL 101 353-001	5801411/0	2KA 001 378-001
7.526.329.000.0	2SA 964 169-097	29153	8HG 002 240-001	56361	2SD 001 685-231	5801411/0	2KA 001 378-002
7.534.101.000	2PF 001 648-171	29154	8HG 002 240-011	56361	2SD 001 685-232	5801434/0	2SL 003 567-311
7.534.114.017	9GD 082 716-001	000 332 02 12	2AA 001 200-021	56362	2AA 001 200-031	5802071	2SL 003 567-311
7.534 116 000	2PF 001 650-001	000 332 02 12	2AA 001 200-023	56362	2AA 001 200-032	5802071/0	2SD 001 685-211
7.534 116 004	9EL 084 110-001	000 332 02 52	9ES 093 815-001	56366	2ZR 002 694-001	5802071/0	2SD 001 685-218
7.534 118 000	2PS 002 727-001	000 332 04 02	2BE 001 278-021	56369	2ZR 002 694-002	5802071/0	2SD 001 685-211
7.534 118 000	2PS 002 727-007	0003320453	9DR 073 862-011	56369	8RA 002 020-001	5802071/0	2SD 001 685-218
7.534 118 000	2PS 004 361-001	000 332 11 07	8RA 002 020-001	56369	8RA 002 020-002	5803616/0	2KA 001 386-281
7.534 118 000	2PS 004 361-007	000 332 11 07	8RA 002 020-002	56401	8RA 002 020-003	5803616/0	2PS 004 361-007
7.534.128.000	2PF 001 259-631	000 332 11 07	8RA 002 020-003	56402	2KA 003 389-001	5803625/0	2PF 001 259-631
7.534 134 000	2XS 005 020-001	0003321302	2XS 005 020-001	56428	9EL 119 544-111	5803642/0	2SE 001 685-201
7.534 134 000	2XS 005 020-002	0003321302	2XS 005 020-002	56429	2AA 001 204-001	5804155/0	1GA 003 470-031
7.534 134 000	2XS 005 020-003	0003321302	2XS 005 020-003	56430	2AA 001 204-011	5805106/1	2RL 008 060-111
7.534.135.000	2SA 001 240-331	0003321507	8RA 004 412-021	56431	9EL 150 965-001	5805461/0	1KA 003 389-001
7.534 138 000	2SA 001 634-121	000 332 16 15	2SD 003 184-041	56437	9EL 150 966-001	5806987/0	2KA 005 060-001
7.534.140.000	2PG 003 057-011	000 332 16 15	2SD 003 184-047	56450	9ES 106 588-001	5806987/0	1GB 006 213-111
7.534.140.000	2PG 003 057-012	000 332 18 07	8RA 002 014-081	56454	2TM 003 748-011	5806987/0	1GB 006 213-117
7.534.153.000	2ZR 003 236-051	000 332 20 08	2BA 001 248-001	56454	2PS 004 361-001	5806987/0	1GB 006 213-111
7.534.153.000	2ZR 003 236-057	0003322204	2KA 003 389-061	56464	2PS 004 361-007	5806987/0	1GB 996 102-101
7.534.154.000	2BA 003 236-088	0003322204	2KA 003 389-062	56465	9GP 003 995-801	5807524/0	2PF 001 259-677
7.534.160.000	2XS 005 020-011	0003322204	2KA 003 389-068	56473	8HG 002 365-001	5808491/0	2SK 005 883-011
7.534.160.000	2XS 005 020-017	0003322704	2JA 001 357-002	56473	2KA 001 386-281	5808492/0	2SK 005 883-021
7.534.178.000	2PF 001 647-067	000 332 35 15	2TM 003 057-031	56474	9EL 118 700-001	5808673/0	2PS 006 717-031
7.534.191.000	2PS 006 717-051	000 332 50 15	2VP 006 040-121	56479	2TJ 003 168-151	5808673/0	2PS 006 717-037
7.534.191.000	2PS 006 717-057	000 332 50 15	2VP 006 040-127	56481	8HG 006 294-021	5808673/0	2PS 006 717-032
7.534.204.000.0	2PS 964 295-051	000 332 54 15	2BE 003 182-101	56482	1NE 002 537-301	5809357/0	8RA 003 326-001
7.534.204.000.0	2PS 964 295-057	0003325515	2VA 006 040-071	56486	9EL 856 416-001	5809357/0	8RA 003 326-002
7.534.205.000.0	2PT 965 039-171	0003325515	2VA 006 040-077	56497	2VA 006 040-071	5809598/0	1NE 006 300-051
7.534.205.000.0	2PT 965 039-177	0003325615	2VP 006 040-121	56497	2VA 006 040-077	5809608/0	2PG 003 057-011
7.542.110.000	2DA 001 240-341	0003325615	2VP 006 040-127	56499	9EL 136 819-031	5809608/0	2PG 003 057-012
7.544.111.000	2KA 003 389-001	000 332 58 15	2SE 002 776-221	56508	8HG 006 294-011	5809949	2JA 001 330-001
7.544.120.000.0	2KA 004 331-061	0003326115	2VB 006 040-051	56511	8GP 003 594-121	5809949	2JA 001 330-007
7.544.120.000.0	2KA 004 331-067	0003328601	1EA 993 975-011	56513	1A8 003 060-551	5810252/0	2PG 004 361-011
7.544.305.000	2KA 001 378-001	0003328601	1EA 993 975-017	56513	1GA 005 060-001	5810252/0	2PG 004 361-017
7.544.305.000	2KA 001 378-002	0003328701	1EA 993 975-021	56513	1GA 006 876-001	5810617/0	8HG 006 294-021
7.544.306.000.0	2KA 998 523-001	0003328701	1EA 993 975-027	56514	2JA 005 590-001	5810631/0	2PS 962 964-012
7.544.306.000.0	2KA 998 523-007	0004330068	2XW 007 146-001	56516	9GD 858 086-001	5810631/0	2PS 962 964-018
7.551.060.000.0	2JA 003 231-001	000 443 00 68	2XW 003 146-001	56518	1GA 006 875-001	5810631/0	9GD 963 281-001
7.552.015.000	2JA 003 232-001	050699	1EG 005 480-011	56560	2PF 001 259-631	5811455/0	2SA 006 717-001
7.552.015.000	2JA 003 232-011	56013	2AA 001 200-011	56591	9EL 136 825-011	5811455/0	2SA 006 717-007
7.552.028.000.0	2JA 996 038-001	56013	2AA 001 200-012	58141	2XS 955 260-001	5811907/0	2PS 003 748-151
7.552.036.000	2JA 006 447-251	56014	2AA 001 200-141	58141	2XS 955 260-007	5811908/0	2PS 003 748-121
7.552.038.000.0	2JA 001 357-002	56017	2AA 003 257-001	58454	1GA 006 876-001	5811908/0	2PS 003 748-127
7.571.300.000	1GB 996 080-011	56019	2AA 003 257-021	58458	2PS 003 748-121	5811909/0	2PS 003 748-161
7.581.174.000.0	8GA 006 841-241	56020	2AA 003 257-031	58458	2PS 003 748-127	5811909/0	2KA 003 389-211
7.581.175.000.0	8GP 003 594-121	56038	2PG 003 748-151	683 332 02 40	8HG 006 294-021	5811910/0	2PS 003 389-211
7.582.010.000.0	8GS 007 949-101	56040	2KA 001 389-101	0000800768	1AB 006 213-001	5811910/0	2KA 003 389-217
8.689.018.000	8RA 002 016-121	56041	2KA 003 168-021	000 992 43 04	9KS 075 307-001	5812980/0	2PS 003 748-177
8.689.025.000.0	8RA 002 010-011	56042	2KA 003 389-061	Kreidler	Hella	5814052/0	2XS 008 078-001
8.689.032.000	8RA 002 020-001	56042	2KA 003 389-062	58 50 49 3	8JA 001 909-001	5814052/0	2XS 008 078-007
8.689.032.000	8RA 002 020-002	56042	2KA 003 389-068	Kramer	Hella	5814082/0	1GA 006 876-001
8.689.032.000	8RA 002 020-003	56047	2NE 003 236-001	110033	5814098/0	5814098/0	2VP 007 907-031
8.689.040.000	8RA 002 014-051	56047	2NE 003 236-008	110034	5814098/0	5814098/0	2VP 007 907-037
8.689.040.000	8RA 002 014-052	56052	2TJ 001 633-211	110036	5814099/0	5814099/0	2VP 007 907-041
8.933.741.011	2BA 001 275-021	56054	2PF 001 647-031	14405006	5814099/0	5814099/0	2VP 007 907-047
8.933.741.015.0	2BM 004 965-801	56054	2PF 001 647-037	14405007	5814248/0	5814248/0	2PS 008 382-001
8.933.741.100	2JA 001 335-011	56067	2SD 001 679-001	14405015	5814248/0	5814248/0	2PS 008 382-007
8.933.741.104	2PS 006 717-031	56069	2SD 001 680-281	14405020	5814249/0	5814249/0	9EL 154 637-001
8.933.741.104	2PS 006 717-032	56072	2SD 001 693-011	270000940	5814415/0	5814415/0	2PG 008 434-001
8.933.741.104	2PS 006 717-037	56075	2SD 002 582-011	270000940	5815081/0	5815081/0	1ND 005 700-061
8.933.741.204	2SK 003 567-651	56075	2SD 002 582-017	0301853/0	5815338/0	5815338/0	2VP 340 400-151
8.933.741.204	2SK 003 567-661	56076	2SD 002 582-021	0301854/0	5815339/0	5815339/0	2VP 340 400-157
98 354 006	2ZR 002 589-011	56077	2SD 002 582-027	0302642/0	5815339/0	5815339/0	2VP 340 400-147
Kia	Hella	56077	2SD 003 167-011	0302642/0	5815339/0	5815339/0	1GA 007 506-001
92101-1H000	1EJ 009 547-211	56078	2SD 003 167-021	0302642/0	5816277/0	5816277/0	9GD 157 876-007
92102-1H000	1EJ 009 547-221	56080	2ZR 005 200-051	0302535/0	5816704/0	5816704/0	8RA 003 326-011
EA35A51150	2VP 006 040-301	56081	2SE 001 679-051	0302657/0	5816704/0	5816704/0	8RA 003 326-017
EA35A51150	2VP 006 040-307	56087	2SE 002 578-701	0302658/0	5819070/0	5819070/0	2VP 340 931-111
EA35A51160	2VA 006 040-291	56087	2SE 002 578-707	0302677/0	5819070/0	5819070/0	2VP 340 931-117
EA35A51160	2VA 006 040-297	56090	2SE 003 167-031	0302680/0	5819086/0	5819086/0	2PS 008 645-311
EA35A51270	2KA 001 386-281	56091	2SK 003 567-321	0302702/0	5819087/0	5819087/0	2PG 008 645-331
NAH34111200B	2BA 001 416-011	56093	2SL 003 567-311	0302921/0	5821789/0	5821789/0	2KA 959 640-661
NAH34111300B	2BA 001 416-021	56095	2TF 001 259-761	0303601/0	5821814/0	5821814/0	2XS 340 418-091
NAH34311300B	2KA 001 386-281	56096	2XS 005 020-001	0303858/0	5821815/0	5821815/0	2XS 340 418-081
ZK01151001	1F4 002 608-001	56096	2XS 005 020-002	0303864/0	5821816/0	5821816/0	2XS 340 447-061
ZK01151002	1N4 002 608-021	56096	2XS 005 020-003	4501.7054	5821817/0	5821817/0	2XS 340 447-071
ZK01151005	8HG 116 741-801	56097	2XS 005 020-011	4501.7054	5820268/0	5820268/0	9EL 340 208-001
ZK20051001	2DA 007 428-001	56097	2XS 005 020-017	5327089/0	6000000/0	6000000/0	9EL 340 208-001

# Manufacturer's no. / Hella no.

## Cross-Reference



Krone	Hella	Leart	Hella	Liebherr	Hella	Liebherr	Hella
0924672/0	2SK 003 567-331	37.108.000	2VP 008 204-181	1 009 770 5	1GA 998 534-231	6 004 448	2ZR 964 169-037
0924673/0	2SK 003 567-321	37.108.028	9EL 152 889-001	1 009 770 5	1GA 998 534-271	6 004 449	2SB 964 169-301
0924688/0	8GH 002 090-133	37.109.000	2VP 008 204-181	10097732	2SD 997 131-051	6 004 450	2SB 964 169-307
0924690/0	8GA 002 073-241	37.111.000	2VD 008 204-191	1 011 284 1	2RL 008 063-111	6 004 450	2BE 964 169-071
0924691/0	8GA 002 071-251	37.414.000	2SD 001 685-211	1 021 893 1	8GH 002 857-241	6 004 450	2BE 964 169-077
0924692/0	8GA 002 071-131	37.415.000	2SE 001 685-201	1 022 057 8	2PF 008 221-011	6 004 451	2KS 950 071-031
0924693/0	8GA 002 073-121	37.420.000	2SD 003 167-011	1 022 057 8	2PF 008 221-017	6 004 452	2PS 008 382-811
0924709/0	8GM 002 092-121	37.420.000	2SD 003 167-021	1 022 427 2	9XD 990 298-001	6 004 452	2PS 008 382-817
0924710/0	9BG 993 345-001	37.420.026	9EL 118 445-001	1 028 514 9	8HG 006 294-031	6 004 453	2NE 964 169-021
0924714/0	8GJ 002 525-131	37.421.000	2SE 003 167-031	1 028 664 4	1GA 998 525-001	6 004 453	2NE 964 169-027
0924714/0	8GJ 002 525-133	37.421.000	2SE 003 167-041	1 028 886 0	5DV 008 856-001	6 021 170 08	9XD 130 261-001
0924723/0	8HG 006 294-051	37.502.000	2VP 008 204-061	1 028 886 0	5DV 008 856-007	6 022 040 08	8KW 701 235-033
0924742/0	2XL 005 194-021	37.503.000	2VP 008 204-061	1 029 199 6	1GA 996 161-131	6 023 345 08	9GT 963 129-001
0924743/0	2XL 005 194-011	37.505.000	2VD 008 204-071	1 029 335 5	1K0 008 191-041	6 027 09	1GA 998 522-011
0924744	1GB 006 213-101	37.516.000	2VP 008 204-161	1 029 335 5	1K0 008 191-047	6 027 385 01	9GT 963 129-001
0924744	1GB 006 213-107	37.516.028	9EL 008 205-031	1 029 721 4	1GA 996 161-581	605002908	8JA 001 925-001
0924744/0	1GB 006 213-101	37.517.000	2VP 008 204-161	1 029 727 8	2RL 007 017-061	6 050 034	8JA 001 909-011
0924744/0	1GB 006 213-107	37.519.000	2VD 008 204-171	1 029 727 9	8HG 005 436-011	6 050 034 08	8JA 001 909-011
0924745/0	1GB 006 213-111	37.526.000	2VP 008 204-101	10300714	1GA 007 506-651	605004908	8JA 002 263-031
0924745/0	1GB 006 213-117	37.526.028	9EL 152 891-001	1 030 136 4	8GA 006 841-121	6 050 056 08	8JA 001 930-001
0924746/0	1AB 007 145-001	37.529.000	2VD 008 204-111	1 030 311 5	2BA 344 169-027	6 050 056 14	8JA 001 930-001
0924746/0	1AB 007 145-007	37.534.000	2VP 008 204-081	1 030 311 6	2TA 964 169-257	6050059	8JA 001 930-011
0924748/0	1G3 005 760-021	37.537.000	2VD 008 204-091	1 033 046 1	1GA 998 534-541	6 050 059 08	8JA 001 909-011
0924749/0	2RL 006 846-101	37.570.000	2VD 008 204-141	1 033 079 0	9GD 102 484-001	605005914	8JA 001 909-001
0924766/0	8GH 002 473-151	37.571.000	2VD 008 204-151	1 033 080 7	2VP 006 040-397	6050083	8JA 001 925-001
9247670	8GH 008 357-001	37.590.000	2VP 008 205-031	1 033 080 8	2VP 006 040-407	605008314	8JA 001 925-001
0924788/0	8HG 006 294-031	37.591.000	2VP 008 205-031	10335719	2JA 007 372-051	6 052 030 08	8JB 001 933-031
0924789/0	8HG 006 294-041	37.592.000	2VD 008 205-041	1 035 633 7	1GA 007 506-091	6 052 039 08	8JB 004 777-001
9305004	2SD 001 699-061	37.593.000	2VD 008 205-051	1 041 233 9	2RL 007 017-071	6 052 039 08	8JB 004 777-002
9305220	8GM 002 092-121	37.600.028	9EL 152 884-001	1 042 447 1	8HG 006 294-131	605623901	8KW 701 235-033
0942729/0	8RA 003 326-011	37.602.000	2VD 008 205-021	1 045 091 4	2ZR 005 700-191	607003308	8GP 001 594-251
0942729/0	8RA 003 326-011	37.603.000	2VD 008 205-011	1 095 20	9EL 104 571-031	6070045	8GD 002 084-131
944 005	2TJ 001 633-211	37.798.000	2VP 008 789-021	1 095 20	9EL 104 571-041	6070047	8GM 002 091-121
0944005/0	2TJ 001 633-211	37.799.000	2VP 008 789-051	1 095 30	9EL 118 613-001	607006205	2AA 001 200-141
0944006/0	2SA 001 634-121	37.801.000	2VD 008 789-011	109531	1TA 003 570-101	6070104	8GP 002 068-121
0944008/0	2TF 001 259-761	37.802.000	2VP 008 789-041	1 259 651	2PS 003 057-051	6070141	8GP 002 067-121
0944009/0	2BA 001 259-611	37.803.000	2VP 008 789-071	1 259 651	2PS 003 057-052	6070142	8GA 002 071-121
0944009/0	2BA 001 259-618	38.440.000	2SK 003 567-321	1 259 651	2PS 003 057-057	6070146	8GD 002 088-131
0944011/0	2XS 005 020-021	38.441.000	2SL 003 567-311	1 259 651 09013	9XR 854 840-001	6 070 196 01	2JA 007 372-011
0944012/0	2XS 950 071-031	38.443.000	2SK 003 567-331	4 050 650	2AB 004 532-031	607020308	8GP 002 067-241
0944013/0	2NE 003 236-001			4 530 00	9EL 146 491-001	607020608	8GA 002 072-241
0944013/0	2NE 003 236-008			4 056 104 2	1G3 005 760-221	607021408	8GA 002 071-241
0944014/0	2ZR 004 542-001	1299751	1F8 006 800-191	4 056 104 2	1G3 005 760-227	607021608	8GP 002 066-241
0944015/0	2ZR 003 236-051	1301368	2BA 005 481-011	5 701 898 08	9EL 122 772-001	607021614	8GP 002 066-241
0944015/0	2ZR 003 236-057	1328860	9BG 147 497-002	5 701 899 08	9EL 122 772-051	607021714	8GA 002 073-241
0944016/0	2SE 001 699-071	1328861	9BG 147 498-002	5 704 507 08	9EL 856 416-001	6070220	8GM 002 092-121
0944017/0	2SD 001 699-511	1444658	8RA 003 326-011	5 704 507 77	9EL 856 416-001	607022208	8GP 002 095-241
0944018/0	2SD 001 699-061	1444658	8RA 003 326-011	5 706 012 08	9EL 857 801-001	607023208	8GA 002 071-251
0944019/0	2SD 001 693-011	0837227	9GD 856 863-001	5 710 680 08	9MN 858 616-011	6070234	8GJ 002 525-251
0944039/0	9GT 005 166-001	AELD659	2PS 008 645-031	5 710 680 77	9MN 858 616-011	6070234	8GJ 002 525-253
0944040/0	9GT 074 132-001			5 711 167 08	9EL 119 544-001	607023408	8GJ 002 525-253
0944046/0	8HG 002 240-001			5 712 489 08	9ES 113 917-001	607023408	8GJ 002 525-253
0944047/0	8HG 002 240-011			5 712 490 08	9ES 113 916-001	607023708	8GH 002 089-251
0944062/0	8GM 002 092-241			5 714 139 77	9XR 854 840-001	607023708	8GH 002 089-253
0944065/0	8GP 002 068-241			5 714 381 08	9EL 950 315-031	6 070 240 14	8GH 002 089-133
0944067/0	8GH 002 090-251			5 714 381 77	9EL 950 315-031	6 071 000	2BA 001 227-201
0944067/0	8GH 002 090-253			5 714 382 77	9EL 950 315-001	607101008	2AA 001 200-131
0944068/0	8GH 002 090-133			5 716 571 08	9EL 859 020-001	607101108	2AA 001 200-141
0944069/0	8GA 002 071-121			5 717 426 08	9EL 146 838-001	6 071 040	2XM 004 444-011
0944074/0	8GA 002 071-241			5 799 507 08	9EL 859 020-101	6 071 040 08	2XM 001 975-001
0944090/0	9EL 109 208-011			5 799 676 08	9EL 859 020-101	6 071 040 08	2XM 004 444-011
0944095/0	9EL 122 689-021			5 799 943 08	9GD 113 431-005	6 071 040 14	2XM 001 975-001
0944095/0	9EL 122 772-051			6 000 116	2RL 006 846-011	6 071 043	2PF 001 648-161
0944096/0	9EL 147 747-001			6000117	8GM 002 091-131	607104308	2PF 001 648-161
0944096/0	9EL 147 747-007			6000167	8GM 002 091-251	6 071 043 77	2PF 001 648-161
0944100/0	9EL 950 315-001			6 000 312	1G8 002 340-001	6 071 046 08	1AG 001 188-301
0944101/0	9EL 950 315-031			6 000 316	8KW 701 235-033	6 071 058 08	2SD 001 688-141
0944104/0	8RA 003 326-031			6000322	2JA 003 231-001	6071059	2BA 001 259-611
0944105/0	8RA 003 326-041			6 000 332	2JA 003 231-001	6071059	2BA 001 259-618
0944105/0	8RA 003 326-047			6000766	2XW 003 146-001	6 071 060 8	2XW 003 146-001
0944105/0	8RA 003 326-051			6000766	2XW 007 146-001	6 071 062 08	2XW 003 146-001
0944107/0	8RA 002 014-041			6 000 776	1G4 003 470-051	6 071 062 08	2XW 007 146-001
0944107/0	8RA 002 014-042			6 000 780	2XS 005 020-011	607106501	2SD 001 685-211
0944108/0	8RA 002 016-101			6 000 780	2XS 005 020-017	607106501	2SD 001 685-218
0944109/0	8RL 002 009-001			6 000 804	1GA 005 060-001	6 071 066 01	2SE 001 685-201
0944110/0	8RA 002 016-121			6 000 804	1GA 998 522-011	6 071 069	8RA 003 503-001
0944114/0	8HG 002 240-021			6 001 131	8RL 002 009-021	6 071 069 01	8RA 002 010-011
0944115/0	8HG 002 240-031			6 001 131	2XS 005 020-001	6 071 076	2KA 003 168-021
0944131/0	8KW 701 235-033			6 001 131	2XS 005 020-002	607107608	2KA 003 168-021
0944159/0	9EL 113 324-001			6 001 131 08	2XS 005 020-003	6 071 078	2KA 003 389-061
0944178/0	2XS 955 031-001			6 001 131 08	2XS 005 020-001	6 071 078	2KA 003 389-062
0944704/0	2NE 001 173-061			6 001 131 08	2XS 005 020-002	6 071 078	2KA 003 389-068
0944705/0	2NE 001 423-011			6 001 202	2XS 005 020-003	6 071 078 0	2KA 003 389-061
0944977/0	2SD 001 685-231			6 001 202	1G3 005 760-001	6 071 078 0	2KA 003 389-062
0944977/0	2SD 001 685-232			6 001 202	1G3 005 760-201	6 071 078 0	2KA 003 389-068
				6 001 202	1G3 005 760-207	6 071 079 08	2AB 004 532-051
				6 001 421	1AB 006 213-011	6 071 079 08	2AB 004 532-057
				6 001 421	1AB 006 213-027	6 071 080	2PF 001 648-161
				6 001 424	1AB 006 213-011	607108208	8RA 002 014-101



# Manufacturer's no. / Hella no.

## Cross-Reference

Liebherr	Hella	Liebherr	Hella	Liebherr	Hella	Liebherr	Hella
6071130	2SA 001 634-121	6 071 384 01	2PG 006 717-027	6 071 511 08	1GA 007 506-121	6 905 284	2KA 998 523-001
607113208	2ZR 001 423-001	6 071 387 01	2ZR 003 014-091	6 071 512 08	1GA 996 142-141	6 905 284	2KA 998 523-007
6 071 133 08	8RA 002 016-121	6 071 388 01	2SD 002 582-011	6 071 513 08	1GA 996 142-151	6 905 324	8GA 002 073-121
6 071 134	2TJ 001 633-211	6 071 388 01	2SD 002 582-017	6 071 578 14	2SA 961 167-011	6 905 325	8GA 002 071-131
607113408	2TJ 001 633-211	6 071 389 01	2SD 002 582-011	6 071 580 14	1GB 996 080-001	6 905 351	2RL 006 846-001
607113608	2ZR 002 589-011	6 071 389 01	2SD 002 582-017	6 071 600 01	2SL 003 567-311	6 905 359	2RL 006 846-001
607113614	2ZR 002 589-011	6 071 389 01	2SD 002 582-021	6 071 605 01	2SA 006 717-001	6 905 359	2RL 006 846-011
6 071 137	2BE 002 582-031	6 071 389 01	2SD 002 582-027	6 071 605 01	2SA 006 717-007	6 905 463	1AB 004 231-001
6 071 137 08	2BE 002 582-031	6 071 389 08	2RL 006 846-011	6 071 610 01	2XS 955 260-001	6 905 508	2SA 997 027-001
6 071 141	2SB 001 240-311	607139108	2XS 005 020-001	6 071 610 01	2XS 955 260-007	6 905 621	2BE 003 014-251
6 071 142 08	1G4 003 470-051	607139108	2XS 005 020-002	607200908	8HG 002 240-021	6 905 621	2BE 003 014-257
6 071 143	2RL 006 846-011	607139108	2XS 005 020-003	6 072 009 14	8HG 002 240-021	6 905 653	8GD 002 078-241
6 071 143 08	2RL 006 846-011	607139208	1G3 005 760-011	6072010	8HG 002 240-001	6 905 676	1GB 996 080-021
6 071 147 08	1AG 001 108-301	607139301	2SK 003 567-331	6 072 012 08	8HG 002 365-001	6 905 738	1GA 006 991-041
6 071 154 08	1G8 002 340-011	607139401	2SK 003 567-321	6 072 012 08	8HG 006 294-101	6 905 739	1GB 996 080-011
6 071 154 14	1G8 002 340-011	607139408	2XS 005 020-121	6 072 012 14	8HG 002 365-001	6 905 828	2JA 006 447-041
6 071 165 05	2PS 006 717-061	607139601	2SD 006 040-031	6 072 029	9ES 082 415-001	6 905 839	2JA 006 447-041
6 071 165 05	2PS 006 717-067	607139601	2SD 006 040-037	607203508	9EL 092 435-011	6 905 854	2VP 006 404-397
6 071 198 01	2RL 006 846-011	6 071 397 01	2SE 002 578-701	607203814	9EL 110 736-001	6 905 855	2VP 006 404-407
6 071 202	8RA 002 016-111	6 071 397 01	2SE 002 578-707	607204208	9EL 110 910-001	6 908 028 08	2XS 005 020-011
6 071 213 08	2XS 003 168-081	607139708	2DA 003 014-031	6 072 055 14	9XS 027 639-001	6 908 028 08	2XS 005 020-017
6 071 237 08	2BA 003 014-011	607139708	2DA 003 014-037	6 072 060 08	9EL 110 918-001	6 930 298 14	2NE 001 423-011
6071238	2NE 003 236-001	607139801	2SD 006 040-161	6 072 060 14	9EL 110 918-001	6 931 487 14	1E3 996 160-681
6071238	2NE 003 236-008	607139801	2SD 006 040-167	6 072 061 08	9EL 110 918-011	6 931 488 14	1E3 996 160-671
6 071 239 08	1NE 006 300-011	6 071 399 08	1EH 002 658-331	6 072 062 08	9EL 110 918-011	6 931 489 14	2SD 001 685-231
6 071 242 08	1AG 003 434-137	6 071 399 08	1EH 002 658-341	607206408	9AB 053 336-007	6 931 489 14	2SD 001 685-232
607124308	2BA 001 227-201	6 071 400 08	1EH 002 658-331	6072078	9EL 112 744-001	693149014	2ZR 001 423-001
6 071 251 08	1FE 002 537-191	6 071 400 08	1EH 002 658-341	607208708	9DR 060 567-001	693149214	8GA 006 841-241
6 071 251 08	1FE 006 300-001	6 071 401 08	2VD 005 300-551	6 072 104 08	9ES 112 293-001	6 931 650 14	9GH 993 984-001
6 071 252 01	2XS 950 071-031	607140408	2PF 003 389-037	6 072 105 08	9EL 112 858-011	693173514	2XM 004 444-011
6 071 257 14	2KA 003 389-001	6 071 408 08	2VD 005 300-581	6 072 105 08	9EL 147 747-001	6 931 939 14	9EL 128 922-011
6 071 262 01	8RA 002 014-051	607140908	2XS 003 168-071	6 072 105 08	9EL 147 747-007	7 006 903	6EG 990 007-001
6 071 262 01	8RA 002 014-052	6 071 416 08	2PF 001 638-001	607212108	9GD 102 484-001	7 014 383	9EL 118 614-021
6 071 263 01	8RA 002 023-021	607141708	2SA 006 679-027	607212608	9EL 115 003-035	7 014 433	2JA 001 357-002
6 071 266 01	8RA 003 326-011	607141908	1G9 001 523-021	6 072 131 08	9ES 082 415-001	7 016 076	1G3 135 211-011
6 071 266 01	8RA 003 326-017	6 071 420 01	2SD 002 582-011	6 072 135 01	8HG 006 294-011	7 018 158	8HG 006 294-021
607126708	2SA 003 014-051	6 071 420 01	2SD 002 582-017	6 072 138 008	9EL 119 544-111	7 021 344	9GH 096 532-001
607126908	2PS 003 057-051	607142008	2ZR 003 014-091	6 072 138 08	9EL 119 544-111	7 026 567	2SD 998 531-067
607126908	2PS 003 057-052	6 071 421 01	2SD 002 582-021	6 072 164 08	9GH 096 532-001	7 026 568	2SD 998 531-057
607126908	2PS 003 057-057	6 071 421 01	2SD 002 582-027	6 072 216 08	9GD 120 670-001	7 026 604	1GA 998 534-011
6 071 269 14	2PS 003 057-051	6 071 425 08	1G3 005 760-021	607221708	6ED 708 919-001	7 026 612	1EA 993 975-101
6 071 269 14	2PS 003 057-052	6 071 427 08	2PS 006 717-031	607221908	9EL 088 150-001	7 026 612	1EA 993 975-107
6 071 269 14	2PS 003 057-057	6 071 427 08	2PS 006 717-032	607225708	9GD 082 716-001	7 026 613	1EA 993 975-091
6 071 279 01	2XS 950 071-031	6 071 427 08	2PS 006 717-037	6 072 260 08	9EL 110 013-001	7 026 613	1EA 993 975-091
607128301	2KA 001 386-281	6 071 428 08	1AA 004 109-041	6 072 261 08	9EL 110 014-001	7 026 898	1EL 998 001-041
6 071 292 08	2BM 002 652-031	6 071 434 08	2XD 003 410-301	6 072 262 08	9BG 127 426-001	7 026 899	9EL 998 001-031
6 071 293	2ZR 003 236-051	6 071 439 08	1FE 006 300-001	6 072 266 08	9EL 146 887-001	7 026 907	8GS 007 949-101
6 071 293	2ZR 003 236-057	6 071 441 08	2VD 007 323-031	6 072 268 08	8HG 006 294-051	7 026 908	5DV 990 264-011
607129408	2BA 003 236-088	6 071 442 08	2VP 007 323-021	6 072 268 08	8HG 006 294-091	7 027 205	1GA 007 506-391
6 071 295 08	2SA 003 236-041	6 071 443 08	8RA 002 016-111	6 072 274 08	9GH 145 943-001	7 029 805	1GM 996 134-091
6 071 295 08	2SA 003 236-047	6 071 444 08	2RL 006 846-011	6 072 275 08	9GT 134 655-007	0 713 880 1	2SD 002 582-021
6 071 295 08	2SA 003 236-048	6 071 445 08	1GA 006 876-001	6 072 276 08	9GT 143 133-007	0 713 880 1	2SD 002 582-027
6 071 296 08	2SA 003 236-041	6 071 451 08	2VD 007 323-041	6 072 277 08	9GH 993 988-007	7 209 013	9KS 075 307-001
6 071 296 08	2SA 003 236-047	6 071 457 08	2RL 006 846-111	6 072 283 08	9GT 990 338-001	7 365 734	2SD 001 699-061
6 071 296 08	2SA 003 236-048	6 071 458 08	1DL 005 600-097	6 072 284 08	9GD 113 431-005	7 365 734	9EL 109 139-001
6 071 297 08	2SA 001 259-751	6 071 459 08	1DL 005 600-107	6 072 300 14	9EL 856 416-011	7 367 680	9EL 856 416-001
6 071 297 08	2SA 001 259-757	6 071 460 01	8RA 002 016-101	614001208	3AG 003 399-101	7 372 932	9EL 859 020-001
6 071 298 08	2TM 003 057-031	6 071 460 08	2BA 004 119-001	6 140 013 08	5AB 005 944-011	7 403 320	2NE 996 012-021
6071300	2JA 001 330-001	6 071 461 08	1G3 005 760-021	6 140 018 08	6ZE 001 759-051	7 406 908	9EL 854 912-001
6071300	2JA 001 330-007	6 071 466 08	2VP 007 323-011	614006701	2RL 008 064-001	7 408 151	8JA 001 921-102
607130008	2JA 001 330-001	6 071 469 08	2PS 962 964-012	6 140 461 14	3AG 003 399-101	7 412 253	1GA 007 506-011
607130008	2JA 001 330-007	6 071 469 08	2PS 962 964-018	6200003	8JIB 001 933-031	7 412 253 03	1GA 007 506-011
6 071 305 08	1G8 002 340-001	6 071 471 08	2BM 002 847-011	6200011	8GA 002 074-241	7 615 832	8HG 002 240-021
6 071 314 08	2SD 001 685-231	6 071 472 08	2BM 002 847-021	6200014	8GM 002 091-241	7 617 452	9EL 856 416-001
6 071 314 08	2SD 001 685-232	6 071 474 08	2PF 006 679-007	6200029	8GD 002 084-251	7 618 722	8RA 002 014-031
6071316	2XS 005 020-021	6 071 476 14	2KA 003 389-061	6200618	2BA 002 652-101	7 618 722	8RA 002 014-032
6 071 316 0	2XS 005 020-021	6 071 476 14	2KA 003 389-062	6200618	2BA 002 652-107	7 620 343	9EL 113 639-011
6 071 318 08	1G3 996 001-001	6 071 476 14	2KA 003 389-068	6200655	8GH 002 090-133	7 620 344	9EL 113 639-021
6 071 325 14	2AB 004 532-051	6071477	2TJ 001 633-211	6200821	1G8 002 340-011	7 621 243	8RW 341 421-001
6 071 325 14	2AB 004 532-057	607147714	2TJ 001 633-211	6200860	2BA 001 277-021	7 622 572	8RA 003 326-031
6071335	2PS 004 361-001	6071478	2PF 003 057-001	6200861	2BA 001 277-011	7 622 573	8RA 003 326-041
6071335	2PS 004 361-007	6071478	2PF 003 057-002	6200862	2KA 001 389-101	7 622 573	8RA 003 326-047
6 071 335 01	2PS 962 964-012	6 071 478 08	2PF 961 167-021	6 200 918	2BA 002 652-101	7 623 693	2XW 007 146-001
6 071 335 01	2PS 962 964-018	607148214	1AB 004 231-001	6 200 918	2BA 002 652-107	7 623 802	1AA 143 897-011
6 071 335 01	2PS 962 964-031	6071483	2AB 004 532-051	6 200 919	2SD 002 582-011	7 623 848	9EL 136 825-001
6 071 335 01	2PS 962 964-037	6071483	2AB 004 532-057	6 200 919	2SD 002 582-017	7 623 849	9EL 136 825-011
607133508	2PS 004 361-001	6 071 483 14	2AB 004 532-051	6 200 920	2SD 002 582-021	81256	8HG 006 294-111
607133508	2PS 004 361-007	6 071 483 14	2AB 004 532-057	6 200 920	2SD 002 582-027	9 200 919	1GA 998 522-011
6 071 340 08	2SA 003 057-021	6 071 484 08	2BE 004 119-021	6201058	8GP 002 095-241	9 200 919	2SD 002 582-011
6 071 340 08	2SA 003 057-022	6 071 484 14	2JA 007 372-011	6 201 154	2JA 007 372-011	9 200 919	2SD 002 582-017
6 071 341 08	2PF 003 057-001	6 071 485 08	1KL 007 834-027	6201387	2BA 003 022-001	9 605 207	8RA 003 326-001
6 071 341 08	2PF 003 057-002	6 071 486 08	1NL 007 834-017	6201459	2SD 001 699-061	9 605 207	8RA 003 326-002
6071343	2BA 001 221-031	6 071 487 08	1BL 007 834-007	6201940	2NE 003 315-011		
6071344	2BA 001 221-041	6 071 488 08	2DA 003 236-031	6 202 683	1GA 006 875-001		
607134608	2SK 003 567-321	6 071 488 08	2DA 003 236-037	6 203 044	1GA 996 082-001		
607134708	2SK 003 567-331	6071489	2BA 003 014-111	6 203 865	2JA 007 372-011		
6071349	2PF 001 647-031	6 071 491					

# Manufacturer's no. / Hella no.

## Cross-Reference



Magneti Marelli Hella		Magneti Marelli Hella		Magneti Marelli Hella		MAN Hella	
7103 01048 312	1AF 008 560-021	712 03 554 000 9	1A8 004 190-101	09.030.767.9	1AJ 007 677-011	36.25232.0000	8XU 008 405-031
710 30 104 900 3	1EJ 008 041-011	712 03 702 112 9	1AG 007 752-021	09.030.768.0	1AJ 007 677-021	36.25232.0000	8XU 008 405-037
710 30 104 900 4	1EJ 008 041-021	712 03 703 112 9	1AG 007 752-011	<b>MAN</b>		36.25232.0001	8RA 008 405-001
710 30 105 710 0	1EH 002 658-031	712 03 706 112 9	1AG 007 752-021	81 25110 6005	<b>Hella</b>		8RA 008 405-007
710 30 105 710 0	1EH 002 658-331	712 03 707 112 9	1AG 007 752-011	81 25225 6042	9EL 101 353-001	36.25402.6000	8KA 152 134-007
710 30 105 710 1	1EH 002 658-041	712 03 756 112 9	1AF 960 723-121	81 25225 6092	2SD 001 693-011	4.25103.6006	2ZR 003 236-311
710 30 105 710 1	1EH 002 658-341	712 05 405 864 9	1AF 960 723-111	81 25225 6097	2SD 001 680-281	4.25225.6028	2BA 003 236-321
710 30 105 710 5	1EH 002 658-331	712 05 405 865 0	1AJ 007 677-041	81 25225 6182	2SE 001 680-291	45 01500	2PF 001 634-101
710 30 105 730 3	1EH 002 658-341	712 05 405 865 0	1AJ 007 677-031	81 25229 0035	2KA 003 389-081	50.25225-6002	2SD 001 693-011
710 30 105 730 3	1EH 002 658-391	712 05 405 865 1	1AJ 007 677-041	81 25229 0036	9EL 110 737-001	70.08350.6636	2KA 001 386-291
710 30 105 730 4	1EH 002 658-401	712 05 405 865 2	1AJ 007 677-031	81 25320 6058	9EL 110 736-001	74.00360.6651	2AB 001 208-001
710 30 107 330 5	1EJ 004 440-251	712 16 766 000 9	2BA 006 091-021	88 25225 6012	2BA 003 022-021	07.92008-1295	8GP 008 285-001
710 30 107 330 6	1EJ 004 440-261	712 16 767 000 9	2BA 006 091-011	88 25229 0005	2BA 001 221-031	07.92008-1805	8GS 007 949-101
710 30 107 331 7	1EJ 007 219-051	712 35 100 112 0	2BA 007 249-021	1.25103.6008	9EL 110 013-001	81.25101.0019	8XT 002 121-001
710 30 107 331 8	1EJ 007 219-061	712 35 110 112 0	2BA 007 249-011	1.25103.6016	2ZR 001 193-011	81.25101.6024	1S3 001 117-041
710 30 107 510 1	1AH 005 295-141	712 35 120 112 0	1AG 007 573-021	1.25103.6036	2ZR 002 589-011	81.25101.6043	1AG 002 343-101
710 30 107 510 2	1AH 005 295-131	712 35 123 112 0	1AG 007 573-061	1.25103.6036	2ZR 003 236-051	81.25101.6069	1AG 001 108-451
710 30 108 111 1	1EH 008 688-011	712 35 130 112 0	1AG 007 573-011	1.25103.6039	2ZR 001 236-057	81.25101.6099	1AG 002 343-101
710 30 108 111 2	1EH 008 688-021	712 35 133 112 0	1AG 007 573-051	1.25103.6039	2NE 003 236-001	81.25101.6121	1S5 003 178-431
710 30 108 111 3	1EH 008 688-031	712 36 460 112 9	1AF 006 827-181	1.25103.6041	2NE 003 236-008	81.25101.6123	1AG 002 343-101
710 30 108 111 4	1EH 008 688-041	712 36 470 112 9	1AF 006 827-171	1.25110.6005	2ZR 004 542-001	81.25101.6138	1A8 003 060-541
710 30 108 111 5	1EH 008 688-071	712 36 480 112 9	2BA 006 749-081	1.25225.6042	9EL 101 353-001	81.25101.6172	1A5 003 178-411
710 30 108 111 6	1EH 008 688-081	712 36 481 112 9	2BA 006 749-061	1.25225.6092	2SD 001 693-011	81.25101.6192	1G5 119 738-001
710 30 108 111 9	1EH 008 688-031	712 36 490 112 9	2BA 006 749-071	1.25225.6097	2SD 001 680-281	81.25101.6218	1AG 003 434-211
710 30 108 112 0	1EH 008 688-041	712 36 491 112 9	2BA 006 749-051	1.25225.6182	2SE 001 680-291	81.25101.6219	1AG 003 434-211
710 30 108 112 1	1EH 008 688-071	712 36 545 112 9	1AF 006 826-181	1.25225.6409	2KA 003 389-081	81.25101.6227	1AG 003 434-251
710 30 108 112 2	1EH 008 688-081	712 36 550 112 9	1AF 006 826-171	1.25225.6410	9EM 128 229-001	81.25101.6248	1AE 004 234-001
710 30 108 131 3	1EH 008 688-051	712 37 021 112 9	1NA 009 026-021	1.25225.6411	9EM 128 244-001	81.25101.6262	1BL 005 740-101
710 30 108 131 4	1EH 008 688-061	712 37 031 112 9	1NA 009 026-011	1.25225.6412	9EM 128 229-011	81.25101.6263	1BL 005 740-091
710 30 108 131 5	1EH 008 688-091	712 37 320 112 9	1AG 007 573-121	1.25225.6423	9EM 128 229-031	81.25101.6264	1FE 005 478-011
710 30 108 131 6	1EH 008 688-101	712 37 330 112 9	1AG 007 573-111	1.25225.6424	2ZR 001 240-351	81.25101.6265	1FE 005 478-011
710 30 108 132 1	1EH 008 688-051	7 123 775 011 29	9EL 151 875-021	1.25225.6426	2DA 001 240-341	81.25101.6289	1D3 009 027-011
710 30 108 132 2	1EH 008 688-061	7 123 775 011 29	9EL 151 876-021	1.25228.6002	2SA 001 240-331	81.25101.6290	1D3 009 027-021
710 30 108 132 3	1EH 008 688-071	712 38 981 112 9	1EJ 007 700-071	1.25228.6002	2BA 001 240-301	81.25101.7045	8JA 001 909-011
710 30 108 132 4	1EH 008 688-081	712 38 981 112 9	1EJ 007 700-081	1.25229.0035	9BG 121 587-031	81.25102.6031	2NE 003 030-151
710 30 108 132 5	1EH 008 688-091	712 38 991 112 9	1EJ 007 700-071	1.25229.0036	9BG 121 587-037	81.25102.6037	2NE 003 030-151
710 30 108 132 6	1EH 008 688-101	712 38 991 112 9	1EJ 007 700-081	1.25229.0622	9EL 110 737-001	81.25102.6078	1NB 003 367-137
710 30 108 132 7	1EH 008 688-051	712 39 761 112 9	1AF 006 827-181	1.25229.0623	9EL 110 736-001	81.25102.6083	1NL 004 840-081
710 30 108 132 8	1EH 008 688-061	712 39 761 112 9	1AF 006 827-261	1.25320.6049	9EL 114 401-031	81.25102.6084	1NE 006 300-231
710 30 108 132 9	1EH 008 688-071	712 39 771 112 9	1AF 006 827-171	1.25320.6050	9EL 114 401-041	81.25102.6087	1ND 003 590-001
710 30 108 133 0	1EH 008 688-081	712 39 781 112 9	1AF 006 826-251	1.25320.6058	2BA 002 324-021	81.25102.6088	1NE 006 300-051
710 30 108 133 1	1EH 008 688-091	712 39 791 112 9	1AF 006 826-271	16 10072 0014	2BA 002 324-021	81.25102.6096	1NB 004 691-147
710 30 108 133 2	1EH 008 688-101	712 75 405 864 9	1AJ 007 677-041	1.66804.6012	2BA 003 022-021	81.25103.6008	2ZR 001 193-011
710 30 108 133 3	1EH 008 688-011	712 75 405 865 0	1AJ 007 677-031	1.96001.0407	2JA 002 661-001	81.25103.6011	2ZR 001 240-351
710 30 108 133 4	1EH 008 688-021	712 75 405 865 1	1AJ 007 677-041	28.12510.1622.71	2XW 003 146-001	81.25103.6012	2ZR 001 423-001
710 30 108 133 5	1EH 008 688-031	712 75 405 865 2	1AJ 007 677-031	28 12510 3603 9	9GT 134 130-001	81.25103.6016	2ZR 002 589-011
710 30 108 133 6	1EH 008 688-041	712 75 405 865 3	1AG 008 563-021	28 12510 3603 9	1AG 003 434-251	81.25103.6027	1G8 002 340-011
710 30 108 133 7	1EH 008 688-051	712 75 405 865 4	1AG 008 563-011	28 12510 3603 9	2ZR 003 236-051	81.25103.6033	1G4 003 470-031
710 30 108 133 8	1EH 008 688-061	712 75 405 865 5	1AJ 007 677-021	28 12510 8000 9	2ZR 003 236-057	81.25103.6039	2ZR 003 236-051
710 30 108 133 9	1EH 008 688-071	712 75 405 865 6	1AJ 007 677-011	28 12520 7606 6	9ES 120 743-001	81.25103.6039	2ZR 003 236-057
710 30 108 134 0	1EH 008 688-081	712 75 405 865 7	1AJ 007 677-021	28 12522 9085 9	2RL 008 060-011	81.25103.6041	2ZR 004 542-001
710 30 108 134 1	1EH 008 688-091	712 75 405 865 8	1AJ 007 677-011	28 12526 0604 71	9EL 147 747-001	81.25103.6042	1G4 004 480-001
710 30 108 134 2	1EH 008 688-101	712 75 405 865 9	1AG 006 560-261	28 12526 0604 71	9EL 147 747-007	81.25103.6051	1G3 005 760-031
710 30 108 134 3	1EH 008 688-011	713 20 210 112 9	1AG 006 560-251	28 12526 0605 61	2XS 103 020-011	81.25103.6052	1FD 005 700-051
710 30 108 134 4	1EH 008 688-021	713 20 220 112 9	1AG 006 560-241	28 22520 76036	2XS 005 020-017	81.25103.6060	1GA 007 506-081
710 30 108 134 5	1EH 008 688-031	713 20 230 112 9	1AG 006 560-231	28.22526.060201	2RL 008 060-111	81.25103.7003	2ZR 001 240-351
710 30 108 134 6	1EH 008 688-041	713 20 240 112 9	1ED 008 387-021	33.25225.6001	2RL 008 060-111	81.25108.0009	9ES 120 743-001
710 30 108 134 7	1EH 008 688-051	713 20 250 112 9	1ED 008 387-011	33.25225.6001	2XS 955 031-001	81.25108.0013	1G4 129 089-011
710 30 108 134 8	1EH 008 688-061	713 20 260 112 9	1EE 270 000-021	33.25225.6002	2BM 008 355-001	81.25108.0014	1AE 003 427-011
710 30 108 134 9	1EH 008 688-071	713 20 270 112 9	1EE 270 000-011	33.25225.6002	2BM 008 355-007	81.25108.0015	1G3 135 211-011
710 30 108 135 0	1EH 008 688-081	713 20 280 112 9	1EE 270 000-021	33.25225.6002	2PS 003 057-051	81.25108.0016	9DF 112 247-001
710 30 108 135 1	1EH 008 688-091	713 20 290 112 9	1EE 270 000-011	33.25225.6002	2PS 003 057-052	81.25108.0020	1GA 998 525-001
710 30 108 135 2	1EH 008 688-101	713 20 300 112 9	1EE 270 000-011	33.25231.0001	2PS 003 057-057	81.25110.0051	9ES 112 293-001
710 30 108 135 3	1EE 009 055-011	7140 296311701	9EL 131 651-031	36.25101.6000	9GT 137 236-007	81.25113.0030	1G8 132 233-011
710 30 108 135 4	1EE 009 055-021	7140 29631801	9EL 131 652-031	36.25101.6000	1KO 008 191-041	81.25113.0033	9DE 122 850-005
710 30 108 135 5	1EE 009 055-031	7140 29781701	9EL 129 149-021	36.25101.6000	1KO 008 191-047	81.25113.0036	9DE 122 850-005
710 30 108 135 6	1EF 009 057-011	7140 29781801	9EL 129 150-021	36.25101.6001	1BL 008 193-011	81.25113.0044	9DE 132 750-015
710 30 108 135 7	1EF 009 057-021	714 09 819 017 7	1NO 270 204-051	36.25101.6001	1BL 008 193-017	81.25113.0050	1EA 990 185-001
710 30 108 135 8	1AG 009 059-011	714 09 819 017 8	1NO 270 204-061	36.25101.6002	1BL 007 834-007	81.25113.0011	9DF 112 246-001
710 30 108 135 9	1AG 009 059-021	7140 98190208	9EL 128 948-011	36.25101-6003	1BL 007 834-027	81.25113.6016	1NE 138 555-011
710 30 108 136 0	1EE 009 056-011	7140 98190209	9EL 128 949-011	36.25101-6004	1AL 008 934-001	81.25113.6017	1NE 138 575-011
710 30 108 136 1	1EE 009 056-021	7140 98190210	9EL 128 948-011	36.25102.6000	1NO 008 582-011	81.25114.0064	9AG 138 131-011
710 30 108 136 2	1EG 247 007-011	714 09 819 023 8					



# Manufacturer's no. / Hella no.

## Cross-Reference

MAN	Hella	MAN	Hella	MAN	Hella	Massey-Ferguson	Hella
81.25225.6119	2KA 001 389-101	81.25321.0022	9EL 116 907-001	85.25103-6012	1G3 996 001-331		
81.25225.6121	2KA 003 010-007	81.25321.0028	9EL 990 186-000	85.96001.0005	9GT 074 132-001	3 219 86 M1	2SA 001 634-121
81.25225.6151	2SL 003 567-311	81.25326.7016	2BA 001 240-301	88.25101.6007	1K0 008 191-021	3 248 994 0	1G4 003 470-031
81.25225.6162	2SA 003 057-021	81.25407.6139	8KA 950 073-001	88.25101.6007	1K0 008 191-027	3 304 566 M91	2SD 002 582-021
81.25225.6162	2SA 003 057-022	81.25432.0139	8JB 850 434-011	88.25101-6008	1NL 008 090-117	3 304 566 M91	2SD 002 582-027
81.25225.6172	2SL 003 567-311	81.25435.0007	8JA 001 909-011	88.25120.0001	9GH 152 654-007	3 304 567 M91	2SD 002 582-017
81.25225.6182	2KA 003 389-081	81.25435.0040	8JA 001 915-001	88.25120.0002	9GH 158 051-007	3 385 820 M01A	2SD 002 582-017
81.25225.6198	2VP 003 567-121	81.25435-007	8JA 001 909-011	88.25201.6033	2JA 001 331-011	3 385 820 M1	2JA 001 357-002
81.25225.6198	2VP 003 567-127	81.25435.0084	8JA 001 909-001	88.25201.6064	2PF 001 259-677	3 385 820 M1	2JA 001 357-002
81.25225.6233	2KA 001 386-301	81.25505.0501	8JA 001 914-011	88.25210-6014	2PF 001 259-677	3 389 596 M01A	1GA 005 060-001
81.25225.6259	2SD 003 167-531	81.25901.0029	6ED 708 919-001	88.25215.0001	8RA 008 405-001	3 389 596 M1	8RA 004 412-021
81.25225.6260	2SD 003 167-541	81.25901.0043	8GP 002 096-061	88.252229-0004	8RA 008 405-007	3 389 596 M1	8RA 004 412-021
81.25225.6402	2SD 001 685-231	81.25901.0109	8GP 002 095-241	88.25225.0004	9EL 110 014-001	3 713 132 M91A	1GA 006 876-001
81.25225.6402	2SD 001 685-232	81.25901.7052	8GS 007 001-121	88.25225.0004	2BA 001 416-011	3 713 132 M91A	2BE 001 182-091
81.25225.6403	2SE 001 685-221	81.25901.7069	8GA 002 072-241	88.25225.0005	2BA 001 416-021	3713 130 M91A	1GA 006 991-041
81.25225.6403	2SE 001 685-227	81.25908.0036	8GD 002 088-251	88.25225.0006	2BA 001 221-041	3713 132 M91A	1GB 996 080-001
81.25225.6404	2TF 001 259-761	81.25935.6540	9MK 854 066-001	88.25225.6012	2BA 001 221-031	3 713 135 M1	1GB 006 213-111
81.25225.6409	9EM 128 229-001	81.25940-0315	5AB 005 944-011	88.25225.6015	2KA 001 622-001	3 713 135 M1	1GB 006 213-117
81.25225.6413	2NE 003 236-301	81.25943-6017	8HG 151 866-001	88.25225.6023	2BA 003 236-541	3714 399 M92	1AB 006 213-001
81.25225.6413	2NE 003 236-307	81.25943-6019	5DV 007 810-171	88.25225.6026	2BA 008 221-001	3778 456 M92	1GA 006 876-001
81.25225.6423	2ZR 001 240-351	81.25943-6019	5DV 008 856-001	88.25225.6026	2BA 008 221-007	3786 664 M91	1GA 006 991-041
81.25225.6424	2DA 001 240-341	81.42950.0008	5DV 008 856-007	88.25225.6033	2SB 008 805-021	3786 666 M91	1GA 996 161-101
81.25225.6425	2SA 001 240-331	81.42950.0012	8RA 002 016-121	88.25225.6034	2SB 008 805-027	3786 666 M91	1GA 996 161-291
81.25225.6426	2BA 001 240-301	81.42950.0013	8RA 002 023-011	88.25229.0005	2KA 959 640-607	3788 157 M91	1GA 996 161-121
81.25225.6438	2BA 002 652-101	81.42950.0028	8RA 002 023-021	88.25229.0005	9EL 110 014-001	3 901 645 M1	1GA 006 876-001
81.25225.6438	2BA 002 652-107	81.42950.0038	8RL 002 009-021	88.25260.6002	9EL 110 013-001	4 199 21 M1	2AA 001 201-011
81.25225.6449	2BA 005 603-001	81.42950.0043	8RA 003 326-041	88.25260.6003	2PF 001 638-001	4 272 781 M91	2BA 001 248-001
81.25225.6451	2BA 003 734-011	81.42950.0038	8RA 003 326-047	88.25260.6009	2SA 001 638-021	4 272 783 M91	1GA 006 876-001
81.25225.6452	2KA 001 388-051	81.42950.0050	8RA 002 016-121	88.25260.6010	2SA 006 679-027	4 272 829 M91	1GA 996 161-121
81.25225.6459	2BM 006 692-011	81.42950.0063	8RA 003 326-041	88.25260.6012	2PS 006 717-031	4 275 161 M91	1GA 996 161-121
81.25225.6459	2BM 006 692-017	81.42950.0066	8RA 003 326-001	88.25260.6012	2PS 006 717-032	4 275 162 M91	1GA 996 161-121
81.25225.6460	2BM 006 692-021	81.42950.0066	8RA 003 326-001	88.25260.6014	2PS 006 717-037	4 276 983 M91	1GA 996 161-291
81.25225.6481	2SB 003 014-151	81.42950.0066	8RA 003 326-941	88.25260.6014	2XS 005 020-001	4 294 624 M1	2XS 003 168-071
81.25225.6482	2DA 003 014-031	81.66804.6012	2XW 003 146-001	88.25260.6014	2XS 005 020-003	4392669	1GA 006 875-001
81.25225.6482	2DA 003 014-037	81.66804.6017	2XW 002 897-051	88.25260.6003	2BA 003 014-111	4 490 077 0	1GA 998 532-011
81.25225.6523	2VP 008 204-241	81.66804.6026	2XW 003 146-001	88.25260.6005	2BA 001 277-011	4 506 004 5	1G5 003 241-021
81.25225.6524	2VD 008 204-251	81.96001.0290	9GT 074 132-001	88.42950.0005	8RA 002 020-001	4 506 004 5	1G5 003 241-071
81.25228.0015	9HB 126 601-001	81.96001.0311	9GT 067 751-001	88.42950.0005	8RA 002 020-002	4 508 470 0	1GA 998 522-011
81.25228.6002	9BG 121 587-031	81.96001.0407	9GT 134 130-001	88.42950.0005	8RA 002 020-003	5 017 952 M1	2RL 007 337-001
81.25228.6002	9BG 121 587-037	81.96002.0196	9GH 096 532-001	88.96501.0131	9GD 118 983-021	6 814 72	9ES 069 831-001
81.25228.6019	9BG 130 945-001	81.96101-0802	9GD 159 740-007	90.81610.3160	2ZR 001 240-351	6 857 84	9ES 015 675-001
81.25228.6020	9BG 130 946-001	81.96410.0355	9HD 121 297-001	90.81610.3161	2ZR 001 240-351	9 060 916 M91A	2KA 001 389-101
81.25229.0035	9EL 110 737-001	81.96410.0355	9HD 121 297-035	90.81610.3185	2ZR 004 542-001	9 690 18 M1	2PF 001 634-101
81.25229.0036	9EL 110 736-001	81.96410.0601	9GH 126 647-011	90.81610.9494	1AG 001 108-301	9 692 36 M1	2BE 001 278-011
81.25229.0063	9EL 109 139-001	81.96820.0027	9XR 854 840-001	90.81613.1217	8JA 001 909-011	D 450 513 00	8HG 002 365-001
81.25229.0066	9EL 854 912-001	82.00004.5492	2SE 001 685-201	90.81615.9134	2SE 001 680-291		
81.25229.0123	9EL 115 830-001	82.25101.6008	1A7 003 099-011	90.81615.9135	2SD 001 685-211		
81.25229.0124	9EL 108 651-001	82.25101.6027	1FE 006 300-121	90.81615.9135	2SD 001 685-218		
81.25229.0125	9EL 107 443-011	82.25102.6004	2NR 001 173-061	90.81615.9136	2SE 001 685-201		
81.25229.0158	9EL 116 607-005	82.25103.6025	2ZE 003 315-041	90.81615.9144	2SD 001 680-281		
81.25229.0244	9EL 122 772-001	82.25103-6047	1G3 005 760-221	90.81615.9149	2PF 001 648-171		
81.25229.0269	9EL 118 445-001	82.25103-6047	1G3 005 760-227	90.81615.9168	2JA 001 346-011		
81.25229.0561	9EL 950 315-001	82.25201-6001	2JA 003 354-051	90.81615.9176	2KA 001 386-291		
81.25229.0561	9EL 950 315-061	82.25206.6001	2PF 001 648-171	90.81615.9192	2BA 001 227-201		
81.25229.0562	9EL 950 315-031	82.25207.6036	2RL 008 060-111	90.81615.9196	2AB 001 208-001		
81.25229.0602	9EL 132 044-001	82.25207.6037	2RL 008 061-111	90.81615.9205	2PF 001 638-001		
81.25229.0603	9EL 122 689-021	82.25260-6015	2PF 003 057-001	90.81615.9213	2AA 001 200-131		
81.25229.0617	9EL 132 215-011	82.25260-6015	2PF 003 057-002	90.81615.9223	2AA 001 200-001		
81.25229.0618	9EL 132 215-011	82.25260-6017	2PG 003 057-011	90.81615.9223	2AA 001 200-002		
81.25229.0623	9EL 114 001-041	82.25260-6017	2PG 003 057-012	90.81615.9249	2BA 001 240-301		
81.25229.0713	9EL 856 416-001	82.25260-6020	2XS 955 031-001	90.81615.9251	2BA 001 240-301		
81.25229.0784	9EL 119 544-111	82.25260-6027	2SB 001 259-261	90.81615.9285	2JA 001 335-011		
81.25229.0785	9EL 119 544-001	82.25260-6029	2SA 997 027-001	90.81615.9297	2NE 003 030-151		
81.25229.0786	9EL 119 544-021	82.25260-6032	2PG 004 361-011	90.81615.9298	2SA 001 240-331		
81.25229.0859	9EL 147 747-001	82.25260-6032	2PG 004 361-017	90.81615.9299	2BA 001 240-301		
81.25229.0859	9EL 147 747-007	82.25310.0001	4AZ 003 787-021	90.89110.5336	8RA 002 016-111		
81.25229.0962	9EL 862 141-001	82.25902.0042	4AZ 001 879-021	90.89110.5357	8RA 002 023-011		
81.25229.6002	9EL 855 097-001	8.25225.6004	2BA 001 416-011	90.89110.5358	8RA 002 023-021		
81.25229.6005	9EL 122 772-001	8.25225.6005	2BA 001 416-021	E 50 25225 6002	2SD 001 693-011		
81.25229.6024	9EL 122 772-051	8.25225.6008	2BA 001 221-041	E81.25103-6060	1GA 007 506-081		
81.25229.6033	9EL 122 689-021	8.25225.6012	2BA 001 221-031	N1.01102-5087	2NE 005 603-077		
81.25229.6036	9EL 122 689-021	8.25229.0004	9EL 110 014-001	N1.01102-5195	2BA 005 603-017		
81.25229.6036	9EL 122 689-021	8.25229.0005	9EL 110 013-001	N1.01102-5201	2BA 001 259-611		
81.25229.6053	9EL 134 658-001	8.25232.0003	9GD 082 716-001	N1.01102-5244	2PS 962 964-018		
81.25229.66128	9EL 122 772-051	83.25101.6012	1BL 005 380-041	N1.01102-5258	2SB 005 603-137		
81.25231.0020	9GD 052 710-021	83.25101.6013	1BL 005 380-031	N1.01102-5268	2SD 003 184-041		
81.25231.0030	9GD 120 670-001	83.25101.6013	1KB 003 177-061	N1.01102-5268	2SD 003 184-047		
81.25231.0041	9GD 087 883-355	83.25102.60001	1NL 005 987-001	N1.01102-5280	2SD 002 582-127		
81.25236.0002	9FH 112 497-001	83.25102.6001	1NL 005 987-001	N1.01102-5302	8XU 007 842-027		
81.25236.0023	9FF 126 444-001	83.25205.6501	2JA 001 364-001	N1.01102-5322	1NL 007 834-017		
81.25236.0047	9FF 135 906-021	83.25240.6001	2KA 001 378-041	N1.01102-5329	1NL 007 186-047		
81.25238.6003	9MN 857 622-011	83.25260.6504	2PF 959 570-401	N1.01102-5337	2SE 997 111-011		
8							

# Manufacturer's no. / Hella no.

## Cross-Reference



Mercedes-Benz Hella		Mercedes-Benz Hella		Mercedes-Benz Hella		Mercedes-Benz Hella	
A 000 544 13 04	2NE 002 589-047	A 000 820 27 21	2BA 003 975-031	A 000 826 12 24	9HD 121 297-001	A 001 544 15 03	2SD 001 680-271
A 000 544 13 47	1GA 998 522-011	A 000 820 28 21	2BA 003 975-041	A 000 826 13 41	8RL 002 009-011	A 001 544 19 03	2SE 001 688-161
A 000 544 14 18	1AG 001 108-531	A 000 820 34 21	2BA 003 411-001	A 000 826 14 40	8RA 003 326-021	A 001 544 20 03	2SD 001 688-171
A 000 544 16 18	1ND 122 390-001	A 000 820 37 21	2BA 004 119-001	A 000 826 14 41	2PS 002 727-001	A 001 544 21 94	8GH 002 473-132
A 000 544 17 04	2NE 006 609-001	A 000 820 41 64	2SB 001 423-097	A 000 826 14 42	2PS 002 727-007	A 001 544 26 90	9ES 093 815-001
A 000 544 17 04	2NE 006 609-007	A 000 820 52 21	2BM 004 312-051	A 000 826 14 41	2PS 004 361-001	A 001 544 37 90	9EL 102 240-031
A 000 544 18 04	2NE 003 236-301	A 000 820 52 61	1S5 003 178-431	A 000 826 14 41	2PS 004 361-007	A 001 544 38 01	1AB 006 213-011
A 000 544 18 04	2NE 003 236-307	A 000 820 53 08	9MN 857 622-101	A 000 826 16 40	8RA 003 326-041	A 001 544 40 03	2SE 001 699-071
A 000 544 20 34	2KA 003 010-007	A 000 820 53 21	2BM 004 312-061	A 000 826 16 40	8RA 003 326-047	A 001 544 41 03	2SD 001 699-061
A 000 544 24 07	2ZR 003 236-051	A 000 820 55 01	2JA 001 364-001	A 000 826 17 41	8RA 003 326-011	A 001 544 45 03	2SE 001 699-071
A 000 544 24 07	2ZR 003 236-057	A 000 820 59 26	5AB 005 944-001	A 000 826 17 41	8RA 003 326-017	A 001 544 46 01	1AB 006 213-001
A 000 544 26 18	1G8 132 233-011	A 000 820 59 56	2NE 001 423-011	A 000 826 18 40	2DA 003 236-031	A 001 544 46 03	2SD 001 699-061
A 000 544 27 18	1AB 003 177-071	A 000 820 60 56	1NE 002 537-301	A 000 826 18 40	2DA 003 236-037	A 001 544 55 90	9EL 109 139-001
A 000 544 27 93	9FF 090 500-001	A 000 820 61 21	2BM 002 652-051	A 000 826 18 40	8RA 003 326-031	A 001 544 63 03	2SD 001 685-211
A 000 544 28 34	2KA 001 386-281	A 000 820 62 21	2BA 003 975-031	A 000 826 19 40	8RA 003 326-041	A 001 544 63 03	2SD 001 685-218
A 000 544 29 05	8RL 002 009-021	A 000 820 62 61	1AE 003 440-611	A 000 826 19 40	8RA 003 326-047	A 001 544 64 03	2SE 001 685-201
A 000 544 30 05	8RA 002 014-031	A 000 820 63 01	2JA 003 115-001	A 000 826 21 47	9EL 110 536-001	A 001 544 68 03	2SD 003 167-011
A 000 544 30 05	8RA 002 014-032	A 000 820 63 21	2BA 003 975-041	A 000 826 21 47	2PF 001 638-001	A 001 544 68 03	2SD 003 167-021
A 000 544 30 34	2KA 001 386-231	A 000 820 63 56	2ZR 003 030-171	A 000 826 26 10	9EL 116 380-045	A 001 544 68 90	9EL 092 435-011
A 000 544 32 05	8RL 002 009-021	A 000 820 63 61	1AE 003 440-621	A 000 826 27 10	9EL 116 380-035	A 001 544 69 03	2SE 003 167-031
A 000 544 32 07	2BA 003 236-177	A 000 820 64 21	2BA 004 499-001	A 000 826 27 40	8RA 004 412-001	A 001 544 69 03	2SE 003 167-041
A 000 544 32 18	1A3 996 162-321	A 000 820 64 61	1AE 003 440-631	A 000 826 28 40	8RA 003 326-041	A 001 544 75 03	2SD 001 690-281
A 000 544 32 34	2KA 001 386-281	A 000 820 65 61	1AE 003 440-641	A 000 826 28 40	8RA 003 326-047	A 001 544 76 03	2SE 001 680-291
A 000 544 33 07	2ZR 003 236-311	A 000 820 68 21	9EL 129 615-011	A 000 826 28 97	9GD 128 553-007	A 001 544 77 90	9EL 107 368-001
A 000 544 34 91	9KS 075 307-001	A 000 820 69 21	9EL 129 614-011	A 000 826 29 47	2PF 001 648-161	A 001 544 78 90	9EL 111 647-001
A 000 544 35 05	8RA 002 014-051	A 000 820 70 01	2JA 001 364-041	A 000 826 30 10	9EL 115 003-055	A 001 544 80 03	2SE 003 167-031
A 000 544 35 05	8RA 002 014-052	A 000 820 70 61	1AE 003 440-611	A 000 826 30 47	2SA 001 259-751	A 001 544 81 03	2SD 003 167-021
A 000 544 37 34	2KA 003 168-021	A 000 820 71 10	6ZE 001 759-051	A 000 826 30 47	2SA 001 259-757	A 001 544 82 03	2SD 003 167-011
A 000 544 37 90	9ES 015 675-001	A 000 820 71 61	1AE 003 440-621	A 000 826 31 10	9EL 110 536-011	A 001 544 82 90	9AG 104 328-001
A 000 544 39 05	8RA 002 014-051	A 000 820 72 56	2NE 003 030-151	A 000 826 32 81	9DR 080 691-011	A 001 544 82 90	9AG 125 569-001
A 000 544 39 05	8RA 002 014-052	A 000 820 72 61	1AE 003 440-631	A 000 826 33 81	9DR 080 700-011	A 001 544 83 03	2SE 003 167-041
A 000 544 39 11	2XS 007 841-011	A 000 820 73 21	9EL 120 651-001	A 000 826 34 82	9FF 085 642-001	A 001 544 83 90	9EL 118 445-001
A 000 544 40 11	2XS 007 841-017	A 000 820 73 61	1AE 003 440-641	A 000 826 35 10	9EL 137 241-001	A 001 544 83 90	9EL 147 747-001
A 000 544 40 11	2XS 007 841-021	A 000 820 74 21	9EL 120 652-001	A 000 826 36 47	2PF 001 650-001	A 001 544 83 90	9EL 147 747-007
A 000 544 40 11	2XS 007 841-027	A 000 820 77 01	2JA 002 661-028	A 000 826 38 81	9DE 087 430-011	A 001 544 85 90	9EL 112 763-001
A 000 544 41 05	8RA 002 016-111	A 000 820 77 21	9EL 127 689-001	A 000 826 39 81	9GD 094 601-001	A 001 544 91 44	8GA 006 841-121
A 000 544 42 05	8RA 003 326-001	A 000 820 78 21	9EL 127 688-001	A 000 826 39 81	9DR 080 691-011	A 001 544 91 94	8GA 006 841-121
A 000 544 42 05	8RA 003 326-002	A 000 820 79 21	2BM 002 652-071	A 000 826 40 81	9DR 080 700-011	A 001 544 92 90	9EL 119 544-001
A 000 544 43 90	9EL 141 612-001	A 000 820 80 21	2BM 002 652-081	A 000 826 42 10	9ES 247 753-001	A 001 544 94 90	9EL 119 544-001
A 000 544 44 03	2SB 001 673-002	A 000 820 81 21	9EL 129 615-011	A 000 826 42 47	2PF 001 259-631	A 001 545 04 26	8JB 001 933-031
A 000 544 44 05	8RA 004 412-021	A 000 820 82 21	9EL 129 614-011	A 000 826 43 10	9ES 247 754-001	A 001 545 58 11	6ZE 001 759-071
A 000 544 45 05	8RA 002 016-111	A 000 820 87 01	2JA 001 330-001	A 000 826 43 47	2BA 001 259-611	A 001 545 89 32	1KL 007 834-027
A 000 544 48 11	2PS 963 639-011	A 000 820 87 01	2JA 001 330-007	A 000 826 43 47	2BA 001 259-618	A 001 820 00 56	2TK 001 633-211
A 000 544 48 11	2PS 963 639-017	A 000 820 87 56	2ZR 003 030-171	A 000 826 45 99	1A8 121 149-001	A 001 820 04 56	2XS 004 237-301
A 000 544 48 11	2PS 963 639-111	A 000 820 89 20	2BA 001 227-211	A 000 826 47 47	2PF 001 647-067	A 001 820 05 01	2AB 004 532-051
A 000 544 48 11	2PS 963 639-117	A 000 820 90 56	2KA 003 389-061	A 000 826 49 47	2PF 001 647-067	A 001 820 05 01	2AB 004 532-057
A 000 544 56 03	2SD 001 686-101	A 000 820 90 56	2KA 003 389-062	A 000 826 49 81	9DR 091 085-001	A 001 820 07 61	1AE 003 440-631
A 000 544 56 30	2BA 003 236-021	A 000 820 90 56	2KA 003 389-068	A 000 826 52 90	9ES 091 183-001	A 001 820 08 61	1AE 003 440-641
A 000 544 56 30	2BA 003 236-027	A 000 820 93 56	2XS 005 020-001	A 000 826 52 99	1A8 121 150-001	A 001 820 11 01	2AB 004 532-001
A 000 544 56 93	9FH 093 887-001	A 000 820 93 56	2XS 005 020-002	A 000 826 55 78	9DR 112 547-001	A 001 820 11 01	9EL 122 268-001
A 000 544 58 93	9FH 112 497-001	A 000 820 93 56	2XS 005 020-003	A 000 826 59 90	9ES 082 415-001	A 001 820 11 56	2XS 004 237-291
A 000 544 59 30	2BA 002 939-251	A 000 820 93 61	1AE 003 440-631	A 000 826 61 90	9ES 091 183-001	A 001 820 13 21	2BM 002 847-107
A 000 544 65 03	2ST 001 673-011	A 000 820 94 56	2TJ 001 633-211	A 000 826 65 81	9DR 091 085-001	A 001 820 14 56	2KA 001 378-041
A 000 544 65 92	9DR 060 567-001	A 000 820 95 56	2TJ 003 168-151	A 000 826 65 99	1FE 125 510-011	A 001 820 14 61	1AE 003 440-671
A 000 544 65 93	9FF 111 606-021	A 000 820 96 56	2PF 001 638-067	A 000 826 66 24	9GH 156 191-001	A 001 820 15 61	1AE 003 440-681
A 000 544 69 92	9DS 088 583-001	A 000 820 98 21	9EL 127 689-001	A 000 826 67 90	9ES 071 899-021	A 001 820 21 61	1AE 003 440-671
A 000 544 70 03	2SE 001 699-071	A 000 820 98 58	2RM 007 200-041	A 000 826 69 81	9DE 087 430-011	A 001 820 22 61	1AE 003 440-681
A 000 544 75 92	9DE 119 443-001	A 000 821 01 25	9EL 127 688-001	A 000 826 72 90	9ES 094 588-001	A 001 820 25 21	2BA 003 236-541
A 000 544 76 03	2SD 001 686-101	A 000 821 01 25	8JA 001 909-001	A 000 826 73 82	9FH 113 447-011	A 001 820 32 61	1A8 003 060-551
A 000 544 76 92	9DR 104 336-001	A 000 822 04 07	2AA 001 200-151	A 000 826 77 82	9FF 121 000-001	A 001 820 33 61	1A8 004 148-007
A 000 544 77 02	9BG 121 740-001	A 000 822 04 90	9EL 854 912-001	A 000 826 78 90	9ES 094 588-001	A 001 820 34 35	9MM 859 358-801
A 000 544 77 03	2SD 001 699-061	A 000 822 13 21	4AZ 001 879-021	A 000 826 84 82	9FT 129 176-001	A 001 820 36 61	1AE 003 440-461
A 000 544 77 03	9GD 102 484-001	A 000 822 27 20	2BA 001 234-261	A 000 826 86 81	9DE 116 730-001	A 001 820 37 21	2BE 003 014-257
A 000 544 78 03	2SE 001 699-071	A 000 822 30 88	9DX 859 560-001	A 000 826 88 81	9DE 116 732-001	A 001 820 37 21	2BE 003 014-257
A 000 544 78 06	1NL 008 090-117	A 000 822 31 88	9DX 859 625-001	A 000 826 88 81	9DE 116 733-001	A 001 820 37 61	1AE 003 440-451
A 000 544 79 80	9GD 102 484-001	A 000 822 33 97	9GD 856 562-001	A 000 826 89 81	9DE 116 065-001	A 001 820 38 21	2BA 002 652-101
A 000 544 85 80	9GD 087 883-355	A 000 822 34 97	9GD 856 863-001	A 000 826 90 81	9DE 116 066-001	A 001 820 39 21	2BA 002 652-107
A 000 544 87 01	1AB 001 100-107	A 000 822 35 88	9DX 859 626-001	A 000 826 91 81	9DE 116 730-001	A 001 820 39 21	2BM 006 692-011
A 000 544 87 80	9GD 120 670-001	A 000 822 43 10	9EL 116 907-001	A 000 826 91 82	9FT 129 176-001	A 001 820 39 21	2BM 006 692-017
A 000 544 93 03	2SE 002 582-071	A 000 822 49 10	9EL 101 899-001	A 000 826 93 81	9DE 116 732-001	A 001 820 40 21	2BM 006 692-021
A 000 544 99 03	2SD 001 699-061	A 000 822 50 10	9EL 101 900-001	A 000 826 93 90	9ES 071 899-021	A 001 820 41 21	2BM 006 692-027
A 000 545 07 81	9SG 703 965-007	A 000 822 74 10	9EL 052 476-001	A 000 826 94 80	9DE 116 733-001	A 001 820 40 46	1AE 003 440-451
A 000 545 13 47	1GA 998 522-011	A 000 822 75 10	9EL 110 737-001	A 000 826 95 80	9GD 052 710-021	A 001 820 41 61	1AE 0



# Manufacturer's no. / Hella no.

## Cross-Reference

### Mercedes-Benz Hella

A 001 822 67 20	2BA 003 197-011
A 001 822 68 20	2BA 003 197-021
A 001 822 72 20	2BA 002 652-111
A 001 822 72 20	2BA 002 652-117
A 001 822 73 20	2BA 002 652-121
A 001 822 73 20	2BA 002 652-127
A 001 822 78 10	9EL 856 415-001
A 001 822 79 10	9EL 856 416-001
A 001 822 80 20	2BA 003 014-011
A 001 822 81 20	2BA 003 014-111
A 001 826 01 82	9FF 137 580-005
A 001 826 02 80	9GD 113 431-005
A 001 826 02 81	9DF 117 504-007
A 001 826 06 81	9DE 118 792-001
A 001 826 07 81	9DE 118 793-001
A 001 826 08 81	9DE 116 065-001
A 001 826 08 81	9DE 116 066-001
A 001 826 08 90	9EL 107 443-001
A 001 826 10 90	9ES 082 415-001
A 001 826 38 78	9DE 122 228-011
A 001 826 39 78	9DE 122 228-021
A 001 826 44 90	9EL 110 928-001
A 001 826 47 78	9DE 122 228-011
A 001 826 47 78	9DE 122 228-021
A 001 826 47 90	9EL 101 353-001
A 001 826 52 89	9AG 129 328-001
A 001 826 53 78	9DE 119 445-001
A 001 826 59 90	9ES 082 415-001
A 001 826 74 78	9DE 129 975-021
A 001 826 75 78	9DE 129 974-021
A 001 826 77 90	9EL 108 435-001
A 001 826 82 78	9DE 129 975-021
A 001 826 83 78	9DE 129 974-021
A 002 544 00 94	8GH 007 157-121
A 002 544 02 03	2SE 003 167-031
A 002 544 06 90	9EL 131 420-001
A 002 544 07 03	2VB 004 887-011
A 002 544 07 03 0010	2VB 004 887-011
A 002 544 07 03 10	2VB 004 887-011
A 002 544 07 90	9EL 131 420-011
A 002 544 08 03	2VP 004 887-021
A 002 544 08 03 0010	2VP 004 887-021
A 002 544 08 03 10	2VP 004 887-021
A 002 544 09 03	2VA 004 887-031
A 002 544 12 90	9EL 134 296-041
A 002 544 13 03	2SD 001 680-271
A 002 544 14 03	2SD 001 680-281
A 002 544 15 03	2SE 001 680-291
A 002 544 16 03	2SE 001 680-301
A 002 544 16 90	9EL 134 296-051
A 002 544 19 90	9EL 122 772-051
A 002 544 20 90	9EL 122 772-001
A 002 544 21 90	9EL 134 301-001
A 002 544 26 03	2VD 005 300-551
A 002 544 31 03	2SL 003 567-311
A 002 544 31 94	8GH 007 643-121
A 002 544 32 94	8GS 007 001-121
A 002 544 40 03	2VD 005 300-581
A 002 544 42 03	2VD 005 300-551
A 002 544 47 90	9EL 152 891-001
A 002 544 54 03	2VP 008 204-101
A 002 544 54 32	4AZ 001 879-011
A 002 544 55 03	2VD 008 204-111
A 002 544 55 32	4AZ 001 879-021
A 002 544 57 03	2SD 003 167-531
A 002 544 58 03	2SD 003 167-541
A 002 544 62 90	9EL 136 833-011
A 002 544 63 90	9EL 136 825-011
A 002 820 20 61	1DL 007 859-011
A 002 820 21 61	1DL 007 859-011
A 002 820 22 61	1DL 007 859-021
A 002 820 23 26	5DV 008 855-017
A 002 820 34 56	2PS 006 717-071
A 002 820 37 56	1NE 006 300-201
A 002 820 39 56	1FE 006 300-191
A 002 820 47 56	2PF 006 679-077
A 002 820 57 56	2XS 003 168-071
A 002 820 90 56	2DA 007 421-007
A 002 820 90 56	2DA 007 421-007
A 002 822 17 10	9EL 861 597-011
A 002 826 01 90	9ES 111 705-001
A 002 826 02 78	9DE 122 228-011
A 002 826 02 90	9ES 111 704-001
A 002 826 03 78	9DE 122 228-021
A 002 826 03 90	9EV 113 436-005
A 002 826 06 90	9ES 113 917-001
A 002 826 07 90	9ES 113 916-001
A 002 826 08 90	9ES 111 705-001
A 002 826 09 90	9ES 111 704-001
A 002 826 12 90	9ES 113 917-001
A 002 826 13 90	9ES 113 916-001
A 002 826 14 90	9EL 107 443-061
A 002 826 19 90	9EV 113 436-005
A 002 826 21 90	9ES 116 061-005
A 002 826 22 90	9ES 116 062-005
A 002 826 26 90	9ES 082 333-031
A 002 826 36 90	9EL 119 874-001
A 002 826 39 90	9ES 116 061-005
A 002 826 39 90	9ES 116 062-005
A 002 826 41 90	9ES 120 719-005
A 002 826 42 90	9ES 120 720-005
A 002 826 44 90	9ES 120 721-001
A 002 826 45 90	9ES 120 722-001
A 002 826 60 90	9EL 122 268-001
A 002 826 63 90	9EL 074 484-031
A 002 826 66 90	9ES 120 719-005
A 002 826 67 90	9ES 120 720-005
A 002 826 68 90	9ES 120 721-001
A 002 826 69 90	9ES 120 722-001
A 002 826 72 90	9EL 110 544-001
A 002 826 78 90	9ES 112 293-001
A 002 826 84 90	9AH 127 703-051

### Mercedes-Benz Hella

A 002 826 85 90	9AH 127 704-051
A 002 826 88 90	9AH 127 703-051
A 002 826 89 90	9AH 127 704-051
A 002 826 90 90	9ES 127 153-001
A 002 826 91 90	9ES 127 154-001
A 002 826 96 90	9ES 126 469-005
A 002 826 97 90	9ES 126 470-005
A 002 826 98 90	9ES 126 471-001
A 002 826 99 90	9ES 126 472-001
A 003 540 22 70	2VD 007 500-221
A 003 542 44 20	3AG 003 399-081
A 003 542 45 20	3AG 003 399-101
A 003 542 78 20	3AG 003 399-081
A 003 544 56 03	2VD 008 204-091
A 003 544 57 03	2VP 008 204-081
A 003 820 01 56	2DA 959 071-237
A 003 820 13 56	2XS 005 020-001
A 003 820 13 56	2XS 005 020-002
A 003 820 13 56	2XS 005 020-003
A 003 820 14 56	2XS 005 020-077
A 003 820 26 56	1KO 008 191-021
A 003 820 26 56	1KO 008 191-027
A 003 820 27 56	1NO 008 582-011
A 003 820 27 56	1NO 008 582-017
A 003 826 03 90	9EL 127 855-001
A 003 826 04 90	9EL 127 856-001
A 003 826 05 90	9AH 130 137-021
A 003 826 06 90	9AH 130 138-021
A 003 826 11 90	9AH 130 137-021
A 003 826 12 90	9AH 130 138-021
A 004 820 00 42	9MM 858 616-001
A 004 820 01 42	9MM 858 616-011
A 004 820 69 15	8KB 861 213-001
A 004 826 02 90	9ES 148 323-021
A 004 826 03 90	9ES 148 324-021
A 005 545 21 14	6ED 708 919-001
A 007 997 13 92	9XR 854 840-001
A 009 997 87 81	9GT 146 577-007
A 012 545 64 28	8JA 001 915-001
A 083 820 03 61	1EA 996 074-051
A 083 820 04 61	1EA 996 074-061
A 100 820 00 01	2JA 001 331-011
A 123 820 00 62	2KA 003 102-011
A 123 820 01 62	2KA 003 102-011
A 123 820 07 64	2VP 003 069-011
A 123 820 08 64	2VP 003 069-021
A 123 820 10 64	2VP 003 069-061
A 123 820 30 66	9EL 118 060-001
A 123 820 33 66	9EL 118 059-001
A 123 820 34 66	9EL 118 062-001
A 123 820 37 64	2VP 003 069-011
A 123 820 38 64	2VP 003 069-021
A 123 820 40 64	2VP 003 069-061
A 123 820 49 64	2VP 003 069-011
A 123 820 50 64	2VP 003 069-061
A 123 820 51 59	1EJ 003 050-111
A 123 820 52 59	1EJ 003 050-121
A 124 820 01 64	2VP 004 686-111
A 124 820 01 66	9EL 129 763-001
A 124 820 02 56	2KA 004 983-011
A 124 820 02 64	2VP 004 686-121
A 124 820 03 64	2VP 004 686-131
A 124 820 04 64	2VP 004 686-141
A 124 820 04 66	9EL 129 762-001
A 124 820 07 66	9EL 129 763-001
A 124 820 07 66	9EL 129 763-021
A 124 820 10 66	9EL 129 762-001
A 124 820 10 66	9EL 129 762-011
A 124 820 13 64	2VP 004 686-111
A 124 820 14 64	2VP 004 686-121
A 124 820 15 64	2VP 004 686-131
A 124 820 16 64	2VP 004 686-141
A 124 820 17 21	2BA 004 983-031
A 124 820 18 21	2BA 004 983-041
A 124 820 21 66	9AH 138 299-021
A 124 820 22 66	9AH 138 300-021
A 124 820 33 66	9EL 129 763-021
A 124 820 35 59	1EJ 004 440-251
A 124 820 36 59	1EJ 004 440-261
A 124 820 37 66	9EL 129 762-031
A 124 820 37 66	9EL 129 763-021
A 124 820 40 66	9EL 129 762-031
A 124 820 49 61	1EJ 004 440-591
A 124 820 50 61	1EJ 004 440-601
A 124 820 51 66	9AH 144 815-021
A 124 820 52 66	9AH 144 816-021
A 124 820 53 61	1EJ 004 440-591
A 124 820 54 61	1EJ 004 440-601
A 124 820 55 66	9AH 144 815-021
A 124 820 56 66	9AH 144 816-021
A 124 820 59 61	1EJ 004 440-251
A 124 820 60 61	1EJ 004 440-261
A 124 820 61 64	2VP 004 686-151
A 124 820 64 64	2VP 004 686-181
A 124 820 65 64	2VP 004 686-151
A 124 820 68 64	2VP 004 686-181
A 124 820 85 61	1EJ 004 440-251
A 124 820 86 61	1EJ 004 440-261
A 124 826 00 43	9EL 129 615-011
A 124 826 01 43	9EL 129 614-011
A 124 826 04 43	9EL 129 615-011
A 124 826 05 43	9EL 129 614-011
A 124 826 09 43	9EL 129 615-021
A 126 820 10 01	2JA 004 252-031
A 140 000 18 33	2PF 961 167-021
A 140 000 32 62	2BM 006 692-011
A 140 000 32 62	2BM 006 692-017
A 140 000 34 20	1DL 007 872-087
A 140 000 34 21	1DL 007 872-077
A 140 000 60 00	2JA 006 447-041
A 163 820 37 61	1EA 963 130-451
A 163 820 38 61	1EA 963 130-461

### Mercedes-Benz Hella

A 163 820 45 61	1EL 223 151-171
A 163 820 46 61	1EL 223 151-181
A 163 820 51 61	1EL 223 151-191
A 163 820 52 61	1EL 223 151-201
A 163 890 00 97	8RW 341 421-001
A 168 820 01 61	1EJ 008 402-011
A 168 820 02 61	1EJ 008 402-021
A 168 820 09 61	1EJ 008 402-011
A 168 820 10 61	1EJ 008 402-021
A 170 820 01 56	1NB 007 555-031
A 170 820 02 56	1NB 007 555-041
A 171 820 01 64	2VP 008 427-091
A 171 820 02 64	2VP 008 427-101
A 171 820 31 61	1EL 008 361-611
A 171 820 32 61	1EL 008 361-621
A 171 820 37 61	1EL 008 361-711
A 171 820 38 61	1EL 008 361-721
A 19 6 263698 02	2NE 002 589-001
A 19 6 263698 03	2ZR 002 589-011
A 201 820 01 61	1EJ 004 070-071
A 201 820 02 61	1EJ 004 070-081
A 201 820 07 66	9EL 144 375-011
A 201 820 08 66	9EL 144 375-021
A 201 820 10 66	9EL 144 375-021
A 201 820 13 64	2VP 007 167-011
A 201 820 14 64	2VP 007 167-021
A 201 820 23 64	2VP 007 167-011
A 201 820 24 64	2VP 007 167-021
A 201 820 25 61	1EJ 004 070-071
A 201 820 26 61	1EJ 004 070-081
A 201 826 00 43	9EL 127 689-001
A 201 826 01 43	9EL 127 688-001
A 201 826 04 43	9EL 127 689-001
A 201 826 05 43	9EL 127 688-001
A 202 820 01 61	1EJ 008 040-021
A 202 820 02 61	1EJ 008 040-031
A 202 820 09 66	9AH 150 865-001
A 202 820 10 66	9AH 150 866-001
A 202 820 11 61	1EJ 008 040-011
A 202 820 12 61	1EJ 008 040-021
A 202 820 15 61	1EJ 008 040-031
A 202 820 16 61	1EJ 008 040-041
A 202 820 17 61	1EJ 008 040-031
A 202 820 17 66	9AH 150 865-001
A 202 820 18 61	1EJ 008 040-041
A 202 820 18 66	9AH 150 866-001
A 202 820 23 61	1EJ 008 040-051
A 202 820 24 61	1EJ 008 040-061
A 202 820 29 61	1EJ 008 040-051
A 202 820 30 61	1EJ 008 040-061
A 202 826 01 43	9EL 150 987-001
A 202 826 02 43	9EL 150 988-001
A 202 826 02 90	9AH 150 866-011
A 202 826 05 43	9EL 150 987-001
A 202 826 06 43	9EL 150 988-001
A 20	

# Manufacturer's no. / Hella no.

## Cross-Reference



Mercedes-Benz Hella		Mercedes-Benz Hella		Mercedes-Benz Hella		Mercedes-Benz Hella	
A 670 820 05 61	1AH 007 774-011	124 820 16 64	2VP 004 686-141	163 820 51 61	1EL 223 151-191	001 826 53 78	9DE 119 445-001
A 670 820 06 61	1AH 007 774-021	124 820 17 21	2BA 004 693-031	163 820 52 61	1EL 223 151-201	001 826 59 90	9ES 082 415-001
A 671 820 04 56	2KA 006 896-001	124 820 18 21	2BA 004 693-041	163 890 00 97	8RW 341 421-001	001 826 74 78	9DE 129 975-021
A 671 820 04 56	2KA 006 896-007	124 820 21 66	9AH 138 299-021	168 820 01 61	1EJ 008 402-011	001 826 75 78	9EL 129 974-021
A 673 820 00 21	2BA 002 652-101	124 820 22 66	9AH 138 300-021	168 820 02 61	1EJ 008 402-021	001 826 77 90	9EL 108 435-001
A 673 820 00 21	2BA 002 652-107	124 820 33 66	9EL 129 763-021	168 820 09 61	1EJ 008 402-011	001 826 82 78	9DE 129 975-021
A 699 544 03 03	2SK 003 567-331	124 820 35 59	1EJ 004 440-251	168 820 10 61	1EJ 008 402-021	001 826 83 78	9DE 129 974-021
A 699 544 04 03	2SK 003 567-321	124 820 36 59	1EJ 004 440-261	170 820 01 56	1NB 007 555-031	201 820 01 61	1EJ 004 070-071
A 755 601 20 02 0	2AB 004 532-051	124 820 36 66	9EL 129 762-031	170 820 02 56	1NB 007 555-041	201 820 02 61	1EJ 004 070-081
A 755 601 20 02 0	2AB 004 532-057	124 820 37 66	9EL 129 763-021	171 820 01 64	2VP 008 427-091	201 820 07 66	9EL 144 375-011
A 84 2070 9900-31	2BA 002 324-001	124 820 40 66	9EL 129 762-031	171 820 02 64	2VP 008 427-101	201 820 08 66	9EL 144 375-021
A 84 2070 9900-31	2BA 002 324-001	124 820 49 61	1EJ 004 440-591	171 820 31 61	1EL 008 361-611	201 820 10 66	9EL 144 375-021
A 86 0533 9352-09	2BA 001 248-001	124 820 50 61	1EJ 004 440-601	171 820 32 61	1EL 008 361-621	201 820 13 64	2VP 007 167-011
A 86 0535 9351-04	9EL 110 918-001	124 820 51 66	9AH 144 815-021	171 820 37 61	1EL 008 361-711	201 820 14 64	2VP 007 167-021
A 86 0535 9351-04	9EL 110 918-011	124 820 52 66	9AH 144 816-021	171 820 38 61	1EL 008 361-721	201 820 23 64	2VP 007 167-011
A 86 0535 9357-19	2BA 002 324-011	124 820 53 61	1EJ 004 440-591	000 000 00 01 72	8GH 007 643-121	201 820 24 64	2VP 007 167-021
A 86 0535 9357-20	2BA 002 324-021	124 820 54 61	1EJ 004 440-601	001 820 00 56	2TJ 001 633-211	201 820 25 61	1EJ 004 070-071
A 86 1019 4054-90	2SD 001 679-001	124 820 55 66	9AH 144 815-021	001 820 04 56	2XS 004 237-301	201 820 26 61	1EJ 004 070-081
A 86 1041 0603-60	2SB 003 018-031	124 820 56 66	9AH 144 816-021	001 820 05 01	2AB 004 532-051	201 826 00 43	9EL 127 689-001
A 86 0533 9352-09	2BA 001 248-001	124 820 59 61	1EJ 004 440-251	001 820 05 01	2AB 004 532-057	201 826 01 43	9EL 127 689-001
A 86 0535 9351-03	9EL 110 918-011	124 820 60 61	1EJ 004 440-261	001 820 07 61	1AE 003 440-631	201 826 04 43	9EL 127 689-001
A 86 0535 9351-04	9EL 110 918-011	124 820 61 64	2VP 004 686-151	001 820 08 61	1AE 003 440-641	201 826 05 43	9EL 127 689-001
A 86 0535 9357-19	2BA 002 324-011	124 820 64 64	2VP 004 686-181	001 820 11 01	2AB 004 532-001	202 820 01 61	1EJ 008 040-011
A 86 0535 9357-20	2BA 002 324-021	124 820 65 64	2VP 004 686-151	001 820 11 01	9EL 122 268-001	202 820 02 61	1EJ 008 040-021
A 86 1019 4054-90	2SD 001 679-001	124 820 68 64	2VP 004 686-181	001 820 11 56	2XS 004 237-291	202 820 09 66	9AH 150 865-001
A 86 1041 0603-60	2SB 003 018-031	124 820 85 61	1EJ 004 440-251	001 820 13 21	2BM 002 847-107	202 820 10 66	9AH 150 866-001
A 88 0001 1067-32	9EL 110 910-001	124 820 86 61	1EJ 004 440-261	001 820 14 56	2KA 001 378-041	202 820 11 61	1EJ 008 040-011
A 88 0001 1067-32	9EL 110 910-001	124 826 00 43	9EL 129 615-011	001 820 14 61	1AE 003 440-671	202 820 12 61	1EJ 008 040-021
A 9 19 6 263698 02	2NE 002 589-001	124 826 01 43	9EL 129 614-011	001 820 15 61	1AE 003 440-681	202 820 15 61	1EJ 008 040-031
A 9 19 6 263698 03	2ZR 002 589-011	124 826 04 43	9EL 129 615-011	001 820 21 61	1AE 003 440-671	202 820 16 61	1EJ 008 040-041
A 901 820 01 21	2BA 007 016-031	124 826 05 43	9EL 129 614-011	001 820 22 61	1AE 003 440-681	202 820 17 61	1EJ 008 040-031
A 901 820 01 21	1AH 006 900-011	124 826 09 43	9EL 129 615-021	001 820 25 21	2BA 003 236-541	202 820 17 66	9AH 150 865-001
A 901 820 02 21	2BA 007 016-041	012 545 64 28	8JA 001 915-001	001 820 32 61	1A8 003 060-551	202 820 18 61	1EJ 008 040-041
A 901 820 02 56	2NE 003 315-011	126 820 10 01	2JA 004 252-031	001 820 33 61	1A8 004 148-007	202 820 18 66	9AH 150 866-001
A 901 820 02 56 X	2NE 003 315-011	140 000 18 33	2PF 961 167-021	001 820 34 35	9MM 859 358-801	202 820 23 61	1EJ 008 040-051
A 901 820 02 61	1AH 006 900-021	140 000 32 62	2BM 006 692-011	001 820 36 61	1AE 003 440-461	202 820 24 61	1EJ 008 040-061
A 901 820 03 56	2ZR 003 315-041	140 000 32 62	2BM 006 692-017	001 820 37 21	2BE 003 014-251	202 820 29 61	1EJ 008 040-051
A 901 820 05 61	1EH 006 900-051	140 000 34 21	1DL 007 872-087	001 820 37 21	2BE 003 014-257	202 820 30 61	1EJ 008 040-061
A 901 820 06 61	1EH 006 900-061	140 000 34 21	1DL 007 872-077	001 820 37 61	1AE 003 440-451	202 826 01 43	9EL 150 987-001
A 901 820 10 61	1EH 008 010-011	140 000 60 00	2JA 006 447-041	001 820 38 21	2BA 002 652-101	202 826 02 43	9EL 150 988-001
A 901 820 11 61	1EH 008 010-021	001 540 13 70	2VD 007 500-091	001 820 38 21	2BA 002 652-107	202 826 02 90	9AH 150 866-011
A 901 820 14 61	1EH 008 010-051	001 540 16 70	2VD 007 500-201	001 820 39 21	2BM 006 692-011	202 826 05 43	9EL 150 987-001
A 901 820 15 61	1EH 008 010-061	001 540 17 70	2VD 007 500-111	001 820 39 21	2BM 006 692-017	202 826 06 43	9EL 150 988-001
A 901 820 24 61	1EH 246 047-011	001 540 20 70	2VD 007 500-221	001 820 40 21	2BM 006 692-021	202 826 07 43	9EL 150 867-001
A 901 820 25 61	1EH 246 047-021	001 540 22 70	2VD 007 500-221	001 820 40 21	2BM 006 692-027	202 826 08 43	9EL 150 868-001
A 901 820 26 61	1EH 246 047-051	001 540 25 70	2VD 007 500-111	001 820 40 61	1AE 003 440-451	202 826 08 90	9AH 150 866-011
A 901 820 27 61	1EH 246 047-061	001 540 26 70	2VD 007 500-201	001 820 41 61	1AE 003 440-461	202 826 09 43	9EL 150 867-001
A 906 820 01 61	1EB 247 012-011	001 540 29 70	2VD 007 500-091	001 820 43 56	2XS 004 237-311	202 826 10 43	9EL 150 868-001
A 906 820 02 61	1EB 247 012-021	001 540 57 70	2VD 007 500-411	001 820 44 56	2XS 004 237-321	203 820 01 61	1EE 009 055-021
A 906 820 05 61	1EB 247 012-051	001 540 58 70	2VP 007 500-421	001 820 54 01	2JA 003 354-051	203 820 02 61	1EE 009 055-021
A 906 820 06 61	1EB 247 012-061	001 540 62 70	2VD 007 500-411	001 820 59 56	1NE 002 537-301	203 820 03 61	1DR 007 984-091
A 939 723 10 93 01	2XS 950 071-031	001 540 63 70	2VP 007 500-421	001 820 61 56	1FE 002 537-311	203 820 04 09	2RM 007 200-261
A 940 820 01 61	1DB 247 011-011	001 542 14 27	2AA 003 257-031	001 820 65 61	1A8 003 060-761	203 820 04 61	1DR 007 984-101
A 940 820 02 61	1DB 247 011-021	001 544 00 01	1A3 002 850-001	001 820 67 01	2JA 007 372-001	203 820 05 64	2VP 008 031-051
A 940 820 03 21	2BA 247 015-031	001 544 04 03	2SE 001 699-071	001 820 67 21	2BA 001 423-087	203 820 06 64	2VP 008 031-061
A 940 820 04 21	2BA 247 015-041	001 544 05 03	2SD 001 699-511	001 820 68 56	2SA 001 647-041	203 820 11 56	1NA 007 976-111
A 941 820 25 61	1EH 008 688-071	001 544 06 03	2SA 001 634-121	001 820 69 61	1EJ 003 050-171	203 820 11 64	2VP 008 048-051
A 941 820 26 61	1EH 008 688-081	001 544 08 01	1A5 003 178-231	001 820 70 61	1EJ 003 050-181	203 820 12 56	1NA 007 976-121
A 941 820 27 61	1EH 008 688-031	001 544 08 03	2SE 001 680-291	001 820 72 41	9XS 027 639-001	203 820 12 64	2VP 008 048-061
A 941 820 28 61	1EH 008 688-041	001 544 09 03	2SD 001 680-281	001 820 77 01	2JA 006 447-251	203 820 17 56	1NA 007 976-231
A 941 820 29 61	1EH 008 688-051	001 544 10 03	2SE 001 686-141	001 820 78 97	9SX 007 609-041	203 820 18 56	1NA 007 976-241
A 941 820 30 61	1EH 008 688-061	001 544 11 01	1AA 004 109-201	001 820 83 01	2PF 006 717-011	203 820 49 15	9SX 861 562-001
A 941 820 39 61	1EH 008 688-011	001 544 11 03	2SD 001 686-101	001 820 89 21	2BA 008 221-001	208 820 01 61	1D9 007 450-131
A 941 820 40 61	1EH 008 688-021	001 544 12 03	2SE 001 680-291	001 820 89 21	2BA 008 221-007	208 820 02 61	1D9 007 450-141
A 941 820 43 61	1EH 008 688-091	001 544 13 03	2SE 001 680-301	001 820 96 56	2PF 002 860-031	208 820 07 61	1D9 007 450-151
A 941 820 44 61	1EH 008 688-101	001 544 14 03	2SD 001 680-281	001 820 97 56	2SA 002 860-041	208 820 08 61	1D9 007 450-161
A 941 820 51 61	1EH 008 688-071	001 544 15 03	2SD 001 680-271	001 822 00 10	9EL 852 820-001	209 820 01 61	1DB 007 988-191
A 941 820 52 61	1EH 008 688-081	001 544 19 03	2SE 001 688-111	001 822 11 10	9EL 113 639-011	209 820 01 64	2VP 008 326-051
A 941 820 53 61	1EH 008 688-031	001 544 20 03	2SD 001 688-171	001 822 12 10	9EL 113 639-021	209 820 02 61	1DB 007 988-201
A 941 820 54 61	1EH 008 688-041	001 544 21 94	8GH 002 473-132	001 822 21 10	9EL 855 097-001	209 820 02 64	2VP 008 326-061
A 941 820 55 61	1EH 008 688-051	001 544 36 90	9ES 093 815-001	001 822 24 10	9EL 852 061-001	209 820 07 56	1NO 009 295-031
A 941 820 56 61	1EH 008 688-061	001 544 37 90	9EL 102 240-031	001 822 25 20	2BA 001 240-301	209 820 07 56	1NO 009 295-031
A 941 820 57 61	1EH 008 688-011	001 544 38 01	1AB 006 213-011	001 822 26 20	2BA 001 234-251	209 820 07 61	1DL 007 988-211
A 941 820 58 61	1EH 008 688-021	001 544 40 03	2SE 001 699-071	001 822 27 20	2BA 001 234-2		



# Manufacturer's no. / Hella no.

## Cross-Reference

### Mercedes-Benz Hella

215 820 05 56  
215 820 06 56  
219 820 01 61  
219 820 02 61  
219 820 05 61  
219 820 06 61  
221 820 04 56  
230 820 05 56  
230 820 05 56  
0002481V002L044  
002 544 00 94  
002 544 02 03  
002 544 06 90  
002 544 07 03  
002 544 07 03  
002 544 07 03  
002 544 07 03  
002 544 08 03  
002 544 08 03  
002 544 08 03  
002 544 08 03  
002 544 08 03  
002 544 12 90  
002 544 13 03  
002 544 14 03  
002 544 15 03  
002 544 16 03  
002 544 16 90  
002 544 19 90  
002 544 20 90  
002 544 21 90  
002 544 26 03  
002 544 31 94  
002 544 31 94  
002 544 32 94  
002 544 40 03  
002 544 42 03  
002 544 47 90  
002 544 54 03  
002 544 54 32  
002 544 55 03  
002 544 55 32  
002 544 57 03  
002 544 58 03  
002 544 62 90  
002 544 63 90  
002 820 20 61  
002 820 21 61  
002 820 22 61  
002 820 23 26  
002 820 34 56  
002 820 37 56  
002 820 39 56  
002 820 47 56  
002 820 57 56  
002 820 90 56  
002 820 90 56  
002 822 17 10  
002 826 01 90  
002 826 02 78  
002 826 02 90  
002 826 03 78  
002 826 03 78  
002 826 03 90  
002 826 06 90  
002 826 07 90  
002 826 08 90  
002 826 09 90  
002 826 12 90  
002 826 13 90  
002 826 14 90  
002 826 19 90  
002 826 21 90  
002 826 22 90  
002 826 26 90  
002 826 36 90  
002 826 39 90  
002 826 39 90  
002 826 41 90  
002 826 42 90  
002 826 44 90  
002 826 45 90  
002 826 60 90  
002 826 63 90  
002 826 66 90  
002 826 67 90  
002 826 68 90  
002 826 69 90  
002 826 72 90  
002 826 78 90  
002 826 84 90  
002 826 85 90  
002 826 88 90  
002 826 89 90  
002 826 90 90  
002 826 96 90  
002 826 97 90  
002 826 98 90  
002 826 99 90  
301 826 00 96  
301 826 01 96  
302 820 02 68  
314 820 07 61  
314 820 08 61  
314 820 11 61  
314 820 12 61  
314 820 13 61  
314 820 14 61  
335 820 54 61  
335 820 55 61  
335 820 62 61  
335 820 63 61  
340 453 80 01

1NA 007 976-071  
1NA 007 976-081  
1EL 008 821-011  
1EL 008 821-021  
1ES 008 821-311  
1ES 008 821-321  
2DA 007 592-101  
1NO 008 582-001  
1NO 008 582-007  
8GP 003 594-121  
8GH 007 157-121  
2SE 003 167-031  
9EL 131 420-001  
2VB 004 887-011  
2VB 004 887-011  
2VB 004 887-011  
9EL 131 420-011  
2VP 004 887-021  
2VP 004 887-021  
2VP 004 887-021  
2VA 004 887-031  
9EL 134 296-041  
2SD 001 680-271  
2SD 001 680-281  
2SE 001 680-291  
2SE 001 680-301  
9EL 134 296-051  
9EL 122 772-051  
9EL 122 772-001  
9EL 134 301-001  
2VD 005 300-551  
2SL 003 567-311  
8GH 007 643-121  
8GS 007 001-121  
2VD 005 300-551  
2VD 005 300-551  
9EL 152 891-001  
2VP 008 204-101  
4AZ 001 879-011  
2VD 008 204-111  
4AZ 001 879-021  
2SD 003 167-531  
2SD 003 167-541  
9EL 136 833-011  
9EL 136 825-011  
1DL 007 859-011  
1DL 007 859-011  
1DL 007 859-021  
5DV 008 855-011  
2PS 006 717-071  
1NE 006 300-201  
1FE 006 300-191  
2PF 006 679-007  
2XS 003 168-071  
2DA 007 421-001  
2DA 007 421-007  
9EL 861 597-011  
9ES 111 705-001  
9DE 122 228-011  
9ES 111 704-001  
9DE 122 228-021  
9EV 113 436-005  
9ES 113 917-001  
9ES 113 916-001  
9ES 111 705-001  
9ES 111 704-001  
9ES 113 917-001  
9ES 113 916-001  
9EL 107 443-061  
9EV 113 436-005  
9ES 116 061-005  
9ES 116 062-005  
9ES 082 333-031  
9EL 119 874-001  
9ES 116 061-005  
9ES 116 062-005  
9ES 120 719-005  
9ES 120 720-005  
9ES 120 721-001  
9ES 120 722-001  
9EL 122 268-001  
9EL 074 484-031  
9ES 120 719-005  
9ES 120 720-005  
9ES 120 721-001  
9ES 120 722-001  
9EL 110 544-001  
9ES 112 293-001  
9AH 127 703-051  
9AH 127 704-051  
9AH 127 703-051  
9AH 127 704-051  
9ES 127 153-001  
9ES 127 154-001  
9ES 126 469-005  
9ES 126 471-001  
9ES 126 472-001  
9GD 128 553-007  
9GD 128 553-007  
2SD 001 305-021  
1AE 001 103-031  
1AE 001 103-041  
1AE 001 103-031  
1AE 001 103-041  
1AE 001 103-031  
1AE 001 103-041  
1AG 001 108-291  
1AG 001 108-301  
1AG 001 108-301  
1AG 001 108-291  
2SB 001 673-002

### Mercedes-Benz Hella

347 826 50 91  
350 009 00 04  
350 090 90 03  
350 090 90 04  
350 090 90 10  
350 090 90 18  
350 090 90 19  
350 693 90 01  
350 923 90 15  
350 923 90 20  
003 540 22 70  
003 542 44 20  
003 542 45 20  
003 542 78 20  
003 544 56 03  
003 544 57 03  
371 820 07 56  
373 820 07 56  
373 820 17 64  
373 820 17 64  
373 820 17 64  
373 820 18 64  
381 820 10 61  
381 820 11 61  
381 820 12 61  
381 820 13 61  
381 820 27 61  
381 820 28 61  
381 820 29 61  
381 820 30 61  
381 820 37 61  
381 820 38 61  
381 820 39 61  
381 820 40 61  
381 820 43 61  
381 820 44 61  
381 820 51 61  
381 820 52 61  
003 820 01 56  
003 820 13 56  
003 820 13 56  
003 820 13 56  
003 820 14 56  
003 820 26 56  
003 820 26 56  
003 820 27 56  
003 820 27 56  
003 826 03 90  
003 826 04 90  
003 826 05 90  
003 826 06 90  
003 826 11 90  
003 826 12 90  
400 453 86 08  
400 809 00 00 07  
005 544 01 01  
405 544 02 01  
414 820 00 64  
414 820 01 64  
421 540 00 54  
460 820 00 56  
461 820 00 26  
461 820 00 35  
461 820 44 15  
461 820 45 15  
461 822 00 97  
463 820 07 59  
004 820 00 42  
004 820 01 42  
004 820 69 15  
004 826 02 90  
004 826 03 90  
500 076 70 01  
500 090 90 10  
500 090 90 18  
500 090 90 19  
500 923 86 05  
500 923 90 15  
500 923 90 20  
000 544 00 34  
000 544 00 75  
000 544 01 29  
000 544 01 29  
000 544 01 34  
000 544 01 34  
000 544 04 86  
000 544 05 47  
000 544 06 12  
000 544 08 97  
000 544 09 47  
000 544 11 04  
000 544 11 04  
000 544 13 04  
000 544 13 47  
000 544 14 18  
000 544 16 18  
000 544 17 04  
000 544 17 04  
000 544 18 04  
000 544 18 04  
000 544 20 34  
000 544 24 07  
000 544 24 07  
000 544 26 18  
000 544 27 18  
000 544 27 93  
000 544 28 34  
000 544 29 05  
000 544 30 05  
000 544 30 05

9GD 087 429-001  
9EL 856 010-001  
2AA 001 204-001  
2AA 001 204-011  
2ST 003 018-061  
2SD 001 679-001  
2SB 001 259-261  
8RA 002 010-011  
9EL 088 150-001  
9EL 088 525-001  
2VD 007 500-221  
3AG 003 399-081  
3AG 003 399-101  
3AG 003 399-081  
2VD 008 204-091  
2VP 008 204-081  
1NE 006 300-071  
2SA 961 167-011  
2SA 003 236-041  
2SA 003 236-047  
2SA 003 236-048  
2DA 003 236-031  
2DA 003 236-037  
1EH 002 658-031  
1EH 002 658-041  
1EH 002 658-031  
1EH 002 658-041  
1EH 002 658-311  
1EH 002 658-321  
1EH 002 658-331  
1EH 002 658-341  
1EH 002 658-391  
1EH 002 658-401  
1EH 002 658-331  
1EH 002 658-341  
1EH 002 658-391  
1EH 002 658-401  
2DA 959 071-237  
2XS 005 020-001  
2XS 005 020-002  
2XS 005 020-003  
2XS 005 020-071  
1KO 008 191-027  
1KO 008 191-027  
1NO 008 582-011  
1NO 008 582-017  
9EL 127 855-001  
9EL 127 856-001  
9AH 130 137-021  
9AH 130 138-021  
9AH 130 137-021  
9AH 130 138-021  
2BA 001 227-201  
8GH 007 157-121  
1DL 007 872-011  
1DL 007 872-027  
2VP 008 406-031  
2VP 008 406-041  
9ES 082 333-031  
1A8 003 060-541  
9SX 007 609-021  
9MM 860 814-801  
8KB 007 896-801  
8KB 861 213-011  
9GD 860 936-001  
1ZS 271 531-111  
9MM 858 616-001  
9MM 858 616-011  
8KB 861 213-001  
9ES 148 323-021  
9ES 148 324-021  
2AA 001 200-011  
2AA 001 200-012  
2ST 003 018-061  
2SD 001 679-001  
2SB 001 259-261  
9EL 074 484-011  
9EL 088 150-001  
9EL 088 525-001  
2KA 001 386-231  
9EL 134 301-011  
2PF 003 057-001  
2PF 003 057-002  
2KA 001 386-241  
8JA 001 909-011  
1G8 002 340-001  
9EL 146 838-001  
9AB 053 336-007  
1GA 005 060-001  
1GD 003 590-701  
2NE 003 236-001  
2NE 003 236-008  
2NE 002 589-047  
1GA 998 522-011  
1AG 001 108-531  
1ND 122 390-001  
2NE 006 609-001  
2NE 006 609-007  
2NE 003 236-301  
2NE 003 236-307  
2KA 003 010-007  
2ZR 003 236-051  
2ZR 003 236-057  
1G8 132 233-011  
1AB 003 177-071  
9FF 090 500-001  
2KA 001 386-281  
8RL 002 009-021  
8RA 002 014-031  
8RA 002 014-032

### Mercedes-Benz Hella

000 544 30 34  
000 544 32 05  
000 544 32 07  
000 544 32 18  
000 544 32 34  
000 544 33 07  
000 544 34 91  
000 544 35 05  
000 544 35 05  
000 544 37 34  
000 544 37 90  
000 544 39 05  
000 544 39 05  
000 544 39 11  
000 544 40 11  
000 544 40 11  
000 544 42 05  
000 544 42 05  
000 544 43 90  
000 544 44 03  
000 544 44 05  
000 544 45 05  
000 544 48 11  
000 544 48 11  
000 544 48 11  
000 544 56 03  
000 544 56 30  
000 544 56 93  
000 544 58 93  
000 544 59 30  
000 544 65 03  
000 544 65 92  
000 544 65 93  
000 544 69 92  
000 544 70 03  
000 544 75 92  
000 544 76 03  
000 544 76 92  
000 544 77 02  
000 544 77 03  
000 544 77 80  
000 544 78 06  
000 544 79 80  
000 544 85 80  
000 544 87 01  
000 544 87 80  
000 544 93 03  
000 544 99 03  
000 545 07 81  
000 545 13 47  
000 545 21 15  
000 545 21 15  
005 545 21 14  
000 580 01 97  
000 583 09 53  
000 583 29 53  
000 585 11 03  
608 926 00 56  
000 000 61 27  
612 820 00 56  
612 820 00 56  
612 820 01 20  
612 820 01 20  
613 826 02 41  
613 826 02 41  
613 826 02 41  
613 826 02 41  
631 820 31 61  
631 820 32 61  
631 820 38 61  
631 820 39 61  
639 820 00 56  
639 820 01 61  
639 820 01 64  
639 820 02 61  
639 820 02 64  
641 820 03 61  
641 820 04 61  
000 000 65 69  
000 000 65 85  
000 000 65 85  
000 000 65 85  
000 000 65 86  
666 820 03 56  
667 546 01 37  
670 820 05 61  
670 820 06 61  
671 820 04 56  
671 820 04 56  
673 820 00 21  
673 820 00 21  
000 000 68 20  
000 000 68 21  
000 000 68 22  
000 000 68 27  
000 000 68 28  
000 000 68 28  
000 000 68 85  
000 000 68 85  
000 000 68 86  
699 544 03 03  
699 544 04 03  
755 601 20 02 0  
755 601 20 02 0  
007 997 13 92  
000 820 00 50  
000 820 00 52  
000 820 02 21

2KA 001 386-231  
8RL 002 009-021  
2BA 003 236-177  
1A3 996 162-321  
2KA 001 386-281  
2ZR 003 236-311  
9KS 075 307-001  
8RA 002 014-051  
8RA 002 014-052  
2KA 003 168-021  
9ES 015 675-001  
8RA 002 014-051  
8RA 002 014-052  
2XS 007 841-011  
2XS 007 841-017  
2XS 007 841-021  
2XS 007 841-027  
8RA 002 016-111  
8RA 003 326-001  
8RA 003 326-002  
9EL 141 612-001  
2SB 001 673-002  
8RA 004 412-021  
8RA 002 016-111  
2PS 963 639-011  
2PS 963 639-017  
2PS 963 639-111  
2PS 963 639-117  
2SD 001 686-101  
2BA 003 236-021  
2BA 003 236-027  
9FH 093 887-001  
9FH 112 497-001  
2BA 002 939-251  
2ST 001 673-011  
9DR 060 567-001  
9FF 111 606-021  
9DS 088 583-001  
2SE 001 699-071  
9DE 119 443-001  
2SD 001 686-101  
9DR 104 336-001  
9BG 121 740-001  
2SD 001 699-061  
9GD 102 484-001  
2SE 001 699-071  
1NL 008 090-117  
9GD 102 484-001  
9GD 087 883-355  
1AB 001 100-107  
9GD 120 670-001  
2SE 002 582-071  
2SD 001 699-061  
9SG 703 965-007  
1GA 998 522-011  
2AA 001 200-011  
2AA 001 200-012  
6ED 708 919-001  
2XM 004 444-001  
2XM 003 146-001  
2XW 002 897-041  
8XH 002 975-017  
9EL 126 294-001  
9EL 118 445-001  
2KA 005 049-011  
2KA 005 049-017  
2BM 008 355-001  
2BM 008 355-007  
2PS 962 964-012  
2PS 962 964-018  
2PS 962 964-031  
2PS 962 964-037  
1AD 960 725-311  
1AD 960 725-321  
1AD 960 725-311  
1AD 960 725-321  
2DA 959 071-537  
1EG 246 041-011  
2SK 964 596-011  
1EG 246 041-021  
2SK 964 596-021  
1EH 002 658-551  
1EH 002 658-561  
2DA 003 236-331  
2NE 003 236-301  
2NE 003 236-307  
2ZR 003 236-311  
2PF 003 563-151  
9GT 141 941-001  
1AH 007 774-011  
1AH 007 774-021  
2KA 006 896-001  
2KA 006 896-007  
2BA 002 652-101  
2BA 002 652-107  
2PF 006 679-007  
2XS 004 237-291  
2XS 004 237-301  
2PF 001 639-011  
2PF 001 647-031  
2PF 001 647-037  
2NE 003 236-301  
2NE 003 236-307  
2ZR 003 236-311  
2SK 003 567-331  
2SK 003 567-321  
2AB 004 532-051  
2AB 004 532-057  
9XR 854 840-001  
2JA 003 354-001  
2AB 001 208-001  
2BA 003 110-011

### Mercedes-Benz Hella

000 820 03 21  
000 820 04 21  
000 820 04 57  
000 820 05 21  
000 820 05 59  
000 820 05 59  
000 820 06 21  
000 820 08 64  
000 820 08 66  
000 820 09 09  
000 820 09 09  
000 820 09 66  
000 820 12 60  
000 820 12 64  
000 820 14 64  
000 820 14 67  
000 820 15 67  
000 820 16 21  
000 820 16 66  
000 820 17 21  
000 820 17 66  
000 820 17 68  
000 820 18 60  
000 820 19 60  
000 820 20 56  
000 820 22 67  
000 820 24 21  
000 820 24 56  
000 820 24 68  
000 820 25 68  
000 820 27 21  
000 820 28 21  
000 820 34 21  
000 820 37 21  
000 820 41 64  
000 820 52 21  
000 820 52 61  
000 820 53 08  
000 820 53 21  
000 820 55 01  
000 820 59 26  
000 820 59 56  
000 820 60 56  
000 820 61 21  
000 820 62 21  
000 820 62 61  
000 820 63 01  
000 820 63 21  
000 820 63 56  
000 820 63 61  
000 820 64 21  
000 820 64 61  
000 820 65 61  
000 820 68 21  
000 820 69 21  
000 820 70 01  
000 820 70 10  
000 820 71 61  
000 820 72 56  
000 820 72 61  
000 820 73 21  
000 820 73 61  
000 820 74 21  
000 820 77 01  
000 820 77 21  
000 820 78 21  
000 820 79 21  
000 820 80 21  
000 820 81 21  
000 820 82 21  
000 820 87 01  
000 820 87 01  
000 820 89 20  
000 820 90 56  
000 820 90 56  
000 820 93 56  
000 820 93 56  
000 820 93 61  
000 820 94 56  
000 820 95 56  
000 820 96 56  
000 820 98 21  
000 820 98 58  
000 820 99 21  
000 821 01 25  
000 822 04 07  
000 822 04 90  
000 822 13 21  
000 822 27 20  
000 822 30 88  
000 822 31 88  
000 822 33 97  
000 822 34 97  
000 822 35 88  
000 822 43 10  
000 822 50 10  
000 822 74 10  
000 822 75 10  
000 822 76 10  
000 822 77 10  
000 822 80 20  
000 822 81 20  
000 822 86 10  
000 822 87 10  
000 822 98 10  
000 8

# Manufacturer's no. / Hella no.

## Cross-Reference



Mercedes-Benz Hella		Mercedes-Benz Hella		Mitsubishi Hella		NATO Hella	
000 825 01 03	2PF 002 452-017	86 1041 0603-60	25B 003 018-031	Z1219011	2X5 005 020-017	6220-12-176-4379	25D 001 685-231
000 825 02 03	2KA 001 389-101	901 820 01 21	2BA 007 016-031	Z1219068	2P5 006 717-061	6220-12-176-4379	25D 001 685-232
000 825 05 01	2JA 001 357-002	901 820 01 61	1AH 006 900-011	Z1219068	2P5 006 717-067	6220-12-178-2125	2BA 002 324-011
000 825 06 03	2PF 004 081-001	901 820 02 21	2BA 007 016-041	Z1219161	2P5 003 748-161	6220-12-178-3324	2BA 001 221-041
000 825 06 03	2PF 004 081-007	901 820 02 56	2NE 003 315-011	Z1219161	2P5 003 748-167	6220-12-178-3325	2BA 001 221-031
000 825 07 01	2JA 001 357-002	901 820 02 56 X	2NE 003 315-011	Z1219241	8GP 003 594-241	6220-12-178-3348	2BA 002 324-021
000 825 08 01	2JA 001 357-012	901 820 02 61	1AH 006 900-021	Z1519800	4RA 003 510-361	6220-12-178-3349	2BA 002 324-001
000 825 30 10	9EL 116 607-005	901 820 03 56	2ZR 003 315-041	Z1719041	1FE 006 300-041	6220-12-178-3722	9EL 116 607-005
000 825 36 10	9EL 112 858-011	901 820 05 61	1EH 006 900-051	Z1719051	1NE 006 300-051	6220-12-178-3921	9EL 110 014-001
000 825 54 10	9EL 120 240-011	901 820 06 61	1EH 006 900-061	Z1719089	8GH 002 089-133	6220-12-178-3922	9EL 110 013-001
000 826 00 26	8JB 850 434-011	901 820 10 61	1EH 008 010-011	Z1719090	8GH 002 090-133	6220-12-178-4344	2JA 002 661-001
000 826 04 44	2SE 001 680-301	901 820 11 61	1EH 008 010-021	Z1719121	8GP 003 594-121	6220-12-178-4661	1EH 002 658-041
000 826 04 47	2PF 001 647-031	901 820 14 61	1EH 008 010-051	Z1719191	1FE 002 537-191	6220-12-178-4662	9ES 111 704-001
000 826 04 47	2PF 001 647-037	901 820 15 61	1EH 008 010-061	Z1719201	1NE 002 537-201	6220-12-178-4663	9DE 116 733-001
000 826 04 56	9EL 950 315-001	901 820 24 61	1EH 246 047-011	Z1719309	8KA 002 309-811	6220-12-178-4666	9ES 113 917-001
000 826 05 47	2PF 001 639-011	901 820 25 61	1EH 246 047-021	Z1719311	8KA 148 541-001	6220-12-178-4667	9DE 116 732-001
000 826 05 56	9EL 950 315-031	901 820 26 61	1EH 246 047-051	Z1719531	1F8 007 560-561	6220-12-178-4670	9EL 118 445-001
000 826 05 57	9EV 101 125-001	901 820 27 61	1EH 246 047-061	Z1719621	1N8 007 560-021	6220-12-178-4672	2BM 002 847-021
000 826 07 14	9XD 247 755-001	906 820 01 61	1EB 247 012-011	Z1719631	1N8 007 560-031	6220-12-178-4673	9EL 115 830-001
000 826 07 57	9EV 101 125-001	906 820 02 61	1EB 247 012-021	Z1719641	1F8 007 560-041	6220-12-179-5062	9EL 116 771-031
000 826 08 14	9XD 247 756-001	906 820 05 61	1EB 247 012-051	Z1719651	1F8 007 560-051	6220-12-179-5622	2SE 001 699-071
000 826 09 40	8RL 002 009-001	906 820 06 61	1EB 247 012-061	Z2219609	2ZR 006 609-081	6220-12-180-4221	8KA 002 309-811
000 826 09 47	9GD 100 140-001	939 723 10 93 01	2X5 950 071-031	Z2219609	2ZR 006 609-087	6220-12-180-9533	2BA 001 275-011
000 826 10 40	8RA 003 660-007	940 820 01 61	1DB 247 011-011	Z2219660	2NE 006 609-001	6220-12-180-9537	2PF 001 638-001
000 826 10 44	2SD 001 693-011	940 820 02 61	1DB 247 011-021	Z2219660	2NE 006 609-007	6220-12-180-9539	9EL 109 139-001
000 826 10 97	9GD 082 716-001	940 820 03 21	2BA 247 015-031			6220-12-180-9767	2JA 001 357-012
000 826 11 40	8RA 002 014-041	940 820 04 21	2BA 247 015-041			6220-12-181-0003	1EH 002 658-031
000 826 11 40	8RA 002 014-042	941 820 25 61	1EH 008 688-071			6220-12-181-0915	2BM 002 847-011
000 826 11 80	9GD 024 183-001	941 820 26 61	1EH 008 688-081			6220-12-181-1890	9EV 113 436-005
000 826 11 91	9GD 118 983-021	941 820 27 61	1EH 008 688-031			6220-12-181-6665	1AB 001 100-001
000 826 12 24	9HD 121 297-001	941 820 28 61	1EH 008 688-041			6220-12-181-6666	2ZR 003 300-171
000 826 13 41	8RL 002 009-011	941 820 29 61	1EH 008 688-051			6220-12-181-7671	2BA 003 014-011
000 826 14 40	8RA 003 326-021	941 820 30 61	1EH 008 688-061			6220-12-181-8961	9EL 101 900-001
000 826 14 41	2PS 002 727-001	941 820 39 61	1EH 008 688-011			6220-12-181-8962	9EL 101 899-001
000 826 14 41	2PS 002 727-007	941 820 40 61	1EH 008 688-021			6220-12-181-8963	2BA 001 275-021
000 826 14 41	2PS 004 361-001	941 820 43 61	1EH 008 688-091			6220-12-182-6686	2NE 001 423-011
000 826 14 41	2PS 004 361-007	941 820 44 61	1EH 008 688-101			6220-12-183-8555	2SD 001 699-061
000 826 16 40	8RA 003 326-041	941 820 51 61	1EH 008 688-071			6220-12-183-9749	9EL 888 150-001
000 826 16 40	8RA 003 326-047	941 820 52 61	1EH 008 688-081			6220-12-183-9748	9EL 852 820-001
000 826 17 41	8RA 003 326-017	941 820 53 61	1EH 008 688-031			6220-12-185-0194	1A8 003 060-541
000 826 18 40	2DA 003 236-031	941 820 54 61	1EH 008 688-041			6220-12-185-0513	9EL 113 065-001
000 826 18 40	2DA 003 236-037	941 820 55 61	1EH 008 688-051			6220-12-186-4524	2BA 001 277-011
000 826 18 40	8RA 003 326-031	941 820 56 61	1EH 008 688-061			6220-12-186-4524	9DE 087 430-011
000 826 19 40	8RA 003 326-041	941 820 57 61	1EH 008 688-011			6220-12-191-2085	2ZR 001 423-001
000 826 19 40	8RA 003 326-047	941 820 58 61	1EH 008 688-021			6220-12-191-3487	2SD 003 167-021
000 826 19 40	8RA 003 326-047	957 540 04 40	8HG 153 152-001			6220-12-191-3488	2SE 003 167-031
000 826 21 10	9EL 110 536-001	957 820 00 01	2JA 006 447-041			6220-12-192-3516	2JA 002 232-011
000 826 24 47	2PF 001 638-001	957 820 02 61	1DL 007 872-077			6220-12-192-6271	2SD 002 582-011
000 826 26 10	9EL 116 380-045	957 820 03 61	1DL 007 872-087			6220-12-192-6272	2SD 002 582-021
000 826 27 10	9EL 116 380-035	957 826 00 59	9AH 149 259-015			6220-12-192-6271	2SD 002 582-021
000 826 27 40	8RA 004 412-001	957 826 01 59	9AH 149 260-015			6220-12-192-6272	2SD 002 582-021
000 826 28 40	8RA 003 326-041	973 820 05 21	2BA 247 016-031			6220-12-192-7485	2KA 001 386-291
000 826 28 40	8RA 003 326-047	973 820 06 21	2BA 247 016-041			6220-12-193-2196	2JA 001 364-041
000 826 28 97	9GD 128 553-007	000 993 00 98	9XR 855 975-001			6220-12-193-5022	1A8 003 060-551
000 826 29 47	2PF 001 648-161	000 997 32 86	9GH 096 532-001			6220-12-193-5023	1A8 121 150-001
000 826 30 10	9EL 115 003-055	000 997 80 81	9GT 074 132-001			6220-12-193-8425	2JA 001 335-011
000 826 30 47	2SA 001 259-751	000 997 80 91	9GT 074 132-001			6220-12-194-3370	2KA 003 168-021
000 826 31 10	2SA 001 259-757	000 997 95 81	9GT 067 751-001			6220-12-195-1959	2BE 003 184-051
000 826 32 10	9EL 110 536-011	000 998 57 05	9GT 137 236-007			6220-12-196-0266	2BM 001 318-001
000 826 33 81	9DR 080 691-011	009 997 87 81	9GT 146 757-007			6220-12-196-2592	1X0 001 515-021
000 826 33 81	9DR 080 700-011	HKV3000000001	1A6 002 395-821			6220-12-196-2754	2PF 001 648-161
000 826 34 82	9FF 085 642-001	HKV3000000002	1NL 007 186-061			6220-12-197-0614	2NE 002 985-001
000 826 35 10	9EL 137 241-001	HKV3000000003	1NL 007 186-067			6220-12-197-1856	2SD 003 184-031
000 826 36 47	2PF 001 650-001	HKV3000000003	2BA 002 939-251			6220-12-197-1856	2SD 003 184-037
000 826 38 81	9DE 087 430-011	HKW210820M016	9SX 007 609-031			6220-12-197-1996	9EL 107 443-001
000 826 39 80	9GD 094 601-001	HXB37382615 000010	9EL 119 544-031			6220-12-197-3499	2SE 001 685-201
000 826 39 81	9DR 080 691-011	N 910 139 000 000	8GS 007 001-121			6220-12-197-5071	9EL 852 601-001
000 826 40 81	9DR 080 700-011	Q078002A331	6ZE 001 759-051			6220-12-197-6875	1G4 003 470-051
000 826 42 10	9ES 247 753-001	Q 10600 15150 21	1X0 001 515-021			6220-12-197-9480	1A6 001 128-021
000 826 42 47	2PF 001 259-631	Q 10600 20140 81	8RA 002 014-081			6220-12-198-0803	9ES 113 916-001
000 826 43 40	9ES 247 754-001	Q 10600 50200 11	2X5 005 020-011			6220-12-198-1062	1A6 002 395-031
000 826 43 47	2BA 001 259-611	Q 10600 50200 11	2X5 005 020-017			6220-12-198-1063	1A6 002 395-071
000 826 45 99	1A8 121 149-001	Q1ND005700061	1ND 005 700-061			6220-12-198-3109	1G8 002 340-011
000 826 47 47	2PF 001 647-067	Q2RL860880001	2RL 860 880-001			6220-12-198-3343	1G5 003 241-081
000 826 49 81	2PF 001 647-067	Q2XD860910001	2XD 860 910-001			6220-12-199-2686	2SA 003 057-022
000 826 52 90	9DR 091 085-001	Q9EL860743011	9EL 860 743-011			6220-12-199-2686	2SA 003 057-022
000 826 52 99	9ES 091 183-001	Q9EL860743021	9EL 860 743-021			6220-12-300-2138	9ES 094 588-001
000 826 55 78	1A8 121 150-001	QEV111ABVG0X	2RL 007 337-021			6220-12-300-3102	2KA 003 389-061
000 826 59 90	9DR 112 547-001	QEV111ACACKM	1GA 007 506-001			6220-12-300-3102	2KA 003 389-062
000 826 61 90	9ES 082 415-001	QEV111ACACKM	1GA 007 506-081			6220-12-300-3198	9KG 003 389-068
000 826 65 81	9ES 091 183-001	QKW 07 80 40 A056	2RL 007 337-121			6220-12-300-3198	9BA 119 721-001
000 826 65 90	9DR 091 085-001					6220-12-300-7833	9EL 108 435-001
000 826 65 97	1FE 125 510-011					6220-12-301-3642	9EL 110 737-001
000 826 66 24	9GH 156 191-001					6220-12-301-3643	2BA 001 234-251
000 826 67 90	9ES 071 899-021					6220-12-301-4206	9EL 110 736-001
000 826 69 81</							



# Manufacturer's no. / Hella no. Cross-Reference

NATO	Hella	Neoplan	Hella	Neoplan	Hella	Neoplan	Hella
6240-12-120-8025	8GA 002 072-241	1102.529.8	22R 001 240-377	1107.388.1	8KA 152 134-007	1503.218.00	25D 002 582-127
6240-12-121-2685	8GM 002 094-121	1102.530.1	8XU 007 842-017	1107.496.6	1K0 008 191-041	1503.222.00	25K 003 567-321
6240-12-121-2728	8GP 002 066-241	1102.530.2	8XU 007 842-027	1107.496.6	1K0 008 191-047	1503.222.02	9EL 122 772-001
6240-12-121-2732	8GD 002 084-251	1102.530.3	1BL 139 277-001	1107.535.0	2BA 008 221-001	1503.223.00	22R 001 240-377
6240-12-124-4671	8GP 002 067-241	1102.530.4	1BL 139 278-001	1107.535.0	2BA 008 221-007	1503.226.00	2BA 003 236-541
6240-12-124-9644	8GA 002 083-251	1102.531.1	1NL 007 186-027	1107.536.8	9GT 137 236-007	1503.23	25D 003 167-011
6240-12-127-4953	8GM 002 091-131	1102.531.2	9GH 147 009-007	1107.839.3	2PF 959 570-401	1503.230.00	22R 001 240-377
6240-12-127-4954	8GA 002 083-131	1102.531.4	1BL 007 834-007	1107.839.3	2PF 959 570-407	1503.232.00	25D 003 184-041
6240-12-129-3450	8GP 002 067-121	1102.531.6	9HD 155 239-001	1107.878.6	1BL 008 194-027	1503.232.02	25D 003 184-047
6240-12-129-4540	8GP 002 096-061	1102.532.0	1KL 007 834-027	1107.941.2	8XU 008 405-031	1503.233.00	8XU 007 842-017
6240-12-129-4845	8GM 002 091-241	1102.532.2	1NL 007 834-017	1107.941.2	8XU 008 405-037	1503.234.00	8XU 007 842-027
6240-12-129-4850	8GM 002 091-251	1102.532.3	2BA 005 603-117	1108.046.8	2PF 008 221-011	1503.235.00	1BL 139 277-001
6240-12-129-6155	8GD 002 088-131	1102.532.4	8RA 002 016-121	1108.046.8	2PF 008 221-017	1503.239.00	1NL 007 186-047
6240-12-129-6156	8GD 002 088-251	1102.532.6	2BE 004 119-021	1108.046.9	2XA 008 221-021	1503.240.00	1K2 006 147-031
6240-12-129-6157	8GD 002 084-131	1102.532.7	9GT 134 655-007	1108.046.9	2XA 008 221-027	1503.241.00	2BA 004 119-001
6240-12-136-1126	8GA 002 074-241	1102.532.8	9GT 143 133-007	1108.047.0	2ZR 008 221-051	1503.242.00	2BA 005 603-011
6240-12-137-2181	8GA 002 074-121	1102.533.0	1BL 007 834-037	1108.047.0	2ZR 008 221-057	1503.242.02	2BA 005 603-017
6240-12-140-5262	8GA 002 072-121	1102.533.7	2SE 997 111-011	1108.047.1	8RA 008 405-001	1503.244.00	1KL 007 834-027
6240-12-147-2431	8GM 002 091-121	1102.533.8	2SE 997 111-021	1108.047.1	8RA 008 405-007	1503.245.00	1NL 007 834-017
6240-12-150-4410	8GA 002 073-241	1102.534.2	2ZR 002 694-001	1108.060.8	8WT 008 549-601	1503.250.01	9GT 134 655-007
6240-12-151-9661	8GH 002 089-251	1102.534.2	2ZR 002 694-002	1108.061.0	8WT 008 549-701	1503.250.02	9GT 143 133-007
6240-12-151-9661	8GH 002 089-253	1102.534.3	2ZR 003 236-311	1108.067.9	2JB 996 012-121	1503.252.00	1BL 007 834-037
6240-12-159-7268	8GA 002 073-121	1102.534.4	2TM 003 748-011	1108.253.3	8KA 152 134-007	1503.253.00	25D 003 184-031
6240-12-165-3331	8GJ 002 525-251	1102.534.5	9EL 119 544-111	1111.389.8	2JA 001 346-011	1503.253.00	25D 003 184-037
6240-12-165-3331	8GJ 002 525-253	1102.534.6	22R 005 603-061	1111.461.6	2PF 959 590-401	1503.28	25D 003 167-021
6240-12-165-6793	8GH 002 090-251	1102.534.6	22R 005 603-067	1111.461.6	2PF 959 590-407	1503.300.00	22R 002 694-001
6240-12-165-6793	8GH 002 090-253	1102.534.8	2KA 001 378-041	1112.835.8	2PS 009 226-017	1503.300.00	22R 002 694-002
6240-12-166-0983	8GH 002 090-133	1102.534.9	2KA 005 049-011	111.293.60	2BM 008 355-001	1503.301.00	22R 001 193-011
6240-12-171-6626	8GP 002 095-121	1102.534.9	2KA 005 049-017	111.293.60	2BM 008 355-007	1503.302.00	22R 003 236-311
6240-12-173-3418	8GP 002 095-241	1102.535.0	2KA 003 389-061	111.293.60	2BM 008 355-017	1503.303.00	2TM 003 748-011
6240-12-173-4825	8GA 002 071-251	1102.535.0	2KA 003 389-062	1113.245.2	2SA 009 001-137	1503.303.01	9EL 119 544-111
6240-12-179-9642	8GJ 002 525-133	1102.535.0	2KA 003 389-068	1113.245.3	2BA 009 001-107	1503.307.00	22R 005 603-061
6250-12-122-4544	9FF 078 830-001	1102.535.1	2KA 001 622-001	1114.574.3	2PF 003 563-187	1503.307.00	22R 005 603-067
6250-12-179-0634	9FF 090 500-001	1102.535.6	2KA 005 049-011	1200.613.0	2PF 959 570-401	1503.35	9EL 107 443-061
6250-12-180-6310	9FF 085 642-001	1102.542.1	2KA 005 049-017	1200.613.0	2PF 959 570-407	1503.380.00	2SA 001 647-041
6250-12-181-3609	9FH 112 497-001	1102.544.2	2SK 003 567-321	1400.681.3	2PF 002 860-031	1503.400.00	2KA 001 378-041
6250-12-185-3302	9FF 071 116-001	1102.544.4	8RA 003 326-041	1401.191.4	2PS 963 639-011	1503.401.00	2KA 005 049-008
6250-12-300-5036	9FH 113 447-011	1102.544.4	8RA 003 326-047	1401.191.4	2PS 963 639-017	1503.402.00	2KA 003 389-061
9390-12-169-3186	9GD 023 639-001	1102.544.6	8RA 003 326-002	1401.502.7	8JD 156 151-807	1503.402.00	2KA 003 389-062
9905-12-127-4384	8RA 002 010-011	1102.544.7	8RA 003 326-002	1502.204.00	2NE 005 603-071	1503.402.00	2KA 003 389-068
9905-12-129-1636	8RA 002 015-031	1102.544.8	8RL 002 009-011	1502.204.00	2NE 005 603-077	1503.403.00	2KA 001 622-001
9905-12-139-8150	8RA 002 016-121	1102.545.4	8RL 002 009-021	1502.205.00	2SK 003 567-661	1503.405.00	2KA 003 010-007
9905-12-162-7570	8RA 002 016-111	1102.546.2	8RB 004 713-001	1502.206.00	2SK 003 567-651	1503.407.00	2KA 003 168-021
9905-12-172-5334	8RA 002 016-111	1102.546.4	2SA 001 647-041	1502.207.00	9HB 126 601-001	1503.408.00	2KA 005 049-011
9905-12-175-7514	8RA 002 023-011	1102.546.9	2PF 961 167-021	1503.000.00	9GH 145 943-001	1503.408.00	2KA 005 049-017
9905-12-181-7721	8RA 002 015-001	1102.547.0	2PF 002 860-031	1503.003.01	2BA 002 939-171	1503.511.10	1FB 007 560-041
9905-12-188-3859	8RA 002 014-051	1102.547.3	9GD 128 553-007	1503.003.02	9EL 116 771-031	1503.513.00	1FD 003 590-411
9905-12-188-3859	8RA 002 014-052	1102.547.5	2SA 002 860-041	1503.004.00	2BM 002 847-011	1503.524.00	1AG 001 108-451
9905-12-191-1123	8RA 003 326-011	1102.547.5	1NL 007 186-027	1503.004.01	9EL 115 830-001	1503.527.00	1GD 003 590-701
9905-12-191-1123	8RA 003 326-011	1102.548.8	2JA 005 590-001	1503.005.00	2BM 002 847-021	1503.541.20	2XS 005 020-041
9905-12-300-2792	8RA 002 023-001	1102.548.9	2SA 001 638-021	1503.006.00	2BA 001 275-011	1503.541.20	2XS 005 020-047
9905-12-304-8722	8HG 002 240-011	1102.549.1	2PF 001 638-011	1503.006.01	9EL 101 899-001	1503.700.00	8RA 003 326-011
9905-12-306-9555	8HG 002 240-001	1102.549.1	2XS 005 020-001	1503.007.00	2BA 001 275-021	1503.700.00	8RA 003 326-017
		1102.549.1	2XS 005 020-002	1503.009.00	2BA 001 221-031	1503.700.10	8RA 003 326-041
		1102.549.3	2XS 005 020-003	1503.010.00	2BA 001 221-041	1503.700.10	8RA 003 326-047
		1102.549.3	2XS 007 841-011	1503.012.00	2BA 003 236-321	1503.700.50	8RA 003 326-021
		1102.549.4	2XS 007 841-017	1503.013.00	2BA 003 236-021	1503.701.00	8RA 003 660-007
		1102.549.4	2XS 007 841-021	1503.013.00	2BA 003 236-027	1503.702.00	8RL 002 009-021
		1102.549.9	2XS 007 841-027	1503.013.02	9EL 119 544-021	1503.703.00	8RL 002 009-011
		1102.550.0	8GA 002 074-241	1503.015.00	2BA 003 236-177	1503.704.00	8RL 002 009-021
		1102.550.0	4AZ 003 787-021	1503.016.00	2BA 003 734-061	1503.743.00	8RB 004 713-001
		1102.553.0	2JA 004 531-011	1503.038.00	1AG 002 343-101	1503.746.00	2XS 955 031-001
		1102.553.0	2JA 007 372-011	1503.043.00	2BA 005 603-011	1503.801.00	2PF 001 647-031
		1102.553.2	2SA 001 259-751	1503.043.00	2BA 005 603-017	1503.801.00	2PF 001 647-037
		1102.553.2	2SA 001 259-757	1503.052.00	2BA 001 259-611	1503.802.00	2PF 961 167-021
		1102.553.8	2JA 001 335-001	1503.052.00	2BA 001 259-618	1503.804.00	2SA 003 014-051
		1102.554.2	2JA 003 231-001	1503.065.00	2KA 003 389-001	1503.805.00	2PF 003 014-071
		1102.554.5	2JA 003 354-051	1503.079.00	2ZR 002 589-011	1503.806.00	2PF 002 860-031
		1102.554.6	9EL 120 240-011	1503.081.00	2ZR 003 236-051	1503.806.02	9GD 128 553-007
		1102.554.7	2JA 001 331-011	1503.081.00	2ZR 003 236-057	1503.811.00	2JA 005 590-001
		1102.556.6	2JA 001 364-001	1503.082.00	8RA 003 326-011	1503.817.00	2PF 004 081-001
		1102.558.3	2AB 004 532-051	1503.082.00	8RA 003 326-017	1503.817.00	2PF 004 081-007
		1102.558.3	2AB 004 532-057	1503.101.00	2DA 003 236-331	1503.900.01	9EL 118 445-001
		1102.558.5	9XB 136 202-005	1503.102.00	2DA 003 236-031	1503.905.00	2SA 001 638-021
		1102.776.1	9GT 143 133-007	1503.102.00	2DA 003 236-037	1503.906.00	2PF 001 638-011
		1102.871.2	8GA 002 071-251	1503.102.01	9EL 120 201-001	1503.907.00	2XS 005 020-001
		1102.872.3	8GJ 002 525-251	1503.103.00	2ZR 003 236-051	1503.907.00	2XS 005 020-002
		1102.872.3	8GJ 002 525-253	1503.103.00	2ZR 003 236-057	1503.907.00	2XS 005 020-003
		1102.872.4	8GH 002 089-251	1503.105.00	9EL 110 014-001	1503.907.01	9EL 132 215-001
		1102.872.4	8GH 002 089-253	1503.108.00	2DA 005 603-031	1503.907.10	2XS 007 841-011
		1102.872.9	8GS 007 949-101	1503.108.00	2DA 005 603-037	1503.907.10	2XS 007 841-017
		1102.877.1	8GM 002 092-241	1503.114.00	9GD 100 140-001	1503.907.20	2XS 007 841-021
		1102.890.0	9EL 119 544-111	1503.116.00	9EL 107 443-011	1503.907.20	2XS 007 841-027
		1102.912.5	8KW 701 235-033	1503.141.00	2ZR 003 014-091	1504.012.00	2JA 003 236-357
		1105.237.9	2XW 007 146-001	1503.142.00	2BM 006 692-011	1504.016.00	2JA 004 531-011
		1105.238.6	2XW 007 146-001	1503.142.00	2BM 006 692-017	1504.016.01	9EL 856 010-001
		1106.074.0	9GD 100 140-001	1503.143.00	2BM 006 692-021	1504.019.00	2SA 001 259-751
		1106.173.5	8JB 004 777-001	1503.143.00	2BM 006 692-027	1504.019.00	2SA 001 259-757
		1106.173.5	8JB 004 777-002	1503.145.00	2SA 006 679-027	1504.026.00	2JA 001 335-001
		1106.390.1	2BM 008 355-001	1503.148.00	2PS 962 964-012	1504.027.00	

# Manufacturer's no. / Hella no.

## Cross-Reference



Neoplan	Hella	New Holland	Hella	O & K	Hella	O & K	Hella
36.25101-6001	1BL 008 193-011	1-40-179-0021	1GA 998 522-011	1450259	9EL 118 700-001	1732024	2PF 003 014-071
36.25101-6001	1BL 008 193-011	1-40-179-0031	1GA 998 522-011	0145231	8JA 001 914-011	1737027	2JA 003 231-001
36.25101-6002	1BL 007 834-007	1-40-572-0011	1GA 996 083-011	1452807	4RA 003 510-081	1737028	2JA 001 335-001
36.25101-6003	1KL 007 834-027	1-40-572-0021	1GA 007 506-681	0014593	8GM 002 091-141	1740048	1GA 003 470-051
36.25101-6008	1NL 008 090-117	421030	1G3 005 760-001	1461413	1A6 001 128-021	1794540	9EL 110 918-011
36.25101-6030	2PT 009 599-041	421030	1G3 005 760-057	1461487	2SA 001 259-751	1794541	9EL 110 918-011
36.25102-0000	9HD 149 253-007	47056352	1GA 996 083-011	1461487	2SA 001 259-757	1794577	9EL 102 240-031
36.25102-6000	1NO 008 582-011	470563520	1GA 996 083-011	0146176	2ZR 003 030-171	1794629	9EL 110 910-001
36.25102-6000	1NO 008 582-011	47056353	1GA 996 083-011	0146426	2SB 001 301-021	1794675	1G5 119 738-001
36.25102-6004	1NL 008 090-327	470563530	1GA 996 083-011	146509110	1AF 960 723-121	1794676	9GD 120 670-001
36.25103-6000	2ZR 008 221-051	470563540	1GA 996 083-021	1465193	8HG 006 294-031	1794677	6ED 708 919-001
36.25103-6000	2ZR 008 221-057	470563550	1GA 996 083-021	0146673	9EL 052 476-001	1794700	9EL 113 639-011
36.25103-6003	2ZR 001 240-377	470563560	1GA 996 083-011	0014689	2BA 001 227-211	1794701	9EL 113 639-021
36.25140-6000	9XB 152 977-001	470563570	1GA 996 083-011	0014696	2JA 001 335-001	1795243	9ES 015 675-001
36.25201-6010	2JA 004 531-011	81813545	8RA 002 016-121	0014702	2AA 001 200-001	1795249	9ES 091 183-001
36.25201-6012	2JA 005 590-001	9813938	1GA 006 991-091	0014702	2AA 001 200-002	1795322	9AG 100 108-301
36.25201-6013	2JA 003 231-001	9819611	1GA 005 060-041	1470209	8HG 006 294-011	1795326	9ES 082 415-001
36.25205-6000	2JB 996 012-121	9819611	1GA 998 522-011	0014703	2AA 001 200-011	1795328	9DE 087 430-011
36.25225-6000	2XA 008 221-021	9837139	1GB 006 213-101	0014703	2AA 001 200-012	1795351	9AG 017 970-001
36.25225-6000	2XA 008 221-027	9837139	1GB 006 213-107	0014703	2AA 001 200-131	1795353	9GD 024 183-001
36.25225-6002	2DA 959 071-737	9837140	1GA 006 991-061	1472198	1AA 143 897-011	1795387	9GD 082 716-001
36.25225-6006	2DA 005 603-031			0014774	8RA 002 015-001	1795431	9ES 106 588-001
36.25225-6006	2DA 005 603-037			0014808	9ES 015 675-001	1830847	9AG 104 328-001
36.25225-6007	2SA 005 603-021			14812	2AA 001 200-021	1909395	1TA 003 570-101
36.25225-6007	2SA 005 603-027			14812	2AA 001 200-023	1960077	1GA 005 060-001
36.25225-6008	2SD 003 184-031			1484339	9EL 136 825-001	1960077X	1GA 998 522-011
36.25225-6009	2SD 003 184-037			1484340	9EL 136 825-011	1960080	1GA 005 060-001
36.25225-6009	2SD 003 184-041			1487699	1G4 129 089-011	1960083	2ZR 003 236-311
36.25225-6009	2SD 003 184-047			14894	2SA 001 634-121	1960730	2PF 004 081-001
36.25225-6015	2PS 009 226-017			0014911	2KA 001 389-101	1960733	2PF 004 081-007
36.25240-6000	2KA 005 049-011			1494060	8GH 002 089-133	1991738	1AA 004 109-021
36.25240-6000	2KA 005 049-017			1494061	9EL 860 627-001	1991918	9DS 121 707-001
36.25260-6000	2PF 008 221-011			1494062	9NU 858 004-001	0200886	9AG 104 328-001
36.25260-6001	2PF 008 221-017			1494063	9MN 860 677-001	0200888	9DR 104 336-001
36.25260-6001	2SA 008 405-011			1494134	9EL 964 532-001	0201066	1GA 001 108-291
36.25260-6001	2SA 008 405-017			1495770	9EL 964 531-001	0201142	9GD 023 639-001
36.25260-6004	2XS 008 479-051			1520715	8JA 001 925-001	0201586	9EL 088 525-001
36.25260-6004	2XS 008 479-057			1520716	2SK 003 567-321	2142053	8RL 002 009-001
36.25260-6005	2XS 008 479-041			1520716	2SK 003 567-331	2142382	8RA 003 326-031
36.25260-6005	2XS 008 479-047			1537807	2JA 003 354-001	2025034	8RA 002 015-021
36.25260-6009	2PF 003 563-187			1547165	2JA 001 357-002	215139	3AG 003 399-101
36.25260-6010	2PF 006 679-007			1570318	8JA 001 909-001	2168625	8RA 002 016-121
36.25320-6004	2BE 004 119-021			1570424	9BG 127 426-001	2168728	8JB 004 777-001
36.25320-6005	2BA 005 603-117			1570425	1AA 004 109-031	2168728	8JB 004 777-002
36.25323-000	2BM 008 355-017			1589164	1A7 003 099-011	0217768	9DR 090 206-001
36.25323-000	8XU 008 405-031			1589704	1S0 001 430-011	0219034	2AA 001 200-151
36.25943-6007	8XU 008 405-037			0159615	8JB 001 933-031	2213549	8GS 861 955-021
36.25943-6007	5DV 008 856-001			1709575	1AA 004 109-041	2213973	1EA 007 108-021
36.25943-6007	5DV 008 856-007			1709675	1AA 004 109-041	2213973	1EA 007 108-027
36.96001-0001	9GH 145 943-001			1710080	8HG 002 365-001	2213974	1EA 007 108-011
81.25225-6107	2BM 002 847-011			1710088	8HG 002 365-001	2213974	1EA 007 108-011
81.25225-6108	2BM 002 847-021			1710097	2SB 003 018-031	2292413	2PS 006 717-031
81.25225-6459	2BM 006 692-011			1710130	2KA 001 386-291	2292413	2PS 006 717-037
81.25225-6459	2BM 006 692-017			1710145	2KA 001 389-101	2426539	1A3 005 760-518
81.25229-0244	9EL 122 772-001			1710154	2SD 001 693-011	2465155	1GA 006 991-041
81.42950-0028	8RL 002 009-021			1710167	2BA 002 324-011	2482231	9GH 993 984-001
81.42950-0043	8RA 003 660-001			1710168	2BA 002 324-021	2490165	8RA 002 016-101
82.25225-6031	2SK 003 567-331			1710176	2BA 002 324-001	0249135	2ZR 001 423-001
83.25260-6504	2PF 959 570-407			1710177	2SD 001 699-061	0249168	9DE 077 356-021
83.25260-6504	2PF 959 570-407			1710178	2BA 003 022-001	0249170	2ST 003 018-061
84.25901-0021	8GA 002 074-241			1710201	2PS 002 727-001	0264485	8GA 002 071-251
88.25101-6006	1BL 008 194-027			1710202	2SE 001 699-071	0264821	4AZ 001 879-021
88.25101-6007	1KO 008 191-021			1710205	2BA 002 652-101	2764283	2RL 008 181-111
88.25101-6007	1KO 008 191-027			1710205	2BA 002 652-107	2764285	8GS 859 634-001
88.25225-6012	2BA 001 221-031			1710217	2KA 003 389-001	2764285	5KG 007 629-011
88.25225-6023	2BA 003 236-541			1710218	2KA 003 389-061	2764316	1GA 998 534-011
N1.01102-5087	2NE 005 603-071			1710218	2KA 003 389-062	2764317	8GS 007 949-011
N1.01102-5089	2SK 003 567-661			1710218	2KA 003 389-068	2764366	8GS 007 949-011
N1.01102-5092	2SK 003 567-651			1710220	2BA 002 652-111	2764793	2JA 007 373-071
N1.01102-5190	1AG 002 343-101			1710220	2BA 002 652-117	2764945	1GA 996 142-011
N1.01102-5195	2BA 005 603-011			1710221	2BA 002 652-121	2764945	1GA 996 142-011
N1.01102-5195	2BA 005 603-017			1710221	2BA 002 652-127	2781686	2VP 006 040-111
N1.01102-5201	2BA 001 259-611			1710221	2BA 003 734-061	2781686	2VP 006 040-117
N1.01102-5201	2BA 001 259-618			1710224	2BE 003 014-251	2781687	2VP 006 040-127
N1.01102-5215	9EL 120 201-001			1710248	2BE 003 014-257	0029224	1S3 001 117-041
N1.01102-5244	2PS 962 964-012			1710266	2BE 003 182-101	2928271	1GA 006 876-001
N1.01102-5244	2PS 962 964-018			1710266	2XS 950 071-031	2928273	2RL 007 552-001
N1.01102-5245	9GT 963 129-001			1710313	2XS 005 020-001	2928339	2SD 964 169-111
N1.01102-5258	2SB 005 603-137			1710313	2XS 005 020-002	2928339	2SD 964 169-111
N1.01102-5270	2SD 003 184-031			1710313	2XS 005 020-003	2928340	2ZR 964 169-031
N1.01102-5270	2SD 003 184-037			1710318	2BA 003 014-111	2928340	2ZR 964 169-037
N1.01102-5271	9EL 118 700-001			1710319	2XS 955 031-001	2928380	2RL 007 552-011
N1.01102-5279	2SD 002 582-117			1711003	8RA 002 016-111	2928659	8RA 002 014-031
N1.01102-5301	8XU 007 842-017			1711052	8RA 003 326-011	2928659	8RA 002 014-032
N1.01102-5302	8XU 007 842-027			1711052	8RA 003 326-017	2928660	8HG 003 799-001
N1.01102-5322	1NL 007 834-017			1711054	8RL 002 009-001	2928660	8HG 003 799-007
N1.01102-5329	1NL 007 186-047			1712038	8JA 001 909-011	2928667	2TM 003 057-031
N1.01102-5330	1BL 007 834-037			1712099	1G9 001 523-021	2929066	1AB 006 213-011
N1.01102-5344	2TM 003 748-011			1712118	2ZR 001 423-001	2929205	2BA 996 012-061
N1.01102-5346	2ZR 005 603-067			1712132	1G5 003 241-021	2929206	9BG 993 345-001
N1.01102-5441	8RA 003 326-011			1712138	1AG 003 434-137	2929704	2PF 996 012-051
N1.01102-5441	8RA 003 326-017			1712140	2ZR 003 014-091	2929764	8RA 002 014-051
N1.01102-5464	2PF 961 167-021			1712152	1G5 003 241-071	2929867	2XS 005 020-081
N1.01102-5491	2XS 005 020-001			1712154	1G8 002 340-001	2929902	8HG 006 294-051
N1.01102-5491	2XS 005 020-003			1712218	2KA 003 389-061	2929939	9BG 990 042-061
N1.01102-5493	2XS 007 841-011			1712218	2KA 003 389-062		



# Manufacturer's no. / Hella no.

## Cross-Reference

O & K	Hella	O & K	Hella	Opel	Hella	Opel	Hella
0029942	2PF 001 634-101	8110485	1GB 006 213-107	12 16 121	1EL 008 320-071	20 98 150	8GP 002 066-121
3004752	2BN 964 169-051	8110503	9EL 118 614-011	12 16 124	1EL 008 321-081	20 98 175	8GM 002 094-121
3004752	2BN 964 169-057	81305004160	8PA 007 732-013	12 16 125	1EL 008 321-071	20 98 176	8GM 002 091-131
3004753	2TA 964 169-061	81344400160	9EV 857 067-011	12 16 129	1EL 008 320-131	20 98 178	8GM 002 091-121
3004753	2TA 964 169-067	8200961	2SD 002 582-021	12 16 130	1EL 008 320-141	20 98 201	8GM 002 092-121
3005654	2BA 996 012-147	8200962	2SD 002 582-027	12 16 267	1A6 002 395-071	20 98 251	8GA 002 072-121
30234	2SD 001 679-001	8200962	2SD 002 582-011	12 16 376	1AJ 007 677-011	20 98 252	8GA 002 073-121
0033272	2BA 001 259-611	8200962	2SD 002 582-017	12 16 377	1AJ 007 677-021	20 98 326	8GH 002 090-133
0033272	2BA 001 259-618	8200963	9EL 112 743-001	12 16 378	1AJ 007 677-011	20 98 401	8GD 002 078-121
33766	8RA 002 016-111	8200964	9EL 112 741-001	12 16 379	1AJ 007 677-021	20 98 914	8GA 002 071-121
0339992	2BA 002 324-001	0082756	2SA 001 240-331	12 16 428	1EL 006 110-401	20 98 939	8GA 007 997-171
0034464	2SB 001 259-261	0082849	2SD 001 305-021	12 16 429	1EL 006 110-391	20 98 946	8GS 007 949-101
0034774	2BA 001 248-001	8412648	2SB 003 018-031	12 16 432	1EL 006 110-381	223335666	2SD 002 582-021
0035157	2AA 001 200-031	8412656	2SD 001 693-011	12 16 433	1EL 006 110-371	24406569	2SD 002 582-027
0035157	2AA 001 200-032	8412667	2SD 001 699-061	12 16 447	1AG 007 573-011	24417111	5DV 008 855-017
0036652	2ZR 001 421-101	8412674	2SD 001 699-511	12 16 448	1AG 007 573-021	24 60505	5DV 008 855-017
0038280	9KS 075 139-001	8412674	2BA 003 022-001	12 16 456	1AG 007 573-061	24-60506	2SB 003 018-031
4158653	2JA 001 330-001	8412675	2SE 001 699-071	12 16 459	1AG 007 573-051	24-60507	2XS 005 022-031
4158653	2JA 001 330-007	8412692	2BA 003 734-061	12 16 460	1AG 007 573-021	24-60507	9EL 126 294-001
4158672	1AB 001 100-001	8412695	2BE 003 014-251	12 16 461	1AG 007 573-011	2460515	9EL 089 114-001
4158831	2SD 001 685-211	8412695	2BE 003 014-257	12 16 471	1AJ 007 677-031	24610120	2SD 001 305-021
4158831	2SD 001 685-218	8412742	1AG 003 434-137	12 16 472	1AJ 007 677-041	24610130	9EL 052 476-001
4158831	2SD 001 685-231	8412748	1GS 003 241-071	12 16 473	1AJ 007 677-031	26-60078	2SD 001 680-271
4158831	2SD 001 685-232	8413050	2PF 001 648-161	12 16 474	1AJ 007 677-041	26-60079	2SD 001 680-281
4158904	9EL 109 139-001	8413122	2JA 003 231-001	12 16 479	1AJ 007 677-041	28600800	9EL 107 368-001
4158974	9ES 093 815-001	8413692	9EL 110 918-011	12 16 483	1AJ 007 677-031	28600810	9EL 111 647-001
4158975	9EL 113 324-001	8413704	9EL 110 910-001	12 16 486	1EE 270 000-011	28 61030	2BA 003 022-021
4200838	9ES 069 831-001	8413715	6ED 708 919-001	12 16 487	1EE 270 000-021	28 93 344	9FH 093 887-001
0042488	2SD 001 679-001	8413762	9EL 854 912-001	12 16 488	1EE 270 000-011	29700301	2XS 005 020-021
0430879100	2JA 001 357-002	8436822	9GT 074 132-001	12 16 489	1EE 270 000-021	33207	2XD 006 609-831
0043309	9KS 075 307-001	8436830	9EL 115 003-055	12 16 494	1AJ 007 677-041	33211	9GD 860 936-001
0434011800	2JA 003 231-001	8464232	2SA 001 634-121	12 16 495	1AJ 007 677-031	33214	8KB 007 896-801
0043497	9EL 088 150-001	8464263	2BE 003 182-101	12 16 497	1AG 006 920-211	33215	9SX 861 562-001
0045911	9GD 024 183-001	8464299	2XS 950 071-031	12 16 498	1AG 006 920-221	34308	9MM 860 814-801
0045912	9AG 017 970-001	8464300	2XS 005 020-001	12 16 519	1AG 007 573-111	34309	8KB 861 213-011
0045913	9DR 060 567-001	8464300	2XS 005 020-003	12 16 520	1AG 007 573-121	34 59 065	9FF 085 642-001
4619240	2ZR 003 236-051	8464300	2XS 005 020-003	12 16 539	1EG 007 640-311	34 78 011	2AA 001 200-002
4619240	2ZR 003 236-057	8464301	2XS 005 020-011	12 16 540	1EG 007 640-321	34 78 011	2AA 001 200-002
4620943	1AB 004 231-001	8464301	2XS 005 020-017	12 16 543	1EL 008 329-251	35438	8KB 007 895-811
0046546	9ES 082 415-001	8464788	2PF 003 389-037	12 16 544	1EL 008 329-261	36207	9GD 861 470-001
0047980	9DE 087 430-011	8464953	2AB 004 532-051	12 16 561	1EG 270 370-311	36209	2RM 007 200-141
0048139	9ES 069 831-001	8464953	2AB 004 532-057	12 16 562	1EG 270 370-321	36831	8KB 007 897-801
0490772	8XS 113 389-001	8467019	9EL 110 544-001	12 16 565	1EL 008 700-311	37345	2RM 007 200-231
0490775	2AA 001 200-131	8467027	9FH 093 887-001	12 16 566	1EL 008 700-321	37730	9SX 007 609-031
0490776	2AA 001 200-141	8467037	1GS 120 510-001	12 16 569	1ZS 008 710-311	37869	2RM 007 200-131
049775	2AA 001 200-131	8467099	1A3 001 120-001	12 16 570	1ZS 008 710-321	39 00 017	2BA 003 236-021
0505650	1GB 002 340-001	8467158	9XR 854 840-001	12 16 579	1EG 270 370-611	39 00 017	2BA 003 236-027
0511591	2BA 002 324-011	8475319	1N4 002 608-021	12 16 660	1EG 270 370-621	40043	2XD 008 524-811
0511592	2BA 002 324-021	8476344	2XS 955 031-001	12 17 273	9GH 116 966-011	40828	2RM 007 200-001
0524903	2BA 001 221-031	8482092	1EL 146 491-001	12 17 276	9GH 116 966-011	41 50 200	9EL 052 476-001
0524904	2BA 001 221-041	8482692	9EL 855 097-001	12 20 610	1X0 001 515-021	41 59 800	2SD 001 305-021
524951	2KA 003 389-061	8485655	9EL 856 418-001	12 22 111	9EL 160 467-011	43093	1GA 996 142-041
524951	2KA 003 389-062	8488471	2RL 008 060-111	12 22 111	9EL 354 073-011	43846	9XB 163 882-001
524951	2KA 003 389-068	8488472	2RL 008 061-111	12 22 112	9EL 160 468-011	43848	9MM 867 164-011
0552314	2BA 002 652-121	8519965	2SA 003 057-021	12 22 112	9EL 354 073-021	44001600	9EL 052 476-001
0552314	2BA 002 652-127	8519965	2SA 003 057-022	1 222 355	9EL 354 073-011	44012200	2SD 001 305-021
0552315	2BA 002 652-111	8520062	2PF 003 057-041	1 222 356	9EL 354 073-021	06-0288	2SA 003 014-121
0552315	2BA 002 652-117	8520691	9EL 117 330-011	1 222 600	8RA 007 051-041	60 35 200	2SY 003 014-051
0559299	8GH 002 090-133	0902051	2JA 001 330-001	12 22 601	8RA 007 051-031	62 07 044	6NM 007 878-351
0576126	2PF 001 650-001	0902051	2JA 001 330-007	12 23 064	9EL 128 807-011	62 23 151	9EL 143 579-001
0576426	2SE 002 578-701	0915573	9ES 093 815-001	12 23 067	9EL 128 804-011	62 23 152	9EL 143 580-021
0576426	2SE 002 578-707	0933179	1A5 003 178-411	12 23 067 E	9EL 128 804-011	62 35 149	5DV 008 855-017
576427	2BA 002 652-101	0933387	2JA 004 531-011	12 23 182	9EL 152 052-011	66 36 937	2XM 001 975-001
576427	2BA 002 652-107	0933953	1GB 002 340-011	12 23 185	9EL 152 051-011	67 10 010	1NA 009 029-011
0590880	2BA 003 014-111	937501	2BA 001 423-087	12 24 120	2KA 001 622-001	67 10 011	1NA 009 033-011
0591342	2SB 003 014-151	937501	2SB 001 423-097	12 24 124	2KA 001 386-281	67 10 012	1NA 009 029-021
0591900	2ZR 001 193-011	0944197	9GT 067 751-001	12 24 136	2KA 003 485-021	67 10 014	1NA 009 033-021
0597009	2SD 002 776-231	0944198	1S5 003 178-431	12 24 137	2KA 004 434-031	67 10 020	1NA 009 032-011
0597009	2SD 002 776-237	0944925	1A5 003 190-001	12 24 139	2KA 003 485-021	67 10 021	1NA 009 032-011
0597064	2SD 002 776-241	0945429	2AA 001 200-041	12 26 038	9EL 128 959-011	89 83 807	2KA 001 622-001
0597064	2SD 002 776-247	0945429	2AA 001 200-042	12 26 039	9EL 128 958-011	90009587	2AA 003 257-041
598034	2SA 003 014-051	0945429	1AG 001 108-451	12 26 040	9EL 128 949-011	90009587	2AA 003 257-042
0598671	2SW 003 014-131	0095025	8JA 001 909-011	12 26 041	9EL 128 948-011	90016718	2NE 002 985-001
06911864	9EL 990 354-131	970097	2PF 001 259-631	12 26 048	2BA 006 091-011	90017882	2KA 001 386-281
6914613	9EL 964 536-001	0971531	1GS 003 241-021	12 26 049	2BA 006 091-021	90019231	2JA 001 346-011
06916169	1A3 002 850-031	0971532	2KA 003 389-061	12 26 050	2BA 006 091-011	90019235	3AG 003 999-001
06916170	9EL 990 354-111	0971532	2KA 003 389-062	12 26 051	2BA 006 091-021	90019236	5AB 005 944-001
6916171	9EL 990 354-131	0971532	2KA 003 389-068	12 26 054	2BA 006 091-021	90019237	6ZE 001 759-051
06916172	9EL 990 354-121	0987118	8HG 002 365-001	12 26 055	2BA 006 091-011	90033942	2JA 001 330-031
06916173	9EL 990 354-141	0987253	2XW 003 146-001	12 26 056	2BA 007 249-021	90053687	9EL 116 966-011
69164172	9EL 990 354-121	BER511592	2BA 002 324-021	12 26 057	2BA 007 249-011	090093441	9GH 117 094-001
7000-448	1N4 005 750-001			12 26 145	9EL 146 021-001	90140379	1A6 002 395-071
0718942	2SD 001 685-211			12 26 146	9EL 145 802-001	90140910	1ND 003 590-001
0718942	2SD 001 685-218			12 26 147	9EL 145 801-001	090141523	2BA 003 022-021
0726334	8RL 002 009-021	24-60515	2SB 003 018-031	12 26 148	9EL 146 022-001	90141524	2AA 003 257-031
0726357	1GB 132 233-011	26 600800	9EL 107 368-001	12 38 611	4RA 003 510-361	90188655	2BA 001 227-211
7300981	9EL 856 416-001	90093441	9EL 117 094-001	1 536 477	1A6 002 395-071	90188724	6ED 004 778-001
0760569	2ZR 003 014-091	90141523	2BA 003 022-021	17 08 101	1AG 002 343-101	90271592	2AB 004 532-011
0762922	9EL 113 639-011	01-0495	2ST 003 018-061	17 10 039	1NA 009 031-011	90271592	2AB 004 532-021
0762923	9EL 113 639-021	10 49 500	2SB 003 018-031	17 10 040	1NA 009 031-021	90295524	2AB 004 532-001
0763043	9ES 106 588-001	10 50 500	9EL 089 114-001	17 10 164	1ND 003 590-001	90349849	2JA 001 364-001
0764657	9AB 053 336-007	11051239	8GM 002 091-121	17 12 292	2NE 002 985-001	90369131	8HG 854 516-001
7723-462	1VB 005 444-037	12 07 137	6NM 007 282-641	17 12 551	9EL 117 094-		

# Manufacturer's no. / Hella no.

## Cross-Reference



Opel	Hella	Osram	Hella	Osram	Hella	Philips	Hella
93170272	1EL 008 329-251	2752MF	8GA 007 997-161	94193	8GJ 002 525-301	13521	8GA 007 997-021
93170273	1EL 008 329-261	2821	8GP 003 594-141	94196	8GJ 002 525-281	13597	8GA 007 997-071
93175723	1EG 007 640-391	2825	8GP 003 594-121	9507	8GA 006 841-241	13620	8GD 002 088-251
93175724	1EG 007 640-401	2825CB	8GP 003 594-261	9511	8GA 002 073-251	13748	8GD 002 084-251
93178635	1EG 270 370-311	2827	8GP 003 594-541	9627	8GA 002 071-261	13807	8GM 002 091-241
93178636	1EG 270 370-321	2840	8GA 008 901-241	9637	8GA 002 071-271	13814	8GA 002 071-251
93178771	9EL 160 467-011	2841	8GP 003 594-241	9830	8GP 002 067-261	13814 HD	8GA 002 071-271
93178771	9EL 354 073-011	2845	8GP 003 594-251	L8/29	8GS 002 296-101	13818	8GM 002 094-241
93178772	9EL 160 468-011	3724	8GP 002 096-061	L8/33	8GS 002 296-111	13821	8GA 002 071-241
93178772	9EL 354 073-021	3796	8GP 002 068-121			13821HD	8GA 002 071-261
93183055	9EL 161 421-011	3797	8GP 002 068-241	0024.78	8GP 002 066-121	13822	8GA 002 071-361
93183056	9EL 161 422-011	3886X	8GP 007 676-121	0026.18	1NB 005 860-001	13829	8GP 002 066-241
93 190 069	1EG 270 370-611	3892	8GP 002 067-061	6204.ZA	1EG 010 196-011	13844	8GM 002 092-241
93 190 070	1EG 270 370-621	3893	8GP 002 067-121	6204.ZE	1EG 010 196-011	13850	8GM 002 091-261
93190306	9EL 354 073-011	3893CB	8GP 002 067-011	6205.ZA	1EG 010 196-021	13866	8GM 002 091-251
93190307	9EL 354 073-021	3894	8GP 002 068-131	6205.ZE	1EG 010 196-021	13913	8GP 002 068-241
93441	9EL 117 094-001	3898	8GP 002 066-121	6206.80	1ZS 008 950-261	13929	8GP 002 067-241
J03040078	2DA 003 014-031	3899	8GP 002 066-241	6206.82	1ZS 008 950-261	13929 HD	8GP 002 067-261
J03040078	2DA 003 014-037	3930	8GP 002 067-241	6206.8A	1EL 008 950-061	13961	8GP 003 594-251
J03040080	2PF 001 650-001	4050300170237	8GP 003 594-002	6208.8	1EF 009 237-021	139.72	8GH 007 157-241
J03040091	2SA 003 014-051	5007	8GA 002 071-121	6208.82	1ZS 008 950-251	020.0300	8GD 002 088-071
PR0531060	2ZR 003 315-041	5007L	8GA 002 071-351	6208.A8	1EL 008 950-051	020.0500	8GD 002 084-131
PR0531975	2KA 003 389-061	5008	8GA 002 071-131	6208.A8	1EF 009 237-011	020.1300	8GD 002 088-131
PR0531975	2KA 003 389-062	5008L	8GA 002 071-341	6350.CE	2VP 354 039-011	020.2100	8GD 002 084-251
PR0531975	2KA 003 389-068	5627	8GA 002 071-241	6350.Y7	2VP 354 038-011	020.2300	8GD 002 088-251
PR0532202	2KA 003 389-051	5637	8GA 002 071-251	6351.CE	2VP 354 039-021	020.4030	8GA 002 083-131
PR0532202	2SD 003 182-051	6411	8GM 002 091-131	6351.Y7	2VP 354 038-021	020.4550	8GH 005 636-121
PR0532202	2SD 003 182-057	64111	8GH 002 473-151	9653563580	1EF 009 237-021	020.4511	8GH 005 636-121
PR0532202	8RA 002 016-121	64115	8GH 002 473-132	9653563680	1EF 009 237-011	020.4920	8GH 002 090-133
PRF866679	2XW 003 146-001	64122MF	8GA 007 997-101	994168	8PA 007 732-103	020.4920	8GH 007 157-121
PRK000489	2KA 005 049-011	64124MF	8GA 007 997-111	994169	8PA 007 732-093	020.4930	8GH 002 857-121
PRK000489	2KA 005 049-017	64132	8GH 007 643-121	9941.70	8PA 007 732-083	020.5078	8GJ 002 525-341
PRK000489	8RA 004 412-001	64132L	8GH 007 643-171			020.5030	8GA 002 083-251
PRK000588	2XW 003 146-001	64150	8GH 002 089-133	<b>Philips</b>	<b>Hella</b>	020.5900	8GH 002 089-251
PRK000607	2AA 003 257-041	64150CB	8GH 002 089-141	12008	8GA 008 899-121	020.5903	8GH 007 157-241
PRK000607	2BA 002 324-001	64150CB-01B	8GH 002 089-141	120.23	8GH 002 473-151	020.5910	8GH 002 090-251
PRK000607	2SD 001 699-061	64150L	8GH 002 089-351	12025	8GH 002 473-132	020.5930	8GH 002 857-241
PRK000607	2SD 001 699-511	64150SVS	8GH 002 089-471	12036	8GH 007 643-121	021.0205	8GA 006 841-121
PRK000612	1ND 003 590-001	64151	8GH 002 090-133	12036LL	8GH 007 643-171	021.0206	8GA 002 073-121
PRX002669	1TA 003 570-001	64151CB	8GH 002 090-371	12052	8GP 007 676-121	021.0207	8GD 002 078-121
PRX002669	1TA 003 570-101	64155	8GH 002 089-251	12061	8GP 938 026-001	021.0209	8GD 004 772-121
V01049500	2SB 003 018-031	64155LTS	8GH 002 089-491	12067	8GA 008 246-001	021.0217	8GA 002 072-121
V03015300	1G5 003 241-081	64156	8GH 002 090-251	12227	8GA 002 083-131	021.0306	8GA 002 073-241
V04027900	2AA 001 200-031	64156LTS	8GH 002 090-471	12256	8GP 003 594-141	021.0307	8GD 002 078-241
V04027900	2AA 001 200-032	64173	8GH 002 857-121	12258BV	8GH 002 089-141	021.0316	8GA 002 073-251
V04029400	2AA 001 200-011	64175	8GH 002 857-241	12258LL	8GH 002 089-351	021.0317	8GA 002 072-241
V04029400	2AA 001 200-012	6418	8GM 002 092-121	12311	8GH 002 857-121	021.1203	8GA 002 071-121
V04159800	2SD 001 305-021	6418D	8GM 002 092-171	12336	8GH 002 090-133	021.1206	8GA 002 071-131
V04221200	1X0 001 515-021	6418L	8GM 002 092-171	12336BV	8GH 002 090-371	021.1303	8GA 002 071-241
V04226800	2SD 001 679-001	64193	8GJ 002 525-131	12342	8GJ 002 525-133	021.1306	8GA 002 071-251
V06028200	1AB 001 100-001	64193S	8GJ 002 525-133	12342AV	8GJ 002 525-341	021.1313	8GA 002 071-261
V06028800	2SW 003 014-131	64193ALS	8GJ 002 525-341	12342BV	8GJ 002 525-361	021.1316	8GA 002 071-271
V06035200	2SA 003 014-051	64193CB	8GJ 002 525-361	123.42HD	8GJ 002 525-301	021.2114	8GP 002 067-061
V06056500	2ZR 003 315-041	64193D	8GJ 002 525-481	12342LL	8GJ 002 525-481	021.2208	8GP 002 068-121
V07000200	8RA 002 010-011	64193SVS	8GJ 002 525-471	12342VP	8GJ 002 525-471	021.2210	8GP 002 066-121
V07008700	2KA 001 386-231	64196	8GJ 002 525-251	12356LL	8GH 008 417-001	021.2214	8GP 002 067-121
V08092200	1TA 003 570-101	64196LTS	8GJ 002 525-511	12360	8GH 008 356-121	021.2308	8GP 002 068-241
V23660340	2SW 003 014-131	64210	8GH 007 157-121	12361	8GH 008 357-001	021.2310	8GP 002 066-241
V24605130	1G5 003 241-021	64210CB	8GH 007 157-181	12361	8GH 008 357-151	021.2314	8GP 002 067-241
V24610120	2SD 001 305-021	64210D-01B	8GH 007 157-201	12362	8GH 008 358-121	021.2324	8GP 002 067-261
V26600200	8RA 002 015-021	64210L	8GH 007 157-201	12362	8GH 008 358-151	021.3201	8GM 002 094-121
V26600610	1X0 001 515-021	64210SVS	8GH 007 157-471	12396	8GP 003 594-541	021.3203	8GM 002 092-121
V26600780	2SD 001 680-271	64211	8GH 008 358-121	12445	8GA 002 072-121	021.3205	8GM 002 091-131
V26600790	2SD 001 680-281	64212	8GH 008 356-121	12498	8GA 006 841-121	021.3209	8GM 002 091-141
V26600810	9EL 111 647-001	64213	8GH 008 357-001	12498	8GA 002 073-121	021.3211	8GM 002 091-121
V26600820	2BA 003 014-011	64215	8GH 007 157-241	12498LL	8GA 002 073-271	021.3301	8GM 002 094-241
V27600050	2SD 001 685-211	64215LTS	8GH 007 157-231	12499	8GD 002 078-121	021.3303	8GM 002 092-241
V27600050	2SD 001 685-218	64216LTS	8GH 008 358-251	12499LL	8GD 002 078-221	021.3305	8GM 002 091-251
V27600530	2KA 001 386-281	6423	8GM 002 092-121	12516	8GA 007 997-011	021.3311	8GM 002 091-241
V28605420	2SK 003 567-321	6428	8GM 002 094-121	12516	8GP 002 095-121	021.4205	8GH 002 473-151
V28610250	2BA 001 227-201	6429	8GM 002 091-251	12516	8GD 004 772-121	021.6202	8GP 003 594-141
V28610300	2BA 003 022-021	6430	8GM 002 094-241	12597	8GA 007 997-031	021.6212	8GP 002 095-121
V29615040	8RA 002 016-121	6451	8GM 002 091-141	12600	8GA 007 997-081	021.6252	8GP 003 594-121
V29700300	8RA 002 014-101	6453	8GM 002 091-261	12620	8GD 002 088-131	021.6302	8GP 003 594-241
V29700301	2XS 005 020-021	6475	8GM 002 091-121	12718	8GD 008 897-121	021.6312	8GP 002 095-241
V43058900	1A5 003 190-001	6476	8GM 002 091-181	12728	8GD 002 084-131	021.6352	8GP 003 594-251
V44012200	2SD 001 305-021	6480	8GM 002 091-241	12748	8GD 002 084-151	021.7362	8GP 007 643-121
V44022500	2SE 002 578-701	66142	8GS 009 028-001	128.03	8GM 002 091-181	6064	8GD 004 772-151
V44022500	2SE 002 578-707	66240	8GS 007 949-101	66240	8GM 002 091-121	6718	8GD 002 088-071
V44029700	2BA 001 227-201	66250	8GS 007 001-121	7130	8GA 002 071-131	6728	8GD 008 898-061
V46019400	1X0 001 515-021	7130	8GA 008 899-061	7135	8GA 008 899-121	6929	8GP 002 067-061
V46021300	2SW 003 014-131	7225	8GD 004 772-121	7309	8GA 002 072-121	7008	8GA 008 899-061
V46059200	2BA 003 014-011	7225	8GD 004 772-121	7323	8GA 002 083-131	7212.032.59681	8JA 001 914-011
V46061300	2BA 003 014-011	7309	8GA 002 083-131	7324	8GD 008 897-061	85122	8GS 007 949-101
V46063500	2ZR 003 014-091	7323	8GD 008 897-061	7326	8GD 008 898-061	85126	8GS 007 001-121
V47001800	8RA 002 015-031	7324	8GD 008 898-061	7327	8GD 008 897-121	85410	8GS 009 028-001
V47001900	8RA 003 503-001	7326	8GD 008 897-121	7360	8GD 002 084-131	9005	8GH 005 636-121
V99082800	8GS 859 634-001	7327	8GD 002 084-131	7409	8GD 002 084-251	9006	
V99120130	2AA 001 200-001	7360	8GD 002 084-251	7504	8GA 002 083-251		
V99120130	2AA 001 200-002	7409	8GA 002 083-				



# Manufacturer's no. / Hella no.

## Cross-Reference



Same	Hella	Saturnus	Hella	SAW	Hella	SAW	Hella
<b>Deutz-Fahr</b>							
043 90877EY1065-49	9EL 134 741-021	12952	9EL 139 138-061	21.005-031	2SD 997 005-021	80.090-021	8RA 002 014-051
043 90878	9EL 137 308-001	12953	9EL 139 137-061	21.006-001	2SE 997 006-011	80.091-001	8RA 003 326-001
043 90878EY1065-49	9EL 137 308-001	17023	1A8 003 060-541	21.006-011	2SD 997 006-021	80.091-011	8RA 003 326-021
043 90879	9EL 134 742-021	17054	2VP 004 220-061	21.006-211	2SE 997 006-041	80.091-021	8RA 003 326-011
439 0879EY	9EL 134 742-021	17055	2VP 004 220-051	21.006-221	2SD 997 006-031	80.095-001	8RA 002 015-001
043 90879EY1065-49	9EL 134 742-021	17055	2VP 004 220-071	21.007-001	2SE 002 776-211	80.106-001	8RA 004 412-021
043 91462	1GA 006 991-021	17059	1A8 121 149-001	21.007-011	2SD 002 776-231	80.106-011	8RA 004 412-011
043 91462	1GA 998 522-011	17136	2BM 002 847-011	21.007-081	2SE 003 182-011	80.106-021	8RA 004 412-011
043 96049	2KA 001 378-041	17137	2BM 002 847-021	21.007-091	2SD 003 182-061	80.141-001	8RA 002 016-111
044 03158	2SD 002 776-241	17157	9EL 127 009-031	21.007-121	2SE 002 776-221	80.141-011	8RA 002 016-101
044 03158	2SD 002 776-247	17160	9EL 127 010-021	21.007-131	2SD 002 776-231	80.143-001	8RA 002 023-001
044 03159	2SE 002 776-211	17235	2JA 003 388-001	21.007-141	2SE 003 182-021	80.143-011	8RA 002 023-011
044 03159	2SE 002 776-217	17452	1EH 002 658-031	21.007-151	2SD 003 182-051	80.143-021	8RA 002 023-021
044 03161	9EL 137 308-001	17453	1EH 002 658-041	21.008-001	2SE 997 008-001	90.001-011	9EL 109 139-001
044 03162	9EL 137 307-001	18069	1A8 003 060-551	21.008-041	2SE 002 578-701	90.002-011	9EL 092 435-011
044 11937.4	1GA 007 506-001	18070	1A8 121 150-001	21.009-101	2SE 001 686-142	90.003-001	9EL 116 844-001
044 13298	8RA 004 412-001	18071	1A8 004 190-001	21.009-111	2SD 001 686-101	90.003-011	9EL 112 741-001
044 13298	8RA 004 412-021	18072	1A8 127 147-021	21.010-101	2SE 001 685-201	90.003-021	9EL 112 744-001
044 13298EY2005-49	8RA 004 412-021	18526	1AJ 007 235-241	21.010-111	2SD 001 685-211	90.003-051	9EL 112 743-001
044 13298X	8RA 004 412-001	18527	1AJ 007 235-231	21.010-121	2SE 001 685-221	90.003-061	9EL 112 744-001
044 14773	2RL 006 846-001	4500001200	6NM 007 878-041	21.010-131	2SD 001 685-231	90.005-001	9EL 997 313-001
044 19284.4	9XD 990 284-001	00787804	6NM 007 878-041	21.017-121	2XS 005 639-001	90.006-091	9EL 997 315-001
044 24195.4	1GA 007 506-001	<b>SAW</b>	<b>Hella</b>	21.026-011	2TF 001 259-761	90.006-101	9EL 997 318-001
044 25599.4	1GA 007 506-001	10.115-171	1GA 006 991-051	21.026-091	2ST 001 259-321	90.006-151	9EL 997 320-001
044 34891	1GB 006 213-111	10.115-211	1GA 006 991-071	21.028-061	2SB 001 259-261	90.006-161	9EL 997 316-001
044 34891	1GB 006 213-117	10.115-221	1GA 006 991-091	21.028-071	2SW 003 014-131	90.006-171	9EL 997 317-001
044 34892	1AB 006 213-001	10.115-241	1GA 006 991-021	21.037-001	2SB 003 014-151	90.007-001	9EL 134 739-001
044 34950	1GA 007 506-061	10.115-301	1GA 006 991-061	21.037-021	2ST 001 673-011	90.007-011	9EL 137 308-001
044 34950	1GA 007 506-111	10.115-311	1GA 006 991-081	21.037-021	2SB 001 673-002	90.007-081	9EL 118 613-001
044 50666	1GA 998 522-011	10.115-321	1GA 006 991-021	21.038-041	2SB 001 301-021	90.007-091	9EL 118 614-011
062 17169	2BA 002 324-011	10.115-321	1GA 006 991-031	21.044-001	2SE 001 679-051	90.007-101	9EL 118 614-021
062 17170	2BA 002 324-021	10.115-411	1GA 006 991-041	21.044-001	2SD 001 679-001	90.007-111	9EL 137 307-001
062 17171	2BA 003 014-011	10.115-421	1GA 006 991-031	21.086-021	2SE 003 167-031	90.007-121	9EL 134 740-001
062 17172	2BA 001 227-201	10.115-441	1GA 006 991-031	21.086-041	2SD 003 167-021	90.008-061	9EL 997 332-001
062 17180	9EL 110 918-001	10.115-551	1GA 006 991-041	21.086-041	2SE 003 167-041	90.008-101	9EL 146 491-001
062 17181	9EL 110 918-011	10.163-011	1GA 006 991-041	21.086-051	2SD 003 167-011	90.010-051	9EL 113 324-001
062 17182	9EL 110 536-001	10.166-001	1GB 996 080-001	21.088-001	2SE 997 088-001	90.012-021	9BG 101 230-011
062 17218	2BE 003 347-001	10.166-001	1GB 996 102-101	21.111-001	2SD 003 184-031	90.012-031	9BG 101 230-001
062 57809	2JA 001 330-001	10.184-041	1GA 006 875-001	21.111-001	2SE 997 111-011	90.014-021	9EL 110 513-001
062 57809	2JA 001 330-001	10.184-101	1GA 006 875-001	21.111-011	2SE 997 111-021	90.014-031	9EL 110 514-001
626 2009	2BA 003 022-021	10.185-021	1GA 006 876-001	21.113-061	2VA 997 113-001	90.015-001	9EL 116 907-001
626 2011	2SA 003 057-021	10.185-051	1GA 006 876-001	21.131-001	2SD 997 131-051	90.015-011	9EL 116 907-001
626 2011	2SA 003 057-022	10.186-011	1GA 005 060-001	21.147-001	2SK 003 567-331	90.017-001	9EL 117 330-001
626 2012	1TA 003 570-101	10.190-001	1GA 007 506-001	21.147-011	2SK 003 567-651	90.017-021	9EL 117 330-011
626 2032	2ZR 002 589-011	10.190-031	1GA 007 506-011	21.147-011	2SK 003 567-321	90.017-081	9EL 117 334-001
626 9006	9EL 117 330-011	10.190-041	1GA 007 506-011	21.147-021	2SK 003 567-661	90.017-091	9EL 117 334-021
626 9007	1TA 122 718-001	10.190-061	1GA 007 506-021	21.147-061	2SL 003 567-311	90.019-041	9EL 108 435-001
626 9018	9EL 074 484-031	10.190-071	1GA 007 506-021	21.147-071	2VP 003 567-111	90.023-011	9EL 084 110-001
062 77522	2PF 003 014-071	10.200-001	1GA 998 532-011	21.167-001	2VP 003 567-121	90.026-001	9EL 135 266-001
062 77522	2SA 003 014-051	14.1145-101	2NE 003 236-001	21.167-011	2SE 007 547-011	90.026-021	9EL 109 208-011
065 15208	2PG 003 057-011	14.1145-201	2ZR 003 236-051	21.167-011	2SE 007 547-021	90.026-041	9EL 088 150-001
065 15208	2PG 003 057-012	14.1153-000	2SE 004 623-001	21.167-031	2SE 007 547-027	90.026-091	9EL 088 538-001
065 15208	2SA 003 057-021	14.1253-011	9EL 129 519-001	21.167-051	2SE 007 547-061	90.027-201	9EL 997 387-001
065 15208	2SA 003 057-022	14.129-001	1AA 004 109-021	21.167-051	2SL 007 547-067	90.027-291	9EL 113 928-001
065 26511	2ZR 003 014-091	14.129-011	1AA 004 109-041	21.176-001	2SL 007 547-067	90.028-111	9EL 110 540-001
065 27091	2SB 003 014-151	14.130-001	1A3 002 850-001	21.176-011	2SL 005 883-031	90.028-121	9EL 110 542-001
065 32698	9EL 119 544-111	20.013-001	2BA 001 277-011	21.176-021	2SK 005 883-021	90.028-141	9EL 110 536-011
065 38036	2KA 001 386-231	20.013-011	2BA 001 277-021	21.176-031	2SK 005 883-011	90.028-151	9EL 110 536-001
680 966	9EL 087 769-001	20.014-001	2BA 001 221-031	21.197-001	2SL 005 883-041	90.028-171	9EL 115 003-011
710 1621301	8JA 001 909-001	20.014-011	2BA 001 221-041	21.197-011	2VP 007 323-011	90.028-181	9EL 115 003-035
000 9739002	9EL 043 137-001	20.015-001	2BA 003 022-021	21.197-011	2VP 007 323-021	90.028-201	9EL 115 003-055
000 9739003	8XS 113 389-001	20.017-001	2PF 003 057-041	21.197-031	2VD 007 323-031	90.028-211	9EL 110 544-001
000 9740211	2SW 003 014-131	20.017-011	2PF 003 057-001	21.197-031	2VD 007 323-041	90.030-061	9EL 119 977-001
000 9740212	2SD 003 182-061	20.017-041	2SA 003 057-021	21.197-111	2VP 007 323-111	90.044-011	9EL 126 294-001
000 9740212	2SD 003 182-067	20.017-161	2TM 003 057-031	21.197-121	2VP 007 323-121	90.086-021	9EL 118 445-001
000 9740213	2SD 003 182-051	20.017-171	2PG 003 057-067	21.197-131	2VD 007 323-131	90.087-001	9BG 121 587-031
000 9740213	2SD 003 182-057	20.017-181	2PS 003 057-051	22.003-021	2VD 007 323-141	90.111-001	9EL 118 700-001
000 9740400	1SO 001 430-011	20.018-001	2SA 001 634-121	22.006-181	2BE 002 582-031	90.111-001	9EL 997 451-001
000 9740600	2SB 003 018-031	20.019-001	2PF 001 648-161	22.007-181	2BE 997 006-101	90.111-011	9EL 997 452-001
000 9741013	2BE 001 278-011	20.019-031	2PF 001 648-161	22.007-111	2BE 003 182-091	90.111-021	9EL 118 703-001
000 9741022	2BA 002 652-111	20.022-001	2SA 997 022-001	22.026-171	2BE 003 182-101	90.111-031	9EL 118 705-001
000 9741022	2BA 002 652-117	20.022-011	2PF 997 022-011	22.026-171	2BE 001 259-061	90.113-001	9EL 997 453-001
000 9741023	2BA 002 652-121	20.022-021	2PF 997 022-021	22.028-091	2BE 003 014-251	90.131-001	9EL 997 459-001
000 9741023	2BA 002 652-127	20.022-021	2PF 997 022-021	22.111-001	2BE 003 184-051	90.131-081	9EL 997 469-001
000 9741028	2BA 003 014-111	20.024-001	2PF 001 650-001	22.111-011	2BE 003 184-061	90.147-001	9EL 122 772-001
000 9741104	2TJ 001 633-211	20.024-001	2PF 001 638-011	22.131-011	2BE 997 131-081	90.147-021	9EL 122 689-021
000 9741500	2AA 001 200-021	20.024-021	2SA 001 638-021	23.030-051	2NE 003 315-011	90.167-001	9EL 147 096-001
000 9741500	2AA 001 200-021	20.026-001	2SA 001 259-751	23.033-001	2NE 001 423-011	90.167-011	9EL 147 097-001
000 9741700	2XW 003 146-001	20.026-021	2PF 001 259-631	23.056-011	2NE 002 985-001	90.176-001	9EL 135 548-001
000 9746015	9EL 087 769-001	20.026-041	2BA 001 259-611	23.058-011	2NE 001 173-061	90.196-001	9EL 141 135-031
000 9746024	9EL 052 476-001	20.026-201	2BA 001 259-611	24.027-201	2ZR 002 694-001	90	



# Manufacturer's no. / Hella no.

## Cross-Reference

Scania	Hella	Scania	Hella	Scania	Hella	Schmitz Cargobull	Hella
138 5407	9DE 145 676-011	20 223 869	8JD 008 151-041	474 411	2ZR 005 603-061	182991	8RA 003 326-011
1 385 410	9EL 145 103-011	20 223 878	2SD 001 686-101	474 411	2ZR 005 603-067	183100	9EL 132 215-001
1 386 271	2VD 008 204-141	20 223 879	2ZR 001 423-001	478 342	2PF 001 259-631	188003	2BM 006 692-021
1 386 272	2VD 008 204-151	20 223 880	9EL 862 141-001	0 478 343	2NE 005 603-071	188007	2BM 006 692-011
1 387 155	9EL 145 104-011	20 223 881	2DA 001 423-077	0 478 343	2NE 005 603-077	188033	2XS 005 020-067
1 387 877	2VD 008 205-011	20 223 882	1GA 996 083-011	478 344	2KA 001 378-041	193426	2XD 008 524-801
1 387 878	2VD 008 205-021	20 223 883	1GA 006 991-031	478 345	8RA 002 014-081	193430	2XD 007 854-801
1 391 144	2PS 007 972-011	20 223 884	1GA 007 506-011	478 346	2SA 001 259-751	193431	2XD 007 854-811
1 391 144	2PS 007 972-017	20 223 885	2PF 959 590-411	478 346	2SA 001 259-757	19343101	2XD 007 854-831
1 414 366	2VD 008 205-011	20 223 885	2PF 959 590-417	478 349	2PG 962 964-051	199019	2XD 007 854-831
1 414 367	2VD 008 205-021	20 223 886	1GA 007 506-081	478 349	2PG 962 964-057	199021	2RM 007 200-001
1 414 368	2VD 008 205-011	20 223 887	8GJ 002 525-131	478 349	2PS 962 964-012	199022	9GD 860 936-001
1 414 369	2VD 008 205-021	20 223 887	8GJ 002 525-133	478 349	2PS 962 964-018	199023	9SX 007 609-021
1 431 256	1EG 007 150-101	20 223 891	2BA 008 260-001	484 769	2SA 962 964-091	199024	9MM 859 358-801
1 431 257	1EG 007 150-091	20 223 891	2BA 008 260-007	484 770	2PF 962 964-071	199025	8KB 861 213-001
1 436 867	2VD 008 205-011	20 223 893	2BA 002 324-001	484 771	2BA 001 221-031	199026	8KB 007 896-811
1 436 868	2VD 008 205-021	20 223 894	1AA 127 473-015	484 772	2BA 001 221-041	199026	9SX 861 562-001
1 446 587	1EG 007 150-091	20 223 896	2KA 003 389-211	487 70	2PF 962 964-071	199026	9SX 861 562-011
1 446 588	1EG 007 150-101	20 223 896	2KA 003 389-217	488 421	9GT 963 129-001	199028	8KB 007 895-811
1 450 245	1NL 007 186-047	20 223 897	1F8 007 560-211	490 896	9GD 963 281-001	199440	6ZE 001 759-071
1 450 642	2XW 007 146-001	20 223 898	2PS 963 639-207	492 205	2KA 001 378-041	1-FZELEK0069	2XS 005 020-011
1 455 634	2DA 959 071-737	20 223 899	2TM 963 639-317	561 225	2PG 002 727-021	1-FZELEK0073	2JA 003 231-001
146 7000	1EG 007 150-091	20 223 906	9FT 861 790-011	561 226	9EL 114 400-015	1-FZELEK0081	2SL 003 267-011
146 7003	1EG 007 150-101	20 223 907	2RL 007 900-211	583 086	2JA 004 531-011	1-FZELEK0087	8RA 003 326-041
1 472 724	2PF 964 295-021	20 223 908	9EL 950 315-031	618 860	2ZR 001 240-351	1-FZELEK1000	8GA 002 071-251
1 472 724	2PF 964 295-027	20 223 909	2VP 008 789-051	619 241	2KA 001 386-241	1-FZELEK1020	2PF 003 389-037
1 479 891	2BA 008 221-041	20 223 913	2PS 003 748-161	619 241	2KA 001 386-281	1-FZELEK124	8GM 002 091-241
1 479 891	2BA 008 221-047	20 223 913	2PS 003 748-167	619 241	2KA 001 386-291	1-FZELEK2000	1G3 005 760-001
1 483 010	1NL 008 090-031	20 223 915	2PS 008 616-011	629 515	2SA 001 240-331	1-FZELEK0366	1GB 006 213-101
1 483 010	1NL 008 090-037	20 223 915	2PS 008 616-017	633 415	8JA 001 909-001	1-FZELEK0366	1GB 006 213-107
1 509 319	2SD 001 688-141	20 223 918	2RL 008 061-111	638 915	9ES 082 333-031	1-FZELEK0423	2XS 005 020-067
177 942	8JA 001 914-011	20 223 920	1F8 007 560-311	639 096	9EL 113 928-001	1-FZELEK0432	2PS 003 748-161
197 819	9EL 092 435-011	20 223 923	2BA 007 135-001	639 267	9EL 108 651-001	1-FZELEK0432	2PS 003 748-167
20 011 000	2XW 003 146-001	20 223 925	2BA 007 135-011	656 187	8RA 002 023-021	1-FZELEK0481	1FD 005 700-051
20 011 000	2XW 007 146-001	20 223 933	2SL 003 567-311	663 046	2SA 001 638-021	1-FZELEK0496	1GD 003 590-701
20 011 005	2XW 002 897-051	20 223 938	9XX 340 220-001	675 069	2SB 001 240-311	1-FZELEK0497	2SD 003 167-021
20 044 850	2ZR 003 236-051	20 223 943	2SK 003 567-651	692 470	2JA 001 330-001	1-FZELEK0498	2SD 003 167-011
20 044 850	2ZR 003 236-057	20 223 951	1F8 006 800-321	692 470	2JA 001 330-007	1-FZELEK0501	8GA 002 073-241
20 044 855	2NE 003 236-001	20 223 970	2SK 003 567-661	715 725	9FF 042 509-001	1-INBEMA0009	8HG 002 365-001
20 044 855	2NE 003 236-008	20 223 971	2RL 008 181-111			2011	8GP 002 066-121
20 044 864	2PS 006 717-031	20 223 974	2SD 003 167-021			2213974	1EA 007 108-011
20 044 864	2PS 006 717-032	20 223 981	2PS 008 643-021			2309	2AA 001 204-011
20 044 864	2PS 006 717-037	2 022 398 2	2PS 008 643-027			2502	8GA 002 071-241
20 223 450	2ZR 005 860-151	20 223 982	1FE 006 300-001			3252	2PS 963 639-071
20 223 500	2ZR 997 506-391	20 223 982	8GS 007 949-101			3253	8GP 003 594-251
20 223 550	2ZR 005 700-191	20 223 982	1K0 008 191-041			3990	9EL 856 010-001
20 223 791	2NE 001 423-011	20 223 982	1K0 008 191-047			000-40.061	2SK 340 101-011
20 223 792	2XS 007 841-021	20 223 993	8GH 007 157-241			000-40.070	2SK 340 101-031
20 223 792	2XS 007 841-027	20 223 995	8XX 008 614-101			000-40.073	2SK 340 101-021
20 223 793	2BM 008 355-001	20 223 997	5DV 007 810-171			424753	2XW 003 146-001
20 223 793	2BM 008 355-007	2 022 399 8	1BL 008 194-027			424753	2XW 007 146-001
20 223 797	2SK 003 567-321		9GD 102 484-001			444736	1G9 001 523-021
20 223 798	9EL 150 966-001	218 412	2AB 001 208-001			444737	8XT 002 120-001
20 223 799	1F8 007 560-321	225 552	2ZR 001 423-001			444739	1GA 007 506-021
20 223 801	9GH 152 654-007	233 200	4AZ 001 879-021			447682	9XS 027 639-001
20 223 804	1BL 158 060-021	233 203	2PS 002 727-001			5111	1GB 006 213-111
20 223 807	8JD 008 151-011	233 203	2PS 002 727-007			5112	9BG 993 345-001
20 223 810	2XS 008 479-051	235 931	9DE 087 430-011			511591	2BA 002 324-011
20 223 811	2XS 008 479-057	237 784	9ES 082 415-001			5370	8GP 002 095-121
20 223 812	9MM 857 622-101	241 227	2SE 001 685-221			5529	8GP 002 067-241
20223813	9XR 855 975-001	243 219	2SE 001 685-227			598777	1G4 004 480-011
20223813	2PS 008 643-031	243 220	2SE 001 688-151			600001	1GD 003 590-701
20223813	2PS 008 643-037	245 593	2SE 001 688-161			600050	2JA 004 531-001
20 223 814	2RL 007 337-031	249 111	9EL 113 324-001			600050	2JA 004 531-011
20 223 815	1G4 003 470-031	257 933	9ES 106 588-001			600050	2JA 007 372-011
20 223 824	2SD 001 685-211	286 577	2KA 001 378-041			600056	2SD 001 693-011
20 223 824	2SD 001 685-218	289 927	2JA 003 231-001			600071	2RL 008 060-111
20 223 825	1F8 007 560-051	289 928	2BE 003 649-011			600075	2SK 003 567-651
20 223 827	1F8 007 560-131	303 223	2BE 003 649-021			601333	8JB 001 933-031
20 223 828	9GD 856 863-001	313 659	2KA 001 386-281			601812	2XS 005 020-011
20 223 829	2PS 963 639-071	313 660	9EL 123 209-005			60182	2XS 005 020-017
20 223 829	2PS 963 639-077	339 729	9EL 123 210-005			604043	8HG 002 240-021
20 223 830	2RL 007 337-011	356 824	2SA 003 014-051			605053	2SD 003 167-031
20 223 831	2XS 950 071-031	357 947	2JA 002 661-001			605055	2SE 001 685-201
20 223 832	2XS 955 232-001	370 693	9EL 116 607-005			605055	2SE 001 685-221
20 223 833	2XS 005 020-011	370 693	2BA 003 022-021			605056	2SE 001 685-227
20 223 833	2XS 005 020-017	370 694	2PS 004 361-001			605056	2SD 001 685-211
20 223 834	9EL 950 315-001	370 694	2PS 004 361-007			605056	2SD 001 685-231
20 223 835	2KA 003 389-061	405 235	2PG 004 361-011			605056	2SD 001 685-232
20 223 835	2KA 003 389-062	406 961	2PG 004 361-017			6050520	2SD 001 699-061
20 223 835	2KA 003 389-068	406 961	2KA 001 622-001			6050521	2SE 001 699-071
20 223 836	2KA 001 386-281	410 663	2SA 003 057-021			6050522	9EL 107 368-001
20 223 837	2PS 004 361-001	414 129	2SA 003 057-022			6050523	9EL 111 647-001
20 223 837	2PS 004 361-007	414 129	2ZR 001 193-011			6050526	9EL 147 747-001
20 223 838	2PS 003 748-121	415 320	2ZR 002 694-001			6050528	9EL 102 240-031
20 223 838	2PS 003 748-127	415 761	2ZR 002 694-002			6050531	9ES 106 588-001
20 223 839	9EL 122 772-001	419 888	2KA 001 610-001			6050532	9EL 119 544-111
20 223 840	2PS 006 717-031	419 888	2XD 003 022-061			6050538	9EL 122 772-001
20 223 840	2PS 006 717-032	419 888	2KA 003 389-061			6050549	2SD 003 167-371
20 223 840	2PS 006 717-037	427 751	2KA 003 389-062			6050550	2SD 004 431-011
20 223 841	9EL 141 135-031	427 753	2KA 003 389-068			6050552	2SD 003 167-011
20 223 842	9EL 114 401-001	427 754	8XS 113 389-001			6050553	2SD 003 167-011
20 223 848	8KW 701 235-033	433 408	2BA 001 275-011			6050553	2SD 003 167-021
20 223 851	2XS 005 020-001	433 565	2BA 001 275-021			6050558	2NE 003 236-001

# Manufacturer's no. / Hella no.

## Cross-Reference



Schmitz Cargobull	Hella	Schmitz Cargobull	Hella	Schmitz Cargobull	Hella	Seat	Hella
060709	8RA 003 326-001	062374	2SK 003 567-651	980400	2SE 002 582-071	1P0 945 108	9EL 982 001-101
060710	8RA 002 014-041	062375	2SK 003 567-661	980400	2TJ 001 633-211	1P0 945 111 A	9EL 982 000-051
060712	8RA 003 326-041	062447	9EL 340 201-001	980400	8GH 002 857-241	1P0 945 112 A	9EL 982 000-061
060718	8RA 003 326-047	062462	2SD 004 431-011	980400	9EL 109 139-001	021 934 006 C	9EL 961 832-021
060718	2PS 002 727-001	062672	2AA 003 257-041	980400	9EL 114 401-031	021 934 007 C	9EL 961 831-011
060718	2PS 002 727-007	062672	8GP 002 066-241	980400	9EL 118 445-001	5P0 941 699 A	1N0 271 022-051
060729	8HG 002 240-001	062761	2VP 007 907-031	980400	9EL 134 659-001	5P0 941 700 A	1N0 271 022-061
060729	8HG 002 240-011	062762	2VP 007 907-041	980400	9EL 134 659-001	5P8 945 107	9EL 354 082-011
060731	8RA 002 014-051	062769	8JE 340 060-011	980400X	9EL 114 401-031	5P8 945 108	9EL 354 081-021
060767	2SE 003 167-041	062772	2XS 340 108-011	980776	1GA 005 060-041	5P8 945 111	9EL 354 080-021
060827	2KA 003 389-061	062773	2XS 340 108-001	980776	1NL 005 566-051	6H0 941 699	1N0 270 204-051
060827	2KA 003 389-068	062774	2XS 340 101-001	980776	1NL 005 566-061	6H0 941 700	1N0 270 204-061
060870	8RA 004 412-001	062916	2XS 340 109-011	980777	9XD 130 261-001	6K0 941 015C	1AE 008 561-011
060896	2XS 005 020-077	062917	2XS 340 109-001	980902	8GP 002 095-241	6K0 941 016C	1AE 008 561-021
060932	9GP 003 995-801	062984	1GA 340 110-001	980904	2SE 004 623-001	6K0 941 701 A	1NA 907 312-111
060935	2BA 003 014-111	063001	2JA 001 335-011	980909	2NE 003 315-011	6K0 941 701 A	1NA 961 557-751
060939	8GP 002 067-241	063002	2JA 003 232-001	980910	2ZR 003 315-041	6K0 941 702 A	1NA 907 312-121
060940	2XS 005 020-021	063020	2PS 340 000-011	980924	2JA 003 354-001	6K0 941 702 A	1NA 961 557-761
060941	9GT 005 166-001	063029	9EL 950 315-031	980947	1AG 004 873-391	6K0 941 704	1NA 963 965-051
060946	1NE 002 537-301	063030	9EL 950 315-061	980948	1AG 004 873-401	6K6 945 107	1NA 963 965-061
060947	8HG 002 365-001	063033	2PS 340 001-001	980950	2JA 001 330-001	6K6 945 107 B	9EL 964 055-011
060960	2XL 004 762-001	063036	8KL 340 055-001	980967	8JA 001 915-001	6K6 945 107 C	9EL 964 055-011
060973	2SD 003 184-031	063047	9EL 340 201-001	980984	9EL 128 385-041	6K6 945 108 B	9EL 964 056-011
060973	2SD 003 184-037	063049	9XX 340 220-001	BS1194240001	1ND 005 700-061	6K6 945 108 C	9EL 964 056-011
060974	2SD 003 184-041	063050	9XX 340 222-001	BS11982330001	1GA 006 991-031	6K6 945 111	2VP 962 165-131
060976	2PF 006 717-011	063051	9XX 340 223-001	EL0005-0020	8HG 006 294-051	6K6 945 111 B	2VP 962 165-131
060977	2PS 006 717-031	063052	2KA 340 118-001	EL0005-0045	8JS 711 687-821	6K6 945 111 G	2VP 962 165-161
060977	2PS 006 717-037	063083	2PS 340 001-011	EL0006-0026	8HG 006 294-021	6K6 945 112	9EL 964 023-011
060978	2SA 006 717-001	063102	8JB 001 933-031	EL0013-0002	8GA 002 071-131	6K6 945 112	2VP 962 165-161
060982	2PG 006 717-021	063104	9EL 101 353-001	EL0013-0003	8GA 002 071-121	6K6 945 112 B	9EL 962 542-041
060983	2PG 006 717-021	063106	9EL 150 966-001	EL0007-0001	2PS 340 000-011	6K6 945 112 B	2VP 962 165-201
060984	2BM 006 692-011	063107	9EL 150 965-001	EL0007-0004	2SK 340 101-011	6K6 945 112 G	9EL 962 542-061
060984	2BM 006 692-011	063113	1GD 005 700-501	EL0007-0016	9EL 340 201-001	6L0 941 703	9EL 964 024-011
061137	8KW 701 235-033	063118	1GD 005 700-501	EL0007-0023	2KA 340 118-001	6L5 945 107	1N0 009 617-011
061160	8GD 002 078-241	063392	2SK 340 101-011	EL0007-0038	2KA 340 118-001	6L5 945 108	9EL 964 951-001
061182	2BM 006 692-021	063587	2XS 340 108-011	EL0007-0039	2XS 340 107-001	6L5 945 111	9EL 964 952-001
061182	2BM 006 692-027	063588	2XS 340 108-001	EL0007-0046	9EL 146 838-001	6L5 945 112	9EL 964 949-001
061224	8HG 006 294-051	063602	2XS 008 078-001	EL0007-0057	1G3 005 760-211	6L6 945 105	9EL 964 950-001
612791	1GA 005 060-001	063602	2XS 008 078-007	EL0007-0063	2PF 959 590-401	6L6 945 106	8RA 354 036-011
612792	9XD 130 261-001	063635	8GA 002 071-131	EL0007-0067	2KA 340 828-001	6N0 941 699	8RA 354 036-021
61297	8GP 002 067-241	063637	8GM 002 091-131	EL0007-0071	2PS 008 616-001	6N0 941 699 A	1NA 962 530-011
61301	8GP 002 067-241	063686	9EL 340 201-001	EL0007-0075	1G3 005 760-241	6N0 941 700	1NA 962 530-021
61307	8GM 002 092-121	063728	8JE 340 060-001	EL0007-0084	2VP 340 450-451	6N0 941 700 A	1NA 962 499-021
61308	8GM 002 091-131	063748	2XS 955 031-001	EL0007-0085	2VP 340 450-441	6N0 945 111	9EL 962 541-051
61309	8GM 002 091-141	063834	8GA 002 071-121	EL0007-0090	2VD 340 450-491	6N0 945 111 B	9EL 962 541-071
61312	8GM 002 091-251	063854	2PF 959 590-417	EL0007-0092	2SK 340 103-131	6N1 941 015	1AF 962 489-131
61317	8GD 002 068-131	063854	2PF 959 590-417	EL0007-0093	2SK 340 103-121	6N1 941 015 A	1AF 962 489-111
61323	8GP 002 068-241	063857	8JE 340 060-011	EL0007-0111	2VP 340 450-021	6N1 941 016	1AF 962 489-141
61325	8GP 002 066-121	063889	2PF 959 590-437	EL0007-0112	2VP 340 450-031	6N1 941 016 A	1AF 962 489-121
61326	8GP 002 068-121	063947	2PF 959 590-407	EL0009-0001	9XX 340 220-001	6N1 941 017	1AF 962 489-131
61329	8GP 002 095-121	063947	2PF 959 590-407	EL0009-0038	8JE 340 165-001	6N1 941 017 A	1AF 962 489-111
61330	8GP 002 095-121	063955	1NB 007 360-021	EL0009-0041	9XX 340 880-001	6N1 941 018	1AF 962 489-141
61341	8GA 002 071-121	063973	2VA 997 113-001	EL0009-0042	9XX 340 870-007	6N1 941 018 A	1AF 962 489-121
61343	8GA 002 071-131	064006	9EL 340 208-001	EL0009-0043	9XX 340 871-007	7M0 945 095 F	9EL 907 325-001
61348	8GA 002 072-121	064043	2DA 959 071-737	EL0009-0045	9XX 340 884-001	7M0 945 096 F	9EL 907 326-001
61359	8GP 002 066-241	064050	2XS 340 107-001	EL0009-0046	9XX 340 881-001	7M1 941 015 D	1AG 008 763-011
61360	8GA 002 072-241	064051	2XS 340 107-011	EL0010-0016	8KL 340 050-001	7M1 941 016 D	1AG 008 763-021
61360	8GP 002 068-241	64143	1G3 996 001-131	EL0012-0002	8KA 340 040-001	7M1 941 016 E	9EL 907 324-001
61361	8GA 002 071-241	064168	8KL 340 055-021	EL0012-0014	8KA 340 031-001	7M3 945 095 F	9EL 964 501-011
61361	8GA 002 071-261	064180	2VD 007 323-031	EL0012-0077	8KA 340 815-001	7M3 945 095 G	9EL 964 501-011
61366	8GM 002 091-241	064 370	2PS 008 616-011	EL0012-0083	8KA 340 819-001	7M3 945 096 F	9EL 964 502-011
61368	8GA 002 073-241	064 370	2PS 008 616-017	EL0012-0086	8KA 340 845-001	7M3 945 096 G	9EL 964 502-011
61368	8GA 002 073-251	064 372	8JA 008 658-011	EL0012-0088	8KA 340 822-001	7M3 945 096 J	9EL 964 502-011
61374	8GA 002 083-251	064 372	8JA 008 658-017	EL0013-0006	8GD 002 078-241	WO 867 941 045	9EL 964 502-011
61375	8GD 002 088-251	064541	9EL 146 838-001	EL0014-0049	8JE 340 847-001	WO 867 941 046	1AE 006 319-171
61376	8GA 002 071-271	060646	2BA 003 022-021	R 060 198	2PS 340 001-011		1AE 006 319-181
61378	8GA 002 071-251	064726	2NE 003 315-011	S060561	2SK 003 567-321		
61381	8GJ 002 525-251	064815	2PG 340 000-121	S060562	2SK 003 567-331		
614299	1GA 007 506-081	064816	2PS 340 000-051	S060827	2KA 003 389-061		
61458	2SD 001 688-141	065081	2TM 963 639-317	S060870	8RA 004 412-001		
61469	9EL 118 445-001	065121	1G4 997 033-011	S061361	8GA 002 071-241		
61470	9EL 113 324-001	066404	2NE 001 423-011	S061806	8RA 004 412-011		
61471	8GA 002 071-251	066414	2ZR 001 423-001				
61591	2XW 002 897-041	066416	2ZR 004 542-001	<b>Seat</b>	<b>Hella</b>		
61591	2XW 002 897-051	066417	2ZR 003 236-051	1L0 941 017	1AH 961 560-171		
61601	2PF 003 389-037	066417	2ZR 003 236-051	1L0 941 017 A	1AH 961 560-171		
61611	2PF 003 014-071	066421	2NE 001 173-061	1L0 941 017 B	1AH 961 560-171		
61625	2XS 005 020-011	066602	2TJ 001 633-211	1L0 941 017 G	1AH 961 560-171		
61639	2VD 005 300-551	066603	2PF 001 648-161	1L0 941 017 H	1AH 963 025-091		
61651	8GP 003 594-251	066608	2TF 001 259-761	1L0 941 018	1AH 961 560-181		
61662	2SK 005 883-021	066611	2PF 001 259-631	1L0 941 018 C	1AH 961 560-181		
61663	2SK 005 883-011	066612	2SA 001 259-751	1L0 941 018 D	1AH 961 560-181		
61694	2VP 003 567-111	066616	2XS 950 071-031	1L0 941 018 G	1AH 961 560-181		
61695	2VP 003 567-121	066622	2XS 003 168-081	1L0 941 018 H	1AH 963 025-101		
61717	2PS 004 361-001	066627	2TM 003 748-011	1L0 941 019	1AH 961 560-171		
61717	2PS 004 361-007	066634	2PG 003 057-011	1L0 941 019 B	1AH 963 025-091		
61723	2KA 001 386-231	066713	2KA 001 386-231	1L0 941 020	1AH 961 560-181		
61724	2PG 004 361-011	066713	2KA 001 386-231	1L0 941 020 B	1AH 963 025-101		
61724	2PG 004 361-017	000674	8RA 002 016-111	1L0 941 701 A	1NA 961 557-731		
61727	2SE 003 167-031	0674541	9EL 146 838-001	1L0 941 701 C	1NA 963 022-		



# Manufacturer's no. / Hella no.

## Cross-Reference

Sisu	Hella	Skoda	Hella	Steinbock	Hella	Steyr	Hella
187-101-3461	1BL 008 194-027	480 941 295	6NM 007 878-531	000 30696	9ES 082 415-001	3061 399 M8	2BE 003 018-011
187 106 0167	1GA 007 506-081	480 941 295 A	6NM 007 878-531	032 588	2SD 002 776-241	3062 196 M8	9EL 087 769-001
187-108-0217	1NE 006 300-051	500 941 701	1NO 354 018-011	032 588	2SD 002 776-241	3062 228 M8	2BE 001 278-011
187-108-0241	1NL 007 186-047	500 941 702	1NO 354 018-021	000 32851	1GA 005 060-001	3062 229 M8	2BE 001 278-011
187-108-047	1NL 007 186-047	500 941 702	1NO 354 018-021	032 869	2NE 003 030-151	3065 113 M8	2SD 003 018-031
187-130-0221	1A6 002 395-071	500 941 702	1NO 354 018-021	000 36554	2JA 004 531-011	3075 726 M91	2SA 001 634-121
187 130 0271	1A6 002 395-071	500 941 702	1NO 354 018-021	040 865	2BA 001 227-201	3093000M91	2BE 001 259-061
187-130-0461	1KO 158 059-061	500 941 702	1NO 354 018-021	040 881	2KA 001 386-281	34-172-010	1GA 003 470-011
187-130-0471	1BL 158 060-021	500 941 702	1NO 354 018-021	044 50771	9DE 087 430-011	34-173-010	2BE 003 182-101
187-181-0440	9GH 152 654-007	500 941 702	1NO 354 018-021	044 50800	9EL 856 010-001	34-173-011	2BE 003 182-091
187-181-5820	9GT 143 133-007	500 941 702	1NO 354 018-021	447 4976	1G4 004 480-001	34-176-060	2SD 003 182-061
187-191-0000	8JA 001 909-001	500 941 702	1NO 354 018-021	045 44058	8RA 003 326-001	34-176-060	2SD 003 182-067
187-191-0000	8JA 001 909-011	500 941 702	1NO 354 018-021	045 44058	8RA 003 326-002	34-176-061	2SD 003 182-057
187-201-0615	2BA 001 221-041	500 941 702	1NO 354 018-021	454 4066	2ZR 003 014-091	34-176-061	2SD 003 182-057
187-201-0616	2BA 001 221-031	500 941 702	1NO 354 018-021	045 44074	2SE 004 623-001	3.450.19.4	8HG 006 294-041
187-201-0647	2BA 002 652-101	500 941 702	1NO 354 018-021	045 44074	2SE 004 623-007	391.76.0022	2SE 001 679-051
187-201-0647	2BA 002 652-101	500 941 702	1NO 354 018-021	047 39236	2RL 006 846-011	395 935 813	2JA 001 360-001
187-201-1427	2BE 003 014-251	500 941 702	1NO 354 018-021	047 39244	8HG 006 294-021	461 820 00 97	8KB 007 896-801
187-201-1427	2BE 003 014-257	500 941 702	1NO 354 018-021	047 77427	2KA 004 525-001	470563520	1GA 996 083-011
187-201-1617	2PF 001 648-161	500 941 702	1NO 354 018-021	048 94886	1A3 005 760-501	470563530	1GA 996 083-011
187-201-2127	2BM 002 847-021	500 941 702	1NO 354 018-021	00004920	9FF 090 500-001	470563540	1GA 996 083-021
187-201-2137	2BM 002 847-011	500 941 702	1NO 354 018-021	049 74019	8JB 004 777-001	470563550	1GA 996 083-021
187-201-2337	2PS 004 361-001	500 941 702	1NO 354 018-021	049 74019	8JB 004 777-002	470563560	1GA 996 083-011
187-201-2337	2PS 004 361-007	500 941 702	1NO 354 018-021	500 35558	2SD 003 182-051	470563570	1GA 996 083-011
187-201-2537	2XS 955 031-001	500 941 702	1NO 354 018-021	500 35558	2SD 003 182-057	4.721.18.500.50	1A8 003 060-551
187-201-2557	2PF 961 167-021	500 941 702	1NO 354 018-021	500 35559	2SD 003 182-061	484 820 00 01	2JA 007 373-061
187-201-2597	2TM 004 361-021	500 941 702	1NO 354 018-021	500 35559	2SD 003 182-067	484 820 01 01	2ZR 003 315-041
187-201-2611	2PF 008 221-011	500 941 702	1NO 354 018-021	050 06227	2SB 003 014-151	5.207.80.212.00.0	8JA 001 909-011
187-201-2611	2PF 008 221-017	500 941 702	1NO 354 018-021	050 16229	2SD 001 305-021	5.323.84.175.29.0	2RL 008 062-111
187-201-2627	2BA 008 805-051	500 941 702	1NO 354 018-021	050 33598	2SA 003 057-021	5.323.84.175.31.0	2ZR 003 030-171
187-201-2627	2BA 008 805-057	500 941 702	1NO 354 018-021	050 33598	2SA 003 057-022	5.360.80.152.00.0	2AA 001 200-331
187-201-2657	2BA 008 221-007	500 941 702	1NO 354 018-021	050 35227	1GA 007 506-001	5.360.80.152.00.0	2AA 001 200-331
187-201-2657	2BA 008 221-007	500 941 702	1NO 354 018-021	510 17429	1GA 996 361-431	5.360.80.152.00.0	2AA 001 200-021
187-205-0217	2RL 008 061-111	500 941 702	1NO 354 018-021	510 94600	2PT 009 599-011	5.360.80.152.00.0	2AA 001 200-023
187-206-0156	2BA 003 022-021	500 941 702	1NO 354 018-021	510 94601	2PT 009 599-021	5.360.80.152.00.0	2AA 001 200-001
187-206-0221	2RL 008 181-111	500 941 702	1NO 354 018-021	051 12186	2SD 001 679-001	5.360.80.152.00.0	2AA 001 200-011
187-207-0011	2XW 003 146-001	500 941 702	1NO 354 018-021	520 30617	2AB 004 532-031	5.360.80.152.00.0	2AA 001 200-012
187-251-0910	9EL 110 014-001	500 941 702	1NO 354 018-021	520 30665	8GP 002 067-241	5.373.80.247.01.0	8HG 002 365-001
187-251-0911	9EL 110 013-001	500 941 702	1NO 354 018-021	524 112	2ZR 002 985-261	5.373.80.248.01.0	1G8 002 340-011
187-251-1210	9EL 115 003-055	500 941 702	1NO 354 018-021	525 535	2VP 006 040-111	5.806.91.012.00.0	8RA 002 023-011
187-251-1300	9EL 108 435-001	500 941 702	1NO 354 018-021	525 536	2VP 006 040-117	5.806.91.013.00.0	8KH 002 975-017
187-251-1510	9EL 115 830-001	500 941 702	1NO 354 018-021	525 536	2VP 006 040-121	5.899.91.000.06.0	2ZR 003 014-091
187-251-1900	9EL 856 418-001	500 941 702	1NO 354 018-021	525 681	2VP 006 040-127	5.899.91.000.10.0	1A3 002 850-001
187-251-2250	9EL 862 141-001	500 941 702	1NO 354 018-021	525 681	2VP 006 040-351	5.899.91.000.18.0	2ZR 003 236-051
187-281-0310	9GD 856 863-001	500 941 702	1NO 354 018-021	525 682	2VP 006 040-357	5.899.91.000.18.0	2ZR 003 236-057
187-301-0187	2SD 001 685-231	500 941 702	1NO 354 018-021	525 682	2VP 006 040-301	5.899.91.004.03.0	2BE 002 582-031
187-301-0187	2SD 001 685-232	500 941 702	1NO 354 018-021	525 682	2VP 006 040-307	5.899.91.004.08.0	2BA 003 256-021
187-301-0277	2SE 001 685-221	500 941 702	1NO 354 018-021	079 39863	1GA 005 060-001	5.899.91.004.08.0	2BA 003 256-027
187-301-0277	2SE 001 685-227	500 941 702	1NO 354 018-021	850 06026	8RL 002 009-021	5.899.91.006.03.0	9GD 082 716-001
187-301-0287	2SD 001 685-231	500 941 702	1NO 354 018-021	08838352	9EL 990 267-001	5.899.91.008.02.0	2KA 001 378-001
187-301-0287	2SD 001 685-232	500 941 702	1NO 354 018-021	088 82927	1GA 132 459-011	5.899.91.008.02.0	2KA 001 378-002
187-301-0537	2KA 003 389-211	500 941 702	1NO 354 018-021	089 28332	9EL 856 010-001	5.899.91.008.04.0	2KA 001 622-001
187-301-0537	2KA 003 389-217	500 941 702	1NO 354 018-021	089 56800	1A3 002 850-031	5.899.91.010.02.0	2SD 002 582-011
187-301-0917	2PF 001 647-031	500 941 702	1NO 354 018-021	987 4533	2SD 003 182-051	5.899.91.010.02.0	2SD 002 582-017
187-301-0917	2PF 001 647-037	500 941 702	1NO 354 018-021	987 4533	2SD 003 182-057	5.899.91.010.03.0	2SD 002 582-021
187-301-1151	2VP 007 323-121	500 941 702	1NO 354 018-021	988 3755	2VP 003 567-111	5.899.91.010.03.0	2SD 002 582-027
187-305-0357	2SA 961 167-011	500 941 702	1NO 354 018-021			5.899.91.010.04.0	2SA 003 014-051
187-351-1110	9EL 122 689-021	500 941 702	1NO 354 018-021			5.899.91.010.08.0	2SA 003 236-041
187-401-0117	2JA 001 330-001	500 941 702	1NO 354 018-021			5.899.91.010.08.0	2SA 003 236-047
187-401-0117	2JA 001 330-001	500 941 702	1NO 354 018-021			5.899.91.010.08.0	2SA 003 236-048
187-401-0851	2JA 007 372-011	500 941 702	1NO 354 018-021			5.899.91.010.09.0	2DA 003 236-031
187-401-0861	2XD 006 609-821	500 941 702	1NO 354 018-021			5.899.91.010.09.0	2DA 003 236-037
187-408-0017	2AB 001 208-001	500 941 702	1NO 354 018-021			5.899.91.010.10.0	2NE 003 236-001
187-408-0021	2AB 004 532-051	500 941 702	1NO 354 018-021			5.899.91.010.10.0	2NE 003 236-008
187-408-0021	2AB 004 532-057	500 941 702	1NO 354 018-021			5.899.91.012.05.0	8RL 002 009-001
187-408-0031	2JA 004 192-001	500 941 702	1NO 354 018-021			5.899.91.012.13.0	8RL 002 009-011
187-801-1661	2AA 001 200-151	500 941 702	1NO 354 018-021			5.899.91.012.14.0	8RA 003 660-007
187-801-1671	2AA 001 200-041	500 941 702	1NO 354 018-021			5.900.05.800.58.0	2AA 001 200-141
187-801-1671	2AA 001 200-042	500 941 702	1NO 354 018-021			5.900.05.800.86.0	2AA 001 200-131
187-908-0011	9XB 152 977-001	500 941 702	1NO 354 018-021			5.900.05.800.87.0	2AA 001 200-151
		500 941 702	1NO 354 018-021			5.900.05.800.91.0	2AA 001 200-041
		500 941 702	1NO 354 018-021			5.900.05.800.91.0	2AA 001 200-042
		500 941 702	1NO 354 018-021			5.920.00.125.71.0	9GH 096 532-001
		500 941 702	1NO 354 018-021			6.805.80.119	6ED 004 778-011
		500 941 702	1NO 354 018-021			692.00.72.0701	9EL 854 912-001
		500 941 702	1NO 354 018-021			692.00.72.0740	9EL 856 418-001
		500 941 702	1NO 354 018-021			69200771023	9GT 074 132-001
		500 941 702	1NO 354 018-021			6.920.08.100.03	2SL 003 567-311
		500 941 702	1NO 354 018-021			69200810004	2SK 003 567-321
		500 941 702	1NO 354 018-021			69200810005	9GP 003 995-801
		500 941 702	1NO 354 018-021			692.00.81.0701	9EL 122 772-001
		500 941 702	1NO 354 018-021			7.004.85.004.0	2BA 002 324-001
		500 941 702	1NO 354 018-021			700.4.85.800.1	9EL 110 910-001
		500 941 702	1NO 354 018-021			7.111.85.013.0	2SD 001 696-101
		500 941 702	1NO 354 018-021			7.11.1.85.565.0	

# Manufacturer's no. / Hella no.

## Cross-Reference



Steyr	Hella	Still	Hella	Still	Hella	Trifa	Hella
7.910.08.100.13.0	2NE 003 236-001	040882	2BA 001 259-618	8013148	8GH 002 090-253	202	8GM 002 094-121
7.910.08.100.13.0	2NE 003 236-008	040904	8GM 002 091-131	8013159	2BA 001 259-611	204	8GM 002 092-121
7.910.08.100.14	2ZR 003 236-051	040906	8GP 002 067-121	8013159	2BA 001 259-618	21122	8GP 002 067-261
7.910.08.100.14	2ZR 003 236-057	041258	2SB 001 673-002	8013165	2AA 001 200-011	21304	8GA 002 071-261
7.910.08.100.45	2SE 003 167-511	004275	8GM 002 092-241	8013165	2AA 001 200-012	21305	8GA 002 071-271
7.910.08.100.46	2SD 003 167-521	428041	2SB 003 014-151	8013175	8GP 002 095-241	21381	8GA 002 073-251
791.00.81.0701	9EL 118 445-001	004540	2ZR 003 030-171	8013184	8GM 002 091-241	21661	8GJ 002 525-301
791.00.81.0702	9GD 007 883-355	004896	2SA 001 259-751	8017052	1TA 003 570-101	21662	8GJ 002 525-281
791.00.81.0703	9EL 119 544-001	004896	2SA 001 259-757	8402128	2BA 001 277-011	221	8GM 002 091-131
791.00.81.0704	9EL 119 544-111	004902	2JA 004 531-011	916232	2BA 001 277-011	2706	8GA 007 997-011
804.13.29.701	9EL 090 411-001	004902	2JA 007 372-011	923025	2JA 007 372-011	2714	8GA 007 997-021
8.042.21.200.01.0	8RA 002 010-011	500146	8GP 002 066-121	924394	2BA 001 259-611	02715	8GA 007 997-121
8.125.10.260.84.1	1NE 006 300-231	500155	2KA 001 389-101	924394	2BA 001 259-618	02716	8GA 007 997-131
8.125.10.260.88	1NE 006 300-051	500160	2SD 001 679-001	924396	2AA 001 200-011	02718	8GA 007 997-171
81.25160.601.5	2PF 001 647-031	502647	2BA 001 248-001	924399	2AA 001 200-012	2719	8GA 007 997-041
8.125.22.561.82	2PF 001 647-037	504185	8GM 002 091-241	000 974 04 07	8GP 002 068-241	2720	8GA 007 997-061
8.125.26.060.15	2KA 003 389-001	507501	8GA 002 083-131	000 974 04 12	1A3 005 760-518	2721	8GA 007 997-001
8.125.26.060.15	2PF 001 647-031	507504	1X0 001 515-021	000 974 04 12	1GA 005 060-001	02722	8GA 007 997-141
8.125.26.060.15	2PF 001 647-037	510694	8GA 002 083-251	000 974 04 12	1GA 998 522-011	02723	8GA 007 997-151
8.125.26.060.62	2XS 005 020-011	511466	2KA 001 388-051	000 974 04 26	1G3 005 760-011	2724	8GA 007 997-031
8.125.26.060.62	2XS 005 020-017	511505	2SA 001 634-121	000 974 04 49	1GA 007 506-001	2725	8GA 007 997-071
8.125.26.060.62	2XS 005 020-041	516597	9FF 090 500-001	000 974 10 00	2BA 002 652-101	2726	8GA 007 997-081
8.125.26.060.62	2XS 005 020-047	518289	8GA 002 071-251	999025	2BA 002 652-107	02728	8GA 007 997-161
8.166.80.460.12	2XW 003 146-001	518819	8HG 002 240-001	999038	6ED 708 919-001	2730	8GA 007 997-051
8.166.80.460.17	2XW 002 897-051	519565	2SY 003 014-121	999038	1GA 007 506-061	2732	8GA 007 997-091
8.525.10.360.01	1GA 006 876-001	519566	2BA 003 014-011	999039	9EL 110 918-001	02733	8GA 007 997-211
8.542.95.010.02	8HG 002 240-031	519699	8GH 002 089-133	999040	1GA 007 506-011	02734	8GA 007 997-221
0.861.11.01	2BA 001 259-611	519845	2SA 003 014-051	999040	2BA 002 652-101	02735	8GA 007 997-231
0.861.11.01	2BA 001 259-618	520208	2SW 003 014-131	999040	2BA 002 652-107	02736	8GA 007 997-241
93.72.0011	2ZR 002 985-081	520288	2ZR 003 014-091	999042	8XS 113 389-001	02737	8GA 007 997-251
93.72.0701	9ES 069 831-001	520580	2DA 003 014-031	999129	9EL 118 701-001	02740	8GA 007 997-261
990.00.72.0706	9DF 112 246-001	520580	2DA 003 014-037	<b>SWF</b>	<b>Hella</b>	2749	8GA 007 997-272
HKW210820M016	9SX 007 609-031	521496	4AZ 003 787-001	300 588	2SD 001 699-061	02750	8GA 007 997-191
HKW210820M050	8KB 007 895-801	521604	8GA 002 071-241	300 589	2SE 001 699-071	02751	8GA 007 997-201
HKW21820M050	8KB 007 895-801	521726	2JA 001 330-001	394 267	9EL 139 137-061	306	8GA 002 071-121
SFT 7161855050	2KA 001 610-001	521726	2JA 001 330-007	394 268	9EL 139 138-051	3381	8GA 002 071-131
X 842 070 990 013	2TJ 001 633-211	521945	2ZR 003 030-171	397 472	9EL 113 065-001	3382	8GD 002 078-121
X 842 070 990 017	2SA 001 634-121	521996	8GP 002 095-241	611 004	4RA 003 510-081	3391	8GD 002 078-241
X 842 070 990 031	2BA 002 324-001	522086	8GH 002 089-251	<b>Toyota</b>	<b>Hella</b>	371	8GA 002 072-121
X 860 533 935 209	2BA 001 248-001	522086	8GH 002 089-253	19883	1N0 008 582-001	381	8GA 002 072-121
X 860 535 935 103	9EL 110 918-001	522093	4AZ 001 879-011	19883	1N0 008 582-007	391	8GA 002 073-121
X 860 535 935 104	9EL 110 918-011	522579	2BE 003 185-031	300242	9GH 158 051-007	00401	8GA 002 074-121
X 860 535 935 719	2BA 002 324-011	522722	8GH 002 090-133	TD400-19883-0000P	1N0 008 582-001	00410	8GA 008 899-061
X 860 535 935 720	2BA 002 324-021	522980	1GD 003 590-701	TD400-19883-0000P	1N0 008 582-007	41607	8GA 008 899-121
X 860 582 935 311	9GT 074 132-001	522981	8GH 002 090-251	TD400-80242-0000P	9GH 158 051-007	41642	8GH 007 157-201
X 860 975 910 001	2PF 001 634-101	522981	8GH 002 090-253			41642	8GH 007 643-171
X 861 019 404 701	9EL 126 294-001	523034	8RA 002 023-021	<b>Trifa</b>	<b>Hella</b>	41661	8GJ 002 525-481
X 861 019 405 490	2SD 001 679-001	523541	2BE 003 014-251	107	8GP 002 066-121	421	8GA 002 083-131
X 861 041 060 350	2ST 003 018-061	523541	2BE 003 014-257	109	8GP 002 066-241	500	8GD 002 088-071
X 861 041 060 360	2SB 003 018-031	523626	2BA 003 014-111	1102	8GP 002 068-241	5103	8GD 002 088-131
X 880 000 920 645	2BA 001 240-301	523778	8GP 002 067-241	112	8GP 002 068-131	5607	8GD 002 088-251
X 880 000 920 649	2SA 001 240-331	523895	2ST 003 014-141	1122	8GP 002 067-241	51650	8GH 007 157-471
X880000922260	2SB 001 259-261	523926	2BA 002 652-111	1127	8GP 002 068-121	51650	8GH 002 089-471
X880000922262	2PF 001 259-631	523940	2BA 002 652-117	120	8GP 002 067-061	00520	8GD 002 078-241
X 880 001 106 732	9EL 110 910-001	523941	2BA 002 652-121	1202	8GM 002 094-241	00520	8GD 008 897-061
		523941	2BA 002 652-127	1204	8GM 002 092-241	52011	8GH 008 357-151
		523942	2XS 950 071-031	121	8GP 002 067-121	00521	8GD 008 898-061
		523946	2SB 003 014-151	1215	8GM 002 091-251	523	8GD 002 084-131
		524112	2ZR 002 985-261	1221	8GM 002 091-141	528	8GD 002 084-151
		524976	1TA 003 570-101	1222	8GM 002 091-261	00529	8GD 008 897-121
		525016	1GA 005 060-001	1223	8GM 002 091-251	6-1607	8GH 007 157-181
		525016	1GA 998 522-011	1231	8GM 002 091-121	6-1655	8GH 002 089-141
		525302-	2SE 002 578-701	1232	8GM 002 091-241	6-1658	8GH 002 090-371
		525302-	2SE 002 578-707	1241	8GM 002 091-181	6-1661	8GJ 002 525-361
		525535	2VP 006 040-111	1304	8GA 002 071-241	62008	8GH 008 356-181
		525535	2VP 006 040-117	1305	8GA 002 071-251	62011	8GH 008 358-181
		525536	2VP 006 040-121	1354	8GA 002 072-241	81381	8GA 006 841-241
		525536	2VP 006 040-127	1381	8GA 002 073-241	81388	8GA 006 841-251
		525681	2VP 006 040-351	1391	8GA 002 074-241	81781	8GP 009 021-002
		525681	2VP 006 040-357	1425	8GA 002 083-251	8381	8GA 006 841-121
		525682	2VP 006 040-301	150	8GP 002 096-061	00091	8GA 007 997-901
		525682	2VP 006 040-307	1526	8GD 002 084-251	91661	8GJ 002 525-341
		526077	2SE 004 623-001	01600	8GA 007 997-101	00092	8GA 007 997-911
		526077	2SE 004 623-007	01602	8GA 007 997-111	00093	8GA 007 997-921
		526078	2ZR 003 315-041	1607	8GH 007 157-121		
		526 208	1TA 003 570-001	01607-86	8GH 007 157-921	<b>Tungsram</b>	<b>Hella</b>
		526282	1G3 005 760-001	01607-87	8GH 007 157-951	1057	8GA 002 073-121
		526363	2SD 003 184-031	1617	8GH 007 157-241	1059	8GA 002 072-121
		526363	2SD 003 184-037	01617-51	8GH 007 157-931	1060	8GA 002 073-241
		526364	2SD 003 184-041	1621	8GH 005 636-121	1060HD	8GA 002 073-251
		526364	2SD 003 184-047	1623	8GH 005 635-121	1077	8GD 002 078-121
		526365	2ZR 006 609-081	1639	8GH 002 473-151	1078	8GD 002 078-241
		526365	2ZR 006 609-087	1641	8GH 002 473-132	1113	8GA 002 074-121
		526366	8RA 002 014-081	1642	8GH 007 643-121	1117	8GA 002 072-241
		526668	2SD 002 582-011	1644	8GH 008 417-012	1120	8GA 002 074-241
		526668	2SD 002 582-017	1645	8GH 002 857-121	1122	8GD 004 772-121
		526669	2SD 002 582-021	1646	8GH 002 857-241	1130	8GA 002 083-251
		526669	2SD 002 582-027	01655-50	8GH 002 089-921	1215	8GA 002 083-131
		526786	8RA 004 412-021	1656	8GH 002 089-251	1526	8GD 002 084-131
		526868	2SK 003 567-321	01656-51	8GH 002 089-931	1735	8GD 002 088-131
		526869	2SK 003 567-331	1659	8GH 002 090-251	1931	8GD 002 088-251
		527169	1G3 005 760-201	1702	8GA 007 997-011	2619	8GD 002 088-121
		527169	1G3 005 760-207	1702	8GP 002 095-121	2627	8GA 002 071-121
		527367	8RA 003 326-931	1703	8GP 938 026-001	2627HD	8GA 002 071-261
		527446	2JA 003				



# Manufacturer's no. / Hella no.

## Cross-Reference



Visteon	Hella	Visteon	Hella	Volkswagen	Hella	Volkswagen	Hella
20-203-01006	1N0 354 018-011	308 8401 7	2RL 008 064-101	1H5 945 107 B	9EL 140 431-061	251 945 095 D	2VP 003 529-131
20-204-01001	9EL 354 059-011	<b>Volkswagen</b>	<b>Hella</b>	1H5 945 108	9EL 140 432-051	251 945 095 H	2VP 003 529-131
20-204-01002	9EL 354 072-011	KDWHL09527	1G4 003 470-147	1H5 945 108 A	9EL 140 432-041	251 945 096 D	2VP 003 529-141
20-204-01003	9EL 354 075-011	110 542 001	2PF 003 014-071	1H5 945 108 B	9EL 140 432-061	251 945 096 H	2VP 003 529-141
20-204-01004	9EL 354 060-011	111 941 039	1A8 001 149-011	1H5 945 108 C	9EL 140 432-061	251 945 111 D	9EL 122 149-011
20-204-01005	2BA 010 231-011	111 941 039 A	1A8 001 149-011	1H5 945 111	9EL 140 413-031	251 945 111 H	9EL 122 149-011
20-204-01006	2BA 010 232-011	111 941 039 N	1A8 003 060-541	1H5 945 111 A	9EL 140 413-041	251 945 111 D	9EL 122 150-011
20-205-01001	9EL 354 059-021	111 941 039 Q	1A8 003 060-541	1H5 945 111 B	9EL 140 413-031	251 945 112 H	9EL 122 150-011
20-205-01002	9EL 354 072-021	111 941 159 G	9FH 093 887-001	1H5 945 112	9EL 140 414-031	251 953 141	9EL 122 377-011
20-205-01003	9EL 354 075-021	111 941 605 A	9GH 116 966-011	1H5 945 112 A	9EL 140 414-041	251 953 142	9EL 122 378-011
20-205-01004	9EL 354 060-021	111 941 753	1A8 003 060-551	1H5 945 112 B	9EL 140 414-031	271 941 091 G	9EL 852 820-001
20-205-01005	2BA 010 231-021	111 945 701	2NE 002 985-001	1H6 941 017 AA	1AJ 007 235-231	281 941 753 A	9EL 855 097-001
20-205-01006	2BA 010 232-021	111 947 111 E	2JA 002 532-011	1H6 941 017 AF	1DJ 006 360-651	281 941 753 A	1AG 004 873-391
20-206-01001	9EL 354 056-001	113 941 753	1A8 001 156-281	1H6 941 017 AJ	1AJ 007 235-231	281 941 754 A	1AG 004 873-391
20-206-01003	9EL 354 058-001	113 941 753 A	1A8 001 156-281	1H6 941 017 AL	1AJ 007 235-231	281 945 105	1AG 004 873-391
20-207-01001	1N0 009 617-011	1 152 390	1E1 246 045-111	1H6 941 017 AM	1AJ 007 235-231	281 945 105	8RA 002 014-031
20-210-01001	9EL 354 061-021	1 152 401	1E1 246 045-121	1H6 941 017 AN	1AJ 007 235-231	281 945 105	8RA 002 014-031
20-210-01002	9EL 354 057-021	137 2903	25B 003 018-031	1H6 941 017 Q	1AJ 007 235-231	281 945 105	9EL 146 373-001
20-210-01003	9EL 171 556-011	137 3081	25T 001 673-011	1H6 941 017 R	1AJ 007 235-231	281 945 105	2JA 003 354-001
20-210-01005	2VP 354 034-011	137 3121	2SA 001 634-121	1H6 941 017 S	1AJ 007 235-231	281 945 105	9EL 116 907-001
20-210-01007	9EL 354 078-011	137 3189	2BA 001 248-001	1H6 941 018 AA	1AJ 007 235-241	281 945 105	9BG 101 230-001
20-210-01009	9EL 171 976-011	147 943 021	2KA 001 389-101	1H6 941 018 AF	1DJ 006 360-661	281 945 105	9BG 121 587-031
20-210-01011	9EL 354 074-011	161 949 101	2BM 003 647-021	1H6 941 018 AJ	1AJ 007 235-241	281 945 105	9BG 121 587-037
20-210-01013	9EL 171 977-011	161 953 081	9EL 123 323-011	1H6 941 018 AM	1AJ 007 235-241	281 945 105	2PF 001 648-161
20-210-01014	9EL 171 558-011	161 953 082	9EL 123 324-011	1H6 941 018 AN	1AJ 007 235-241	281 945 105	25A 001 259-751
20-210-01015	9EL 354 071-011	165 941 005	1AH 004 565-171	1H6 941 018 O	1AJ 007 235-241	281 945 105	25A 001 259-757
20-210-01016	2VP 354 037-011	165 941 006	1AH 004 565-181	1H6 941 018 R	1AJ 007 235-241	281 945 105	2PF 003 389-041
20-210-01017	2SD 354 040-021	165 941 017	1AH 004 565-181	1H6 945 111 A	9EL 139 137-061	281 945 105	2AA 001 204-011
20-210-01018	2ZR 354 041-021	165 941 017	1AH 004 565-191	1H6 945 111 B	9EL 139 137-051	281 945 105	9EL 856 418-001
20-210-01019	9EL 354 076-021	165 941 017 A	1AH 004 565-391	1H6 945 111 C	9EL 139 137-081	281 945 105	9EL 856 417-001
20-210-01020	2VP 354 030-021	165 941 017 A	1AH 004 565-391	1H6 945 112	9EL 139 137-071	281 945 105	9GD 856 562-001
20-210-01021	2VP 354 043-021	165 941 017 B	1AH 004 565-391	1H6 945 112 A	9EL 139 138-051	281 945 105	9EL 270 197-011
20-210-01022	2VP 354 042-021	165 941 017 C	1AH 004 565-391	1H6 945 112 B	9EL 139 138-061	281 945 105	2VD 008 204-131
20-210-01023	9EL 354 066-021	165 941 017 D	1AH 004 565-391	1H6 945 112 C	9EL 139 138-061	281 945 105	2VP 008 204-121
20-210-01025	9EL 354 064-021	165 941 017 E	1AH 004 565-391	1H6 945 112 C	9EL 139 138-071	281 945 105	8RA 003 326-001
20-210-01026	9EL 354 067-021	165 941 017 F	1AH 004 565-391	1H6 945 112 C	9EL 139 138-081	281 945 105	8RA 003 326-002
20-210-01027	9EL 354 050-021	165 941 017 G	1AH 004 565-391	1H6 945 112 C	9EL 142 825-021	281 945 105	8RA 003 326-002
20-210-01028	2SK 354 032-021	165 941 018	1AH 004 565-181	1H6 945 112 C	9EL 142 825-031	281 945 105	9EL 270 197-011
20-210-01029	9EL 171 558-061	165 941 018	1AH 004 565-181	1H6 945 112 C	9EL 142 825-031	281 945 105	9EL 270 198-011
20-210-01030	2VP 354 030-041	165 941 018 A	1AH 004 565-181	1H6 945 112 C	9EL 142 826-021	281 945 105	2JA 007 372-001
20-210-01031	9EL 354 070-021	165 941 018 A	1AH 004 565-181	1H6 945 112 C	9EL 142 826-031	281 945 105	8GS 002 296-111
20-210-01032	9EL 354 054-021	165 941 018 B	1AH 004 565-181	1H6 945 112 C	1DJ 006 649-011	281 945 105	1ER 247 017-051
20-210-01033	9EL 354 055-021	165 941 018 C	1AH 004 565-181	1H6 945 112 C	1DJ 006 649-021	281 945 105	1ER 247 017-061
20-210-01034	9EL 171 558-021	165 941 018 D	1AH 004 565-181	1H6 945 112 C	1H6 941 006 A	281 945 105	1EE 010 203-011
20-210-01035	9EL 171 558-021	165 941 018 E	1AH 004 565-181	1H6 945 112 C	1H6 941 699 A	281 945 105	1EE 010 203-021
20-210-01036	9EL 171 558-021	165 941 018 F	1AH 004 565-181	1H6 945 112 C	1H6 941 700 A	281 945 105	2VP 354 043-011
20-210-01037	2VP 354 038-021	165 941 018 G	1AH 004 565-181	1H6 945 112 C	1J0 941 295 B	281 945 105	2VP 354 043-021
20-210-01038	2VP 354 039-021	165 941 018 H	1AH 004 565-181	1H6 945 112 C	1J0 941 295 C	281 945 105	2VP 354 043-021
20-210-01039	9EL 171 974-021	165 941 018 I	1AH 004 565-181	1H6 945 112 C	1J0 941 295 C	281 945 105	2VP 354 043-021
20-210-01040	9EL 171 975-021	165 941 018 J	1AH 004 565-181	1H6 945 112 C	1J0 955 964 F	281 945 105	2VP 354 043-021
20-210-01041	9EL 354 079-021	165 941 018 A	1AH 004 565-181	1H6 945 112 C	1J1 941 017 B	281 945 105	2VP 354 043-021
20-210-01042	9EL 354 079-021	165 941 018 B	1AH 004 565-181	1H6 945 112 C	1J1 941 017 C	281 945 105	2VP 354 043-021
20-210-01043	9EL 354 079-021	165 941 018 C	1AH 004 565-181	1H6 945 112 C	1J1 941 017 D	281 945 105	2VP 354 043-021
20-210-01044	2NR 010 229-021	165 941 018 D	1AH 004 565-181	1H6 945 112 C	1J1 941 017 E	281 945 105	2VP 354 043-021
20-210-01045	2SD 010 230-021	165 941 018 E	1AH 004 565-181	1H6 945 112 C	1J1 941 017 F	281 945 105	2VP 354 043-021
20-210-01046	2SK 354 035-021	165 941 018 F	1AH 004 565-181	1H6 945 112 C	1J1 941 017 G	281 945 105	2VP 354 043-021
20-210-01049	9EL 354 080-021	165 941 018 G	1AH 004 565-181	1H6 945 112 C	1J1 941 017 H	281 945 105	2VP 354 043-021
20-210-01049	9EL 354 073-021	165 941 018 H	1AH 004 565-181	1H6 945 112 C	1J1 941 017 I	281 945 105	2VP 354 043-021
20-210-01056	9EL 354 081-021	165 941 018 I	1AH 004 565-181	1H6 945 112 C	1J1 941 017 J	281 945 105	2VP 354 043-021
20-211-01001	9EL 354 061-011	165 941 018 J	1AH 004 565-181	1H6 945 112 C	1J1 941 017 K	281 945 105	2VP 354 043-021
20-211-01002	9EL 354 057-011	165 941 018 K	1AH 004 565-181	1H6 945 112 C	1J1 941 017 L	281 945 105	2VP 354 043-021
20-211-01003	9EL 171 556-021	165 945 095	1AH 004 565-181	1H6 945 112 C	1J1 941 017 M	281 945 105	2VP 354 043-021
20-211-01005	2VP 354 034-021	165 945 095	1AH 004 565-181	1H6 945 112 C	1J1 941 017 N	281 945 105	2VP 354 043-021
20-211-01007	9EL 354 078-021	165 945 096	1AH 004 565-181	1H6 945 112 C	1J1 941 017 O	281 945 105	2VP 354 043-021
20-211-01009	9EL 171 976-021	165 945 096	1AH 004 565-181	1H6 945 112 C	1J1 941 017 P	281 945 105	2VP 354 043-021
20-211-01011	9EL 354 074-021	165 945 096	1AH 004 565-181	1H6 945 112 C	1J1 941 017 Q	281 945 105	2VP 354 043-021
20-211-01013	9EL 171 977-021	165 945 096	1AH 004 565-181	1H6 945 112 C	1J1 941 017 R	281 945 105	2VP 354 043-021
20-211-01014	9EL 171 558-021	165 945 096	1AH 004 565-181	1H6 945 112 C	1J1 941 017 S	281 945 105	2VP 354 043-021
20-211-01015	9EL 354 071-021	165 945 096	1AH 004 565-181	1H6 945 112 C	1J1 941 017 T	281 945 105	2VP 354 043-021
20-211-01016	2VP 354 037-021	165 945 096	1AH 004 565-181	1H6 945 112 C	1J1 941 017 U	281 945 105	2VP 354 043-021
20-211-01017	2SD 354 040-011	165 945 096	1AH 004 565-181	1H6 945 112 C	1J1 941 017 V	281 945 105	2VP 354 043-021
20-211-01018	2NE 354 041-011	165 945 096	1AH 004 565-181	1H6 945 112 C	1J1 941 017 W	281 945 105	2VP 354 043-021
20-211-01019	9EL 354 076-011	165 945 096	1AH 004 565-181	1H6 945 112 C	1J1 941 017 X	281 945 105	2VP 354 043-021
20-211-01020	2VP 354 030-011	165 945 096	1AH 004 565-181	1H6 945 112 C	1J1 941 017 Y	281 945 105	2VP 354 043-021
20-211-01021	2VP 354 043-011	165 945 096	1AH 004 565-181	1H6 945 112 C	1J1 941 017 Z	281 945 105	2VP 354 043-021
20-211-01022	2VP 354 042-011	165 945 096	1AH 004 565-181	1H6 945 112 C	1K0 941 699 A	281 945 105	2VP 354 043-021
20-211-01023	9EL 354 066-011	165 945 096	1AH 004 565-181	1H6 945 112 C	1K0 941 699 B	281 945 105	2VP 354 043-021
20-211-01025	9EL 354 064-011	165 945 096	1AH 004 565-181	1H6 945 112 C	1K0 941 699 C	281 945 105	



# Manufacturer's no. / Hella no.

## Cross-Reference

Volkswagen	Hella	Volkswagen	Hella	Volkswagen	Hella	Volkswagen	Hella
3B7 941 699 A	1NL 009 034-011	4F0 941 029 AK	1EL 008 881-411	701 941 106	1AJ 136 502-021	893 941 115 B	9ES 141 179-001
3B7 941 700	1NL 009 034-021	4F0 941 029 BB	1ZS 009 701-111	701 941 699 J	1NB 008 122-011	893 941 115 C	9ES 141 179-001
3B7 941 700 A	1NL 009 034-021	4F0 941 030 AK	1EL 008 881-421	701 941 700 J	1NB 008 122-021	893 941 116	9ES 132 892-001
3C0 941 005 J	1EL 247 014-011	4F0 941 030 BB	1ZS 009 701-121	701 945 095 01C	9EL 146 371-001	893 941 116 A	9ES 132 892-001
3C0 941 005 M	1EL 247 014-011	4Z7 941 003	1EL 008 313-131	701 945 096 01C	9EL 146 372-001	893 941 116 B	9ES 141 180-001
3C0 941 006 J	1EL 247 014-021	4Z7 941 003 B	1EL 008 314-071	701 945 111	9EL 146 371-001	893 941 116 C	9ES 141 180-001
3C0 941 006 M	1EL 247 014-021	4Z7 941 004	1EL 008 313-141	701 945 112	9EL 146 372-001	893 945 217	9EL 131 651-031
3C0 941 699 B	1NO 271 296-031	4Z7 941 004 B	1EL 008 314-081	701 945 129	9EL 146 373-001	893 945 218	9EL 131 652-031
3C0 941 700 B	1NO 271 296-041	533 941 669	9FF 126 444-001	701 947 125	9EL 856 010-001	893 945 225 A	9EL 131 613-031
3C0 953 041	2BA 010 118-011	535 941 017	1DJ 005 377-191	701 953 049	9EL 136 401-011	893 945 225 B	9EM 131 613-021
3C0 953 041 C	2BA 010 118-011	535 941 018	1DJ 005 377-201	701 953 050	9EL 136 402-011	893 945 226 A	9EL 131 614-031
3C0 953 041 E	2BA 010 118-031	535 953 049	2BA 005 398-031	705 048	2SD 002 844-021	893 945 226 B	9EM 131 614-021
3C0 953 041 F	2BA 010 118-011	535 953 050	2BA 005 398-041	705 049	2SE 002 844-011	893 953 049	9EL 135 007-001
3C0 953 041 H	2BA 010 118-031	5M0 945 093 D	2NE 964 962-011	705 833	2PF 003 057-001	893 953 050	9EL 135 008-001
3C0 953 042 C	2BA 010 118-021	5M0 945 093 E	2NE 964 962-011	705 833	2PF 003 057-002	895 941 029	1DJ 005 995-071
3C0 953 042 E	2BA 010 118-041	5M0 945 093 H	2NE 964 962-011	705 833	6ZE 001 759-071	895 941 029 B	1DJ 005 995-071
3C0 953 042 F	2BA 010 118-021	5M0 945 093 J	2NE 964 962-011	705 833	6ZE 001 759-051	895 941 029 C	1DJ 006 442-211
3C0 953 042 G	2BA 010 118-021	5M0 945 093 L	2NE 964 962-011	705 833	1NO 270 481-051	895 941 029 F	1DJ 006 442-211
3C0 953 042 H	2BA 010 118-041	5M0 945 094 D	2ZR 964 962-021	705 833	1NO 270 481-061	895 941 030	1DJ 005 995-081
3U1 941 017 D	1EL 246 042-091	5M0 945 094 E	2ZR 964 962-021	705 833	2SK 008 579-091	895 941 030 B	1DJ 005 995-081
3U1 941 017 G	1EL 246 042-431	5M0 945 094 F	2ZR 964 962-021	705 833	2SK 008 579-111	895 941 030 C	1DJ 006 442-221
3U1 941 018 D	1EL 246 042-101	5M0 945 094 G	2ZR 964 962-021	705 833	2SK 008 579-101	895 941 030 F	1DJ 006 442-221
3U1 941 018 G	1EL 246 042-441	5M0 945 094 H	2ZR 964 962-021	705 833	2SK 008 579-121	895 941 115	9ES 136 143-001
411 941 669	9FF 085 642-001	5M0 945 095 E	2SD 964 961-011	705 833	2RL 008 065-001	895 941 115 A	9ES 136 143-001
431 941 155	9FH 112 497-001	5M0 945 095 F	2SD 964 961-011	705 833	2RL 008 065-101	895 941 115 E	9ES 138 835-031
431 941 159 B	9HD 121 297-001	5M0 945 095 G	2SD 964 961-011	705 833	2RL 008 065-107	895 941 116	9ES 136 144-001
443 941 029 A	1AH 004 089-071	5M0 945 095 H	2SD 964 961-011	705 833	9EL 862 171-001	895 941 116 A	9ES 136 144-001
443 941 029 E	1AH 004 089-071	5M0 945 095 I	2SD 964 961-011	705 833	9EL 862 172-001	895 941 116 E	9ES 138 836-031
443 941 030 A	1AH 004 089-081	5M0 945 095 J	2SD 964 961-011	705 833	9GD 862 734-001	895 941 699	1NL 005 150-051
443 941 030 E	1AH 004 089-081	5M0 945 095 K	2SD 964 961-011	705 833	1NO 271 247-051	895 941 700	1NL 005 150-061
443 941 115 A	9ES 131 955-001	5M0 945 095 L	2SD 964 961-011	705 833	1NO 271 247-061	8A0 945 217	9EL 140 347-021
443 941 115 F	9ES 131 955-001	5M0 945 095 M	2SD 964 961-011	705 833	2SK 008 579-111	8A0 945 217 B	9EL 140 347-021
443 941 116 A	9ES 131 955-001	5M0 945 095 N	2SD 964 961-011	705 833	2SK 008 579-111	8A0 945 217 C	9EL 140 347-021
443 941 116 F	9ES 131 955-001	5M0 945 095 O	2SD 964 961-011	705 833	2SK 008 579-111	8A0 945 218	9EL 140 348-021
443 945 217	9EL 126 339-021	5M0 945 095 P	2SD 964 961-011	705 833	2SK 008 579-091	8A0 945 218 B	9EL 140 348-021
443 945 218	9EL 126 340-021	5M0 945 095 Q	2SD 964 961-011	705 833	2SK 008 579-091	8A0 945 218 C	9EL 140 348-021
443 945 225 A	9EM 126 345-021	5M0 945 095 R	2SD 964 961-011	705 833	2SK 008 579-091	8A0 945 219 A	9EL 141 115-021
443 945 226 A	9EM 126 345-021	5M0 945 095 S	2SD 964 961-011	705 833	2SK 008 579-091	8A0 945 224	9EL 141 116-011
443 945 226 A	9EM 126 345-021	5M0 945 095 T	2SD 964 961-011	705 833	2SK 008 579-101	8A0 953 049 A	9EL 141 605-011
443 953 049	9EL 127 353-011	5M0 945 095 U	2SD 964 961-011	705 833	2SK 008 579-101	8A0 953 050 A	9EL 141 606-011
443 953 049 E	9EL 127 353-011	5M0 945 095 V	2SD 964 961-011	705 833	2SK 008 579-121	800 941 029	1AE 008 564-011
443 953 050	9EL 127 354-011	5M0 945 095 W	2SD 964 961-011	705 833	2SK 008 579-121	800 941 030	1AE 008 564-011
443 953 050 E	9EL 127 354-011	5M1 941 005 B	1EE 247 013-051	705 833	2SK 008 579-101	800 953 049	1EL 158 254-011
445 945 217	9EL 129 149-021	5M1 941 005 C	1EE 247 013-051	705 833	2SK 008 579-121	800 953 049 A	9EL 158 254-011
445 945 218	9EL 129 150-021	5M1 941 006 B	1EE 247 013-061	705 833	2SK 008 579-121	800 953 049 B	9EL 158 254-021
481 919 209	2AA 001 200-141	5M1 941 006 C	1EE 247 013-061	705 833	2SK 008 579-131	800 953 050 A	9EL 158 254-021
4A0 035 787	6ED 004 778-001	600 857 520	9GT 005 166-001	705 833	2SK 008 579-131	800 953 050 B	9EL 158 254-021
4A0 941 029	1AF 006 120-191	600 857 524	9GT 074 132-001	705 833	2SK 008 579-131	800 953 050 C	9EL 158 254-021
4A0 941 029 B	1EL 006 640-151	600 860 285	2XW 003 146-001	705 833	2SK 008 579-131	800 953 050 D	9EL 158 254-021
4A0 941 029 G	1EL 006 640-151	600 945 103C	8RA 002 016-121	705 833	2SK 008 579-131	800 953 050 E	9EL 158 254-021
4A0 941 029 L	1AL 007 270-171	600 945 241 B	1EL 006 640-151	705 833	2SK 008 579-131	800 953 050 F	9EL 158 254-021
4A0 941 029 N	1EL 007 270-151	600 945 341	2PF 003 389-041	705 833	2SK 008 579-141	800 953 050 G	9EL 158 254-021
4A0 941 030	1AF 006 120-201	612 170 620 1	2AA 001 200-011	705 833	2SK 008 579-141	800 953 050 H	9EL 158 254-021
4A0 941 030 B	1EL 006 640-161	612 170 620 2	2AA 001 200-012	705 833	2SK 008 579-141	800 953 050 I	9EL 158 254-021
4A0 941 030 G	1EL 006 640-161	678 240 908	9DE 087 430-011	705 833	2SK 008 579-141	800 953 050 J	9EL 158 254-021
4A0 941 030 H	1EL 006 640-161	690 945 105	8RA 002 014-052	705 833	2SK 008 579-161	800 953 050 K	9EL 158 254-021
4A0 941 030 N	1AL 007 270-181	690 945 105	8RA 002 014-052	705 833	2AB 004 532-021	800 953 050 L	9EL 158 254-021
4A0 941 030 O	1EL 007 270-161	690 951 273 A	5AB 005 944-011	705 833	9EL 962 585-041	800 953 050 M	9EL 158 254-021
4A0 941 115	9ES 137 169-001	6H0 941 699	1NO 270 204-051	705 833	9EL 962 586-041	800 953 050 N	9EL 158 254-021
4A0 941 115 B	9ES 137 169-031	6H0 941 699 A	1NO 270 204-051	705 833	1AG 008 763-011	800 953 050 O	9EL 158 254-021
4A0 941 115 J	9ES 145 599-001	6H0 941 699 B	1NO 271 247-051	705 833	1AG 008 763-021	800 953 050 P	9EL 158 254-021
4A0 941 116	9ES 137 170-001	6H0 941 700	1NO 270 204-061	705 833	9EL 962 584-101	800 953 050 Q	9EL 158 254-021
4A0 941 116 B	9ES 137 170-031	6H0 941 700 A	1NO 270 204-061	705 833	9EL 964 541-021	800 953 050 R	9EL 158 254-021
4A0 941 116 J	9ES 145 600-001	6H0 941 700 B	1NO 271 247-061	705 833	2NE 964 958-011	800 953 050 S	9EL 158 254-021
4A0 941 295	6NM 007 282-211	6H0 941 699	1NA 962 530-011	705 833	2ZR 964 958-021	800 953 050 T	9EL 158 254-021
4A0 941 699	1NL 006 150-071	6H0 941 699 A	1NA 962 490-011	705 833	9EL 964 501-011	800 953 050 U	9EL 158 254-021
4A0 941 700	1NL 006 150-081	6H0 941 699 E	1NA 963 981-031	705 833	2VA 964 957-011	800 953 050 V	9EL 158 254-021
4A0 945 223 A	9EL 138 463-031	6H0 941 700	1NA 962 530-021	705 833	9EL 964 502-011	800 953 050 W	9EL 158 254-021
4A0 945 223 D	9EL 145 997-021	6H0 941 700 A	1NA 962 490-021	705 833	2VA 964 957-021	800 953 050 X	9EL 158 254-021
4A0 945 224 A	9EL 138 464-031	6H0 941 700 E	1NA 963 981-041	705 833	9EL 964 502-011	800 953 050 Y	9EL 158 254-021
4A0 945 224 D	9EL 145 998-021	6H0 945 095 H	9EL 964 115-111	705 833	8XU 964 435-021	800 953 050 Z	9EL 158 254-021
4A0 949 101	2BM 003 647-021	6H0 945 095 I	9EL 964 116-111	705 833	KDNV 964 981-001	800 953 050 AA	9EL 158 254-021
4A0 953 049	9EL 139 383-031	6H0 945 111	9EL 962 541-051	705 833	KDNV 964 981-001	800 953 050 AB	9EL 158 254-021
4A0 953 049 D	9EL 145 833-021	6H0 945 111 B	9EL 962 541-071	705 833	KDNV 964 981-001	800 953 050 AC	9EL 158 254-021
4A0 953 050	9EL 139 384-031	6H0 945 112	9EL 962 542-041	705 833	KDNV 964 981-001	800 953 050 AD	9EL 158 254-021
4A0 953 050 D	9EL 145 834-021	6H0 945 112 B	9EL 962 542-061	705 833	KDNV 964 981-001	800 953 050 AE	9EL 158 254-021
4A5 945 217	9EL 138 567-031	6H0 953 041 N	9EL 964 005-021	705 833	KDNV 964 981-001	800 953 050 AF	9EL 158 254-021
4A5 945 217 B	9EL 138 567-061	6H0 953 042 N	9EL 964 006-021	705 833	KDNV 964 981-001	800 953 050 AG	9EL 158 254-021
4A5 945 218	9EL 138 568-031	6H0 953 049	9EL 962 839-031	705 833	KDNV 964 981-001	800 953 050 AH	9EL 158 254-021
4A5 945 218 B	9EL 138 568-061	6H0 953 049 A	9EL 962 839-021	705 833	KDNV 964 981-001	800 953 050 AI	9EL 158 254-021
4A5 945 227	9EL 145 909-041	6H0 953 050	9EL 962 840-031	705 833	KDNV 964 981-001	800 953 050 AJ	9EL 158 254-021
4A9 945 217	9EL 140 063-021	6H0 953 050 A	9EL 962 840-021	705 833	KDNV 964 981-001	800 953 050 AK	9EL 158 254-021
4A9 945 218	9EL 140 064-021	6N1 941 015	1AF 962 489-131	705 833	KDNV 964 981-001	800 953 050 AL	9EL 158 254-021
4B0 941 003 BJ	1EL 008 472-011	6N1 941 015 A	1AF 962 489-111	705 833	KDNV 964 981-001	800 953 050 AM	9EL 158 254-021
4B0 941 004 BJ	1EL 008 472-021	6N1 941 016	1AF 962 489-141	705 833	KDNV 964 98		

# Manufacturer's no. / Hella no.

## Cross-Reference



Volkswagen	Hella	Volkswagen	Hella	Volvo	Hella	Volvo	Hella
KDWHLO9129	2AA 001 200-041	KDWHLO9575	2RM 007 200-071	1 103 907 8	2PG 004 361-011	1 517 026	9EL 110 918-011
KDWHLO9129	2AA 001 200-042	KDWHLO9576	2RM 007 200-081	1 103 907 8	2PG 004 361-017	1 518 676	9EL 852 061-021
KDWHLO9131	8JB 004 777-001	KDWHLO9579	2RL 860 880-001	1 1039 155	2SE 002 578-701	1 566 887	2ZR 001 423-001
KDWHLO9131	8JB 004 777-002	KDWHLO9580	2RM 007 200-011	1 1039 155	2SE 002 578-707	1 566 888	9ES 106 588-001
KDWHLO9132	1GA 007 506-011	KDWHLO9581	2RM 007 200-021	1 1039 399	2RL 006 846-011	1 576 963	2NE 001 423-011
KDWHLO9133	8KB 990 299-001	KDWHLO9583	2RM 007 200-091	1 1039 400	8JB 850 434-011	1 577 794	2KA 001 386-281
KDWHLO9134	8GH 002 090-133	KDWHLO9584	2XD 006 609-821	1 1039 553	2SE 002 578-701	1 578 652	9GH 096 532-001
KDWHLO9135	2XD 003 410-301	KDWHLO9585	2XD 006 609-831	1 1039 553	2SE 002 578-707	1 587 794	2KA 001 386-281
KDWHLO9136	2SD 001 679-001	KDWHLO9586	2XD 860 618-001	1 1087 193	2JA 003 354-001	1 594 083	1AG 004 679-041
KDWHLO9139	2DA 003 014-031	KDWHLO9587	2XD 860 910-001	1 1087 194	2BA 001 259-611	1 607 026	2JA 002 661-028
KDWHLO9139	2DA 003 014-037	KDWHLO9588	2XD 860 910-031	1 1087 194	2BA 001 259-618	1 620 476	2SL 005 883-031
KDWHLO9151	2XW 003 146-001	KDWHLO9590	8GA 002 073-241	1 1087 505	2SA 001 259-751	1 620 477	2SK 005 883-021
KDWHLO9153	9GD 862 868-001	KDWHLO9591	8GH 002 089-251	1 1087 505	2SA 001 259-757	1 620 478	2SK 005 883-011
KDWHLO9157	2PS 962 964-031	KDWHLO9594	8GH 002 089-253	1 1113 093	1BL 007 834-007	1 620 479	2SL 005 883-041
KDWHLO9157	2PS 962 964-037	KDWHLO9594	8KB 861 213-011	1 1113 094	1KL 007 834-027	1 620 480	9EL 135 548-001
KDWHLO9161	9EL 855 097-001	KDWHLO9596	9AB 860 796-001	1 1117 172	1BL 008 193-011	1 629 837	8GA 002 083-251
KDWHLO9172	1GA 996 142-041	KDWHLO9597	9AB 860 796-021	1 1117 172	1BL 008 193-017	182 032	8GD 002 084-251
KDWHLO9200	8HG 116 741-801	KDWHLO9598	9AB 860 796-021	1 1117 173	1KO 008 191-041	20002023560	2KA 001 386-281
KDWHLO9201	2XS 950 071-031	KDWHLO9599	9EL 860 743-011	1 1117 173	1KO 008 191-047	20002174120	2RL 008 060-111
KDWHLO9202	2XS 003 168-131	KDWHLO9600	9GD 861 470-001	1 112 207 3	9EL 856 416-011	20002174760	1S5 003 178-431
KDWHLO9204	1G8 002 340-011	KDWHLO9601	9GD 861 531-001	1 114 775 6	2KA 003 389-061	20002193480	9EL 118 633-001
KDWHLO9205	8XT 002 120-001	KDWHLO9603	9MM 860 814-801	1 114 775 6	2KA 003 389-062	20002230900	9EL 115 003-011
KDWHLO9206	2JA 004 192-001	KDWHLO9607	9SX 861 562-001	1 114 775 6	2KA 003 389-068	20002283441	1AE 003 427-021
KDWHLO9209	2BA 001 227-201	KDWHLO9608	9SX 861 562-011	1 200 915	2JA 006 487-347	020002290000	1AB 003 177-071
KDWHLO9210	8GM 002 091-121	KDWHLO9611	8GH 002 074-132	1122 00090	1GA 006 991-071	20002800581	1EA 007 108-011
KDWHLO9214	8GH 002 857-121	KDWHLO9616	4DB 003 425-001	1 122 802	8HG 002 365-001	20002800581	1EA 007 108-017
KDWHLO9216	2BA 003 236-021	KDWHLO9618	8KB 007 895-811	11 305 064	8RA 002 014-031	20002800582	1EA 007 108-021
KDWHLO9217	2BA 003 236-027	KDWHLO9623	2RM 007 200-121	11 305 064	8RA 002 014-032	20002800582	1EA 007 108-027
KDWHLO9223	8JA 001 915-001	KDWHLO9626	8KB 007 897-801	11 305 064	8RA 002 014-831	20002801241	2JA 006 447-251
KDWHLO9223	2AA 001 200-131	KDWHLO9628	2XD 007 854-801	11 305 064	8RA 002 014-832	20002801244	1A5 003 178-411
KDWHLO9224	2AA 001 200-151	KDWHLO9638	9SX 007 609-401	11 305 464	8RA 002 014-831	20002804478	2VP 006 040-111
KDWHLO9225	2AA 003 257-041	KDWHLO9639	2VA 006 040-291	1 130 593 4	8RA 002 014-832	20002804478	2VP 006 040-112
KDWHLO9225	2AA 003 257-042	KDWHLO9639	2VA 006 040-297	1 130 593 9	2BA 002 324-011	20002804479	2VP 006 040-121
KDWHLO9230	2AA 001 204-001	KDWHLO9640	2VP 006 040-307	1 130 593 8	2BA 002 324-021	20002804479	2VP 006 040-127
KDWHLO9233	8JA 001 921-102	KDWHLO9644	2RM 007 200-191	1 130 787 7	2PF 001 259-631	20002808249	1EA 993 975-011
KDWHLO9234	8RL 002 009-001	KDWHLO9645	9GD 861 810-001	1 130 788 0	2NE 001 173-061	20002808249	1EA 993 975-051
KDWHLO9236	8GM 002 092-121	KDWHLO9649	2RL 007 337-011	1 130 801 2	8GA 002 083-131	20002808251	1EA 993 975-051
KDWHLO9246	2BA 001 275-011	KDWHLO9654	2RM 007 200-131	1 130 898 7	2SA 996 012-091	20002808251	1EA 993 975-057
KDWHLO9252	8GM 002 094-121	KDWHLO9659	2JA 001 357-001	1 130 898 8	2VP 343 640-247	20002900218	4RA 003 110-651
KDWHLO9262	2SE 002 844-011	KDWHLO9661	8KB 007 895-821	1 170 530 6	2VP 343 640-257	20002900219	9EL 113 639-021
KDWHLO9263	9GD 856 863-001	KDWHLO9662	8KB 007 897-811	1 170 618 8	9GH 993 984-001	20002902033	1AA 143 897-011
KDWHLO9305	9MK 854 066-001	KDWHLO9665	2RM 007 200-211	1 170 649 5	9GH 116 966-011	20002903490	9EL 137 307-001
KDWHLO9309	9XR 855 975-001	KDWHLO9666	2RM 007 200-221	1 170 649 5	9BG 993 345-001	20002903491	9EL 137 308-001
KDWHLO9310	8GH 002 089-133	KDWHLO9667	8JA 001 925-001	1 171 398 0	9EL 860 627-011	20002903856	9EL 136 825-001
KDWHLO9320	9EL 856 010-001	KDWHLO9668	2RL 007 900-551	1 187 043 6	4AZ 003 787-001	20002903858	9EL 136 825-011
KDWHLO9327	2JA 004 531-001	KDWHLO9669	9AB 860 796-011	1 187 088 8	1EA 993 975-091	20002907234	20002907234
KDWHLO9329	2AB 004 532-021	KDWHLO9670	9SX 007 609-031	1 188 088 8	1EA 993 975-097	20002907237	1EL 990 186-001
KDWHLO9332	1F7 004 700-391	KDWHLO9674	2BA 002 324-011	1 188 263 3	1EA 993 975-101	20003042622	2NE 001 173-061
KDWHLO9402	4RA 003 510-081	KDWHLO9675	2BA 002 324-021	1 188 263 3	1EA 993 975-107	20003042650	8GJ 002 525-251
KDWHLO9412	2XM 004 444-001	KDWHLO9677	2JA 005 590-157	1 188 227 0	2SE 004 623-001	20003042650	8GJ 002 525-253
KDWHLO9418	5AB 005 944-001	KDWHLO9681	2JA 001 331-011	1 188 227 0	2SE 004 623-007	020004373252	5AB 005 944-001
KDWHLO9426	2SA 003 014-051	KDWHLO9683	2RL 008 364-021	1 188 230 5	2RL 007 552-001	20004373253	6ZE 001 759-071
KDWHLO9427	2BA 003 014-011	KDWHLO9684	2RL 008 366-031	1 188 298 5	2BA 003 236-088	20004374274	2SD 002 776-231
KDWHLO9430	1G4 003 470-031	KDWHLO9689	2RM 007 200-261	1 188 321 6	8RA 004 412-021	20004374274	2SD 002 776-237
KDWHLO9447	1TA 003 570-101	KDWHLO9690	9MM 862 358-801	1 188 593 4	2SE 004 623-001	020004374275	2SD 002 776-241
KDWHLO9458	2XS 005 020-001	KSP 941 675	9GH 152 654-007	1 188 593 4	2SE 004 623-007	020004374275	2SD 002 776-247
KDWHLO9458	2XS 005 020-002	KSP 941 751	1BL 008 194-001	1 192 021	8GM 002 092-121	20004374278	2BA 001 277-021
KDWHLO9458	2XS 005 020-003	KSP 941 751	1BL 008 194-007	1 198 818 6	9EL 129 519-001	20004374278	2SA 001 259-751
KDWHLO9460	8HG 006 294-031	KSP 941 751 A	1BL 008 193-001	1 199 270 3	2SA 001 634-121	20004374281	2SA 001 259-757
KDWHLO9461	2XW 002 897-051	KSP 941 751 A	1BL 008 193-007	1 199 484 8	9EL 856 416-001	20004374284	8GH 002 089-133
KDWHLO9466	8RA 004 412-041	KSP 941 781	1KO 008 192-011	1 199 484 8	9XR 854 840-001	20004374288	1AE 004 234-001
KDWHLO9475	8GP 002 095-241	KSP 941 781	1KO 008 192-017	1 199 512	9EL 859 020-001	020004374290	2ZR 996 012-111
KDWHLO9482	2RL 008 366-021	KSP 941 781 A	1KO 008 191-001	1 299 120	2JA 001 331-011	20004374292	2DA 996 012-041
KDWHLO9487	2RL 007 337-121	KSP 941 781 A	1KO 008 191-007	1 400 010 1	1BL 007 834-047	20004374312	2XS 005 020-001
KDWHLO9488	1G3 005 760-041	KSP 945 227 A	2SB 964 169-511	1 400 010 1	1KL 007 834-067	20004374312	2XS 005 020-002
KDWHLO9489	8HG 004 806-001	KSP 945 227 A	2SB 964 169-537	1 402 010 1	8HG 116 741-801	20004374312	2XS 005 020-003
KDWHLO9493	2AB 004 532-011	KSP 945 351	2PF 003 563-151	1 402 010 1	1NL 007 186-047	20005174002	8HG 006 294-001
KDWHLO9496	8GJ 002 525-941	KSP 947 101	2XM 004 444-001	1 402 010 1	2BE 004 119-021	20005174002	8RA 002 014-051
KDWHLO9500	8GA 002 071-251	KSP 953 351	2BM 003 563-111	1 402 010 1	2PF 961 167-021	20005174002	8RA 002 014-052
KDWHLO9503	9XD 857 445-801	KSP 953 353 A	2BA 964 169-501	1 411 060 0	2AB 004 532-051	20005174004	1AA 004 109-031
KDWHLO9507	2NE 006 609-001	KSP 953 353 A	2BA 964 169-507	1 411 060 0	2AB 004 532-057	20005174007	8JA 001 909-011
KDWHLO9507	2NE 006 609-007	N 017 738 2	8GD 002 078-121	1 412 111 1	8RA 002 014-041	20005230616	8GP 002 095-241
KDWHLO9508	2NE 006 609-011	N 102 564 01	8GA 006 841-121	1 412 111 1	8RA 002 014-042	20005230620	8GH 002 089-251
KDWHLO9508	2NE 006 609-017	N 10320101	8GH 007 157-121	1 434 500 3	8RA 002 014-031	20005230620	8GH 002 089-253
KDWHLO9510	2RL 007 337-101	N10 445 701	8GS 007 949-101	1 434 500 3	8RA 002 014-032	20005239651	1G4 003 470-051
KDWHLO9511	2XW 007 146-001	N 105 296 01	8GH 008 357-001	1 437 1 518	1AB 006 213-027	20007050631	8GP 002 067-241
KDWHLO9514	9MK 860 255-001	N 185 002	8RA 002 015-021	1 437 1 907	2XS 955 031-001	20007050638	8KA 002 071-251
KDWHLO9517	9GD 859 037-001	N40 99 00 841	2XM 201 975-001	1 437 293 7	8RA 002 014-041	2 023 560	2KA 001 386-281
KDWHLO9521	2SD 001 688-171	N47 82 00 525	2ZR 001 193-011	1 437 293 7	8RA 002 014-042	2 036 269 5	6NM 008 299-501
KDWHLO9522	2SD 001 688-141	N77 82 00 518	2BM 001 313-001	1 437 286 6	2VA 006 040-457	2 037 933 8	9XB 136 202-005
KDWHLO9524	8GA 002 071-131	N77 82 00 518	2BM 001 313-002	1 437 286 7	2VP 006 040-467	2 039 379 38	9XB 136 202-005
KDWHLO9526	2AA 003 257-031	N 903 605 01	8GP 938 026-001	1 437 287	2VP 006 040-467	2 043 682	1FB 007 892-011
KDWHLO9527	1G4 003 470-147	Z052010	9EL 007 720-851	1 437 530 2	8HG 006 294-031		



# Manufacturer's no. / Hella no.

## Cross-Reference

Volvo	Hella	Volvo	Hella	Volvo	Hella	Volvo	Hella
2 084 700 2	8JB 004 777-001	3 343 851	9FF 085 642-001	517 004 5	2SD 003 184-037	7 033 103 4	1NL 007 834-057
2 084 700 2	8JB 004 777-002	3 344 402	1AH 005 383-211	5 170 050	2VP 006 040-121	7 033 103 5	2SB 005 603-137
2 087 712 9	9GD 159 740-007	3 344 403	1AH 005 383-221	5 170 050	2VP 006 040-127	7 034 374 6	9HD 155 239-001
2 088 426 7	1N0 008 582-011	3 345 133	8GA 006 841-121	5 170 052	8RA 002 014-031	7 034 374 7	9HD 155 239-001
2 088 426 7	1N0 008 582-017	3 345 702	1AG 007 302-171	5 170 052	8RA 002 014-032	7 034 374 8	9GH 145 943-001
2 090 489 5	2PF 959 590-401	3 345 703	1AG 007 302-181	517 006 1	2SD 003 182-061	7 034 374 9	9GH 145 943-001
2 090 489 5	2PF 959 590-407	3 345 721	6NM 007 282-651	517 006 1	2SD 003 182-067	7 034 553	1K0 008 191-041
2 091 489 0	2PS 963 639-011	337 377	2SE 001 686-142	5 170 062	2SD 003 182-051	7 034 553	1K0 008 191-047
2 091 489 0	2PS 963 639-017	337 378	2SD 001 686-101	5 170 062	2SD 003 182-057	7 034 569 0	2AB 004 532-051
2 093 964 5	2SA 008 405-011	3 402 018	2KA 005 049-008	5 174 001	8RA 002 016-121	7 034 569 0	2AB 004 532-057
2 093 964 5	2SA 008 405-017	3 402 622	2NE 001 173-061	5 174 002	8RA 002 014-051	7 034 592 4	2XS 005 020-001
2 097 021 0	2JA 003 354-001	3 402 626	2JA 003 354-001	5 174 002	8RA 002 014-052	7 034 592 4	2XS 005 020-002
2 105 935 1	2XT 959 510-427	3 402 650	8GJ 002 525-251	5 174 004	1AA 004 109-031	7 034 592 4	2XS 005 020-003
2 107 111 6	9XB 152 977-001	3 402 650	8GJ 002 525-253	5 174 005	2BA 003 014-111	7 034 770 0	2NE 005 603-071
2 107 131 4	5DV 007 810-171	3 430 003	8GD 004 772-121	5 174 007	8JA 001 909-011	7 034 770 0	2NE 005 603-077
2 107 996 2	1BL 008 193-172	345 133	8GA 006 841-121	5 230 616	8GP 002 095-241	7 034 770 1	2DA 005 603-031
2 146 470	2SW 003 014-131	3 464 907	1AJ 005 775-411	5 230 620	8GH 002 089-251	7 034 770 1	2DA 005 603-037
2 174 120	2RL 008 060-111	3 464 908	1AJ 005 775-421	5 230 620	8GH 002 089-253	7 034 770 2	2DA 005 603-117
2 174 760	1S5 003 178-431	348 750	2SE 001 685-221	5 232 297 1	9EL 146 491-001	7 034 770 3	2SA 005 603-021
2 193 480	9EL 118 633-001	348 750	2SE 001 685-227	5 232 298	9EL 110 536-011	7 034 770 3	2SA 005 603-027
2 230 900	9EL 115 003-011	3 528 793	9EL 138 650-031	5 239 651	1G4 003 470-051	7 034 770 4	2ZR 008 221-051
2 263 770	2JA 001 330-001	3 534 085	9EL 138 601-031	5 239 666	2JA 001 346-011	7 034 770 4	2ZR 008 221-057
2 263 770	2JA 001 330-007	3 534 086	9EL 138 602-031	5 403 000 1	2SA 005 200-331	7 034 770 5	8RA 008 405-001
2 281 010	9GH 096 532-001	3 538 340	9EL 138 649-031	544 218	2SB 001 259-261	7 034 770 5	8RA 008 405-007
2 283 441	1AE 003 427-021	355 700	2ZR 001 423-001	547 337	8RA 002 014-051	7 034 770 7	2SP 959 060-601
2 284 699	9EL 110 918-001	356 720	2KA 001 389-101	547 337	8RA 002 014-052	7 034 770 8	2KA 005 049-011
2 284 700	9EL 110 918-011	362 540	2BA 001 221-031	6 211 443	9EL 113 324-001	7 034 770 8	2KA 005 049-017
2 289 665	9EL 146 491-001	362 541	2BA 001 221-041	6 212 166	9EL 854 912-001	7 034 770 9	2BA 008 221-001
2 290 000	1AB 003 177-071	363 716	2SE 001 685-201	6 229 297	2BE 001 278-021	7 034 770 9	2BA 008 221-007
240 413	8RA 002 014-051	3 930 194	1FE 006 300-121	6 229 299	2BE 001 278-011	7 034 771 0	1BL 008 193-011
240 413	8RA 002 014-052	3 930 861	2AA 001 200-001	6 233 508	2JA 001 360-001	7 034 771 0	1BL 008 193-017
2 800 581	1EA 007 108-011	3 930 861	2AA 001 200-002	6 234 659	9EL 087 769-001	7 034 771 1	1K0 008 191-021
2 800 581	1EA 007 108-017	3 930 862	2AA 001 200-131	6 235 604	2BA 002 652-101	7 034 771 1	1K0 008 191-027
28 005 813	1EA 007 108-011	3 930 863	2AA 001 200-001	6 235 604	2BA 002 652-107	7 034 771 3	1NL 007 186-047
28 005 813	1EA 007 108-017	3 930 863	2AA 001 200-002	6 238 300	9EL 113 639-021	7 034 771 4	9GH 152 654-007
2 800 582	1EA 007 108-021	3 930 863	2AA 001 200-011	643 772	1A7 118 750-001	7 034 771 5	8KA 152 134-007
2 800 582	1EA 007 108-027	3 930 863	2AA 001 200-012	6 612 583	2KA 001 389-101	7 034 771 6	2TM 963 639-317
2 800 822	2SD 002 776-231	3 950 305	1DL 005 600-097	662 109	2JA 001 346-011	7 034 771 7	2PS 963 639-011
2 800 822	2SD 002 776-237	3 950 306	1DL 005 600-107	6 627 514	8RA 002 020-001	7 034 771 7	2PS 963 639-177
2 800 823	2SD 002 776-241	3 950 307	1DL 007 739-011	6 627 514	8RA 002 020-002	7 034 771 8	2BM 008 355-001
2 800 823	2SD 002 776-247	3 950 308	1DL 007 739-021	6 627 514	8RA 002 020-003	7 034 771 8	2BM 008 355-007
2 801 241	2JA 006 447-251	398 1455	2VD 008 205-051	6 637 603	9ES 069 831-001	7 034 771 8	9GD 341 063-007
2 801 241	1GA 006 876-001	398 1456	2VD 008 205-031	6 637 606	9DE 077 356-021	7 034 791 5	8HG 116 741-801
2 801 244	1AS 003 178-411	398 1458	2VD 008 205-041	6 644 168	9EL 090 411-001	7 034 868 3	9GD 341 063-007
28 012 453	2RL 006 846-001	398 1459	2VD 008 205-031	6 644 374	9EL 112 744-001	7 035 395 9	9FF 138 324-001
2 804 477	2JA 006 487-261	3 981 594	1AG 006 898-081	6 644 375	9EL 112 743-001	7 035 764 8	1BL 008 194-027
2 804 478	2VP 006 040-111	4 038 323	2AA 001 200-031	6 644 376	9EL 112 741-001	7 036 051 3	1K0 008 192-027
2 804 478	2VP 006 040-117	4 038 323	2AA 001 200-032	6 645 249	9NM 857 622-011	7 036 051 4	2XS 008 078-001
2 804 479	2VP 006 040-121	4 372 937	8RA 002 014-041	6 72 599	4RA 003 510-081	7 036 054 6	2XS 008 078-007
2 804 479	2VP 006 040-127	4 372 937	8RA 002 014-042	6 774 450	8RA 003 326-041	7 036 512	2BA 005 603-011
2 804 482	1GA 007 506-011	4 373 252	5AB 005 944-011	6 774 450	8RA 003 326-047	7 036 512	2BA 005 603-017
2 808 249	1EA 993 975-011	4 373 253	6ZE 001 759-071	6 778 311	2SL 005 883-031	7 036 512 0	2BA 005 603-011
2 808 249	1EA 993 975-017	4 374 231	2KA 003 389-061	6 778 312	2SK 005 883-021	7 036 512 0	2BA 005 603-017
2 808 250	1EA 993 975-021	4 374 231	2KA 003 389-062	6 778 313	2SK 005 883-011	7 036 512 1	2ZR 005 603-067
2 808 250	1EA 993 975-027	4 374 231	2KA 003 389-068	6 778 314	2SL 005 883-041	7 036 512 1	2ZR 005 603-067
2 808 251	1EA 993 975-051	4 374 248	2BA 002 324-011	6 778 319	9EL 135 548-001	7 036 512 3	2RA 003 734-011
2 808 251	1EA 993 975-057	4 374 249	2BA 002 324-021	6 817 027	9EL 142 723-011	7 036 637 6	8RA 003 326-011
2 808 252	1EA 993 975-061	4 374 261	1GD 003 590-701	6 817 028	9EL 142 724-011	7 036 637 6	2RA 003 326-017
2 808 252	1EA 993 975-067	4 374 274	2SD 002 776-231	7 030 529 3	9GT 134 655-007	7 036 862 6	8RA 003 326-011
2 811 040	9GH 993 988-007	4 374 274	2SD 002 776-237	7 030 529 3	9GT 134 655-007	7 036 862 6	2ZR 002 985-261
2 813 699	4RA 003 510-651	4 374 275	2SD 002 776-241	7 030 529 4	9GT 143 133-007	7 037 154 7	2DA 959 071-737
2 813 715	8HG 006 294-011	4 374 275	2SD 002 776-247	7 030 529 4	9GT 143 133-007	7 037 481 3	2SB 008 805-021
288 139	2JA 004 531-011	4 37 4278	2BA 001 277-021	7 030 531 2	1BL 007 834-047	7 037 481 3	2SB 008 805-027
288 262	2TM 006 717-047	4 374 280	2PF 001 259-631	7 030 531 3	1KL 007 834-067	7 050 631	8GP 002 067-241
2 900 218	9EL 113 639-011	437 428 1	2SA 001 259-751	7 030 531 3	1KL 007 834-067	7 050 638	8GA 002 071-251
2 900 219	9EL 113 639-021	437 428 1	2SA 001 259-757	7 030 531 5	2PF 006 679-007	7 349 573	9EL 126 294-001
2 902 033	1AA 143 897-011	4 374 284	8GH 002 089-133	7 030 531 6	2SA 006 679-027	7 352 959	2PF 001 648-161
290 349 0	9EL 137 307-001	4 374 288	1AE 004 234-001	7 030 531 8	2BE 004 119-021	7 353 869	2BE 001 259-061
2 903 491	9EL 137 308-001	4 374 290	2ZR 996 012-111	7 030 531 8	2BE 004 119-021	7 356 266	9EL 052 476-001
2 903 856	9EL 136 825-001	4 374 292	2DA 996 012-041	7 030 532 0	1NL 007 186-047	784 423	2BA 001 227-211
2 903 858	9EL 136 825-011	4 374 311	2XS 005 020-001	7 030 532 0	1NL 007 186-047	784 593	8JA 001 909-007
2 907 234	1EA 990 185-021	4 374 312	2XS 005 020-003	7 030 532 2	2BA 003 236-021	787 820	1A7 003 099-011
2 907 237	9EL 990 186-001	43 743 170	8RA 002 023-001	7 030 532 4	2BA 003 236-027	8001331900003	9GH 152 654-007
030005050011	8GH 002 089-133	4 374 363	1AB 004 231-001	7 030 532 6	2DA 003 236-031	8001331900008	2SA 005 603-021
030005050032	8GA 002 073-121	4 374 366	2SE 002 578-701	7 030 532 6	2DA 003 236-037	8001331900008	2SA 005 603-027
030005050038	8GJ 002 525-133	4 374 366	2SE 002 578-707	7 030 532 6	2KA 005 049-011	8001331900022	2ZR 008 805-041
030005050038	8GJ 002 525-133	4 374 366	8HG 006 294-021	7 030 533 0	2KA 005 049-017	8001331900022	2ZR 008 805-047
30005130035	4AZ 003 787-001	4 374 369	2KA 001 389-101	7 030 533 0	2BM 006 692-011	8001331900025	9GA 158 051-007
30005170031	2ZR 002 694-001	460 059	2SB 001 301-021	7 030 533 1	2BM 006 692-017	8001331900027	2DA 005 603-031
30005170031	2ZR 002 694-002	4 726 212	8RA 002 023-021	7 030 533 1	2BM 006 692-021	8001331900027	2DA 005 603-037
030005170050	2VP 006 040-121	4 780 959	2PS 002 727-007	7 030 534 5	2BM 006 692-027	8003001900004	8GA 002 073-241
030005170050	2VP 006 040-127	4 7					

# Manufacturer's no. / Hella no.

## Cross-Reference



Volvo	Hella	ZKW	Hella
9 169 596	1AH 007 600-151	597.01.000.00	1NL 009 034-011
9 169 597	1AH 007 600-161	597.01.000.01	1NL 009 034-021
9 483 182	9EL 147 723-071		
9 483 183	9EL 147 724-071		
954 851	8HG 002 240-031		
958 902	8GM 002 091-131		
965 830	8GP 002 067-121		
966 327	8GP 002 095-241		
981 465	8GH 007 157-121		
VOE11147756	2KA 003 389-061		
VOE11147756	2KA 003 389-062		
VOE11147756	2KA 003 389-068		
VOE11370511	8GH 002 089-251		
VOE11370511	8GH 002 089-253		
VOE11713095	9EL 860 627-011		
VOE11882263	1EA 993 975-101		
VOE11882263	1EA 993 975-107		
VOE11998512	9EL 859 020-001		
VOE 143 715 18	1AB 006 213-027		
VOE 143 794 69	8RA 003 660-007		
VOE14385291	2VA 343 640-117		
VOE14385292	2VP 343 640-081		
VOE14385292	2VP 343 640-087		
VOE14387965	2VP 343 640-091		
VOE14387965	2VP 343 640-097		
VOE14387967	2VA 343 640-207		
VOE3570654	2BA 003 014-011		
VOE4785122	2SD 002 582-021		
VOE4785122	2SD 002 582-027		
VOE6238300	9EL 113 639-021		
ZM 2903490	9EL 137 307-001		
<b>Wegu</b>	<b>Hella</b>		
420 013	8RA 002 020-001		
420 106	8RA 002 016-121		
420 108	8RA 002 016-111		
420 116	8RA 002 016-101		
420 401	8HG 002 240-001		
420 402	8HG 002 240-011		
420 403	8HG 002 240-021		
420 405	8HG 002 240-031		
<b>Yale / Nacco</b>	<b>Hella</b>		
1356335	1GA 006 876-001		
1356350	1GA 006 991-031		
<b>Yorka</b>	<b>Hella</b>		
0 12 900 0048	2BA 004 257-011		
0 12 901 0047	2BA 004 257-021		
1 42 491 0063	9EL 127 009-031		
1 42 492 0062	9EL 127 010-021		
1 62 038 0061	9EL 146 021-001		
1 62 039 0060	9EL 146 022-001		
1 62 133 0065	9EL 131 651-031		
1 62 134 0064	9EL 131 652-031		
1 62 135 0063	9EM 131 613-021		
1 62 136 0062	9EL 131 614-031		
1 62 267 0048	9EL 128 949-011		
1 62 268 0047	9EL 128 948-011		
0 08 260 0065	2VP 004 220-071		
0 08 261 0064	2VP 004 220-061		
<b>ZKW</b>	<b>Hella</b>		
316.52.000.00	2SD 001 686-101		
425.01.000.00	2BA 002 939-171		
425.02.000.00	9EL 141 701-001		
425.02.000.01	9EL 141 702-001		
425.03.000.02	9EL 144 425-001		
425.03.000.03	9EL 144 426-001		
425.13.000.00	9EL 144 425-011		
425.13.000.01	9EL 144 426-011		
441.03.000.00	2XW 007 146-001		
456.01.000.00	2SE 002 776-211		
469.01.000.00	2SL 003 567-311		
469.01.200.00	9EL 122 772-001		
469.01.200.01	9EL 122 689-021		
469.02.000.00	2SK 003 567-321		
469.02.000.00	2SK 003 567-331		
470.03.000.00	2BA 003 411-001		
470.12.000.01	2BA 007 840-001		
470.15.000.00	2BA 007 839-001		
484.20.000.00	2BM 006 692-011		
484.21.000.00	2BM 006 692-021		
491.01.200.01	1NB 123 581-001		
491.01.201.01	1NB 123 582-001		
493.03.000.00	2BA 003 975-031		
493.04.000.00	2BA 003 975-041		
498.02.000.00	2SA 001 647-041		
503.01.200.00	9EL 146 607-001		
515.72.000.02	1NA 009 032-011		
515.72.000.03	1NA 009 032-021		
515.81.000.02	1NA 009 029-011		
515.81.000.03	1NA 009 029-021		
515.91.000.02	1NA 009 033-011		
515.91.000.03	1NA 009 033-021		
518.01.000.02	1AJ 007 143-091		
518.01.000.02	1NB 006 270-051		
518.01.000.03	1AJ 007 143-101		
518.01.000.03	1NB 006 270-061		
519.01.000.01	1AL 007 045-011		
519.02.000.01	1AL 007 045-021		
519.11.000.01	1AH 007 045-031		
519.12.000.01	1AH 007 045-041		
532.01.000.01	1BL 007 834-007		
534.01.000.01	9EL 145 801-001		
534.02.000.01	9EL 145 802-001		
534.11.000.02	9EL 146 021-001		
534.12.000.02	9EL 146 022-001		
545.01	1D3 009 027-011		
545.02	1D3 009 027-021		
564.01.000.02	1NA 009 026-011		
564.01.000.03	1NA 009 026-021		
575.01.000.00	1NA 009 031-011		
575.01.000.01	1NA 009 031-021		



*Ideas today for  
the cars of tomorrow*