



Spare parts to fit MAN


	Remarks	Meyle-No./Description	Reference-No.	Application
	Packing unit 12 pcs.	034 005 1004 Rocker Arm, valve train Kipphebel, Motorsteuerung Balancín, distribución del motor Culbuteur, distribution Коромысло, управление двигателем	51.04201.6111	F 90 <u>06.1986 - 12.1997</u> 19.272, 19.322, 19.362, 19.372, 19.402, 19.422, 19.502, 24.272, 24.302, 24.322, 24.362, 24.372, 24.402, 24.422, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.272, 26.302, 26.322, 26.362, 26.372, 26.402, 26.422, 26.502, 32.272, 32.302, 32.322, 32.372, 32.402, 32.422, 33.322, 33.362, 33.372, 33.402, 33.422, 33.502, 35.272, 35.302, 35.322, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 40.502, 41.272, 41.322, 41.372, 41.402, 41.422, 19.322, 19.362, 19.372, 19.422, 24.322, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422 M 90 <u>08.1988 - 12.1998</u> 12.272, 14.272, 17.272, 18.272, 24.272 Lions Comfort <u>09.1996 -</u> 313, 353 F 2000 <u>01.1994 -</u> 19.273, 19.323, 19.343, 19.463, 23.343, 23.463, 24.273, 24.323, 24.343, 24.463, 26.273, 26.323, 26.343, 26.463, 27.273, 27.323, 27.343, 27.463, 32.343, 32.463, 33.323, 33.343, 33.463, 35.343, 35.463, 41.343, 41.463
				F 90 <u>06.1986 - 12.1997</u> 19.272, 19.322, 19.362, 19.372, 19.402, 19.422, 19.502, 24.272, 24.302, 24.322, 24.362, 24.372, 24.402, 24.422, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.272, 26.302, 26.322, 26.362, 26.372, 26.402, 26.422, 26.502, 32.272, 32.302, 32.322, 32.372, 32.402, 32.422, 33.322, 33.362, 33.372, 33.402, 33.422, 33.502, 35.272, 35.302, 35.322, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 40.502, 41.272, 41.322, 41.372, 41.402, 41.422, 19.322, 19.362, 19.372, 19.422, 24.322, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422
	Packing unit 12 pcs.	034 005 1004 Rocker Arm, valve train Kipphebel, Motorsteuerung Balancín, distribución del motor Culbuteur, distribution Коромысло, управление двигателем	51.04201.6111	F 90 <u>06.1986 - 12.1997</u> 19.272, 19.322, 19.362, 19.372, 19.402, 19.422, 19.502, 24.272, 24.302, 24.322, 24.362, 24.372, 24.402, 24.422, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.272, 26.302, 26.322, 26.362, 26.372, 26.402, 26.422, 26.502, 32.272, 32.302, 32.322, 32.372, 32.402, 32.422, 33.322, 33.362, 33.372, 33.402, 33.422, 33.502, 35.272, 35.302, 35.322, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 40.502, 41.272, 41.322, 41.372, 41.402, 41.422, 19.322, 19.362, 19.372, 19.422, 24.322, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422
				F 90 <u>06.1986 - 12.1997</u> 19.272, 19.322, 19.362, 19.372, 19.402, 19.422, 19.502, 24.272, 24.302, 24.322, 24.362, 24.372, 24.402, 24.422, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.272, 26.302, 26.322, 26.362, 26.372, 26.402, 26.422, 26.502, 32.272, 32.302, 32.322, 32.372, 32.402, 32.422, 33.322, 33.362, 33.372, 33.402, 33.422, 33.502, 35.272, 35.302, 35.322, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 40.502, 41.272, 41.322, 41.372, 41.402, 41.422, 19.322, 19.362, 19.372, 19.422, 24.322, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422

To be continued on the following page

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		M 90 <u>08.1988 - 12.1998</u> 12.272, 14.272, 17.272, 18.272, 24.272 Lions Comfort <u>09.1996 -</u> 313, 353 F 2000 <u>01.1994 -</u> 19.273, 19.323, 19.343, 19.463, 23.343, 23.463, 24.273, 24.323, 24.343, 24.463, 26.273, 26.323, 26.343, 26.463, 27.273, 27.323, 27.343, 27.463, 32.343, 32.463, 33.323, 33.343, 33.463, 35.343, 35.463, 41.343, 41.463
Front axle Height 12,0 mm Outer Ø 130,0 mm Inner Ø 100,0 mm FPM / ACM (viton / acrylicester-rubber)	12-14 753 0012 Oil seal, wheel bearing Wellendichtring, Radlager Retén, rodamiento rueda Joint, roulement de roue Уплотняющее кольцо вала, подшипник ступицы колеса	06.56289.0315 06.56289.0367 06.56289.0368 06.56289.0369	F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 33.502, 35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 35.372, 35.402, 35.422, 41.262, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422, 19.322, 19.372, 19.422, 24.322, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422 Lions Star <u>03.1991 -</u> FRH 352,RH 353, FRH 402,RH 403, FRH 422 Lions Coach <u>09.1995 -</u> FRH 352,RH 353, FRH 402,RH 403 NG <u>08.1992 -</u> 262, 312 NL <u>09.1988 -</u> 202, 262, 312
To be continued on the following page			

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		SG <u>09.1972 -</u> 240, 242, 312 ÜL <u>09.1989 -</u> 242, 272, 292, 312, 313, 353 F 2000 <u>01.1994 -</u> 19.233, 19.273, 19.293, 19.323, 19.343, 19.373, 19.403, 19.423, 19.463, 19.603, 23.293, 23.343, 23.403, 23.463, 24.273, 24.293, 24.323, 24.343, 24.373, 24.403, 24.423, 24.463, 26.233, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 26.603, 27.273, 27.293, 27.323, 27.343, 27.373, 27.403, 27.423, 27.463, 27.603, 32.293, 32.343, 32.403, 32.463, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 33.603, 35.343, 35.403, 35.463, 41.343, 41.403, 41.463 M 2000 L <u>09.1999 -</u> 18.224, 18.255, 18.264, 18.285 M 2000 M <u>08.1995 - 12.2005</u> 18.224, 18.264, 25.224, 25.264
 <p>Length 112,0 mm</p> <p>No. of connectors 2</p> <p>Width 98,0 mm</p> <p>Height 36,0 mm</p> <p>Pneumatic</p>	034 026 0029 Switch, splitter gearbox Schalter, Splitgetriebe Interruptor, transmisión de separación Interrupteur, boîte de vitesse à groupe-relais Выключатель, делитель	81.52170.6095 81.52170.6097	F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 33.502, 35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 35.372, 35.402, 35.422, 41.262, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
Operating pressure 10 bar	034 042 0050	81.51230.6009 88.51230.6200	F 2000 <u>01.1994 -</u> 27.373, 27.403, 27.423, 27.463, 33.373, 33.403, 33.423, 33.463
DIN / ISO 74293	Shut-off tap Absperrhahn Grifo de cierre Robinet d'arrêt Запорный кран		
Thread size M22x1,5			
Operating pressure 10 bar	034 042 0051	81.52120.6003 81.52120.6004 81.52120.6025 81.52120.6028 81.52120.6029 81.52120.6030 81.52120.6040 81.52120.6075 85.30001.6535 88.52120.6200	TG-A <u>03.2000 -</u> 18.310, 18.350, 18.360, 18.390, 18.410, 18.430, 18.460, 18.480, 18.510, 18.530, 19.360, 19.410, 19.460, 19.480, 24.350, 24.360, 24.390, 24.410, 24.430, 24.460, 24.480, 24.510, 24.530, 24.540, 26.280, 26.310, 26.330, 26.350, 26.360, 26.390, 26.410, 26.430, 26.460, 26.480, 26.510, 26.530, 28.310, 28.350, 28.360, 28.390, 28.410, 28.430, 28.460, 28.480, 28.510, 28.530, 32.310, 32.350, 32.360, 32.390, 32.410, 32.430, 32.460, 32.480, 33.350, 33.360, 33.390, 33.410, 33.430, 33.460, 33.480, 33.510, 33.530, 35.310, 35.350, 35.360, 35.390, 35.410, 35.430, 35.460, 35.480, 35.530, 37.310, 37.350, 37.390, 37.430, 37.480, 40.390, 40.410, 40.430, 40.460, 40.480, 41.350, 41.360, 41.390, 41.410, 41.430, 41.480, 41.530, 41.660 F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 33.502, 35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 41.262, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422, 24.322, 24.332, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422
Thread size M22x1,5	Check valve Rückschlagventil Válvula de retorno Soupape de retenue Обратный клапан		

To be continued on the following page

Spare parts to fit MAN



Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		M 90 <u>08.1988 - 12.1998</u> 12.152, 12.192, 12.222, 12.232, 12.262, 12.272, 14.152, 14.162, 14.192, 14.222, 14.232, 14.262, 14.272, 17.192, 17.222, 17.232, 17.272, 18.192, 18.222, 18.232, 18.262, 18.272, 24.192, 24.222, 24.232, 24.262, 24.272 G 90 <u>09.1987 - 05.1995</u> 8.150, 9.150 G <u>10.1979 - 08.1988</u> 8.136, 9.136 Lions Star <u>03.1991 -</u> 414, 464, FRH 352,RH 353, FRH 402,RH 403, FRH 422 Lions Coach <u>09.1995 -</u> 403, 463, FRH 352,RH 353, FRH 402,RH 403, RHC 414 EL <u>01.1993 - 01.2001</u> 202, 262 TGL <u>04.2005 -</u> 10.240, 12.240, 8.240 EM <u>08.1987 -</u> 192, 222, 223 NG <u>08.1992 -</u> 262, 312 NL <u>09.1988 -</u> 202, 262, 312, 313 NM <u>08.1987 -</u> 152, 182, 222, 223 NÜ <u>03.1996 -</u> 263, 313, 353 R <u>05.1985 - 01.1993</u> FRH 362, R 292,FR 292,FRH 292 SD <u>04.1974 - 04.1994</u> 202 SG <u>09.1972 -</u> 220, 240, 242, 312



To be continued on the following page

Spare parts to fit MAN



Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		SL II <u>04.1984 - 05.1996</u> 202 TGM <u>10.2005 -</u> 12.240, 12.280, 13.240, 13.280, 15.240, 15.280, 18.240, 18.280, 18.330, 26.280, 26.330 SM <u>08.1987 -</u> 152, 182 SÜ <u>04.1993 - 05.1995</u> 240, 242, 272, 292, 322 ÜL <u>09.1989 -</u> 242, 272, 292, 312, 313, 353 F 2000 <u>01.1994 -</u> 19.233, 19.273, 19.293, 19.323, 19.343, 19.373, 19.403, 19.423, 19.463, 23.293, 23.343, 23.403, 23.463, 24.273, 24.293, 24.323, 24.343, 24.373, 24.403, 24.423, 24.463, 26.233, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 27.273, 27.293, 27.323, 27.343, 27.373, 27.403, 27.423, 27.463, 27.603, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 33.603 M 2000 L <u>09.1999 -</u> 12.163, 12.224, 14.163, 14.224, 14.225, 14.255, 14.264, 14.285, 15.163, 15.224, 15.225, 15.255, 15.264, 15.285, 18.224, 18.255, 18.264, 18.285 M 2000 M <u>08.1995 - 12.2005</u> 14.224, 14.264, 14.285, 18.224, 18.264, 25.224, 25.264 L 2000 <u>10.1993 -</u> 10.145, 10.153, 10.163, 10.185, 10.223, 10.224, 10.225, 12.185, 12.225, 8.103, 8.113, 8.145, 8.153, 8.163, 8.185, 8.223, 8.224, 8.225, 9.145, 9.153, 9.163, 9.185, 9.223, 9.224, 9.225

Spare parts to fit MAN

	Remarks	Meyle-No./Description	Reference-No.	Application
	Connecting thread M22x1,5	034 042 0024	81.51270.6002	G <u>10.1979 - 08.1988</u> 8.136, 9.136
	Brake line Pneumatic	Line Filter, compressor system Leitungsfiter, Druckluftanlage Filtro de tubería, sistema de aire comprimido Filtre de conduite, système d'air comprimé Фильтр провода, пневматическая система		M 2000 L <u>09.1999 -</u> 12.163, 14.163, 14.224, 14.264, 15.163, 15.224, 15.264, 18.224, 18.264 M 2000 M <u>08.1995 - 12.2005</u> 14.224, 14.264, 18.224, 18.264, 25.224, 25.264
	Water pump	12-33 599 6033	51.06599.6033	F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 33.502, 35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 40.462, 40.502, 41.262, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422, 48.292, 48.332, 48.362, 48.462
		Repair kit, water pump Reparatursatz, Wasserpumpe Jgo. rep., bomba de agua Nécessaire pompe à eau Ремкомплект, водяной насос		



To be continued on the following page

Spare parts to fit MAN



Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 2000 01.1994 - 19.233, 19.273, 19.293, 19.314, 19.323, 19.343, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 19.603, 23.293, 23.343, 23.403, 23.463, 24.273, 24.293, 24.323, 24.343, 24.373, 24.403, 24.423, 24.463, 26.233, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 26.603, 27.273, 27.293, 27.323, 27.343, 27.373, 27.403, 27.423, 27.463, 27.603, 32.293, 32.343, 32.403, 32.463, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 33.603, 35.343, 35.403, 35.463, 41.343, 41.403, 41.463 D 2530 BM MF, MTXF, MTXF/360 D 2538 BM M, MF, MT D 2556 BM M, MF, MX, MXF, MXUH/175, MXUH/192, MXUH/240, MXUM D 2565 BM M, M/168, MF, MF/168, MSFV, MUL D 2566 BM M, MF, MF/220, MH, MHO, MK, MK/280, MKF, MKF/280, MKUH/320, MKUL, MLUH, MLUM, MLUM/US, MSFV, MT, MTF, MTFG, MTH, MTHO, MTSF, MTUH/280, MUH, MUH/175, MUH/192, MUH/200, MUH/220, MUH/240, MUL, MUM, MUM/200, MUM/220, MUM/240, UH, UH/205 D 2840 BM LF/460, LF01, LF04, LF06, LF20, MF, MFG D 2865 BM LF/260, LF02, LF03, LF05, LF06, LF09, LF20, LF21, LF22, LF23, LF24, LOH 01, LOH 02, LU01/Silent, LUH02, LUH05, LUH07, LUH08, LUH09
To be continued on the following page			

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		D 2866 BM F/240, KF, KFZ, KOH/373, KUH/360, KUL, LF/290, LF/330, LF03, LF04, LF05, LF06, LF09, LF10, LF15, LF16, LF20, LF21, LF22, LF31, LF34, LF35, LFZ/290, LFZ/330, LOH, LOH 03, LOH 06, LOH 07, LOH 20, LOH 22, LOH 23, LOH 24, LOH 25, LOH 26, LU/330, LUH 22, LUH/330, LUH20, LUH21, LUH26, LUL/330, LXF, LXF/Silent, LXOH, T, TOH, TOH/290, TOH/310, TUH, TUH 01, TUH/290, UH, UH/240, UM D 2876 BM LF02, LF06
	Cylinder head 12-34 040 0001 Full gasket set, engine Dichtungsvollsatz, Motor Juego completo de juntas, motor Jeu complet de joints, moteur Комплект прокладок, двигатель	51.00900.6531	G 90 09.1987 - 05.1995 10.150, 8.150, 9.150
	Height 21,0 mm Outer Ø 120,0 mm Inner Ø 115,0 mm 034 003 1024 Ring gear, crankshaft Laufring, Kurbelwelle Anillo de rodadura, cigüeñal Chemin de roulement, vilebrequin Вращающееся кольцо, коленчатый вал	51.02130.0013 51.93020.0236	

To be continued on the following page

Spare parts to fit MAN


Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 90 06.1986 - 12.1997 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 33.502, 35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 40.462, 40.502, 41.262, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422, 48.292, 48.332, 48.362, 48.462 F 2000 01.1994 - 19.233, 19.273, 19.293, 19.314, 19.323, 19.343, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 19.603, 23.293, 23.343, 23.403, 23.463, 24.273, 24.293, 24.323, 24.343, 24.373, 24.403, 24.423, 24.463, 26.233, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 26.603, 27.273, 27.293, 27.323, 27.343, 27.373, 27.403, 27.423, 27.463, 27.603, 32.293, 32.343, 32.403, 32.463, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 33.603, 35.343, 35.403, 35.463, 41.343, 41.403, 41.463
	Height 21,0 mm Outer Ø 120,0 mm Inner Ø 115,0 mm	034 003 1024 Ring gear, crankshaft Lauftring, Kurbelwelle Anillo de rodadura, cigüeñal Chemin de roulement, vilebrequin Вращающееся кольцо, коленчатый	51.02130.0013 51.93020.0236

Table continued on the following page

Spare parts to fit MAN


Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 90 06.1986 - 12.1997 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 33.502, 35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 40.462, 40.502, 41.262, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422, 48.292, 48.332, 48.362, 48.462 F 2000 01.1994 - 19.233, 19.273, 19.293, 19.314, 19.323, 19.343, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 19.603, 23.293, 23.343, 23.403, 23.463, 24.273, 24.293, 24.323, 24.343, 24.373, 24.403, 24.423, 24.463, 26.233, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 26.603, 27.273, 27.293, 27.323, 27.343, 27.373, 27.403, 27.423, 27.463, 27.603, 32.293, 32.343, 32.403, 32.463, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 33.603, 35.343, 35.403, 35.463, 41.343, 41.403, 41.463
	Height 21,0 mm Outer Ø 120,0 mm Inner Ø 115,0 mm	034 003 1024 Ring gear, crankshaft Lauftring, Kurbelwelle Anillo de rodadura, cigüeñal Chemin de roulement, vilebrequin Вращающееся кольцо, коленчатый	51.02130.0013 51.93020.0236

Table continued on the following page

Spare parts to fit MAN


Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 90 06.1986 - 12.1997 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 33.502, 35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 40.462, 40.502, 41.262, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422, 48.292, 48.332, 48.362, 48.462 F 2000 01.1994 - 19.233, 19.273, 19.293, 19.314, 19.323, 19.343, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 19.603, 23.293, 23.343, 23.403, 23.463, 24.273, 24.293, 24.323, 24.343, 24.373, 24.403, 24.423, 24.463, 26.233, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 26.603, 27.273, 27.293, 27.323, 27.343, 27.373, 27.403, 27.423, 27.463, 27.603, 32.293, 32.343, 32.403, 32.463, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 33.603, 35.343, 35.403, 35.463, 41.343, 41.403, 41.463
	Height 21,0 mm Outer Ø 120,0 mm Inner Ø 115,0 mm	034 003 1024 Ring gear, crankshaft Lauftring, Kurbelwelle Anillo de rodadura, cigüeñal Chemin de roulement, vilebrequin Вращающееся кольцо, коленчатый	51.02130.0013 51.93020.0236

Table continued on the following page

Spare parts to fit MAN


Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 90 06.1986 - 12.1997 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 33.502, 35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 40.462, 40.502, 41.262, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422, 48.292, 48.332, 48.362, 48.462 F 2000 01.1994 - 19.233, 19.273, 19.293, 19.314, 19.323, 19.343, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 19.603, 23.293, 23.343, 23.403, 23.463, 24.273, 24.293, 24.323, 24.343, 24.373, 24.403, 24.423, 24.463, 26.233, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 26.603, 27.273, 27.293, 27.323, 27.343, 27.373, 27.403, 27.423, 27.463, 27.603, 32.293, 32.343, 32.403, 32.463, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 33.603, 35.343, 35.403, 35.463, 41.343, 41.403, 41.463
	Front Height 17,8 mm Outer Ø 105,0 mm Inner Ø 99,5 mm Crank case	12-34 130 0032 Ring gear, crankshaft Lauftring, Kurbelwelle Anillo de rodadura, cigüeñal Chemin de roulement, vilebrequin Вращающееся кольцо, коленчатый	51.02130.0005 51.02130.0007 51.02130.0008 51.02130.0012 51.02130.0032

Table continued on the following page




Spare parts to fit MAN


Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 90 <u>06.1986 - 12.1997</u> 19.272, 19.322, 19.362, 19.372, 19.402, 19.422, 19.502, 24.272, 24.302, 24.322, 24.362, 24.372, 24.402, 24.422, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.272, 26.302, 26.322, 26.362, 26.372, 26.402, 26.422, 26.502, 32.272, 32.302, 32.322, 32.372, 32.402, 32.422, 33.322, 33.362, 33.372, 33.402, 33.422, 33.502, 35.272, 35.302, 35.322, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 40.502, 41.272, 41.322, 41.372, 41.402, 41.422, 19.322, 19.362, 19.372, 19.422, 24.322, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422 M 90 <u>08.1988 - 12.1998</u> 12.272, 14.272, 18.272, 24.192 Lions Star <u>03.1991 -</u> FRH 422 Lions Comfort <u>09.1996 -</u> 313, 353 NÜ <u>03.1996 -</u> 353 SÜ <u>04.1993 - 05.1995</u> 272 ÜL <u>09.1989 -</u> 272, 313, 353 F 2000 <u>01.1994 -</u> 19.273, 19.323, 19.343, 19.463, 23.343, 23.463, 24.273, 24.323, 24.343, 24.463, 26.273, 26.323, 26.343, 26.463, 27.273, 27.323, 27.343, 27.463, 32.343, 32.463, 33.323, 33.343, 33.463, 35.343, 35.463, 41.343, 41.463 D 2530 BM MF, MTXF, MTXF/360 D 2538 BM M, MF, MT D 2556 BM M, MF, MX, MXF, MXUH/175, MXUH/192, MXUH/240, MXUM D 2565 BM M, M/168, MF, MF/168, MSFV, MUL

To be continued on the following page

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		<p>D 2566 BM M, MF, MF/220, MH, MHO, MK, MK/280, MKF, MKF/280, MKUH/320, MKUL, MLUH, MLUM, MLUM/US, MSFV, MT, MTF, MTFG, MTH, MTHO, MTSF, MTUH/280, MUH, MUH/175, MUH/192, MUH/200, MUH/220, MUH/240, MUL, MUM, MUM/200, MUM/220, MUM/240, UH, UH/205</p> <p>D 2840 BM LF/460, LF01, LF04, LF06, LF20, MF, MFG</p> <p>D 2865 BM LF/260, LF02, LF03, LF05, LF06, LF09, LF20, LF21, LF22, LF23, LF24, LOH 01, LOH 02, LU01/Silent, LUH02, LUH05, LUH07, LUH08, LUH09</p> <p>D 2866 BM F/240, KF, KFZ, KOH/373, KUH/360, KUL, LF/290, LF/330, LF03, LF04, LF05, LF06, LF09, LF10, LF15, LF16, LF20, LF21, LF22, LF31, LF34, LF35, LFZ/290, LFZ/330, LOH, LOH 03, LOH 06, LOH 07, LOH 20, LOH 22, LOH 23, LOH 24, LOH 25, LOH 26, LU/330, LUH 22, LUH/330, LUH20, LUH21, LUH26, LUL/330, LXF, LXF/Silent, LXOH, T, TOH, TOH/290, TOH/310, TUH, TUH 01, TUH/290, UH, UH/240, UM</p> <p>D 2876 BM LF02, LF06</p>
	No. of teeth 160 034 003 1025 Ring Gear, flywheel Zahnkranz, Schwungrad Corona dentada, Volante motor Couronne dentée, volant moteur Зубчатый венец, маховик	51.02310.0073	<p>F 90 <u>06.1986 - 12.1997</u> 19.272, 19.322, 19.362, 19.372, 19.402, 19.422, 19.502, 24.272, 24.302, 24.322, 24.362, 24.372, 24.402, 24.422, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.272, 26.302, 26.322, 26.362, 26.372, 26.402, 26.422, 26.502, 32.272, 32.302, 32.322, 32.372, 32.402, 32.422, 33.322, 33.362, 33.372, 33.402, 33.422, 33.502, 35.272, 35.302, 35.322, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 40.502, 41.272, 41.322, 41.372, 41.402, 41.422, 19.322, 19.362, 19.372, 19.422, 24.322, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422</p>
To be continued on the following page			

Spare parts to fit MAN


Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		M 90 <u>08.1988 - 12.1998</u> 12.272, 14.272, 17.272, 18.272, 24.272 Lions Star <u>03.1991 -</u> FRH 422 SÜ <u>04.1993 - 05.1995</u> 272 ÜL <u>09.1989 -</u> 272 F 2000 <u>01.1994 -</u> 19.273, 19.323, 19.343, 23.343, 24.273, 24.323, 24.343, 26.273, 26.323, 26.343, 27.273, 27.323, 27.343, 32.343, 33.323, 33.343, 35.343, 41.343
	Packing unit 12 pcs. 034 005 1004 Rocker Arm, valve train Kipphebel, Motorsteuerung Balancín, distribución del motor Culbuteur, distribution Коромысло, управление двигателем	51.04201.6111	F 90 <u>06.1986 - 12.1997</u> 19.272, 19.322, 19.362, 19.372, 19.402, 19.422, 19.502, 24.272, 24.302, 24.322, 24.362, 24.372, 24.402, 24.422, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.272, 26.302, 26.322, 26.362, 26.372, 26.402, 26.422, 26.502, 32.272, 32.302, 32.322, 32.372, 32.402, 32.422, 33.322, 33.362, 33.372, 33.402, 33.422, 33.502, 35.272, 35.302, 35.322, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 40.502, 41.272, 41.322, 41.372, 41.402, 41.422, 19.322, 19.362, 19.372, 19.422, 24.322, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422 M 90 <u>08.1988 - 12.1998</u> 12.272, 14.272, 17.272, 18.272, 24.272 Lions Comfort <u>09.1996 -</u> 313, 353
To be continued on the following page			

Spare parts to fit MAN

	Remarks	Meyle-No./Description	Reference-No.	Application
		See previous page for more details		F 2000 <u>01.1994 -</u> 19.273, 19.323, 19.343, 19.463, 23.343, 23.463, 24.273, 24.323, 24.343, 24.463, 26.273, 26.323, 26.343, 26.463, 27.273, 27.323, 27.343, 27.463, 32.343, 32.463, 33.323, 33.343, 33.463, 35.343, 35.463, 41.343, 41.463
	Packing unit 12 pcs.	034 005 1004 Rocker Arm, valve train Kipphebel, Motorsteuerung Balancín, distribución del motor Culbuteur, distribution Коромысло, управление двигателем	51.04201.6111	F 90 <u>06.1986 - 12.1997</u> 19.272, 19.322, 19.362, 19.372, 19.402, 19.422, 19.502, 24.272, 24.302, 24.322, 24.362, 24.372, 24.402, 24.422, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.272, 26.302, 26.322, 26.362, 26.372, 26.402, 26.422, 26.502, 32.272, 32.302, 32.322, 32.372, 32.402, 32.422, 33.322, 33.362, 33.372, 33.402, 33.422, 33.502, 35.272, 35.302, 35.322, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 40.502, 41.272, 41.322, 41.372, 41.402, 41.422, 19.322, 19.362, 19.372, 19.422, 24.322, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422 M 90 <u>08.1988 - 12.1998</u> 12.272, 14.272, 17.272, 18.272, 24.272 Lions Comfort <u>09.1996 -</u> 313, 353 F 2000 <u>01.1994 -</u> 19.273, 19.323, 19.343, 19.463, 23.343, 23.463, 24.273, 24.323, 24.343, 24.463, 26.273, 26.323, 26.343, 26.463, 27.273, 27.323, 27.343, 27.463, 32.343, 32.463, 33.323, 33.343, 33.463, 35.343, 35.463, 41.343, 41.463
		034 005 1015 Rocker Bush Kipphebellager Cojinete del balacín Support de culbuteur Опора коромысла	51.04202.5034	

To be continued on the following page

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 90 <u>06.1986 - 12.1997</u> 19.272, 19.322, 19.362, 19.372, 19.402, 19.422, 19.502, 24.272, 24.302, 24.322, 24.362, 24.372, 24.402, 24.422, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.272, 26.302, 26.322, 26.362, 26.372, 26.402, 26.422, 26.502, 32.272, 32.302, 32.322, 32.332, 32.372, 32.402, 32.422, 33.322, 33.362, 33.372, 33.402, 33.422, 33.502, 35.272, 35.302, 35.322, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 40.502, 41.272, 41.322, 41.372, 41.402, 41.422, 19.322, 19.362, 19.372, 19.422, 24.322, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422 M 90 <u>08.1988 - 12.1998</u> 12.272, 17.272, 18.272, 24.272 Lions Comfort <u>09.1996 -</u> 313, 353 NÜ <u>03.1996 -</u> 353 SÜ <u>04.1993 - 05.1995</u> 272 ÜL <u>09.1989 -</u> 272, 313, 353 F 2000 <u>01.1994 -</u> 19.273, 19.293, 19.323, 19.343, 23.343, 23.463, 24.273, 24.323, 24.343, 24.463, 26.273, 26.293, 26.323, 26.343, 26.463, 27.273, 27.323, 27.343, 27.373, 27.463, 32.343, 32.403, 33.323, 33.343, 33.463, 35.343, 35.403, 35.463, 41.343, 41.463
	Length 1375,0 mm Width 10,0 mm	052 010 1375 V-belt Keilriemen Correa Courroie trapézoïdale Ремень клиновой	10X1375 AVP 10X1375 AVX 10X1375 M 2000 L <u>09.1999 -</u> 12.224, 14.224, 15.224, 18.224 M 2000 M <u>08.1995 - 12.2005</u> 14.224, 18.224, 25.224




Spare parts to fit MAN

	Remarks	Meyle-No./Description	Reference-No.	Application
	Length 1380,0 mm Width 10,0 mm	052 010 1380 V-belt Keilriemen Correa Courroie trapézoïdale Ремень клиновой	6.58043.0136 6.58043.2136 6.58072.1361 06.58073.1361 06.58073.1362 10X1380 AVP 10X1380 AVX 10X1380 AVX 10X1380LA	M 2000 L <u>09.1999 -</u> 12.224, 14.224, 15.224, 18.224 M 2000 M <u>08.1995 - 12.2005</u> 14.224, 18.224, 25.224
	Length 1425,0 mm Width 10,0 mm	052 010 1425 V-belt Keilriemen Correa Courroie trapézoïdale Ремень клиновой	06.58072.1361 06.58072.1381 06.58073.1381 51.96820.0132 10X1425 AVP 10X1425 AVX 10X1425 AVX 10X1425LA	G <u>10.1979 - 08.1988</u> 10.136, 6.90 FK, 8.136, 8.90 F, 8.90 FK, 9.136
	Length 1450,0 mm Width 10,0 mm	052 010 1450 V-belt Keilriemen Correa Courroie trapézoïdale Ремень клиновой	06.58072.1391 10X1450 AVP 10X1450 AVX 10X1450	
	Length 1500,0 mm Width 10,0 mm	052 010 1500 V-belt Keilriemen Correa Courroie trapézoïdale Ремень клиновой	06.58073.1412 10X1500 AVP 10X1500 AVX 10X1500 AVX 10X1500LA	F 2000 <u>01.1994 -</u> 27.463
	Length 1550,0 mm Width 10,0 mm	052 010 1550 V-belt Keilriemen Correa Courroie trapézoïdale Ремень клиновой	658 043 0143 658 043 2143 10X1550 AVP 10X1550 AVX 10X1550 AVX 10X1550LA	
	Length 1575,0 mm Width 10,0 mm	052 010 1575 V-belt Keilriemen Correa Courroie trapézoïdale Ремень клиновой	06.58079.0027 10X1575 AVP 10X1575 AVX 10X1575	






Spare parts to fit MAN

	Remarks	Meyle-No./Description	Reference-No.	Application
	Length 1825,0 mm	052 010 1825	6.58072.1541	
	Width 10,0 mm	V-belt Keilriemen Correa Courroie trapézoidale Ремень клиновой	10X1825 AVP 10X1825 AVX 10X1825 AVX 10X1825LA	
	Length 1450,0 mm	052 013 1450	06.58043.0239 06.58043.2239 06.58046.0239 06.58046.2239 06.58072.2391 06.58072.2392 06.58073.2391	F 90 <u>06.1986 - 12.1997</u> 19.272, 19.322, 19.342, 19.372, 19.402, 19.422, 24.272, 24.322, 24.372, 24.402, 24.422, 25.272, 25.322, 25.372, 25.422, 26.272, 26.322, 26.342, 19.322, 19.372, 19.422, 24.322, 24.422, 25.322, 25.372, 25.422, 26.322
	Width 13,0 mm	V-belt Keilriemen Correa Courroie trapézoidale Ремень клиновой	12,5X1450 13X1450 AVP 12,5X1450 AVP 13X1450 AVX 13X1450 AVX 13X1450LA	M 90 <u>08.1988 - 12.1998</u> 12.272, 14.272, 17.272, 18.272, 24.272 F 2000 <u>01.1994 -</u> 19.293, 19.343, 19.403, 19.463, 23.403, 23.463, 26.293, 26.343, 26.403, 26.463, 27.293, 27.343, 27.403, 27.463, 32.343, 32.403, 32.463, 33.343, 33.403, 33.463, 35.343, 35.403, 35.463, 41.403, 41.463
	Length 1475,0 mm	052 013 1475	06.58042.2240 06.58045.0240 06.58072.2401 06.58072.2402 06.58073.2401 51.96820.0128	F 90 <u>06.1986 - 12.1997</u> 19.272, 19.322, 19.332, 19.342, 19.362, 24.272, 24.322, 24.332, 24.362, 25.272, 25.322, 26.272, 26.322, 26.332, 26.342, 19.322, 19.332, 19.362, 24.322, 24.332, 24.362, 25.322, 26.322
	Width 13,0 mm	V-belt Keilriemen Correa Courroie trapézoidale Ремень клиновой	13X1475 AVP 12,5X1475 AVP 13X1475 AVX 12,5X1475 AVX 13X1475 AVX 13X1475LA	M 90 <u>08.1988 - 12.1998</u> 12.272, 14.272, 17.272, 18.272, 24.272

Spare parts to fit MAN

	Remarks	Meyle-No./Description	Reference-No.	Application
	Length 1525,0 mm	052 013 1525	6.58041.0242	M 90
	Width 13,0 mm	V-belt Keilriemen Correa Courroie trapézoidale Ремень клиновой	6.58043.0242 6.58043.2242 6.58072.2421 06.58042.0242 06.58043.0242 06.58043.2242 06.58047.2242 06.58072.2422 06.58073.2421 12,5X1525 13X1525 AVP 12,5X1525 AVP 13X1525 AVX 13X1525 AVX 13X1525LA	<u>08.1988 - 12.1998</u> 12.192, 14.192, 17.192, 18.192, 24.192
	Length 1550,0 mm	052 013 1550	06.58043.0243	F 90
	Width 13,0 mm	V-belt Keilriemen Correa Courroie trapézoidale Ремень клиновой	06.58043.2243 06.58047.2243 06.58072.2431 06.58072.2432 06.58072.2433 06.58073.2431 51.96820.0143 51.96820.0153 12,5X1550 13X1550 AVP 12,5X1550 AVP 13X1550 AVX 13X1550 AVX 13X1550LA	<u>06.1986 - 12.1997</u> 19.462, 19.502, 24.502, 25.502
	Length 1600,0 mm	052 013 1600	06.58043.2245	R
	Width 13,0 mm	V-belt Keilriemen Correa Courroie trapézoidale Ремень клиновой	06.58072.2452 51.96820.3001 51.96820.6001 51.96820.6027 12,5X1600 13X1600 AVP 12,5X1600 AVP 13X1600 AVX 13X1600 AVX 13X1600LA	<u>05.1985 - 01.1993</u> R 292,FR 292,FRH 292 SG <u>09.1972 -</u> 242 SÜ <u>04.1993 - 05.1995</u> 292

Spare parts to fit MAN

	Remarks	Meyle-No./Description	Reference-No.	Application
	Length 1650,0 mm Width 13,0 mm	052 013 1650 V-belt Keilriemen Correa Courroie trapézoidale Ремень клиновой	06.58043.2247 51.96820.0156 13X1650 AVP 13X1650 AVX 13X1650 AVX 13X1650LA	
	Length 1675,0 mm Width 13,0 mm	052 013 1675 V-belt Keilriemen Correa Courroie trapézoidale Ремень клиновой	6.58043.0248 6.58043.2248 13X1675 AVP 13X1675 AVX 13X1675 AVX 13X1675LA	
	Length 1850,0 mm Width 13,0 mm	052 013 1850 V-belt Keilriemen Correa Courroie trapézoidale Ремень клиновой	06.58073.2551 6580 722 551 13X1850 AVP 13X1850 AVX 13X1850 AVX 13X1850LA	
	Length 1950,0 mm Width 13,0 mm	052 013 1950 V-belt Keilriemen Correa Courroie trapézoidale Ремень клиновой	6.58072.2591 13X1950 AVP 13X1950 AVX 13X1950 AVX 13X1950LA	
	Length 2100,0 mm Width 13,0 mm	052 013 2100 V-belt Keilriemen Correa Courroie trapézoidale Ремень клиновой	06.58042.0263 13X2100 AVP 13X2100 AVX 13X2100 AVX 13X2100LA	
	Length 1863,0 mm No. of ribs 10	050 010 1863 V-ribbed belt Keilrippenriemen Correa trap. dentada Courroie trap. à nervures Ремень поликлиновой	51.96820.0242 10 PK 1863	EL <u>01.1993 - 01.2001</u> 202 EM <u>08.1987 -</u> 222 NG <u>08.1992 -</u> 262


To be continued on the following page

Spare parts to fit MAN

	Remarks	Meyle-No./Description	Reference-No.	Application
		See previous page for more details		NL <u>09.1988 - 202</u> NM <u>08.1987 - 222</u>
	Length 1376,0 mm No. of ribs 8	050 008 1376 V-ribbed belt Keilrippenriemen Correa trap. dentada Courroie trap. à nervures Ремень поликлиновой	51.96820.0239 8 PK 1376	
	Length 1908,0 mm No. of ribs 8	050 008 1908 V-ribbed belt Keilrippenriemen Correa trap. dentada Courroie trap. à nervures Ремень поликлиновой	8 PK 1908	TG-A <u>03.2000 - 18.310, 18.350, 18.390, 18.430</u>
		12-34 904 0132 Gasket, oil pan Dichtung, Ölwanne Junta, cárter de aceite Joint, carter d'huile Прокладка масляного картера	51.05904.0132	F 90 <u>06.1986 - 12.1997</u> 19.242, 19.272, 19.292, 19.332, 19.362, 19.372, 19.422, 24.242, 24.292, 24.302, 24.332, 24.362, 24.372, 24.422, 25.302, 25.372, 25.422, 26.242, 26.292, 26.302, 26.332, 26.362, 26.372, 26.402, 26.422, 32.292, 32.302, 32.332, 32.362, 32.372, 32.422, 33.242, 33.292, 33.332, 33.362, 33.372, 33.422, 35.292, 35.302, 35.332, 35.362, 35.372, 35.422, 40.372, 40.422, 41.292, 41.332, 41.362, 41.372, 41.422, 48.292, 48.332, 48.362, 19.332, 19.362, 19.372, 19.422, 24.332, 24.362, 24.372, 24.422, 25.372, 25.422, 26.372, 26.422 Lions Star <u>03.1991 -</u> FRH 352,RH 353, FRH 402,RH 403, FRH 422 Lions Coach <u>09.1995 -</u> FRH 352,RH 353, FRH 402,RH 403 R <u>05.1985 - 01.1993</u> R 292,FR 292,FRH 292

To be continued on the following page

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		SD <u>04.1974 - 04.1994</u> 200 SG <u>09.1972 -</u> 220, 240, 242 SL <u>06.1972 - 04.1987</u> 200 SL II <u>04.1984 - 05.1996</u> 202 SR <u>02.1975 - 08.1994</u> 240, 280, 321 SÜ <u>04.1993 - 05.1995</u> 240, 242 ÜL <u>09.1989 -</u> 242, 292
	Filter insert 034 046 0000 Oil filter Ölfilter Filtro de aceite Filtre d'huile Фильтр масляный	81.47301.6005	TG-A <u>03.2000 -</u> 18.310, 18.350, 18.360, 18.390, 18.410, 18.430, 18.460, 18.480, 18.510, 18.530, 24.350, 24.360, 24.390, 24.410, 24.430, 24.460, 24.480, 24.510, 24.530, 26.280, 26.310, 26.330, 26.350, 26.360, 26.390, 26.410, 26.430, 26.460, 26.480, 26.510, 26.530, 28.310, 28.360, 28.410, 28.460, 28.480, 28.510, 28.530, 32.310, 32.360, 32.410, 32.460, 32.480, 33.360, 33.410, 33.460, 33.480, 33.510, 33.530, 41.360, 41.530, 41.660


To be continued on the following page

Spare parts to fit MAN





Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 90 <u>06.1986 - 12.1997</u> 19.362, 19.422, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 25.272, 25.302, 25.322, 25.372, 25.422, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.462, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 33.502, 35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 40.462, 40.502, 41.262, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422 Lions Star <u>03.1991 -</u> 414, 464, FRH 352,RH 353, FRH 402,RH 403, FRH 422 Lions Coach <u>09.1995 -</u> 403, 413, 463, FRH 352,RH 353, FRH 402,RH 403, RHC 414 Lions Comfort <u>09.1996 -</u> 313, 353 EL <u>01.1993 - 01.2001</u> 262 TGL <u>04.2005 -</u> 10.180, 10.210, 10.240, 12.180, 12.210, 12.240, 7.150, 7.180, 8.180, 8.210, 8.240 NG <u>08.1992 -</u> 262, 312 NL <u>09.1988 -</u> 202, 262, 312, 313 NÜ <u>03.1996 -</u> 263, 313, 353 TGM <u>10.2005 -</u> 18.240, 18.280, 18.330 SÜ <u>04.1993 - 05.1995</u> 313
	To be continued on the following page		



Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		<p>ÜL <u>09.1989 -</u> 242, 272, 292, 312, 313, 353</p> <p>F 2000 <u>01.1994 -</u> 19.373, 19.403, 19.423, 19.463, 23.403, 23.463, 26.373, 26.403, 26.423, 27.423, 27.463, 27.603, 32.403, 32.463, 33.373, 33.403, 33.423, 33.463, 33.603, 35.403, 35.463</p> <p>M 2000 L <u>09.1999 -</u> 14.225, 14.255, 14.285, 15.163, 15.224, 15.225, 15.255, 15.264, 15.284, 15.285, 18.255, 18.285</p> <p>M 2000 M <u>08.1995 - 12.2005</u> 14.285, 25.224, 25.264</p> <p>L 2000 <u>10.1993 -</u> 10.145, 10.185, 10.225, 12.185, 12.225, 8.145, 8.185, 8.225, 9.145, 9.185, 9.225</p>
	No. of teeth 44 034 018 1008 Oil pump Ölpumpe Bomba aceite Pompe à huile Насос масляный	51.05100.6133	<p>F 90 <u>06.1986 - 12.1997</u> 19.272, 19.322, 19.362, 19.372, 19.402, 19.422, 24.272, 24.302, 24.322, 24.362, 24.372, 24.402, 24.422, 25.272, 25.302, 25.322, 25.372, 25.422, 26.272, 26.302, 26.322, 26.362, 26.372, 26.402, 26.422, 32.272, 32.302, 32.322, 32.372, 32.402, 32.422, 33.322, 33.362, 33.372, 33.402, 33.422, 35.272, 35.302, 35.322, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 41.272, 41.322, 41.372, 41.402, 41.422, 19.322, 19.372, 19.422, 24.322, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422</p> <p>M 90 <u>08.1988 - 12.1998</u> 12.272, 14.272, 17.272, 18.272, 24.272</p>

Spare parts to fit MAN

	Remarks	Meyle-No./Description	Reference-No.	Application
	No. of teeth 44	034 018 1009 Oil pump Ölpumpe Bomba aceite Pompe à huile Насос масляный	51.05100.6188	F 90 <u>06.1986 - 12.1997</u> 19.502, 24.502, 25.502, 26.502, 33.502, 40.502
	Cylinder head	12-34 900 6437 Gasket set, cylinder head Dichtungssatz, Zylinderkopf Juego de juntas, culata Jeu de joints, culasse de cylindre Комплект прокладок, головка цилиндра	51.00900.6437	SD <u>04.1974 - 04.1994</u> 200 SG <u>09.1972 -</u> 220, 240 SL <u>06.1972 - 04.1987</u> 200 SR <u>02.1975 - 08.1994</u> 240, 280, 321 SÜ <u>04.1993 - 05.1995</u> 240 D 2530 BM MF, MTXF, MTXF/360 D 2538 BM M, MF, MT D 2555 BM M, MF, MX, MXF, MXUL D 2556 BM M, MF, MX, MXF, MXUH/175, MXUH/192, MXUH/240, MXUM D 2565 BM M, M/168, MF, MF/168, MSFV, MUL D 2566 BM M, MF, MF/220, MH, MHO, MK, MK/280, MKF, MKF/280, MKUH/320, MKUL, MLUH, MLUM, MLUM/US, MSFV, MT, MTF, MTFG, MTH, MTHO, MTSF, MTUH/280, MUH, MUH/175, MUH/192, MUH/200, MUH/220, MUH/240, MUL, MUM, MUM/200, MUM/220, MUM/240, UH, UH/205
	Ø 141,0 mm			

Spare parts to fit MAN

	Remarks	Meyle-No./Description	Reference-No.	Application
	Valve cover	12-34 905 0135	51.03905.0091	F 90 <u>06.1986 - 12.1997</u> 19.272, 19.322, 19.362, 19.372, 19.402, 19.422, 19.502, 24.272, 24.322, 24.362, 24.372, 24.402, 24.502, 25.272, 25.322, 25.502, 26.272, 26.322, 26.362, 26.372, 26.402, 26.502, 33.322, 33.362, 19.322, 19.362, 19.372, 19.422, 24.322, 24.362, 24.372, 25.322, 26.322, 26.372
		Valve cover gasket Dichtung, Zylinderkopfhaube Junta, tapa de culata de cilindro Joint de cache culbuteurs Прокладка, крышка головки цилиндра	51.03905.0094 51.03905.0098 51.03905.0103 51.03905.0104 51.03905.0105 51.03905.0109 51.03905.0123 51.03905.0134 51.03905.0135	M 90 <u>08.1988 - 12.1998</u> 12.272, 14.272, 18.272, 24.272 F 2000 <u>01.1994 -</u> 19.273, 19.323, 19.343, 19.403, 19.463, 23.343, 23.403, 23.463, 24.273, 24.343, 24.403, 24.463, 26.273, 26.323, 26.343, 26.403, 26.463, 27.273, 27.323, 27.343, 27.403, 27.463, 32.343, 33.323, 33.343, 33.403, 33.463, 35.343, 35.403, 35.463, 41.343, 41.403, 41.463
	Thread size M10x1,5	014 098 0001	81.96210.0052	M 90 <u>08.1988 - 12.1998</u> 12.152, 12.192, 12.222, 12.232, 12.262, 12.272, 14.152, 14.162, 14.192, 14.222, 14.232, 14.262, 14.272, 17.192, 17.222, 17.232, 17.272, 18.192, 18.222, 18.232, 18.262, 18.272, 24.192, 24.222, 24.232, 24.262, 24.272
	Outer Ø 20,0 mm Exhaust pipe	Rubber stop, silencer Anschlagpuffer, Schalldämpfer Tope de goma, silenciador Tampon, silencieux Буфер, глушитель		G 90 <u>09.1987 - 05.1995</u> 10.150, 6.100, 8.100, 8.150, 9.150 M 2000 L <u>09.1999 -</u> 14.163, 14.224, 14.264 M 2000 M <u>08.1995 - 12.2005</u> 14.224, 14.264, 18.224, 18.264 L 2000 <u>10.1993 -</u> 10.153, 10.163, 10.223, 10.224, 8.103, 8.113, 8.150, 8.153, 8.163, 8.223, 8.224, 9.153, 9.163, 9.223, 9.224

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
Outer Ø 276,0 mm	034 035 0013	81.96601.0298	TG-A <u>03.2000 -</u> 18.310, 18.350, 18.360, 18.390, 18.410, 18.430, 18.460, 18.480, 18.510, 18.530, 24.360, 24.410, 24.460, 24.480, 24.510, 24.530, 26.310, 26.360, 26.410, 26.460, 26.480, 26.510, 26.530, 28.310, 28.410, 32.310, 32.360, 32.410, 32.460, 32.480, 33.360, 33.410, 33.460, 33.480, 33.510, 33.530, 35.310, 35.360, 35.410, 35.460, 35.480, 35.530, 41.360, 41.410, 41.460, 41.480, 41.660
Inner Ø 247,0 mm	Gasket Dichtung		
Thickness 0,5 mm	Joint Joint		
Paper	Прокладка		
			F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 33.502, 35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 40.462, 40.502, 41.262, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422, 48.292, 48.332, 48.362, 48.462, 19.322, 19.332, 19.362, 19.372, 19.422, 24.322, 24.332, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422
			M 90 <u>08.1988 - 12.1998</u> 12.152, 12.192, 12.222, 12.232, 12.262, 12.272, 14.152, 14.162, 14.192, 14.222, 14.232, 14.262, 14.272, 17.192, 17.222, 17.232, 17.272, 18.192, 18.222, 18.232, 18.262, 18.272, 24.192, 24.222, 24.232, 24.262, 24.272
			G 90 <u>09.1987 - 05.1995</u> 10.150, 6.100, 8.100, 8.150, 8.170, 9.150, 9.170
			Lions Star <u>03.1991 -</u> FRH 352,RH 353, FRH 402,RH 403, FRH 422

To be continued on the following page

Spare parts to fit MAN



Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		Lions Coach <u>09.1995 -</u> FRH 352,RH 353, FRH 402,RH 403 Lions Comfort <u>09.1996 -</u> 313, 353 EL <u>01.1993 - 01.2001</u> 202, 262 EM <u>08.1987 -</u> 222 NG <u>08.1992 -</u> 262, 312 NL <u>09.1988 -</u> 202, 262, 312, 313 NM <u>08.1987 -</u> 152, 222 NÜ <u>03.1996 -</u> 263, 313, 353 ÜL <u>09.1989 -</u> 313, 353 F 2000 <u>01.1994 -</u> 19.233, 19.273, 19.293, 19.314, 19.323, 19.343, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 19.603, 23.293, 23.343, 23.403, 23.463, 24.273, 24.293, 24.323, 24.343, 24.373, 24.403, 24.423, 24.463, 26.233, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 26.603, 27.273, 27.293, 27.323, 27.343, 27.373, 27.403, 27.423, 27.463, 27.603, 32.293, 32.343, 32.403, 32.463, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 33.603, 35.343, 35.403, 35.463, 41.343, 41.403, 41.463 M 2000 L <u>09.1999 -</u> 12.163, 12.224, 14.163, 14.224, 14.225, 14.255, 14.264, 14.285, 15.163, 15.224, 15.225, 15.255, 15.264, 15.285, 18.224, 18.255, 18.264, 18.285 M 2000 M <u>08.1995 - 12.2005</u> 14.224, 14.264, 14.285, 18.224, 18.264, 25.224, 25.264

To be continued on the following page

Spare parts to fit MAN

	Remarks	Meyle-No./Description	Reference-No.	Application
		See previous page for more details		L 2000 <u>10.1993 -</u> 10.145, 10.150, 10.153, 10.163, 10.185, 10.220, 10.223, 10.224, 10.225, 12.185, 12.225, 8.103, 8.113, 8.145, 8.150, 8.153, 8.163, 8.185, 8.220, 8.223, 8.224, 8.225, 9.145, 9.153, 9.163, 9.185, 9.223, 9.224, 9.225
	Connecting thread M16x1,5 Height 122,0 mm Screw-on filter Steel	114 323 0001 Fuel filter Kraftstofffilter Filtro gasolina Filtre carburant Топливный фильтр	51.12503.0004 51.12503.0005 51.12503.0009 51.12503.0010 51.12503.0012 51.12503.0016 51.12503.0018 51.12503.0028 51.12503.0029 51.12503.0030	M 90 <u>08.1988 - 12.1998</u> 17.192 G 90 <u>09.1987 - 05.1995</u> 9.170 G <u>10.1979 - 08.1988</u> 10.136, 6.90 FK, 8.136, 8.90 F, 8.90 FK, 9.136
	Length 140,0 mm Thread size M10x1,5 Width 65,0 mm Height 55,0 mm	12-34 210 0184 Mount, manual transmission Lagerung, Schaltgetriebe Soporte, caja de cambios Support, boîte de vitesse manuelle Подвеска, ступенчатая коробка передач	81.96210.0129 81.96210.0149 81.96210.0184 81.96210.0371	
	Incl. bearing	12-34 410 0003 Driveshaft bearing Lager, Gelenkwellenmittellager Cojinete, soporte intermedio del árbol de transmisión Palier, palier central d'arbre de transmission Подшипник, промежуточный подшипник	81.39410.6016 81.39410.6018 81.39410.6025	M 2000 L <u>09.1999 -</u> 15.163 L 2000 <u>10.1993 -</u> 10.145, 10.150, 10.153, 10.163, 10.185, 10.223, 10.224, 8.103, 8.113, 8.145, 8.150, 8.153, 8.163, 8.185, 9.145, 9.153, 9.163, 9.185, 9.225
	Incl. bearing	12-34 410 0002 Driveshaft bearing Lager, Gelenkwellenmittellager Cojinete, soporte intermedio del árbol de transmisión Palier, palier central d'arbre de transmission Подшипник, промежуточный подшипник	81.39410.6019	

Spare parts to fit MAN







Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		TG-A <u>03.2000 -</u> 18.310, 18.350, 18.360, 18.390, 18.410, 18.430, 18.460, 18.480, 18.510, 18.530, 24.350, 24.360, 24.390, 24.410, 24.430, 24.460, 24.480, 24.510, 24.530, 24.540, 26.280, 26.310, 26.330, 26.350, 26.360, 26.390, 26.410, 26.430, 26.460, 26.480, 26.510, 26.530, 28.310, 28.350, 28.390, 28.430, 32.310, 32.360, 32.410, 32.460, 32.480, 33.350, 33.360, 33.390, 33.410, 33.430, 33.460, 33.480, 33.510, 33.530, 35.310, 35.350, 35.360, 35.390, 35.410, 35.430, 35.460, 35.480, 35.530, 41.350, 41.360, 41.390, 41.410, 41.430, 41.460, 41.480 F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 33.502, 35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 35.372, 35.402, 35.422, 41.262, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422 M 90 <u>08.1988 - 12.1998</u> 12.152, 12.192, 12.222, 12.232, 12.262, 12.272, 14.152, 14.162, 14.192, 14.222, 14.232, 14.262, 14.272, 17.192, 17.232, 17.272, 18.192, 18.222, 18.232, 18.262, 18.272, 24.192, 24.222, 24.232, 24.262, 24.272 TGL <u>04.2005 -</u> 12.240 TGM <u>10.2005 -</u> 18.240, 18.280, 18.330
To be continued on the following page			

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 2000 <u>01.1994 -</u> 19.273, 19.293, 19.323, 19.343, 19.403, 19.423, 19.463, 23.293, 23.343, 23.403, 23.463, 24.273, 24.293, 24.323, 24.343, 26.233, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 27.273, 27.293, 27.323, 27.343, 32.293, 32.343, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 35.343, 41.343, 41.403, 41.463 M 2000 L <u>09.1999 -</u> 12.163, 12.224, 14.163, 14.224, 14.225, 14.255, 14.264, 14.285, 15.163, 15.224, 15.225, 15.255, 15.264, 15.285, 18.224, 18.255, 18.264, 18.285 M 2000 M <u>08.1995 - 12.2005</u> 14.224, 14.264, 14.285, 18.224, 18.264, 25.224, 25.264 L 2000 <u>10.1993 -</u> 10.145, 10.153, 10.163, 10.185, 10.220, 10.223, 10.224, 10.225, 12.185, 12.225, 8.103, 8.113, 8.145, 8.153, 8.163, 8.185, 8.223, 8.224, 9.145, 9.153, 9.163, 9.185, 9.223, 9.224, 9.225
Incl. bearing Inner Ø 75,0 mm Hole spacing 1/ Hole spacing 2 230,0	12-34 151 0002 Driveshaft bearing Lager, Gelenkwellenmittellager Cojinete, soporte intermedio del árbol de transmisión Palier, palier central d'arbre de transmission Подшипник, промежуточный подшипник карданного вала	81.39410.6020	TG-A <u>03.2000 -</u> 18.310, 18.350, 18.360, 18.390, 18.410, 18.430, 18.460, 18.480, 18.510, 18.530, 19.360, 19.410, 19.460, 19.480, 24.350, 24.360, 24.390, 24.410, 24.430, 24.460, 24.480, 24.510, 24.530, 24.540, 26.280, 26.310, 26.330, 26.350, 26.360, 26.390, 26.410, 26.430, 26.460, 26.480, 26.510, 26.530, 28.310, 28.360, 28.410, 28.460, 28.480, 28.510, 28.530, 32.310, 32.350, 32.360, 32.390, 32.410, 32.430, 32.460, 32.480, 33.350, 33.360, 33.390, 33.410, 33.430, 33.460, 33.480, 33.510, 33.530, 35.310, 35.350, 35.360, 35.390, 35.410, 35.430, 35.460, 35.480, 35.530, 37.310, 37.350, 37.390, 37.430, 37.480, 40.390, 40.410, 40.430, 40.460, 40.480, 41.350, 41.360, 41.390, 41.410, 41.430, 41.460, 41.480, 41.530, 41.660

Spare parts to fit MAN

	Remarks	Meyle-No./Description	Reference-No.	Application
	Incl. bearing Inner Ø 85,0 mm	12-34 151 0003 Driveshaft bearing Lager, Gelenkwellenmittellager Cojinete, soporte intermedio del árbol de transmisión Palier, palier central d'arbre de transmission Подшипник, промежуточный подшипник	81.39410.6023 81.39410.6031	
	Incl. bearing Inner Ø 65,0 mm Thickness 86,5 mm	12-34 210 0001 карданного вала Drive shaft support Lagerung, Gelenkwelle Suspensión, árbol de transmisión Suspension, arbre articulé Подвесная опора карданного вала	81.39410.6013 81.39410.6017	F 90 <u>06.1986 - 12.1997</u> 26.272 F 2000 <u>01.1994 -</u> 26.233, 26.273
	Outer Ø 43,0 mm Inner Ø 34,0 mm Drive shaft Rubber/metal	12-34 210 0063 Drive shaft support Lagerung, Gelenkwelle Suspensión, árbol de transmisión Suspension, arbre articulé Подвесная опора карданного вала	81.96210.0063	
	Universal joint Length 144,0 mm Outer Ø 57,0 mm	12-34 126 6017 Joint, propeller shaft Gelenk, Längswelle Articulación, árbol longitudinal Joint, arbre longitudinal Шарнир, продольный вал	81.39126.6017 81.39200.6015	F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 25.272, 25.302, 25.322, 25.372, 25.422, 26.272, 26.302, 26.322, 26.342, 26.372, 26.402, 26.422, 33.272, 33.322 L 2000 <u>10.1993 -</u> 10.145, 10.153, 10.163, 10.185, 10.223, 10.224, 8.103, 8.113, 8.145, 8.153, 8.163, 8.185, 9.145, 9.153, 9.163, 9.185, 9.225
	Universal joint Length 148,0 mm Outer Ø 52,0 mm	12-34 126 6020 Joint, propeller shaft Gelenk, Längswelle Articulación, árbol longitudinal Joint, arbre longitudinal Шарнир, продольный вал	81.39126.6020 81.99917.8470	

To be continued on the following page

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 25.272, 25.302, 25.322, 25.372, 25.422, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 35.372, 35.402, 35.422, 41.262, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422 F 2000 <u>01.1994 -</u> 19.273, 19.293, 19.323, 19.343, 19.364, 19.373, 19.403, 19.423, 19.463, 24.373, 24.403, 24.423, 24.463, 26.273, 26.403, 26.423, 26.463
Height 13,0 mm Outer Ø 105,0 mm Inner Ø 72,0 mm FPM / ACM (viton / acrylicester-rubber)	12-14 753 0001 Radial oil seal, differential Wellendichtring, Differential Retén del eje, diferencial Bague, différentiel Уплотняющее кольцо, дифференциал	06.56279.0366	TG-A <u>03.2000 -</u> 18.310, 18.360, 18.410, 18.480, 26.310, 26.360, 26.410, 26.460, 26.480, 26.510, 26.530, 33.350, 33.360, 33.390, 33.410, 33.430, 33.460, 33.480, 33.510, 33.530, 35.410, 35.480, 35.530, 40.410, 40.460, 40.480, 41.410, 41.480, 41.530

To be continued on the following page



Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 90 <u>06.1986 - 12.1997</u> 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.362, 24.372, 24.422, 25.272, 25.302, 25.322, 25.372, 25.422, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 33.502, 35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 41.262, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422 M 90 <u>08.1988 - 12.1998</u> 12.192, 12.222, 12.232, 12.272, 17.192, 17.222, 17.232, 17.272, 18.192, 18.222, 18.232, 18.262, 18.272, 24.192, 24.222, 24.232, 24.262, 24.272 G 90 <u>09.1987 - 05.1995</u> 8.150, 9.150 F 2000 <u>01.1994 -</u> 19.273, 19.293, 19.323, 19.343, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 27.273, 27.293, 27.323, 27.343, 32.293, 32.343, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 35.343, 41.343, 41.403, 41.463 M 2000 L <u>09.1999 -</u> 14.224, 14.225, 14.264, 14.284, 18.224, 18.255, 18.264, 18.284, 18.285 M 2000 M <u>08.1995 - 12.2005</u> 14.224, 14.284, 18.224, 18.264, 18.284, 25.224, 25.264 L 2000 <u>10.1993 -</u> 10.153, 10.163, 10.185, 10.223, 10.224, 10.225, 8.153, 8.163, 8.223, 8.224

Spare parts to fit MAN



Remarks	Meyle-No./Description	Reference-No.	Application
Height 12,0 mm	12-14 753 0013	06.56289.0279 06.56289.0280	TG-A <u>03.2000 -</u>
Outer Ø 135,0 mm	Radial oil seal,	06.56289.0293	26.310, 26.350, 26.360, 26.390,
154,0 mm	differential	81.96502.6052	26.410, 26.430, 26.460, 26.480,
Inner Ø 80,0 mm	Wellendichtring,	81.96502.6066	26.510, 26.530, 32.310, 32.350,
	Differential		32.360, 32.390, 32.410, 32.430,
	Retén del eje,		32.460, 32.480, 33.350, 33.360,
FPM / ACM (viton /	diferencial		33.390, 33.410, 33.430, 33.460,
acrylicester-rubber)	Bague, différentiel		33.480, 33.510, 33.530, 35.310,
	Уплотняющее кольцо,		35.350, 35.360, 35.390, 35.410,
	дифференциал		35.430, 35.460, 35.480, 35.530,
			37.310, 37.350, 37.390, 37.430,
			37.480, 41.350, 41.360, 41.390,
			41.430, 41.480
			F 90 <u>06.1986 - 12.1997</u>
			24.242, 24.262, 24.272, 24.292,
			24.302, 24.322, 24.332, 24.362,
			24.372, 24.422, 24.462, 24.502,
			25.272, 25.302, 25.322, 25.372,
			25.422, 25.502, 26.272, 26.322,
			26.342, 26.362, 26.372, 26.402,
			26.422, 26.502, 32.262, 32.272,
			32.292, 32.302, 32.322, 32.332,
			32.342, 32.362, 32.372, 32.402,
			32.422
			M 90 <u>08.1988 - 12.1998</u>
			12.152, 12.192, 12.222, 12.232,
			12.262, 12.272, 14.152, 14.162,
			14.192, 14.222, 14.232, 14.262,
			14.272, 17.192, 17.222, 17.232,
			17.272, 18.192, 18.222, 18.232,
			18.262, 18.272, 24.192, 24.222,
			24.232, 24.262, 24.272
			Lions Star <u>03.1991 -</u>
			FRH 352,RH 353, FRH 402,RH 403,
			FRH 422
			Lions Coach <u>09.1995 -</u>
			403, 463, FRH 352,RH 353,
			FRH 402,RH 403
			ÜL <u>09.1989 -</u>
			242, 272, 292, 312, 313, 353
			F 2000 <u>01.1994 -</u>
			19.293, 19.343, 19.403, 19.463,
			26.273, 26.293, 26.323, 26.343,
			26.373, 26.403, 26.423, 26.463,
			27.373, 27.403, 27.423, 27.463,
			32.293, 32.343, 32.403, 32.463,
			33.373, 33.403, 33.423, 33.463,
			35.343, 35.403, 35.463, 41.343,
			41.403, 41.463

To be continued on the following page

Spare parts to fit MAN


	Remarks	Meyle-No./Description	Reference-No.	Application
		See previous page for more details		M 2000 L <u>09.1999 -</u> 14.163, 14.224, 14.225, 14.255, 14.264, 14.285, 15.163, 15.224, 15.225, 15.255, 15.264, 15.285, 18.224, 18.255, 18.264, 18.285 M 2000 M <u>08.1995 - 12.2005</u> 14.224, 14.264, 14.285, 18.224, 18.264, 25.224, 25.264 L 2000 <u>10.1993 -</u> 10.145, 8.103, 8.113, 8.145, 8.153, 8.163, 8.185, 9.145, 9.153, 9.163, 9.185, 9.225
	Width 37,0 mm Outer Ø 110,0 mm Inner Ø 57,0 mm	12-31 106 6032 Release bearing Ausrücklager Rodam. desembrage Palier de débray. Выжимной подшипник	81.30550.0041 81.30550.0050 81.30550.6019	M 90 <u>08.1988 - 12.1998</u> 12.232, 14.232, 17.192, 17.232, 18.232
	Width 80,0 mm Height 86,0 mm Outer Ø 111,0 mm Inner Ø 57,0 mm	12-31 106 7032 Release bearing Ausrücklager Rodam. desembrage Palier de débray. Выжимной подшипник	81.30550.0056	
	Stroke 85,0 mm 4000 N	12-34 725 6025 Clutch booster Kupplungsverstärker Servoembrague Servo débrayeur Усилитель сцепления	81.30725.6025 81.30725.6026	SL II <u>04.1984 - 05.1996</u> 202 SÜ <u>04.1993 - 05.1995</u> 240, 242, 272, 292, 322
	Stroke 85,0 mm 4000 N	12-34 725 6027 Clutch booster Kupplungsverstärker Servoembrague Servo débrayeur Усилитель сцепления	81.30725.6026 81.30725.6027	SL II <u>04.1984 - 05.1996</u> 202 SÜ <u>04.1993 - 05.1995</u> 240, 242, 272, 292, 322

Spare parts to fit MAN

	Remarks	Meyle-No./Description	Reference-No.	Application
	Front axle	034 026 0015	81.95301.0038	F 90
	Length 88,0 mm	Shift rod connector	81.95301.6016	<u>06.1986 - 09.1996</u>
	Thread size	Kugelkopf,	81.95301.6169	19.322, 19.372, 19.422, 24.332,
	M10x1,0	Schaltgestänge	81.95301.6172	24.362, 24.372, 25.372, 25.422,
	M14x1,5	Cabeza esférica,	81.95301.6176	26.372, 26.422
	Right hand thread	varillaje de cambio	81.95301.6235	M 90
		Boule, tringlerie de		<u>08.1988 - 12.1998</u>
		commande		12.192, 12.222, 12.232, 12.272,
		Наконечник, тяга КПП		17.192, 17.222, 17.232, 24.192,
				24.222, 24.232, 24.262, 24.272
				R
				<u>05.1985 - 01.1993</u>
				FRH 362, R 292,FR 292,FRH 292
				SG
				<u>09.1972 -</u>
				220
				SL
				<u>06.1972 - 04.1987</u>
				200
				SR
				<u>02.1975 - 08.1994</u>
				240, 280
				SÜ
				<u>04.1993 - 05.1995</u>
				240, 242, 272, 292, 322
	Front axle	036 026 0016	81.95301.0045	F 90
	Length 88,0 mm	Shift rod connector	81.95301.6016	<u>06.1986 - 09.1996</u>
	Thread size	Kugelkopf,	81.95301.6169	19.322, 19.372, 19.422, 24.332,
	M10x1,0	Schaltgestänge	81.95301.6172	24.362, 24.372, 24.422, 25.372,
	M14x1,5	Cabeza esférica,	81.95301.6176	25.422
	Right hand thread	varillaje de cambio	81.95301.6266	M 90
		Boule, tringlerie de	81.95301.6269	<u>08.1988 - 12.1998</u>
		commande		12.192, 12.222, 12.232, 12.272,
		Наконечник, тяга КПП		17.192, 17.222, 17.232, 24.192,
				24.222, 24.232, 24.262, 24.272
				R
				<u>05.1985 - 01.1993</u>
				FRH 362, R 292,FR 292,FRH 292
				SG
				<u>09.1972 -</u>
				220
				SL
				<u>06.1972 - 04.1987</u>
				200
				SR
				<u>02.1975 - 08.1994</u>
				240, 280
				SÜ
				<u>04.1993 - 05.1995</u>
				240, 242, 272, 292, 322


To be continued on the following page

Spare parts to fit MAN

	Remarks	Meyle-No./Description	Reference-No.	Application
		See previous page for more details		M 2000 L <u>09.1999 -</u> 14.224, 14.225, 14.255, 14.264, 14.285, 15.224, 15.225, 15.255, 15.264, 15.285, 18.224, 18.255, 18.264, 18.285 M 2000 M <u>08.1995 - 12.2005</u> 14.224, 14.264, 18.224, 18.264, 25.224, 25.264
	Length 55,0 mm Thread size M10x1,5 M12x1,75 Left hand thread	034 026 0017 Shift rod connector Kugelkopf, Schaltgestänge Cabeza esférica, varillaje de cambio Boule, tringlerie de commande Наконечник, тяга КПП	81.95301.6063 81.95301.6131 81.95301.6171 81.95301.6174	M 90 <u>08.1988 - 12.1998</u> 12.192, 14.192
	Length 55,0 mm Thread size M10x1,5 M12x1,75 Right hand thread Packing unit 10 pcs.	034 026 0018 Shift rod connector Kugelkopf, Schaltgestänge Cabeza esférica, varillaje de cambio Boule, tringlerie de commande Наконечник, тяга КПП	81.95301.6064 81.95301.6130 81.95301.6170 81.95301.6173	M 90 <u>08.1988 - 12.1998</u> 12.192, 14.192
	Outer Ø 68,0 mm Inner Ø 58,0 mm Thickness 5,0 mm Rubber	12-39 222 0001 Radiator hose Kühlerschlauch Manguera de radiador Durite de radiateur Патрубок системы охлаждения	81.96301.0496 81.96301.0659 82.96301.0008	TG-A <u>03.2000 -</u> 26.310, 26.360, 26.410, 26.460, 26.480, 26.510, 26.530, 33.360, 33.410, 33.460, 33.480, 33.510, 33.530, 40.410, 40.460, 40.480, 41.360 F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 25.272, 25.302, 25.322, 25.372, 25.422, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 41.262, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422

To be continued on the following page

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 2000 <u>01.1994 -</u> 19.233, 19.273, 19.293, 19.323, 19.343, 19.373, 19.403, 19.423, 19.463, 23.293, 23.343, 23.403, 23.463, 24.273, 24.293, 24.323, 24.343, 26.233, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 27.273, 27.293, 27.323, 27.343, 32.293, 32.343, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 35.343, 41.343
 <p>Outer Ø 68,0 mm Inner Ø 58,0 mm Thickness 5,0 mm Rubber</p>	12-39 222 0004 Radiator hose Kühlerschlauch Manguera de radiador Durite de radiateur Патрубок системы охлаждения	81.96305.0129	F 2000 <u>01.1994 -</u> 19.273, 19.293, 19.323, 19.343, 19.373, 19.403, 19.423, 19.463, 23.293, 23.343, 23.403, 23.463, 24.273, 24.293, 24.323, 24.343, 26.233, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 27.273, 27.293, 27.323, 27.343, 32.293, 32.343, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 35.343, 41.343, 41.403, 41.463
No. of blades 9	12-34 232 0001 Fan blade Lüfterrad, Motorkühlung Aspa ventilador Ailette ventilateur Крыльчатка вентилятора	51.06601.0256	F 90 <u>06.1986 - 12.1997</u> 19.372, 19.402, 19.422, 24.302, 24.372, 24.402, 24.422, 25.302, 25.372, 25.422, 26.302, 26.372, 26.402, 26.422, 32.302, 32.372, 32.402, 32.422, 33.372, 33.402, 33.422, 35.302, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 41.372, 41.402, 41.422, 19.372, 19.422, 24.372, 24.422, 25.372, 25.422, 26.372, 26.422 Lions Coach <u>09.1995 -</u> 463, RHC 414 NG <u>08.1992 -</u> 262, 312

To be continued on the following page

Spare parts to fit MAN


Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		NL <u>09.1988 -</u> 202, 262, 313 NÜ <u>03.1996 -</u> 263, 313, 353 F 2000 <u>01.1994 -</u> 19.314, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 23.403, 23.463, 24.373, 24.403, 24.423, 24.463, 26.373, 26.403, 26.423, 26.463, 27.373, 27.403, 27.423, 27.463, 32.403, 32.463, 33.373, 33.403, 33.423, 33.463, 35.403, 35.463, 41.403, 41.463
	No. of blades 9 12-34 232 0002 Fan blade Lüfterrad, Motorkühlung Aspa ventilador Ailette ventilateur Крыльчатка вентилятора	51.06601.0257	TG-A <u>03.2000 -</u> 28.350, 35.410, 35.480, 35.530, 41.410, 41.480, 41.530, 41.660 Lions Star <u>03.1991 -</u> 414, 464, FRH 352,RH 353, FRH 402,RH 403, FRH 422 Lions Coach <u>09.1995 -</u> 403, 463, FRH 352,RH 353, FRH 402,RH 403, RHC 414
	Incl. gasket Opening temperature 83 °C 028 283 0000 Thermostat Thermostat, Kühlmittel Termostato, refrigerante Thermostat d'eau Термостат, охлаждающая жидкость	51.06402.0063	TG-A <u>03.2000 -</u> 18.310, 18.360, 18.410, 18.460, 18.480, 18.510, 18.530, 19.360, 19.410, 19.460, 19.480, 24.360, 24.410, 24.460, 24.480, 24.510, 24.530, 26.310, 26.360, 26.410, 26.460, 26.480, 26.510, 26.530, 28.310, 28.360, 28.390, 28.410, 28.460, 28.480, 28.510, 28.530, 32.310, 32.360, 32.410, 32.460, 32.480, 33.360, 33.410, 33.460, 33.480, 33.510, 33.530, 35.310, 35.360, 35.410, 35.460, 35.480, 35.530, 40.390, 40.410, 40.430, 40.460, 40.480, 41.360, 41.410, 41.460, 41.480, 41.530, 41.660
To be continued on the following page			

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 33.502, 35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 40.462, 40.502, 41.262, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422, 48.292, 48.332, 48.362, 48.462, 19.322, 19.332, 19.362, 19.372, 19.422, 24.322, 24.332, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422 M 90 <u>08.1988 - 12.1998</u> 12.152, 12.192, 12.222, 12.232, 12.262, 12.272, 14.152, 14.162, 14.192, 14.222, 14.232, 14.262, 14.272, 17.192, 17.232, 17.272, 18.192, 18.222, 18.232, 18.262, 18.272, 24.192, 24.222, 24.232, 24.262, 24.272 Lions Star <u>03.1991 -</u> 414, 464, FRH 352,RH 353, FRH 402,RH 403, FRH 422 Lions Coach <u>09.1995 -</u> 403, 463, FRH 352,RH 353, FRH 402,RH 403, RHC 414 Lions Comfort <u>09.1996 -</u> 313, 353 EL <u>01.1993 - 01.2001</u> 202, 262 NG <u>08.1992 -</u> 262, 312 NL <u>09.1988 -</u> 202, 262, 312, 313

To be continued on the following page

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		NÜ <u>03.1996 -</u> 263, 313, 353 SD <u>04.1974 - 04.1994</u> 200 SG <u>09.1972 -</u> 220 SL <u>06.1972 - 04.1987</u> 200 SR <u>02.1975 - 08.1994</u> 240, 280, 321 SÜ <u>04.1993 - 05.1995</u> 240 ÜL <u>09.1989 -</u> 313, 353 F 2000 <u>01.1994 -</u> 19.233, 19.273, 19.293, 19.314, 19.323, 19.343, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 19.603, 23.293, 23.343, 23.403, 23.463, 24.273, 24.293, 24.323, 24.343, 24.373, 24.403, 24.423, 24.463, 26.233, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 26.603, 27.273, 27.293, 27.323, 27.343, 27.373, 27.403, 27.423, 27.463, 27.603, 32.293, 32.343, 32.403, 32.463, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 33.603, 35.343, 35.403, 35.463, 41.343, 41.403, 41.463
 Incl. gasket Opening temperature 79 °C	12-28 279 0000 Thermostat Thermostat, Kühlmittel Termostato, refrigerante Thermostat d'eau Термостат, охлаждающая жидкость	51.06402.0050 51.06402.0056 51.06402.0061 51.06402.0064 51.06402.0067	TG-A <u>03.2000 -</u> 18.310, 18.360, 18.410, 19.360, 19.410, 24.360, 24.410, 26.310, 26.360, 26.410, 28.310, 28.360, 28.410, 32.310, 32.360, 32.410, 33.360, 33.410, 35.310, 35.360, 35.410, 40.410, 41.360, 41.410, 41.660

To be continued on the following page

Spare parts to fit MAN



Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 90 <u>06.1986 - 12.1997</u> 19.272, 19.322, 19.342, 19.362, 19.372, 19.422, 19.502, 24.272, 24.322, 24.342, 24.362, 24.372, 24.422, 24.502, 25.272, 25.322, 25.372, 25.422, 25.502, 26.272, 26.322, 26.342, 26.362, 26.372, 26.422, 26.502, 32.272, 32.322, 32.342, 32.372, 32.422, 33.272, 33.322, 33.342, 33.362, 33.372, 33.422, 33.502, 35.272, 35.322, 35.342, 35.372, 35.422, 40.372, 40.422, 40.502, 41.272, 41.322, 41.342, 41.372, 41.422, 19.322, 19.362, 19.372, 19.422, 24.322, 24.362, 24.372, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422 M 90 <u>08.1988 - 12.1998</u> 12.192, 12.222, 12.232, 12.262, 12.272, 14.192, 14.222, 14.232, 14.262, 14.272, 17.192, 17.222, 17.232, 17.272, 18.192, 18.222, 18.232, 18.262, 18.272, 24.192, 24.222, 24.232, 24.262, 24.272 G 90 <u>09.1987 - 05.1995</u> 6.100, 8.100 G <u>10.1979 - 08.1988</u> 6.90 FK, 8.90 F, 8.90 FK Lions Star <u>03.1991 -</u> 414, FRH 352,RH 353, FRH 402,RH 403, FRH 422 Lions Coach <u>09.1995 -</u> 403, 413, FRH 352,RH 353, FRH 402,RH 403, RHC 414 Lions Comfort <u>09.1996 -</u> 313, 353 EL <u>01.1993 - 01.2001</u> 262 EM <u>08.1987 -</u> 192, 222, 223 NG <u>08.1992 -</u> 262 NL <u>09.1988 -</u> 262

To be continued on the following page

Spare parts to fit MAN



Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		NM <u>08.1987 -</u> 152, 182, 222, 223 NÜ <u>03.1996 -</u> 263, 353 R <u>05.1985 - 01.1993</u> FRH 362 SG <u>09.1972 -</u> 240 SM <u>08.1987 -</u> 182 SR <u>02.1975 - 08.1994</u> 280 SÜ <u>04.1993 - 05.1995</u> 240, 263, 283, 313 ÜL <u>09.1989 -</u> 292, 313, 353 F 2000 <u>01.1994 -</u> 19.233, 19.273, 19.293, 19.314, 19.323, 19.343, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 23.293, 23.343, 23.403, 23.463, 24.273, 24.293, 24.323, 24.343, 24.373, 24.403, 24.423, 24.463, 26.233, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 27.273, 27.293, 27.323, 27.343, 27.373, 27.403, 27.423, 27.463, 32.293, 32.343, 32.403, 32.463, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 35.343, 35.403, 35.463, 41.343, 41.403, 41.463 M 2000 L <u>09.1999 -</u> 12.224, 14.224, 14.225, 14.255, 14.264, 14.284, 14.285, 15.224, 15.225, 15.255, 15.264, 15.284, 15.285, 18.224, 18.255, 18.264, 18.284, 18.285 M 2000 M <u>08.1995 - 12.2005</u> 14.224, 14.264, 14.284, 14.285, 18.224, 18.264, 18.284, 25.224, 25.264
	To be continued on the following page		

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		L 2000 <u>10.1993 -</u> 10.145, 10.185, 10.220, 10.223, 10.224, 10.225, 12.185, 12.225, 8.145, 8.185, 8.220, 8.223, 8.224, 8.225, 9.145, 9.185, 9.223, 9.224, 9.225
Height 365,0 mm Outer Ø 198,0 mm Inner Ø 103,0 mm Filter insert Packing unit 3 pcs.	012 094 0024 Air filter Luftfilter Filtro de aire Filtre à air Воздушный фильтр	81.08304.0049 81.08304.0055 81.08304.0056	M 90 <u>08.1988 - 12.1998</u> 12.152, 12.192, 12.222, 12.232, 12.262, 12.272, 14.152, 14.162, 14.192, 14.222, 14.232, 14.262, 14.272 G 90 <u>09.1987 - 05.1995</u> 10.150, 6.100, 8.100, 8.150, 9.150 NM <u>08.1987 -</u> 152 SM <u>08.1987 -</u> 152 M 2000 L <u>09.1999 -</u> 12.163 L 2000 <u>10.1993 -</u> 10.145, 10.153, 10.163, 10.185, 10.223, 10.224, 8.103, 8.113, 8.150, 8.153, 8.163, 9.153, 9.163
Height 510,0 mm Outer Ø 266,0 mm Inner Ø 170,0 mm Filter insert	12-34 321 0003 Air filter Luftfilter Filtro de aire Filtre à air Воздушный фильтр	81.08405.0020 81.08405.0021	

To be continued on the following page

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		TG-A <u>03.2000 -</u> 18.310, 18.350, 18.360, 18.390, 18.410, 18.430, 18.460, 18.480, 18.510, 18.530, 19.360, 19.410, 19.460, 19.480, 24.350, 24.360, 24.390, 24.410, 24.430, 24.460, 24.480, 24.510, 24.530, 24.540, 26.280, 26.310, 26.330, 26.350, 26.360, 26.390, 26.410, 26.430, 26.460, 26.480, 26.510, 26.530, 28.310, 28.350, 28.360, 28.390, 28.410, 28.430, 28.460, 28.480, 28.510, 28.530, 32.310, 32.350, 32.360, 32.390, 32.410, 32.430, 32.460, 32.480, 33.350, 33.360, 33.390, 33.410, 33.430, 33.460, 33.480, 33.510, 33.530, 35.310, 35.350, 35.360, 35.390, 35.410, 35.430, 35.460, 35.480, 35.530, 37.310, 37.350, 37.390, 37.430, 37.480, 40.390, 40.410, 40.430, 40.460, 40.480, 41.350, 41.360, 41.390, 41.410, 41.430, 41.460, 41.480, 41.530, 41.660 Lions Coach <u>09.1995 -</u> 463, RHC 414
Length 401,8 mm Width 187,0 mm Height 31,0 mm Particle	12-12 319 0000 Cabin air filter Filter, Innenraumluf Filtro, aire habitáculo Filtre compartiment Фильтр воздушный салона	81.61910.0011	F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 33.502, 35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 40.462, 40.502, 41.262, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422, 19.322, 19.332, 19.362, 19.372, 19.422, 24.322, 24.332, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422
To be continued on the following page			




Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		M 90 <u>08.1988 - 12.1998</u> 12.152, 12.192, 12.222, 12.232, 12.262, 12.272, 14.152, 14.162, 14.192, 14.222, 14.232, 14.262, 14.272, 17.192, 17.222, 17.232, 17.272, 18.192, 18.222, 18.232, 18.262, 18.272, 24.192, 24.222, 24.232, 24.262, 24.272 Lions Comfort <u>09.1996 -</u> 313 F 2000 <u>01.1994 -</u> 19.233, 19.273, 19.293, 19.314, 19.323, 19.343, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 19.603, 23.293, 23.343, 23.403, 23.463, 24.273, 24.293, 24.323, 24.343, 24.373, 24.403, 24.423, 24.463, 26.233, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 26.603, 27.273, 27.293, 27.323, 27.343, 27.373, 27.403, 27.423, 27.463, 27.603, 32.293, 32.343, 32.403, 32.463, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 33.603, 35.343, 35.403, 35.463, 41.343, 41.403, 41.463 M 2000 L <u>09.1999 -</u> 12.163, 12.224, 14.163, 14.224, 14.225, 14.255, 14.264, 14.284, 14.285, 15.163, 15.224, 15.225, 15.255, 15.264, 15.284, 15.285, 18.224, 18.255, 18.264, 18.284, 18.285 M 2000 M <u>08.1995 - 12.2005</u> 14.224, 14.264, 14.284, 14.285, 18.224, 18.264, 18.284, 25.224, 25.264 L 2000 <u>10.1993 -</u> 8.163
Length 466,5 mm Width 177,0 mm Height 70,0 mm Particle	12-12 319 0003 Cabin air filter Filter, Innenraumluft Filtro, aire habitáculo Filtre compartiment Фильтр воздушный салона	81.61910.0018	
To be continued on the following page			

Spare parts to fit MAN



Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		TG-A <u>03.2000 -</u> 18.310, 18.350, 18.360, 18.390, 18.410, 18.430, 18.460, 18.480, 18.510, 18.530, 24.350, 24.360, 24.390, 24.410, 24.430, 24.460, 24.480, 24.510, 24.530, 26.280, 26.310, 26.330, 26.350, 26.360, 26.390, 26.410, 26.430, 26.460, 26.480, 26.510, 26.530, 28.310, 28.360, 28.410, 28.460, 28.480, 28.510, 28.530, 32.310, 32.360, 32.410, 32.460, 32.480, 33.360, 33.410, 33.460, 33.480, 33.510, 33.530, 35.310, 35.350, 35.360, 35.390, 35.410, 35.430, 35.460, 35.480, 35.530, 37.310, 37.350, 37.390, 37.430, 37.480, 40.390, 40.410, 40.430, 40.460, 40.480, 41.350, 41.360, 41.390, 41.430, 41.480, 41.530, 41.660 TGL <u>04.2005 -</u> 10.180, 10.210, 10.240, 12.180, 12.210, 12.240, 7.150
Length 466,5 mm Width 177,0 mm Height 70,0 mm Activated carbon	12-12 320 0008 Cabin air filter Filter, Innenraumluf Filtro, aire habitáculo Filtre compartiment Фильтр воздушный салона	81.61910.0019	TG-A <u>03.2000 -</u> 18.310, 18.350, 18.360, 18.390, 18.410, 18.430, 18.460, 18.480, 18.510, 18.530, 19.360, 19.410, 19.460, 19.480, 24.350, 24.360, 24.390, 24.410, 24.430, 24.460, 24.480, 24.510, 24.530, 24.540, 26.280, 26.310, 26.330, 26.350, 26.360, 26.390, 26.410, 26.430, 26.460, 26.480, 26.510, 26.530, 28.310, 28.350, 28.360, 28.390, 28.410, 28.430, 28.480, 28.530, 32.310, 32.350, 32.360, 32.390, 32.410, 32.430, 32.460, 32.480, 33.350, 33.360, 33.390, 33.410, 33.430, 33.460, 33.480, 33.510, 33.530, 35.310, 35.350, 35.360, 35.390, 35.410, 35.430, 35.460, 35.480, 35.530, 40.390, 40.410, 40.430, 40.460, 40.480, 41.350, 41.360, 41.390, 41.410, 41.430, 41.460, 41.480, 41.530 TGL <u>04.2005 -</u> 12.180, 12.210, 12.240, 7.150, 7.180, 8.180, 8.210, 8.240 TGM <u>10.2005 -</u> 13.240, 13.280, 15.240, 18.240, 18.280, 18.330, 26.280, 26.330

Spare parts to fit MAN

	Remarks	Meyle-No./Description	Reference-No.	Application
	Length 361,0 mm Width 159,0 mm Height 40,0 mm Particle	12-12 319 0001 Cabin air filter Filter, Innenraumluft Filtro, aire habitáculo Filtre compartiment Фильтр воздушный салона	85.61950.0025	L 2000 <u>10.1993 -</u> 10.145, 10.150, 10.153, 10.163, 10.185, 10.220, 10.223, 10.224, 10.225, 12.185, 12.225, 8.103, 8.113, 8.145, 8.150, 8.153, 8.163, 8.185, 8.220, 8.223, 8.224, 8.225, 9.145, 9.153, 9.163, 9.185, 9.223, 9.224, 9.225
	Incl. gasket	12-33 500 6408 Water pump Wasserpumpe Bomba de agua Pompe à eau Водяная помпа	51.06500.6408	F 90 <u>06.1986 - 12.1997</u> 19.372, 19.422, 24.362, 25.372, 25.422, 26.372, 26.422, 32.362, 33.362, 33.372, 33.422, 33.462, 40.462, 41.362, 48.362, 48.462, 19.322, 19.362, 24.322, 24.362, 25.322, 26.322 M 90 <u>08.1988 - 12.1998</u> 12.272, 14.272, 17.272, 18.272, 24.272 SÜ <u>04.1993 - 05.1995</u> 272 ÜL <u>09.1989 -</u> 272 F 2000 <u>01.1994 -</u> 19.343, 19.403, 19.463, 26.403, 26.463, 33.343, 33.403, 33.463, 41.403, 41.463 D 2566 BM M, MF, MF/220, MH, MHO, MK, MK/280, MKF, MKF/280, MKUH/320, MKUL, MLUH, MLUM, MLUM/US, MSFV, MT, MTF, MTFG, MTH, MTHO, MTSF, MTUH/280, MUH, MUH/175, MUH/192, MUH/200, MUH/220, MUH/240, MUL, MUM, MUM/200, MUM/220, MUM/240, UH, UH/205 D 2840 BM LF/460, LF01, LF04, LF06, LF20, MF, MFG D 2865 BM LF/260, LF02, LF03, LF05, LF06, LF09, LF20, LF21, LF22, LF23, LF24, LOH 01, LOH 02, LU01/Silent, LUH02, LUH05, LUH07, LUH08, LUH09

To be continued on the following page

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		D 2866 BM F/240, KF, KFZ, KOH/373, KUH/360, KUL, LF/290, LF/330, LF03, LF04, LF05, LF06, LF09, LF10, LF15, LF16, LF20, LF21, LF22, LF31, LF34, LF35, LFZ/290, LFZ/330, LOH, LOH 03, LOH 06, LOH 07, LOH 20, LOH 22, LOH 23, LOH 24, LOH 25, LOH 26, LU/330, LUH 22, LUH/330, LUH20, LUH21, LUH26, LUL/330, LXF, LXF/Silent, LXOH, T, TOH, TOH/290, TOH/310, TUH, TUH 01, TUH/290, UH, UH/240, UM D 2876 BM LF02, LF06
	Incl. gasket	12-34 500 6476 Water pump Wasserpumpe Bomba de agua Pompe à eau Водяная помпа	51.06500.6476 51.06500.9462 81.06500.6462 M 90 <u>08.1988 - 12.1998</u> 12.152, 12.192, 12.222, 12.232, 12.262, 12.272, 14.152, 14.162, 14.192, 14.222, 14.232, 14.262, 14.272, 17.192, 17.222, 17.232, 17.272, 18.192, 18.222, 18.232, 18.262, 18.272, 24.192, 24.222, 24.232, 24.262, 24.272 EM <u>08.1987 -</u> 192, 222, 223 NM <u>08.1987 -</u> 152, 182, 222, 223 SM <u>08.1987 -</u> 182 M 2000 L <u>09.1999 -</u> 12.224, 14.224, 14.264, 15.224, 15.264, 18.224, 18.264 L 2000 <u>10.1993 -</u> 10.220, 10.223, 10.224, 8.220, 8.223, 8.224, 8.225, 9.223, 9.224
	Incl. gasket	12-33 500 6492 Water pump Wasserpumpe Bomba de agua Pompe à eau Водяная помпа	51.06500.6492 51.06500.9492 F 90 <u>06.1986 - 12.1997</u> 19.372, 19.422, 24.302, 24.372, 24.422, 25.302, 25.372, 25.422, 26.302, 26.372, 26.422, 32.302, 32.372, 32.422, 33.372, 33.422, 35.302, 35.372, 35.422, 40.372, 40.422, 41.372, 41.422, 19.372, 19.422, 24.372, 24.422, 25.372, 25.422, 26.372, 26.422

To be continued on the following page



Spare parts to fit MAN





Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		Lions Star <u>03.1991 -</u> 464, FRH 352,RH 353, FRH 402,RH 403, FRH 422 Lions Coach <u>09.1995 -</u> 403, 463, FRH 352,RH 353, FRH 402,RH 403 Lions Comfort <u>09.1996 -</u> 313, 353 EL <u>01.1993 - 01.2001</u> 262 NG <u>08.1992 -</u> 262, 312 NL <u>09.1988 -</u> 262, 312 NÜ <u>03.1996 -</u> 263, 353 SG <u>09.1972 -</u> 312 SÜ <u>04.1993 - 05.1995</u> 272, 322 ÜL <u>09.1989 -</u> 272, 312, 313, 353 F 2000 <u>01.1994 -</u> 19.273, 19.293, 19.314, 19.323, 19.343, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 23.293, 23.343, 23.403, 23.463, 24.273, 24.293, 24.323, 24.343, 24.373, 24.403, 24.423, 24.463, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 27.273, 27.293, 27.323, 27.343, 27.373, 27.403, 27.423, 27.463, 32.293, 32.343, 32.403, 32.463, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 35.343, 35.403, 35.463, 41.343, 41.403, 41.463 D 2865 BM LF/260, LF02, LF03, LF05, LF06, LF09, LF20, LF21, LF22, LF23, LF24, LOH 01, LOH 02, LU01/Silent, LUH02, LUH05, LUH07, LUH08, LUH09

To be continued on the following page

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		D 2866 BM F/240, KF, KFZ, KOH/373, KUH/360, KUL, LF/290, LF/330, LF03, LF04, LF05, LF06, LF09, LF10, LF15, LF16, LF20, LF21, LF22, LF31, LF34, LF35, LFZ/290, LFZ/330, LOH, LOH 03, LOH 06, LOH 07, LOH 20, LOH 22, LOH 23, LOH 24, LOH 25, LOH 26, LU/330, LUH 22, LUH/330, LUH20, LUH21, LUH26, LUL/330, LXF, LXF/Silent, LXOH, T, TOH, TOH/290, TOH/310, TUH, TUH 01, TUH/290, UH, UH/240, UM D 2876 BM LF02, LF06
	Incl. gasket	12-33 500 0001 Water pump Wasserpumpe Bomba de agua Pompe à eau Водяная помпа	51.06500.6546 51.06500.9546 F 90 <u>06.1986 - 12.1997</u> 19.372, 19.402, 19.422, 24.302, 24.372, 24.402, 24.422, 25.302, 25.372, 25.422, 26.302, 26.372, 26.402, 26.422, 32.302, 32.372, 32.402, 32.422, 33.372, 33.402, 33.422, 35.302, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 41.372, 41.402, 41.422, 19.372, 19.422, 24.372, 24.422, 25.372, 25.422, 26.372, 26.422 F 2000 <u>01.1994 -</u> 19.273, 19.293, 19.314, 19.323, 19.343, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 23.293, 23.343, 23.403, 23.463, 24.273, 24.293, 24.323, 24.343, 24.373, 24.403, 24.423, 24.463, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 27.273, 27.293, 27.323, 27.343, 27.373, 27.403, 27.423, 27.463, 32.293, 32.343, 32.403, 32.463, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 35.343, 35.403, 35.463, 41.343, 41.403, 41.463
	Incl. gasket	12-33 500 6547 Water pump Wasserpumpe Bomba de agua Pompe à eau Водяная помпа	51.06500.6547 To be continued on the following page

Spare parts to fit MAN

	Remarks	Meyle-No./Description	Reference-No.	Application
		See previous page for more details		F 90 <u>06.1986 - 12.1997</u> 19.372, 19.402, 19.422, 24.302, 24.372, 24.402, 24.422, 25.302, 25.372, 25.422, 26.302, 26.372, 26.402, 26.422, 32.302, 32.372, 32.402, 32.422, 33.372, 33.402, 33.422, 35.302, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 41.372, 41.402, 41.422, 19.372, 19.422, 24.372, 24.422, 25.372, 25.422, 26.372, 26.422 F 2000 <u>01.1994 -</u> 19.273, 19.293, 19.314, 19.323, 19.343, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 23.293, 23.343, 23.403, 23.463, 24.273, 24.293, 24.323, 24.343, 24.373, 24.403, 24.423, 24.463, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 27.273, 27.293, 27.323, 27.343, 27.373, 27.403, 27.423, 27.463, 32.293, 32.343, 32.403, 32.463, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 35.343, 35.403, 35.463, 41.343, 41.403, 41.463
	Operating pressure 10 bar Pneumatic To fit 0 481 062 004 0 481 062 104 934 702 210 0 934 702 221 0	034 043 0017 Multi-circuit Protection Valve Mehrkreissschutzventil Válvula de seguridad de varios circuitos Valve de sécurité pour plusieurs circuits Клапан многоцикловой защиты	81.52151.6020 81.52151.6037	M 90 <u>08.1988 - 12.1998</u> 12.152, 12.192, 14.192, 17.192, 17.232, 18.192, 18.222, 18.232, 18.262, 18.272
	Thread size M22x1,5 8 bar Pneumatic	034 042 0013 Relay Valve Relaisventil Válvula de adaptación Valve- relais Клапан соотношения давлений	81.52150.6003 81.52150.6005 81.52150.6006 81.52150.6012 81.52150.6013	F 90 <u>06.1986 - 12.1997</u> 26.242, 26.262, 26.272, 26.292, 26.322, 26.332, 33.262, 33.272, 33.322, 33.332, 33.362, 33.422, 40.372, 40.402, 40.422 Lions Star <u>03.1991 -</u> FRH 352,RH 353, FRH 402,RH 403, FRH 422 Lions Coach <u>09.1995 -</u> FRH 352,RH 353, FRH 402,RH 403 EL <u>01.1993 - 01.2001</u> 202

To be continued on the following page

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		NG 08.1992 - 262, 312 NL 09.1988 - 202, 262, 312
 <p>Thread size M16x1,5 M22x1,5</p> <p>10 bar</p> <p>Pneumatic</p> <p>To fit 0 481 026 002 0 481 026 005 0 481 026 021 973 001 020 0 973 011 000 0</p>	034 042 0007 Relay Valve Relaisventil Válvula de adaptación Valve- relais Клапан соотношения давлений	81.52116.6010 81.52116.6037	F 90 06.1986 - 12.1997 19.272, 19.322, 19.342, 19.372, 19.402, 19.422, 24.272, 24.322, 24.342, 24.372, 24.402, 24.422, 25.272, 25.322, 25.372, 25.422, 26.272, 26.322, 26.342, 26.372, 26.402, 26.422, 32.272, 32.322, 32.342, 32.372, 32.402, 32.422, 33.272, 33.322, 33.342, 33.372, 33.402, 33.422, 35.272, 35.322, 35.342, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 41.272, 41.322, 41.342, 41.372, 41.402, 41.422, 19.322, 19.372, 19.422, 24.322, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422 M 90 08.1988 - 12.1998 12.272, 14.272, 17.272, 18.272, 24.272
	Compressor 034 013 0017 Crankshaft Kurbelwelle Cigüeñal Vilebrequin Коленвал	51.54113.0017	TG-A 03.2000 - 18.310, 18.360, 18.410, 24.360, 24.410, 26.310, 26.360, 26.410, 32.310, 32.360, 32.410, 33.360, 33.410, 41.360

To be continued on the following page

Spare parts to fit MAN




Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 33.502, 35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 40.462, 40.502, 41.262, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422, 48.292, 48.332, 48.362, 48.462, 19.322, 19.332, 19.362, 19.372, 19.422, 24.322, 24.332, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422 M 90 <u>08.1988 - 12.1998</u> 12.272, 14.272, 17.272, 18.272, 24.272 Lions Star <u>03.1991 -</u> FRH 352,RH 353, FRH 402,RH 403, FRH 422 Lions Coach <u>09.1995 -</u> 403, FRH 352,RH 353, FRH 402,RH 403, RHC 414 Lions Comfort <u>09.1996 -</u> 313, 353 EL <u>01.1993 - 01.2001</u> 262 NG <u>08.1992 -</u> 262, 312 NL <u>09.1988 -</u> 262, 312, 313 NÜ <u>03.1996 -</u> 263, 313, 353

To be continued on the following page


Spare parts to fit MAN



Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		R <u>05.1985 - 01.1993</u> FRH 362, R 292, FR 292, FRH 292 SD <u>04.1974 - 04.1994</u> 200, 202 SG <u>09.1972 -</u> 220, 240, 242, 312 SL <u>06.1972 - 04.1987</u> 200 SL II <u>04.1984 - 05.1996</u> 202 SR <u>02.1975 - 08.1994</u> 240, 280, 321 SÜ <u>04.1993 - 05.1995</u> 240, 242, 272, 292, 322 ÜL <u>09.1989 -</u> 242, 272, 292, 312, 313, 353 F 2000 <u>01.1994 -</u> 19.233, 19.273, 19.293, 19.314, 19.323, 19.343, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 19.603, 23.293, 23.343, 23.403, 23.463, 24.273, 24.293, 24.323, 24.343, 24.373, 24.403, 24.423, 24.463, 26.233, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 26.603, 27.273, 27.293, 27.323, 27.343, 27.373, 27.403, 27.423, 27.463, 27.603, 32.293, 32.343, 32.403, 32.463, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 33.603, 35.343, 35.403, 35.463, 41.343, 41.403, 41.463
	Pneumatic	034 026 0027 Valve, compressor system Ventil, Druckluftanlage Válvula, sistema de aire comprimido Valve, système d'air comprimé Клапан, система	81.52170.6064 81.52170.6128

To be continued on the following page

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 33.502, 35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 35.372, 35.402, 35.422, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422 M 90 <u>08.1988 - 12.1998</u> 12.152, 12.192, 12.222, 12.232, 12.262, 12.272, 14.152, 14.162, 14.192, 14.222, 14.232, 14.262, 14.272, 17.192, 17.222, 17.232, 17.272, 18.192, 18.222, 18.232, 18.262, 18.272, 24.192, 24.222, 24.232, 24.262, 24.272 F 2000 <u>01.1994 -</u> 19.273, 19.293, 19.323, 19.343, 19.373, 19.403, 19.423, 19.463, 24.373, 24.403, 24.423, 24.463, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463 M 2000 L <u>09.1999 -</u> 14.224, 14.264 M 2000 M <u>08.1995 - 12.2005</u> 14.224, 14.264, 18.224, 18.264
	Front axle Cone size 20,0 mm Length 104,0 mm Thread size M16x1,5 M24x1,5 Right hand thread	036 020 0016 Tie rod end Spurstangenkopf Cabezal barra de dirección Rotule barre d'accouplement Наконечник рулевой тяги	81.95301.0077 81.95301.6134 81.95301.6142 81.95301.6303 81.95301.6321 G 90 <u>09.1987 - 05.1995</u> 6.100, 8.100 G <u>10.1979 - 08.1988</u> 6.90 FK, 8.90 F, 8.90 FK

Spare parts to fit MAN


	Remarks	Meyle-No./Description	Reference-No.	Application
		See previous page for more details		L 2000 <u>10.1993 -</u> 8.103, 8.113, 8.153, 8.163, 8.223, 8.224, 9.153, 9.163, 9.223, 9.224
	Front axle Cone size 20,0 mm Length 104,0 mm Thread size M16x1,5 M24x1,5 Left hand thread	036 020 0015 Tie rod end Spurstangenkopf Cabezal barra de dirección Rotule barre d'accouplement Наконечник рулевой тяги	81.85301.0076 81.95301.0076 81.95301.0078 81.95301.6141	G 90 <u>09.1987 - 05.1995</u> 6.100, 8.100 G <u>10.1979 - 08.1988</u> 6.90 FK, 8.90 F, 8.90 FK L 2000 <u>10.1993 -</u> 8.103, 8.113, 8.153, 8.163, 8.223, 8.224, 9.153, 9.163, 9.223, 9.224
	Front axle Length 106,0 mm Thread size M18x1,5 M28x1,5 Right hand thread	036 020 0003 Tie rod end Spurstangenkopf Cabezal barra de dirección Rotule barre d'accouplement Наконечник рулевой тяги	81.95301.6060 81.95301.6135 81.95301.6140 81.95301.6249	G 90 <u>09.1987 - 05.1995</u> 10.150, 6.100, 8.100, 8.150, 8.170, 9.150, 9.170 G <u>10.1979 - 08.1988</u> 10.136, 6.90 FK, 8.136, 8.90 F, 8.90 FK, 9.136 M 2000 L <u>09.1999 -</u> 12.163, 12.224 L 2000 <u>10.1993 -</u> 10.150, 10.153, 10.163, 10.220, 10.223, 10.224, 8.103, 8.113, 8.150, 8.153, 8.163, 8.220, 8.223, 8.224, 9.153, 9.163, 9.223, 9.224
	Front axle Cone size 22,0 mm Length 106,0 mm Thread size M18x1,5 M28x1,5 Left hand thread	036 020 0008 Tie rod end Spurstangenkopf Cabezal barra de dirección Rotule barre d'accouplement Наконечник рулевой тяги	81.95301.0079 81.95301.6139 81.95301.6222	G <u>10.1979 - 08.1988</u> 10.136, 8.136, 9.136

Spare parts to fit MAN

	Remarks	Meyle-No./Description	Reference-No.	Application
	Front axle	036 020 0001	81.95301.0014 81.95301.0064 81.95301.6067 81.95301.6162 81.95301.6239 81.95301.6272 90.80415.3111	F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 32.262, 32.272, 32.292, 32.302, 19.322, 19.332 M 90 <u>08.1988 - 12.1998</u> 12.192, 12.222, 14.162, 14.192, 14.222, 18.222, 18.272, 24.192, 24.232 F 2000 <u>01.1994 -</u> 19.273, 19.293, 19.314, 19.323, 19.343, 32.293 M 2000 L <u>09.1999 -</u> 14.163
	Cone size 26,0 mm Length 114,0 mm Thread size M20x1,5 M30x1,5 Right hand thread For complete tie rod(s) refer to: 036 030 0039	Tie rod end Spurstangenkopf Cabezal barra de dirección Rotule barre d'accouplement Наконечник рулевой тяги		
	Front axle	036 020 0030		F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 33.502, 35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 40.462, 40.502, 41.262, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422, 24.322, 24.332, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422 M 90 <u>08.1988 - 12.1998</u> 17.192, 17.222, 17.232, 17.272, 18.192, 18.222, 18.232, 18.262, 18.272, 24.192, 24.222, 24.232, 24.262, 24.272 Lions Star <u>03.1991 -</u> FRH 352,RH 353, FRH 402,RH 403, FRH 422 EL <u>01.1993 - 01.2001</u> 202, 262
	Cone size 32,0 mm Length 120,0 mm Thread size M24x1,5 M30x1,5 Right hand thread For complete tie rod(s) refer to: 036 030 0002 036 040 0068	Tie rod end Spurstangenkopf Cabezal barra de dirección Rotule barre d'accouplement Наконечник рулевой тяги		

To be continued on the following page

Spare parts to fit MAN



Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		EM <u>08.1987 -</u> 222 NG <u>08.1992 -</u> 262, 312 NL <u>09.1988 -</u> 202, 262, 312 NM <u>08.1987 -</u> 152, 222 SG <u>09.1972 -</u> 220, 240, 242, 312 SL <u>06.1972 - 04.1987</u> 200 SL II <u>04.1984 - 05.1996</u> 202 SR <u>02.1975 - 08.1994</u> 240, 280 SÜ <u>04.1993 - 05.1995</u> 240 F 2000 <u>01.1994 -</u> 19.273, 19.293, 19.323, 19.343, 19.373, 19.403, 19.423, 19.463, 19.603, 24.373, 24.403, 24.423, 24.463, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463 M 2000 M <u>08.1995 - 12.2005</u> 18.224
	Front axle Cone size 26,0 mm Length 114,0 mm Thread size M20x1,5 M30x1,5 Left hand thread	036 020 0002 Tie rod end Spurstangenkopf Cabezal barra de dirección Rotule barre d'accouplement Наконечник рулевой тяги	F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 32.262, 32.272, 32.292, 32.302, 19.322, 19.332
	To be continued on the following page		

Spare parts to fit MAN



Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		M 90 <u>08.1988 - 12.1998</u> 12.192, 12.222, 14.162, 14.192, 14.222, 18.222, 18.272, 24.192, 24.232 F 2000 <u>01.1994 -</u> 19.273, 19.293, 19.314, 19.323, 19.343, 32.293 M 2000 L <u>09.1999 -</u> 14.163
Front axle	036 020 0004	81.95301.0084	TG-A
Cone size 30,0 mm	Tie rod end	81.95301.6048	<u>03.2000 -</u>
Length 120,0 mm	Spurstangenkopf	81.95301.6049	26.310, 26.360, 26.410, 26.460,
Thread size	Cabezal barra de	81.95301.6053	26.480, 26.510, 26.530, 32.310,
M24x1,5	dirección	81.95301.6090	32.350, 32.360, 32.390, 32.410,
M30x1,5	Rotule barre	81.95301.6112	32.430, 32.460, 32.480, 33.360,
Right hand thread	d'accouplement	81.95301.6126	33.410, 33.460, 33.480, 33.510,
	Наконечник рулевой	81.95301.6143	33.530, 35.310, 35.350, 35.360,
	тяги	81.95301.6149	35.390, 35.410, 35.430, 35.460,
		81.95301.6154	35.480, 35.530, 41.350, 41.360,
		81.95301.6156	41.390, 41.410, 41.430, 41.460,
		81.95301.6194	41.480, 41.530
For complete tie		81.95301.6224	
rod(s) refer to:		81.95301.6234	F 90
036 030 0002		81.95301.6242	<u>06.1986 - 12.1997</u>
		81.95301.6274	19.242, 19.262, 19.272, 19.292,
		81.95301.6278	19.322, 19.332, 19.342, 32.262,
		81.95301.6308	32.272, 32.292, 32.302, 19.322,
		81.95301.6312	19.332, 19.372, 19.422, 24.322,
		81.95301.6350	24.332, 24.362, 24.372, 24.422,
			25.322, 25.372, 25.422, 26.322,
			26.372, 26.422
			M 90
			<u>08.1988 - 12.1998</u>
			12.192, 12.222, 14.162, 14.192,
			14.222, 18.222, 18.272, 24.192,
			24.232
			F 2000
			<u>01.1994 -</u>
			19.273, 19.293, 19.314, 19.323,
			19.343, 19.364, 19.373, 19.403,
			19.414, 19.423, 19.463, 19.464,
			19.603, 23.293, 23.343, 23.403,
			23.463, 24.273, 24.293, 24.323,
			24.343, 26.233, 26.273, 26.293,
			26.323, 26.343, 26.373, 26.403,
			26.423, 26.463, 26.603, 27.273,
			27.293, 27.323, 27.343, 27.603,
			32.293, 32.343, 33.323, 33.343,
			33.373, 33.403, 33.423, 33.463,
			33.603, 35.343, 41.343, 41.403,
			41.463

To be continued on the following page

Spare parts to fit MAN

	Remarks	Meyle-No./Description	Reference-No.	Application
		See previous page for more details		M 2000 L <u>09.1999 -</u> 14.163
	Front axle Cone size 30,0 mm Length 120,0 mm Thread size M24x1,5 M30x1,5 Left hand thread	036 020 0005 Tie rod end Spurstangenkopf Cabezal barra de dirección Rotule barre d'accouplement Наконечник рулевой тяги	81.95301.0015 81.95301.6030 81.95301.6043 81.95301.6068 81.95301.6091 81.95301.6120 81.95301.6125 81.95301.6152 81.95301.6155 81.95301.6167 81.95301.6179 81.95301.6237 81.95301.6275	TG-A <u>03.2000 -</u> 18.310, 18.350, 18.360, 18.390, 18.410, 18.430, 18.460, 18.480, 18.510, 18.530, 26.280, 26.310, 26.330, 26.350, 26.360, 26.390, 26.410, 26.430, 26.460, 26.480, 26.510, 26.530 F 90 <u>06.1986 - 12.1997</u> 19.292, 19.332, 19.362, 19.462, 24.292, 24.332, 24.362, 26.292, 26.332, 26.362, 32.292, 32.332, 32.362, 33.292, 33.332, 33.362, 19.332, 19.362, 24.332, 24.362 M 90 <u>08.1988 - 12.1998</u> 14.192
	Front axle Guide rod Cone size 30,0 mm Length 1652,0 mm Thread size M24x1,5 M30x1,5 Ø 50,0 mm	12-36 030 0002 Tie rod assembly Spurstange Barra de dirección Barre d'accoupl. Рулевая тяга в сборе	81.46710.6112 81.46710.6163 81.46710.6165 81.46710.6198 81.46710.6354 81.46711.6725 81.46711.6820 81.46711.6849	TG-A <u>03.2000 -</u> 18.310, 18.350, 18.360, 18.390, 18.410, 18.430, 18.460, 18.480, 18.510, 18.530, 19.360, 19.410, 19.460, 19.480, 26.310, 26.350, 26.360, 26.390, 26.410, 26.430, 26.460, 26.480, 26.510, 26.530, 32.310, 32.360, 32.410, 32.460, 32.480, 33.350, 33.360, 33.390, 33.410, 33.430, 33.460, 33.480, 33.510, 33.530, 35.310, 35.350, 35.360, 35.390, 35.410, 35.430, 35.460, 35.480, 35.530, 40.390, 40.410, 40.430, 40.460, 40.480, 41.350, 41.360, 41.390, 41.410, 41.430, 41.460, 41.480 F 90 <u>06.1986 - 12.1997</u> 26.292, 26.332, 26.362, 32.292, 32.332, 32.362, 33.292, 33.332, 33.362

Spare parts to fit MAN

	Remarks	Meyle-No./Description	Reference-No.	Application
	Front axle	12-36 040 0009	81.46610.6334	F 90
	Cone size 30,0 mm	Drag link	81.46610.6354	06.1986 - 12.1997
	Length 1040,0 mm	Lenkstange	81.46610.6355	19.242, 19.262, 19.272, 19.292,
	Thread size	Barra central	81.46610.6360	19.322, 19.332, 19.342, 19.362,
	M24x1,5	Barre de direction	81.46610.6361	19.372, 19.402, 19.422, 19.462,
	M30x1,5	Трапеция, рулевое управление	81.46610.6721	19.502, 24.242, 24.262, 24.272,
	Ø 48,0 mm		81.46610.6722	24.292, 24.302, 24.322, 24.332,
			81.46610.6723	24.342, 24.362, 24.372, 24.402,
			81.46610.6733	24.422, 24.462, 24.502, 25.272,
			81.46611.6216	25.302, 25.322, 25.372, 25.422,
				25.502, 26.242, 26.262, 26.272,
				26.292, 26.302, 26.322, 26.332,
				26.342, 26.362, 26.372, 26.402,
				26.422, 26.462, 26.502, 32.262,
				32.272, 32.292, 32.302, 32.322,
				32.332, 32.342, 32.362, 32.372,
				32.402, 32.422, 33.242, 33.262,
				33.272, 33.292, 33.322, 33.332,
				33.342, 33.362, 33.372, 33.402,
				33.422, 33.462, 33.502, 35.262,
				35.272, 35.292, 35.302, 35.322,
				35.332, 35.342, 35.362, 35.372,
				35.402, 35.422, 40.462, 40.502,
				41.262, 41.272, 41.292, 41.322,
				41.332, 41.342, 41.362, 41.372,
				41.402, 41.422, 19.322, 19.332,
				19.362, 19.372, 19.422, 24.322,
				24.332, 24.362, 24.372, 24.422,
				25.322, 25.372, 25.422, 26.322,
				26.372, 26.422
				F 2000
				01.1994 -
				19.233, 19.273, 19.293, 19.323,
				19.343, 19.373, 19.403, 19.423,
				19.463, 19.603, 23.293, 23.343,
				23.403, 23.463, 24.273, 24.293,
				24.323, 24.343, 24.373, 24.403,
				24.423, 24.463, 26.233, 26.273,
				26.293, 26.323, 26.343, 26.373,
				26.403, 26.423, 26.463, 26.603,
				27.273, 27.293, 27.323, 27.343,
				27.373, 27.403, 27.423, 27.463,
				27.603, 33.323, 33.343, 33.373,
				33.403, 33.423, 33.463, 33.603
	Front axle	12-36 040 0023	81.46610.6779	F 2000
	Driver side	Drag link	81.46610.6780	01.1994 -
	Cone size 30,0 mm	Lenkstange	81.46610.6782	19.273, 19.293, 19.323, 19.343,
	Length 1060,0 mm	Barra central		26.233, 26.273, 26.293, 26.323,
	Thread size	Barre de direction		26.343, 26.373, 26.403, 26.423,
	M 30x1,5	Трапеция, рулевое управление		26.463, 26.603, 27.273, 27.293,
	Ø 48,0 mm			27.323, 27.343, 27.603, 32.293,
				32.343, 33.323, 33.343, 33.373,
				33.403, 33.423, 33.463, 33.603,
				35.343, 41.343, 41.403, 41.463
	Operating pressure 130 bar	12-34 471 0001	81.47101.6031	
	Steel	Hydraulic pump, P/S		
	To fit	Hydraulikpumpe,		
	Antrieb	Lenkung		
	rechtsdrehend	Bomba hidráulica,		
		dirección		
		Pompe hydraulique,		
		direction		
		Насос,		
		Трапеция, рулевое управление		



To be continued on the following page



Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 33.502, 35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 40.462, 40.502, 41.262, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422, 48.292, 48.332, 48.362, 48.462, 19.322, 19.332, 19.362, 19.372, 19.422, 24.322, 24.332, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422 Lions Star <u>03.1991 -</u> 414, 464, FRH 352,RH 353, FRH 402,RH 403, FRH 422 Lions Coach <u>09.1995 -</u> 403, 413, 463, FRH 352,RH 353, FRH 402,RH 403, RHC 414 Lions Comfort <u>09.1996 -</u> 313, 353 F 2000 <u>01.1994 -</u> 19.233, 19.273, 19.293, 19.314, 19.323, 19.343, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 19.603, 23.293, 23.343, 23.403, 23.463, 24.273, 24.293, 24.323, 24.343, 24.373, 24.403, 24.423, 24.463, 26.233, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 26.603, 27.273, 27.293, 27.323, 27.343, 27.373, 27.403, 27.423, 27.463, 27.603, 32.293, 32.343, 32.403, 32.463, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 33.603, 35.343, 35.403, 35.463, 41.343, 41.403, 41.463

Spare parts to fit MAN

	Remarks	Meyle-No./Description	Reference-No.	Application
	Operating pressure 150 bar	12-34 631 0001	81.47101.6121	TG-A 03.2000 - 18.310, 18.350, 18.360, 18.390, 18.410, 18.430, 18.460, 18.480, 18.510, 18.530, 19.360, 19.410, 19.460, 19.480, 24.350, 24.360, 24.390, 24.410, 24.430, 24.460, 24.480, 24.510, 24.530, 24.540, 26.280, 26.310, 26.330, 26.350, 26.360, 26.390, 26.410, 26.430, 26.460, 26.480, 26.510, 26.530, 28.310, 28.360, 28.410, 28.460, 28.480, 28.510, 28.530, 32.310, 32.350, 32.360, 32.390, 32.410, 32.430, 32.460, 32.480, 33.350, 33.360, 33.390, 33.410, 33.430, 33.460, 33.480, 33.510, 33.530, 35.310, 35.350, 35.360, 35.390, 35.410, 35.430, 35.460, 35.480, 35.530, 37.310, 37.350, 37.390, 37.430, 37.480, 40.390, 40.410, 40.430, 40.460, 40.480, 41.350, 41.360, 41.390, 41.410, 41.430, 41.460, 41.480, 41.530, 41.660
	Hydraulic	Hydraulic pump, P/S Hydraulikpumpe, Lenkung Bomba hidráulica, dirección Pompe hydraulique, direction Насос, гидроусилитель руля		
	Operating pressure 150 bar	12-34 471 0003	81.47101.6122 81.47101.6137 81.47101.6162 81.47101.6181 81.47101.9162	TG-A 03.2000 - 18.310, 18.350, 18.360, 18.390, 18.410, 18.430, 18.460, 18.480, 18.510, 18.530, 19.360, 19.410, 19.460, 19.480, 24.350, 24.360, 24.390, 24.410, 24.430, 24.460, 24.480, 24.510, 24.530, 24.540, 26.280, 26.310, 26.330, 26.350, 26.360, 26.390, 26.410, 26.430, 26.460, 26.480, 26.510, 26.530, 28.310, 28.360, 28.410, 28.460, 28.480, 28.510, 28.530, 32.310, 32.350, 32.360, 32.390, 32.410, 32.430, 32.460, 32.480, 33.350, 33.360, 33.390, 33.410, 33.430, 33.460, 33.480, 33.510, 33.530, 35.310, 35.350, 35.360, 35.390, 35.410, 35.430, 35.460, 35.480, 35.530, 37.310, 37.350, 37.390, 37.430, 37.480, 40.390, 40.410, 40.430, 40.460, 40.480, 41.350, 41.360, 41.390, 41.410, 41.430, 41.460, 41.480, 41.530, 41.660
	Aluminium Hydraulic	Hydraulic pump, P/S Hydraulikpumpe, Lenkung Bomba hidráulica, dirección Pompe hydraulique, direction Насос, гидроусилитель руля		

To be continued on the following page



Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 33.502, 35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 40.462, 40.502, 41.262, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422, 48.292, 48.332, 48.362, 48.462, 19.322, 19.332, 19.362, 19.372, 19.422, 24.322, 24.332, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422 Lions Star <u>03.1991 -</u> 414, 464, FRH 352,RH 353, FRH 402,RH 403, FRH 422 Lions Coach <u>09.1995 -</u> 403, 413, 463, FRH 352,RH 353, FRH 402,RH 403, RHC 414 Lions Comfort <u>09.1996 -</u> 313, 353 F 2000 <u>01.1994 -</u> 19.233, 19.273, 19.293, 19.314, 19.323, 19.343, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 19.603, 23.293, 23.343, 23.403, 23.463, 24.273, 24.293, 24.323, 24.343, 24.373, 24.403, 24.423, 24.463, 26.233, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 26.603, 27.273, 27.293, 27.323, 27.343, 27.373, 27.403, 27.423, 27.463, 27.603, 32.293, 32.343, 32.403, 32.463, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 33.603, 35.343, 35.403, 35.463, 41.343, 41.403, 41.463

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
Operating pressure 130 bar	12-34 631 0002	81.47101.6102	F 90 <u>06.1986 - 12.1997</u>
Aluminium	Hydraulic pump, P/S	81.47101.6108	19.502, 24.502, 25.502, 26.502,
To fit	Hydraulikpumpe,	81.47101.6189	33.502, 40.502
Antrieb	Lenkung		Lions Star <u>03.1991 -</u>
rechtsdrehend	Bomba hidráulica, dirección		FRH 352,RH 353, FRH 402,RH 403, FRH 422
	Pompe hydraulique, direction		Lions Coach <u>09.1995 -</u>
	Насос, гидроусилитель руля		403, 463, FRH 352,RH 353, FRH 402,RH 403
			EL <u>01.1993 - 01.2001</u> 202, 262
			EM <u>08.1987 -</u> 222
			NG <u>08.1992 -</u> 262, 312
			NL <u>09.1988 -</u> 202, 262, 312, 313
			NM <u>08.1987 -</u> 222
			NÜ <u>03.1996 -</u> 263, 313
Front axle	12-35 521 0001	81.50803.0009	F 90 <u>06.1986 - 12.1997</u>
Ventilated	Brake disc	81.50803.0014	19.502, 24.502, 25.502, 26.502,
No. of holes 10	Bremsscheibe	81.50803.0015	33.502
Hole circle Ø 235,0 mm	Disco de freno		Lions Star <u>03.1991 -</u>
Outer Ø 435,0 mm	Disque de frein		FRH 352,RH 353, FRH 402,RH 403, FRH 422
Thickness 45,0 mm	Тормозной диск		Lions Coach <u>09.1995 -</u>
Min. Thickness 35,0 mm			FRH 352,RH 353, FRH 402,RH 403
Center Ø 200,0 mm			Lions Comfort <u>09.1996 -</u> 313

To be continued on the following page

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 2000 <u>01.1994 -</u> 19.233, 19.273, 19.293, 19.323, 19.343, 19.373, 19.403, 19.423, 19.463, 19.603, 23.293, 23.343, 23.403, 23.463, 26.233, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 26.603, 27.273, 27.293, 27.323, 27.343, 27.373, 27.403, 27.423, 27.463, 27.603, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 33.603 M 2000 L <u>09.1999 -</u> 12.163, 12.224, 14.225, 14.255, 14.264, 14.284, 14.285, 18.224, 18.255, 18.264, 18.284, 18.285 M 2000 M <u>08.1995 - 12.2005</u> 18.224, 18.264, 18.284, 25.224, 25.264
Front axle Ventilated No. of holes 10 Hole circle Ø 158,0 mm Outer Ø 324,0 mm Thickness 30,0 mm Min. Thickness 24,0 mm Center Ø 135,0 mm	12-35 521 0000 Brake disc Bremsscheibe Disco de freno Disque de frein Тормозной диск	81.50803.0010	L 2000 <u>10.1993 -</u> 10.150, 10.153, 10.163, 10.220, 10.223, 10.224, 8.103, 8.113, 8.150, 8.153, 8.163, 8.220, 8.223, 8.224, 9.153, 9.163, 9.223, 9.224
Rear axle Ventilated No. of holes 12 Hole circle Ø 157,0 mm Outer Ø 330,0 mm	12-35 523 0000 Brake disc Bremsscheibe Disco de freno Disque de frein Тормозной диск	81.50803.0022 81.50803.0061	L 2000 <u>10.1993 -</u> 10.145, 10.150, 10.153, 10.163, 10.185, 10.220, 10.223, 10.224, 10.225, 12.185, 12.225, 8.103, 8.113, 8.145, 8.150, 8.153, 8.163, 8.185, 8.220, 8.223, 8.224, 8.225, 9.145, 9.153, 9.163, 9.185, 9.223, 9.224, 9.225

To be continued on the following page

Spare parts to fit MAN



Remarks	Meyle-No./Description	Reference-No.	Application
Thickness 34,0 mm Min. Thickness 28,0 mm Center Ø 130,0 mm	See previous page for more details		
Front axle Ventilated No. of holes 10 Brake disc thickness 45,0 mm Thread size M14 Hole circle Ø 195,0 mm Min. thickness 38,0 mm	12-35 521 0005 Brake disc Bremsseibe Disco de freno Disque de frein Тормозной диск	81.50803.0027	TGM <u>10.2005 -</u> 12.240, 12.280, 15.240, 15.280 M 2000 L <u>09.1999 -</u> 14.163, 14.224, 14.225, 14.255, 14.264, 14.285, 15.163, 15.224, 15.225, 15.255, 15.264, 15.285 M 2000 M <u>08.1995 - 12.2005</u> 14.224, 14.264, 14.285
Front axle Ventilated No. of holes 12 Hole circle Ø 168,0 mm Outer Ø 432,0 mm Thickness 45,0 mm Min. Thickness 35,0 mm Center Ø 131,0 mm	12-35 521 0002 Brake disc Bremsseibe Disco de freno Disque de frein Тормозной диск	81.50803.0023 81.50803.0031 81.50803.0038 81.50803.0040	TG-A <u>03.2000 -</u> 18.310, 18.360, 18.410, 18.460, 18.480, 18.510, 18.530, 24.360, 24.410, 24.460, 24.480, 24.510, 24.530, 26.310, 26.360, 26.410, 26.460, 26.480, 26.510, 26.530, 32.310, 32.360, 32.410, 32.460, 32.480, 33.360, 33.410, 33.460, 33.480, 33.510, 33.530, 41.360, 41.660 Lions Star <u>03.1991 -</u> FRH 352,RH 353, FRH 402,RH 403 Lions Coach <u>09.1995 -</u> FRH 352,RH 353, FRH 402,RH 403 Lions Comfort <u>09.1996 -</u> 313, 353 F 2000 <u>01.1994 -</u> 19.233, 19.293, 19.314, 19.343, 19.364, 19.403, 19.414, 19.463, 19.464, 19.603, 23.293, 23.343, 23.403, 23.463, 26.233, 26.293, 26.343, 26.403, 26.463, 26.603, 27.293, 27.343, 27.403, 27.463, 27.603, 33.343, 33.403, 33.463, 33.603

To be continued on the following page

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		M 2000 L <u>09.1999 -</u> 15.163, 15.224, 15.225, 15.255, 15.264, 15.284, 15.285, 18.224, 18.255, 18.264, 18.284, 18.285 M 2000 M <u>08.1995 - 12.2005</u> 18.224, 18.264, 18.284, 25.224, 25.264
Front axle	12-35 521 0004	81.50803.0021 81.50803.0041	TG-A <u>03.2000 -</u> 18.310, 18.350, 18.360, 18.390, 18.410, 18.430, 18.460, 18.480, 18.510, 18.530, 24.360, 24.410, 24.460, 24.480, 24.510, 24.530, 26.280, 26.310, 26.330, 26.360, 26.410, 26.460, 26.480, 26.510, 26.530, 28.310, 28.360, 28.410, 28.460, 28.480, 28.510, 28.530, 32.310, 32.360, 32.410, 32.460, 32.480, 33.360, 33.410, 33.460, 33.480, 33.510, 33.530, 41.360, 41.530, 41.660 Lions Star <u>03.1991 -</u> 414, 464, FRH 352,RH 353, FRH 402,RH 403 Lions Coach <u>09.1995 -</u> 403, 413, 463, FRH 352,RH 353, FRH 402,RH 403, RHC 414 NG <u>08.1992 -</u> 262, 312 NL <u>09.1988 -</u> 202, 262, 313 NÜ <u>03.1996 -</u> 263, 313, 353 ÜL <u>09.1989 -</u> 313, 353 F 2000 <u>01.1994 -</u> 19.233, 19.293, 19.314, 19.343, 19.364, 19.403, 19.414, 19.463, 19.464, 19.603, 26.293, 26.343, 26.403, 26.463, 26.603, 27.293, 27.343, 27.403, 27.463, 27.603, 33.343, 33.403, 33.463, 33.603
Ventilated	Brake disc		
	Bremsscheibe		
No. of holes 10	Disco de freno		
	Disque de frein		
Hole circle Ø 235,0 mm	Тормозной диск		
Outer Ø 432,0 mm			
Thickness 45,0 mm			
Min. Thickness 37,0 mm			
Center Ø 208,0 mm			

Spare parts to fit MAN

	Remarks	Meyle-No./Description	Reference-No.	Application
	Rear axle	12-35 521 0003	81.50803.0028 81.50803.0048	Lions Star <u>03.1991 -</u> FRH 352,RH 353, FRH 402,RH 403, FRH 422 Lions Coach <u>09.1995 -</u> 403, 463, FRH 352,RH 353, FRH 402,RH 403 ÜL <u>09.1989 -</u> 313, 353
	ABS Ø 22,5 in	Brake disc Brems Scheibe Disco de freno Disque de frein Тормозной диск		
	Front axle	025 290 8730	29059 29061	TG-A <u>03.2000 -</u>
	Knorr	Brake pad set Bremsbelagsatz,	29087 29105	18.310, 18.350, 18.360, 18.390, 18.410, 18.430, 18.460, 18.480,
	Thickness 30,0 mm	Scheibenbremse	29106	18.510, 18.530, 24.360, 24.410,
	Brake sensor appl.	Pastillas de freno Jeu de plaquettes de frein	29108 29163	24.460, 24.480, 24.510, 24.530, 26.280, 26.330, 26.360, 26.410,
	W/o shim	Комплект дисковых тормозных колодок	29179	26.460, 26.480, 26.510, 26.530, 28.310, 28.360, 28.410, 28.460,
				28.480, 28.510, 28.530
	Front axle	025 290 8730/S	29059 29061	TG-A <u>03.2000 -</u>
	Knorr	Brake pad set Bremsbelagsatz,	29087 29105	18.310, 18.350, 18.360, 18.390, 18.410, 18.430, 18.460, 18.480,
	Thickness 30,0 mm	Scheibenbremse	29106	18.510, 18.530, 24.360, 24.410,
	Brake sensor appl.	Pastillas de freno Jeu de plaquettes de frein	29108 29163	24.460, 24.480, 24.510, 24.530, 26.280, 26.330, 26.360, 26.410,
	With shim	Комплект дисковых тормозных колодок	29179	26.460, 26.480, 26.510, 26.530, 28.310, 28.360, 28.410, 28.460,
				28.480, 28.510, 28.530
	Front axle, rear axle	025 290 8826	81.50820.5023 81.50820.5025	M 2000 L <u>09.1999 -</u> 12.163, 12.224
	Wabco PAN 17	Brake pad set Bremsbelagsatz,	81.50820.5029 81.50820.6006	
	Width 175,5 mm	Scheibenbremse	81.50820.6020	L 2000 <u>10.1993 -</u>
	Height 85,6 mm	Pastillas de freno Jeu de plaquettes de frein	81.50820.6042 29088	10.145, 10.150, 10.153, 10.163, 10.185, 10.220, 10.223, 10.224, 10.225, 12.185, 12.225, 8.103,
	Thickness 26,0 mm	Комплект дисковых тормозных колодок		8.113, 8.145, 8.150, 8.153, 8.163, 8.185, 8.220, 8.223, 8.224, 8.225, 9.145, 9.153, 9.163, 9.185, 9.223, 9.224, 9.225
	Brake sensor appl.			

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
Front axle, rear axle	025 290 9530	81.50820.5017 81.50820.6008 81.50820.6022	M 2000 L <u>09.1999 -</u> 14.224, 14.225, 14.255, 14.264, 14.284, 14.285
Knorr	Brake pad set Bremsbelagsatz, Scheibenbremse	29095	M 2000 M <u>08.1995 - 12.2005</u> 14.224, 14.264, 14.284, 14.285
Thickness 30,0 mm	Pastillas de freno Jeu de plaquettes de frein Комплект дисковых тормозных колодок		
Brake sensor appl.			
Front axle	025 291 1328	81.50820.5006 81.50820.5007 81.50820.5020 81.50820.5040 81.50820.5047 81.50820.5060 81.50820.5066 81.50820.5068 81.50820.5091 81.50820.6000 81.50820.6002 81.50820.6004 81.50820.6014 81.50820.6016 81.50820.6017 81.50820.6025 81.50820.6034 81.50820.6035 81.50820.6036 81.50820.6046 29113	TG-A <u>03.2000 -</u> 18.310, 18.360, 18.410, 18.460, 18.510, 24.360, 24.410, 24.460, 24.510, 24.530, 26.310, 26.360, 26.410, 26.460, 26.510, 26.530, 28.360, 33.410 F 90 <u>06.1986 - 12.1997</u> 19.502, 24.502 Lions Star <u>03.1991 -</u> 464, FRH 352,RH 353, FRH 402,RH 403, FRH 422 Lions Coach <u>09.1995 -</u> 403, 413, 463, FRH 352,RH 353, FRH 402,RH 403, RHC 414 Lions Comfort <u>09.1996 -</u> 313, 353 EL <u>01.1993 - 01.2001</u> 202, 262 NÜ <u>03.1996 -</u> 263, 313, 353 ÜL <u>09.1989 -</u> 313, 353 F 2000 <u>01.1994 -</u> 19.233, 19.273, 19.293, 19.314, 19.323, 19.343, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 19.603, 23.293, 23.343, 23.403, 23.463, 26.233, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 26.603, 27.273, 27.293, 27.323, 27.373, 27.403, 27.423, 27.463, 27.603, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 33.603 M 2000 L <u>09.1999 -</u> 15.224, 15.225, 15.255, 15.264, 15.284, 18.224, 18.255, 18.264, 18.285

To be continued on the following page

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		M 2000 M <u>08.1995 - 12.2005</u> 18.264, 18.284, 25.224, 25.264
Front axle	025 291 1328/S	81.50820.5006	TG-A <u>03.2000 -</u> 18.310, 18.360, 18.410, 18.460, 18.510, 24.360, 24.410, 24.460, 24.510, 24.530, 26.310, 26.360, 26.410, 26.460, 26.510, 26.530, 28.360, 33.410 F 90 <u>06.1986 - 12.1997</u> 19.502, 24.502 Lions Star <u>03.1991 -</u> 464, FRH 352,RH 353, FRH 402,RH 403, FRH 422 Lions Coach <u>09.1995 -</u> 403, 413, 463, FRH 352,RH 353, FRH 402,RH 403, RHC 414 Lions Comfort <u>09.1996 -</u> 313, 353 EL <u>01.1993 - 01.2001</u> 202, 262 NÜ <u>03.1996 -</u> 263, 313, 353 ÜL <u>09.1989 -</u> 313, 353 F 2000 <u>01.1994 -</u> 19.233, 19.273, 19.293, 19.314, 19.323, 19.343, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 19.603, 23.293, 23.343, 23.403, 23.463, 26.233, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 26.603, 27.273, 27.293, 27.323, 27.373, 27.403, 27.423, 27.463, 27.603, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 33.603 M 2000 L <u>09.1999 -</u> 15.224, 15.225, 15.255, 15.264, 15.284, 18.224, 18.255, 18.264, 18.285
Lucas Girling	Brake pad set	81.50820.5007	
Thickness 28,2 mm	Bremsbelagsatz,	81.50820.5020	
	Scheibenbremse	81.50820.5040	
	Pastillas de freno	81.50820.5047	
Brake sensor appl.	Jeu de plaquettes de	81.50820.5060	
	frein	81.50820.5066	
	Комплект дисковых	81.50820.5068	
	тормозных колодок	81.50820.5091	
		81.50820.6000	
		81.50820.6002	
		81.50820.6004	
		81.50820.6014	
		81.50820.6016	
		81.50820.6017	
		81.50820.6025	
		81.50820.6034	
		81.50820.6035	
		81.50820.6036	
		81.50820.6046	
		29113	



To be continued on the following page

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		M 2000 M <u>08.1995 - 12.2005</u> 18.264, 18.284, 25.224, 25.264
Front axle, rear axle	025 291 1428	81.50820.5007 81.50820.5041	TG-A <u>03.2000 -</u> 18.310, 18.360, 18.410, 18.460, 18.480, 18.510, 18.530, 24.360, 24.410, 24.460, 24.480, 24.510, 24.530, 26.280, 26.310, 26.360, 26.410, 26.460, 26.480, 26.510, 26.530, 32.310, 32.360, 32.410, 32.460, 32.480, 33.360, 33.410, 33.460, 33.480, 33.510, 33.530, 41.360, 41.660
Meritor D-Elsa	Brake pad set	81.50820.5048	
	Bremsbelagsatz,	81.50820.5061	
Width 249,6 mm	Scheibenbremse	81.50820.5069	
	Pastillas de freno	81.50820.5092	
Height 118,5 mm	Jeu de plaquettes de frein	81.50820.6001 81.50820.6003	
Thickness 30,2 mm	Комплект дисковых тормозных колодок	81.50820.6005 81.50820.6015	
Brake sensor appl.		81.50820.6017 81.50820.6026	
		29114	F 90 <u>06.1986 - 12.1997</u> 19.502, 24.502, 25.502, 26.502, 33.502
			Lions Star <u>03.1991 -</u> 464, FRH 352,RH 353, FRH 402,RH 403, FRH 422
			Lions Coach <u>09.1995 -</u> 403, 413, 463, FRH 352,RH 353, FRH 402,RH 403, RHC 414
			Lions Comfort <u>09.1996 -</u> 313, 353
			EL <u>01.1993 - 01.2001</u> 202, 262
			NÜ <u>03.1996 -</u> 263, 313, 353
			ÜL <u>09.1989 -</u> 313, 353
			F 2000 <u>01.1994 -</u> 19.233, 19.273, 19.293, 19.314, 19.323, 19.343, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 19.603, 23.293, 23.343, 23.403, 23.463, 26.233, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 26.603, 27.273, 27.293, 27.323, 27.343, 27.373, 27.403, 27.423, 27.463, 27.603, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 33.603

To be continued on the following page

Spare parts to fit MAN

	Remarks	Meyle-No./Description	Reference-No.	Application
		See previous page for more details		M 2000 L <u>09.1999 -</u> 15.163, 15.224, 15.225, 15.255, 15.264, 15.284, 15.285, 18.224, 18.255, 18.264, 18.284, 18.285 M 2000 M <u>08.1995 - 12.2005</u> 18.224, 18.264, 18.284, 25.224, 25.264
	Pneumatic	034 042 0019 Brake power regulator Bremskraftregler Regulador de la fuerza de frenado Régulateur de la force de freinage Регулятор тормозных сил	81.52161.6225 81.52161.9225 82.52161.6002	
	Rear axle Guide rod A-arm (CV) Length 627,0 mm Ø 58,0 mm	12-36 050 0001 Control arm Lenker, Radaufhängung Brazo de suspensión Bras de liaison Рычаг, подвеска	81.43270.6056 81.43270.6067 81.43270.6075 81.43270.6077 81.43270.6081	F 90 <u>06.1986 - 12.1997</u> 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.362, 24.372, 24.422, 25.272, 25.302, 25.322, 25.372, 25.422, 26.272, 26.322, 26.342, 26.372, 26.402, 26.422, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422 F 2000 <u>01.1994 -</u> 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 32.293, 32.343, 32.403, 32.463
	Rear axle Guide rod A-arm (CV) Length 621,0 mm Width 120,0 mm Ø 50,0 mm	12-36 050 0000 Control arm Lenker, Radaufhängung Brazo de suspensión Bras de liaison Рычаг, подвеска	81.43270.6030 81.43270.6034 81.43270.6054 81.43270.6057 81.43270.6078 81.43270.6082 81.43270.9054 81.43270.9078	F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.272, 26.302, 26.322, 26.342, 26.362, 26.372, 26.402, 26.422, 26.502, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.272, 33.322, 19.322, 19.372, 19.422, 24.322, 24.332, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422
To be continued on the following page				

Spare parts to fit MAN

	Remarks	Meyle-No./Description	Reference-No.	Application
		See previous page for more details		F 2000 <u>01.1994 -</u> 19.273, 19.293, 19.314, 19.323, 19.343, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 19.603, 23.293, 23.343, 23.403, 23.463, 24.273, 24.293, 24.323, 24.343, 24.373, 24.403, 24.423, 24.463, 26.233, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 26.603
	Left and right Hole spacing 1/ Hole spacing 2 130,0 Rubber/metal	12-36 010 0000 Repair kit, control arm Reparatursatz, Lenker Juego de reparación, brazo de suspensión Kit de réparation, bras de liaison Ремкомплект, рычаг	81.95302.0037 81.95302.0049 81.95302.0050 81.95302.0059	
	Rear axle Left and right Inner Ø 16,0 mm	12-34 271 0029 Bushing, stabilizer Lagerbuchse, Stabilisator Casquillo, estabilizador Douille, stabilisateur Втулка, стабилизатор	81.43271.0008 81.43271.0029	M 90 <u>08.1988 - 12.1998</u> 12.222, 14.162, 14.192, 14.222, 17.192, 17.232, 18.222, 18.272, 24.192, 24.232 M 2000 L <u>09.1999 -</u> 14.163
	Rear axle Left and right Stabilizer Length 80,0 mm Outer Ø 70,0 mm 94,0 mm Inner Ø 52,0 mm Rubber/metal Packing unit 10 pcs.	12-34 271 0081 Bushing, stabilizer Lagerbuchse, Stabilisator Casquillo, estabilizador Douille, stabilisateur Втулка, стабилизатор	81.43271.0081	F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 40.372, 40.402, 40.422, 41.262, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422, 19.322, 19.332, 19.362, 19.372, 19.422, 24.322, 24.332, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422 M 90 <u>08.1988 - 12.1998</u> 24.262, 24.272

To be continued on the following page

Spare parts to fit MAN

	Remarks	Meyle-No./Description	Reference-No.	Application
		See previous page for more details		F 2000 <u>01.1994 -</u> 19.273, 19.293, 19.314, 19.323, 19.343, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 24.273, 24.293, 24.323, 24.343, 24.373, 24.403, 24.423, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 26.603, 27.273, 27.293, 27.323, 27.343, 27.373, 27.403, 32.293, 32.343, 32.403, 33.323, 33.343, 33.373, 33.403, 33.423, 35.343, 41.343, 41.403
	Front axle Inner Outer Ø 75,0 mm	12-34 271 0033 Bushing, stabilizer Lagerbuchse, Stabilisator Casquillo, estabilizador Douille, stabilisateur Втулка, стабилизатор	81.43271.0033 81.43316.0021	SG <u>09.1972 -</u> 220, 240 SL <u>06.1972 - 04.1987</u> 200
	Rear axle Stabilizer Length 60,0 mm Inner Ø 60,0 mm	12-34 704 0032 Bushing, stabilizer Lagerbuchse, Stabilisator Casquillo, estabilizador Douille, stabilisateur Втулка, стабилизатор	81.43704.0032	F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 25.272, 25.302, 25.322, 25.372, 25.422, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 19.322, 19.332, 19.362, 19.372, 19.422, 24.322, 24.332, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422 M 90 <u>08.1988 - 12.1998</u> 24.262, 24.272
To be continued on the following page				

Spare parts to fit MAN




Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 2000 <u>01.1994 -</u> 19.273, 19.293, 19.314, 19.323, 19.343, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 23.293, 23.343, 23.403, 24.273, 24.293, 24.323, 24.343, 24.373, 24.403, 24.423, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463 M 2000 M <u>08.1995 - 12.2005</u> 25.264
 <p>Front axle, left and right</p> <p>Stabilizer</p> <p>Length 60,0 mm</p> <p>Outer Ø 69,0 mm</p> <p>Inner Ø 45,0 mm</p> <p>Packing unit 10 pcs.</p>	12-34 704 0057 Bushing, stabilizer Lagerbuchse, Stabilisator Casquillo, estabilizador Douille, stabilisateur Втулка, стабилизатор	81.43704.0057	F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 40.372, 40.402, 40.422, 41.262, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422, 19.322, 19.332, 19.362, 19.372, 19.422, 24.322, 24.332, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422 M 90 <u>08.1988 - 12.1998</u> 18.222, 24.262, 24.272

To be continued on the following page

Spare parts to fit MAN



	Remarks	Meyle-No./Description	Reference-No.	Application
		See previous page for more details		F 2000 <u>01.1994 -</u> 19.273, 19.293, 19.314, 19.323, 19.343, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 19.603, 23.293, 23.343, 23.403, 24.273, 24.293, 24.323, 24.343, 24.373, 24.403, 24.423, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 32.293, 32.343, 32.403, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 35.343, 41.343, 41.403
	Rear axle Stabilizer Inner Ø 22,0 mm Rubber/metal	12-34 722 0019 Bushing, stabilizer Lagerbuchse, Stabilisator Casquillo, estabilizador Douille, stabilisateur Втулка, стабилизатор	81.43722.0019 81.43722.6051	TG-A <u>03.2000 -</u> 26.310, 26.350, 26.360, 26.390, 26.410, 26.430, 26.460, 26.480, 26.510, 26.530, 33.360, 33.410, 33.460, 33.480, 33.510, 33.530, 41.530 F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.272, 26.302, 26.322, 26.342, 26.362, 26.372, 26.402, 26.422, 26.502, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.272, 33.322, 19.322, 19.332, 19.362, 19.372, 19.422, 24.322, 24.332, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422 F 2000 <u>01.1994 -</u> 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 32.293, 32.343
	Front axle Outer Ø 80,0 mm	12-34 204 0021 Bushing, stabilizer Lagerbuchse, Stabilisator Casquillo, estabilizador Douille, stabilisateur Втулка, стабилизатор	81.44204.0020 81.44204.0021	SL <u>06.1972 - 04.1987</u> 200 SR <u>02.1975 - 08.1994</u> 240

Spare parts to fit MAN


	Remarks	Meyle-No./Description	Reference-No.	Application
	Front	12-36 035 0001	81.43220.6010	
	Rear, left and right	81.43220.6013	81.43220.6013	
	Trailing arm	Rod/strut, suspension Stange/Strebe, Radaufhängung	81.43220.6020 81.43220.6035 81.43220.6040	
	Length 565,0 mm	Travesaños/barras, suspensión ruedas	81.43220.6041 81.43220.6052	
	Ø 50,0 mm	Bielle de barre stabilisatrice Рычаг, подвеска	81.43230.6018 81.43230.6028	
	Rear axle, front and rear	034 035 0029	81.43270.6040 81.43270.6045	R <u>05.1985 - 01.1993</u> FRH 362, R 292,FR 292,FRH 292
	Bore Ø 21,0 mm	Repair kit, support joint Reparatursatz, Führungsstrebe, Radaufhängung		SG <u>09.1972 -</u> 220, 240, 242, 312
	Hole spacing 1/ Hole spacing 2 152,0	Juego de reparación, travesano de guía, suspension de ruedas		SL <u>06.1972 - 04.1987</u> 200
	Axle rod	Kit de réparation, jambe de guidage, suspension de roue		SL II <u>04.1984 - 05.1996</u> 202
	Rubber/metal	Ремкомплект, стабилизатор		SÜ <u>04.1993 - 05.1995</u> 240, 242, 272, 292, 322
	Rear axle	12-34 220 6055	81.43220.6006 81.43220.6055	TG-A <u>03.2000 -</u> 18.310, 18.350, 18.360, 18.390, 18.410, 18.430, 18.460, 18.480, 18.510, 18.530, 24.350, 24.390, 24.430, 24.480, 26.310, 26.350, 26.360, 26.390, 26.410, 26.430, 26.460, 26.480, 26.510, 26.530, 28.310, 28.350, 28.390, 28.410, 28.430
	Hole spacing 1/ Hole spacing 2 130,0	Repair kit, support joint Reparatursatz, Führungsstrebe, Radaufhängung	81.43220.6073 81.43220.6107	Lions Star <u>03.1991 -</u> 414, 464, FRH 352,RH 353, FRH 402,RH 403, FRH 422
	Axle rod	Juego de reparación, travesano de guía, suspension de ruedas		Lions Coach <u>09.1995 -</u> 403, 463, FRH 352,RH 353, FRH 402,RH 403, RHC 414
	Rubber/metal	Kit de réparation, jambe de guidage, suspension de roue		EL <u>01.1993 - 01.2001</u> 202, 262
		Ремкомплект, стабилизатор		EM <u>08.1987 -</u> 222
				NG <u>08.1992 -</u> 262, 312

To be continued on the following page

Spare parts to fit MAN


Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		NL <u>09.1988 -</u> 202, 262, 312, 313 NM <u>08.1987 -</u> 222 NÜ <u>03.1996 -</u> 263, 313, 353 ÜL <u>09.1989 -</u> 313, 353
 <p>Length 129,5 mm</p> <p>Outer Ø 65,0 mm 72,0 mm</p> <p>Inner Ø 19,0 mm</p> <p>Thickness 30,0 mm</p> <p>Axle rod</p>	12-34 220 6108 Repair kit, support joint Reparatursatz, Führungsstrebe, Radaufhängung Juego de reparación, travesano de guía, suspension de ruedas Kit de réparation, jambe de guidage,	81.43220.6108	F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.362, 19.372, 19.422, 19.462, 19.502, 26.272, 26.302, 26.322, 26.372, 26.422, 19.322, 19.332, 19.362, 19.372, 19.422, 26.322, 26.372, 26.422
 <p>Length 130,0 mm</p> <p>Outer Ø 65,0 mm 85,0 mm</p> <p>Inner Ø 19,0 mm</p> <p>Thickness 30,0 mm</p> <p>Axle rod</p>	12-34 230 6043 suspension de roue Ремкомплект, стабилизатор Repair kit, support joint Reparatursatz, Führungsstrebe, Radaufhängung Juego de reparación, travesano de guía, suspension de ruedas Kit de réparation, jambe de guidage, suspension de roue Ремкомплект, стабилизатор	81.43230.6043	F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.272, 26.302, 26.322, 26.342, 26.362, 26.372, 26.402, 26.422, 26.502, 33.272, 33.322, 19.322, 19.332, 19.362, 19.372, 19.422, 24.322, 24.332, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422 M 90 <u>08.1988 - 12.1998</u> 12.152, 12.192, 12.222, 12.232, 12.262, 12.272, 14.152, 14.162, 14.192, 14.222, 14.232, 14.262, 14.272, 17.192, 17.232, 17.272, 18.192, 18.222, 18.232, 18.262, 18.272

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
Outer Ø 80,0 mm 90,0 mm Axle rod	12-34 301 6132 Repair kit, support joint Reparatursatz, Führungsstrebe, Radaufhängung Juego de reparación, travesano de guía, suspension de ruedas Kit de réparation, jambe de guidage, suspension de roue Ремкомплект, стабилизатор	81.95301.6132	F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 25.272, 25.302, 25.322, 25.372, 25.422, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 19.322, 19.332, 19.362, 19.372, 19.422, 24.322, 24.332, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422 M 90 <u>08.1988 - 12.1998</u> 12.192, 24.262, 24.272 F 2000 <u>01.1994 -</u> 19.273, 19.293, 19.314, 19.323, 19.343, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 23.293, 23.343, 23.403, 24.273, 24.293, 24.323, 24.343, 24.373, 24.403, 24.423, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 32.293, 32.343, 32.403, 33.323, 33.343, 33.373, 33.403 M 2000 M <u>08.1995 - 12.2005</u> 25.264
 Length 152,0 mm Outer Ø 80,0 mm 90,0 mm Inner Ø 23,0 mm Thickness 35,0 mm Axle rod	12-34 301 6133 Repair kit, support joint Reparatursatz, Führungsstrebe, Radaufhängung Juego de reparación, travesano de guía, suspension de ruedas Kit de réparation, jambe de guidage, suspension de roue Ремкомплект, стабилизатор	81.43270.6083 81.95301.6133	

To be continued on the following page

Spare parts to fit MAN


Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 25.272, 25.302, 25.322, 25.372, 25.422, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 19.322, 19.332, 19.362, 19.372, 19.422, 24.322, 24.332, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422 M 90 <u>08.1988 - 12.1998</u> 12.192, 14.192, 24.262, 24.272 F 2000 <u>01.1994 -</u> 19.273, 19.293, 19.314, 19.323, 19.343, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 19.603, 23.293, 23.343, 23.403, 24.273, 24.293, 24.323, 24.343, 24.373, 24.403, 24.423, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 32.293, 32.343, 32.403, 33.323, 33.343, 33.373, 33.403 M 2000 M <u>08.1995 - 12.2005</u> 25.264
 <p>Front axle, left and right</p> <p>Length 76,0 mm</p> <p>Height 40,0 mm</p> <p>Outer Ø 52,0 mm 20,0 mm</p> <p>Inner Ø 20,0 mm 22,0 mm</p> <p>For roller only refer to: 12-34 213 0006</p> <p>Kit</p>	12-34 213 0001 Repair kit, brake shoe sleeve Reparatursatz, Bremsbackenrolle Kit de reparación. rodillo zapata de freno Kit de réparation, poulie mâchoire de frein ремонтный комплект, ролик тормозных колодок	81.50213.0013 81.50213.6005 81.50213.6006	

To be continued on the following page

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		TG-A <u>03.2000 -</u> 18.310, 18.350, 18.360, 18.390, 18.410, 18.430, 18.460, 18.480, 18.510, 18.530, 19.360, 19.410, 19.460, 19.480, 24.350, 24.390, 24.430, 24.480, 26.310, 26.350, 26.360, 26.390, 26.410, 26.430, 26.460, 26.480, 26.510, 26.530, 28.310, 28.350, 28.360, 28.390, 28.410, 28.430, 28.480, 28.530, 32.310, 32.350, 32.360, 32.390, 32.410, 32.430, 32.460, 32.480, 33.350, 33.360, 33.390, 33.410, 33.430, 33.460, 33.480, 33.510, 33.530, 35.310, 35.350, 35.360, 35.390, 35.410, 35.430, 35.460, 35.480, 35.530, 37.310, 37.350, 37.390, 37.430, 37.480, 40.390, 40.410, 40.430, 40.460, 40.480, 41.350, 41.360, 41.390, 41.410, 41.430, 41.460, 41.480, 41.530, 41.660 F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 33.502, 35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 41.262, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422, 19.322, 19.332, 19.362, 19.372, 19.422, 24.322, 24.332, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422 M 90 <u>08.1988 - 12.1998</u> 17.192, 17.222, 17.232, 17.272, 18.192, 18.222, 18.232, 18.262, 18.272, 24.192, 24.222, 24.232, 24.262, 24.272 SG <u>09.1972 -</u> 220, 240, 242, 312
	To be continued on the following page		

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		SL <u>06.1972 - 04.1987</u> 200 SL II <u>04.1984 - 05.1996</u> 202 TGM <u>10.2005 -</u> 15.240, 18.240, 18.280, 18.330 SÜ <u>04.1993 - 05.1995</u> 240 F 2000 <u>01.1994 -</u> 19.233, 19.273, 19.293, 19.323, 19.343, 19.373, 19.403, 19.423, 19.463, 19.603, 23.293, 23.343, 23.403, 23.463, 24.273, 24.293, 24.323, 24.343, 24.373, 24.403, 24.423, 24.463, 26.233, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 26.603, 27.273, 27.293, 27.323, 27.343, 27.373, 27.403, 27.423, 27.463, 27.603, 32.293, 32.343, 32.403, 32.463, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 33.603, 35.343, 35.403, 35.463, 41.343, 41.403, 41.463 M 2000 L <u>09.1999 -</u> 18.224, 18.255, 18.264, 18.285 M 2000 M <u>08.1995 - 12.2005</u> 18.224, 18.264, 25.224, 25.264
	Pneumatic 034 026 0030 Multiway valve Mehrwegeventil Válvula de varias vías Valve à plusieurs voies Многопозиционный клапан	81.32734.6001	F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 26.272, 26.302, 26.322, 26.372, 26.402, 26.422, 26.502, 33.462, 33.502, 35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 35.372, 35.402, 35.422, 41.422 M 90 <u>08.1988 - 12.1998</u> 14.152, 14.162, 14.192, 14.222, 14.232, 14.262, 14.272
To be continued on the following page			

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 2000 <u>01.1994 -</u> 19.273, 19.293, 19.343, 19.373, 19.403, 19.414, 19.423, 19.463, 24.373, 24.403, 24.423, 24.463, 26.273, 26.293, 26.323, 26.343, 26.403, 26.423
Rear axle	12-14 753 0004	06.56289.0027	TG-A
Height 14,0 mm	Oil seal, wheel hub	06.56289.0064	<u>03.2000 -</u>
Outer Ø 175,0 mm	Wellendichtring, Radnabe	06.56289.0332	40.410, 40.460, 40.480, 41.660
Inner Ø 145,0 mm	Retén, cubo de rueda Joint, moyeu de roue Уплотняющее кольцо, ступица колеса	81.96501.0861 81.96506.0155	F 90 <u>06.1986 - 12.1997</u> 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.362, 24.372, 24.422, 25.272, 25.302, 25.322, 25.372, 25.422, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 35.372, 35.402, 35.422, 41.262, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422 M 90 <u>08.1988 - 12.1998</u> 17.192, 17.222, 17.232, 17.272, 18.192, 18.222, 18.232, 18.262, 18.272, 24.192, 24.222, 24.232, 24.262, 24.272 F 2000 <u>01.1994 -</u> 19.273, 19.293, 19.323, 19.343, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 27.273, 27.293, 27.323, 27.343, 27.603, 32.293, 32.343, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 33.603, 35.343, 41.343, 41.403, 41.463 M 2000 L <u>09.1999 -</u> 18.224, 18.255, 18.264, 18.284, 18.285 M 2000 M <u>08.1995 - 12.2005</u> 18.224, 18.264, 18.284, 25.224, 25.264



Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
Rear axle	12-34 753 0000	06.56279.0033	TG-A
		06.56289.0065	<u>03.2000 -</u>
Height 13,0 mm	Oil seal, wheel hub	06.56289.0331	18.310, 18.360, 18.410, 18.460,
	Wellendichtring,	06.56289.0333	18.480, 18.510, 18.530, 24.360,
Outer Ø 175,0 mm	Radnabe	06.56289.0334	24.410, 24.460, 24.480, 24.510,
	Retén, cubo de rueda	81.96503.0154	24.530, 26.310, 26.360, 26.410,
Inner Ø 145,0 mm	Joint, moyeu de roue		26.460, 26.480, 26.510, 26.530,
	Уплотняющее кольцо,		32.310, 32.360, 32.410, 32.460,
FPM / ACM (viton /	ступица колеса		32.480, 33.360, 33.410, 33.460,
acrylicester-rubber)			33.480, 33.510, 33.530, 35.310,
			35.360, 35.410, 35.460, 35.480,
			35.530, 41.360, 41.410, 41.460,
			41.480, 41.660
			F 90
			<u>06.1986 - 12.1997</u>
			19.242, 19.262, 19.272, 19.292,
			19.322, 19.332, 19.342, 19.362,
			19.372, 19.402, 19.422, 19.462,
			19.502, 24.242, 24.262, 24.272,
			24.292, 24.302, 24.322, 24.332,
			24.342, 24.362, 24.372, 24.402,
			24.422, 24.462, 24.502, 25.272,
			25.302, 25.322, 25.372, 25.422,
			25.502, 26.242, 26.262, 26.272,
			26.292, 26.302, 26.322, 26.332,
			26.342, 26.362, 26.372, 26.402,
			26.422, 26.462, 26.502, 32.262,
			32.272, 32.292, 32.302, 32.322,
			32.332, 32.342, 32.362, 32.372,
			32.402, 32.422, 33.242, 33.262,
			33.272, 33.292, 33.322, 33.332,
			33.342, 33.362, 33.372, 33.402,
			33.422, 33.462, 33.502, 35.262,
			35.272, 35.292, 35.302, 35.322,
			35.332, 35.342, 35.362, 35.372,
			35.402, 35.422, 40.372, 40.402,
			40.422, 40.462, 40.502, 41.262,
			41.272, 41.292, 41.322, 41.332,
			41.342, 41.362, 41.372, 41.402,
			41.422, 48.292, 48.332, 48.362,
			48.462, 19.322, 19.332, 19.362,
			19.372, 19.422, 24.322, 24.332,
			24.362, 24.372, 24.422, 25.322,
			25.372, 25.422, 26.322, 26.372,
			26.422
			M 90
			<u>08.1988 - 12.1998</u>
			12.152, 12.192, 12.222, 12.232,
			12.262, 12.272, 14.152, 14.162,
			14.192, 14.222, 14.232, 14.262,
			14.272, 17.192, 17.222, 17.232,
			17.272, 18.192, 18.222, 18.232,
			18.262, 18.272, 24.192, 24.222,
			24.232, 24.262, 24.272
			G 90
			<u>09.1987 - 05.1995</u>
			10.150, 6.100, 8.100, 8.150,
			8.170, 9.150, 9.170

To be continued on the following page

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 2000 <u>01.1994 -</u> 19.233, 19.273, 19.293, 19.314, 19.323, 19.343, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 19.603, 23.293, 23.343, 23.403, 23.463, 24.273, 24.293, 24.323, 24.343, 24.373, 24.403, 24.423, 24.463, 26.233, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 26.603, 27.273, 27.293, 27.323, 27.343, 27.373, 27.403, 27.423, 27.463, 27.603, 32.293, 32.343, 32.403, 32.463, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 33.603, 35.343, 35.403, 35.463, 41.343, 41.403, 41.463 M 2000 L <u>09.1999 -</u> 12.163, 12.224, 14.163, 14.224, 14.225, 14.255, 14.264, 14.284, 14.285, 15.163, 15.224, 15.225, 15.255, 15.264, 15.284, 15.285, 18.224, 18.255, 18.264, 18.284, 18.285 M 2000 M <u>08.1995 - 12.2005</u> 14.224, 14.264, 14.284, 14.285, 18.224, 18.264, 18.284, 25.224, 25.264 L 2000 <u>10.1993 -</u> 10.145, 10.150, 10.153, 10.163, 10.185, 10.220, 10.223, 10.224, 10.225, 12.185, 12.225, 8.103, 8.113, 8.145, 8.150, 8.153, 8.163, 8.185, 8.220, 8.223, 8.224, 8.225, 9.145, 9.153, 9.163, 9.185, 9.223, 9.224, 9.225
Rear axle Height 13,0 mm Outer Ø 105,0 mm Inner Ø 85,0 mm	12-14 753 0002 Oil seal, wheel hub Wellendichtring, Radnabe Retén, cubo de rueda Joint, moyeu de roue Уплотняющее кольцо, ступица колеса	06.56289.0047 06.56289.0048 06.56289.0357	TG-A <u>03.2000 -</u> 18.310, 18.360, 18.410, 18.460, 18.480, 18.510, 18.530, 26.310, 26.350, 26.360, 26.390, 26.410, 26.430, 26.460, 26.480, 26.510, 26.530, 32.310, 32.360, 32.410, 32.460, 32.480, 33.350, 33.360, 33.390, 33.410, 33.430, 33.460, 33.480, 33.510, 33.530, 35.310, 35.350, 35.360, 35.390, 35.410, 35.430, 35.460, 35.480, 35.530, 40.410, 40.460, 40.480, 41.350, 41.360, 41.390, 41.410, 41.430, 41.460, 41.480, 41.530
To be continued on the following page			

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 90 06.1986 - 12.1997 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 33.502, 35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 40.462, 40.502, 41.262, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422, 19.322, 19.332, 19.362, 19.372, 19.422, 24.322, 24.332, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422 F 2000 01.1994 - 19.273, 19.293, 19.314, 19.323, 19.343, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 19.603, 23.293, 23.343, 23.403, 23.463, 24.273, 24.293, 24.323, 24.343, 24.373, 24.403, 24.423, 24.463, 26.233, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 26.603, 27.273, 27.293, 27.323, 27.343, 27.603, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 33.603, 35.343, 35.403, 35.463, 41.343, 41.403, 41.463
Front axle	12-14 653 0000	06.56280.0605	
Height 12,0 mm	Oil seal, wheel hub	06.56289.0324	
Outer Ø 130,0 mm	Wellendichtring,	81.96502.6045	
Inner Ø 100,0 mm	Radnabe	81.96502.6081	
	Retén, cubo de rueda		
	Joint, moyeu de roue		
	Уплотняющее кольцо,		
	ступица колеса		
To be continued on the following page			

Spare parts to fit MAN



Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 33.502, 35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 35.372, 35.402, 35.422, 41.262, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422, 19.322, 19.372, 19.422, 24.322, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422 Lions Star <u>03.1991 -</u> FRH 352,RH 353, FRH 402,RH 403 Lions Coach <u>09.1995 -</u> FRH 352,RH 353, FRH 402,RH 403 NG <u>08.1992 -</u> 262, 312 NL <u>09.1988 -</u> 202, 262 SG <u>09.1972 -</u> 240, 242, 312 SL II <u>04.1984 - 05.1996</u> 202 ÜL <u>09.1989 -</u> 242, 292, 313, 353

To be continued on the following page

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 2000 <u>01.1994 -</u> 19.233, 19.273, 19.293, 19.323, 19.343, 19.373, 19.403, 19.423, 19.463, 19.603, 23.293, 23.343, 23.403, 23.463, 24.273, 24.293, 24.323, 24.343, 24.373, 24.403, 24.423, 24.463, 26.233, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 26.603, 27.273, 27.293, 27.323, 27.343, 27.373, 27.403, 27.423, 27.463, 27.603, 32.293, 32.343, 32.403, 32.463, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 33.603, 35.343, 35.403, 35.463, 41.343, 41.403, 41.463 M 2000 L <u>09.1999 -</u> 18.224, 18.255, 18.264, 18.285 M 2000 M <u>08.1995 - 12.2005</u> 18.224, 18.264, 25.224, 25.264
Height 13,0 mm 14,5 mm Outer Ø 120,7 mm Inner Ø 87,3 mm	12-14 753 0005 Oil seal, wheel hub Wellendichtring, Radnabe Retén, cubo de rueda Joint, moyeu de roue Уплотняющее кольцо, ступица колеса	81.96503.0161	G 90 <u>09.1987 - 05.1995</u> 10.150, 6.100, 8.100, 8.150, 8.170, 9.150, 9.170 L 2000 <u>10.1993 -</u> 10.145, 10.150, 10.153, 10.163, 10.185, 10.223, 10.224, 8.103, 8.113, 8.145, 8.150, 8.153, 8.163, 8.185, 9.145, 9.153, 9.163, 9.185, 9.225
Rear axle Inner Height 12,0 mm Outer Ø 172,0 mm Inner Ø 132,0 mm	12-14 753 0008 Oil seal, wheel hub Wellendichtring, Radnabe Retén, cubo de rueda Joint, moyeu de roue Уплотняющее кольцо, ступица колеса	81.96503.0333 81.96503.0399	

To be continued on the following page

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		TG-A <u>03.2000 -</u> 18.310, 18.350, 18.360, 18.390, 18.410, 18.430, 18.460, 18.480, 18.510, 18.530, 24.350, 24.360, 24.390, 24.410, 24.430, 24.460, 24.480, 24.510, 24.530, 24.540, 26.280, 26.310, 26.330, 26.350, 26.360, 26.390, 26.410, 26.430, 26.460, 26.480, 26.510, 26.530, 28.310, 28.350, 28.390, 28.410, 28.430, 32.310, 32.350, 32.360, 32.390, 32.410, 32.430, 32.460, 32.480, 33.350, 33.360, 33.390, 33.410, 33.430, 33.460, 33.480, 33.510, 33.530, 35.310, 35.350, 35.360, 35.390, 35.410, 35.430, 35.460, 35.480, 35.530, 37.480, 41.350, 41.360, 41.390, 41.430, 41.480 TGM <u>10.2005 -</u> 18.240, 18.280, 18.330, 26.280, 26.330 M 2000 L <u>09.1999 -</u> 14.224, 14.225, 14.264, 14.284 M 2000 M <u>08.1995 - 12.2005</u> 14.224, 14.284 L 2000 <u>10.1993 -</u> 10.153, 10.163, 10.185, 10.223, 10.224, 10.225
Rear axle, left Rear axle, right Height 11,0 mm 16,0 mm Outer Ø 175,0 mm 205,0 mm Inner Ø 135,0 mm ACM (acrylicester-rubber)	12-14 753 0006 Oil seal, wheel hub Wellendichtring, Radnabe Retén, cubo de rueda Joint, moyeu de roue Уплотняющее кольцо, ступица колеса	81.96503.0188 81.96503.0398	
To be continued on the following page			

Spare parts to fit MAN



Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.502, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 19.322, 19.332, 19.362, 19.372, 19.422, 24.322, 24.332, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422 M 90 <u>08.1988 - 12.1998</u> 12.152, 12.192, 12.222, 12.232, 12.262, 12.272, 14.152, 14.162, 14.192, 14.222, 14.232, 14.262, 14.272, 17.192, 17.232, 17.272, 18.192, 18.222, 18.232, 18.262, 18.272, 24.192, 24.222, 24.232, 24.262, 24.272 F 2000 <u>01.1994 -</u> 19.233, 19.273, 19.293, 19.314, 19.323, 19.343, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 19.603, 23.293, 23.343, 23.403, 23.463, 24.273, 24.293, 24.323, 24.343, 24.373, 24.403, 24.423, 24.463, 26.233, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 32.403, 32.463, 33.373, 33.403, 33.423, 33.463, 41.403, 41.463 M 2000 L <u>09.1999 -</u> 14.163, 14.224, 14.225, 14.255, 14.264, 14.284, 14.285, 15.163, 15.224, 15.225, 15.255, 15.264, 15.284, 15.285, 18.224, 18.255, 18.264, 18.284, 18.285 M 2000 M <u>08.1995 - 12.2005</u> 14.224, 14.264, 14.284, 14.285, 18.224, 18.264, 18.284, 25.224, 25.264 L 2000 <u>10.1993 -</u> 10.153, 10.163, 10.185, 10.223, 10.224, 10.225, 8.153, 8.163, 8.223, 8.224

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
Rear axle Outer	12-14 753 0009	81.96503.0339 81.96503.0445	TG-A 03.2000 - 18.310, 18.350, 18.360, 18.390, 18.410, 18.430, 18.460, 18.480, 18.510, 18.530, 19.360, 19.410, 19.460, 19.480, 26.310, 26.350, 26.360, 26.390, 26.410, 26.430, 26.460, 26.480, 26.510, 26.530, 28.310, 28.350, 28.360, 28.390, 28.410, 28.430, 28.480, 28.530, 32.310, 32.350, 32.360, 32.390, 32.410, 32.430, 32.460, 32.480, 33.350, 33.360, 33.390, 33.410, 33.430, 33.460, 33.480, 33.510, 33.530, 35.310, 35.350, 35.360, 35.390, 35.410, 35.430, 35.460, 35.480, 35.530, 40.410, 40.460, 40.480, 41.350, 41.360, 41.390, 41.410, 41.430, 41.460, 41.480, 41.530 F 2000 01.1994 - 19.233, 19.314, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 23.403, 23.463, 26.373, 26.403, 26.423, 26.463, 27.373, 27.403, 27.423, 27.463, 33.373, 33.403, 33.423, 33.463, 41.403, 41.463
Height 11,0 mm Outer Ø 170,0 mm Inner Ø 139,0 mm	Oil seal, wheel hub Wellendichtring, Radnabe Retén, cubo de rueda Joint, moyeu de roue Уплотняющее кольцо, ступица колеса		
Front axle, rear axle Outer	034 753 0020	06.56289.0371	TG-A 03.2000 - 18.310, 18.350, 18.360, 18.390, 18.410, 18.430, 18.460, 18.480, 18.510, 18.530, 26.310, 26.350, 26.360, 26.390, 26.410, 26.430, 26.460, 26.480, 26.510, 26.530, 32.310, 32.360, 32.410, 32.460, 32.480, 33.350, 33.360, 33.390, 33.410, 33.430, 33.460, 33.480, 33.510, 33.530, 35.310, 35.350, 35.360, 35.390, 35.410, 35.430, 35.460, 35.480, 35.530, 37.310, 37.350, 37.390, 37.430, 37.480, 40.390, 40.410, 40.430, 40.460, 40.480, 41.350, 41.360, 41.390, 41.410, 41.430, 41.460, 41.480, 41.530, 41.660
No. of teeth 100 Height 14,0 mm 9,0 mm Outer Ø 175,0 mm 205,0 mm Inner Ø 145,0 mm	Oil seal, wheel hub Wellendichtring, Radnabe Retén, cubo de rueda Joint, moyeu de roue Уплотняющее кольцо, ступица колеса		

To be continued on the following page

Spare parts to fit MAN





Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 33.502, 35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 41.262, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422, 19.322, 19.332, 19.362, 19.372, 19.422, 24.322, 24.332, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422 M 90 <u>08.1988 - 12.1998</u> 17.192, 17.222, 17.232, 17.272, 18.192, 18.222, 18.232, 18.262, 18.272, 24.192, 24.222, 24.232, 24.262, 24.272 EL <u>01.1993 - 01.2001</u> 202, 262 NG <u>08.1992 -</u> 262, 312 NL <u>09.1988 -</u> 202, 262, 312 F 2000 <u>01.1994 -</u> 19.233, 19.273, 19.293, 19.323, 19.343, 19.373, 19.403, 19.423, 19.463, 19.603, 23.293, 23.343, 23.403, 23.463, 24.273, 24.293, 24.323, 24.343, 24.373, 24.403, 24.423, 24.463, 26.233, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 26.603, 27.273, 27.293, 27.323, 27.343, 27.373, 27.403, 27.423, 27.463, 27.603, 32.293, 32.343, 32.403, 32.463, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 33.603, 35.343, 35.403, 35.463, 41.343, 41.403, 41.463

To be continued on the following page

Spare parts to fit MAN



Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		M 2000 L <u>09.1999 -</u> 18.224, 18.255, 18.264, 18.285 M 2000 M <u>08.1995 - 12.2005</u> 18.224, 18.264, 25.224, 25.264
Rear axle Height 14,0 mm Outer Ø 175,0 mm Inner Ø 145,0 mm	034 753 0017 Oil seal, wheel hub Wellendichtring, Radnabe Retén, cubo de rueda Joint, moyeu de roue Уплотняющее кольцо, ступица колеса		TG-A <u>03.2000 -</u> 40.410, 40.460, 40.480, 41.660 F 90 <u>06.1986 - 12.1997</u> 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.362, 24.372, 24.422, 25.272, 25.302, 25.322, 25.372, 25.422, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 35.372, 35.402, 35.422, 41.262, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422 M 90 <u>08.1988 - 12.1998</u> 17.192, 17.222, 17.232, 17.272, 18.192, 18.222, 18.232, 18.262, 18.272, 24.192, 24.222, 24.232, 24.262, 24.272 F 2000 <u>01.1994 -</u> 19.273, 19.293, 19.323, 19.343, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 27.273, 27.293, 27.323, 27.343, 27.603, 32.293, 32.343, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 33.603, 35.343, 41.343, 41.403, 41.463 M 2000 L <u>09.1999 -</u> 18.224, 18.255, 18.264, 18.284, 18.285 M 2000 M <u>08.1995 - 12.2005</u> 18.224, 18.264, 18.284, 25.224, 25.264

Spare parts to fit MAN



	Remarks	Meyle-No./Description	Reference-No.	Application
	Rear axle	300 334 1103	51.93410.0079	F 90 <u>06.1986 - 12.1997</u> 19.272, 19.322, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.272, 24.302, 24.322, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.272, 26.302, 26.322, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 32.272, 32.302, 32.322, 32.372, 32.402, 32.422, 33.322, 33.362, 33.372, 33.402, 33.422, 33.462, 33.502, 35.272, 35.302, 35.322, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 40.462, 40.502, 41.272, 41.322, 41.372, 41.402, 41.422, 48.462, 19.322, 19.372, 19.422, 24.322, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422
	Height 45,0 mm Outer Ø 74,0 mm Inner Ø 37,0 mm For kit(s) see 300 334 1103/S	Wheel bearing Radlager Rodamiento rueda Roulement de roue Подшипник ступицы		M 90 <u>08.1988 - 12.1998</u> 12.272, 14.272, 17.272, 18.192, 24.272
	Front axle	12-34 205 6010	81.44205.6010	R <u>05.1985 - 01.1993</u> FRH 362, R 292, FR 292, FRH 292
	Incl. bearing Length 223,0 mm Outer Ø 49,5 mm 50,0 mm	Repair kit, kingpin Reparatursatz, Achsschenkelbolzen Juego de reparación, pivote del muñón del eje Kit d'assemblage, pivot de fusée d'essieu Ремкомплект, шкворень поворотного кулака		SG <u>09.1972 -</u> 220, 240, 242, 312
				SL <u>06.1972 - 04.1987</u> 200
				SL II <u>04.1984 - 05.1996</u> 202
				SR <u>02.1975 - 08.1994</u> 240

To be continued on the following page

Spare parts to fit MAN


	Remarks	Meyle-No./Description	Reference-No.	Application
		See previous page for more details		SÜ 04.1993 - 05.1995 240
	Front axle Incl. bearing Length 223,0 mm Outer Ø 49,5 mm 50,0 mm	12-34 205 6013 Repair kit, kingpin Reparatursatz, Achsschenkelbolzen Juego de reparación, pivote del muñón del eje Kit d'assemblage, pivot de fusée d'essieu Ремкомплект, шкворень поворотного кулака	81.44205.6013	F 90 06.1986 - 12.1997 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.242, 26.272, 26.292, 26.302, 26.322, 26.332, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 32.292, 32.332, 32.362, 32.422, 33.242, 33.272, 33.292, 33.322, 33.332, 33.362, 33.462, 35.362, 41.292, 19.322, 19.332, 19.362, 19.372, 19.422, 24.322, 24.332, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422 M 90 08.1988 - 12.1998 17.192, 17.232, 17.272, 18.192, 18.222, 18.232, 18.262, 18.272, 24.192, 24.232, 24.262, 24.272 F 2000 01.1994 - 19.273, 19.293, 19.323, 19.343, 19.373, 19.403, 19.423, 19.463, 19.603, 24.373, 24.403, 24.423, 24.463, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463 M 2000 L 09.1999 - 18.224, 18.255, 18.264, 18.285 M 2000 M 08.1995 - 12.2005 18.224, 18.264
	Front axle Incl. bearing Length 222,5 mm Outer Ø 50,0 mm 51,0 mm	12-34 205 0001 Repair kit, kingpin Reparatursatz, Achsschenkelbolzen Juego de reparación, pivote del muñón del eje Kit d'assemblage, pivot de fusée d'essieu Ремкомплект, шкворень поворотного кулака	81.44205.6023	Lions Coach 09.1995 - 403, 463 NG 08.1992 - 262, 312 NL 09.1988 - 202, 262, 313

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		NÜ 03.1996 - 263, 313, 353 F 2000 01.1994 - 19.233, 19.273, 19.293, 19.323, 19.343, 19.373, 19.403, 19.423, 19.463, 19.603, 23.293, 23.343, 23.403, 23.463, 24.273, 24.293, 24.323, 24.343, 24.373, 24.403, 24.423, 24.463, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 26.603, 27.273, 27.293, 27.323, 27.343, 27.373, 27.403, 27.423, 27.463, 27.603, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 33.603 M 2000 L 09.1999 - 18.224, 18.255, 18.264, 18.285 M 2000 M 08.1995 - 12.2005 18.224, 18.264, 25.224, 25.264
 <p>Incl. bearing Length 172,0 mm Outer Ø 35,0 mm 36,0 mm</p>	12-34 798 0001 Repair kit, kingpin Reparatursatz, Achsschenkelbolzen Juego de reparación, pivote del muñón del eje Kit d'assemblage, pivot de fusée d'essieu Ремкомплект, шкворень поворотного кулака	81.44205.6025	M 2000 L 09.1999 - 12.163, 12.224 L 2000 10.1993 - 10.145, 10.150, 10.153, 10.163, 10.185, 10.220, 10.223, 10.224, 10.225, 12.185, 12.225, 8.103, 8.113, 8.145, 8.150, 8.153, 8.163, 8.185, 8.220, 8.223, 8.224, 8.225, 9.145, 9.153, 9.163, 9.185, 9.223, 9.224, 9.225
 <p>Rear axle Outer Ø 145,0 mm Inner Ø 115,0 mm Thickness 32,0 mm</p>	034 035 0003 Ring, wheel hub Laufring, Radnabe Anillo de rodadura, cubo de rueda Chemin de roulement, moyeu de roue Вращающееся кольцо, ступица	81.35710.0044	


To be continued on the following page

Spare parts to fit MAN


Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.242, 26.272, 26.292, 26.302, 26.322, 26.332, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 33.502, 35.262, 35.272, 35.292, 35.302, 35.322, 35.342, 35.362, 35.372, 35.402, 35.422, 40.422, 41.332, 19.322, 19.332, 19.362, 19.372, 19.422, 24.322, 24.332, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422 M 90 <u>08.1988 - 12.1998</u> 24.262, 24.272 F 2000 <u>01.1994 -</u> 19.273, 19.293, 19.323, 19.343, 19.373, 19.403, 19.423, 19.463, 19.603, 24.373, 24.403, 24.423, 24.463, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463
	Rear axle Outer Ø 145,0 mm Inner Ø 115,0 mm Thickness 32,0 mm	034 035 0003 Ring, wheel hub Lauftring, Radnabe Anillo de rodadura, cubo de rueda Chemin de roulement, moyeu de roue Вращающееся кольцо, ступица колеса	81.35710.0044

To be continued on the following page

Spare parts to fit MAN


Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.242, 26.272, 26.292, 26.302, 26.322, 26.332, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 33.502, 35.262, 35.272, 35.292, 35.302, 35.322, 35.342, 35.362, 35.372, 35.402, 35.422, 40.422, 41.332, 19.322, 19.332, 19.362, 19.372, 19.422, 24.322, 24.332, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422 M 90 <u>08.1988 - 12.1998</u> 24.262, 24.272 F 2000 <u>01.1994 -</u> 19.273, 19.293, 19.323, 19.343, 19.373, 19.403, 19.423, 19.463, 19.603, 24.373, 24.403, 24.423, 24.463, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463
	Rear axle Outer Ø 145,0 mm Inner Ø 115,0 mm Thickness 32,0 mm	034 035 0003 Ring, wheel hub Lauftring, Radnabe Anillo de rodadura, cubo de rueda Chemin de roulement, moyeu de roue Вращающееся кольцо, ступица колеса	81.35710.0044
To be continued on the following page			

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.242, 26.272, 26.292, 26.302, 26.322, 26.332, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 33.502, 35.262, 35.272, 35.292, 35.302, 35.322, 35.342, 35.362, 35.372, 35.402, 35.422, 40.422, 41.332, 19.322, 19.332, 19.362, 19.372, 19.422, 24.322, 24.332, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422 M 90 <u>08.1988 - 12.1998</u> 24.262, 24.272 F 2000 <u>01.1994 -</u> 19.273, 19.293, 19.323, 19.343, 19.373, 19.403, 19.423, 19.463, 19.603, 24.373, 24.403, 24.423, 24.463, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463
	Rear axle Outer Ø 145,0 mm Inner Ø 115,0 mm Thickness 32,0 mm	034 035 0003 Ring, wheel hub Lauftring, Radnabe Anillo de rodadura, cubo de rueda Chemin de roulement, moyeu de roue Вращающееся кольцо, ступица колеса	81.35710.0044
To be continued on the following page			


Spare parts to fit MAN



Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.242, 26.272, 26.292, 26.302, 26.322, 26.332, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 33.502, 35.262, 35.272, 35.292, 35.302, 35.322, 35.342, 35.362, 35.372, 35.402, 35.422, 40.422, 41.332, 19.322, 19.332, 19.362, 19.372, 19.422, 24.322, 24.332, 24.362, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422 M 90 <u>08.1988 - 12.1998</u> 24.262, 24.272 F 2000 <u>01.1994 -</u> 19.273, 19.293, 19.323, 19.343, 19.373, 19.403, 19.423, 19.463, 19.603, 24.373, 24.403, 24.423, 24.463, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463
	28 V 034 015 0005 Voltage regulator Generatorregler Regulador Régulateur Регулятор генератора	81.25601.6024	F 90 <u>06.1986 - 12.1997</u> 19.292, 19.332, 19.362, 19.462, 24.292, 24.332, 24.362, 24.462, 26.292, 26.332, 26.362, 26.462, 32.292, 32.332, 32.362, 33.292, 33.332, 33.362, 33.462, 35.362, 40.462, 41.292, 41.332, 41.362, 48.292, 48.332, 48.362, 48.462, 19.332, 19.362, 24.332, 24.362 G 90 <u>09.1987 - 05.1995</u> 8.170, 9.170

Spare parts to fit MAN




Remarks	Meyle-No./Description	Reference-No.	Application
	12-34 255 0002	81.25509.0028	TG-A
		81.25509.0067	<u>03.2000 -</u>
	Column switch	81.25509.0093	18.310, 18.360, 18.410, 18.460,
	Lenkstockschalter	81.25509.0119	18.480, 18.510, 18.530, 26.310,
	Interruptor en la col. direc.	81.25509.0124	26.360, 26.410, 26.460, 26.480,
	Interrup.colon.dir		26.510, 26.530, 33.360, 33.410,
	Переключатель подрулевой		33.460, 33.480, 33.510, 33.530,
			35.310, 35.360, 35.410, 35.460,
			35.480, 35.530
			F 90
			<u>06.1986 - 12.1997</u>
			19.242, 19.262, 19.272, 19.292,
			19.322, 19.332, 19.342, 19.362,
			19.372, 19.402, 19.422, 19.462,
			19.502, 24.242, 24.262, 24.272,
			24.292, 24.302, 24.322, 24.332,
			24.342, 24.362, 24.372, 24.402,
			24.422, 24.462, 24.502, 25.272,
			25.302, 25.322, 25.372, 25.422,
			25.502, 26.242, 26.262, 26.272,
			26.292, 26.302, 26.322, 26.332,
			26.342, 26.362, 26.372, 26.402,
			26.422, 26.462, 26.502, 32.262,
			32.272, 32.292, 32.302, 32.322,
			32.332, 32.342, 32.362, 32.372,
			32.402, 32.422, 33.242, 33.262,
			33.272, 33.292, 33.322, 33.332,
			33.342, 33.362, 33.372, 33.402,
			33.422, 33.462, 33.502, 35.262,
			35.272, 35.292, 35.302, 35.322,
			35.332, 35.342, 35.362, 35.372,
			35.402, 35.422, 40.372, 40.402,
			40.422, 40.462, 40.502, 41.262,
			41.272, 41.292, 41.322, 41.332,
			41.342, 41.362, 41.372, 41.402,
			41.422, 19.322, 19.372, 19.422,
			24.322, 24.372, 24.422, 25.322,
			25.372, 25.422, 26.322, 26.372,
			26.422
			M 90
			<u>08.1988 - 12.1998</u>
			12.152, 12.192, 12.222, 12.232,
			12.262, 12.272, 14.152, 14.162,
			14.192, 14.222, 14.232, 14.262,
			14.272, 17.192, 17.222, 17.232,
			17.272, 18.192, 18.222, 18.232,
			18.262, 18.272, 24.192, 24.222,
			24.232, 24.262, 24.272
			Lions Coach
			<u>09.1995 -</u>
			FRH 352,RH 353, FRH 402,RH 403
			EL
			<u>01.1993 - 01.2001</u>
			202, 262
			NG
			<u>08.1992 -</u>
			262, 312
			NL
			<u>09.1988 -</u>
			202, 262, 313


To be continued on the following page

Spare parts to fit MAN




Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		<p>NÜ 03.1996 - 263, 313</p> <p>F 2000 01.1994 - 19.233, 19.273, 19.293, 19.314, 19.323, 19.343, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 19.603, 23.293, 23.343, 23.403, 23.463, 24.273, 24.293, 24.323, 24.343, 26.233, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 26.603, 27.273, 27.293, 27.323, 27.343, 27.603, 32.293, 32.343, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 33.603, 35.343, 41.403, 41.463</p> <p>M 2000 L 09.1999 - 12.163, 12.224, 14.163, 14.224, 14.225, 14.255, 14.264, 14.285, 15.163, 15.224, 15.225, 15.255, 15.264, 15.285, 18.224, 18.255, 18.264, 18.285</p> <p>M 2000 M 08.1995 - 12.2005 14.224, 14.264, 14.285, 18.224, 18.264, 25.224, 25.264</p> <p>L 2000 10.1993 - 10.145, 10.153, 10.163, 10.185, 10.220, 10.223, 10.224, 10.225, 12.185, 12.225, 8.103, 8.113, 8.145, 8.150, 8.153, 8.163, 8.185, 8.220, 8.223, 8.224, 8.225, 9.145, 9.153, 9.163, 9.185, 9.223, 9.224, 9.225</p>
 <p>3 -pole</p> <p>Shifting points 0,25+0,15 bar</p> <p>Thread size M18x1,5</p>	<p>12-14 820 0000</p> <p>Sender, oil pressure Sensor, Öldruck Sensor, presión de aceite Capteur, pression d'huile Датчик, давление масла</p>	<p>81.27421.0098 81.27421.0109</p>	<p>F 90 06.1986 - 12.1997 19.262, 19.272, 19.322, 19.372, 19.422, 19.462, 19.502, 24.262, 24.272, 24.302, 24.322, 24.372, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.262, 26.272, 26.302, 26.322, 26.372, 26.422, 26.462, 26.502, 32.262, 32.272, 32.302, 32.322, 32.372, 32.422, 33.262, 33.322, 33.372, 33.422, 33.462, 33.502, 35.262, 35.272, 35.302, 35.322, 35.372, 35.422, 40.372, 40.422, 40.462, 40.502, 41.262, 41.272, 41.322, 41.372, 41.422, 48.462, 19.322, 19.372, 19.422, 24.322, 24.372, 24.422, 25.322, 25.372, 25.422, 26.322, 26.372, 26.422</p>
To be continued on the following page			

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		M 90 <u>08.1988 - 12.1998</u> 12.272, 14.272, 17.272, 18.272, 24.272 Lions Star <u>03.1991 -</u> FRH 422 Lions Comfort <u>09.1996 -</u> 313, 353 NÜ <u>03.1996 -</u> 353 SÜ <u>04.1993 - 05.1995</u> 272 ÜL <u>09.1989 -</u> 272, 313, 353 F 2000 <u>01.1994 -</u> 19.273, 19.293, 19.323, 19.343, 19.463, 19.603, 23.293, 23.343, 23.463, 24.273, 24.293, 24.323, 24.343, 24.463, 26.273, 26.293, 26.323, 26.343, 26.463, 26.603, 27.273, 27.293, 27.323, 27.343, 27.463, 27.603, 32.293, 32.343, 32.463, 33.323, 33.343, 33.463, 33.603, 35.343, 35.463, 41.343, 41.463
	Height 68,0 mm Inner Ø 11,0 mm Cab Rubber/metal	12-34 210 0437 Bushing, driver cab suspension Buchse, Fahrerhauslagerung Casquillo, apoyo cabina Douille, suspension de la cabine Втулка, подушка кабины водителя	81.96210.0437

To be continued on the following page

Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 90 <u>06.1986 - 12.1997</u> 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 33.502, 35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 40.462, 40.502, 41.262, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422 F 2000 <u>01.1994 -</u> 19.233, 19.273, 19.293, 19.323, 19.343, 19.373, 19.403, 19.423, 19.463, 19.603, 23.293, 23.343, 23.403, 23.463, 24.273, 24.293, 24.323, 24.343, 24.373, 24.403, 24.423, 24.463, 26.233, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 26.603, 27.273, 27.293, 27.323, 27.343, 27.603, 32.293, 32.343, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 33.603, 35.343, 41.343, 41.403, 41.463
	Brake slack adjuster	034 042 0029/C Repair kit, adjuster Reparatursatz, Gestängesteller Kit de reparación, ajustador de juego de varillas Kit de réparation, régleur de timonerie ремонтный комплект, тяга	81.50610.6132
To be continued on the following page			



Spare parts to fit MAN

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 90 06.1986 - 12.1997 19.242, 19.262, 19.272, 19.292, 19.322, 19.332, 19.342, 19.362, 19.372, 19.402, 19.422, 19.462, 19.502, 24.242, 24.262, 24.272, 24.292, 24.302, 24.322, 24.332, 24.342, 24.362, 24.372, 24.402, 24.422, 24.462, 24.502, 25.272, 25.302, 25.322, 25.372, 25.422, 25.502, 26.242, 26.262, 26.272, 26.292, 26.302, 26.322, 26.332, 26.342, 26.362, 26.372, 26.402, 26.422, 26.462, 26.502, 32.262, 32.272, 32.292, 32.302, 32.322, 32.332, 32.342, 32.362, 32.372, 32.402, 32.422, 33.242, 33.262, 33.272, 33.292, 33.322, 33.332, 33.342, 33.362, 33.372, 33.402, 33.422, 33.462, 33.502, 35.262, 35.272, 35.292, 35.302, 35.322, 35.332, 35.342, 35.362, 35.372, 35.402, 35.422, 40.372, 40.402, 40.422, 40.462, 40.502, 41.262, 41.272, 41.292, 41.322, 41.332, 41.342, 41.362, 41.372, 41.402, 41.422, 48.292, 48.332, 48.362, 48.462 F 2000 01.1994 - 19.233, 19.273, 19.293, 19.314, 19.323, 19.343, 19.364, 19.373, 19.403, 19.414, 19.423, 19.463, 19.464, 19.603, 23.293, 23.343, 23.403, 23.463, 24.273, 24.293, 24.323, 24.343, 24.373, 24.403, 24.423, 24.463, 26.233, 26.273, 26.293, 26.323, 26.343, 26.373, 26.403, 26.423, 26.463, 26.603, 27.273, 27.293, 27.323, 27.343, 27.373, 27.403, 27.423, 27.463, 27.603, 32.293, 32.343, 32.403, 32.463, 33.323, 33.343, 33.373, 33.403, 33.423, 33.463, 33.603, 35.343, 35.403, 35.463, 41.343, 41.403, 41.463

Index: MEYLE / Reference / Page



MEYLE-No.	Reference-No.	Page		MEYLE-No.	Reference-No.	Page
MAN				→ MAN		
012 094 0024	81.08304.0049	47		025 291 1328/S	81.50820.6002	75
012 094 0024	81.08304.0055	47		025 291 1328/S	81.50820.6000	75
012 094 0024	81.08304.0056	47		025 291 1328/S	81.50820.5091	75
014 098 0001	81.96210.0052	28		025 291 1328/S	81.50820.5068	75
025 290 8826	81.50820.5023	73		025 291 1328/S	81.50820.6016	75
025 290 8826	81.50820.5025	73		025 291 1328/S	81.50820.6004	75
025 290 8826	81.50820.5029	73		025 291 1328/S	81.50820.6014	75
025 290 8826	81.50820.6006	73		025 291 1328/S	81.50820.5040	75
025 290 8826	81.50820.6020	73		025 291 1328/S	81.50820.5007	75
025 290 8826	81.50820.6042	73		025 291 1328/S	81.50820.5066	75
025 290 9530	81.50820.6022	74		025 291 1328/S	81.50820.5060	75
025 290 9530	81.50820.6008	74		025 291 1328/S	81.50820.5047	75
025 290 9530	81.50820.5017	74		025 291 1328/S	81.50820.5020	75
025 291 1328	81.50820.5020	74		025 291 1428	81.50820.5048	76
025 291 1328	81.50820.5047	74		025 291 1428	81.50820.5061	76
025 291 1328	81.50820.5060	74		025 291 1428	81.50820.5007	76
025 291 1328	81.50820.5066	74		025 291 1428	81.50820.5041	76
025 291 1328	81.50820.5040	74		025 291 1428	81.50820.6015	76
025 291 1328	81.50820.6014	74		025 291 1428	81.50820.6005	76
025 291 1328	81.50820.6004	74		025 291 1428	81.50820.5069	76
025 291 1328	81.50820.6016	74		025 291 1428	81.50820.5092	76
025 291 1328	81.50820.5068	74		025 291 1428	81.50820.6001	76
025 291 1328	81.50820.5091	74		025 291 1428	81.50820.6003	76
025 291 1328	81.50820.6000	74		025 291 1428	81.50820.6026	76
025 291 1328	81.50820.6002	74		025 291 1428	81.50820.6017	76
025 291 1328	81.50820.6025	74		028 283 0000	51.06402.0063	42
025 291 1328	81.50820.6017	74		034 003 1024	51.02130.0013	9
025 291 1328	81.50820.6034	74		034 003 1024	51.93020.0236	9
025 291 1328	81.50820.6046	74		034 003 1024	51.93020.0236	10
025 291 1328	81.50820.6035	74		034 003 1024	51.02130.0013	10
025 291 1328	81.50820.6036	74		034 003 1024	51.02130.0013	11
025 291 1328	81.50820.5007	74		034 003 1024	51.93020.0236	11
025 291 1328	81.50820.5006	74		034 003 1024	51.93020.0236	12
025 291 1328/S	81.50820.5006	75		034 003 1024	51.02130.0013	12
025 291 1328/S	81.50820.6036	75		034 003 1025	51.02310.0073	15
025 291 1328/S	81.50820.6035	75		034 005 1004	51.04201.6111	1
025 291 1328/S	81.50820.6046	75		034 005 1004	51.04201.6111	1
025 291 1328/S	81.50820.6034	75		034 005 1004	51.04201.6111	16
025 291 1328/S	81.50820.6017	75		034 005 1004	51.04201.6111	17
025 291 1328/S	81.50820.6025	75		034 005 1015	51.04202.5034	17

To be continued on the following column→

To be continued on the following page→

Index: MEYLE / Reference / Page



MEYLE-No.	Reference-No.	Page		MEYLE-No.	Reference-No.	Page
→ MAN				→ MAN		
034 013 0017	51.54113.0017	56		034 042 0024	81.51270.6002	7
034 015 0005	81.25601.6024	105		034 042 0029/C	81.50610.6132	109
034 018 1008	51.05100.6133	26		034 042 0050	88.51230.6200	4
034 018 1009	51.05100.6188	27		034 042 0050	81.51230.6009	4
034 026 0015	81.95301.6176	39		034 042 0051	81.52120.6003	4
034 026 0015	81.95301.6235	39		034 042 0051	81.52120.6004	4
034 026 0015	81.95301.0038	39		034 042 0051	81.52120.6025	4
034 026 0015	81.95301.6016	39		034 042 0051	81.52120.6028	4
034 026 0015	81.95301.6169	39		034 042 0051	81.52120.6029	4
034 026 0015	81.95301.6172	39		034 042 0051	81.52120.6030	4
034 026 0017	81.95301.6171	40		034 042 0051	81.52120.6040	4
034 026 0017	81.95301.6131	40		034 042 0051	81.52120.6075	4
034 026 0017	81.95301.6063	40		034 042 0051	88.52120.6200	4
034 026 0017	81.95301.6174	40		034 042 0051	85.30001.6535	4
034 026 0018	81.95301.6173	40		034 043 0017	81.52151.6020	55
034 026 0018	81.95301.6064	40		034 043 0017	81.52151.6037	55
034 026 0018	81.95301.6130	40		034 046 0000	81.47301.6005	24
034 026 0018	81.95301.6170	40		034 753 0020	06.56289.0371	96
034 026 0027	81.52170.6128	58		036 020 0001	81.95301.6239	61
034 026 0027	81.52170.6064	58		036 020 0001	81.95301.6272	61
034 026 0029	81.52170.6095	3		036 020 0001	90.80415.3111	61
034 026 0029	81.52170.6097	3		036 020 0001	81.95301.0014	61
034 026 0030	81.32734.6001	87		036 020 0001	81.95301.0064	61
034 035 0003	81.35710.0044	101		036 020 0001	81.95301.6067	61
034 035 0003	81.35710.0044	102		036 020 0001	81.95301.6162	61
034 035 0003	81.35710.0044	103		036 020 0002	81.95301.6163	62
034 035 0003	81.35710.0044	104		036 020 0002	81.95301.6068	62
034 035 0013	81.96601.0298	29		036 020 0002	81.95301.0074	62
034 035 0029	81.43270.6040	82		036 020 0002	81.95301.0013	62
034 035 0029	81.43270.6045	82		036 020 0002	90.80415.3113	62
034 042 0007	81.52116.6010	56		036 020 0002	90.80415.3107	62
034 042 0007	81.52116.6037	56		036 020 0002	81.95301.6273	62
034 042 0013	81.52150.6003	55		036 020 0003	81.95301.6249	60
034 042 0013	81.52150.6006	55		036 020 0003	81.95301.6060	60
034 042 0013	81.52150.6012	55		036 020 0003	81.95301.6135	60
034 042 0013	81.52150.6013	55		036 020 0003	81.95301.6140	60
034 042 0013	81.52150.6005	55		036 020 0004	81.95301.6143	63
034 042 0019	82.52161.6002	77		036 020 0004	81.95301.6149	63
034 042 0019	81.52161.6225	77		036 020 0004	81.95301.6154	63
034 042 0019	81.52161.9225	77		036 020 0004	81.95301.6156	63

To be continued on the following column→

To be continued on the following page→

Index: MEYLE / Reference / Page



MEYLE-No.	Reference-No.	Page		MEYLE-No.	Reference-No.	Page
→ MAN				→ MAN		
036 020 0004	81.95301.6126	63		036 020 0016	81.95301.6303	59
036 020 0004	81.95301.6112	63		036 026 0016	81.95301.6266	39
036 020 0004	81.95301.0084	63		036 026 0016	81.95301.6269	39
036 020 0004	81.95301.6090	63		036 026 0016	81.95301.6176	39
036 020 0004	81.95301.6048	63		036 026 0016	81.95301.0045	39
036 020 0004	81.95301.6049	63		036 026 0016	81.95301.6016	39
036 020 0004	81.95301.6053	63		036 026 0016	81.95301.6169	39
036 020 0004	81.95301.6278	63		036 026 0016	81.95301.6172	39
036 020 0004	81.95301.6350	63		050 008 1376	51.96820.0239	23
036 020 0004	81.95301.6308	63		050 010 1863	51.96820.0242	22
036 020 0004	81.95301.6312	63		052 010 1380	6.58043.0136	19
036 020 0004	81.95301.6274	63		052 010 1380	6.58043.2136	19
036 020 0004	81.95301.6242	63		052 010 1380	6.58072.1361	19
036 020 0004	81.95301.6194	63		052 010 1380	06.58073.1361	19
036 020 0004	81.95301.6224	63		052 010 1380	06.58073.1362	19
036 020 0004	81.95301.6234	63		052 010 1425	06.58073.1381	19
036 020 0005	81.95301.6179	64		052 010 1425	06.58072.1361	19
036 020 0005	81.95301.6237	64		052 010 1425	06.58072.1381	19
036 020 0005	81.95301.6275	64		052 010 1425	51.96820.0132	19
036 020 0005	81.95301.6030	64		052 010 1450	06.58072.1391	19
036 020 0005	81.95301.6043	64		052 010 1500	06.58073.1412	19
036 020 0005	81.95301.6091	64		052 010 1550	658 043 0143	19
036 020 0005	81.95301.6068	64		052 010 1550	658 043 2143	19
036 020 0005	81.95301.0015	64		052 010 1575	06.58079.0027	19
036 020 0005	81.95301.6120	64		052 010 1825	6.58072.1541	20
036 020 0005	81.95301.6125	64		052 013 1450	06.58043.0239	20
036 020 0005	81.95301.6155	64		052 013 1450	06.58073.2391	20
036 020 0005	81.95301.6152	64		052 013 1450	06.58072.2391	20
036 020 0005	81.95301.6167	64		052 013 1450	06.58072.2392	20
036 020 0008	81.95301.6139	60		052 013 1450	06.58043.2239	20
036 020 0008	81.95301.0079	60		052 013 1450	06.58046.0239	20
036 020 0008	81.95301.6222	60		052 013 1450	06.58046.2239	20
036 020 0015	81.95301.0078	60		052 013 1475	06.58072.2401	20
036 020 0015	81.95301.0076	60		052 013 1475	06.58072.2402	20
036 020 0015	81.85301.0076	60		052 013 1475	06.58073.2401	20
036 020 0015	81.95301.6141	60		052 013 1475	06.58042.2240	20
036 020 0016	81.95301.6142	59		052 013 1475	06.58045.0240	20
036 020 0016	81.95301.6134	59		052 013 1475	51.96820.0128	20
036 020 0016	81.95301.0077	59		052 013 1525	06.58073.2421	21
036 020 0016	81.95301.6321	59		052 013 1525	06.58072.2422	21

To be continued on the following column→

To be continued on the following page→

Index: MEYLE / Reference / Page



MEYLE-No.	Reference-No.	Page	MEYLE-No.	Reference-No.	Page
→ MAN			→ MAN		
052 013 1525	06.58047.2242	21	12-12 319 0000	81.61910.0011	48
052 013 1525	06.58043.2242	21	12-12 319 0001	85.61950.0025	51
052 013 1525	06.58043.0242	21	12-12 319 0003	81.61910.0018	49
052 013 1525	06.58042.0242	21	12-12 320 0008	81.61910.0019	50
052 013 1525	6.58072.2421	21	12-14 653 0000	81.96502.6045	91
052 013 1525	6.58043.2242	21	12-14 653 0000	81.96502.6081	91
052 013 1525	6.58043.0242	21	12-14 653 0000	06.56289.0324	91
052 013 1525	6.58041.0242	21	12-14 653 0000	06.56280.0605	91
052 013 1550	06.58043.0243	21	12-14 753 0001	06.56279.0366	35
052 013 1550	06.58043.2243	21	12-14 753 0002	06.56289.0047	90
052 013 1550	06.58047.2243	21	12-14 753 0002	06.56289.0048	90
052 013 1550	06.58072.2431	21	12-14 753 0002	06.56289.0357	90
052 013 1550	06.58072.2432	21	12-14 753 0004	06.56289.0332	88
052 013 1550	06.58072.2433	21	12-14 753 0004	06.56289.0335	88
052 013 1550	06.58073.2431	21	12-14 753 0004	06.56289.0064	88
052 013 1550	51.96820.0143	21	12-14 753 0004	06.56289.0027	88
052 013 1550	51.96820.0153	21	12-14 753 0004	81.96501.0861	88
052 013 1600	06.58072.2452	21	12-14 753 0004	81.96506.0155	88
052 013 1600	06.58043.2245	21	12-14 753 0005	81.96503.0161	93
052 013 1600	51.96820.6001	21	12-14 753 0006	81.96503.0188	94
052 013 1600	51.96820.6027	21	12-14 753 0006	81.96503.0398	94
052 013 1600	51.96820.3001	21	12-14 753 0008	81.96503.0399	93
052 013 1650	06.58043.2247	22	12-14 753 0008	81.96503.0333	93
052 013 1650	51.96820.0156	22	12-14 753 0009	81.96503.0339	96
052 013 1675	6.58043.0248	22	12-14 753 0009	81.96503.0445	96
052 013 1675	6.58043.2248	22	12-14 753 0012	06.56289.0315	2
052 013 1850	06.58073.2551	22	12-14 753 0012	06.56289.0367	2
052 013 1850	6580 722 551	22	12-14 753 0012	06.56289.0368	2
052 013 1950	6.58072.2591	22	12-14 753 0012	06.56289.0369	2
052 013 2100	06.58042.0263	22	12-14 753 0013	06.56289.0279	37
114 323 0001	51.12503.0004	31	12-14 753 0013	06.56289.0280	37
114 323 0001	51.12503.0005	31	12-14 753 0013	06.56289.0293	37
114 323 0001	51.12503.0009	31	12-14 753 0013	81.96502.6052	37
114 323 0001	51.12503.0010	31	12-14 753 0013	81.96502.6066	37
114 323 0001	51.12503.0012	31	12-14 820 0000	81.27421.0098	107
114 323 0001	51.12503.0016	31	12-14 820 0000	81.27421.0109	107
114 323 0001	51.12503.0018	31	12-28 279 0000	51.06402.0050	44
114 323 0001	51.12503.0028	31	12-28 279 0000	51.06402.0056	44
114 323 0001	51.12503.0029	31	12-28 279 0000	51.06402.0061	44
114 323 0001	51.12503.0030	31	12-28 279 0000	51.06402.0064	44

To be continued on the following column→

To be continued on the following page→

Index: MEYLE / Reference / Page



MEYLE-No.	Reference-No.	Page	MEYLE-No.	Reference-No.	Page
→ MAN			→ MAN		
12-28 279 0000	51.06402.0067	44	12-34 220 6055	81.43220.6055	82
12-31 106 6032	81.30550.0041	38	12-34 220 6055	81.43220.6073	82
12-31 106 6032	81.30550.0050	38	12-34 220 6055	81.43220.6107	82
12-31 106 6032	81.30550.6019	38	12-34 220 6108	81.43220.6108	83
12-31 106 7032	81.30550.0056	38	12-34 230 6043	81.43230.6043	83
12-33 500 0001	51.06500.6546	54	12-34 232 0001	51.06601.0256	41
12-33 500 0001	51.06500.9546	54	12-34 232 0002	51.06601.0257	42
12-33 500 6408	51.06500.6408	51	12-34 255 0002	81.25509.0028	106
12-33 500 6492	51.06500.6492	52	12-34 255 0002	81.25509.0067	106
12-33 500 6492	51.06500.9492	52	12-34 255 0002	81.25509.0093	106
12-33 500 6547	51.06500.6547	54	12-34 255 0002	81.25509.0119	106
12-33 599 6033	51.06599.6033	7	12-34 255 0002	81.25509.0124	106
12-34 040 0001	51.00900.6531	9	12-34 271 0029	81.43271.0008	78
12-34 126 6017	81.39126.6017	34	12-34 271 0029	81.43271.0029	78
12-34 126 6017	81.39200.6015	34	12-34 271 0033	81.43271.0033	79
12-34 126 6020	81.39126.6020	34	12-34 271 0033	81.43316.0021	79
12-34 126 6020	81.99917.8470	34	12-34 271 0081	81.43271.0081	78
12-34 130 0032	51.02130.0005	13	12-34 301 6132	81.95301.6132	84
12-34 130 0032	51.02130.0007	13	12-34 301 6133	81.95301.6133	84
12-34 130 0032	51.02130.0008	13	12-34 301 6133	81.43270.6083	84
12-34 130 0032	51.02130.0012	13	12-34 321 0003	81.08405.0020	47
12-34 130 0032	51.02130.0032	13	12-34 321 0003	81.08405.0021	47
12-34 151 0002	81.39410.6020	33	12-34 410 0001	81.39410.6013	34
12-34 151 0003	81.39410.6023	34	12-34 410 0001	81.39410.6017	34
12-34 151 0003	81.39410.6031	34	12-34 410 0002	81.39410.6019	31
12-34 204 0021	81.44204.0020	81	12-34 410 0003	81.39410.6018	31
12-34 204 0021	81.44204.0021	81	12-34 410 0003	81.39410.6016	31
12-34 205 0001	81.44205.6023	100	12-34 410 0003	81.39410.6025	31
12-34 205 6010	81.44205.6010	99	12-34 471 0001	81.47101.6031	65
12-34 205 6013	81.44205.6013	100	12-34 471 0003	81.47101.6122	67
12-34 210 0063	81.96210.0063	34	12-34 471 0003	81.47101.6137	67
12-34 210 0184	81.96210.0129	31	12-34 471 0003	81.47101.6162	67
12-34 210 0184	81.96210.0149	31	12-34 471 0003	81.47101.6181	67
12-34 210 0184	81.96210.0184	31	12-34 471 0003	81.47101.9162	67
12-34 210 0184	81.96210.0371	31	12-34 500 6476	51.06500.9462	52
12-34 210 0437	81.96210.0437	108	12-34 500 6476	51.06500.6476	52
12-34 213 0001	81.50213.0013	85	12-34 500 6476	81.06500.6462	52
12-34 213 0001	81.50213.6005	85	12-34 631 0001	81.47101.6121	67
12-34 213 0001	81.50213.6006	85	12-34 631 0002	81.47101.6189	69
12-34 220 6055	81.43220.6006	82	12-34 631 0002	81.47101.6102	69

To be continued on the following column→

To be continued on the following page→

Index: MEYLE / Reference / Page



MEYLE-No.	Reference-No.	Page	MEYLE-No.	Reference-No.	Page
→ MAN			→ MAN		
12-34 631 0002	81.47101.6108	69	12-35 521 0005	81.50803.0027	71
12-34 704 0032	81.43704.0032	79	12-35 523 0000	81.50803.0022	70
12-34 704 0057	81.43704.0057	80	12-35 523 0000	81.50803.0061	70
12-34 722 0019	81.43722.0019	81	12-36 010 0000	81.95302.0037	78
12-34 722 0019	81.43722.6051	81	12-36 010 0000	81.95302.0049	78
12-34 725 6025	81.30725.6025	38	12-36 010 0000	81.95302.0050	78
12-34 725 6025	81.30725.6026	38	12-36 010 0000	81.95302.0059	78
12-34 725 6027	81.30725.6026	38	12-36 030 0002	81.46710.6112	64
12-34 725 6027	81.30725.6027	38	12-36 030 0002	81.46710.6163	64
12-34 753 0000	81.96503.0154	89	12-36 030 0002	81.46710.6165	64
12-34 753 0000	06.56289.0331	89	12-36 030 0002	81.46710.6198	64
12-34 753 0000	06.56289.0333	89	12-36 030 0002	81.46710.6354	64
12-34 753 0000	06.56289.0334	89	12-36 030 0002	81.46711.6725	64
12-34 753 0000	06.56289.0065	89	12-36 030 0002	81.46711.6820	64
12-34 753 0000	06.56279.0033	89	12-36 030 0002	81.46711.6849	64
12-34 798 0001	81.44205.6025	101	12-36 035 0001	81.43220.6010	82
12-34 900 6437	51.00900.6437	27	12-36 035 0001	81.43220.6013	82
12-34 904 0132	51.05904.0132	23	12-36 035 0001	81.43220.6020	82
12-34 905 0135	51.03905.0091	28	12-36 035 0001	81.43220.6035	82
12-34 905 0135	51.03905.0094	28	12-36 035 0001	81.43220.6040	82
12-34 905 0135	51.03905.0098	28	12-36 035 0001	81.43220.6041	82
12-34 905 0135	51.03905.0103	28	12-36 035 0001	81.43220.6052	82
12-34 905 0135	51.03905.0104	28	12-36 035 0001	81.43230.6018	82
12-34 905 0135	51.03905.0105	28	12-36 035 0001	81.43230.6028	82
12-34 905 0135	51.03905.0109	28	12-36 040 0009	81.46610.6334	65
12-34 905 0135	51.03905.0123	28	12-36 040 0009	81.46610.6354	65
12-34 905 0135	51.03905.0134	28	12-36 040 0009	81.46610.6355	65
12-34 905 0135	51.03905.0135	28	12-36 040 0009	81.46610.6360	65
12-35 521 0000	81.50803.0010	70	12-36 040 0009	81.46610.6361	65
12-35 521 0001	81.50803.0014	69	12-36 040 0009	81.46610.6721	65
12-35 521 0001	81.50803.0015	69	12-36 040 0009	81.46610.6722	65
12-35 521 0001	81.50803.0009	69	12-36 040 0009	81.46610.6723	65
12-35 521 0002	81.50803.0023	71	12-36 040 0009	81.46610.6733	65
12-35 521 0002	81.50803.0031	71	12-36 040 0009	81.46611.6216	65
12-35 521 0002	81.50803.0038	71	12-36 040 0023	81.46610.6779	65
12-35 521 0002	81.50803.0040	71	12-36 040 0023	81.46610.6780	65
12-35 521 0003	81.50803.0048	73	12-36 040 0023	81.46610.6782	65
12-35 521 0003	81.50803.0028	73	12-36 050 0000	81.43270.9054	77
12-35 521 0004	81.50803.0021	72	12-36 050 0000	81.43270.9078	77
12-35 521 0004	81.50803.0041	72	12-36 050 0000	81.43270.6030	77

To be continued on the following column→

To be continued on the following page→

Index: MEYLE / Reference / Page

MEYLE-No.	Reference-No.	Page	MEYLE-No.	Reference-No.	Page
-----------	---------------	------	-----------	---------------	------

→ MAN

12-36 050 0000	81.43270.6034	77
12-36 050 0000	81.43270.6054	77
12-36 050 0000	81.43270.6057	77
12-36 050 0000	81.43270.6078	77
12-36 050 0000	81.43270.6082	77
12-36 050 0001	81.43270.6081	77
12-36 050 0001	81.43270.6067	77
12-36 050 0001	81.43270.6075	77
12-36 050 0001	81.43270.6077	77
12-36 050 0001	81.43270.6056	77
12-39 222 0001	81.96301.0496	40
12-39 222 0001	81.96301.0659	40
12-39 222 0001	82.96301.0008	40
12-39 222 0004	81.96305.0129	41
300 334 1103	51.93410.0079	99

Index: Reference / MEYLE / Page



Reference-No.	MEYLE-No.	Page		Reference-No.	MEYLE-No.	Page
MAN				→ MAN		
6.58041.0242	052 013 1525	21		06.58043.2239	052 013 1450	20
6.58043.0136	052 010 1380	19		06.58043.2242	052 013 1525	21
6.58043.0242	052 013 1525	21		06.58043.2243	052 013 1550	21
6.58043.0248	052 013 1675	22		06.58043.2245	052 013 1600	21
6.58043.2136	052 010 1380	19		06.58043.2247	052 013 1650	22
6.58043.2242	052 013 1525	21		06.58045.0240	052 013 1475	20
6.58043.2248	052 013 1675	22		06.58046.0239	052 013 1450	20
6.58072.1361	052 010 1380	19		06.58046.2239	052 013 1450	20
6.58072.1541	052 010 1825	20		06.58047.2242	052 013 1525	21
6.58072.2421	052 013 1525	21		06.58047.2243	052 013 1550	21
6.58072.2591	052 013 1950	22		06.58072.1361	052 010 1425	19
06.56279.0033	12-34 753 0000	89		06.58072.1381	052 010 1425	19
06.56279.0366	12-14 753 0001	35		06.58072.1391	052 010 1450	19
06.56280.0605	12-14 653 0000	91		06.58072.2391	052 013 1450	20
06.56289.0027	12-14 753 0004	88		06.58072.2392	052 013 1450	20
06.56289.0047	12-14 753 0002	90		06.58072.2401	052 013 1475	20
06.56289.0048	12-14 753 0002	90		06.58072.2402	052 013 1475	20
06.56289.0064	12-14 753 0004	88		06.58072.2422	052 013 1525	21
06.56289.0065	12-34 753 0000	89		06.58072.2431	052 013 1550	21
06.56289.0279	12-14 753 0013	37		06.58072.2432	052 013 1550	21
06.56289.0280	12-14 753 0013	37		06.58072.2433	052 013 1550	21
06.56289.0293	12-14 753 0013	37		06.58072.2452	052 013 1600	21
06.56289.0315	12-14 753 0012	2		06.58073.1361	052 010 1380	19
06.56289.0324	12-14 653 0000	91		06.58073.1362	052 010 1380	19
06.56289.0331	12-34 753 0000	89		06.58073.1381	052 010 1425	19
06.56289.0332	12-14 753 0004	88		06.58073.1412	052 010 1500	19
06.56289.0333	12-34 753 0000	89		06.58073.2391	052 013 1450	20
06.56289.0334	12-34 753 0000	89		06.58073.2401	052 013 1475	20
06.56289.0335	12-14 753 0004	88		06.58073.2421	052 013 1525	21
06.56289.0357	12-14 753 0002	90		06.58073.2431	052 013 1550	21
06.56289.0367	12-14 753 0012	2		06.58073.2551	052 013 1850	22
06.56289.0368	12-14 753 0012	2		06.58079.0027	052 010 1575	19
06.56289.0369	12-14 753 0012	2		51.00900.6437	12-34 900 6437	27
06.56289.0371	034 753 0020	96		51.00900.6531	12-34 040 0001	9
06.58042.0242	052 013 1525	21		51.02130.0005	12-34 130 0032	13
06.58042.0263	052 013 2100	22		51.02130.0007	12-34 130 0032	13
06.58042.2240	052 013 1475	20		51.02130.0008	12-34 130 0032	13
06.58043.0239	052 013 1450	20		51.02130.0012	12-34 130 0032	13
06.58043.0242	052 013 1525	21		51.02130.0013	034 003 1024	9
06.58043.0243	052 013 1550	21		51.02130.0013	034 003 1024	10

To be continued on the following column→

To be continued on the following page→

Index: Reference / MEYLE / Page



Reference-No.	MEYLE-No.	Page	Reference-No.	MEYLE-No.	Page
→ MAN			→ MAN		
51.02130.0013	034 003 1024	11	51.12503.0005	114 323 0001	31
51.02130.0013	034 003 1024	12	51.12503.0009	114 323 0001	31
51.02130.0032	12-34 130 0032	13	51.12503.0010	114 323 0001	31
51.02310.0073	034 003 1025	15	51.12503.0012	114 323 0001	31
51.03905.0091	12-34 905 0135	28	51.12503.0016	114 323 0001	31
51.03905.0094	12-34 905 0135	28	51.12503.0018	114 323 0001	31
51.03905.0098	12-34 905 0135	28	51.12503.0028	114 323 0001	31
51.03905.0103	12-34 905 0135	28	51.12503.0029	114 323 0001	31
51.03905.0104	12-34 905 0135	28	51.12503.0030	114 323 0001	31
51.03905.0105	12-34 905 0135	28	51.54113.0017	034 013 0017	56
51.03905.0109	12-34 905 0135	28	51.93020.0236	034 003 1024	9
51.03905.0123	12-34 905 0135	28	51.93020.0236	034 003 1024	10
51.03905.0134	12-34 905 0135	28	51.93020.0236	034 003 1024	11
51.03905.0135	12-34 905 0135	28	51.93020.0236	034 003 1024	12
51.04201.6111	034 005 1004	1	51.93410.0079	300 334 1103	99
51.04201.6111	034 005 1004	1	51.96820.0128	052 013 1475	20
51.04201.6111	034 005 1004	16	51.96820.0132	052 010 1425	19
51.04201.6111	034 005 1004	17	51.96820.0143	052 013 1550	21
51.04202.5034	034 005 1015	17	51.96820.0153	052 013 1550	21
51.05100.6133	034 018 1008	26	51.96820.0156	052 013 1650	22
51.05100.6188	034 018 1009	27	51.96820.0239	050 008 1376	23
51.05904.0132	12-34 904 0132	23	51.96820.0242	050 010 1863	22
51.06402.0050	12-28 279 0000	44	51.96820.3001	052 013 1600	21
51.06402.0056	12-28 279 0000	44	51.96820.6001	052 013 1600	21
51.06402.0061	12-28 279 0000	44	51.96820.6027	052 013 1600	21
51.06402.0063	028 283 0000	42	658 043 0143	052 010 1550	19
51.06402.0064	12-28 279 0000	44	658 043 2143	052 010 1550	19
51.06402.0067	12-28 279 0000	44	81.06500.6462	12-34 500 6476	52
51.06500.6408	12-33 500 6408	51	81.08304.0049	012 094 0024	47
51.06500.6476	12-34 500 6476	52	81.08304.0055	012 094 0024	47
51.06500.6492	12-33 500 6492	52	81.08304.0056	012 094 0024	47
51.06500.6546	12-33 500 0001	54	81.08405.0020	12-34 321 0003	47
51.06500.6547	12-33 500 6547	54	81.08405.0021	12-34 321 0003	47
51.06500.9462	12-34 500 6476	52	81.25509.0028	12-34 255 0002	106
51.06500.9492	12-33 500 6492	52	81.25509.0067	12-34 255 0002	106
51.06500.9546	12-33 500 0001	54	81.25509.0093	12-34 255 0002	106
51.06599.6033	12-33 599 6033	7	81.25509.0119	12-34 255 0002	106
51.06601.0256	12-34 232 0001	41	81.25509.0124	12-34 255 0002	106
51.06601.0257	12-34 232 0002	42	81.25601.6024	034 015 0005	105
51.12503.0004	114 323 0001	31	81.27421.0098	12-14 820 0000	107

To be continued on the following column→

To be continued on the following page→

Index: Reference / MEYLE / Page



Reference-No.	MEYLE-No.	Page		Reference-No.	MEYLE-No.	Page
→ MAN				→ MAN		
81.27421.0109	12-14 820 0000	107		81.43230.6043	12-34 230 6043	83
81.30550.0041	12-31 106 6032	38		81.43270.6030	12-36 050 0000	77
81.30550.0050	12-31 106 6032	38		81.43270.6034	12-36 050 0000	77
81.30550.0056	12-31 106 7032	38		81.43270.6040	034 035 0029	82
81.30550.6019	12-31 106 6032	38		81.43270.6045	034 035 0029	82
81.30725.6025	12-34 725 6025	38		81.43270.6054	12-36 050 0000	77
81.30725.6026	12-34 725 6025	38		81.43270.6056	12-36 050 0001	77
81.30725.6026	12-34 725 6027	38		81.43270.6057	12-36 050 0000	77
81.30725.6027	12-34 725 6027	38		81.43270.6067	12-36 050 0001	77
81.32734.6001	034 026 0030	87		81.43270.6075	12-36 050 0001	77
81.35710.0044	034 035 0003	101		81.43270.6077	12-36 050 0001	77
81.35710.0044	034 035 0003	102		81.43270.6078	12-36 050 0000	77
81.35710.0044	034 035 0003	103		81.43270.6081	12-36 050 0001	77
81.35710.0044	034 035 0003	104		81.43270.6082	12-36 050 0000	77
81.39126.6017	12-34 126 6017	34		81.43270.6083	12-34 301 6133	84
81.39126.6020	12-34 126 6020	34		81.43270.9054	12-36 050 0000	77
81.39200.6015	12-34 126 6017	34		81.43270.9078	12-36 050 0000	77
81.39410.6013	12-34 410 0001	34		81.43271.0008	12-34 271 0029	78
81.39410.6016	12-34 410 0003	31		81.43271.0029	12-34 271 0029	78
81.39410.6017	12-34 410 0001	34		81.43271.0033	12-34 271 0033	79
81.39410.6018	12-34 410 0003	31		81.43271.0081	12-34 271 0081	78
81.39410.6019	12-34 410 0002	31		81.43316.0021	12-34 271 0033	79
81.39410.6020	12-34 151 0002	33		81.43704.0032	12-34 704 0032	79
81.39410.6023	12-34 151 0003	34		81.43704.0057	12-34 704 0057	80
81.39410.6025	12-34 410 0003	31		81.43722.0019	12-34 722 0019	81
81.39410.6031	12-34 151 0003	34		81.43722.6051	12-34 722 0019	81
81.43220.6006	12-34 220 6055	82		81.44204.0020	12-34 204 0021	81
81.43220.6010	12-36 035 0001	82		81.44204.0021	12-34 204 0021	81
81.43220.6013	12-36 035 0001	82		81.44205.6010	12-34 205 6010	99
81.43220.6020	12-36 035 0001	82		81.44205.6013	12-34 205 6013	100
81.43220.6035	12-36 035 0001	82		81.44205.6023	12-34 205 0001	100
81.43220.6040	12-36 035 0001	82		81.44205.6025	12-34 798 0001	101
81.43220.6041	12-36 035 0001	82		81.46610.6334	12-36 040 0009	65
81.43220.6052	12-36 035 0001	82		81.46610.6354	12-36 040 0009	65
81.43220.6055	12-34 220 6055	82		81.46610.6355	12-36 040 0009	65
81.43220.6073	12-34 220 6055	82		81.46610.6360	12-36 040 0009	65
81.43220.6107	12-34 220 6055	82		81.46610.6361	12-36 040 0009	65
81.43220.6108	12-34 220 6108	83		81.46610.6721	12-36 040 0009	65
81.43230.6018	12-36 035 0001	82		81.46610.6722	12-36 040 0009	65
81.43230.6028	12-36 035 0001	82		81.46610.6723	12-36 040 0009	65

To be continued on the following column→

To be continued on the following page→

Index: Reference / MEYLE / Page



Reference-No.	MEYLE-No.	Page	Reference-No.	MEYLE-No.	Page
→ MAN			→ MAN		
81.46610.6733	12-36 040 0009	65	81.50803.0041	12-35 521 0004	72
81.46610.6779	12-36 040 0023	65	81.50803.0048	12-35 521 0003	73
81.46610.6780	12-36 040 0023	65	81.50803.0061	12-35 523 0000	70
81.46610.6782	12-36 040 0023	65	81.50820.5006	025 291 1328	74
81.46611.6216	12-36 040 0009	65	81.50820.5006	025 291 1328/S	75
81.46710.6112	12-36 030 0002	64	81.50820.5007	025 291 1328	74
81.46710.6163	12-36 030 0002	64	81.50820.5007	025 291 1328/S	75
81.46710.6165	12-36 030 0002	64	81.50820.5007	025 291 1428	76
81.46710.6198	12-36 030 0002	64	81.50820.5017	025 290 9530	74
81.46710.6354	12-36 030 0002	64	81.50820.5020	025 291 1328	74
81.46711.6725	12-36 030 0002	64	81.50820.5020	025 291 1328/S	75
81.46711.6820	12-36 030 0002	64	81.50820.5023	025 290 8826	73
81.46711.6849	12-36 030 0002	64	81.50820.5025	025 290 8826	73
81.47101.6031	12-34 471 0001	65	81.50820.5029	025 290 8826	73
81.47101.6102	12-34 631 0002	69	81.50820.5040	025 291 1328	74
81.47101.6108	12-34 631 0002	69	81.50820.5040	025 291 1328/S	75
81.47101.6121	12-34 631 0001	67	81.50820.5041	025 291 1428	76
81.47101.6122	12-34 471 0003	67	81.50820.5047	025 291 1328	74
81.47101.6137	12-34 471 0003	67	81.50820.5047	025 291 1328/S	75
81.47101.6162	12-34 471 0003	67	81.50820.5048	025 291 1428	76
81.47101.6181	12-34 471 0003	67	81.50820.5060	025 291 1328	74
81.47101.6189	12-34 631 0002	69	81.50820.5060	025 291 1328/S	75
81.47101.9162	12-34 471 0003	67	81.50820.5061	025 291 1428	76
81.47301.6005	034 046 0000	24	81.50820.5066	025 291 1328	74
81.50213.0013	12-34 213 0001	85	81.50820.5066	025 291 1328/S	75
81.50213.6005	12-34 213 0001	85	81.50820.5068	025 291 1328	74
81.50213.6006	12-34 213 0001	85	81.50820.5068	025 291 1328/S	75
81.50610.6132	034 042 0029/C	109	81.50820.5069	025 291 1428	76
81.50803.0009	12-35 521 0001	69	81.50820.5091	025 291 1328	74
81.50803.0010	12-35 521 0000	70	81.50820.5091	025 291 1328/S	75
81.50803.0014	12-35 521 0001	69	81.50820.5092	025 291 1428	76
81.50803.0015	12-35 521 0001	69	81.50820.6000	025 291 1328	74
81.50803.0021	12-35 521 0004	72	81.50820.6000	025 291 1328/S	75
81.50803.0022	12-35 523 0000	70	81.50820.6001	025 291 1428	76
81.50803.0023	12-35 521 0002	71	81.50820.6002	025 291 1328	74
81.50803.0027	12-35 521 0005	71	81.50820.6002	025 291 1328/S	75
81.50803.0028	12-35 521 0003	73	81.50820.6003	025 291 1428	76
81.50803.0031	12-35 521 0002	71	81.50820.6004	025 291 1328	74
81.50803.0038	12-35 521 0002	71	81.50820.6004	025 291 1328/S	75
81.50803.0040	12-35 521 0002	71	81.50820.6005	025 291 1428	76

To be continued on the following column→

To be continued on the following page→

Index: Reference / MEYLE / Page



Reference-No.	MEYLE-No.	Page	Reference-No.	MEYLE-No.	Page
→ MAN			→ MAN		
81.50820.6006	025 290 8826	73	81.52150.6013	034 042 0013	55
81.50820.6008	025 290 9530	74	81.52151.6020	034 043 0017	55
81.50820.6014	025 291 1328	74	81.52151.6037	034 043 0017	55
81.50820.6014	025 291 1328/S	75	81.52161.6225	034 042 0019	77
81.50820.6015	025 291 1428	76	81.52161.9225	034 042 0019	77
81.50820.6016	025 291 1328	74	81.52170.6064	034 026 0027	58
81.50820.6016	025 291 1328/S	75	81.52170.6095	034 026 0029	3
81.50820.6017	025 291 1328	74	81.52170.6097	034 026 0029	3
81.50820.6017	025 291 1328/S	75	81.52170.6128	034 026 0027	58
81.50820.6017	025 291 1428	76	81.61910.0011	12-12 319 0000	48
81.50820.6020	025 290 8826	73	81.61910.0018	12-12 319 0003	49
81.50820.6022	025 290 9530	74	81.61910.0019	12-12 320 0008	50
81.50820.6025	025 291 1328	74	81.85301.0076	036 020 0015	60
81.50820.6025	025 291 1328/S	75	81.95301.0013	036 020 0002	62
81.50820.6026	025 291 1428	76	81.95301.0014	036 020 0001	61
81.50820.6034	025 291 1328	74	81.95301.0015	036 020 0005	64
81.50820.6034	025 291 1328/S	75	81.95301.0038	034 026 0015	39
81.50820.6035	025 291 1328	74	81.95301.0045	036 026 0016	39
81.50820.6035	025 291 1328/S	75	81.95301.0064	036 020 0001	61
81.50820.6036	025 291 1328	74	81.95301.0074	036 020 0002	62
81.50820.6036	025 291 1328/S	75	81.95301.0076	036 020 0015	60
81.50820.6042	025 290 8826	73	81.95301.0077	036 020 0016	59
81.50820.6046	025 291 1328	74	81.95301.0078	036 020 0015	60
81.50820.6046	025 291 1328/S	75	81.95301.0079	036 020 0008	60
81.51230.6009	034 042 0050	4	81.95301.0084	036 020 0004	63
81.51270.6002	034 042 0024	7	81.95301.6016	034 026 0015	39
81.52116.6010	034 042 0007	56	81.95301.6016	036 026 0016	39
81.52116.6037	034 042 0007	56	81.95301.6030	036 020 0005	64
81.52120.6003	034 042 0051	4	81.95301.6043	036 020 0005	64
81.52120.6004	034 042 0051	4	81.95301.6048	036 020 0004	63
81.52120.6025	034 042 0051	4	81.95301.6049	036 020 0004	63
81.52120.6028	034 042 0051	4	81.95301.6053	036 020 0004	63
81.52120.6029	034 042 0051	4	81.95301.6060	036 020 0003	60
81.52120.6030	034 042 0051	4	81.95301.6063	034 026 0017	40
81.52120.6040	034 042 0051	4	81.95301.6064	034 026 0018	40
81.52120.6075	034 042 0051	4	81.95301.6067	036 020 0001	61
81.52150.6003	034 042 0013	55	81.95301.6068	036 020 0002	62
81.52150.6005	034 042 0013	55	81.95301.6068	036 020 0005	64
81.52150.6006	034 042 0013	55	81.95301.6090	036 020 0004	63
81.52150.6012	034 042 0013	55	81.95301.6091	036 020 0005	64

To be continued on the following column→

To be continued on the following page→

Index: Reference / MEYLE / Page



Reference-No.	MEYLE-No.	Page	Reference-No.	MEYLE-No.	Page
→ MAN			→ MAN		
81.95301.6112	036 020 0004	63	81.95301.6239	036 020 0001	61
81.95301.6120	036 020 0005	64	81.95301.6242	036 020 0004	63
81.95301.6125	036 020 0005	64	81.95301.6249	036 020 0003	60
81.95301.6126	036 020 0004	63	81.95301.6266	036 026 0016	39
81.95301.6130	034 026 0018	40	81.95301.6269	036 026 0016	39
81.95301.6131	034 026 0017	40	81.95301.6272	036 020 0001	61
81.95301.6132	12-34 301 6132	84	81.95301.6273	036 020 0002	62
81.95301.6133	12-34 301 6133	84	81.95301.6274	036 020 0004	63
81.95301.6134	036 020 0016	59	81.95301.6275	036 020 0005	64
81.95301.6135	036 020 0003	60	81.95301.6278	036 020 0004	63
81.95301.6139	036 020 0008	60	81.95301.6303	036 020 0016	59
81.95301.6140	036 020 0003	60	81.95301.6308	036 020 0004	63
81.95301.6141	036 020 0015	60	81.95301.6312	036 020 0004	63
81.95301.6142	036 020 0016	59	81.95301.6321	036 020 0016	59
81.95301.6143	036 020 0004	63	81.95301.6350	036 020 0004	63
81.95301.6149	036 020 0004	63	81.95302.0037	12-36 010 0000	78
81.95301.6152	036 020 0005	64	81.95302.0049	12-36 010 0000	78
81.95301.6154	036 020 0004	63	81.95302.0050	12-36 010 0000	78
81.95301.6155	036 020 0005	64	81.95302.0059	12-36 010 0000	78
81.95301.6156	036 020 0004	63	81.96210.0052	014 098 0001	28
81.95301.6162	036 020 0001	61	81.96210.0063	12-34 210 0063	34
81.95301.6163	036 020 0002	62	81.96210.0129	12-34 210 0184	31
81.95301.6167	036 020 0005	64	81.96210.0149	12-34 210 0184	31
81.95301.6169	034 026 0015	39	81.96210.0184	12-34 210 0184	31
81.95301.6169	036 026 0016	39	81.96210.0371	12-34 210 0184	31
81.95301.6170	034 026 0018	40	81.96210.0437	12-34 210 0437	108
81.95301.6171	034 026 0017	40	81.96301.0496	12-39 222 0001	40
81.95301.6172	034 026 0015	39	81.96301.0659	12-39 222 0001	40
81.95301.6172	036 026 0016	39	81.96305.0129	12-39 222 0004	41
81.95301.6173	034 026 0018	40	81.96501.0861	12-14 753 0004	88
81.95301.6174	034 026 0017	40	81.96502.6045	12-14 653 0000	91
81.95301.6176	034 026 0015	39	81.96502.6052	12-14 753 0013	37
81.95301.6176	036 026 0016	39	81.96502.6066	12-14 753 0013	37
81.95301.6179	036 020 0005	64	81.96502.6081	12-14 653 0000	91
81.95301.6194	036 020 0004	63	81.96503.0154	12-34 753 0000	89
81.95301.6222	036 020 0008	60	81.96503.0161	12-14 753 0005	93
81.95301.6224	036 020 0004	63	81.96503.0188	12-14 753 0006	94
81.95301.6234	036 020 0004	63	81.96503.0333	12-14 753 0008	93
81.95301.6235	034 026 0015	39	81.96503.0339	12-14 753 0009	96
81.95301.6237	036 020 0005	64	81.96503.0398	12-14 753 0006	94

To be continued on the following column→

To be continued on the following page→

Index: Reference / MEYLE / Page

Reference-No.	MEYLE-No.	Page	Reference-No.	MEYLE-No.	Page
---------------	-----------	------	---------------	-----------	------

→ MAN

81.96503.0399	12-14 753 0008	93
81.96503.0445	12-14 753 0009	96
81.96506.0155	12-14 753 0004	88
81.96601.0298	034 035 0013	29
81.99917.8470	12-34 126 6020	34
82.52161.6002	034 042 0019	77
82.96301.0008	12-39 222 0001	40
85.30001.6535	034 042 0051	4
85.61950.0025	12-12 319 0001	51
88.51230.6200	034 042 0050	4
88.52120.6200	034 042 0051	4
90.80415.3107	036 020 0002	62
90.80415.3111	036 020 0001	61
90.80415.3113	036 020 0002	62
6580 722 551	052 013 1850	22