








Spare parts to fit DAF

	Remarks	Meyle-No./Description	Reference-No.	Application
	Brake line	034 042 0024 Line Filter, compressor system Leitungsfiter, Druckluftanlage Filtro de tubería, sistema de aire comprimido Filtre de conduite, système d'air comprimé Фильтр провода, пневматическая система	0587805	F 2300 09.1963 - 10.1993 2300, 2305, 2335
	Length 580 mm Width 10 mm	052 010 0580 V-belt Keilriemen Correa Courroie trapézoidale Ремень клиновой	1208085 10X580 AVP 10X580 AVX 10X580 AVX 10X580LA	
	Length 1165 mm Width 13 mm	052 013 1165 V-belt Keilriemen Correa Courroie trapézoidale Ремень клиновой	1208087 13X1165 AVP 13X1165 AVX 13X1165 AVX 13X1165LA	
	Length 1650 mm Width 13 mm	052 013 1650 V-belt Keilriemen Correa Courroie trapézoidale Ремень клиновой	0067683 13X1650 AVP 13X1650 AVX 13X1650 AVX 13X1650LA	
	Length 1675 mm Width 13 mm	052 013 1675 V-belt Keilriemen Correa Courroie trapézoidale Ремень клиновой	238670 13X1675 AVP 13X1675 AVX 13X1675 AVX 13X1675LA	
	Length 1950 mm Width 13 mm	052 013 1950 V-belt Keilriemen Correa Courroie trapézoidale Ремень клиновой	0090050 0394662 1283100 13X1950 AVP 13X1950 AVX 13X1950 AVX 13X1950LA	



Spare parts to fit DAF



Remarks	Meyle-No./Description	Reference-No.	Application
	034 046 0000		85 CF <u>02.1998 - 12.2000</u> 340, 380, 430
	Oil filter Ölfilter Filtro de aceite Filtre d'huile Фильтр масляный		65 <u>01.1993 - 02.1998</u> 210
			75 <u>07.1992 - 02.1998</u> 240, 270, 300
			85 <u>07.1992 - 02.1998</u> 330, 360, 400
			F 800 FA 800 CB, FA 800 CN
			F 900 FA 900 BDD, FA 900 BDF, FA 900 BDT, FA 900 DE
			F 1100 1100
			F 1200 1200
			F 1300 1300, 1305
			F 1400 1400
			F 1500 1500
			F 1600 1600
			95 XF <u>01.1997 - 09.2002</u> 380, 430, 480, 530
			F 1700 1700
			F 1800 1800
			F 1900 1900
			F 2000 2000
			F 2100 2100, 2103, 2105
			F 2200 2200, 2205
			F 2300 <u>09.1963 - 10.1993</u> 2300, 2305, 2335


To be continued on the following page

Spare parts to fit DAF

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 2500 2500, 2505, 2525, 2535 F 2600 <u>09.1962 - 12.1973</u> 2600 F 2700 <u>01.1990 - 10.1993</u> 2700 95 <u>09.1987 - 01.1998</u> 310, 330, 350, 360, 380, 400, 430, 500 F 2800 <u>09.1973 - 09.1991</u> 2800, 2803, 2804, 2805, 2825 F 2900 <u>01.1990 - 10.1993</u> 2900 F 3200 <u>01.1990 - 10.1993</u> 3200 F 3300 <u>06.1981 - 09.1991</u> 3300, 3303, 3305, 3325 F 3600 <u>06.1985 - 09.1991</u> 3600, 3603, 3604, 3605, 3625 N 2800 NAT 2826 DKS 75 CF <u>02.1998 - 12.2000</u> 250, 290, 320
	Cylinder head 14-34 068 1404 Gasket set, cylinder head Dichtungssatz, Zylinderkopf Juego de juntas, culata Jeu de joints, culasse de cylindre Комплект прокладок, головка цилиндра	681404	
	Incl. bearing 14-34 123 0001 Drive shaft support Lagerung, Gelenkwelle Suspensión, árbol de transmisión Suspension, arbre articulé Подвесная опора карданного вала	1235569	85 CF <u>02.1998 - 12.2000</u> 340, 380, 430 85 <u>07.1992 - 02.1998</u> 330, 360, 400 95 XF <u>01.1997 - 09.2002</u> 380, 430, 480, 530

To be continued on the following page

Spare parts to fit DAF

	Remarks	Meyle-No./Description	Reference-No.	Application
		See previous page for more details		95 <u>09.1987 - 01.1998</u> 310, 330, 350, 360, 380, 400, 430, 500
	Front axle	034 026 0015	0386930 386930	F 1100 1100
	Length 88 mm Thread size M 10x1,0 mm M 14x1,5 mm Right hand thread	Shift rod connector Kugelkopf, Schaltgestänge Cabeza esférica, varillaje de cambio Boule, tringlerie de commande Наконечник, тяга КПП		F 1300 1300, 1305 F 1600 1600 95 XF <u>01.1997 - 09.2002</u> 380, 430, 480, 530 F 1700 1700 F 1800 1800 F 1900 1900 F 2100 2100, 2103, 2105 F 2300 <u>09.1963 - 10.1993</u> 2300, 2305, 2335 F 2500 2500, 2505, 2525, 2535 95 <u>09.1987 - 01.1998</u> 310, 330, 350, 360, 380, 400, 430, 500 F 2800 <u>09.1973 - 09.1991</u> 2800, 2803, 2804, 2805, 2825 F 3300 <u>06.1981 - 09.1991</u> 3300, 3303, 3305, 3325 F 3600 <u>06.1985 - 09.1991</u> 3600, 3603, 3604, 3605, 3625




Spare parts to fit DAF

	Remarks	Meyle-No./Description	Reference-No.	Application
	Length 55 mm	034 026 0017	1249088	85 CF <u>02.1998 - 12.2000</u> 340, 380, 430
	Thread size M 10x1,5 mm M 12x1,75 mm Left hand thread	Shift rod connector Kugelkopf, Schaltgestänge Cabeza esférica, varillaje de cambio Boule, tringlerie de commande Наконечник, тяга КПП		65 <u>01.1993 - 02.1998</u> 210 75 <u>07.1992 - 02.1998</u> 240, 270, 300 85 <u>07.1992 - 02.1998</u> 330, 360, 400 95 XF <u>01.1997 - 09.2002</u> 380, 430, 480, 530 95 <u>09.1987 - 01.1998</u> 310, 330, 350, 360, 380, 400, 430, 500 75 CF <u>02.1998 - 12.2000</u> 250, 290, 320
	Length 55 mm	034 026 0018	1249129 589333 656085	85 CF <u>02.1998 - 12.2000</u> 340, 380, 430
	Thread size M 10x1,5 mm M 12x1,75 mm Right hand thread Packing unit 10 pcs.	Shift rod connector Kugelkopf, Schaltgestänge Cabeza esférica, varillaje de cambio Boule, tringlerie de commande Наконечник, тяга КПП		65 <u>01.1993 - 02.1998</u> 210 75 <u>07.1992 - 02.1998</u> 240, 270, 300 85 <u>07.1992 - 02.1998</u> 330, 360, 400 95 XF <u>01.1997 - 09.2002</u> 380, 430, 480, 530 95 <u>09.1987 - 01.1998</u> 310, 330, 350, 360, 380, 400, 430, 500 75 CF <u>02.1998 - 12.2000</u> 250, 290, 320



Spare parts to fit DAF

	Remarks	Meyle-No./Description	Reference-No.	Application
	Height 365 mm Outer Ø 198 mm Inner Ø 103 mm Packing unit 3 pcs.	012 094 0024 Air filter Luftfilter Filtro de aire Filtre à air Воздушный фильтр	265045	85 <u>07.1992 - 02.1998</u> 330, 360 95 <u>09.1987 - 01.1998</u> 310, 330, 350, 360, 400
	Length 338 mm Width 224 mm Height 23,5 mm Particle	14-12 319 0001 Cabin air filter Filter, Innenraumluf Filtro, aire habitáculo Filtre compartiment Фильтр воздушный салона	1322255	95 XF <u>01.1997 - 09.2002</u> 380, 430, 480, 530
	Length 432 mm Width 169 mm Height 23,5 mm Particle	14-12 319 0000 Cabin air filter Filter, Innenraumluf Filtro, aire habitáculo Filtre compartiment Фильтр воздушный салона	1322259	85 CF <u>02.1998 - 12.2000</u> 340, 380, 430 75 CF <u>02.1998 - 12.2000</u> 250, 290, 320
	Length 300 mm Width 225 mm Height 13,5 mm Particle	14-12 319 0003 Cabin air filter Filter, Innenraumluf Filtro, aire habitáculo Filtre compartiment Фильтр воздушный салона	1347068	95 <u>09.1987 - 01.1998</u> 310, 330, 350, 360, 380, 400, 430, 500
	Incl. gasket	14-33 068 2958 Water pump Wasserpumpe Bomba de agua Pompe à eau Водяная помпа	0682958	
	Thread size M 16x1,5 mm To fit 973 002 402 0	034 043 0039 Control Valve, trailer Steuerventil, Anhänger Válvula de control, remolque Valve de commande, remorque Управляющий клапан, прицеп	167846	F 2100 2100, 2105 F 2300 <u>09.1963 - 10.1993</u> 2300, 2305, 2335

Spare parts to fit DAF

	Remarks	Meyle-No./Description	Reference-No.	Application
	Thread size M 16x1,5 mm	034 043 0039 Control Valve, trailer Steuerventil, Anhänger Válvula de control, remolque Valve de commande, remorque Управляющий клапан, прицеп	167846	F 2100 2100, 2105 F 2300 <u>09.1963 - 10.1993</u> 2300, 2305, 2335
	To fit 973 002 402 0			
	Thread size M 16x1,5 mm	034 043 0039 Control Valve, trailer Steuerventil, Anhänger Válvula de control, remolque Valve de commande, remorque Управляющий клапан, прицеп	167846	F 2100 2100, 2105 F 2300 <u>09.1963 - 10.1993</u> 2300, 2305, 2335
	To fit 973 002 402 0			
	Thread size M 14x1,5 mm To fit 961 722 252 0	034 043 0050 Brake valve, park brake Bremsventil, Feststellbremse Válvula de freno, freno de estacionamiento Valve de commande de frein, frein de stationnement Тормозной клапан	374642	
	Front axle, right Length 133 mm Thread size M 24x1,5 mm M 48x1,5 mm Right hand thread	14-36 040 0004 Tie rod end Spurstangenkopf Cabezal barra de dirección Rotule barre d'accouplement Наконечник рулевой тяги	0067389	85 CF <u>02.1998 - 12.2000</u> 340, 380, 430 65 <u>01.1993 - 02.1998</u> 210 75 <u>07.1992 - 02.1998</u> 240, 270, 300 85 <u>07.1992 - 02.1998</u> 330, 360, 400 95 XF <u>01.1997 - 09.2002</u> 380, 430, 480, 530 95 <u>09.1987 - 01.1998</u> 310, 330, 350, 360, 380, 400, 430, 500 75 CF <u>02.1998 - 12.2000</u> 250, 290, 320

Spare parts to fit DAF

	Remarks	Meyle-No./Description	Reference-No.	Application
	Front axle, left	14-36 040 0005	0606922	F 1600 1600 95 XF <u>01.1997 - 09.2002</u> 380, 430, 480, 530 F 2000 2000 F 2100 2100, 2103, 2105 F 2200 2200, 2205 F 2300 <u>09.1963 - 10.1993</u> 2300, 2305, 2335 F 2500 2500, 2505, 2525, 2535 F 2600 <u>09.1962 - 12.1973</u> 2600 F 2700 <u>01.1990 - 10.1993</u> 2700 95 <u>09.1987 - 01.1998</u> 310, 330, 350, 360, 380, 400, 430, 500 F 2800 <u>09.1973 - 09.1991</u> 2800, 2803, 2805, 2825 F 2900 <u>01.1990 - 10.1993</u> 2900 F 3200 <u>01.1990 - 10.1993</u> 3200 F 3300 <u>06.1981 - 09.1991</u> 3300, 3303, 3305, 3325 F 3600 <u>06.1985 - 09.1991</u> 3600, 3603, 3604, 3605, 3625
	Length 130 mm Thread size M 24x1,5 mm M 46x1,6 mm Left hand thread	Tie rod end Spurstangenkopf Cabezal barra de dirección Rotule barre d'accouplement Наконечник рулевой тяги		
	Front axle, left	036 020 0016	0608530	95 XF <u>01.1997 - 09.2002</u> 380, 430, 480, 530 95 <u>09.1987 - 01.1998</u> 310, 330, 350, 360, 380, 400, 430, 500
	Length 104 mm Thread size M 16x1,5 mm M 24x1,5 mm Right hand thread	Tie rod end Spurstangenkopf Cabezal barra de dirección Rotule barre d'accouplement Наконечник рулевой тяги		

Spare parts to fit DAF

	Remarks	Meyle-No./Description	Reference-No.	Application
	Front axle, right	036 020 0003	0110197	F 1200
	Length 106 mm	Tie rod end Spurstangenkopf Cabezal barra de dirección Rotule barre d'accouplement Наконечник рулевой тяги	0607453 1373135 607451	1200 F 1700 1700 F 1900 1900
	Front axle, left	036 020 0008	110196	F 1200
	Length 106 mm	Tie rod end Spurstangenkopf Cabezal barra de dirección Rotule barre d'accouplement Наконечник рулевой тяги	1373137 607452	1200 F 1700 1700 F 1900 1900
	Front axle, right	036 020 0001	0586753	75 CF
	Length 114 mm	Tie rod end Spurstangenkopf Cabezal barra de dirección Rotule barre d'accouplement Наконечник рулевой тяги	1229944 1326896 586753 607999 694298 694360 698609	<u>02.1998 - 12.2000</u> 250, 290, 320
	Thread size M 18x1,5 mm M 28x1,5 mm			
	Right hand thread			
	For complete tie rod(s) refer to: 036 030 0039			

Spare parts to fit DAF



	Remarks	Meyle-No./Description	Reference-No.	Application
	Front axle, left	036 020 0002	0311300	F 1300
	Length 114 mm	Tie rod end	0607998	1300, 1305
	Thread size	Spurstangenkopf	1315447	F 1400
	M 20x1,5 mm	Cabezal barra de dirección	1319838	1400
	M 30x1,5 mm	Rotule barre	1338714	F 1500
	Left hand thread	d'accouplement	311300	1500
		Наконечник рулевой тяги	607998	F 1600
				1600
				F 1700
				1700
				F 1800
				1800
				F 1900
				1900
				75 CF
				<u>02.1998 - 12.2000</u>
				250, 290, 320
	Front axle, right	036 020 0004	1257890	85
	Length 120 mm	Tie rod end	607981	<u>07.1992 - 02.1998</u>
	Thread size	Spurstangenkopf	696226	330, 360, 400
	M 24x1,5 mm	Cabezal barra de dirección	698450	95 XF
	M 30x1,5 mm	Rotule barre		<u>01.1997 - 09.2002</u>
	Right hand thread	d'accouplement		380, 430, 480, 530
		Наконечник рулевой тяги		95
	For complete tie rod(s) refer to: 036 030 0002			<u>09.1987 - 01.1998</u>
				310, 330, 350, 360, 380, 400, 430, 500
	Front axle, left	036 020 0005	1228115	85 CF
	Length 120 mm	Tie rod end	607053	<u>02.1998 - 12.2000</u>
	Thread size	Spurstangenkopf	696205	340, 380, 430
	M 24x1,5 mm	Cabezal barra de dirección	696225	65
	M 30x1,5 mm	Rotule barre		<u>01.1993 - 02.1998</u>
	Left hand thread	d'accouplement		210
		Наконечник рулевой тяги		75
				<u>07.1992 - 02.1998</u>
				240, 270, 300

To be continued on the following page


Spare parts to fit DAF

	Remarks	Meyle-No./Description	Reference-No.	Application
		See previous page for more details		85 <u>07.1992 - 02.1998</u> 330, 360, 400 F 1600 1600 95 XF <u>01.1997 - 09.2002</u> 380, 430, 480, 530 F 1700 1700 F 1900 1900 F 2000 2000 F 2100 2100, 2103, 2105 95 <u>09.1987 - 01.1998</u> 310, 330, 350, 360, 380, 400, 430, 500 75 CF <u>02.1998 - 12.2000</u> 250, 290, 320
	Front axle, left Length 180 mm Thread size M 18x1,5 mm M 28x1,5 mm Left hand thread	46-36 020 0002 Tie rod end Spurstangenkopf Cabezal barra de dirección Rotule barre d'accouplement Наконечник рулевой тяги	ACU9239	
	Front axle, right Length 180 mm Thread size M 18x1,5 mm M 28x1,5 mm Right hand thread	46-36 020 0001 Tie rod end Spurstangenkopf Cabezal barra de dirección Rotule barre d'accouplement Наконечник рулевой тяги	ACU9240	
	Axle rod	034 035 0028 Repair kit, support joint Reparatursatz, Führungsstrebe, Radaufhängung Juego de reparación, travesano de guía, suspensión de ruedas Kit de réparation, suspension de roue Ремкомплект, стабилизатор	0691703 691703	F 2100 2100, 2103, 2105 F 2200 2200 F 2300 <u>09.1963 - 10.1993</u> 2300, 2305, 2335

Spare parts to fit DAF

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		F 2500 2500, 2505, 2525, 2535 F 2600 <u>09.1962 - 12.1973</u> 2600 F 2700 <u>01.1990 - 10.1993</u> 2700 F 2800 <u>09.1973 - 09.1991</u> 2800, 2803, 2804, 2805, 2825 F 2900 <u>01.1990 - 10.1993</u> 2900 F 3200 <u>01.1990 - 10.1993</u> 3200 F 3300 <u>06.1981 - 09.1991</u> 3300, 3303, 3305, 3325 F 3600 <u>06.1985 - 09.1991</u> 3600, 3603, 3604, 3605, 3625
 <p>Incl. bearing Length 270 mm Outer Ø 31,5 mm 50,0 mm</p>	14-34 068 1621 Repair kit, kingpin Reparatursatz, Achsschenkelbolzen Juego de reparación, pivote del muñón del eje Kit d'assemblage, pivot de fusée d'essieu Ремкомплект, шкворень поворотного кулака	0681621	F 1600 1600 F 2100 2100, 2103, 2105 F 2300 <u>09.1963 - 10.1993</u> 2300, 2305, 2335 F 2500 2500, 2505, 2525, 2535 F 2800 <u>09.1973 - 09.1991</u> 2800, 2803, 2804, 2805, 2825 F 3300 <u>06.1981 - 09.1991</u> 3300, 3303, 3305, 3325
 <p>Incl. bearing Length 270 mm Outer Ø 31,5 mm 50,0 mm</p>	14-34 068 1706 Repair kit, kingpin Reparatursatz, Achsschenkelbolzen Juego de reparación, pivote del muñón del eje Kit d'assemblage, pivot de fusée d'essieu Ремкомплект, шкворень поворотного кулака	0681706	85 CF <u>02.1998 - 12.2000</u> 340, 380, 430 75 <u>07.1992 - 02.1998</u> 240, 270, 300 85 <u>07.1992 - 02.1998</u> 330, 360, 400

Spare parts to fit DAF

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		95 XF <u>01.1997 - 09.2002</u> 380, 430, 480, 530 95 <u>09.1987 - 01.1998</u> 310, 330, 350, 360, 380, 400, 430, 500 75 CF <u>02.1998 - 12.2000</u> 250, 290, 320
	28 V 034 015 0005 Voltage regulator Generatorregler Regulador Régulateur Регулятор генератора	068499	85 <u>07.1992 - 02.1998</u> 330, 360 95 <u>09.1987 - 01.1998</u> 310, 330, 350, 360, 400, 430

Index: MEYLE / Reference / Page



MEYLE-No.	Reference-No.	Page		MEYLE-No.	Reference-No.	Page
DAF				→ DAF		
012 094 0024	265045	6		036 020 0005	607053	10
034 015 0005	068499	13		036 020 0005	1228115	10
034 026 0015	0386930	4		036 020 0008	110196	9
034 026 0015	386930	4		036 020 0008	607452	9
034 026 0017	1249088	5		036 020 0008	1373137	9
034 026 0018	1249129	5		036 020 0016	0608530	8
034 026 0018	589333	5		052 010 0580	1208085	1
034 026 0018	656085	5		052 013 1165	1208087	1
034 035 0028	691703	11		052 013 1650	0067683	1
034 035 0028	0691703	11		052 013 1675	238670	1
034 042 0024	0587805	1		052 013 1950	0090050	1
034 043 0039	167846	6		052 013 1950	0394662	1
034 043 0039	167846	7		052 013 1950	1283100	1
034 043 0039	167846	7		14-12 319 0000	1322259	6
034 043 0050	374642	7		14-12 319 0001	1322255	6
036 020 0001	586753	9		14-12 319 0003	1347068	6
036 020 0001	694298	9		14-33 068 2958	0682958	6
036 020 0001	694360	9		14-34 068 1404	681404	3
036 020 0001	607999	9		14-34 068 1621	0681621	12
036 020 0001	698609	9		14-34 068 1706	0681706	12
036 020 0001	0586753	9		14-34 123 0001	1235569	3
036 020 0001	1229944	9		14-36 040 0004	0067389	7
036 020 0001	1326896	9		14-36 040 0005	0606922	8
036 020 0002	1338714	10		46-36 020 0001	ACU9240	11
036 020 0002	1315447	10		46-36 020 0002	ACU9239	11
036 020 0002	1319838	10				
036 020 0002	0311300	10				
036 020 0002	0607998	10				
036 020 0002	607998	10				
036 020 0002	311300	10				
036 020 0003	1373135	9				
036 020 0003	607451	9				
036 020 0003	0607453	9				
036 020 0003	0110197	9				
036 020 0004	1257890	10				
036 020 0004	607981	10				
036 020 0004	696226	10				
036 020 0004	698450	10				
036 020 0005	696205	10				
036 020 0005	696225	10				

To be continued on the following column→

Index: Reference / MEYLE / Page



Reference-No.	MEYLE-No.	Page	Reference-No.	MEYLE-No.	Page
DAF			→ DAF		
0067389	14-36 040 0004	7	238670	052 013 1675	1
0067683	052 013 1650	1	265045	012 094 0024	6
0090050	052 013 1950	1	311300	036 020 0002	10
0110197	036 020 0003	9	374642	034 043 0050	7
0311300	036 020 0002	10	386930	034 026 0015	4
0386930	034 026 0015	4	586753	036 020 0001	9
0394662	052 013 1950	1	589333	034 026 0018	5
0586753	036 020 0001	9	607053	036 020 0005	10
0587805	034 042 0024	1	607451	036 020 0003	9
0606922	14-36 040 0005	8	607452	036 020 0008	9
0607453	036 020 0003	9	607981	036 020 0004	10
0607998	036 020 0002	10	607998	036 020 0002	10
0608530	036 020 0016	8	607999	036 020 0001	9
0681621	14-34 068 1621	12	656085	034 026 0018	5
0681706	14-34 068 1706	12	681404	14-34 068 1404	3
0682958	14-33 068 2958	6	691703	034 035 0028	11
068499	034 015 0005	13	694298	036 020 0001	9
0691703	034 035 0028	11	694360	036 020 0001	9
110196	036 020 0008	9	696205	036 020 0005	10
1208085	052 010 0580	1	696225	036 020 0005	10
1208087	052 013 1165	1	696226	036 020 0004	10
1228115	036 020 0005	10	698450	036 020 0004	10
1229944	036 020 0001	9	698609	036 020 0001	9
1235569	14-34 123 0001	3	ACU9239	46-36 020 0002	11
1249088	034 026 0017	5	ACU9240	46-36 020 0001	11
1249129	034 026 0018	5			
1257890	036 020 0004	10			
1283100	052 013 1950	1			
1315447	036 020 0002	10			
1319838	036 020 0002	10			
1322255	14-12 319 0001	6			
1322259	14-12 319 0000	6			
1326896	036 020 0001	9			
1338714	036 020 0002	10			
1347068	14-12 319 0003	6			
1373135	036 020 0003	9			
1373137	036 020 0008	9			
167846	034 043 0039	6			
167846	034 043 0039	7			
167846	034 043 0039	7			