


Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	3 -pole	614 899 0008 Sensor, throttle position Sensor, Drosselklappenstellung Sensor, posición mariposa Capteur, position du papillon Датчик, положение дроссельной заслонки	46 61 062 88 57 19 88 57 195	900 I Limousine <u>01.1979 - 12.1993</u> 2.1 -16 900 I Cabrio <u>10.1986 - 06.1994</u> 2.1 -16 900 I Schrägh./Hatchback Coupé <u>09.1978 - 06.1994</u> 2.1 -16 900 II Limousine <u>07.1993 - 02.1998</u> except: 2.5 -24 V6 900 II Cabrio <u>12.1993 - 02.1998</u> except: 2.5 -24 V6 900 II Coupé <u>12.1993 - 02.1998</u> except: 2.5 -24 V6 9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> 2.0 -16 CD, 2.0 -16 Turbo, 2.0 -16 Turbo CD, 2.3 -16 CD, 2.3 -16 CD Turbo, 2.3 -16 CDE, 2.3 -16 CDE Eco-Power, 2.3 -16 Turbo 9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> 2.0 -16 CS, 2.0 -16 ND Turbo, 2.0 -16 Turbo, 2.3 -16 Aero CS, 2.3 -16 CS, 2.3 -16 CSE, 2.3 -16 CSE Eco Power, 2.3 -16 Turbo, 2.3 -16 Turbo CSE
	For vehicles with hydraulic clutch actuation	859 101 0001 Hydraulic clutch hose Kupplungsschlauch Manguera hidraulica de embrague Durite hydraulique à l'embrayage Шланг сцепления	53 31 137	900 I Limousine <u>01.1979 - 12.1993</u> except: 2.0, 2.1 16 S 900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16 900 I Schrägh./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 T8, 2.1 16 S 900 II Limousine <u>07.1993 - 02.1998</u> except: 2.5 -24 V6 900 II Cabrio <u>12.1993 - 02.1998</u> except: 2.5 -24 V6

To be continued on the following page

Spare parts to fit Saab


Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		900 II Coupé <u>12.1993 - 02.1998</u> except: 2.5 -24 V6
3 -pole Cable length 520 mm	814 899 0002 Crank position sensor Impulsgeber, Kurbelwelle Generador de impulsos, cigüeñal Générateur d'impulsion, vilebrequin Датчик импульсов	30 56 1772 55 55 7326 91 77 221	900 II Limousine <u>07.1993 - 02.1998</u> except: 2.5 -24 V6 900 II Cabrio <u>12.1993 - 02.1998</u> except: 2.5 -24 V6 900 II Coupé <u>12.1993 - 02.1998</u> except: 2.5 -24 V6 9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.2 TiD, 2.3 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3 9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.0, 2.0 t, 2.3 t, 2.3 Turbo 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.0, 2.0 t, 2.3 t, 2.3 Turbo
	614 899 0030 Crank position sensor Impulsgeber, Kurbelwelle Generador de impulsos, cigüeñal Générateur d'impulsion, vilebrequin Датчик импульсов		9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> 2.2 TiD 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 2.2 TiD 9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.2 TiD 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.2 TiD

Spare parts to fit Saab



Remarks	Meyle-No./Description	Reference-No.	Application
	814 757 6416	75 76 416	90 <u>08.1984 - 08.1987</u>
	Bracket, shift linkage Lagerbock, Schaltgestänge Soporte, varillaje caja de cambios Carlingage de palier, tringlerie de commande кронштейн подшипника, тяга переключения		95 Kombi/Wagon <u>10.1965 - 12.1978</u> 96 <u>10.1965 - 08.1980</u> 99 <u>11.1967 - 01.1987</u> 99 Schraegh./Hatchback Coupé <u>08.1968 - 01.1987</u> 2.0, 2.0 Turbo 900 I Limousine <u>01.1979 - 12.1993</u> except: 2.0, 2.1 16 S 900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16 900 I Schrägh./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 EMS, 2.0 T8, 2.1 16 S 900 II Limousine <u>07.1993 - 02.1998</u> 900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u> 9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> except: 2.0, 2.0 Carlsson, 2.0 T16, 2.3 9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 16v, 2.0 T16 9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3 9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.0 t, 2.3 t, 2.3 Turbo, 3.0 V6t 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.0 t, 2.3 t, 2.3 Turbo, 3.0 V6t

Spare parts to fit Saab


	Remarks	Meyle-No./Description	Reference-No.	Application
	Injection pump	814 835 7709	83 57 709	90 <u>08.1984 - 08.1987</u>
		Guide, injection valve Halter, Einspritzventil Guía, válvula de inyección Guide, soupape d'injection Держатель, клапанная форсунка		95 Kombi/Wagon <u>10.1965 - 12.1978</u>
				96 <u>10.1965 - 08.1980</u>
				99 <u>11.1967 - 01.1987</u>
				99 Schraegh./Hatchback Coupé <u>08.1968 - 01.1987</u> 2.0, 2.0 Turbo
				900 I Limousine <u>01.1979 - 12.1993</u> except: 2.0, 2.1 16 S
				900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16
				900 I Schrägh./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 EMS, 2.0 T8, 2.1 16 S
				900 II Limousine <u>07.1993 - 02.1998</u>
				900 II Cabrio <u>12.1993 - 02.1998</u>
				900 II Coupé <u>12.1993 - 02.1998</u>
				9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> except: 2.0, 2.0 Carlsson, 2.0 T16, 2.3
				9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 16v, 2.0 T16
				9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3
				9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3
				9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.0 t, 2.3 t, 2.3 Turbo, 3.0 V6t
				9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.0 t, 2.3 t, 2.3 Turbo, 3.0 V6t

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	Unheated Regulating probe	100 900 0000 Lambda probe Lambdasonde Sonda lambda Sonde lambda Кислородный датчик	75 34 795	900 I Limousine <u>01.1979 - 12.1993</u> 2.0 i 900 I Schräg./Hatchback Coupé <u>09.1978 - 06.1994</u> 2.0 i
		514 899 0030 Knock sensor Klopfsensor Sensor de detonaciones Capteur de cognement Датчик детонации		900 I Limousine <u>01.1979 - 12.1993</u> 2.0 -16, 2.0 Turbo, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.0 Turbo-16 S KAT, 2.1 -16 900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16 900 I Schräg./Hatchback Coupé <u>09.1978 - 06.1994</u> 2.0 -16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.0 Turbo-16 S KAT, 2.1 -16 9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> 2.0 -16 Turbo, 2.0 -16 Turbo CD 9000 Schräg./Hatchback <u>09.1984 - 12.1998</u> 2.0 -16, 2.0 -16 CS, 2.0 -16 Turbo, 2.0 -16 Turbo CS
		814 754 1451 Mount, alternator Lagerung, Generator Soporte, alternador Support, alternateur Подвеска, генератор	75 41 451	90 <u>08.1984 - 08.1987</u> 95 Kombi/Wagon <u>10.1965 - 12.1978</u> 96 <u>10.1965 - 08.1980</u> 99 <u>11.1967 - 01.1987</u> 99 Schraegh./Hatchback Coupé <u>08.1968 - 01.1987</u> 2.0, 2.0 Turbo 900 I Limousine <u>01.1979 - 12.1993</u> except: 2.0, 2.1 16 S

To be continued on the following page

Spare parts to fit Saab

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16 900 I Schräg./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 EMS, 2.0 T8, 2.1 16 S 900 II Limousine <u>07.1993 - 02.1998</u> 900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u> 9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> except: 2.0, 2.0 Carlsson, 2.0 T16, 2.3 9000 Schräg./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 16v, 2.0 T16 9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3 9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.0 t, 2.3 t, 2.3 Turbo, 3.0 V6t 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.0 t, 2.3 t, 2.3 Turbo, 3.0 V6t
 <p>Height 26,0 mm Outer Ø 33,0 mm</p>	814 800 0006 Valve lifter Ventilstößel Buzo hidráulico Pousoir hydraulique Толкатель клапана	91 34 420 93 57 716	900 I Limousine <u>01.1979 - 12.1993</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.0 Turbo-16 S KAT, 2.1 -16 900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16 900 I Schräg./Hatchback Coupé <u>09.1978 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.0 Turbo-16 S KAT, 2.1 -16

To be continued on the following page

Spare parts to fit Saab

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		<p>9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> 2.0 -16, 2.0 -16 CD, 2.0 -16 Turbo, 2.0 -16 Turbo CD, 2.3 -16 CD, 2.3 -16 CD Turbo, 2.3 -16 CDE, 2.3 -16 CDE Eco-Power, 2.3 -16 Turbo</p> <p>9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 16v, 2.0 T16, 3.0 -24 V6 CS/CSE</p> <p>9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.2 TiD, 2.3</p> <p>9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3</p> <p>9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo</p> <p>9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo</p>
	<p>814 758 0001</p> <p>Timing chain tensioner Spanner, Steuerkette Tensor de cadena Tendeur de chaîne Натяжитель цепи</p>	75 85 086	<p>900 I Limousine <u>01.1979 - 12.1993</u> 2.0 -16, 2.0 i, 2.0 S Turbo-16, 2.0 Turbo, 2.0 Turbo-16, 2.0 Turbo-16 S KAT, 2.1 -16</p> <p>900 II Limousine <u>07.1993 - 02.1998</u></p> <p>9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> except: 2.0, 2.0 Carlsson, 2.0 T16, 2.3</p> <p>9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 16v, 2.0 T16</p> <p>9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3</p> <p>9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t</p> <p>9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t</p>



Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
		614 053 0001 Crankshaft pulley Riemenscheibe, Kurbelwelle Polea, cigüeñal Poulie, vilebrequin Шкив	55 35 1711 91 28 177	9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> 2.2 TiD 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 2.2 TiD 9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.2 TiD 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.2 TiD
	Length 1000 mm Width 10 mm	052 010 1000 V-belt Keilriemen Correa Courroie trapézoïdale Ремень клиновой	80 00 397 10X1000 AVP 10X1000 AVX 10X1000 AVX 10X1000LA	99 Schraegh./Hatchback Coupé <u>08.1968 - 01.1987</u> 2.0 Turbo
	Length 1013 mm Width 10 mm	052 010 1013 V-belt Keilriemen Correa Courroie trapézoïdale Ремень клиновой	10X1013 AVP 10X1013 AVX 10X1013 AVX 10X1013LA	95 Kombi/Wagon <u>10.1965 - 12.1978</u> 96 <u>10.1965 - 08.1980</u>
	Length 1025 mm Width 10 mm	052 010 1025 V-belt Keilriemen Correa Courroie trapézoïdale Ремень клиновой	73 10 53 10X1025 AVP 10X1025 AVX 10X1025 AVX 10X1025LA	95 Kombi/Wagon <u>10.1965 - 12.1978</u> 96 <u>10.1965 - 08.1980</u>
	Length 1100 mm Width 10 mm	052 010 1100 V-belt Keilriemen Correa Courroie trapézoïdale Ремень клиновой	88 33 91 10X1100 AVP 10X1100 AVX 10X1100 AVX 10X1100LA	95 Kombi/Wagon <u>10.1965 - 12.1978</u> 96 <u>10.1965 - 08.1980</u>

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	Length 1170 mm	052 010 1170	10X1170	900 I Limousine <u>01.1979 - 12.1993</u> except: 2.0, 2.0 EMS, 2.1 16 S
	Width 10 mm	V-belt Keilriemen Correa Courroie trapézoidale Ремень клиновой	AVP 10X1170 AVX 10X1170 AVX 10X1170LA	900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16 900 I Schrägh./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 EMS, 2.0 T8, 2.1 16 S
	Length 1175 mm	052 010 1175	93 61 791	900 I Limousine <u>01.1979 - 12.1993</u> except: 2.0, 2.0 EMS, 2.1 16 S
	Width 10 mm	V-belt Keilriemen Correa Courroie trapézoidale Ремень клиновой	10X1175 AVP 10X1175 AVX 10X1175 AVX 10X1175LA	900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16 900 I Schrägh./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 EMS, 2.0 T8, 2.1 16 S
	Length 1250 mm	052 010 1250	93 39 409 93 47 048	900 I Limousine <u>01.1979 - 12.1993</u> 2.0 -16, 2.0 c, 2.0 i, 2.0 S Turbo-16, 2.0 Turbo, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.0 Turbo-16 S KAT
	Width 10 mm	V-belt Keilriemen Correa Courroie trapézoidale Ремень клиновой	10X1250 AVP 10X1250 AVX 10X1250 AVX 10X1250LA	900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 S Turbo-16 900 I Schrägh./Hatchback Coupé <u>09.1978 - 06.1994</u> 2.0 c, 2.0 i, 2.0 S Turbo-16, 2.0 Turbo

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	Length 1525 mm	052 010 1525	10X1525	99
	Width 10 mm	V-belt Keilriemen Correa Courroie trapézoidale Ремень клиновой	AVP 10X1525 AVX 10X1525 AVX 10X1525LA	<u>11.1967 - 01.1987</u> except: 2.0 99 Schraegh./Hatchback Coupé <u>08.1968 - 01.1987</u> 2.0 900 I Limousine <u>01.1979 - 12.1993</u> 2.0 EMS
	Length 813 mm	052 010 0813	83 22 026	99
	Width 10 mm	V-belt Keilriemen Correa Courroie trapézoidale Ремень клиновой	10X813 AVP 10X813 AVX 10X813 AVX 10X813LA	<u>11.1967 - 01.1987</u> except: 2.0 99 Schraegh./Hatchback Coupé <u>08.1968 - 01.1987</u> 2.0 900 I Limousine <u>01.1979 - 12.1993</u> 2.0 EMS
	Length 825 mm	052 010 0825	83 39 921	900 I Limousine
	Width 10 mm	V-belt Keilriemen Correa Courroie trapézoidale Ремень клиновой	10X825 9,5X825 AVP 10X825 AVX 10X825 AVX 10X825LA	<u>01.1979 - 12.1993</u> except: 2.0, 2.0 EMS, 2.1 16 S 900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16 900 I Schrägh./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 EMS, 2.0 T8, 2.1 16 S

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	Length 850 mm	052 010 0850	44 48 400	99 Schraegh./Hatchback Coupé <u>08.1968 - 01.1987</u> 2.0 Turbo
	Width 10 mm	V-belt Keilriemen Correa Courroie trapézoidale Ремень клиновой	10X850 9,5X850 AVP 10X850 AVP 9,5X850 AVX 10X850 AVX 10X850LA	
	Length 975 mm	052 010 0975	75 11 728 83 84 92	90 <u>08.1984 - 08.1987</u> 99 <u>11.1967 - 01.1987</u> except: 2.0 99 Schraegh./Hatchback Coupé <u>08.1968 - 01.1987</u> 2.0 900 I Limousine <u>01.1979 - 12.1993</u> except: 2.0, 2.1 16 S 900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16 900 I Schrähg./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 EMS, 2.0 T8, 2.1 16 S
	Width 10 mm	V-belt Keilriemen Correa Courroie trapézoidale Ремень клиновой	83 84 927 93 23 510 93 41 314 10X975 AVP 10X975 AVX 10X975 AVX 10X975LA	
	Length 980 mm	052 010 0980	10X980 AVP 10X980	99 <u>11.1967 - 01.1987</u> except: 2.0 GL
	Width 10 mm	V-belt Keilriemen Correa Courroie trapézoidale Ремень клиновой	AVX 10X980 AVX 10X980LA	
	Length 1175 mm	052 013 1175	81 41 93 93 67 20	900 I Limousine <u>01.1979 - 12.1993</u> except: 2.0, 2.0 EMS, 2.1 16 S 900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16
	Width 13 mm	V-belt Keilriemen Correa Courroie trapézoidale Ремень клиновой	12,5X1175 13X1175 AVP 12,5X1175 AVP 13X1175 AVX 13X1175 AVX 13X1175LA	

To be continued on the following page





Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
		See previous page for more details		900 I Schräh./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 EMS, 2.0 T8, 2.1 16 S
	Length 1200 mm Width 13 mm	052 013 1200 V-belt Keilriemen Correa Courroie trapézoidale Ремень клиновой	81 41 94 93 44 623 13X1200 AVP 13X1200 AVX 13X1200 AVX 13X1200LA	900 I Limousine <u>01.1979 - 12.1993</u> except: 2.0, 2.0 EMS, 2.1 16 S 900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16 900 I Schräh./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 EMS, 2.0 T8, 2.1 16 S
	Length 1250 mm Width 13 mm	052 013 1250 V-belt Keilriemen Correa Courroie trapézoidale Ремень клиновой	81 41 96 12,5X1250 13X1250 AVP 12,5X1250 AVP 13X1250 AVX 13X1250 AVX 13X1250LA	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> 2.0 -16 Turbo CD
	Length 1275 mm Width 13 mm	052 013 1275 V-belt Keilriemen Correa Courroie trapézoidale Ремень клиновой	81 41 97 93 82 383 12,5X1275 13X1275 AVP 12,5X1275 AVP 13X1275 AVX 13X1275 AVX 13X1275LA	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> 2.0 -16 CD, 2.0 -16 Turbo, 2.0 -16 Turbo CD, 2.3 -16 CD, 2.3 -16 Turbo 9000 Schräh./Hatchback <u>09.1984 - 12.1998</u> 2.0 -16, 2.0 -16 CS, 2.0 -16 ND Turbo, 2.0 -16 Turbo, 2.0 -16 Turbo CS, 2.3 -16 CS, 2.3 -16 CSE, 2.3 -16 Turbo






Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	Length 1588 mm	050 005 1588	43 56 887	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u>
	No. of ribs 5	V-ribbed belt Keilrippenriemen Correa trap. dentada Courroie trap. à nervures Ремень поликлиновой	75 96 679 5 PK 1588 5 PK 1592	2.0 -16, 2.0 -16 CD, 2.0 -16 Turbo, 2.0 -16 Turbo CD 9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> 2.0 -16, 2.0 -16 CS, 2.0 -16 ND Turbo, 2.0 -16 Turbo, 2.0 -16 Turbo CS
	Length 1610 mm	050 005 1610	75 51 674	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u>
	No. of ribs 5	V-ribbed belt Keilrippenriemen Correa trap. dentada Courroie trap. à nervures Ремень поликлиновой	75 79 881 5 PK 1610	2.0 -16 CD, 2.0 -16 Turbo, 2.0 -16 Turbo CD, 2.3 -16 CD, 2.3 -16 Turbo 9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> 2.0 -16, 2.0 -16 CS, 2.0 -16 ND Turbo, 2.0 -16 Turbo, 2.0 -16 Turbo CS, 2.3 -16 CS, 2.3 -16 CSE, 2.3 -16 Turbo
	Length 1795 mm	050 006 1795	6 PK 1795	9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u>
	No. of ribs 6	V-ribbed belt Keilrippenriemen Correa trap. dentada Courroie trap. à nervures Ремень поликлиновой		2.0 i, 2.0 Turbo, 2.3 i, 2.3 Turbo 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.0 SE Turbo, 2.3
	Length 1800 mm	050 006 1800	49 61 058	9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u>
	No. of ribs 6	V-ribbed belt Keilrippenriemen Correa trap. dentada Courroie trap. à nervures Ремень поликлиновой	6 PK 1800	2.2 TiD
	Length 1885 mm	050 006 1885	6 PK 1885	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u>
	No. of ribs 6	V-ribbed belt Keilrippenriemen Correa trap. dentada Courroie trap. à nervures Ремень поликлиновой		3.0 -24 V6 CD/CDE 9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> 3.0 -24 V6 CS/CSE

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	Length 1900 mm No. of ribs 6	050 006 1900 V-ribbed belt Keilrippenriemen Correa trap. dentada Courroie trap. à nervures Ремень поликлиновой	6 PK 1900	900 II Limousine <u>07.1993 - 02.1998</u> 2.5 -24 V6 900 II Cabrio <u>12.1993 - 02.1998</u> 2.5 -24 V6 900 II Coupé <u>12.1993 - 02.1998</u> 2.5 -24 V6 9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> 2.2 TiD 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 2.2 TiD
	Length 1980,0 mm No. of ribs 6	050 006 1980 V-ribbed belt Keilrippenriemen Correa trap. dentada Courroie trap. à nervures Ремень поликлиновой	6 PK 1980	9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.0 t, 2.3 t 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.0 t, 2.3 t
	Length 2000 mm No. of ribs 6	050 006 2000 V-ribbed belt Keilrippenriemen Correa trap. dentada Courroie trap. à nervures Ремень поликлиновой	6 PK 2000	9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.0 t, 2.3 t 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.0 t, 2.3 t
	Length 2013 mm No. of ribs 6	050 006 2013 V-ribbed belt Keilrippenriemen Correa trap. dentada Courroie trap. à nervures Ремень поликлиновой	43 59 071 6 PK 2013	900 II Limousine <u>07.1993 - 02.1998</u> except: 2.5 -24 V6 900 II Cabrio <u>12.1993 - 02.1998</u> except: 2.5 -24 V6 900 II Coupé <u>12.1993 - 02.1998</u> except: 2.5 -24 V6
	Length 2225 mm No. of ribs 6	050 006 2225 V-ribbed belt Keilrippenriemen Correa trap. dentada Courroie trap. à nervures Ремень поликлиновой	6 PK 2225	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> 3.0 -24 V6 CD/CDE 9000 Schräh./Hatchback <u>09.1984 - 12.1998</u> 3.0 -24 V6 CS/CSE

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	Length 2300 mm	050 006 2300	43 95 422	900 II Limousine <u>07.1993 - 02.1998</u> 2.5 -24 V6
	No. of ribs 6	V-ribbed belt Keilrippenriemen Correa trap. dentada Courroie trap. à nervures Ремень поликлиновой	6 PK 2300 6 PK 2303	900 II Cabrio <u>12.1993 - 02.1998</u> 2.5 -24 V6 900 II Coupé <u>12.1993 - 02.1998</u> 2.5 -24 V6
	Length 2310 mm	050 006 2310	43 60 111 43 60 467 43 95 422	900 II Limousine <u>07.1993 - 02.1998</u> 2.5 -24 V6
	No. of ribs 6	V-ribbed belt Keilrippenriemen Correa trap. dentada Courroie trap. à nervures Ремень поликлиновой	6 PK 2310	900 II Cabrio <u>12.1993 - 02.1998</u> 2.5 -24 V6 900 II Coupé <u>12.1993 - 02.1998</u> 2.5 -24 V6
	Length 2330 mm	050 006 2330	6 PK 2330	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> 2.0 -16, 2.0 -16 Turbo, 2.3 -16 CD Turbo, 2.3 -16 CDE, 2.3 -16 CDE Eco-Power
	No. of ribs 6	V-ribbed belt Keilrippenriemen Correa trap. dentada Courroie trap. à nervures Ремень поликлиновой		9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> 2.3 -16 Aero CS, 2.3 -16 CSE Eco Power, 2.3 -16 Turbo CSE
	Length 2345 mm	050 006 2345	49 61 066	9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> 2.0 i, 2.0 SE Turbo, 2.0 Turbo
	No. of ribs 6	V-ribbed belt Keilrippenriemen Correa trap. dentada Courroie trap. à nervures Ремень поликлиновой	6 PK 2345 6 PK 2350	9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> 2.0 SE Turbo, 2.0 Turbo 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 t, 2.0 T
	Length 2540 mm	050 006 2540	40 29 203 43 56 903 43 95 455	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> 2.0 -16 CD, 2.0 -16 Turbo CD, 2.3 -16 CD, 2.3 -16 CD Turbo, 2.3 -16 CDE, 2.3 -16 CDE Eco-Power, 2.3 -16 Turbo
	No. of ribs 6	V-ribbed belt Keilrippenriemen Correa trap. dentada Courroie trap. à nervures Ремень поликлиновой	6 PK 2540	9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> 2.0 -16 CS, 2.0 -16 Turbo CS, 2.3 -16 CS, 2.3 -16 CSE, 2.3 -16 CSE Eco Power, 2.3 -16 Turbo, 2.3 -16 Turbo CSE

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	Length 2550 mm	050 006 2550	40 29 203	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u>
	No. of ribs 6	V-ribbed belt Keilrippenriemen Correa trap. dentada Courroie trap. à nervures Ремень поликлиновой	43 56 903 43 95 455 6 PK 2550	2.0 -16, 2.0 -16 CD, 2.0 -16 Turbo, 2.0 -16 Turbo CD, 2.3 -16 CD, 2.3 -16 CD Turbo, 2.3 -16 CDE, 2.3 -16 CDE Eco-Power, 2.3 -16 Turbo 9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 16v, 2.0 T16, 3.0 -24 V6 CS/CSE
	Length 2612 mm	050 006 2612	6 PK 2612	9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u>
	No. of ribs 6	V-ribbed belt Keilrippenriemen Correa trap. dentada Courroie trap. à nervures Ремень поликлиновой	6 PK 2615	2.0 t, 2.3 t, 2.3 Turbo 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.0 t, 2.3 t, 2.3 Turbo
	Length 2625 mm	050 006 2625	43 59 063	900 II Limousine <u>07.1993 - 02.1998</u>
	No. of ribs 6	V-ribbed belt Keilrippenriemen Correa trap. dentada Courroie trap. à nervures Ремень поликлиновой	49 04 728 6 PK 2622 6 PK 2625	except: 2.5 -24 V6 900 II Cabrio <u>12.1993 - 02.1998</u> except: 2.5 -24 V6 900 II Coupé <u>12.1993 - 02.1998</u> except: 2.5 -24 V6
		614 563 0001	91 28 739	9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.2 TiD, 2.3 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3
		814 040 0000	40 29 930	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> 2.0 -16 CD, 2.0 -16 Turbo CD, 2.3 -16 CD, 2.3 -16 CD Turbo, 2.3 -16 CDE, 2.3 -16 CDE Eco-Power

To be continued on the following page

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
		See previous page for more details		9000 Schräh./Hatchback <u>09.1984 - 12.1998</u> 2.0 -16 CS, 2.0 -16 Turbo CS, 2.3 -16 Aero CS, 2.3 -16 CS, 2.3 -16 CSE, 2.3 -16 CSE Eco Power, 2.3 -16 Turbo, 2.3 -16 Turbo CSE
	V-ribbed belt	614 009 0003 Tension roller, ribbed belt Umlenk-/Führungsrolle, Keilrippenriemen Polea, correa poli V Poulie, courroie trap. à nervures Направляющий ролик		900 I Schräh./Hatchback Coupé <u>09.1978 - 06.1994</u> 2.0 i
	Thread size 3/4"-16 UNF	100 013 0001 Oil filter Ölfilter Filtro de aceite Filtre d'huile Фильтр масляный	83 49 40	95 Kombi/Wagon <u>10.1965 - 12.1978</u> 96 <u>10.1965 - 08.1980</u>
	Thread size M 18x1,5 mm	614 065 0004 Oil filter Ölfilter Filtro de aceite Filtre d'huile Фильтр масляный		900 II Limousine <u>07.1993 - 02.1998</u> 2.5 -24 V6 900 II Cabrio <u>12.1993 - 02.1998</u> 2.5 -24 V6 900 II Coupé <u>12.1993 - 02.1998</u> 2.5 -24 V6 9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> 3.0 -24 V6 CD/CDE 9000 Schräh./Hatchback <u>09.1984 - 12.1998</u> 3.0 -24 V6 CS/CSE
		614 322 0001 Oil filter Ölfilter Filtro de aceite Filtre d'huile Фильтр масляный	47 72 166 91 17 321 95 43 679	9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> 2.2 TiD 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 2.2 TiD 9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.2 TiD




To be continued on the following page

Spare parts to fit Saab



Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.2 TiD
	614 322 0008 Oil filter ÖlfILTER Filtro de aceite Filtre d'huile Фильтр масляный	12 57 5810 24 46 0713	9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 2.0 T 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 t, 2.0 T 9-3 Cabriolet (YS3F) <u>08.2003 -</u> 1.8 t, 2.0 t
	814 751 5190 Valve stem seal Dichtring, Ventilschaft Sello de válvula Joint queue soupape Уплотняющее кольцо, стержень клапана	75 15 190	90 <u>08.1984 - 08.1987</u> 95 Kombi/Wagon <u>10.1965 - 12.1978</u> 96 <u>10.1965 - 08.1980</u> 99 <u>11.1967 - 01.1987</u> 99 Schraegh./Hatchback Coupé <u>08.1968 - 01.1987</u> 2.0, 2.0 Turbo 900 I Limousine <u>01.1979 - 12.1993</u> except: 2.0, 2.1 16 S 900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16 900 I Schrägh./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 EMS, 2.0 T8, 2.1 16 S 900 II Limousine <u>07.1993 - 02.1998</u> 900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u>

To be continued on the following page

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
		See previous page for more details		9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> except: 2.0, 2.0 Carlsson, 2.0 T16, 2.3 9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 16v, 2.0 T16 9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3 9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.0 t, 2.3 t, 2.3 Turbo, 3.0 V6t 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.0 t, 2.3 t, 2.3 Turbo, 3.0 V6t
	Connecting thread M 12x1,5 mm M 14x1,5 mm Height 155 mm Steel For aluminium version refer to: 100 133 0007	100 133 0006 Fuel filter Kraftstofffilter Filtro gasolina Filtre carburant Топливный фильтр	89 78 561	900 I Limousine <u>01.1979 - 12.1993</u> 2.0 -16, 2.0 i 900 I Schrägh./Hatchback Coupé <u>09.1978 - 06.1994</u> 2.0 -16, 2.0 i
	Connecting thread M 12x1,5 mm M 14x1,5 mm Height 155 mm Aluminium For steel version refer to: 100 133 0006	100 133 0007 Fuel filter Kraftstofffilter Filtro gasolina Filtre carburant Топливный фильтр	89 78 561	900 I Limousine <u>01.1979 - 12.1993</u> 2.0 -16, 2.0 i 900 I Schrägh./Hatchback Coupé <u>09.1978 - 06.1994</u> 2.0 -16, 2.0 i
	Height 170,5 mm Aluminium For steel version refer to: 100 201 0013	100 201 0000 Fuel filter Kraftstofffilter Filtro gasolina Filtre carburant Топливный фильтр	25 31 3359	9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 1.8 i, 2.0 T, 2.8 Turbo V6 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 i, 1.8 t, 2.0 t, 2.8 Turbo V6 9-3 Cabriolet (YS3F) <u>08.2003 -</u> 1.8 t, 2.0 t, 2.8 Turbo V6

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	Height 162 mm	100 201 0013	25 31 3359	9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 1.8 i, 2.0 t, 2.8 Turbo V6
	Steel For aluminium version refer to: 100 201 0000	Fuel filter Kraftstofffilter Filtro gasolina Filtre carburant Топливный фильтр		9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 i, 1.8 t, 2.0 T, 2.8 Turbo V6 9-3 Cabriolet (YS3F) <u>08.2003 -</u> 1.8 t, 2.0 T, 2.8 Turbo V6
	Thread size M 12x1,5 mm M 14x1,5 mm	514 323 0000	93 33 790	9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 2.0 T
	Aluminium For steel version refer to: 514 323 0003	Fuel filter Kraftstofffilter Filtro gasolina Filtre carburant Топливный фильтр		900 I Limousine <u>01.1979 - 12.1993</u> except: 2.0, 2.1 16 S 900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16 900 I Schrägh./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 T8, 2.1 16 S 900 II Limousine <u>07.1993 - 02.1998</u> 900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u> 9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> except: 2.0, 2.0 Carlsson, 2.0 T16, 2.3 9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 16v, 2.0 T16 9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.2 TiD, 2.3 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 2.0 T 9-3 Cabriolet (YS3F) <u>08.2003 -</u> 2.0 T 9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.0, 2.0 t, 2.3 t, 2.3 Turbo, 3.0 V6t

To be continued on the following page

Spare parts to fit Saab

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.0, 2.0 t, 2.3 t, 2.3 Turbo, 3.0 V6t
 <p>Thread size M 12x1,5 mm M 14x1,5 mm</p> <p>Steel</p> <p>Zinc coated</p> <p>For aluminium version refer to: 514 323 0000</p>	<p>514 323 0003</p> <p>Fuel filter Kraftstofffilter Filtro gasolina Filtre carburant Топливный фильтр</p>	93 33 790	<p>9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 2.0 T</p> <p>900 I Limousine <u>01.1979 - 12.1993</u> except: 2.0, 2.1 16 S</p> <p>900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16</p> <p>900 I Schrägh./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 T8, 2.1 16 S</p> <p>900 II Limousine <u>07.1993 - 02.1998</u></p> <p>900 II Cabrio <u>12.1993 - 02.1998</u></p> <p>900 II Coupé <u>12.1993 - 02.1998</u></p> <p>9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> except: 2.0, 2.0 Carlsson, 2.0 T16, 2.3</p> <p>9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 16v, 2.0 T16</p> <p>9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.2 TiD, 2.3</p> <p>9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3</p> <p>9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 2.0 T</p> <p>9-3 Cabriolet (YS3F) <u>08.2003 -</u> 2.0 t</p> <p>9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.0, 2.0 t, 2.3 t, 2.3 Turbo, 3.0 V6t</p>

To be continued on the following page

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
		See previous page for more details		9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.0, 2.0 t, 2.3 t, 2.3 Turbo, 3.0 V6t
	Incl. gasket	614 818 0000 Fuel filter Kraftstofffilter Filtro gasolina Filtre carburant Топливный фильтр	51 95 516 54 64 656	9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> 2.2 TiD 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 2.2 TiD 9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.2 TiD, 3.0 TiD 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.2 TiD, 3.0 TiD
		614 034 0020 Cap, fuel tank Verschluß, Kraftstoffbehälter Tapa, depósito de combustible Bouchon, réservoir de carburant Крышка, топливной бак	90 50 1145	9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 2.2 TiD
	Front, left Rubber metal bearing	614 684 0016 Engine mount Lagerung, Motor Soporte de motor Support moteur Опора двигателя	43 56 176	900 II Limousine <u>07.1993 - 02.1998</u> 900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u> 9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.2 TiD 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u>

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	Left	814 435 0001	43 56 184	900 II Limousine <u>07.1993 - 02.1998</u> 900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u> 9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.2 TiD 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u>
	Rubber metal bearing	Engine mount Lagerung, Motor Soporte de motor Support moteur Опора двигателя		
	Front, left	814 030 0001	49 66 438 49 67 725 49 67 915	9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.3 Turbo, 3.0 TiD 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.3 Turbo, 3.0 TiD
	Rubber/metal	Engine mount Lagerung, Motor Soporte de motor Support moteur Опора двигателя		
	Front	614 030 0010		9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 1.8 i 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 i
		Engine mount Lagerung, Motor Soporte de motor Support moteur Опора двигателя		
	Left and right	814 755 1104	75 51 104	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> 2.0 -16 Turbo, 2.0 -16 Turbo CD 9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> 2.0 -16, 2.0 -16 Turbo
	Hydro mount	Engine mount Lagerung, Motor Soporte de motor Support moteur Опора двигателя		
	Rear, right	814 757 0001	75 76 333	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> except: 2.0, 2.0 Carlsson, 2.0 T16, 3.0 -24 V6 CD/CDE 9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 16v, 2.0 T16, 3.0 -24 V6 CS/CSE
	Outer Ø 60,0 mm Rubber metal bearing	Engine mount Lagerung, Motor Soporte de motor Support moteur Опора двигателя		

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	Left and right	814 878 6006	75 92 975 87 86 006	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> 2.0 -16, 2.0 -16 Turbo, 2.0 -16 Turbo CD, 2.3, 2.3 -16 CD, 2.3 -16 CD Turbo, 2.3 -16 Turbo
	Hydro mount	Engine mount Lagerung, Motor Soporte de motor Support moteur Опора двигателя		9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> 2.0 -16 CS, 2.0 -16 Turbo, 2.0 -16 Turbo CS, 2.3 -16 CS, 2.3 -16 Turbo
	Engine mounting	814 442 6003	44 26 003	90 <u>08.1984 - 08.1987</u>
		Engine mount bracket Lagerbock, Motoraufhängung Soporte, suspensión del motor Support de palier, suspension du moteur Шарнирный кронштейн, подвеска двигателя		95 Kombi/Wagon <u>10.1965 - 12.1978</u> 96 <u>10.1965 - 08.1980</u> 99 <u>11.1967 - 01.1987</u> 99 Schraegh./Hatchback Coupé <u>08.1968 - 01.1987</u> 2.0, 2.0 Turbo 900 I Limousine <u>01.1979 - 12.1993</u> except: 2.0, 2.1 16 S 900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16 900 I Schrägh./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 EMS, 2.0 T8, 2.1 16 S 900 II Limousine <u>07.1993 - 02.1998</u> 900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u> 9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> except: 2.0, 2.0 Carlsson, 2.0 T16, 2.3 9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 16v, 2.0 T16 9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3

To be continued on the following page

Spare parts to fit Saab

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3 9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.0 t, 2.3 t, 2.3 Turbo, 3.0 V6t 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.0 t, 2.3 t, 2.3 Turbo, 3.0 V6t
For fore- / backflow	819 222 0001 Radiator hose Kühlerschlauch Manguera de radiador Durite de radiateur Патрубок системы охлаждения	49 61 074	900 II Limousine <u>07.1993 - 02.1998</u> 2.0 -16 Turbo, 2.3 -16 900 II Cabrio <u>12.1993 - 02.1998</u> 2.0 -16 Turbo, 2.3 -16 900 II Coupé <u>12.1993 - 02.1998</u> 2.0 -16 Turbo, 2.3 -16 9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3
Length 285 mm Width 184 mm Height 42 mm Packing unit 36 pcs.	612 083 4015 Air filter Luftfilter Filtro de aire Filtre à air Воздушный фильтр	42 36 063	900 II Limousine <u>07.1993 - 02.1998</u> 2.5 -24 V6 900 II Cabrio <u>12.1993 - 02.1998</u> 2.5 -24 V6 900 II Coupé <u>12.1993 - 02.1998</u> 2.5 -24 V6
Length 282 mm Width 159 mm Height 58 mm Packing unit 32 pcs.	812 619 9007 Air filter Luftfilter Filtro de aire Filtre à air Воздушный фильтр	42 36 030	900 II Limousine <u>07.1993 - 02.1998</u> except: 2.5 -24 V6 900 II Cabrio <u>12.1993 - 02.1998</u> except: 2.5 -24 V6 900 II Coupé <u>12.1993 - 02.1998</u> except: 2.5 -24 V6 9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.2 TiD, 2.3 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3


Spare parts to fit Saab

Remarks	Meyle-No./Description	Reference-No.	Application
Length 307,5 mm Width 149 mm Height 58 mm	812 619 9010 Air filter Luftfilter Filtro de aire Filtre à air Воздушный фильтр	48 76 074	9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> 2.3 Turbo 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 t, 2.0 T
Length 303 mm Width 173 mm Height 45 mm	812 619 9005 Air filter Luftfilter Filtro de aire Filtre à air Воздушный фильтр	48 76 199	9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> 2.2 TiD
Height 140 mm Outer Ø 177 mm Inner Ø 95 mm	812 619 9000 Air filter Luftfilter Filtro de aire Filtre à air Воздушный фильтр	45 72 491 51 73 166	9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> 2.3 Turbo 9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t
Height 234 mm Outer Ø 148 mm Inner Ø 90 mm	812 619 9002 Air filter Luftfilter Filtro de aire Filtre à air Воздушный фильтр	75 14 722	900 I Limousine <u>01.1979 - 12.1993</u> 2.0 Turbo-16 S, 2.0 Turbo-16 S KAT 900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 Turbo-16 S 900 I Schrägh./Hatchback Coupé <u>09.1978 - 06.1994</u> 2.0 Turbo-16 S

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	Height 292 mm Outer Ø 116 mm Inner Ø 70 mm	812 619 9008 Air filter Luftfilter Filtro de aire Filtre à air Воздушный фильтр	93 90 907	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> except: 2.0, 2.0 Carlsson, 2.0 T16 9000 Schräg./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 16v, 2.0 T16
	Length 299 mm Width 236 mm Height 13 mm Particle	212 319 0005 Cabin air filter Filter, Innenraumluft Filtro, aire habitáculo Filtre compartiment Фильтр воздушный салона		9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> 2.0 -16, 2.0 -16 Turbo, 2.0 -16 Turbo CD, 2.3 -16 CD, 2.3 -16 Turbo 9000 Schräg./Hatchback <u>09.1984 - 12.1998</u> 2.0 -16, 2.0 -16 CS, 2.0 -16 Turbo, 2.3 -16 CS, 2.3 -16 Turbo
	Length 317 mm Width 190 mm Height 30 mm Activated carbon	812 320 0006 Cabin air filter Filter, Innenraumluft Filtro, aire habitáculo Filtre compartiment Фильтр воздушный салона	12 75 8727 50 47 238 53 35 948	9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t
	Length 331 mm Width 163 mm Height 30 mm Activated carbon	612 320 0005 Cabin air filter Filter, Innenraumluft Filtro, aire habitáculo Filtre compartiment Фильтр воздушный салона	91 79 904	9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 1.8 i, 1.9 TiD, 2.0 T, 2.8 Turbo V6 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 i, 1.8 t, 1.9 TiD, 2.0 T, 2.2 TiD, 2.8 Turbo V6 9-3 Cabriolet (YS3F) <u>08.2003 -</u> 1.8 t, 1.9 TiD, 2.0 t, 2.8 Turbo V6
	Length 331 mm Width 160 mm Height 32 mm Particle	612 319 0005 Cabin air filter Filter, Innenraumluft Filtro, aire habitáculo Filtre compartiment Фильтр воздушный салона	91 79 905	9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 i, 1.8 t, 1.9 TiD, 2.0 T, 2.2 TiD 9-3 Cabriolet (YS3F) <u>08.2003 -</u> 1.8 t, 2.0 t






Spare parts to fit Saab

Remarks	Meyle-No./Description	Reference-No.	Application
Length 349 mm Width 204 mm Height 44 mm Particle	812 319 0004 Cabin air filter Filter, Innenraumluf Filtro, aire habitáculo Filtre compartiment Фильтр воздушный салона	40 72 211	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> 2.0 -16, 2.0 -16 Turbo, 2.0 -16 Turbo CD, 2.3 -16 CD, 2.3 -16 Turbo 9000 Schrähg./Hatchback <u>09.1984 - 12.1998</u> 2.0 -16 CS, 2.0 -16 Turbo, 2.3 -16 Aero CS, 2.3 -16 CS, 2.3 -16 Turbo
Length 282 mm Width 244 mm Height 27 mm Particle	812 319 0000 Cabin air filter Filter, Innenraumluf Filtro, aire habitáculo Filtre compartiment Фильтр воздушный салона	40 72 393	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> except: 2.0, 2.0 Carlsson, 2.0 T16, 2.3 9000 Schrähg./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 -16, 2.0 -16 Turbo CS, 2.0 16v, 2.0 T16
Length 319 mm Width 186 mm Height 52 mm Particle	812 320 0003 Cabin air filter Filter, Innenraumluf Filtro, aire habitáculo Filtre compartiment Фильтр воздушный салона	45 41 546	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> 2.0 -16, 2.0 -16 Turbo, 2.0 -16 Turbo CD, 2.3 -16 CD, 2.3 -16 Turbo 9000 Schrähg./Hatchback <u>09.1984 - 12.1998</u> 2.0 -16 CS, 2.0 -16 Turbo, 2.3 -16 Aero CS, 2.3 -16 CS, 2.3 -16 Turbo
 Length 441 mm Width 126 mm Height 30 mm Particle	812 319 0001 Cabin air filter Filter, Innenraumluf Filtro, aire habitáculo Filtre compartiment Фильтр воздушный салона	46 32 493	900 I Limousine <u>01.1979 - 12.1993</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16 S KAT, 2.1 -16 900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.1 -16 900 I Schrähg./Hatchback Coupé <u>09.1978 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo, 2.0 Turbo-16, 2.0 Turbo-16 S KAT, 2.1 -16 900 II Limousine <u>07.1993 - 02.1998</u> 900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u> 9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3, 2.3 Turbo

Spare parts to fit Saab



	Remarks	Meyle-No./Description	Reference-No.	Application
	Length 288 mm Width 224,5 mm Height 13 mm Particle	812 319 0002 Cabin air filter Filter, Innenraumluft Filtro, aire habitáculo Filtre compartiment Фильтр воздушный салона	96 25 674	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> 2.0 -16, 2.0 -16 Turbo, 2.0 -16 Turbo CD, 2.3 -16 CD, 2.3 -16 Turbo 9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> 2.0 -16, 2.0 -16 CS, 2.0 -16 Turbo
	Incl. gasket No. of teeth 23	613 600 4135 Water pump Wasserpumpe Bomba de agua Pompe à eau Водяная помпа		9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 1.8 i 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 i
	Incl. gasket	613 220 0006 Water pump Wasserpumpe Bomba de agua Pompe à eau Водяная помпа		9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 1.9 TiD 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 1.9 TiD
	Incl. gasket	813 883 1944 Water pump Wasserpumpe Bomba de agua Pompe à eau Водяная помпа	47 70 970 59 58 061 88 21 944	900 II Limousine <u>07.1993 - 02.1998</u> 2.5 -24 V6 900 II Cabrio <u>12.1993 - 02.1998</u> 2.5 -24 V6 900 II Coupé <u>12.1993 - 02.1998</u> 2.5 -24 V6 9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> 3.0 -24 V6 CD/CDE 9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> 3.0 -24 V6 CS/CSE 9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 3.0 V6t 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 3.0 V6t

Spare parts to fit Saab




	Remarks	Meyle-No./Description	Reference-No.	Application
	Incl. gasket	813 477 2711 Water pump Wasserpumpe Bomba de agua Pompe à eau Водяная помпа	47 72 711	9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> 2.2 TiD 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 2.2 TiD 9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.2 TiD 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.2 TiD
	Incl. gasket	813 603 6362 Water pump Wasserpumpe Bomba de agua Pompe à eau Водяная помпа	50 05 036 60 36 362 88 10 988 88 14 501	95 Kombi/Wagon <u>10.1965 - 12.1978</u> 96 <u>10.1965 - 08.1980</u>
	Incl. gasket Height 41 mm	613 220 0001 Water pump Wasserpumpe Bomba de agua Pompe à eau Водяная помпа		9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 1.9 TiD 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.9 TiD 9-3 Cabriolet (YS3F) <u>08.2003 -</u> 1.9 TiD
	Incl. gasket	613 600 0004 Water pump Wasserpumpe Bomba de agua Pompe à eau Водяная помпа	24 46 73001 93 17 8602 93 18 1118	9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 2.0 T 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 t, 2.0 T 9-3 Cabriolet (YS3F) <u>08.2003 -</u> 1.8 t, 2.0 t
	Incl. gasket	813 881 7900 Water pump Wasserpumpe Bomba de agua Pompe à eau Водяная помпа	75 01 547 75 07 460 88 17 900 93 07 893	90 <u>08.1984 - 08.1987</u> 99 <u>11.1967 - 01.1987</u> except: 2.0 99 Schraegh./Hatchback Coupé <u>08.1968 - 01.1987</u> 2.0 i

To be continued on the following page

Spare parts to fit Saab

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		900 I Limousine <u>01.1979 - 12.1993</u> except: 2.0, 2.0 Turbo-16 S, 2.1 16 S 900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16 900 I Schrägh./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 T8, 2.0 Turbo-16 S, 2.1 16 S
	Incl. gasket 813 932 1951 Water pump Wasserpumpe Bomba de agua Pompe à eau Водяная помпа	88 22 652 88 22 710 88 22 744 88 22 793 93 21 951	900 II Limousine <u>07.1993 - 02.1998</u> except: 2.5 -24 V6 900 II Cabrio <u>12.1993 - 02.1998</u> except: 2.5 -24 V6 900 II Coupé <u>12.1993 - 02.1998</u> except: 2.5 -24 V6 9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.0 SE Turbo, 2.2 TiD 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.0 SE Turbo 9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.0 t, 2.3 t, 2.3 Turbo 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.0 t, 2.3 t, 2.3 Turbo
	Incl. gasket 813 932 1670 Water pump Wasserpumpe Bomba de agua Pompe à eau Водяная помпа	88 17 918 93 21 670	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> 2.0 -16, 2.0 -16 Turbo, 2.0 -16 Turbo CD 9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> 2.0 -16, 2.0 -16 CS, 2.0 -16 Turbo

Spare parts to fit Saab


	Remarks	Meyle-No./Description	Reference-No.	Application
	Incl. gasket	813 932 1688 Water pump Wasserpumpe Bomba de agua Pompe à eau Водяная помпа	88 19 948 93 21 688	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> 2.3 -16 CD, 2.3 -16 CD Turbo, 2.3 -16 CDE Eco-Power, 2.3 -16 Turbo 9000 Schrähg./Hatchback <u>09.1984 - 12.1998</u> 2.3 -16 Aero CS, 2.3 -16 CS, 2.3 -16 CSE, 2.3 -16 CSE Eco Power, 2.3 -16 Turbo, 2.3 -16 Turbo CSE
	Front axle, left Length 66 mm Thread size M 12x1,5 mm M 16x2,0 mm Right hand thread For complete tie rod(s) refer to: 616 030 0002 For axial joint(s) refer to: 616 030 5563	616 020 5562 Tie rod end Spurstangenkopf Cabezal barra de dirección Rotule barre d'accouplement Наконечник рулевой тяги	42 42 749	900 II Limousine <u>07.1993 - 02.1998</u> 900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u> 9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3
	Front axle, right Length 66 mm Thread size M 12x1,5 mm M 16x2,0 mm Left hand thread For complete tie rod(s) refer to: 616 030 5564 For axial joint(s) refer to: 616 030 5566	616 020 5565 Tie rod end Spurstangenkopf Cabezal barra de dirección Rotule barre d'accouplement Наконечник рулевой тяги	42 42 756	900 II Limousine <u>07.1993 - 02.1998</u> 900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u> 9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	Front axle, left and right	616 020 5579	48 36 540	9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.0 t, 2.3 t, 2.3 Turbo, 3.0 V6t
	Length 75 mm Thread size M 12x1,5 mm M 14x1,5 mm Right hand thread	Tie rod end Spurstangenkopf Cabezal barra de dirección Rotule barre d'accouplement Наконечник рулевой тяги		9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.0 t, 2.3 t, 2.3 Turbo, 3.0 V6t
	For axial joint(s) refer to: 616 030 5580 616 030 5581			
	Front axle, left and right	816 020 4904	89 57 839 89 93 453	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> except: 2.0, 2.0 Carlsson
	For vehicles with power steering Length 125 mm Thread size M 12x1,5 mm M 14x1,5 mm Right hand thread	Tie rod end Spurstangenkopf Cabezal barra de dirección Rotule barre d'accouplement Наконечник рулевой тяги		9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 16v
	For axial joint(s) refer to: 816 031 0002			
	Front axle, left and right	816 020 4902	89 24 177 89 85 160 89 93 354 89 93 560	90 <u>08.1984 - 08.1987</u>
	Length 71 mm Thread size M 12x1,5 mm M 14x2,0 mm Right hand thread	Tie rod end Spurstangenkopf Cabezal barra de dirección Rotule barre d'accouplement Наконечник рулевой тяги		99 <u>11.1967 - 01.1987</u>
	For axial joint(s) refer to: 816 031 0003			99 Schraegh./Hatchback Coupé <u>08.1968 - 01.1987</u> 2.0, 2.0 Turbo
				900 I Limousine <u>01.1979 - 12.1993</u> except: 2.0, 2.1 16 S
				900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16




To be continued on the following page

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
		See previous page for more details		900 I Schräg./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 T8, 2.1 16 S
	Front axle, left Cone size 13,0 mm Length 136 mm Thread size M 12x1,5 mm M 14x1,5 mm Right hand thread For axial joint(s) refer to: 616 031 0002 616 031 0004	816 020 0020 Tie rod end Spurstangenkopf Cabezal barra de dirección Rotule barre d'accouplement Наконечник рулевой тяги	12 80 1423 52 35 650 52 39 314 93 17 2254	9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 1.8 i, 1.9 TiD, 2.0 t, 2.8 Turbo V6 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 i, 1.8 t, 1.9 TiD, 2.0 T, 2.2 TiD, 2.8 Turbo V6 9-3 Cabriolet (YS3F) <u>08.2003 -</u> 1.8 t, 1.9 TiD, 2.0 t, 2.8 Turbo V6 9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> except: 2.0, 2.0 Turbo SE, 2.3, 2.3 t BioPower 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> except: 2.0, 2.3 t BioPower
	Front axle, right Cone size 13,0 mm Length 136 mm Thread size M 12x1,5 mm M 14x1,5 mm Right hand thread For axial joint(s) refer to: 616 031 0002 616 031 0004	816 020 0001 Tie rod end Spurstangenkopf Cabezal barra de dirección Rotule barre d'accouplement Наконечник рулевой тяги	12 80 1424 52 35 668 52 39 322 93 17 2255	9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 1.8 i, 1.9 TiD, 2.0 T, 2.8 Turbo V6 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 i, 1.8 t, 1.9 TiD, 2.0 T, 2.2 TiD, 2.8 Turbo V6 9-3 Cabriolet (YS3F) <u>08.2003 -</u> 1.8 t, 1.9 TiD, 2.0 t, 2.8 Turbo V6 9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> except: 2.0, 2.0 Turbo SE, 2.3, 2.3 t BioPower 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> except: 2.0, 2.3 t BioPower
	Front axle, right Length 434 mm Thread size M 16x2,0 mm Right hand thread	616 030 5566 Axial rod Axialgelenk, Spurstange Rótula axial Rotule axiale Рулевая тяга без наконечника	42 42 681	900 II Limousine <u>07.1993 - 02.1998</u> 900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u>

To be continued on the following page

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	<p>For tie rod end(s) refer to: 616 020 5565</p> <p>For complete tie rod(s) refer to: 616 030 5564</p>	See previous page for more details		<p>9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3</p> <p>9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3</p>
	<p>Front axle, left</p> <p>Length 434 mm</p> <p>Thread size M 16x2,0 mm</p> <p>Left hand thread</p> <p>For tie rod end(s) refer to: 616 020 5562</p> <p>For complete tie rod(s) refer to: 616 030 0002</p>	<p>616 030 5563</p> <p>Axial rod Axialgelenk, Spurstange Rótula axial Rotule axiale Рулевая тяга без наконечника</p>	42 42 673	<p>900 II Limousine <u>07.1993 - 02.1998</u></p> <p>900 II Cabrio <u>12.1993 - 02.1998</u></p> <p>900 II Coupé <u>12.1993 - 02.1998</u></p> <p>9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3</p> <p>9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3</p>
	<p>Front axle, left and right</p> <p>For vehicles with power steering</p> <p>Length 359 mm</p> <p>Thread size M 16x1,5 mm M 14x1,5 mm</p> <p>Right hand thread</p> <p>For tie rod end(s) refer to: 616 020 5579</p>	<p>616 030 5581</p> <p>Axial rod Axialgelenk, Spurstange Rótula axial Rotule axiale Рулевая тяга без наконечника</p>	48 36 557	<p>9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.0 t, 2.3 t, 2.3 Turbo, 3.0 V6t</p> <p>9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.0 t, 2.3 t, 2.3 Turbo, 3.0 V6t</p>
	<p>Front axle, left and right</p> <p>For vehicles with power steering</p> <p>Length 361,5 mm</p> <p>Thread size M 16x1,5 mm M 14x1,5 mm</p>	<p>616 030 5580</p> <p>Axial rod Axialgelenk, Spurstange Rótula axial Rotule axiale Рулевая тяга без наконечника</p>		<p>9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t</p> <p>9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t</p>



To be continued on the following page

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	Right hand thread For tie rod end(s) refer to: 616 020 5579	See previous page for more details		
	Front axle, left and right Length 285 mm Thread size M 18x1,5 mm M 14x1,5 mm Right hand thread For tie rod end(s) refer to: 816 020 0001 816 020 0020	616 031 0004 Axial rod Axialgelenk, Spurstange Rótula axial Rotule axiale Рулевая тяга без наконечника	12 80 4238	9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 1.8 i, 1.9 TiD, 2.0 t, 2.8 Turbo V6 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 i, 1.8 t, 1.9 TiD, 2.0 T, 2.2 TiD, 2.8 Turbo V6 9-3 Cabriolet (YS3F) <u>08.2003 -</u> 1.8 t, 1.9 TiD, 2.0 t, 2.8 Turbo V6
	Front axle, left and right Thread size M 18x1,5 mm M 14x1,5 mm Right hand thread	616 031 0008 Axial rod Axialgelenk, Spurstange Rótula axial Rotule axiale Рулевая тяга без наконечника	93 17 8160	9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 1.8 i, 1.9 TiD, 2.0 t, 2.8 Turbo V6 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 i, 1.8 t, 1.9 TiD, 2.0 T, 2.2 TiD, 2.8 Turbo V6 9-3 Cabriolet (YS3F) <u>08.2003 -</u> 1.8 t, 1.9 TiD, 2.0 t, 2.8 Turbo V6
	Front axle, left and right For vehicles with power steering Length 310 mm Thread size M 14x1,5 mm M 14x1,5 mm	816 031 0002 Axial rod Axialgelenk, Spurstange Rótula axial Rotule axiale Рулевая тяга без наконечника	89 62 250	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> except: 2.0, 2.0 Carlsson, 2.0 T16, 2.3 9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 16v, 2.0 T16




To be continued on the following page

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	Right hand thread For tie rod end(s) refer to: 816 020 4904	See previous page for more details		
	Front axle, left and right For vehicles with power steering Length 272 mm Thread size M 14x2,0 mm M 14x2,0 mm Right hand thread For tie rod end(s) refer to: 816 020 4902	816 031 0003 Axial rod Axialgelenk, Spurstange Rótula axial Rotule axiale Рулевая тяга без наконечника	89 43 268 89 88 941	90 <u>08.1984 - 08.1987</u> 900 I Limousine <u>01.1979 - 12.1993</u> except: 2.0, 2.1 16 S 900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16 900 I Schrägh./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 T8, 2.1 16 S
	Front axle, left and right Centre Length 106 mm Thread size 2x M 16x2,0 mm Right hand thread Left hand thread Wheel truing Packing unit 10 pcs.	614 032 0002 Bolt, wheel alignment Schraube, Spureinstellung Tornillo, ajuste barra de acoplamiento Boulon, alignement des roues Болт регулировочный, рулевая тяга	42 42 731	900 II Limousine <u>07.1993 - 02.1998</u> 900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u> 9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3
	Front axle, left Length 535 mm Thread size M 12x1,5 mm Left hand thread	616 030 0002 Tie rod assembly Spurstange Barra de dirección Barre d'accoupl. Рулевая тяга в сборе		900 II Limousine <u>07.1993 - 02.1998</u> 900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u>

To be continued on the following page

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	For tie rod end(s) refer to: 616 020 5562 For axial joint(s) refer to: 616 030 5563	See previous page for more details		9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3
	Front axle, right Length 535 mm Thread size M 12x1,5 mm Right hand thread For tie rod end(s) refer to: 616 020 5565 For axial joint(s) refer to: 616 030 5566	616 030 5564 Tie rod assembly Spurstange Barra de dirección Barre d'accoupl. Рулевая тяга в сборе		900 II Limousine <u>07.1993 - 02.1998</u> 900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u> 9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3
		814 631 0011 Hydraulic pump, P/S Hydraulikpumpe, Lenkung Bomba hidráulica, dirección Pompe hydraulique, direction Насос, гидроусилитель руля	46 47 426 89 72 424	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> 2.0 -16, 2.0 -16 CD, 2.0 -16 Turbo, 2.0 -16 Turbo CD, 2.3 -16 CD, 2.3 -16 CD Turbo, 2.3 -16 CDE, 2.3 -16 CDE Eco-Power, 2.3 -16 Turbo 9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 16v, 2.0 T16, 3.0 -24 V6 CS/CSE
	Aluminium	814 631 0009 Hydraulic pump, P/S Hydraulikpumpe, Lenkung Bomba hidráulica, dirección Pompe hydraulique, direction Насос, гидроусилитель руля	50 61 841	9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.2 TiD, 2.3 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3

Spare parts to fit Saab

Remarks	Meyle-No./Description	Reference-No.	Application
Front axle	615 521 6024	91 56 807	9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 1.8 i, 1.9 TiD, 2.0 t
Ventilated	Brake disc Bremsscheibe		
No. of holes 5	Disco de freno Disque de frein Тормозной диск		9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 i, 1.8 t, 1.9 TiD, 2.0 T, 2.2 TiD
Hole circle Ø 110 mm			
Outer Ø 285 mm			9-3 Cabriolet (YS3F) <u>08.2003 -</u> 1.8 t, 1.9 TiD, 2.0 T
Thickness 24,9 mm			
Min. Thickness 22 mm			
Center Ø 70 mm			
Front axle	615 521 6024/PD	91 56 807	9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 1.8 i, 1.9 TiD, 2.0 T
Ventilated	Brake disc Bremsscheibe		
No. of holes 5	Disco de freno Disque de frein Тормозной диск		9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 i, 1.8 t, 1.9 TiD, 2.0 T, 2.2 TiD
Hole circle Ø 110 mm			
Outer Ø 285 mm			9-3 Cabriolet (YS3F) <u>08.2003 -</u> 1.8 t, 1.9 TiD, 2.0 T
Thickness 24,9 mm			
Min. Thickness 22 mm			
Center Ø 70 mm			
Chrome-(VI)- free passivation			
Front axle	615 521 6022	91 91 247	9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 i, 1.8 t, 1.9 TiD, 2.0 T, 2.2 TiD, 2.8 Turbo V6
Ventilated	Brake disc Bremsscheibe		
No. of holes 5	Disco de freno Disque de frein Тормозной диск		9-3 Cabriolet (YS3F) <u>08.2003 -</u> 2.8 Turbo V6
Hole circle Ø 110 mm			
Outer Ø 302 mm			
Thickness 28 mm			
Min. Thickness 25 mm			
Center Ø 70 mm			

Spare parts to fit Saab

Remarks	Meyle-No./Description	Reference-No.	Application
Front axle	615 521 6012	48 39 320	900 II Limousine <u>07.1993 - 02.1998</u>
Ventilated	Brake disc Bremsseibe		900 II Cabrio <u>12.1993 - 02.1998</u>
No. of holes 5	Disco de freno Disque de frein Тормозной диск		900 II Coupé <u>12.1993 - 02.1998</u>
Hole circle Ø 110 mm			9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3
Outer Ø 288 mm			9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3
Thickness 25 mm			9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t
Min. Thickness 22 mm			9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t
Center Ø 70 mm			
Front axle	615 521 6036	45 67 798 50 55 389	9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.3 Turbo, 3.0 TiD, 3.0 V6t
Ventilated	Brake disc Bremsseibe	51 22 833 53 91 560	9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.3 Turbo, 3.0 TiD, 3.0 V6t
No. of holes 5	Disco de freno Disque de frein Тормозной диск	91 84 405	
Hole circle Ø 110 mm			
Outer Ø 308 mm			
Thickness 25 mm			
Min. Thickness 23 mm			
Center Ø 70 mm			
Front axle	615 521 6036/PD	45 67 798 50 55 389	9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.3 Turbo, 3.0 TiD, 3.0 V6t
Ventilated	Brake disc Bremsseibe	51 22 833 53 91 560	9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.3 Turbo, 3.0 TiD, 3.0 V6t
No. of holes 5	Disco de freno Disque de frein Тормозной диск	91 84 405	
Hole circle Ø 110 mm			
Outer Ø 308 mm			

To be continued on the following page

Spare parts to fit Saab

Remarks	Meyle-No./Description	Reference-No.	Application
Thickness 25 mm Min. Thickness 23 mm Center Ø 70 mm Chrome-(VI)- free passivation	See previous page for more details		
Rear axle Ventilated No. of holes 5 Hole circle Ø 110 mm Outer Ø 292 mm Thickness 20 mm Min. Thickness 18 mm Center Ø 65,5 mm 5,24 kg	615 523 6027 Brake disc Bremsscheibe Disco de freno Disque de frein Тормозной диск	91 91 336	9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 2.0 T, 2.8 Turbo V6 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 i, 1.8 t, 1.9 TiD, 2.0 T, 2.2 TiD, 2.8 Turbo V6 9-3 Cabriolet (YS3F) <u>08.2003 -</u> 2.0 t, 2.8 Turbo V6
Rear axle Solid No. of holes 5 Hole circle Ø 110 mm Outer Ø 278 mm Thickness 12 mm Min. Thickness 10 mm Center Ø 65,5 mm	615 523 6025 Brake disc Bremsscheibe Disco de freno Disque de frein Тормозной диск	12 76 2290 91 56 785	9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 1.8 i, 1.9 TiD, 2.0 T 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 i, 1.8 t, 1.9 TiD, 2.0 t, 2.2 TiD 9-3 Cabriolet (YS3F) <u>08.2003 -</u> 1.8 t, 1.9 TiD, 2.0 t
Rear axle Solid No. of holes 5 Hole circle Ø 110 mm Outer Ø 278 mm	615 523 6025/PD Brake disc Bremsscheibe Disco de freno Disque de frein Тормозной диск	12 76 2290 91 56 785	9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 1.8 i, 1.9 TiD, 2.0 T 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 i, 1.8 t, 1.9 TiD, 2.0 T, 2.2 TiD


To be continued on the following page

Spare parts to fit Saab

Remarks	Meyle-No./Description	Reference-No.	Application
Thickness 12 mm Min. Thickness 10 mm Center Ø 65,5 mm Chrome-(VI)- free passivation	See previous page for more details		9-3 Cabriolet (YS3F) <u>08.2003 -</u> 1.8 t, 1.9 TiD, 2.0 t
Rear axle No. of holes 5 Hole circle Ø 110 mm Outer Ø 286 mm Thickness 10 mm Min. Thickness 8 mm Center Ø 65,5 mm	615 523 6010 Brake disc Bremsscheibe Disco de freno Disque de frein Тормозной диск	45 65 693 48 39 015 48 39 338	900 II Limousine <u>07.1993 - 02.1998</u> 900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u> 9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3 9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.0 t, 2.3 t, 3.0 V6t 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.0 t, 2.3 t, 3.0 V6t
Front axle Ventilated No. of holes 4 Hole circle Ø 108 mm Outer Ø 280 mm	815 521 5001 Brake disc Bremsscheibe Disco de freno Disque de frein Тормозной диск	40 02 143	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> except: 2.0, 2.0 Carlsson, 2.0 T16, 2.3 9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 -16, 2.0 16v, 2.0 T16

To be continued on the following page




Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	Thickness 25 mm Min. Thickness 23 mm Center Ø 68 mm	See previous page for more details		
	Front axle Ventilated No. of holes 4 Hole circle Ø 108 mm Outer Ø 280 mm Inner Ø 152,8 mm Thickness 23,4 mm Min. Thickness 21,5 mm Center Ø 68 mm	815 521 5009 Brake disc Bremsscheibe Disco de freno Disque de frein Тормозной диск	40 02 150	900 I Limousine <u>01.1979 - 12.1993</u> except: 2.0, 2.0 EMS, 2.1 16 S 900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16 900 I Schrägh./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 EMS, 2.0 T8, 2.1 16 S 9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> 2.0 -16, 2.0 -16 Turbo 9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> 2.0 -16, 2.0 -16 CS, 2.0 -16 Turbo
	Front axle Ventilated No. of holes 5 Hole circle Ø 110 mm Outer Ø 284 mm Thickness 24 mm Min. Thickness 21 mm Center Ø 70 mm	815 521 5021 Brake disc Bremsscheibe Disco de freno Disque de frein Тормозной диск	42 41 428	900 II Limousine <u>07.1993 - 02.1998</u> 900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u>

Spare parts to fit Saab

Remarks	Meyle-No./Description	Reference-No.	Application
Rear axle	815 523 5020	42 41 477	900 II Limousine <u>07.1993 - 02.1998</u>
Solid	Brake disc Bremsseibe		900 II Cabrio <u>12.1993 - 02.1998</u>
No. of holes 5	Disco de freno Disque de frein Тормозной диск		900 II Coupé <u>12.1993 - 02.1998</u>
Hole circle Ø 110 mm			
Outer Ø 260 mm			
Thickness 10 mm			
Min. Thickness 8 mm			
Center Ø 65,5 mm			
Rear axle	815 521 5025	49 07 523 50 57 476	9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u>
No. of holes 5	Brake disc Bremsseibe	53 61 537 53 91 537	1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t
Hole circle Ø 110 mm	Disco de freno Disque de frein Тормозной диск		9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u>
Outer Ø 286 mm			1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t
Thickness 10 mm			
Min. Thickness 8 mm			
Center Ø 65,5 mm			
Rear axle	815 523 5026	52 32 698 52 32 756	9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u>
Ventilated	Brake disc Bremsseibe		2.3 Turbo, 3.0 TiD, 3.0 V6t
No. of holes 5	Disco de freno Disque de frein Тормозной диск		9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u>
Hole circle Ø 110 mm			2.3 Turbo, 3.0 TiD, 3.0 V6t
Outer Ø 300 mm			
Thickness 20 mm			
Min. Thickness 18 mm			
Center Ø 65,5 mm			

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	Rear axle	815 523 5002	89 70 717	900 I Limousine <u>01.1979 - 12.1993</u> except: 2.0, 2.0 EMS, 2.1 16 S
	No. of holes 4	Brake disc		
	Hole circle Ø 108 mm	Bremsscheibe		
	Outer Ø 258 mm	Disco de freno		900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16
	Thickness 9 mm	Disque de frein		
	Min. Thickness 7,5 mm	Тормозной диск		900 I Schrägh./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 EMS, 2.0 T8, 2.1 16 S
	Center Ø 68 mm			9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> except: 2.0, 2.0 Carlsson, 2.0 T16, 2.3
				9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 16v, 2.0 T16
	Length 235 mm	614 562 0002	45 65 719	9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t
	Inner thread 2x M 10x1 mm	Brake hose		9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t
		Bremsschlauch		
		Manguera de freno		
		Flexible de frein		
		Тормозной шланг		
	Front axle	614 562 0003	42 41 444	900 II Limousine <u>07.1993 - 02.1998</u>
	Length 350 mm	Brake hose		900 II Cabrio <u>12.1993 - 02.1998</u>
	Banjo fitting	Bremsschlauch		900 II Coupé <u>12.1993 - 02.1998</u>
	Inner thread M 10x1 mm	Manguera de freno		9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3
		Flexible de frein		9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3
		Тормозной шланг		

Spare parts to fit Saab

Remarks	Meyle-No./Description	Reference-No.	Application
Rear axle	614 562 0029	44 67 262 44 83 285	900 II Limousine <u>07.1993 - 02.1998</u>
Length 195 mm	Brake hose Bremschlauch		900 II Cabrio <u>12.1993 - 02.1998</u>
Outer thread M 10x1 mm	Manguera de freno Flexible de frein Тормозной шланг		900 II Coupé <u>12.1993 - 02.1998</u>
Inner thread M 10x1 mm			9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3
			9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3
Front axle	814 525 0004	40 02 341 41 06 720	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u>
Required no. of pieces 2	Brake hose Bremschlauch Manguera de freno Flexible de frein Тормозной шланг	44 26 474 44 26 490 89 53 291 89 73 034	except: 2.0, 2.0 Carlsson, 2.0 T16, 2.3
Length 505 mm			9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 16v, 2.0 T16
Outer thread M 10x1 mm			
Inner thread M 10x1 mm			
Rear axle	814 525 0005	44 26 508 89 56 575	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u>
Required no. of pieces 2	Brake hose Bremschlauch Manguera de freno Flexible de frein Тормозной шланг	89 65 139 89 69 206	except: 2.0, 2.0 Carlsson, 2.0 T16, 2.3
Length 353 mm			9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 16v, 2.0 T16
Inner thread M 10x1 mm			
Rear axle	814 525 0001	45 43 427	900 II Limousine <u>07.1993 - 02.1998</u>
Length 205 mm	Brake hose Bremschlauch		900 II Cabrio <u>12.1993 - 02.1998</u>
Outer thread M 10x1 mm	Manguera de freno Flexible de frein Тормозной шланг		900 II Coupé <u>12.1993 - 02.1998</u>
Inner thread M 10x1 mm			9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u>



To be continued on the following page

Spare parts to fit Saab

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u>
Front axle, right Required no. of pieces 1 Length 426 mm Inner thread M 10x1 mm	814 525 0002 Brake hose Bremssschlauch Manguera de freno Flexible de frein Тормозной шланг	45 65 743	9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t
Rear axle Length 180 mm Inner thread M 10x1,0 mm	814 525 0003 Brake hose Bremssschlauch Manguera de freno Flexible de frein Тормозной шланг	49 08 695	9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t
Front axle Required no. of pieces 2 Length 436 mm Banjo fitting Inner thread M 10x1 mm	614 525 0004 Brake hose Bremssschlauch Manguera de freno Flexible de frein Тормозной шланг	24 43 6541	9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 1.8 i, 1.9 TiD, 2.0 t, 2.8 Turbo V6 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 i, 1.8 t, 1.9 TiD, 2.0 T, 2.2 TiD, 2.8 Turbo V6 9-3 Cabriolet (YS3F) <u>08.2003 -</u> 1.8 t, 1.9 TiD, 2.0 t, 2.8 Turbo V6
Rear axle Required no. of pieces 2 Length 338 mm Banjo fitting	614 525 0005 Brake hose Bremssschlauch Manguera de freno Flexible de frein Тормозной шланг	24 43 6542	9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 1.8 i, 1.9 TiD, 2.0 t, 2.8 Turbo V6 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 i, 1.8 t, 1.9 TiD, 2.0 T, 2.2 TiD, 2.8 Turbo V6



To be continued on the following page

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	Inner thread M 10x1 mm	See previous page for more details		9-3 Cabriolet (YS3F) <u>08.2003 -</u> 1.8 t, 1.9 TiD, 2.0 t, 2.8 Turbo V6
	Front axle Length 320 mm Outer thread 2x M 10x1,0 mm	814 894 0819 Brake hose Bremserschlauch Manguera de freno Flexible de frein Тормозной шланг	89 40 819	900 I Limousine <u>01.1979 - 12.1993</u> except: 2.0, 2.1 16 S 900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16 900 I Schräh./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 T8, 2.1 16 S
	Rear axle Length 167 mm Outer thread M 10x1 mm Inner thread M 10x1 mm	814 091 1650 Brake hose Bremserschlauch Manguera de freno Flexible de frein Тормозной шланг	91 01 650	900 I Limousine <u>01.1979 - 12.1993</u> except: 2.0, 2.1 16 S 900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16 900 I Schräh./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 EMS, 2.0 T8, 2.1 16 S
	Front axle With anti-squeal shim Lucas Girling Thickness 17,5 mm Brake sensor appl.	025 208 9016 Brake pad set Bremsbelagsatz, Scheibenbremse Pastillas de freno Jeu de plaquettes de frein Комплект дисковых тормозных колодок	89 61 815 20890 21068	900 I Limousine <u>01.1979 - 12.1993</u> except: 2.0, 2.1 16 S 900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16



To be continued on the following page

Spare parts to fit Saab




	Remarks	Meyle-No./Description	Reference-No.	Application
		See previous page for more details		900 I Schrāgh./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 T8, 2.1 16 S 9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> except: 2.0, 2.0 Carlsson, 2.0 T16, 2.3 9000 Schrāgh./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 16v, 2.0 T16
	Rear axle	025 210 5015	48 36 987 48 37 241 50 57 336	900 II Limousine <u>07.1993 - 02.1998</u>
	With anti-squeal shim	Brake pad set Bremsbelagsatz, Scheibenbremse	21050	900 II Cabrio <u>12.1993 - 02.1998</u>
	ATE	Pastillas de freno Jeu de plaquettes de frein Комплект дисковых тормозных колодок		900 II Coupé <u>12.1993 - 02.1998</u>
	Width 61,5 mm			9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3
	Height 61 mm			9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3
	Thickness 15,7 mm			9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.0 t, 2.3 t, 3.0 V6t
	W/o brake sensor			9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.0 t, 2.3 t, 3.0 V6t
	Rear axle	025 210 8914	41 96 317 50 55 967 89 68 026	900 I Limousine <u>01.1979 - 12.1993</u> except: 2.0, 2.0 EMS, 2.1 16 S
	With anti-squeal shim	Brake pad set Bremsbelagsatz, Scheibenbremse	21089 21090	900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16
	ATE	Pastillas de freno Jeu de plaquettes de frein Комплект дисковых тормозных колодок		
	Width 125 mm			
	Height 37,6 mm			

To be continued on the following page







Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	Thickness 14,7 mm Brake sensor appl.	See previous page for more details		900 I Schrägh./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 EMS, 2.0 T8, 2.1 16 S 9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> except: 2.0, 2.0 Carlsson, 2.0 T16, 2.3 9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 16v, 2.0 T16
	Rear axle With anti-squeal shim ATE Width 61,7 mm Height 57,5 mm Thickness 15,7 mm W/o brake sensor	025 211 4015 Brake pad set Bremsbelagsatz, Scheibenbremse Pastillas de freno Jeu de plaquettes de frein Комплект дисковых тормозных колодок	44 67 072 21140	900 II Limousine <u>07.1993 - 02.1998</u> 900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u>
	Front axle With anti-squeal shim ATE Width 156,4 mm Height 54,4 mm Thickness 19,2 mm Brake sensor appl.	025 211 5419 Brake pad set Bremsbelagsatz, Scheibenbremse Pastillas de freno Jeu de plaquettes de frein Комплект дисковых тормозных колодок	48 39 700 89 68 976 89 93 768 21154 21155	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> except: 2.0, 2.0 Carlsson, 2.0 T16, 2.3 9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 -16, 2.0 16v, 2.0 T16

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	Front axle	025 214 1117	44 83 723	900 II Limousine
	With anti-squeal shim	Brake pad set Bremsbelagsatz, Scheibenbremse	46 46 899 46 48 457	<u>07.1993 - 02.1998</u>
	ATE	Pastillas de freno Jeu de plaquettes de frein	21411 21413	900 II Cabrio <u>12.1993 - 02.1998</u>
	Width 1 155,2 mm	Комплект дисковых тормозных колодок		900 II Coupé <u>12.1993 - 02.1998</u>
	Width 2 156,4 mm			
	Height 1 70,6 mm			
	Height 2 60,8 mm			
	Thickness 17,5 mm Brake sensor appl.			
	Front axle	025 218 2919	12 75 9808	9-5 Stufenh./Sedan (YS3E)
	With anti-squeal shim	Brake pad set Bremsbelagsatz, Scheibenbremse	48 39 924 49 07 739 50 62 203	<u>09.1997 -</u> 2.0 t, 2.3 t, 3.0 V6t
	ATE	Pastillas de freno Jeu de plaquettes de frein	21829 23115	9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.0 t, 2.3 t, 3.0 V6t
	Width 1 155,2 mm	Комплект дисковых тормозных колодок		
	Width 2 156,4 mm			
	Height 74 mm			
	Thickness 19,6 mm			
	Brake sensor appl.			
	Rear axle	025 219 3417	50 58 110	9-5 Stufenh./Sedan (YS3E)
	With anti-squeal shim	Brake pad set Bremsbelagsatz, Scheibenbremse	21934 21935	<u>09.1997 -</u> 1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t
	ATE	Pastillas de freno Jeu de plaquettes de frein		9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t
	Width 123,2 mm	Комплект дисковых тормозных колодок		
	Height 44,8 mm			
	Thickness 17 mm Brake sensor appl.			

Spare parts to fit Saab



	Remarks	Meyle-No./Description	Reference-No.	Application
	Front axle	025 231 1619/W	48 39 924	900 II Limousine
	With anti-squeal shim	Brake pad set	49 07 739	<u>07.1993 - 02.1998</u>
	ATE	Bremsbelagsatz, Scheibenbremse	50 62 203	900 II Cabrio
	Width 1	Pastillas de freno	52 32 350	<u>12.1993 - 02.1998</u>
	155,2 mm	Jeu de plaquettes de frein	23116	900 II Coupé
	Width 2	Комплект дисковых тормозных колодок		<u>12.1993 - 02.1998</u>
	156,3 mm			9-3 Stufenh./Sedan (YS3D)
	Height 74 mm			<u>02.1998 - 09.2002</u>
	Thickness 19,6 mm			except: 2.3
	With acoustic wear warning			9-3 Cabriolet (YS3D)
				<u>02.1998 - 08.2003</u>
				except: 2.3
				9-5 Stufenh./Sedan (YS3E)
				<u>09.1997 -</u>
				1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t,
				2.3 Turbo, 3.0 TiD, 3.0 V6t
				9-5 Kombi/Wagon (YS3E)
				<u>10.1998 -</u>
				1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t,
				2.3 Turbo, 3.0 TiD, 3.0 V6t
	Front axle	025 234 0220	12 80 0120	9-3 Kombi/Wagon (YS3F)
	With anti-squeal shim	Brake pad set	23402	<u>03.2005 -</u>
	ATE	Bremsbelagsatz, Scheibenbremse		1.8 i, 1.9 TiD, 2.0 t
	Width 1	Pastillas de freno		9-3 Cabriolet (YS3D)
	155,1 mm	Jeu de plaquettes de frein		<u>02.1998 - 08.2003</u>
	Width 2	Комплект дисковых тормозных колодок		except: 2.3
	156,4 mm			9-3 Stufenh./Sedan (YS3F)
	Height 1			<u>09.2002 -</u>
	69,9 mm			1.8 i, 1.8 t, 1.9 TiD, 2.0 t,
	Height 2			2.2 TiD
	70,7 mm			9-3 Cabriolet (YS3F)
	Thickness 20,6 mm			<u>08.2003 -</u>
	Brake sensor appl.			1.8 t, 1.9 TiD, 2.0 t
	Front axle	025 234 0419	12 80 2167	9-3 Kombi/Wagon (YS3F)
	With anti-squeal shim	Brake pad set	23404	<u>03.2005 -</u>
	ATE	Bremsbelagsatz, Scheibenbremse		2.0 T, 2.8 Turbo V6
	Width 1	Pastillas de freno		9-3 Stufenh./Sedan (YS3F)
	155,2 mm	Jeu de plaquettes de frein		<u>09.2002 -</u>
		Комплект дисковых тормозных колодок		1.8 i, 1.8 t, 1.9 TiD, 2.0 T,
				2.2 TiD, 2.8 Turbo V6

To be continued on the following page

Spare parts to fit Saab



	Remarks	Meyle-No./Description	Reference-No.	Application
	Width 2 156,4 mm Height 1 72,8 mm Height 2 77,7 mm Thickness 19,9 mm	See previous page for more details		9-3 Cabriolet (YS3F) <u>08.2003 -</u> 2.0 T, 2.8 Turbo V6
	Brake sensor appl.			
	Rear axle	025 234 8216	12 79 9240	9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 1.8 i, 1.9 TiD, 2.0 t, 2.8 Turbo V6
	With anti-squeal shim ATE Width 123 mm Height 51,9 mm Thickness 16,5 mm Brake sensor appl.	Brake pad set Bremsbelagsatz, Scheibenbremse Pastillas de freno Jeu de plaquettes de frein Комплект дисковых тормозных колодок	23482	9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 i, 1.8 t, 1.9 TiD, 2.0 T, 2.2 TiD, 2.8 Turbo V6 9-3 Cabriolet (YS3F) <u>08.2003 -</u> 1.8 t, 2.0 t
	Rear axle	025 241 3716	24137	9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 1.8 i, 1.9 TiD, 2.0 T, 2.8 Turbo V6
	With anti-squeal shim ATE Width 123 mm Height 51,9 mm Thickness 16,1 mm W/o brake sensor	Brake pad set Bremsbelagsatz, Scheibenbremse Pastillas de freno Jeu de plaquettes de frein Комплект дисковых тормозных колодок		9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 i, 1.8 t, 1.9 TiD, 2.0 T, 2.2 TiD, 2.8 Turbo V6 9-3 Cabriolet (YS3F) <u>08.2003 -</u> 1.8 t, 1.9 TiD, 2.0 t, 2.8 Turbo V6

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	Front axle	614 238 0007		900 II Limousine <u>07.1993 - 02.1998</u>
	Length 720 mm	Wear sensor Warnkontakt, Bremsbelagverschleiß Sensor de freno Témoin Датчик износа тормозных колодок		900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u> 9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3 9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t
	Ø 25,4 mm	614 532 0002		9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 1.8 i, 1.9 TiD, 2.0 t, 2.8 Turbo V6 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 i, 1.8 t, 1.9 TiD, 2.0 T, 2.2 TiD, 2.8 Turbo V6 9-3 Cabriolet (YS3F) <u>08.2003 -</u> 1.8 t, 1.9 TiD, 2.0 t, 2.8 Turbo V6 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.2 TiD
	Rear axle	614 042 1009	45 43 419 45 44 326 48 36 441 48 38 660	900 II Limousine <u>07.1993 - 02.1998</u>
	Width 25 mm Ø 160 mm	Brake shoe set, park brake Bremsbackensatz, Feststellbremse Juego de zapatas de freno, freno de estacionamiento Jeu de mâchoire de frein, frein de stationnement Комплект тормозных колодок, стояночная тормозная система		900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u>


To be continued on the following page

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
		See previous page for more details		9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3 9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t
	Inner W/o ABS sensor ring External teeth, diff.side 34 Internal teeth, diff.side / transmission 25	614 498 0017 C.V. joint kit Gelenksatz, Antriebswelle Juego juntas homocinética Jeu de joints homocinétique ШРУС, комплект, сторона КПП		900 II Limousine <u>07.1993 - 02.1998</u> 2.0 i, 2.3 -16
	Inner Outer Ø 94.5 mm W/o ABS sensor ring Internal teeth, diff.side / conn.shaft 25 External teeth, diff.side 34 Outer Ø 101 mm	614 498 0016 C.V. joint kit Gelenksatz, Antriebswelle Juego juntas homocinética Jeu de joints homocinétique ШРУС, комплект, сторона КПП		900 II Limousine <u>07.1993 - 02.1998</u> 2.0 i, 2.3 -16 900 II Cabrio <u>12.1993 - 02.1998</u> 2.0 i, 2.3 -16 900 II Coupé <u>12.1993 - 02.1998</u> 2.0 i, 2.3 -16
	Outer Incl. ABS sensor ring No. of teeth 46 External teeth, wheel side 26	814 498 0001 C.V. joint kit Gelenksatz, Antriebswelle Juego juntas homocinética Jeu de joints homocinétique ШРУС, комплект, сторона КПП	40 00 642	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> 2.0 -16 CD, 2.3 -16 CD, 2.3 -16 CDE 9000 Schrähg./Hatchback <u>09.1984 - 12.1998</u> 2.0 -16 CS, 2.3 -16 CS, 2.3 -16 CSE

To be continued on the following page

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	Internal teeth, wheel side 25 Outer Ø 90 mm Seal Ø 56 mm	See previous page for more details		
	Outer Incl. ABS sensor ring No. of teeth 94 External teeth, wheel side 25 Internal teeth, wheel side 26 Outer Ø 90 mm Seal Ø 79 mm	814 498 0002 C.V. joint kit Gelenksatz, Antriebswelle Juego juntas homocinética Jeu de joints homocinétique ШРУС, комплект, сторона КПП	40 02 911 89 63 571	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> 2.0 -16 Turbo 9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> 2.0 -16, 2.0 -16 Turbo
	Outer Incl. ABS sensor ring No. of teeth 29 External teeth, wheel side 25 Internal teeth, wheel side 33 Outer Ø 90 mm Seal Ø 52 mm	814 498 0003 C.V. joint kit Gelenksatz, Antriebswelle Juego juntas homocinética Jeu de joints homocinétique ШРУС, комплект, сторона КПП	42 42 236 43 99 325	900 I Schrägh./Hatchback Coupé <u>09.1978 - 06.1994</u> 2.0 Turbo-16 900 II Limousine <u>07.1993 - 02.1998</u> 900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u> 9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3, 2.3 Turbo 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3, 2.3 Turbo
	Front axle, left Lower Incl. bushing(s) Aluminium	616 050 0001 Control arm Lenker, Radaufhängung Brazo de suspensión Bras de liaison Рычаг, подвеска	12 79 6013 12 79 9199	9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 1.8 i, 1.9 TiD, 2.0 T, 2.8 Turbo V6 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 i, 1.8 t, 1.9 TiD, 2.0 T, 2.2 TiD, 2.8 Turbo V6


To be continued on the following page

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
		See previous page for more details		9-3 Cabriolet (YS3F) <u>08.2003 -</u> 1.8 t, 1.9 TiD, 2.0 t, 2.8 Turbo V6
	Front axle, right Lower Incl. bushing(s) Aluminium	616 050 0002 Control arm Lenker, Radaufhängung Brazo de suspensión Bras de liaison Рычаг, подвеска	12 79 6014 12 79 9200	9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 1.8 i, 1.9 TiD, 2.0 t, 2.8 Turbo V6 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 i, 1.8 t, 1.9 TiD, 2.0 T, 2.2 TiD, 2.8 Turbo V6 9-3 Cabriolet (YS3F) <u>08.2003 -</u> 1.8 t, 1.9 TiD, 2.0 t, 2.8 Turbo V6
	Front axle, left Front Lower Incl. bushing(s) Aluminium Up to chassis no. S2012271 S7014772	816 050 9003 Control arm Lenker, Radaufhängung Brazo de suspensión Bras de liaison Рычаг, подвеска	42 48 431	900 II Limousine <u>07.1993 - 02.1998</u> 900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u>
	Front axle, right Front Lower Incl. bushing(s) Aluminium Up to chassis no. S2012271 S7014772	816 050 9004 Control arm Lenker, Radaufhängung Brazo de suspensión Bras de liaison Рычаг, подвеска	42 48 449	900 II Limousine <u>07.1993 - 02.1998</u> 900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u>
	Front axle, left Front Lower Incl. bushing(s) Aluminium For bushing refer to: 814 454 0001/HD 814 454 0003	816 050 9005/HD Control arm Lenker, Radaufhängung Brazo de suspensión Bras de liaison Рычаг, подвеска	45 43 450	900 II Limousine <u>07.1993 - 02.1998</u> 900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u> 9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u>

To be continued on the following page

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	From chassis no. F S2012272 F S7014773	See previous page for more details		9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u>
	Front axle, right Front Lower	816 050 9006/HD	45 43 468	900 II Limousine <u>07.1993 - 02.1998</u>
	Incl. bushing(s) Aluminium For bushing refer to: 814 454 0001/HD 814 454 0003	Control arm Lenker, Radaufhängung Brazo de suspensión Bras de liaison Рычаг, подвеска		900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u> 9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u>
	From chassis no. S2012272 S7014773			9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u>
	Front axle, left Lower	816 050 0002	48 35 708	9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t
	Incl. bushing(s) W/o ball joint(s)	Control arm Lenker, Radaufhängung Brazo de suspensión Bras de liaison Рычаг, подвеска		9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t
	Front axle, right Lower	816 050 0003	48 35 716	9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t
	Incl. bushing(s) W/o ball joint(s)	Control arm Lenker, Radaufhängung Brazo de suspensión Bras de liaison Рычаг, подвеска		9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	Front axle, left and right Front Lower	614 035 0018 Control arm bushing Lagerbuchse, Querlenker Casquillo brazo de suspensión Douille bras de suspension Сайлентблок, подвеска	45 66 899	9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 1.8 i, 1.9 TiD, 2.0 T, 2.8 Turbo V6 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 i, 1.8 t, 1.9 TiD, 2.0 t, 2.2 TiD, 2.8 Turbo V6 9-3 Cabriolet (YS3F) <u>08.2003 -</u> 1.8 t, 1.9 TiD, 2.0 t, 2.8 Turbo V6 9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t
	Outer Ø 36,5 mm For control arm(s) refer to: 616 050 0007 616 050 0008			
	Rear axle, left Rear axle, right Length 52,0 mm Outer Ø 45,0 mm	616 010 0100 Mount, wheel bearing housing Lagerung, Radlagergehäuse Soporte, carcasa de rodamiento rueda Support, boîtier de roulement des roues Плавающий сайлентблок	45 67 244	9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t
	Rear axle, left Rear axle, right Outer Ø 45,5 mm	614 042 0005 Control arm bushing Lagerbuchse, Querlenker Casquillo brazo de suspensión Douille bras de suspension Сайлентблок, подвеска	24 46 9643	9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 2.0 T 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 t 9-3 Cabriolet (YS3F) <u>08.2003 -</u> 1.8 t
	Front axle, left and right Rear Lower Outer Ø 50,5 mm For OE no. 4647004 4647012	814 448 0001 Control arm bushing Lagerbuchse, Querlenker Casquillo brazo de suspensión Douille bras de suspension Сайлентблок, подвеска	44 82 402	900 II Limousine <u>07.1993 - 02.1998</u> 900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u> 9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	Front axle, left and right Lower Outer	814 454 0001/HD Control arm bushing Lagerbuchse, Querlenker Casquillo brazo de suspensión Douille bras de suspension Сайлентблок, подвеска	45 45 711	900 II Limousine <u>07.1993 - 02.1998</u> 900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u> 9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3
	For control arm(s) refer to: 816 050 9005/HD 816 050 9006/HD			
	Front axle, left and right Lower Inner	814 454 0003 Control arm bushing Lagerbuchse, Querlenker Casquillo brazo de suspensión Douille bras de suspension Сайлентблок, подвеска	46 45 974	900 II Limousine <u>07.1993 - 02.1998</u> 900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u> 9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3
	For control arm(s) refer to: 816 050 9005/HD 816 050 9006/HD			
	Front axle, left and right Lower	814 610 0000 Control arm bushing Lagerbuchse, Querlenker Casquillo brazo de suspensión Douille bras de suspension Сайлентблок, подвеска	71 63 603	99 <u>11.1967 - 01.1987</u> 900 I Limousine <u>01.1979 - 12.1993</u> except: 2.0, 2.1 16 S 900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16 900 I Schräg./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 T8, 2.1 16 S
	For control arm(s) refer to: 816 050 0004 816 050 0005			

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	Front axle, left and right Lower Inner Outer Ø 29,0 mm	814 896 1476 Control arm bushing Lagerbuchse, Querlenker Casquillo brazo de suspensión Douille bras de suspension Сайлентблок, подвеска	89 61 476	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> except: 2.0, 2.0 Carlsson, 2.0 T16, 2.3 9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 16v, 2.0 T16
	Front axle, left and right Lower Incl. mounting parts Cone size 18,0 mm	816 010 0001 Ball joint Trag-/Führungsgelenk Rótula de dirección Joint de suspension Шаровая опора	48 35 740 52 31 683	9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.0 t, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t
	Front axle, left and right Lower Incl. mounting parts Cone size 20,0 mm	816 010 0002 Ball joint Trag-/Führungsgelenk Rótula de dirección Joint de suspension Шаровая опора	52 37 516	9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t
	Front axle, left and right Lower Incl. mounting parts Cone size 20,0 mm Thread size M 14x1,5 mm	816 010 4903 Ball joint Trag-/Führungsgelenk Rótula de dirección Joint de suspension Шаровая опора	89 57 045 89 72 135	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> except: 2.0, 2.0 Carlsson 9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 16v
	Front axle, left and right Lower Incl. mounting parts Thread size 1/2"-20 UNF	816 010 0556 Ball joint Trag-/Führungsgelenk Rótula de dirección Joint de suspension Шаровая опора	89 85 384 89 93 321 89 93 388	90 <u>08.1984 - 08.1987</u> 99 <u>11.1967 - 01.1987</u> 99 Schraegh./Hatchback Coupé <u>08.1968 - 01.1987</u> 2.0, 2.0 Turbo 900 I Limousine <u>01.1979 - 12.1993</u> except: 2.0, 2.1 16 S 900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16

To be continued on the following page




Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
		See previous page for more details		900 I Schräh./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 T8, 2.1 16 S
	Front axle, left and right Rear Lower	814 610 0001 Mount, control arm Lagerung, Lenker Suspensión, brazo oscilante Suspension, bras de liaison Сайлентблок, подвеска	49 08 109 50 63 391	9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u>
	Rear axle, left Rear axle, right Front Rubber metal bearing	814 711 0001 Mount, control arm Lagerung, Lenker Suspensión, brazo oscilante Suspension, bras de liaison Сайлентблок, подвеска	89 57 714	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> 9000 Schräh./Hatchback <u>09.1984 - 12.1998</u>
	Heavy duty version Front axle, left and right Lower Outer Inner Ø 19,0 mm	814 896 5253/HD Mount, control arm Lagerung, Lenker Suspensión, brazo oscilante Suspension, bras de liaison Сайлентблок, подвеска	89 65 253	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> except: 2.0, 2.0 Carlsson, 2.0 T16, 2.3 9000 Schräh./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 16v, 2.0 T16
	Front axle, left and right Rear Lower Control arm Incl. mounting parts Incl. bushing(s) For control arm(s) refer to: 616 050 0001 616 050 0002	614 035 0037 Bracket, control arm Halter, Querlenkerlagerung Soporte, cojinete brazo oscilante Support, silentbloc du bras transversal Кронштейн с сайлентблоком, подвеска	12 78 6412	9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 1.8 i, 1.9 TiD, 2.0 T, 2.8 Turbo V6 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 i, 1.8 t, 1.9 TiD, 2.0 T, 2.0 Turbo Performance, 2.2 TiD, 2.8 Turbo V6 9-3 Cabriolet (YS3F) <u>08.2003 -</u> 1.8 t, 1.9 TiD, 2.0 t, 2.0 Turbo Performance, 2.8 Turbo V6

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	Front axle, left and right	614 035 0009	42 46 112	900 II Limousine <u>07.1993 - 02.1998</u>
	Inner Ø 8,5 mm Packing unit 10 pcs.	Mount, rod/strut stabilizer Lagerung, Stabilisatorkoppelstange Suspensión, travesaños/barras estabilizador Suspension, entretoise/tige stabilisateur Стабилизатор		900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u> 9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3
	Front axle, left	814 896 2656	89 62 656	900 I Limousine <u>01.1979 - 12.1993</u> except: 2.0, 2.1 16 S
		Bracket, stabilizer bushing Halter, Stabilisatorlagerung Sostén, soporte estabilizador Support, palier de stabilisateur Кронштейн, стабилизатор		900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16 900 I Schrägh./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 T8, 2.1 16 S
	Front axle, right	814 896 2664	89 62 664	900 I Limousine <u>01.1979 - 12.1993</u> except: 2.0, 2.1 16 S
		Bracket, stabilizer bushing Halter, Stabilisatorlagerung Sostén, soporte estabilizador Support, palier de stabilisateur Кронштейн, стабилизатор		900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16 900 I Schrägh./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 T8, 2.1 16 S




Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	Front axle, left and right	616 060 0001	30 54 0743 30 64 7920	900 II Limousine <u>07.1993 - 02.1998</u> 2.0 -16 Turbo, 2.3 -16, 2.5 -24 V6
	Length 85 mm Ø 22,0 mm For kit refer to: 616 060 1001/S	Stabilizer link Stange/Strebe, Stabilisator Apoyo pendular Bielle antirouli Стойка стабилизатора		900 II Cabrio <u>12.1993 - 02.1998</u> except: 2.0 i 900 II Coupé <u>12.1993 - 02.1998</u> 2.0 -16 Turbo, 2.3 -16, 2.5 -24 V6
	Front axle, left and right	616 060 1001/S	30 54 0743 30 64 7920	900 II Limousine <u>07.1993 - 02.1998</u> 2.0 -16 Turbo, 2.3 -16, 2.5 -24 V6
	Incl. mounting parts Length 85 mm Ø 22,0 mm For stabilizer link refer to: 616 060 0001	Stabilizer link Stange/Strebe, Stabilisator Apoyo pendular Bielle antirouli Стойка стабилизатора		900 II Cabrio <u>12.1993 - 02.1998</u> except: 2.0 i 900 II Coupé <u>12.1993 - 02.1998</u> 2.0 -16 Turbo, 2.3 -16, 2.5 -24 V6
	Front axle, left and right	616 060 5574	45 44 599	900 I Limousine <u>01.1979 - 12.1993</u> 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S KAT
	W/o mounting parts Length 84 mm Thread size M 12x1,5 mm For kit refer to: 616 060 5574/S	Stabilizer link Stange/Strebe, Stabilisator Apoyo pendular Bielle antirouli Стойка стабилизатора		900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16 900 I Schrägh./Hatchback Coupé <u>09.1978 - 06.1994</u> 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S KAT, 2.1 -16 900 II Limousine <u>07.1993 - 02.1998</u> 900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u> 9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3

Spare parts to fit Saab



Remarks	Meyle-No./Description	Reference-No.	Application
Front axle, left and right Incl. mounting parts Length 84 mm Thread size M 12x1,5 mm For stabilizer link only refer to: 616 060 5574	616 060 5574/S Stabilizer link Stange/Strebe, Stabilisator Apoyo pendular Bielle antirouli Стойка стабилизатора	45 44 599	900 I Limousine <u>01.1979 - 12.1993</u> 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S KAT 900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16 900 I Schrägh./Hatchback Coupé <u>09.1978 - 06.1994</u> 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S KAT, 2.1 -16 900 II Limousine <u>07.1993 - 02.1998</u> 900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u> 9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3
Heavy duty version Front axle, left and right Length 354 mm Thread size 2x M 12x1,75 mm W/o IDS Incl. nuts	616 060 0004/HD Stabilizer link Stange/Strebe, Stabilisator Apoyo pendular Bielle antirouli Стойка стабилизатора	24 41 7251	9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 1.8 i, 1.9 TiD, 2.0 T, 2.8 Turbo V6 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 i, 1.8 t, 1.9 TiD, 2.0 T, 2.2 TiD, 2.8 Turbo V6 9-3 Cabriolet (YS3F) <u>08.2003 -</u> 1.8 t, 1.9 TiD, 2.0 t, 2.8 Turbo V6
Heavy duty version Front axle, left and right Length 243 mm Thread size 2x M 12x1,75 mm Incl. nuts	616 060 5582/HD Stabilizer link Stange/Strebe, Stabilisator Apoyo pendular Bielle antirouli Стойка стабилизатора	46 86 606 52 36 823	9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	Rear axle, left Rear axle, right	614 044 0007 Stabilizer link Stange/Strebe, Stabilisator Apoyo pendular Bielle antirouli Стойка стабилизатора	13 10 4120 45 65 859 49 06 111	9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 1.8 i, 1.9 TiD, 2.0 t, 2.8 Turbo V6 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 i, 1.8 t, 1.9 TiD, 2.0 T, 2.0 Turbo Performance, 2.2 TiD, 2.8 Turbo V6 9-3 Cabriolet (YS3F) <u>08.2003 -</u> 1.8 t, 1.9 TiD, 2.0 t, 2.0 Turbo Performance, 2.8 Turbo V6 9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t
	Length 86 mm Ø 1 7,5 mm Ø 2 10,4 mm Ø 3 12,0 mm			
	Front axle, left and right Incl. mounting parts Length 112 mm Ø 12,5 mm	816 060 0001 Stabilizer link Stange/Strebe, Stabilisator Apoyo pendular Bielle antirouli Стойка стабилизатора	89 58 944	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> except: 2.0, 2.0 Carlsson, 2.0 T16, 2.3 9000 Schräh./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 16v, 2.0 T16
	W/o guide pin Brake caliper	014 698 0006 Guide Sleeve Kit, brake caliper Führungshülzensatz, Bremssattel Juego de casquillos guía, pinza de freno Jeu de douilles de guidage, étrier de frein Комплект направляющей гильзы	44 67 064 89 55 445 89 69 107	900 I Limousine <u>01.1979 - 12.1993</u> except: 2.0, 2.0 EMS, 2.1 16 S 900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16 900 I Schräh./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 EMS, 2.0 T8, 2.1 16 S 900 II Limousine <u>07.1993 - 02.1998</u> 900 II Cabrio <u>12.1993 - 02.1998</u>

To be continued on the following page

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
		See previous page for more details		900 II Coupé <u>12.1993 - 02.1998</u> 9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> except: 2.0, 2.0 Carlsson, 2.0 T16, 2.3 9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 16v, 2.0 T16
	Incl. guide pin	014 698 0006/S	44 67 064 89 55 445	900 I Limousine <u>01.1979 - 12.1993</u> except: 2.0, 2.0 EMS, 2.1 16 S 900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16 900 I Schrägh./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 EMS, 2.0 T8, 2.1 16 S 900 II Limousine <u>07.1993 - 02.1998</u> 900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u> 9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> except: 2.0, 2.0 Carlsson, 2.0 T16, 2.3 9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 16v, 2.0 T16
	Brake caliper	Guide Sleeve Kit, brake caliper Führungshülsensatz, Bremssattel Juego de casquillos guía, pinza de freno Jeu de douilles de guidage, étrier de frein Комплект направляющей гильзы	89 69 107	
	Brake caliper	100 698 0008	89 55 486 89 69 651	900 I Limousine <u>01.1979 - 12.1993</u> except: 2.0, 2.0 EMS, 2.1 16 S 900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16 900 I Schrägh./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 EMS, 2.0 T8, 2.1 16 S 9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> except: 2.0, 2.0 Carlsson, 2.0 T16, 2.3
	For kit refer to: 014 698 0006 014 698 0006/S	Guide bolt, brake caliper Führungsbolzen, Bremssattel Pasador guía, pinza del freno Boulon de guidage, étrier de frein Направляющий болт, корпус скобы тормоза		

To be continued on the following page

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
		See previous page for more details		9000 Schräh./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 16v, 2.0 T16
	Front axle Height 39,0 mm Outer Ø 74,0 mm Inner Ø 39,0 mm For kit(s) see 614 160 0005	614 160 0105 Wheel bearing Radlager Rodamiento rueda Roulement de roue Подшипник ступицы	42 42 202 46 89 923	900 II Limousine <u>07.1993 - 02.1998</u> 900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u> 9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 t, 2.0 T, 2.2 TiD
	Front axle Height 39,0 mm Outer Ø 74,0 mm Inner Ø 39,0 mm For bearing only refer to: 614 160 0105	614 160 0005 Wheel bearing kit Radlagersatz Juego, rodamiento rueda Kit, roulement de roue Подшипник ступицы колеса, комплект	46 89 923	900 II Limousine <u>07.1993 - 02.1998</u> 900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u> 9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 t, 2.0 T, 2.2 TiD
	Front axle Height 37,0 mm Outer Ø 75,0 mm Inner Ø 42,0 mm For bearing only refer to: 100 407 0036	814 650 0001 Wheel bearing kit Radlagersatz Juego, rodamiento rueda Kit, roulement de roue Подшипник ступицы колеса, комплект	91 04 209	900 I Limousine <u>01.1979 - 12.1993</u> except: 2.1 16 S 900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16
To be continued on the following page				

Spare parts to fit Saab


	Remarks	Meyle-No./Description	Reference-No.	Application
		See previous page for more details		900 I Schräh./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 T8, 2.1 16 S
	Front axle Incl. bearing No. of holes 4	814 410 7462 Wheel hub Radnabe Cubo de rueda Moyeu de roue Ступица колеса	41 07 462	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> except: 2.0, 2.0 Carlsson, 2.0 T16, 2.3 9000 Schräh./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 -16, 2.0 16v, 2.0 T16
	Rear axle No. of holes 5	814 752 0001 Wheel hub Radnabe Cubo de rueda Moyeu de roue Ступица колеса	50 58 185	9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t
	Front axle Incl. mounting parts	814 752 0002 Wheel hub Radnabe Cubo de rueda Moyeu de roue Ступица колеса	53 92 493	9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> except: 2.0 T Biopower, 2.0 Turbo 2.3, 2.3 t BioPower 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 1.9 TiD, 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t
	Front axle W/o ABS sensor ring No. of holes 4	814 052 0002 Wheel hub Radnabe Cubo de rueda Moyeu de roue Ступица колеса	89 52 996	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> 2.0 -16 Turbo, 2.0 -16 Turbo CD 9000 Schräh./Hatchback <u>09.1984 - 12.1998</u> 2.0 -16, 2.0 -16 Turbo
	Front axle W/o bearing	614 034 0017 Strut mount Federbeinstützlager Soporte de amortiguador Palier de support Опора стойки амортизатора		9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 1.8 i, 1.9 TiD, 2.0 t, 2.8 Turbo V6 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 i, 1.8 t, 1.9 TiD, 2.0 T, 2.2 TiD, 2.8 Turbo V6

To be continued on the following page

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
		See previous page for more details		9-3 Cabriolet (YS3F) <u>08.2003 -</u> 1.8 t, 1.9 TiD, 2.0 T, 2.8 Turbo V6
	Front axle Incl. bearing	814 410 0001 Strut mount Federbeinstützlager Soporte de amortiguador Palier de support Опора стойки амортизатора	41 06 969 89 63 282	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> except: 2.0, 2.0 Carlsson, 2.0 T16, 2.3 9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 16v, 2.0 T16
	Front axle W/o bearing	814 454 0002 Strut mount Federbeinstützlager Soporte de amortiguador Palier de support Опора стойки амортизатора	45 44 276	900 II Limousine <u>07.1993 - 02.1998</u> 2.0 -16 Turbo, 2.3 -16, 2.5 -24 V6 900 II Cabrio <u>12.1993 - 02.1998</u> except: 2.0 i 900 II Coupé <u>12.1993 - 02.1998</u> 2.0 -16 Turbo, 2.3 -16, 2.5 -24 V6
	Front axle W/o bearing For bearing only refer to: 3530 341	814 506 0001 Strut mount Federbeinstützlager Soporte de amortiguador Palier de support Опора стойки амортизатора	49 08 562 50 60 892	9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u>
	Front axle Twin-tube Gas pressure Suspension strut insert Blue	826 624 0001 Shock absorber Stoßdämpfer Amortiguador Amortisseur Амортизатор	47 78 817 50 56 650	9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3
	Rear axle Twin-tube Gas pressure Bottom eye Top pin Blue	826 725 0003 Shock absorber Stoßdämpfer Amortiguador Amortisseur Амортизатор	49 06 475 49 06 517 50 56 668	9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3



Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	Rear axle	826 725 0001	49 06 491 50 56 866	9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3
	Twin-tube	Shock absorber Stoßdämpfer		
	Gas pressure	Amortiguador Amortisseur		9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3
	Bottom eye Top pin	Амортизатор		
	Blue			
	Front axle	826 624 0000	47 78 825 50 56 858 50 56 874	9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> except: 2.3
	Twin-tube	Shock absorber Stoßdämpfer		
	Gas pressure	Amortiguador Amortisseur		9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> except: 2.3
	Suspension strut insert	Амортизатор		
	Front axle	826 623 0001	45 65 214 46 89 311 46 89 329 49 05 014 50 58 417 50 58 425 50 63 458 50 63 466	9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.0 t, 2.3 t, 2.3 Turbo, 3.0 V6t 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.0 t, 2.3 t, 2.3 Turbo, 3.0 V6t
	Twin-tube	Shock absorber Stoßdämpfer		
	Gas pressure	Amortiguador Amortisseur		
	Suspension strut	Амортизатор		
	Blue			
	Rear axle	826 725 0002	45 66 824 50 64 290 52 34 265 52 34 281 52 38 506 52 38 514 52 39 090 53 24 265	9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.0 t, 2.3 t, 2.3 Turbo, 3.0 V6t 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t
	Twin-tube	Shock absorber Stoßdämpfer		
	Gas pressure	Amortiguador Amortisseur		
	Bottom eye Top pin	Амортизатор		
	Blue			
	Front axle	826 623 0000	52 34 174 52 34 182 53 36 920 53 36 938	9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 2.0 t, 2.2 TiD, 2.3 t, 2.3 Turbo, 3.0 TiD, 3.0 V6t
	Twin-tube	Shock absorber Stoßdämpfer		
	Gas pressure	Amortiguador Amortisseur		
	Suspension strut	Амортизатор		
	Blue			
		614 123 0001 Back up light switch Schalter, Rückfahrleuchte Interruptor, piloto de marcha atrás Interrupteur, feu-marche arrière Выключатель, фара заднего хода	42 36 666 46 17 668	900 II Limousine <u>07.1993 - 02.1998</u> 900 II Cabrio <u>12.1993 - 02.1998</u> 900 II Coupé <u>12.1993 - 02.1998</u> except: 2.5 -24 V6

For more information on the following page


Spare parts to fit Saab



	Remarks	Meyle-No./Description	Reference-No.	Application
		See previous page for more details		9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> except: 2.0, 2.0 Carlsson 9000 Schräg./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 16v 9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> 9-3 Cabriolet (YS3D) <u>02.1998 - 08.2003</u> 9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> except: 2.3 t BioPower 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> except: 2.3 t BioPower
	From 0,3 bar To 0,55 bar Black	614 125 0002 Oil pressure switch Öldruckschalter Interruptor pres.aceite Interrupteur à pression d'huile Датчик давления масла	45 04 585	900 II Limousine <u>07.1993 - 02.1998</u> 2.5 -24 V6 9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> 3.0 -24 V6 CD/CDE 9-3 Stufenh./Sedan (YS3D) <u>02.1998 - 09.2002</u> 2.2 TiD 9-5 Stufenh./Sedan (YS3E) <u>09.1997 -</u> 3.0 V6t 9-5 Kombi/Wagon (YS3E) <u>10.1998 -</u> 3.0 V6t
	From 0,35 bar To 0,6 bar Zinc coated	814 224 0000 Oil pressure switch Öldruckschalter Interruptor pres.aceite Interrupteur à pression d'huile Датчик давления масла	75 22 402 91 12 459	90 <u>08.1984 - 08.1987</u> 900 I Limousine <u>01.1979 - 12.1993</u> 2.0 c 900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16 900 I Schräg./Hatchback Coupé <u>09.1978 - 06.1994</u> 2.0 -16, 2.0 c, 2.0 EMS, 2.0 i, 2.0 Turbo, 2.0 Turbo-16 S, 2.1 -16 900 II Limousine <u>07.1993 - 02.1998</u> except: 2.5 -24 V6

To be continued on the following page

Spare parts to fit Saab



Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		900 II Cabrio <u>12.1993 - 02.1998</u> except: 2.5 -24 V6 900 II Coupé <u>12.1993 - 02.1998</u> except: 2.5 -24 V6 9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> 2.0 -16, 2.0 -16 CD, 2.0 -16 Turbo, 2.0 -16 Turbo CD 9000 Schrähg./Hatchback <u>09.1984 - 12.1998</u> 2.0 -16, 2.0 -16 CS, 2.0 -16 ND Turbo, 2.0 -16 Turbo
 <p>Incl. resistor 14,1 V Holder Ø 28 mm</p>	014 731 1023 Voltage regulator Generatorregler Regulador Régulateur Регулятор генератора	85 71 846	90 <u>08.1984 - 08.1987</u> 900 I Limousine <u>01.1979 - 12.1993</u> 2.0 S Turbo-16, 2.0 Turbo 900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S 900 I Schrähg./Hatchback Coupé <u>09.1978 - 06.1994</u> 2.0 -16, 2.0 c, 2.0 S Turbo-16, 2.0 Turbo, 2.0 Turbo-16, 2.0 Turbo-16 S 900 II Limousine <u>07.1993 - 02.1998</u> 2.0 i 9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> 2.0 -16 CD, 2.0 -16 Turbo, 2.0 -16 Turbo CD, 2.3 -16 CD, 2.3 -16 CD Turbo, 2.3 -16 CDE, 2.3 -16 CDE Eco-Power, 3.0 -24 V6 CD/CDE 9000 Schrähg./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 16v, 2.0 T16, 3.0 -24 V6 CS/CSE

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
	14,1 V Holder Ø 32 mm	014 731 1090 Voltage regulator Generatorregler Regulador Régulateur Регулятор генератора	85 58 306	99 <u>11.1967 - 01.1987</u> 2.0, 2.0 GL 99 Schraegh./Hatchback Coupé <u>08.1968 - 01.1987</u> 2.0, 2.0 Turbo
	14,5 V Holder Ø 14 mm	014 731 1213 Voltage regulator Generatorregler Regulador Régulateur Регулятор генератора	44 09 983	900 II Limousine <u>07.1993 - 02.1998</u> except: 2.5 -24 V6 900 II Coupé <u>12.1993 - 02.1998</u> 2.0 i 9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> 2.0 -16 CD, 2.3 -16 CD, 2.3 -16 CD Turbo, 2.3 -16 CDE, 2.3 -16 CDE Eco-Power, 3.0 -24 V6 CD/CDE 9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> 2.0 -16 CS, 2.3 -16 Aero CS, 2.3 -16 CSE, 2.3 -16 CSE Eco Power, 2.3 -16 Turbo CSE, 3.0 -24 V6 CS/CSE
	7 -pole	514 885 0001 Ignition control unit Schaltgerät, Zündanlage Unidad de mando, sistema de encendido Appareil de commande, système d'allumage Коммутатор, система зажигания	75 03 600	900 I Limousine <u>01.1979 - 12.1993</u> 2.0 -16, 2.1 -16 900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.1 -16 900 I Schrägh./Hatchback Coupé <u>09.1978 - 06.1994</u> 2.0 -16, 2.1 -16 9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> 2.0 -16 9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> 2.0 -16
	Incl. back plate 7 -pole	100 905 0005 Ignition control unit Schaltgerät, Zündanlage Unidad de mando, sistema de encendido Appareil de commande, système d'allumage Коммутатор, система зажигания	85 73 826 93 90 220	90 <u>08.1984 - 08.1987</u> 900 I Limousine <u>01.1979 - 12.1993</u> 2.0 c, 2.0 i, 2.0 Turbo, 2.0 Turbo-16, 2.0 Turbo-16 S 900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 Turbo-16, 2.0 Turbo-16 S



See continued on the following page
зажигания

Spare parts to fit Saab

	Remarks	Meyle-No./Description	Reference-No.	Application
		See previous page for more details		900 I Schrägh./Hatchback Coupé <u>09.1978 - 06.1994</u> 2.0 c, 2.0 i, 2.0 Turbo, 2.0 Turbo-16, 2.0 Turbo-16 S
	2 -pole Thread size M 12x1,5 mm Engine cooling system Blue	314 136 2102 Coolant Temperature Sensor Kühlmitteltemperatur-Sensor Sensor temp. Температурный датчик охлаждающей жидкости	93 57 021	900 I Limousine <u>01.1979 - 12.1993</u> 2.0 i 900 I Schrägh./Hatchback Coupé <u>09.1978 - 06.1994</u> 2.0 S Turbo-16 9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> 2.0 -16, 2.0 -16 CD, 2.0 -16 Turbo, 2.0 -16 Turbo CD, 2.3 -16 CD, 2.3 -16 CD Turbo, 2.3 -16 CDE, 2.3 -16 CDE Eco-Power 9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> 2.0 -16 CS, 2.0 -16 ND Turbo, 2.0 -16 Turbo, 2.3 -16 Aero CS, 2.3 -16 CS, 2.3 -16 CSE, 2.3 -16 CSE Eco Power, 2.3 -16 Turbo, 2.3 -16 Turbo CSE
	2 -pole Thread size M 22x1,5 mm Spanner size 29 Temperature range 92 / 87 °C	100 959 0002 Temperature switch, radiator fan Temperaturschalter, Kühlerlüfter Interruptor de temperatura, ventilador del radiador Interrupteur de température, ventilateur de radiateur Термовыключатель, вентилятор радиатора	95 26 518	900 I Limousine <u>01.1979 - 12.1993</u> except: 2.0, 2.1 16 S 900 I Cabrio <u>10.1986 - 06.1994</u> 2.0 -16, 2.0 S Turbo-16, 2.0 Turbo-16, 2.0 Turbo-16 S, 2.1 -16 900 I Schrägh./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 EMS, 2.0 T8, 2.1 16 S 900 II Limousine <u>07.1993 - 02.1998</u> 2.0 -16 Turbo

To be continued on the following page

Spare parts to fit Saab

Remarks	Meyle-No./Description	Reference-No.	Application
	See previous page for more details		900 II Cabrio <u>12.1993 - 02.1998</u> 2.0 -16 Turbo 9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> 2.0 -16, 2.0 -16 CD, 2.0 -16 Turbo, 2.0 -16 Turbo CD, 2.3 -16 CD, 2.3 -16 CD Turbo, 2.3 -16 CDE, 2.3 -16 CDE Eco-Power, 2.3 -16 Turbo 9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> 2.0 -16, 2.0 -16 Turbo, 2.0 -16 Turbo CS, 2.3 -16 CS, 2.3 -16 CSE, 2.3 -16 CSE Eco Power, 2.3 -16 Turbo, 2.3 -16 Turbo CSE
Windshield Rear window 12 V	614 870 9001 Water pump, window cleaning Waschwasserpumpe, Scheibenreinigung Bomba de agua de lavado de parabrisas Pompe d'eau de nettoyage des vitres Водяной насос, система очистки окон	44 80 646	900 II Cabrio <u>12.1993 - 02.1998</u> except: 2.0 i
5 -pole	614 885 0004 Ignition coil Zündspule Bobina de encendido Bobine d'allumage Катушка зажигания		9-3 Kombi/Wagon (YS3F) <u>03.2005 -</u> 1.8 i 9-3 Stufenh./Sedan (YS3F) <u>09.2002 -</u> 1.8 i
 225 N Length 544 mm	840 160 3556 Hood shock Gasfeder, Motorhaube Muelle neumático, capó de motor Ressort pneumatique, capot-moteur Упругий элемент, капот	92 70 240	9000 Stufenh./Sedan <u>04.1985 - 12.1998</u> except: 2.0, 2.0 Carlsson, 2.0 T16, 2.3 9000 Schrägh./Hatchback <u>09.1984 - 12.1998</u> except: 2.0, 2.0 16v, 2.0 T16
 660 N Length 500 mm	840 161 0074 Trunk-/Tailgate shock Gasfeder, Koffer-/Laderaum Muelle neumático, maletero/compartimento de carga Ressort pneumatique, coffre à bagages/compartiment à bagages Упругий элемент, крышка багажника помещения для груза	92 93 580	900 I Schrägh./Hatchback Coupé <u>09.1978 - 06.1994</u> except: 2.0, 2.0 T8, 2.1 16 S



Spare parts to fit Saab

Remarks	Meyle-No./Description	Reference-No.	Application

Index: MEYLE / Reference / Page




MEYLE-No.	Reference-No.	Page	MEYLE-No.	Reference-No.	Page
Saab			→ Saab		
014 698 0006	44 67 064	66	050 006 2013	43 59 071	14
014 698 0006	89 55 445	66	050 006 2300	43 95 422	15
014 698 0006	89 69 107	66	050 006 2310	43 95 422	15
014 698 0006/S	89 69 107	67	050 006 2310	43 60 111	15
014 698 0006/S	89 55 445	67	050 006 2310	43 60 467	15
014 698 0006/S	44 67 064	67	050 006 2345	49 61 066	15
014 731 1023	85 71 846	73	050 006 2540	43 95 455	15
014 731 1090	85 58 306	74	050 006 2540	43 56 903	15
014 731 1213	44 09 983	74	050 006 2540	40 29 203	15
025 208 9016	89 61 815	48	050 006 2550	40 29 203	16
025 210 5015	48 36 987	49	050 006 2550	43 56 903	16
025 210 5015	48 37 241	49	050 006 2550	43 95 455	16
025 210 5015	50 57 336	49	050 006 2625	43 59 063	16
025 210 8914	50 55 967	49	050 006 2625	49 04 728	16
025 210 8914	41 96 317	49	052 010 0813	83 22 026	10
025 210 8914	89 68 026	49	052 010 0825	83 39 921	10
025 211 4015	44 67 072	50	052 010 0850	44 48 400	11
025 211 5419	48 39 700	50	052 010 0975	83 84 92	11
025 211 5419	89 68 976	50	052 010 0975	83 84 927	11
025 211 5419	89 93 768	50	052 010 0975	75 11 728	11
025 214 1117	46 48 457	51	052 010 0975	93 23 510	11
025 214 1117	46 46 899	51	052 010 0975	93 41 314	11
025 214 1117	44 83 723	51	052 010 1000	80 00 397	8
025 218 2919	48 39 924	51	052 010 1025	73 10 53	8
025 218 2919	49 07 739	51	052 010 1100	88 33 91	8
025 218 2919	12 75 9808	51	052 010 1175	93 61 791	9
025 218 2919	50 62 203	51	052 010 1250	93 47 048	9
025 219 3417	50 58 110	51	052 010 1250	93 39 409	9
025 231 1619/W	50 62 203	52	052 013 1175	93 67 20	11
025 231 1619/W	49 07 739	52	052 013 1175	81 41 93	11
025 231 1619/W	52 32 350	52	052 013 1200	81 41 94	12
025 231 1619/W	48 39 924	52	052 013 1200	93 44 623	12
025 234 0220	12 80 0120	52	052 013 1250	81 41 96	12
025 234 0419	12 80 2167	52	052 013 1275	81 41 97	12
025 234 8216	12 79 9240	53	052 013 1275	93 82 383	12
050 005 1588	43 56 887	13	100 013 0001	83 49 40	17
050 005 1588	75 96 679	13	100 133 0006	89 78 561	19
050 005 1610	75 79 881	13	100 133 0007	89 78 561	19
050 005 1610	75 51 674	13	100 201 0000	25 31 3359	19
050 006 1800	49 61 058	13	100 201 0013	25 31 3359	20

To be continued on the following column→

To be continued on the following page→

Index: MEYLE / Reference / Page



MEYLE-No.	Reference-No.	Page	MEYLE-No.	Reference-No.	Page
→ Saab			→ Saab		
100 698 0008	89 55 486	67	614 322 0001	91 17 321	17
100 698 0008	89 69 651	67	614 322 0001	95 43 679	17
100 900 0000	75 34 795	5	614 322 0008	24 46 0713	18
100 905 0005	85 73 826	74	614 322 0008	12 57 5810	18
100 905 0005	93 90 220	74	614 525 0004	24 43 6541	47
100 959 0002	95 26 518	75	614 525 0005	24 43 6542	47
314 136 2102	93 57 021	75	614 562 0002	45 65 719	45
514 323 0000	93 33 790	20	614 562 0003	42 41 444	45
514 323 0003	93 33 790	21	614 562 0029	44 83 285	46
514 885 0001	75 03 600	74	614 562 0029	44 67 262	46
514 899 0030	75 68 80	5	614 563 0001	91 28 739	16
514 899 0030	75 68 801	5	614 684 0016	43 56 176	22
612 083 4015	42 36 063	25	614 818 0000	54 64 656	22
612 319 0005	91 79 905	27	614 818 0000	51 95 516	22
612 320 0005	91 79 904	27	614 870 9001	44 80 646	76
613 600 0004	93 17 8602	30	614 899 0008	46 61 062	1
613 600 0004	93 18 1118	30	614 899 0008	88 57 19	1
613 600 0004	24 46 73001	30	614 899 0008	88 57 195	1
614 032 0002	42 42 731	37	615 521 6012	48 39 320	40
614 034 0020	90 50 1145	22	615 521 6022	91 91 247	39
614 035 0009	42 46 112	63	615 521 6024	91 56 807	39
614 035 0018	45 66 899	59	615 521 6024/PD	91 56 807	39
614 035 0037	12 78 6412	62	615 521 6036	91 84 405	40
614 042 0005	24 46 9643	59	615 521 6036	45 67 798	40
614 042 1009	45 44 326	54	615 521 6036	51 22 833	40
614 042 1009	45 43 419	54	615 521 6036	53 91 560	40
614 042 1009	48 38 660	54	615 521 6036	50 55 389	40
614 042 1009	48 36 441	54	615 521 6036/PD	50 55 389	40
614 044 0007	49 06 111	66	615 521 6036/PD	53 91 560	40
614 044 0007	45 65 859	66	615 521 6036/PD	51 22 833	40
614 044 0007	13 10 4120	66	615 521 6036/PD	45 67 798	40
614 053 0001	55 35 1711	8	615 521 6036/PD	91 84 405	40
614 053 0001	91 28 177	8	615 523 6010	45 65 693	42
614 123 0001	42 36 666	71	615 523 6010	48 39 338	42
614 123 0001	46 17 668	71	615 523 6010	48 39 015	42
614 125 0002	45 04 585	72	615 523 6025	12 76 2290	41
614 160 0005	46 89 923	68	615 523 6025	91 56 785	41
614 160 0105	46 89 923	68	615 523 6025/PD	91 56 785	41
614 160 0105	42 42 202	68	615 523 6025/PD	12 76 2290	41
614 322 0001	47 72 166	17	615 523 6027	91 91 336	41

To be continued on the following column→

To be continued on the following page→

Index: MEYLE / Reference / Page



MEYLE-No.	Reference-No.	Page	MEYLE-No.	Reference-No.	Page
→ Saab			→ Saab		
616 010 0100	45 67 244	59	813 603 6362	60 36 362	30
616 020 5562	42 42 749	32	813 603 6362	50 05 036	30
616 020 5565	42 42 756	32	813 881 7900	75 01 547	30
616 020 5579	48 36 540	33	813 881 7900	88 17 900	30
616 030 5563	42 42 673	35	813 881 7900	93 07 893	30
616 030 5566	42 42 681	34	813 881 7900	75 07 460	30
616 030 5581	48 36 557	35	813 883 1944	88 21 944	29
616 031 0004	12 80 4238	36	813 883 1944	47 70 970	29
616 031 0008	93 17 8160	36	813 883 1944	59 58 061	29
616 050 0001	12 79 6013	56	813 932 1670	88 17 918	31
616 050 0001	12 79 9199	56	813 932 1670	93 21 670	31
616 050 0002	12 79 9200	57	813 932 1688	93 21 688	32
616 050 0002	12 79 6014	57	813 932 1688	88 19 948	32
616 060 0001	30 54 0743	64	813 932 1951	88 22 652	31
616 060 0001	30 64 7920	64	813 932 1951	88 22 710	31
616 060 0004/HD	24 41 7251	65	813 932 1951	88 22 744	31
616 060 1001/S	30 64 7920	64	813 932 1951	88 22 793	31
616 060 1001/S	30 54 0743	64	813 932 1951	93 21 951	31
616 060 5574	45 44 599	64	814 030 0001	49 66 438	23
616 060 5574/S	45 44 599	65	814 030 0001	49 67 725	23
616 060 5582/HD	46 86 606	65	814 030 0001	49 67 915	23
616 060 5582/HD	52 36 823	65	814 040 0000	40 29 930	16
812 319 0000	40 72 393	28	814 052 0002	89 52 996	69
812 319 0001	46 32 493	28	814 091 1650	91 01 650	48
812 319 0002	96 25 674	29	814 224 0000	91 12 459	72
812 319 0004	40 72 211	28	814 224 0000	75 22 402	72
812 320 0003	45 41 546	28	814 410 0001	89 63 282	70
812 320 0006	12 75 8727	27	814 410 0001	41 06 969	70
812 320 0006	53 35 948	27	814 410 7462	41 07 462	69
812 320 0006	50 47 238	27	814 435 0001	43 56 184	23
812 619 9000	51 73 166	26	814 442 6003	44 26 003	24
812 619 9000	45 72 491	26	814 448 0001	44 82 402	59
812 619 9002	75 14 722	26	814 454 0001/HD	45 45 711	60
812 619 9005	48 76 199	26	814 454 0002	45 44 276	70
812 619 9007	42 36 030	25	814 454 0003	46 45 974	60
812 619 9008	93 90 907	27	814 498 0001	40 00 642	55
812 619 9010	48 76 074	26	814 498 0002	40 02 911	56
813 477 2711	47 72 711	30	814 498 0002	89 63 571	56
813 603 6362	88 10 988	30	814 498 0003	42 42 236	56
813 603 6362	88 14 501	30	814 498 0003	43 99 325	56

To be continued on the following column→

To be continued on the following page→

Index: MEYLE / Reference / Page



MEYLE-No.	Reference-No.	Page	MEYLE-No.	Reference-No.	Page
→ Saab			→ Saab		
814 506 0001	49 08 562	70	814 896 5253/HD	89 65 253	62
814 506 0001	50 60 892	70	814 899 0002	55 55 7326	2
814 525 0001	45 43 427	46	814 899 0002	30 56 1772	2
814 525 0002	45 65 743	47	814 899 0002	91 77 221	2
814 525 0003	49 08 695	47	815 521 5001	40 02 143	42
814 525 0004	41 06 720	46	815 521 5009	40 02 150	43
814 525 0004	40 02 341	46	815 521 5021	42 41 428	43
814 525 0004	89 73 034	46	815 521 5025	53 61 537	44
814 525 0004	44 26 474	46	815 521 5025	53 91 537	44
814 525 0004	44 26 490	46	815 521 5025	50 57 476	44
814 525 0004	89 53 291	46	815 521 5025	49 07 523	44
814 525 0005	89 56 575	46	815 523 5002	89 70 717	45
814 525 0005	89 65 139	46	815 523 5020	42 41 477	44
814 525 0005	89 69 206	46	815 523 5026	52 32 698	44
814 525 0005	44 26 508	46	815 523 5026	52 32 756	44
814 610 0000	71 63 603	60	816 010 0001	52 31 683	61
814 610 0001	49 08 109	62	816 010 0001	48 35 740	61
814 610 0001	50 63 391	62	816 010 0002	52 37 516	61
814 631 0009	50 61 841	38	816 010 0556	89 93 388	61
814 631 0011	46 47 426	38	816 010 0556	89 85 384	61
814 631 0011	89 72 424	38	816 010 0556	89 93 321	61
814 650 0001	91 04 209	68	816 010 4903	89 72 135	61
814 711 0001	89 57 714	62	816 010 4903	89 57 045	61
814 751 5190	75 15 190	18	816 020 0001	52 35 668	34
814 752 0001	50 58 185	69	816 020 0001	52 39 322	34
814 752 0002	53 92 493	69	816 020 0001	12 80 1424	34
814 754 1451	75 41 451	5	816 020 0001	93 17 2255	34
814 755 1104	75 51 104	23	816 020 0020	93 17 2254	34
814 757 0001	75 76 333	23	816 020 0020	12 80 1423	34
814 757 6416	75 76 416	3	816 020 0020	52 39 314	34
814 758 0001	75 85 086	7	816 020 0020	52 35 650	34
814 800 0006	91 34 420	6	816 020 4902	89 24 177	33
814 800 0006	93 57 716	6	816 020 4902	89 93 354	33
814 835 7709	83 57 709	4	816 020 4902	89 85 160	33
814 878 6006	75 92 975	24	816 020 4902	89 93 560	33
814 878 6006	87 86 006	24	816 020 4904	89 93 453	33
814 894 0819	89 40 819	48	816 020 4904	89 57 839	33
814 896 1476	89 61 476	61	816 031 0002	89 62 250	36
814 896 2656	89 62 656	63	816 031 0003	89 43 268	37
814 896 2664	89 62 664	63	816 031 0003	89 88 941	37

To be continued on the following column→

To be continued on the following page→

Index: MEYLE / Reference / Page



MEYLE-No.	Reference-No.	Page	MEYLE-No.	Reference-No.	Page
→ Saab			→ Saab		
816 050 0002	48 35 708	58	859 101 0001	53 31 137	1
816 050 0003	48 35 716	58			
816 050 9003	42 48 431	57			
816 050 9004	42 48 449	57			
816 050 9005/HD	45 43 450	57			
816 050 9006/HD	45 43 468	58			
816 060 0001	89 58 944	66			
819 222 0001	49 61 074	25			
826 623 0000	52 34 174	71			
826 623 0000	52 34 182	71			
826 623 0000	53 36 920	71			
826 623 0000	53 36 938	71			
826 623 0001	50 63 458	71			
826 623 0001	50 63 466	71			
826 623 0001	50 58 417	71			
826 623 0001	50 58 425	71			
826 623 0001	45 65 214	71			
826 623 0001	46 89 311	71			
826 623 0001	46 89 329	71			
826 623 0001	49 05 014	71			
826 624 0000	47 78 825	71			
826 624 0000	50 56 858	71			
826 624 0000	50 56 874	71			
826 624 0001	50 56 650	70			
826 624 0001	47 78 817	70			
826 725 0001	49 06 491	71			
826 725 0001	50 56 866	71			
826 725 0002	50 64 290	71			
826 725 0002	52 38 506	71			
826 725 0002	52 38 514	71			
826 725 0002	52 39 090	71			
826 725 0002	52 34 265	71			
826 725 0002	52 34 281	71			
826 725 0002	53 24 265	71			
826 725 0002	45 66 824	71			
826 725 0003	49 06 517	70			
826 725 0003	49 06 475	70			
826 725 0003	50 56 668	70			
840 160 3556	92 70 240	76			
840 161 0074	92 93 580	76			

To be continued on the following column→

Index: Reference / MEYLE / Page



Reference-No.	MEYLE-No.	Page	Reference-No.	MEYLE-No.	Page
Saab			→ Saab		
12 57 5810	614 322 0008	18	41 06 720	814 525 0004	46
12 75 8727	812 320 0006	27	41 06 969	814 410 0001	70
12 75 9808	025 218 2919	51	41 07 462	814 410 7462	69
12 76 2290	615 523 6025	41	41 96 317	025 210 8914	49
12 76 2290	615 523 6025/PD	41	42 36 030	812 619 9007	25
12 78 6412	614 035 0037	62	42 36 063	612 083 4015	25
12 79 6013	616 050 0001	56	42 36 666	614 123 0001	71
12 79 6014	616 050 0002	57	42 41 428	815 521 5021	43
12 79 9199	616 050 0001	56	42 41 444	614 562 0003	45
12 79 9200	616 050 0002	57	42 41 477	815 523 5020	44
12 79 9240	025 234 8216	53	42 42 202	614 160 0105	68
12 80 0120	025 234 0220	52	42 42 236	814 498 0003	56
12 80 1423	816 020 0020	34	42 42 673	616 030 5563	35
12 80 1424	816 020 0001	34	42 42 681	616 030 5566	34
12 80 2167	025 234 0419	52	42 42 731	614 032 0002	37
12 80 4238	616 031 0004	36	42 42 749	616 020 5562	32
13 10 4120	614 044 0007	66	42 42 756	616 020 5565	32
24 41 7251	616 060 0004/HD	65	42 46 112	614 035 0009	63
24 43 6541	614 525 0004	47	42 48 431	816 050 9003	57
24 43 6542	614 525 0005	47	42 48 449	816 050 9004	57
24 46 0713	614 322 0008	18	43 56 176	614 684 0016	22
24 46 73001	613 600 0004	30	43 56 184	814 435 0001	23
24 46 9643	614 042 0005	59	43 56 887	050 005 1588	13
25 31 3359	100 201 0000	19	43 56 903	050 006 2540	15
25 31 3359	100 201 0013	20	43 56 903	050 006 2550	16
30 54 0743	616 060 0001	64	43 59 063	050 006 2625	16
30 54 0743	616 060 1001/S	64	43 59 071	050 006 2013	14
30 56 1772	814 899 0002	2	43 60 111	050 006 2310	15
30 64 7920	616 060 0001	64	43 60 467	050 006 2310	15
30 64 7920	616 060 1001/S	64	43 95 422	050 006 2300	15
40 00 642	814 498 0001	55	43 95 422	050 006 2310	15
40 02 143	815 521 5001	42	43 95 455	050 006 2540	15
40 02 150	815 521 5009	43	43 95 455	050 006 2550	16
40 02 341	814 525 0004	46	43 99 325	814 498 0003	56
40 02 911	814 498 0002	56	44 09 983	014 731 1213	74
40 29 203	050 006 2540	15	44 26 003	814 442 6003	24
40 29 203	050 006 2550	16	44 26 474	814 525 0004	46
40 29 930	814 040 0000	16	44 26 490	814 525 0004	46
40 72 211	812 319 0004	28	44 26 508	814 525 0005	46
40 72 393	812 319 0000	28	44 48 400	052 010 0850	11

To be continued on the following page→

Index: Reference / MEYLE / Page




Reference-No.	MEYLE-No.	Page	Reference-No.	MEYLE-No.	Page
→ Saab			→ Saab		
44 67 064	014 698 0006	66	46 89 923	614 160 0005	68
44 67 064	014 698 0006/S	67	46 89 923	614 160 0105	68
44 67 072	025 211 4015	50	47 70 970	813 883 1944	29
44 67 262	614 562 0029	46	47 72 166	614 322 0001	17
44 80 646	614 870 9001	76	47 72 711	813 477 2711	30
44 82 402	814 448 0001	59	47 78 817	826 624 0001	70
44 83 285	614 562 0029	46	47 78 825	826 624 0000	71
44 83 723	025 214 1117	51	48 35 708	816 050 0002	58
45 04 585	614 125 0002	72	48 35 716	816 050 0003	58
45 41 546	812 320 0003	28	48 35 740	816 010 0001	61
45 43 419	614 042 1009	54	48 36 441	614 042 1009	54
45 43 427	814 525 0001	46	48 36 540	616 020 5579	33
45 43 450	816 050 9005/HD	57	48 36 557	616 030 5581	35
45 43 468	816 050 9006/HD	58	48 36 987	025 210 5015	49
45 44 276	814 454 0002	70	48 37 241	025 210 5015	49
45 44 326	614 042 1009	54	48 38 660	614 042 1009	54
45 44 599	616 060 5574	64	48 39 015	615 523 6010	42
45 44 599	616 060 5574/S	65	48 39 320	615 521 6012	40
45 45 711	814 454 0001/HD	60	48 39 338	615 523 6010	42
45 65 214	826 623 0001	71	48 39 700	025 211 5419	50
45 65 693	615 523 6010	42	48 39 924	025 218 2919	51
45 65 719	614 562 0002	45	48 39 924	025 231 1619/W	52
45 65 743	814 525 0002	47	48 76 074	812 619 9010	26
45 65 859	614 044 0007	66	48 76 199	812 619 9005	26
45 66 824	826 725 0002	71	49 04 728	050 006 2625	16
45 66 899	614 035 0018	59	49 05 014	826 623 0001	71
45 67 244	616 010 0100	59	49 06 111	614 044 0007	66
45 67 798	615 521 6036	40	49 06 475	826 725 0003	70
45 67 798	615 521 6036/PD	40	49 06 491	826 725 0001	71
45 72 491	812 619 9000	26	49 06 517	826 725 0003	70
46 17 668	614 123 0001	71	49 07 523	815 521 5025	44
46 32 493	812 319 0001	28	49 07 739	025 218 2919	51
46 45 974	814 454 0003	60	49 07 739	025 231 1619/W	52
46 46 899	025 214 1117	51	49 08 109	814 610 0001	62
46 47 426	814 631 0011	38	49 08 562	814 506 0001	70
46 48 457	025 214 1117	51	49 08 695	814 525 0003	47
46 61 062	614 899 0008	1	49 61 058	050 006 1800	13
46 86 606	616 060 5582/HD	65	49 61 066	050 006 2345	15
46 89 311	826 623 0001	71	49 61 074	819 222 0001	25
46 89 329	826 623 0001	71	49 66 438	814 030 0001	23

To be continued on the following column→

To be continued on the following page→

Index: Reference / MEYLE / Page



Reference-No.	MEYLE-No.	Page	Reference-No.	MEYLE-No.	Page
→ Saab			→ Saab		
49 67 725	814 030 0001	23	52 36 823	616 060 5582/HD	65
49 67 915	814 030 0001	23	52 37 516	816 010 0002	61
50 05 036	813 603 6362	30	52 38 506	826 725 0002	71
50 47 238	812 320 0006	27	52 38 514	826 725 0002	71
50 55 389	615 521 6036	40	52 39 090	826 725 0002	71
50 55 389	615 521 6036/PD	40	52 39 314	816 020 0020	34
50 55 967	025 210 8914	49	52 39 322	816 020 0001	34
50 56 650	826 624 0001	70	53 24 265	826 725 0002	71
50 56 668	826 725 0003	70	53 31 137	859 101 0001	1
50 56 858	826 624 0000	71	53 35 948	812 320 0006	27
50 56 866	826 725 0001	71	53 36 920	826 623 0000	71
50 56 874	826 624 0000	71	53 36 938	826 623 0000	71
50 57 336	025 210 5015	49	53 61 537	815 521 5025	44
50 57 476	815 521 5025	44	53 91 537	815 521 5025	44
50 58 110	025 219 3417	51	53 91 560	615 521 6036	40
50 58 185	814 752 0001	69	53 91 560	615 521 6036/PD	40
50 58 417	826 623 0001	71	53 92 493	814 752 0002	69
50 58 425	826 623 0001	71	54 64 656	614 818 0000	22
50 60 892	814 506 0001	70	55 35 1711	614 053 0001	8
50 61 841	814 631 0009	38	55 55 7326	814 899 0002	2
50 62 203	025 218 2919	51	59 58 061	813 883 1944	29
50 62 203	025 231 1619/W	52	60 36 362	813 603 6362	30
50 63 391	814 610 0001	62	71 63 603	814 610 0000	60
50 63 458	826 623 0001	71	73 10 53	052 010 1025	8
50 63 466	826 623 0001	71	75 01 547	813 881 7900	30
50 64 290	826 725 0002	71	75 03 600	514 885 0001	74
51 22 833	615 521 6036	40	75 07 460	813 881 7900	30
51 22 833	615 521 6036/PD	40	75 11 728	052 010 0975	11
51 73 166	812 619 9000	26	75 14 722	812 619 9002	26
51 95 516	614 818 0000	22	75 15 190	814 751 5190	18
52 31 683	816 010 0001	61	75 22 402	814 224 0000	72
52 32 350	025 231 1619/W	52	75 34 795	100 900 0000	5
52 32 698	815 523 5026	44	75 41 451	814 754 1451	5
52 32 756	815 523 5026	44	75 51 104	814 755 1104	23
52 34 174	826 623 0000	71	75 51 674	050 005 1610	13
52 34 182	826 623 0000	71	75 68 80	514 899 0030	5
52 34 265	826 725 0002	71	75 68 801	514 899 0030	5
52 34 281	826 725 0002	71	75 76 333	814 757 0001	23
52 35 650	816 020 0020	34	75 76 416	814 757 6416	3
52 35 668	816 020 0001	34	75 79 881	050 005 1610	13

To be continued on the following column→

To be continued on the following page→

Index: Reference / MEYLE / Page



Reference-No.	MEYLE-No.	Page	Reference-No.	MEYLE-No.	Page
→ Saab			→ Saab		
75 85 086	814 758 0001	7	89 57 045	816 010 4903	61
75 92 975	814 878 6006	24	89 57 714	814 711 0001	62
75 96 679	050 005 1588	13	89 57 839	816 020 4904	33
80 00 397	052 010 1000	8	89 58 944	816 060 0001	66
81 41 93	052 013 1175	11	89 61 476	814 896 1476	61
81 41 94	052 013 1200	12	89 61 815	025 208 9016	48
81 41 96	052 013 1250	12	89 62 250	816 031 0002	36
81 41 97	052 013 1275	12	89 62 656	814 896 2656	63
83 22 026	052 010 0813	10	89 62 664	814 896 2664	63
83 39 921	052 010 0825	10	89 63 282	814 410 0001	70
83 49 40	100 013 0001	17	89 63 571	814 498 0002	56
83 57 709	814 835 7709	4	89 65 139	814 525 0005	46
83 84 92	052 010 0975	11	89 65 253	814 896 5253/HD	62
83 84 927	052 010 0975	11	89 68 026	025 210 8914	49
85 58 306	014 731 1090	74	89 68 976	025 211 5419	50
85 71 846	014 731 1023	73	89 69 107	014 698 0006	66
85 73 826	100 905 0005	74	89 69 107	014 698 0006/S	67
87 86 006	814 878 6006	24	89 69 206	814 525 0005	46
88 10 988	813 603 6362	30	89 69 651	100 698 0008	67
88 14 501	813 603 6362	30	89 70 717	815 523 5002	45
88 17 900	813 881 7900	30	89 72 135	816 010 4903	61
88 17 918	813 932 1670	31	89 72 424	814 631 0011	38
88 19 948	813 932 1688	32	89 73 034	814 525 0004	46
88 21 944	813 883 1944	29	89 78 561	100 133 0006	19
88 22 652	813 932 1951	31	89 78 561	100 133 0007	19
88 22 710	813 932 1951	31	89 85 160	816 020 4902	33
88 22 744	813 932 1951	31	89 85 384	816 010 0556	61
88 22 793	813 932 1951	31	89 88 941	816 031 0003	37
88 33 91	052 010 1100	8	89 93 321	816 010 0556	61
88 57 19	614 899 0008	1	89 93 354	816 020 4902	33
88 57 195	614 899 0008	1	89 93 388	816 010 0556	61
89 24 177	816 020 4902	33	89 93 453	816 020 4904	33
89 40 819	814 894 0819	48	89 93 560	816 020 4902	33
89 43 268	816 031 0003	37	89 93 768	025 211 5419	50
89 52 996	814 052 0002	69	90 50 1145	614 034 0020	22
89 53 291	814 525 0004	46	91 01 650	814 091 1650	48
89 55 445	014 698 0006	66	91 04 209	814 650 0001	68
89 55 445	014 698 0006/S	67	91 12 459	814 224 0000	72
89 55 486	100 698 0008	67	91 17 321	614 322 0001	17
89 56 575	814 525 0005	46	91 28 177	614 053 0001	8

To be continued on the following column→

To be continued on the following page→

Index: Reference / MEYLE / Page

Reference-No.	MEYLE-No.	Page	Reference-No.	MEYLE-No.	Page
→ Saab			→ Saab		
91 28 739	614 563 0001	16	96 25 674	812 319 0002	29
91 34 420	814 800 0006	6			
91 56 785	615 523 6025	41			
91 56 785	615 523 6025/PD	41			
91 56 807	615 521 6024	39			
91 56 807	615 521 6024/PD	39			
91 77 221	814 899 0002	2			
91 79 904	612 320 0005	27			
91 79 905	612 319 0005	27			
91 84 405	615 521 6036	40			
91 84 405	615 521 6036/PD	40			
91 91 247	615 521 6022	39			
91 91 336	615 523 6027	41			
92 70 240	840 160 3556	76			
92 93 580	840 161 0074	76			
93 07 893	813 881 7900	30			
93 17 2254	816 020 0020	34			
93 17 2255	816 020 0001	34			
93 17 8160	616 031 0008	36			
93 17 8602	613 600 0004	30			
93 18 1118	613 600 0004	30			
93 21 670	813 932 1670	31			
93 21 688	813 932 1688	32			
93 21 951	813 932 1951	31			
93 23 510	052 010 0975	11			
93 33 790	514 323 0000	20			
93 33 790	514 323 0003	21			
93 39 409	052 010 1250	9			
93 41 314	052 010 0975	11			
93 44 623	052 013 1200	12			
93 47 048	052 010 1250	9			
93 57 021	314 136 2102	75			
93 57 716	814 800 0006	6			
93 61 791	052 010 1175	9			
93 67 20	052 013 1175	11			
93 82 383	052 013 1275	12			
93 90 220	100 905 0005	74			
93 90 907	812 619 9008	27			
95 26 518	100 959 0002	75			
95 43 679	614 322 0001	17			

To be continued on the following column→