according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT- 8R 5W-30

Version: 2 Latest revision: 06. 04. 2018 Date of issue: 27. 02. 2018

Page: 1/(12)

### SECTION 1 Identification of the mixture and of the company/undertaking

- 1.1 Product identifier: A.Z. Meisterteile Motorenöl MT- 8R 5W-30
- 1.2 Relevant identified uses of the <u>mixture</u> or substance and uses advised against Relevant identified uses: synthetic motor oil Uses advised against: no data

#### 1.3 Details of the supplier of the safety data sheet: Trader identification: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: 06 1 270 8700 Fax: 06 1 270 8799 E-mail: info@unixauto.hu

Technical information: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: 06 1 270 8700 Fax: 06 1 270 8799 E-mail: info@unixauto.hu

Responsible for SDS: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: 06 1 270 8700 Fax: 06 1 270 8799 E-mail: info@unixauto.hu

 1.4 Emergency telephone number Emergency telephone (07-15<sup>20</sup> h): +36 34 526 210 (CET) on workdays Health Toxicological Information Service (ETTSZ 1096 Budapest, Nagyvárad tér 2.) Tel.: 36 80 201 199 (0-24 h, free number).

### SECTION 2 Hazards identification

2.1	.1 Classification of the <u>mixture</u> or substance		
	Hazard Class and Category:	Hazard	statement:
	Aquatic Chronic 3	H412	Harmful to aquatic life with long lasting effects.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



## Trade name: A.Z. Meisterteile Motorenöl MT- 8R 5W-30

Version: 2 Latest revision: 06. 04. 2018 Date of issue: 27. 02. 2018

Page: 2/(12)

2.2	2.2 Label elements			
	Product identification:	Trade name: A.Z. Meisterteile Motorenöl MT- 8R 5W-30		
	Hazardous components:	-		
	GHS Pictogram: Signal word:	not required not required		
	Hazard statement: <b>H412</b>	Harmful to aquatic life with long lasting effects.		
	Supplemental hazard info	ormation: -		
	Precautionary statements	– General: -		
Precautionary statements – Prevention: P273 Avoid release to t		<ul> <li>Prevention:</li> <li>Avoid release to the environment.</li> </ul>		
	Precautionary statements – Response: -			
	Precautionary statements	– Storage: -		
	Precautionary statements <b>P501</b>	<ul> <li>Disposal:</li> <li>Dispose of contents/container in accordance with national regulation.</li> </ul>		
	Other liabilities for labelling: Tactile warning of danger: Not required. Transport classification: see section 14.			
<ul> <li>2.3 Other hazards The product does not contain any PBT or vPvB substance according to annex XIII of regu (EC) 1907/2006.</li> </ul>		ain any PBT or vPvB substance according to annex XIII of regulation		

### SECTION 3 Composition/information on ingredients

3.2 Mixtures

Chemical description: Mixture of refined mineral base oils and hydrotreated neutral oil containing additives.

Component(s) / Hazardous component(s):

Name	EU number	CAS number	Hazard classes and cat.	Hazard statements	Conc. %(m/m)
Base oil – unspecified, hydrotreated heavy paraffinic, C20-C50* REACH Registr. Nr.: 01-2119484627-25	265-157-1	64742-54-7	Asp.Tox.1 (Note L)	H304	max. 55

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



#### Trade name: A.Z. Meisterteile Motorenöl MT- 8R 5W-30

Version: 2

Latest revision: 06. 04. 2018 Date of issue: 27. 02. 2018

Page: 3/(12)

Name	EU	CAS	Hazard classes and	Hazard	Conc.
	number	number	cat.	statements	%(m/m)
Base oil – unspecified,	265-157-1	64742-54-7	-	-	max. 35
hydrotreated heavy			(Note L)		
paraffinic, C20-C50*					
REACH Registr. Nr.:					
01-2119484627-25					
Base oil mixture *,**			-	-	max. 7.0
			(Note L)		
Reaction products of	253-249-4	36878-20-3	Aquatic Chronic 4	H413	max. 3.5
Benzeneamine, N-phenyl-					
with nonene (branched)					
REACH Registr. Nr.:					
01-2119488911-28					
Benzenepropanoic acid,	406-040-9	125643-61-0	Aquatic Chronic 4	H413	max. 1.4
3,5-bis (1,1-dimethylbutyl)-					
4-hydroxy-, C7-9-branched					
alkyl esters					
REACH Registr. Nr.:					
01-0000015551-76					
Zinc alkyl	283-392-8	84605-29-8	Skin Irrit. 2	H315	max. 0.7
dithiophospate			Eye Dam. 1	H318	
REACH Registr. Nr.:			Aquatic Chronic 2	H411	
01-2119493626-26			-		
Dodecylphenol, mixed	310-154-3	121158-58-5	Skin Corr. 1C	H314	max. 0.15
isomers (branched)			Eye Dam. 1	H318	
REACH Registr. Nr.:			Repr. 1B	H360F	
01-2119513207-49			Aquatic Acute1	H400 (M=10)	
			Aquatic Chronic 1	H410 (M=10)	

\*: with exposure limit

Base oil mixture \*\*: EU number: 265-157-1, REACH Registr. Nr.: 01-2119484627-25, EU number: 265-169-7, REACH Registr. Nr.:01-2119471299-27, EU number: 265-158-7, REACH Registr. Nr.:01-2119487077-29, EU number: 265-159-2, REACH Registr. Nr.:01-2119480132-48

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

### SECTION 4 First aid measures

4.1 Description of first aid measures General information: Never give anything by mouth to an unconscious person, or never induce vomiting.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: A.Z. Meisterteile Motorenöl MT- 8R 5W-30



Ver	sion: 2 Lat	rest revision: 06. 04. 2018       Date of issue: 27. 02. 2018       Page: 4/(12)
	Inhalation:	Remove the affected person to fresh air. If rapid recovery does not occur, obtain medical attention.
	Skin contact:	Remove contaminated clothing. Wash skin with large amounts of water, use soap. In case of persistent irritation, get medical attention.
	Eye contact:	Flush eyes with plenty of water for 10-15 minutes. In case of persistent irritation, get medical attention.
	Ingestion:	If swallowed, give water. Do not induce vomiting. Get medical attention.
	Protection of	first-aid person: No individual specifications.
4.2		nt symptoms and effects, both acute and delayed irritation on skin or in eyes.
4.3	Indication of a Not require	any immediate medical attention and special treatment need ed.
SEC	CTION 5 Fire	e-fighting measures
	Fire hazards: Combustib	ıle.
5.1		g media nguishing media: oon dioxide, dry chemical powder.
	Unsuitable ex Water jet.	tinguishing media:
5.2	Hazardous co On burning	ds arising from the <u>mixture</u> or substance mbustion products: g, carbon dioxide, carbon monoxide, sulphur oxides, phosphor oxides, various ons and soot can be formed.
5.3		e-fighters ctive equipment: to the existing fire-fighting regulations. Respiratory protection.
		ntaminated fire fighting water separately. It must not enter the sewage system. Ated extinguishing water must be disposed of in accordance with official

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT- 8R 5W-30

Version: 2 Latest revision: 06. 04. 2018 Date of issue: 27. 02. 2018

Page: 5/(12)

### SECTION 6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Personal precautions: see Section 8. Danger of slipping on leaked out/spilled product.
- 6.2 Environmental precautions: Confine spills to prevent material from entering sewers, watercourses, drains and into soil Notify relevant authority.
- 6.3 Methods and material for containment and cleaning up
  - On soil: All kind of ignition sources should be remove. Recover free liquid by pumping. Contain the rest or small quantities with sand, earth or other suitable absorbents. Dispose of according to local regulations.
  - On water: Confine the spillage. Remove from surface by skimming or suitable absorbents. Notify local authorities according to regulations.
- 6.4 Reference to other sections Personal precautions: see section 8. Waste treatment methods: see section 13.

### SECTION 7 Handling and storage

7.1 Precautions for safe handling

Keep general measures applied for normal operations with lubricants and flammable liquids. Keep away from radiant heat and open flame.

Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists. Ensure washing facilities after working hours and before breaks. Take off contaminated or oil-soaked clothing, wash with warm water and soap. When using do not eat, drink or smoke. Avoid splashing the product.

Handling temperature: not known

- 7.2 Conditions for safe storage, including any incompatibilities
   Storage facilities must comply with regulations for storing of flammable liquids.
   Store in dry, well ventilated place in original, closed containers.
   Keep away from radiant heat, open flame and strong oxidizing agents.
   Storage temperature: max. 40°C
- 7.3 Specific end use(s)

Synthetic motor oil.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT- 8R 5W-30

Version: 2 Latest revision: 06. 04. 2018 Date of issue: 27. 02. 2018

Page: 6/(12)

### SECTION 8 Exposure controls / personal protection

Engineering control measures: Not required.

8.1 Control parameters:

Mineral oil mist:	TWA: 5 mg/m <sup>3</sup> ; STEL: 10 mg/m <sup>3</sup> , for oil mist, vapour			
	excluded (ACGIH).			
Method of testing, recommended: NIOSH 5026				

#### 8.2 Exposure controls

Personal protection:	
Respiratory protection:	Under normal conditions not required. In case of exceeded exposure-limits respiratory protection with particle-filter is recommended.
Hand protection:	Oil resistant gloves (EN 374, Breakthrough time 480 min) (e.g. nitrile rubber – minimal thickness 0.33 mm). Note: Manufacturer's directions for use and the conditions of application should be observed.
Eye protection:	Where splashing is possible, wear safety glasses (EN 166).
Skin protection:	Protective clothing (oil resistant).
Other special:	No data.

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

#### **SECTION 9** Physical and chemical properties

9.1	Information on basic physical and chemical properties				
	Appearance:				
	Physical state:	liquid			
	Colour:	brown, clear, bright			
	Odour:	characteristic			
	Change in physical state:				
	Pour point (ISO 3016):	typ39°C			
	Boiling point:	not available			

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT- 8R 5W-30

Version: 2 Latest revision: 06. 04. 2018 Date of issue: 27. 02. 2018

Page: 7/(12)

#### Others:

- Flash point (COC) (EN ISO 2592): typ. 230°C Ignition point (EN ISO 2592): not available Autoignition temperature: not available **Explosive properties:** not explosive Oxidizing properties: not oxidize Vapour pressure at 20°C: negligible Density at 15°C (EN ISO 12185):  $0.845 - 0.865 \text{ g/cm}^3$ Solubility in water: practically insoluble in water Solubility in other solvents: gasoline, kerosene, toluene, etc. n-Octanol/water partition coefficient: not available Vapour density: not available Heating value: inf. 38 000 kJ/kg Kinematic viscosity at 40°C (EN ISO 3104): typ.  $69.3 \text{ mm}^2/\text{s}$ Kinematic viscosity at 100°C (EN ISO 3104): typ. 12.1 mm<sup>2</sup>/s pH: not applicable
- 9.2 Other information no data available

## SECTION 10 Stability and reactivity

10.2	Reactivity: Chemical stability: Possibility of hazardous	Dangerous reactivity not known. No decomposition if stored and handled properly.
	reactions:	Not known.
10.4	Conditions to avoid:	Direct heat or ignition sources.
10.5	Incompatible materials:	Strong oxidizing agents.
10.6	Hazardous decomposition	No dangerous decomposition products are formed under normal
	products:	conditions. Hazardous combustion products: See Section 5.

### SECTION 11 Toxicological information

11.1 Information on Acute toxicity:	toxicological effect	ets			
Oral:	$LD_{50}$ (rat)	> 2000	mg/kg	(based on components)	
Dermal:	LD <sub>50</sub> (rabbit)	> 2000	mg/kg	(based on components)	

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT- 8R 5W-30

Version: 2 Latest revision: 06. 04. 2018 Date of issue: 27. 02. 2018

Page: 8/(12)

Acute toxicity: irritation

Skin:not irritant (based on components)Eye:not irritant (based on components)

Respiratory or skin sensitisation: not sensitising (based on components)

Other information, specific effects:

Note L: The classification as a carcinogen need not apply according to 1272/2008/EC, because it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346.

Germ cell mutagenicity:	not known, resp. not mutagen (based on components)
Carcinogenicity:	not known, resp. not carcinogen (based on components)
Reproductive toxicity:	not known, resp. no reproduction-damaging effect
	(based on components)
STOT-single exposure:	not classified
STOT-repeated exposure:	not classified
Aspiration hazard:	not classified

#### SECTION 12 Ecological information

12.1	•	o data for the product.
	Aquatic organisms:	
	Soil organisms:	
10.0	Plants:	NT 1 / 111
12.2	Persistence and degradability	
	Biodegradability:	No data available.
12.3	Bioaccumulative potential	No data available.
12.4	Mobility	
	Mobility in soil	Absorbs in soil.
	Mobility in water:	Floats on water.
12.5	Results of PBT and vI	PvB
	assessment	Does not contain PBT and vPvB substances.
12.6	Other adverse effects	
	Heavy metal content:	None.
	PCT, PCB and other chlorinat	ted
	hydrocarbons:	None.
	Environmental effects:	Harmful to aquatic life with long lasting effects.
	Water hazard class (German):	WGK 2 (Classification by VwVwS)

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT- 8R 5W-30

Version: 2 Latest revision: 06. 04. 2018 Date of issue: 27. 02. 2018

Page: 9/(12)

### SECTION 13 Disposal considerations

- 13.1 Waste treatment methods
- Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 13 02 05\*

Mineral-based non-chlorinated engine, gear and lubricating oils.

Waste Identification Code: 13 02 06\*

Synthetic engine, gear and lubricating oils.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

#### Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10\*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

#### **SECTION 14** Transport information

	Land transport:		
	Road/ Railway	ADR/RID:	Not classified.
14.1. 14.2. 14.3. 14.4. 14.5. 14.6.	UN number: UN proper shipping name: Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user:		not classified not classified not classified not classified not classified not classified
	Waterways: Inland waterways/ Sea transport Air transport:	ADN/IMDO ICAO / IAT	G: Not apply to the product.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



#### Trade name: A.Z. Meisterteile Motorenöl MT- 8R 5W-30

Version: 2 Latest revision: 06. 04. 2018 Date of issue: 27. 02. 2018

Page: 10/(12)

### SECTION 15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the mixture. This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2015/830/EU) and to Regulation (EC) 1272/2008.
- 15.2 Chemical safety assessment. not available

### **SECTION 16** Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Source of data presented in this material safety data sheet: Test results of this product Material safety data sheets of product's components Hungarian and EU lists of dangerous substances Relevant Hungarian and EU regulations

Classification for mixtures and used evaluation method according to regulation 1272/2008/EC (CLP)

Aquatic Chronic 3 H412 calculation method

The full text of each relevant H- phrase and Hazard classes and cat. in Section 3.:

H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H360F	May damage fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name:A.Z. Meisterteile Motorenöl MT- 8R 5W-30Version: 2Latest revision: 06. 04. 2018Date of issue: 27. 02. 2018Page: 11/(12)

Asp.Tox.1	Aspiration hazard Category 1
Skin Corr. 1C	Skin corrosion/irritation Category 1C
Skin Irrit. 2	Skin corrosion/irritation Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Repr. 1B.	Reproductive toxicity Category 1B.
Aquatic Acute 1	Hazardous to the aquatic environment, Acute Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, Chronic Category 1
Aquatic Chronic 4	Hazardous to the aquatic environment, Chronic Category 4

### Legend:

А	DN	European Agreement concerning the International Carriage of Dangerous Goods by Inland
		Waterways
Α	DR	European Agreement concerning the International Carriage of Dangerous Goods by Road
Α	TE	Acute Toxicity Estimate
В	CF	Biocontrentration Factor
В	OD	Biological Oxigen Demand
В	W	Body Weight
С	&L	Classification and Labeling
С	AS	Chemical Abstracts Service
С	LP	Classification, Labelling and Packaging
С	MR	Carcigonic, Mutagenic or toxic to Reproduction
С	OD	Chemical Oxygen Demand
С	SA	Chemical Safety Assessment
С	SR	Chemical Safety Report
D	MEL	Derived Minimal Effect Level
D	NEL	Derived No Effect Level
E	CHA	European Cheamicals Agency
E	cx	Effective Concentration x%
E	dx	Effective Dose x%
E	LINCS	European List of Notified Chemical Substances
E	rC50	EC50 in terms of reduction of growth rate;
E	S	Exposure Scenario
E	SIS	European Chemical Substances Information System
IA	ARC	International Agency for Research on Cancer
IA	ATA	International Air Transport Association
IN	MDG	International Maritime Dangerous Goods
L	Cx	Lethal Concentration x%
L	Dx	Lethal Dose x%) Halálos dózis x%
L	OAEC	Lowest Observed Adverse Effect Concentration
L	OAEL	Lowest Observed Adverse Effect Level
L	OEC	Lowest Observed Effect Concentration
L	OEL	Lowest Observed Effect Level

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT- 8R 5W-30

Version: 2 Latest revision: 06. 04. 2018 Date of issue: 27. 02. 2018

Page: 12/(12)

NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts/million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern
UVCB	substance of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative

**Revision Indicators:** 

Section	Subject of change	Date	Version
2.2	Label elements	04.06.2018	2
3	Composition/information on ingredients		
8	Exposure controls / personal protection		
9	Physical and chemical properties		
1-16	Revision modification according to 2015/830/EU, other		
	corrections		