according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-8V 5W-30

Version: 1 Latest revision:

Date of issue: 24. 10. 2017

Page: 1/(13)

SECTION 1 Identification of the mixture/substance and of the company/undertaking

- 1.1 Product identifier: A.Z. Meisterteile Motorenöl MT-8V 5W-30
- 1.2 Relevant identified uses of the <u>mixture</u> or substance and uses advised against Relevant identified uses: synthetic motor oil Uses advised against: no data
- 1.3 Details of the supplier of the safety data sheet: Trader identification: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: 06 1 270 8700 Fax: 06 1 270 8799 E-mail: info@unixauto.hu

Responsible for SDS: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: 06 1 270 8700 Fax: 06 1 270 8799 E-mail: info@unixauto.hu Technical information: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: 06 1 270 8700 Fax: 06 1 270 8799 E-mail: info@unixauto.hu

 1.4 Emergency telephone number Emergency telephone (07-15²⁰ h): +36 34 526 210 (CET) on workdays Health Toxicological Information Service (ETTSZ 1096 Budapest, Nagyvárad tér 2.) Tel.: 36 80 201 199 (0-24 h, free number).

SECTION 2 Hazards identification

2.1	Classification of the mixture or su	bstance	
	Hazard Class and Category:	Hazard sta	tement:
	Aquatic Chronic 3	H412	Harmful to aquatic life with long lasting
			effects.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-8V 5W-30

Version: 1Latest revision:Date of issue: 24. 10. 2017Page: 2/(13)

2.2 Label elements

Product identification:	Trade name: A.Z. Meisterteile Motorenöl MT-8V 5W-30			
Hazardous components:	-			
GHS Pictogram: Signal word:	Not required. Not required.			
Hazard statement: H412	Harmful to aquatic life with long lasting effects.			
Supplemental hazard info	rmation: -			
Precautionary statements	– General: -			
Precautionary statements P273 Av	- Prevention: roid release to the environment.			
Precautionary statements	– Response: -			
Precautionary statements	– Storage: -			
Precautionary statements – Disposal: P501 Dispose of contents/container in accordance with national regulation.				
Other liabilities for labelling: Tactile warning of danger: Not required. Transport classification: see section 14.				
Other hazards The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006.				

SECTION 3 Composition/information on ingredients

3.2 Mixtures

2.3

Chemical description:

Mixture of refined mineral base oils and hydrotreated neutral oil containing additives.

Component(s) / Hazardous component(s):

Name	EU number	CAS number	Hazard classes and cat.	Hazard statements	Conc. %(m/m)
Base oil – unspecified,	265-157-1	64742-54-7	-	-	max. 40
hydrotreated heavy paraffinic, C20-C50*			(Note L)		

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-8V 5W-30

Version: 1

Latest revision:

Date of issue: 24. 10. 2017

Page: 3/(13)

Name	EU	CAS	Hazard classes and	Hazard	Conc.
Iname	number	number	cat.	statements	%(m/m)
Dec-1-ene, homopolymer, hydrogenated REACH Registr. Nr.: 01-2119486452-34	500-183-1	68037-01-4	Asp.Tox.1	H304	max. 30
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil- based*	276-738-4	72623-87-1	Asp.Tox. 1 (Note L)	H304	max. 25
Mineral oil raffinate*	confidential		Asp.Tox. 1 (Note L)	H304	max. 10
Zinc alkyl dithiophosphate REACH Registr. Nr.: 01-2119493626-26	283-392-8	84605-29-8	Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 2	H315 H318 H411	max. 0.9
2,6-di-tert-butylphenol REACH Registr. Nr.: 01-2119490822-33	204-884-0	128-39-2	Aquatic Acute 1 Aquatic Chronic 1 Skin Irrit. 2	H400 H410 H315	max. 0.3
Phenol, dodecyl-, branched REACH Registr. Nr.: 01-2119513207-49	310-154-3	121158-58-5	Skin Corr. 1C Eye Dam. 1 Repr. 1B Aquatic Acute1 Aquatic Chronic 1	H314 H318 H360F H400 (M=10) H410 (M=10)	max. 0.2
Diphenylamine REACH Registr. Nr.: not known	204-539-4	122-39-4	Acute Tox. 3 Acute Tox. 3 Acute Tox. 3 STOT RE 2 Aquatic Acute 1 Aquatic Chronic 1	H301 H311 H331 H373 H400 (M=1) H410 (M=1)	max. 0.2

*: with exposure limit

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

SECTION 4 First aid measures

4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never induce vomiting.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-8V 5W-30

Version: 1 Latest revision: Date of issue: 24. 10. 2017

Page: 4/(13)

	Inhalation:	Remove the affected person to fresh air. If rapid recovery does not occur, obtain medical attention.	
	Skin contact:	Wash skin with large amounts of water, use soap. In case of persistent irritation, get medical attention.	
	Eye contact:	Flush eyes with plenty of water for 10-15 minutes. In case of persistent irritation, get medical attention.	
	Ingestion:	If swallowed, give water. Do not induce vomiting. Get medical attention.	
	Protection of	first-aid person: No individual specifications.	
4.2	Most importa No data av	nt symptoms and effects, both acute and delayed vailable.	
4.3	Indication of Not require	any immediate medical attention and special treatment need ed.	
SEC	CTION 5 Fire	-fighting measures	
	Fire hazards: Combustib	ble.	
5.1	Extinguishing media Suitable extinguishing media: Foam, carbon dioxide, dry chemical powder.		
	Unsuitable ex Water jet.	tinguishing media:	
5.2	Special hazards arising from the <u>mixture</u> or substance Hazardous combustion products: On burning, carbon dioxide, carbon monoxide, sulphur oxide, phosphor oxides various hydrocarbons and soot can be formed.		
5.3	Advice for fire-fighters Special protective equipment: According to the existing fire-fighting regulations. Respiratory protection.		
	Further inform	nation:	

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-8V 5W-30

Version: 1 Latest revision:

Date of issue: 24. 10. 2017

Page: 5/(13)

SECTION 6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Personal precautions: see Section 8.
- 6.2 Environmental precautions: Confine spills to prevent material from entering sewers, watercourses, drains and into soil Notify relevant authority.
- 6.3 Methods and material for containment and cleaning up
 - On soil: All kind of ignition sources should be remove. Contain spilled liquid with sand, earth or other suitable absorbents. Recover free liquid by pumping. Dispose of according to local regulations.
 - On water: Confine the spillage. Remove from surface by skimming or suitable absorbents. Notify local authorities according to regulations.
- 6.4 Reference to other sections Personal precautions: see section 8. Waste treatment methods: see section 13.

SECTION 7 Handling and storage

7.1 Precautions for safe handling

Keep general measures applied for normal operations with lubricants and flammable liquids.Keep away from radiant heat and open flame.Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists.Ensure washing facilities after working hours and before breaks. Take off contaminated or

oil-soaked clothing, wash with warm water and soap.

When using do not eat, drink or smoke. Avoid splashing the product. Handling temperature: not known

- 7.2 Conditions for safe storage, including any incompatibilities
 Storage facilities must comply with regulations for storing of flammable liquids.
 Store in dry, well ventilated place in original, closed containers.
 Keep away from radiant heat, open flame and strong oxidizing agents.
 Storage temperature: max. 40°C
- 7.3 Specific end use(s) Synthetic motor oil.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-8V 5W-30

Version: 1 Latest revision:

Date of issue: 24. 10. 2017

Page: 6/(13)

SECTION 8 Exposure controls / personal protection

Engineering control measures: Not required.

8.1 Control parameters:

Mineral oil mist: TWA: **5 mg/m³**; STEL: 10 mg/m³, for oil mist, vapour excluded (ACGIH). Method of testing, recommended: NIOSH 5026

8.2 Exposure controls

Personal protection:	
Respiratory protection:	Breathing apparatus not required.
Hand protection:	Oil resistant gloves (EN 374, Breakthrough time 480 min) (e.g.
	nitrile rubber – minimal thickness 0.33 mm).
	Note: Manufacturer's directions for use and the conditions of
	application should be observed.
Eye protection:	Protective goggles not required.
Skin protection:	Protective clothing (oil resistant).
Other special:	No data.

Environmental exposure controls: Do not discharge into drains/surface waters/groundwater.

SECTION 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Physical state: Colour: Odour: Change in physical state: Pour point (ISO 3016): Boiling point:

liquid brown, clear characteristic

typ. -42°C not available

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-8V 5W-30

Version: 1

Latest revision:

Date of issue: 24. 10. 2017

Page: 7/(13)

Others:

Flash point (COC) (EN ISO 2592):	typ. 210°C
Ignition point (EN ISO 2592):	not available
Autoignition temperature:	not available
Explosive properties:	not explosive
Oxidizing properties:	not oxidize
Vapour pressure at 20°C:	negligible
Density at 15°C (EN ISO 12185):	$0.840 - 0.860 \text{ g/cm}^3$
Solubility in water:	practically insoluble in water
Solubility in other solvents:	gasoline, kerosene, toluene, etc.
n-Octanol/water partition coefficient:	not available
Vapour density:	not available
Heating value:	inf. 38 000 kJ/kg
Kinematic viscosity at 40°C (EN ISO 3104):	typ. 69.8 mm ² /s
Kinematic viscosity at 100°C (EN ISO 3104):	typ. 12.2 mm^2/s
pH:	not applicable

9.2 Other information no data available

SECTION 10 Stability and reactivity

10.1 Reactivity:10.2 Chemical stability:10.3 Possibility of hazardous	Dangerous reactivity not known. No decomposition if stored and handled properly.
 reactions: 10.4 Conditions to avoid: 10.5 Incompatible materials: 10.6 Hazardous decomposition products: 	Not known. Direct heat or ignition sources. Strong oxidizing agents. No dangerous decomposition products are formed under normal conditions. Hazardous combustion products: See Section 5.

SECTION 11 Toxicological information

11.1 Information on toxicological effects Acute toxicity:						
Oral:	LD_{50} (rat)	> 2000	mg/kg	(based on components)		
Derm	al: LD_{50} (rabbit)	> 2000	mg/kg	(based on components)		

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: A.Z. Meisterteile Motorenöl MT-8V 5W-30



Ver	sion: 1	Latest revision:	Date of issue: 24. 10. 2017	Page: 8/(13)
		oxicity: irritation		
			sed on components)	
	Eye		sed on components)	1
	Note	_	/or repeated contact may cause irritation individual sensitivity.	on skin or in eyes
	Respirat	ory or skin sensitisation:	not sensitising (based on components)
1	Other in	formation, specific effect	s:	
	-	product does not contair ls, barium compounds.	n PCBs, PCTs, and other chlorine comp	oounds, and heavy
	Note L: The classification as a carcinogen need not apply according to 1272/2008/E0 because it can be shown that the substance contains less than 3 % DMSO extract a measured by IP 346.			
	Germ	cell mutagenicity:	not known, resp. not mutagen (based	on components)
		nogenicity:	not known, resp. not carcinogen (base	1 ·
		oductive toxicity:	not known, resp. no reproduction	
	1	·	(based on components)	0.0
	STO	Γ-single exposure:	not classified	
	STO	Γ-repeated exposure:	not classified	
	Aspii	ation hazard:	not classified	
SEC	TION 12	Ecological information	n	
12.1	Toxicity	No da	ta for the product.	
	5	tic organisms:	L	
	-	organisms:		
	Plant	-		
12.2	Persister	nce and degradability	No data available.	
		adability:	No data available.	

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-8V 5W-30

Version: 1 Latest revision:

Date of issue: 24. 10. 2017

Page: 9/(13)

12.4	Mobility		
	Mobility in soil	Absorbs in soil.	
	Mobility in water:	Floats on water.	
12.5	Results of PBT and vPvB assessment	Does not contain PBT and vPvB substances.	
12.6	Other adverse effects Heavy metal content: PCT, PCB and other chlorinated	None.	
	hydrocarbons:	None.	
	Environmental effects: Water hazard class (German):	Harmful to aquatic life with long lasting effects. WGK 2 (Classification by VwVwS)	
SEC	TION 13 Disposal consideration	IS	
13.1	Waste treatment methods		
1011	Product disposal:		
	-	should be treated as hazardous waste.	
	Waste Identification Code: 13 02		
	Mineral-based non-chlorinated e		
	Waste Identification Code: 13 02		
	Synthetic engine, gear and lubric		
		with national and local regulations.	
	Packaging disposal:		
	Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations. Waste Identification Code: 15 01 10*		
	Packaging containing residues of	f or contaminated by dangerous substances.	
	Disposal must be in compliance	with national and local regulations.	
	Recommended waste treatment met	hod: incineration	
Wastewater: Quality of wastewater emitted to natural water must comply with national and regulations.			
		ensure compliance with EC, national and local regulations. know all relevant national and local regulations.	

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-8V 5W-30

Version: 1Latest revision:Date of issue: 24. 10. 2017Page: 10/(13)

SECTION 14 Transport information

	Land transport:		
	Road/ Railway	ADR/RID:	Not classified.
14.1.	UN number:	-	
14.2.	UN proper shipping name:	-	
14.3.	Transport hazard class(es):	-	
14.4.	Packing group:	-	
14.5.	Environmental hazards:	-	
14.6.	Special precautions for user:	-	
	Waterways:		
	Inland waterways/ Sea transport	ADN/IMDG:	Not apply to the product.
	Air transport:	ICAO / IATA:	Not apply to the product.

SECTION 15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the mixture. This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2015/830/EU) and to Regulation (EC) 1272/2008.
- 15.2 Chemical safety assessment. not available

SECTION 16 Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-8V 5W-30

Version: 1

Latest revision:

Date of issue: 24. 10. 2017

Page: 11/(13)

Classification for mixtures and used evaluation method according to regulation 1272/2008/EC (CLP)

Aquatic Chronic 3 H412 calculation method

Source of data presented in this material safety data sheet: Test results of this product Material safety data sheets of product's components Hungarian lists of dangerous substances, 1272/2008/EC regulation, Annex XVII. of REACH Relevant Hungarian regulation and EU directives

The full text of each relevant H- phrase and Hazard classes and cat. in Section 3.:

H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H360F	May damage fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
Acute Tox. 3	Acute toxicity Category 3
Asp.Tox.1	Aspiration hazard Category 1
Skin Corr. 1C	Skin corrosion/irritation Category 1C
Skin Irrit. 2	Skin corrosion/irritation Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Repr. 1B	Reproductive toxicity Category 1B
STOT RE 2	Specific target organ toxicity – repeated exposure Category 2
Aquatic Acute 1	Hazardous to the aquatic environment, Acute Category 1
AquaticChronic 1	Hazardous to the aquatic environment, Chronic Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, Chronic Category 2

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-8V 5W-30

Version: 1	Latest revision:	Date of issue: 24. 10. 2017	Page: 12/(13)
------------	------------------	-----------------------------	---------------

Legend:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Biocontrentration Factor
BOD	Biological Oxygen Demand
Bw	Body Weight
C&L	Classification and Labeling
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging (1272/2008/EC)
CMR	Carcigonic, Mutagenic or toxic to Reproduction
COD	Chamical Oxygen Demand
CSA	Chemical Safety Assessment
CSR	Chemical Safety Report
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
ECHA	European Cheamicals Agency
Ecx	Effective Concentration x%
ErC50	EC50 in terms of reduction of growth rate
Edx	Effective Dose x%
EC	European Community
EC number	European Community number
ELINCS	European List of Notified Chemical Substances
ES	Exposure Scenario
ESIS	European Chemical Substances Information System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LCx	Lethal Concentration x%
LDx	Lethal Dose x%) Halálos dózis x%
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts/million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International carriage of Dangerous Goods by Rail

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-8V 5W-30

Version: 1 Latest revision: Date of issue: 24. 10. 2017

Page: 13/(13)

SVHC UVCE	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	eaction products or l	piological				
VOC vPvB	VOC Volatile organic compounds						
Revision Indicators:							
Section	Subject of change	Date	Version				