



Revision date: 03-Sep-2019 Version: 2 Print date: 03-Sep-2019

## Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name/designation:

RAVENOL DGL SAE 75W-85 GL-5 LS

Article No.:

1221107

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Lubricant

#### \* 1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Ravensberger Schmierstoffvertrieb GmbH

Jöllenbecker Str. 2

33824 Werther

D

Telephone: +49 5203 9719 0

Telefax: +49 5203 9719 40

E-mail: kontakt@ravenol.de

Website: www.ravenol.de

E-mail (competent person): technik@ravenol.de

#### \* 1.4. Emergency telephone number

Abt. Technik (Produktsicherheit), 24h: +49 700 24 112 112 (Contract ID: RAV) , +49 5203 9719 0 (Mo-Do 7.30 Uhr - 16.30 Uhr, Fr 7.30 Uhr - 13.15 Uhr) (Only available during office hours.)

### SECTION 2: Hazards identification

#### \* 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Acute toxicity (oral) ( <i>Acute Tox. 4</i> )	H302: Harmful if swallowed.	
Skin corrosion/irritation ( <i>Skin Irrit. 2</i> )	H315: Causes skin irritation.	
Serious eye damage/eye irritation ( <i>Eye Irrit. 2</i> )	H319: Causes serious eye irritation.	
STOT-repeated exposure ( <i>STOT RE 2</i> )	H373: May cause damage to organs through prolonged or repeated exposure. (...)	
Hazardous to the aquatic environment ( <i>Aquatic Chronic 3</i> )	H412: Harmful to aquatic life with long lasting effects.	

#### \* 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS07

Exclamation mark



GHS08

Health hazard

Signal word: Warning

Hazard components for labelling:

Amines, N-tallow alkyltrimethylenedi-



Revision date: 03-Sep-2019 Version: 2 Print date: 03-Sep-2019

**hazard statements for health hazards**

H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure. (After ingestion)

**Hazard statements for environmental hazards**

H412	Harmful to aquatic life with long lasting effects.
------	--

**Supplemental Hazard information (EU): -**

**Precautionary statements Prevention**

P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.

**Precautionary statements Response**

P301 + P312	IF SWALLOWED: Call a POISON CENTER/doctor/Emergency telephone number/ if you feel unwell.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**Precautionary statements Disposal**

P501	Dispose of contents/container to an appropriate recycling or disposal facility.
------	---

**2.3. Other hazards**

No data available

**SECTION 3: Composition / information on ingredients**

**3.2. Mixtures**

**Hazardous ingredients / Hazardous impurities / Stabilisers:**

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 61791-55-7 EC No.: 263-189-0 REACH No.: 01-2119487014-41	<b>Amines, N-tallow alkyltrimethylenedi-</b> Acute Tox. 4, STOT RE 1, Skin Corr. 1B <b>Danger</b> H302-H314-H372	1 - < 2 Wt %

Full text of H- and EUH-phrases: see section 16.

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information:**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious place in recovery position and seek medical advice. Do not leave affected person unattended.

**Following inhalation:**

Provide fresh air.  
 Consult a doctor immediately.  
 In case of respiratory tract irritation, consult a physician.  
 Get medical advice/attention if you feel unwell.

**In case of skin contact:**

After contact with skin, wash immediately with plenty of water and soap.  
 Take off immediately all contaminated clothing and wash it before reuse.  
 Consult a doctor immediately.  
 If skin irritation or rash occurs: Get medical advice/attention.

**After eye contact:**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.  
 If eye irritation persists: Get medical advice/attention.  
 Causes serious eye irritation.



Revision date: 03-Sep-2019 Version: 2 Print date: 03-Sep-2019

**After ingestion:**

Rinse mouth thoroughly with water. Do NOT induce vomiting. Consult a doctor immediately.

**Self-protection of the first aider:**

Use personal protection equipment. No direct artificial respiration to be given by first aider.

**4.2. Most important symptoms and effects, both acute and delayed**

Skin corrosion/irritation. Serious eye damage/eye irritation.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically. Observe risk of aspiration if vomiting occurs.

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

**Suitable extinguishing media:**

Co-ordinate fire-fighting measures to the fire surroundings.

Carbon dioxide (CO<sub>2</sub>)

Extinguishing powder

alcohol resistant foam

Use water spray jet to protect personnel and to cool endangered containers.

**Unsuitable extinguishing media:**

Full water jet

\* **5.2. Special hazards arising from the substance or mixture**

During heating or in case of fire, toxic gases is possible.

The formation of combustible vapours is possible at temperatures above: Flash point

When hot, product develops flammable vapours.

**Hazardous combustion products:**

Carbon monoxide, Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NO<sub>x</sub>), Gases/vapours, toxic

During heating or in case of fire, toxic gases is possible.

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus. Protective clothing.

**5.4. Additional information**

Do not inhale explosion and combustion gases. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures**

\* **6.1. Personal precautions, protective equipment and emergency procedures**

**6.1.1. For non-emergency personnel**

**Personal precautions:**

Use personal protection equipment. Special danger of slipping by leaking/spilling product. Remove persons to safety.

**Protective equipment:**

Wear protective gloves/protective clothing/eye protection/face protection.

**Emergency procedures:**

Eliminate all ignition sources if safe to do so. Remove persons to safety. Provide adequate ventilation.

**6.1.2. For emergency responders**

**Personal protection equipment:**

Use personal protection equipment.

**6.2. Environmental precautions**

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

**6.3. Methods and material for containment and cleaning up**

**For containment:**

Suitable material for taking up: Sand, Kieselguhr, Universal binder, Chemical binding agents, containing acids

Prevent spread over a wide area (e.g. by containment or oil barriers).



Revision date: 03-Sep-2019 Version: 2 Print date: 03-Sep-2019

**For cleaning up:**

Remove from the water surface (e.g. skimming, sucking). Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

**Other information:**

Treat the recovered material as prescribed in the section on waste disposal.

**6.4. Reference to other sections**

Safe handling: see section 7

Disposal: see section 13

Personal protection equipment: see section 8

**6.5. Additional information**

Clear spills immediately. Use appropriate container to avoid environmental contamination.

**SECTION 7: Handling and storage**

\* **7.1. Precautions for safe handling**

**Protective measures**

**Advices on safe handling:**

Wear personal protection equipment (refer to section 8).

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Clear spills immediately. Use appropriate container to avoid environmental contamination.

**Fire prevent measures:**

No special fire protection measures are necessary.

**Environmental precautions:**

Shafts and sewers must be protected from entry of the product.

**Advices on general occupational hygiene**

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

**7.2. Conditions for safe storage, including any incompatibilities**

**Technical measures and storage conditions:**

Keep container tightly closed in a cool, well-ventilated place.

**Requirements for storage rooms and vessels:**

Suitable container/equipment material: Floors should be impervious, resistant to liquids and easy to clean. Shafts and sewers must be protected from entry of the product.

Keep/Store only in original container.

**Hints on storage assembly:**

not required

**Storage class:** 10 - Combustible liquids that cannot be assigned to any of the above storage classes

**Further information on storage conditions:**

Store in a cool dry place. Keep away from heat.

**7.3. Specific end use(s)**

**Recommendation:**

Observe technical data sheet.

**SECTION 8: Exposure controls/personal protection**

\* **8.1. Control parameters**

**8.1.1. Occupational exposure limit values**

No data available

**8.1.2. Biological limit values**

No data available



Revision date: 03-Sep-2019 Version: 2 Print date: 03-Sep-2019

### 8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
Amines, N-tallow alkyltrimethylenedi- CAS No.: 61791-55-7	0.035 mg/m <sup>3</sup>	① DNEL worker ② inhalative, long-term, systemic
Amines, N-tallow alkyltrimethylenedi- CAS No.: 61791-55-7	0.01 mg/kg bw/day	① DNEL worker ② dermal, long-term, systemic

Substance name	PNEC Value	① PNEC type
Amines, N-tallow alkyltrimethylenedi- CAS No.: 61791-55-7	0.01 mg/l	① PNEC aquatic, freshwater
Amines, N-tallow alkyltrimethylenedi- CAS No.: 61791-55-7	0.001 mg/l	① PNEC aquatic, marine water
Amines, N-tallow alkyltrimethylenedi- CAS No.: 61791-55-7	0.251 mg/l	① PNEC sewage treatment plant
Amines, N-tallow alkyltrimethylenedi- CAS No.: 61791-55-7	1.72 mg/kg	① PNEC sediment, freshwater
Amines, N-tallow alkyltrimethylenedi- CAS No.: 61791-55-7	0.172 mg/kg	① PNEC sediment, marine water
Amines, N-tallow alkyltrimethylenedi- CAS No.: 61791-55-7	10 mg/kg	① PNEC soil

### \* 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

See section 7. No additional measures necessary.

#### 8.2.2. Personal protection equipment



##### Eye/face protection:

During transfer: Eye glasses with side protection  
 Wear eye/face protection. DIN EN 166

##### Skin protection:

Hand protection

Suitable material: NBR (Nitrile rubber), PVC (polyvinyl chloride), CR (polychloroprene, chloroprene rubber)

Thickness of the glove material:  $\geq 0,4$  mm

Breakthrough time (maximum wearing time) 480 min

Breakthrough times and swelling properties of the material must be taken into consideration.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Tested protective gloves must be worn: EN ISO 374

Suitable protective clothing: Protective clothing

##### Respiratory protection:

Usually no personal respirative protection necessary.

#### 8.2.3. Environmental exposure controls

See section 7. No additional measures necessary.

### 8.3. Additional information

Mineral oil mist limits:

OSHA PEL - value 5 mg / m<sup>3</sup>, ACGIH STEL - value of 10 mg / m<sup>3</sup>

## SECTION 9: Physical and chemical properties

### \* 9.1. Information on basic physical and chemical properties

#### Appearance

**Physical state:** Liquid

**Colour:** tawny

**Odour:** characteristic



Revision date: 03-Sep-2019 Version: 2 Print date: 03-Sep-2019

### Safety relevant basis data

parameter		at °C	Method	Remark
pH	<i>not determined</i>			
Melting point	<i>not determined</i>			
Freezing point	<i>not determined</i>			
Initial boiling point and boiling range	<i>not determined</i>			
Decomposition temperature	<i>not determined</i>			
Flash point	202 °C			
Evaporation rate	<i>not determined</i>			
Auto-ignition temperature	<i>not determined</i>			
Upper/lower flammability or explosive limits	<i>not determined</i>			
Vapour pressure	<i>not determined</i>			
Vapour density	<i>not determined</i>			
Density	862 kg/m <sup>3</sup>	20 °C		
Bulk density	<i>not determined</i>			
Water solubility	The study does not need to be conducted because the substance is known to be insoluble in water.			
Partition coefficient: n-octanol/water	<i>not determined</i>			
Dynamic viscosity	<i>not determined</i>			
Kinematic viscosity	63.1 mm <sup>2</sup> /s	40 °C		

### 9.2. Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No known hazardous reactions. Risk of explosion if heated under confinement.

### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4. Conditions to avoid

To avoid thermal decomposition do not overheat.

### 10.5. Incompatible materials

Materials to avoid: Acid, Oxidizing agent, Reducing agent

### 10.6. Hazardous decomposition products

Hazardous combustion products: Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx)

### Further information

No information available.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

CAS No.	Substance name	Toxicological information
61791-55-7	Amines, N-tallow alkyltrimethylenedi-	<b>LD<sub>50</sub> oral:</b> >300 - 2,000 mg/kg

### Acute oral toxicity:

Harmful if swallowed.



Revision date: 03-Sep-2019 Version: 2 Print date: 03-Sep-2019

**Acute dermal toxicity:**

No information available for acute dermal and inhalative toxicity.

**Acute inhalation toxicity:**

No information available for acute dermal and inhalative toxicity.

**Skin corrosion/irritation:**

Causes skin irritation.

**Serious eye damage/irritation:**

Causes serious eye irritation.

**Respiratory or skin sensitisation:**

No sensitizing effects known.

**Germ cell mutagenicity:**

No indications of human germ cell mutagenicity exist.

**Carcinogenicity:**

No indication of human carcinogenicity.

**Reproductive toxicity:**

No indications of human reproductive toxicity exist.

**STOT-single exposure:**

No data available

**STOT-repeated exposure:**

May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard:**

No information available.

**Additional information:**

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

**SECTION 12: Ecological information**

**12.1. Toxicity**

CAS No.	Substance name	Toxicological information
61791-55-7	Amines, N-tallow alkyltrimethylenedi-	<b>LC<sub>50</sub>:</b> >0.1 - 1 mg/l 4 d <b>EC<sub>50</sub>:</b> >0.01 - 0.1 mg/l 21 d <b>EC<sub>50</sub>:</b> >0.01 - 0.1 mg/l 2 d

**Aquatic toxicity:**

Harmful to aquatic life with long lasting effects.

**Assessment/classification:**

There are no data available on the mixture itself.

**Additional ecotoxicological information:**

Do not allow uncontrolled discharge of product into the environment.

**12.2. Persistence and degradability**

**Additional information:**

No information available.

**12.3. Bioaccumulative potential**

**Accumulation / Evaluation:**

No information available.

**12.4. Mobility in soil**

No data available

\* **12.5. Results of PBT and vPvB assessment**

CAS No.	Substance name	Results of PBT and vPvB assessment
61791-55-7	Amines, N-tallow alkyltrimethylenedi-	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Other adverse effects**

No data available



Revision date: 03-Sep-2019 Version: 2 Print date: 03-Sep-2019

## SECTION 13: Disposal considerations

- \* **13.1. Waste treatment methods**  
 Dispose of waste according to applicable legislation.  
**13.1.1. Product/Packaging disposal**  
 Waste codes/waste designations according to EWC/AVV  
**Waste code packaging:**  
**Remark:**  
 Dispose of waste according to applicable legislation.  
**Waste treatment options**  
**Appropriate disposal / Product:**  
 Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.  
**Appropriate disposal / Package:**  
 Non-contaminated packages may be recycled.
- \* **13.2. Additional information**  
 The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

## SECTION 14: Transport information

No dangerous good in sense of these transport regulations.

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	
* <b>14.1. UN-No.</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	
* <b>14.2. UN proper shipping name</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	
<b>14.3. Transport hazard class(es)</b>			
not relevant			
<b>14.4. Packing group</b>			
not relevant			
<b>14.5. Environmental hazards</b>			
not relevant			
<b>14.6. Special precautions for user</b>			
not relevant			
* <b>14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>			
No transport as bulk according to IBC Code.			

## SECTION 15: Regulatory information

- \* **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**  
**15.1.1. EU legislation**  
**Other regulations (EU):**  
 Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category.





Revision date: 03-Sep-2019 Version: 2 Print date: 03-Sep-2019

### 15.1.2. National regulations

#### [DE] National regulations

##### Restrictions of occupation

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

##### Störfallverordnung

##### for substances contained in the product:

This product is not assigned to a hazard category.

##### Technische Anleitung Luft (TA-Luft)

##### Remark:

To follow: 5.2.5.

##### Water hazard class (WGK)

##### WGK:

2 - deutlich wassergefährdend

##### Source:

Self-classification (mixture; calculation rule).  
Identification number 436

##### Technische Regeln für Gefahrstoffe

TRGS 510

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

##### Berufsgenossenschaftliche Vorschriften (BGV)

Berufsgenossenschaftliche Informationen (BGI) 868  
Berufsgenossenschaftliche Regeln (BGR) 189, 190, 192, 195

##### Other regulations, restrictions and prohibition regulations

Altöl-Verordnung (AltöIV)

#### [DK] National regulations

##### Other regulations, restrictions and prohibition regulations

Lister over stoffer og processer, der anses for at være kræftfremkaldende

#### [FR] National regulations

##### Other regulations, restrictions and prohibition regulations

Tableaux de maladies professionnelles  
Nomenclature des installations classées pour la protection de l'environnement

#### [NL] National regulations

##### Other regulations, restrictions and prohibition regulations

Lijst van kankerverwekkende, mutagene, en voor de voortplanting giftige stoffen SZW  
Algemeene beoordelingsmethodiek Water (ABM)  
Nederlandse emissierichtlijn (NeR)

#### [CH] National regulations

##### Other regulations, restrictions and prohibition regulations

Mengenschwelle (Schweiz - StFV)  
Gefahrencode  
Brandverhütung, BVD (Schweiz)

### 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

### \* 15.3. Additional information

Tactile warning according to EN/ISO 11683. Child-resistant fastenings (EN/862/ISO 8317).



Revision date: 03-Sep-2019 Version: 2 Print date: 03-Sep-2019

## SECTION 16: Other information

### \* 16.1. Indication of changes

1.3.	Details of the supplier of the safety data sheet
1.4.	Emergency telephone number
2.1.	Classification of the substance or mixture
2.2.	Label elements
5.2.	Special hazards arising from the substance or mixture
6.1.	Personal precautions, protective equipment and emergency procedures
7.1.	Precautions for safe handling
8.1.	Control parameters
8.2.	Exposure controls
9.1.	Information on basic physical and chemical properties
12.5.	Results of PBT and vPvB assessment
13.1.	Waste treatment methods
14.1.	UN number
14.2.	UN proper shipping name
14.7.	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture
15.3.	Additional information
16.1.	Indication of changes
16.4.	Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

### 16.2. Abbreviations and acronyms

See overview table at [www.euphrac.eu](http://www.euphrac.eu)

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

### 16.3. Key literature references and sources for data

67/548/EEC - Dangerous Substances Directive

1999/45/EEC - Dangerous Preparations Directive

EC 1907/2006 - REACH Regulation

1272/2008 EC - Regulation on classification, labeling and packaging of substances and mixtures, and amending Directives 67/548/EEC and 1999/45/EC and Regulation (EC) No 1907/2006

Regulation (EC) No 1907/2006 (REACH), Annex II

European Chemicals Agency (ECHA), C & L classification and labeling inventory

European Chemicals Agency (ECHA), ECHA CHEM Registered substances

OECD The Global Portal to Information on Chemical Substances (ChemPortal)

Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA): GESTIS substance database and International limit values for chemical substances

Federal Environment Agency, Section IV 2.4: Documentation and Information Centre substances hazardous to water Rigoletto (catalog substances hazardous to water)

### \* 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

**Classification according to Regulation (EC) No 1272/2008 [CLP]:**

Hazard classes and hazard categories	Hazard statements	Classification procedure
Acute toxicity (oral) ( <i>Acute Tox. 4</i> )	H302: Harmful if swallowed.	
Skin corrosion/irritation ( <i>Skin Irrit. 2</i> )	H315: Causes skin irritation.	
Serious eye damage/eye irritation ( <i>Eye Irrit. 2</i> )	H319: Causes serious eye irritation.	
STOT-repeated exposure ( <i>STOT RE 2</i> )	H373: May cause damage to organs through prolonged or repeated exposure. (...)	
Hazardous to the aquatic environment ( <i>Aquatic Chronic 3</i> )	H412: Harmful to aquatic life with long lasting effects.	

### 16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H372	Causes damage to organs through prolonged or repeated exposure. (...)



Revision date: 03-Sep-2019 Version: 2 Print date: 03-Sep-2019

### 16.6. Training advice

No data available

### 16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

\* Data changed compared with the previous version