according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Page: 1/(11)

Trade name: A.Z. Meisterteile Motorenöl MT-BIKE 4T 10W-40

Version: 2 Latest revision: 01. 09. 2021 Date of issue: 13. 11. 2017

SECTION 1 Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier: A.Z. Meisterteile Motorenöl MT-BIKE 4T 10W-40
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses: semi-synthetic 4T motorcycles engine oil. Uses advised against: no data
- 1.3 Details of the supplier of the safety data sheet:

Trader identification: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: 06 1 270 8700 Fax: 06 1 270 8799 E-mail: info@unixauto.hu Technical information: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: 06 1 270 8700 Fax: 06 1 270 8799 E-mail: info@unixauto.hu

Responsible for SDS: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: 06 1 270 8700 Fax: 06 1 270 8799 E-mail: info@unixauto.hu

1.4 Emergency telephone number Emergency telephone (07-15²⁰ h): 06 1 270 8700 (CET) on workdays Health Toxicological Information Service (ETTSZ 1097 Budapest, Albert Flórián st. 2-6.) Tel.: +36 80 201 199 (0-24 h, free number, can only be called from Hungary).
+36 1 476 6464 (0-24 h, can be called for a normal fee - also from abroad) National Health Toxicological Information Service:

SECTION 2 Hazards identification

2.1 Classification of the substance or mixture Hazard Class and Category: Hazard statement: Not classified. -

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-BIKE 4T 10W-40

 Version: 2
 Latest revision: 01. 09. 2021
 Date of issue: 13. 11. 2017
 Page: 2/(11)

2.2	Label elements	
	Product identification:	Trade name: A.Z. Meisterteile Motorenöl MT-BIKE 4T 10W-40
	Hazardous components:	-
	GHS Pictogram: Signal word:	not required not required
	Hazard statement: not required	
	Supplemental hazard info	ormation:
	Precautionary statements	– General:
	Precautionary statements P273	 Prevention: Avoid release to the environment.
	Precautionary statements	– Response:
	Precautionary statements	– Storage:
	Precautionary statements P501	 Disposal: Dispose of contents/container in accordance with national regulation.
	Other liabilities for label Tactile warning of dange Transport classification:	r: Not required.
2.3	Other hazards The product does not con (EC) 1907/2006.	ntain any PBT or vPvB substance according to annex XIII of regulation

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-BIKE 4T 10W-40

 Version: 2
 Latest revision: 01. 09. 2021
 Date of issue: 13. 11. 2017
 Page: 3/(11)

SECTION 3 Composition/information on ingredients

3.2 Mixtures

Chemical description:

Mixture of refined mineral base oils and hydrotreated neutral oil containing additives.

Component(s) / Hazardous component(s):

Name	EC	CAS	Hazard classes and	Hazard	Conc.
Tunie	number	number	cat.	statements	%(m/m)
Distillates (petroleum), solvent-	265-169-7	64742-65-0	-	-	max. 65
dewaxed heavy paraffinic*			(Note L)		
REACH Registr. Nr.:					
01-2119471299-27					
Distillates (petroleum),	265-157-1	64742-54-7	-	-	max. 35
hydrotreated heavy paraffinic *			(Note L)		
REACH Registr. Nr.:					
01-2119484627-25					

*: with exposure limit

Note L: The classification as a carcinogen need not apply according to 1272/2008/EC, because it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346.

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

SECTION 4 First aid measures

- 4.1 Description of first aid measures
 - General information: Never give anything by mouth to an unconscious person, or never induce vomiting.
 - Inhalation: Remove the affected person to fresh air. If rapid recovery does not occur, obtain medical attention.
 - Skin contact: Remove contaminated clothing. Wash skin with large amounts of water, use soap. In case of persistent irritation, get medical attention.
 - Eye contact: Flush eyes with plenty of water for 10-15 minutes. In case of persistent irritation, get medical attention.
 - Ingestion: If swallowed, give water. Do not induce vomiting. Get medical attention.

Protection of first-aid person: No individual specifications.

4.2 Most important symptoms and effects, both acute and delayed Prolonged and/or repeated contact may cause irritation on skin or in eyes depending on individual sensitivity.

4.3 Indication of any immediate medical attention and special treatment needed Not required.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-BIKE 4T 10W-40

Version: 2 Latest revision: 01. 09. 2021 Date of issue: 13. 11. 2017 P

Page: 4/(11)

SECTION 5 Fire-fighting measures

Fire hazards: Combustible.

5.1 Extinguishing mediaSuitable extinguishing media: Foam, carbon dioxide, dry chemical powder.

> Unsuitable extinguishing media: Water jet.

5.2 Special hazards arising from the substance or mixture Hazardous combustion products:

On burning, carbon dioxide, carbon monoxide, sulphur oxides, phosphor oxides, various hydrocarbons and soot can be formed.

5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations. Respiratory protection.

Further information:

Collect contaminated fire-fighting water separately. It must not enter the sewage system. Contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Personal precautions: see Section 8. Danger of slipping on leaked out/spilled product.
- 6.2 Environmental precautions:

Confine spills to prevent material from entering sewers, watercourses, drains and into soil Notify relevant authority.

- 6.3 Methods and material for containment and cleaning up
 - On soil: All kind of ignition sources should be removed. Recover free liquid by pumping. Contain the rest or small quantities with sand, earth or other suitable absorbents. Dispose of according to local regulations.
 - On water: Confine the spillage. Remove from surface by skimming or suitable absorbents. Notify local authorities according to regulations.
- 6.4 Reference to other sections
 - Personal precautions: see section 8.

Waste treatment methods: see section 13.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name:A.Z. Meisterteile Motorenöl MT-BIKE 4T 10W-40Version: 2Latest revision: 01. 09. 2021Date of issue: 13. 11. 2017Page: 5/(11)

SECTION 7 Handling and storage

- 7.1 Precautions for safe handling

 Keep general measures applied for normal operations with lubricants and flammable liquids.
 Keep away from radiant heat and open flame.
 Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists.
 Ensure washing facilities after working hours and before breaks.
 Take off contaminated clothing and wash it before reuse.
 When using do not eat, drink or smoke. Avoid splashing the product.
 Handling temperature: not known.

 7.2 Conditions for safe storage, including any incompatibilities
- Conditions for safe storage, including any incompatibilities
 Storage facilities must comply with regulations for storing of flammable liquids.
 Store in dry, well ventilated place in original, closed containers.
 Keep away from radiant heat, open flame and strong oxidizing agents.
 Storage temperature: max. 40°C.
- 7.3 Specific end use(s) Semi-synthetic 4T motorcycles engine oil.

SECTION 8 Exposure controls / personal protection

8.1 Control parameters:

8.2

	<i>Mineral oil mist:</i> Method of testing, recom	TWA: 5 mg/m³ ; STEL: 10 mg/m ³ , for oil mist, vapour excluded (ACGIH).
	Method of testing, recom	icided. 100511 5020
2	Exposure controls	
	Engineering control measures: Not required.	
	Personal protection:	
	(a) Eye/face protection(b) Skin protection	Where splashing is possible, wear safety glasses (EN 166).
	(i) Hand protection	Oil resistant gloves (EN 374, Breakthrough time 480 min) (e.g. nitrile rubber – minimal thickness 0.33 mm).
		Note: Manufacturer's directions for use and the conditions of application should be observed.
	(ii) Other	Protective clothing (oil resistant).

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-BIKE 4T 10W-40							
Version: 2 Latest revision: 01. 09. 2021 Date of issue: 13. 11. 2017 Page: 6/(11)							
	(c) Respiratory protection Under normal conditions not required. In case of exceeded exposure-limits respiratory protection with particle-filter is recommended.						
	(d)	Thermal hazards	No data.				
	Environmental exposure controls: Do not discharge into drains/surface waters/groundwater.						
SEC	TIO	N 9 Physical and ch	emical prop	perties			
9.1	Info	ormation on basic physical	and chemica	l properties			
	a) b) c)	Physical state: Colour: Odour:		liquid brown, o characte			
	d) e)	Melting point/freezing po Boiling point or initial bo (DIN 51356):	· •				
	f)	Flammability:		combus			
	g)	Lower and upper explosi	on limit:	not expl	osive		
	h)	Flash point (COC) (EN I		typ. 225			
	i)	Auto-ignition temperatur		not avai			
	j) k)	Decomposition temperatu	are:	not avai			
	к) l)	pH: Kinematic viscosity (EN	ISO 3104)·	not appl	ICable		
	1)		at 40°C:	typ. 100	mm^2/s		
			at 100°C:	typ. 14.8			
	m)	Solubility Solubility in water: Solubility in other solv	vents:	-	lly insoluble in water , kerosene, toluene, etc.		
	n)	Partition coefficient n-oc		-			
	o)	Vapour pressure at 20°C:		negligib	-		
	p)	Density and/or relative de	ensity at 15°		0.875 g/cm^3		
	q) r)	Relative vapour density: Particle characteristics:		not avai not avai			
	,			not avai	10010		
9.2	Oth	er information			!		
		Oxidizing properties: Heating value:		not oxid	lize 000 kJ/kg		
		maning value.		111. 38 (IUU KJ/Kg		

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-BIKE 4T 10W-40

 Version: 2
 Latest revision: 01. 09. 2021
 Date of issue: 13. 11. 2017
 Page: 7/(11)

SECTION 10 Stability and reactivity

10.1 I	Reactivity:	Dangerous reactivity not known.
10.2 0	Chemical stability:	No decomposition if stored and handled properly.
10.3 I	Possibility of hazardous reactions:	Not known.
10.4 0	Conditions to avoid:	Direct heat or ignition sources.
10.5 I	Incompatible materials:	Strong oxidizing agents.
10.6 I	Hazardous decomposition products:	No dangerous decomposition products are formed under normal conditions. Hazardous combustion products: See Section 5.

SECTION 11 Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: Based on available data, the classification criteria are not met

401 402
402
403
ia are not met.
.1 $.1$ $.1$ $.1$ $.1$ $.1$ $.1$ $.1$

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-BIKE 4T 10W-40

Version: 2 Latest revision: 01. 09. 2021 Date of issue: 13. 11. 2017 Page: 8/(11)

Ecological information SECTION 12 12.1 Toxicity No data for the product. Components Distillates (petroleum), hydrotreated heavy paraffinic (CAS: 64742-54-7) Fish: >1000 mg/L 96 h (OECD 203) Daphnia: >100 mg/L 48 h (OECD 202) Algae: 72 h (OECD 201) >100 mg/L Distillates (petroleum), solvent- dewaxed heavy paraffinic (CAS: 64742-65-0) Fishes: LL/EL/IL₅₀ > 100 mg/LLL/EL/IL₅₀ > 100 mg/LCrustaceans: LL/EL/IL₅₀ > 100 mg/LAlgae: > 100 mg/LMicrorganisms: LC/EC/IC₅₀ NOEC/NOEL >100 mg/L Fishes: NOEC/NOEL >1 - $\leq 10 \text{ mg/L}$ Crustaceans: 12.2 Persistence and degradability No data available. Biodegradability: Hydrocarbons are inherently degradable. 12.3 Bioaccumulative potential No data available. 12.4 Mobility in soil: Absorbs in soil. Mobility in water: Floats on water. 12.5 Results of PBT and vPvB assessment Does not contain PBT and vPvB substances. 12.6 Endocrine disrupting properties No data. 12.7 Other adverse effects Heavy metal content: None. PCT, PCB and other chlorinated hydrocarbons: None.

Water hazard class (German):

Environmental effects:

Large spills may be hazardous to the environment. Spills may form a film on water surfaces causing impaired oxygen transfer. WGK 1 (Classification by AwSV)

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-BIKE 4T 10W-40

Version: 2 Latest revision: 01. 09. 2021 Date of issue: 13. 11. 2017

Page: 9/(11)

SECTION 13 Disposal considerations

13.1 Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 13 02 05*

Mineral-based non-chlorinated engine, gear and lubricating oils.

Waste Identification Code: 13 02 06*

Synthetic engine, gear and lubricating oils.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

SECTION 14 Transport information

	Land transport: Road/ Railway	ADR/RID:	Not classified.
14.2 14.3 14.4 14.5	UN number or ID number: UN proper shipping name: Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user:		Not classified. Not classified. Not classified. Not classified. Not classified. Not classified.
	Waterways: Inland waterways/ Sea transport Air transport:	ADN/IMDG: ICAO / IATA:	Not apply to the product. Not apply to the product.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-BIKE 4T 10W-40

Version: 2 Latest revision: 01. 09. 2021 Date of issue: 13. 11. 2017 Page

Page: 10/(11)

SECTION 15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2020/878/EU) and to Regulation (EC) 1272/2008. Seveso category: not classified.
- 15.2 Chemical safety assessment. not available

SECTION 16 Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Classification for mixtures and used evaluation method according to regulation 1272/2008/EC (CLP)

Not classified.

The full text of each relevant H- phrase and Hazard classes and cat. in Section 3.:

Legend:

e	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BOD	Biological Oxygen Demand
Bw	Body Weight
C&L	Classification and Labelling
CAS	Chemical Abstracts Service

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



A.Z. Meisterteile Motorenöl MT-BIKE 4T 10W-40 Trade name:

Version: 2 Latest revision: 01. 09. 2021 Date of issue: 13. 11. 2017

Page: 11/(11)

CLP	Classification, Labelling and Packaging (1272/2008/EC)
CMR	Carcinogenic, Mutagenic or toxic to Reproduction
COD	Chemical Oxygen Demand
CSA	Chemical Safety Assessment
CSR	Chemical Safety Report
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
ECHA	European Chemicals Agency
Ecx	Effective Concentration x%
Edx	Effective Dose x%
ELINCS	European List of Notified Chemical Substances
ErC50	EC50 in terms of reduction of growth rate;
ES	Exposure Scenario
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LCx	Lethal Concentration x%
LDx	Lethal Dose x%
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts/million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern
UVCB	substance of unknown or variable composition, complex reaction products or biological material
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative

Revision Indicators:

Section	Subject of change	Date	Version
1-16	Revision modification according to 2020/878/EU	01. 09. 2021	2
2	Hazards identification		
3	Composition/information on ingredients		
11	Toxicological information		
12	Ecological information		