according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Page: 1/(12)

Trade name: A.Z. Meisterteile Kettenschmiermittel Plus

Version: 2 Latest revision: 08. 02. 2022 Date of issue: 08. 01. 2018

SECTION 1 Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier: A.Z. Meisterteile Kettenschmiermittel Plus
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses: chain-lubricating oil for sawing machines Uses advised against: application other than the above.
- 1.3 Details of the supplier of the safety data sheet:

Trader identification: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: 06 1 270 8700 Fax: 06 1 270 8799 E-mail: info@unixauto.hu Technical information: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: 06 1 270 8700 Fax: 06 1 270 8799 E-mail: info@unixauto.hu

Responsible for SDS: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: 06 1 270 8700 Fax: 06 1 270 8799 E-mail: info@unixauto.hu

1.4 Emergency telephone number

Emergency telephone (on workdays: 07-15²⁰ h (CET)): +36 1 270 8700 Health Toxicological Information Service (ETTSZ 1097 Budapest, Albert Flórián st. 2-6.) Tel.: +36 80 201 199 (0-24 h, free number, can only be called from Hungary). +36 1 476 6464 (0-24 h, can be called for a normal fee - also from abroad) National Health Toxicological Information Service:

SECTION 2 Hazards identification

2.1 Classification of the substance or mixture Hazard Class and Category: Hazard statement: Not classified. -

Distillates (petroleum),

solvent-dewaxed heavy

REACH Registr. Nr.: 01-2119471299-27

paraffinic*

265-169-7

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



max.99

Trade name: A.Z. Meisterteile Kettenschmiermittel Plus

Version: 2 Latest revision: 08. 02. 2022 Date of issue: 08.01.2018 Page: 2/(12)

2.2 Label elements Trade name: A.Z. Meisterteile Kettenschmiermittel Plus Product identification: Hazardous component(s): GHS Pictogram: not required Signal word: not required Hazard statement: not required Supplemental hazard information: -Precautionary statements - General: -Precautionary statements – Prevention: Avoid release to the environment. P273 Precautionary statements - Response: -Precautionary statements - Storage: -Precautionary statements – Disposal: P501 Dispose of contents/container in accordance with national regulation. Other liabilities for labelling: Tactile warning of danger: Not required. Transport classification: see section 14. 2.3 Other hazards The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006, at a concentration of 0.1% or more. **SECTION 3 Composition/information on ingredients** 3.2 Mixtures Chemical description: Mixture of refined mineral base oils containing additives. Component(s) / Hazardous component(s): EC CAS Hazard classes and Hazard Conc. Name number number cat. statements %(m/m)

64742-65-0

(Note L)

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Kettenschmiermittel Plus

Version: 2

Latest revision: 08. 02. 2022

2 Date of issue: 08. 01. 2018

Page: 3/(12)

Name	EC number	CAS number	Hazard classes and cat.	Hazard statements	Conc. %(m/m)
Residual oils (petroleum), solvent-dewaxed REACH Registr. Nr.: 01-2119480472-38	265-166-0	64742-62-7	(Note L)	-	max.40
Distillates (petroleum), solvent-dewaxed light paraffinic REACH Registr. Nr.: 01-2119480132-48	265-159-2	64742-56-9	Asp. Tox. 1 (Note L)	H304	max.30

*: with exposure limit

Note L:

The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method"Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

SECTION 4 First aid measures

4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never induce vomiting.

- Inhalation: Remove the affected person to fresh air. If rapid recovery does not occur, obtain medical attention.
- Skin contact: Remove contaminated clothing. Wash skin with large amounts of water, use soap. In case of persistent irritation, get medical attention.
- Eye contact: Flush eyes with plenty of water for 10-15 minutes. In case of persistent irritation, get medical attention.
- Ingestion: If swallowed, give water. Do not induce vomiting. Get medical attention.

Protection of first-aid person: No individual specifications.

4.2 Most important symptoms and effects, both acute and delayed Prolonged and/or repeated contact may cause irritation on skin or in eyes depending on individual sensitivity.

4.3 Indication of any immediate medical attention and special treatment needed Not required.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Kettenschmiermittel Plus

Version: 2 Latest revision: 08. 02. 2022 Date of issue: 08. 01. 2018

Page: 4/(12)

SECTION 5 Fire-fighting measures

Fire hazards: Combustible.

5.1 Extinguishing media Suitable extinguishing media: Foam, carbon dioxide, dry chemical powder.

> Unsuitable extinguishing media: Full water jet.

 5.2 Special hazards arising from the substance or mixture Hazardous combustion products: On burning, carbon dioxide, carbon monoxide, sulphur oxides, phosphor oxides, various hydrocarbons and soot can be formed.

5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations. Respiratory protection.

Further information:

Collect contaminated fire fighting water separately. It must not enter the sewage system. Contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Personal precautions: see Section 8. Danger of slipping on leaked out/spilled product.
- 6.2 Environmental precautions:

Confine spills to prevent material from entering sewers, watercourses, drains and into soil Notify relevant authority.

6.3 Methods and material for containment and cleaning up

On soil: All kind of ignition sources should be remove. Recover free liquid by pumping. Contain the rest or small quantities with sand, earth or other suitable absorbents. Dispose of according to local regulations.

On water: Confine the spillage. Remove from surface by skimming or suitable absorbents. Notify local authorities according to regulations.

6.4 Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Kettenschmiermittel Plus

Version: 2 Latest revision: 08. 02. 2022 Date of issue: 08. 01. 2018 Page: 5/(12)

SECTION 7 Handling and storage

- 7.1 Precautions for safe handling

 Keep general measures applied for normal operations with lubricants and flammable liquids.
 Keep away from radiant heat and open flame.
 Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists.
 Ensure washing facilities after working hours and before breaks.
 Take off contaminated clothing and wash it before reuse.
 When using do not eat, drink or smoke. Avoid splashing the product.
 Handling temperature: not known.
- 7.2 Conditions for safe storage, including any incompatibilities
 Storage facilities must comply with regulations for storing of flammable liquids.
 Store in dry, well ventilated place in original, closed containers.
 Keep away from radiant heat, open flame and strong oxidizing agents.
 Storage temperature: max. 40°C.
- 7.3 Specific end use(s) Chain-lubricating oil for sawing machines.

SECTION 8 Exposure controls / personal protection

8.1 Control parameters:

Mineral oil mist:	TWA: 5 mg/m³ ; STEL: 10 mg/m ³ , for oil mist, vapour excluded
	(ACGIH).

Method of testing, recommended: NIOSH 5026

8.2 Exposure controls

Engineering control measures: Not required.

Personal protection:

· / 2	face protection	Where splashing is possible, wear safety glasses (EN 166).
(i)	Hand protection	Oil resistant gloves (EN 374, Breakthrough time > 480 min, PK power level: 6; PR flow rate: 0).
		Note: Manufacturer's directions for use and the conditions of application should be observed.
(ii)	Other	Protective clothing (oil resistant).

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: A.Z. Meisterteile Kettenschmiermittel Plus



Ver	sion	: 2 Latest revision: 08. 02	2. 2022 Da	ate of issue: 08. 01. 2018	Page: 6/(12)
	(c)	Respiratory protection		al conditions not required. In nits respiratory protection wi ed.	
	(d)	Thermal hazards	No data.		
	Env	vironmental exposure controls: Do not discharge into drains/		s/groundwater.	
SEC	TIO	N 9 Physical and chemical	properties		
9.1	Inf	ormation on basic physical and	d chemical pro	perties	
	a)	Physical state:		liquid	
	b)	Colour:		yellow, clean	, bright
	c)	Odour:		characteristic	
	d)	Melting point/freezing point	(Pour point) (I	SO 3016): typ27°C	
	e)	Boiling point or initial boiling	· ·		
		(DIN 51356):		not available	•
	f)	Flammability:		combustible	
	g)	Lower and upper explosion li	imit:	not explosive	e
	h)	Flash point (COC) (EN ISO 2	2592):	typ. 260°C	
	i)	Auto-ignition temperature:		not available)
	j)	Decomposition temperature:		not available)
	k)	pH:		not applicab	le
	1)	Kinematic viscosity (EN ISO	,		
			at 40°C:	typ. 100 mm	
			at 100°C	typ. 10.9 mn	n^2/s
	m)	•			
		Solubility in water:			soluble in water
		Solubility in other solver		•	osene, toluene, etc.
	n)	Partition coefficient n-octano	ol/water (log va)
	0)	Vapour pressure at 20°C:		negligible	
	p)	Density and/or relative densit	ty at 15°C (DI		005 / 3
		12185):		typ. 0.875 -0	-
	q)	Relative vapour density:		not available	
	r)	Particle characteristics:		not available)
9.2	Oth	ner information			
		Oxidizing properties:		not oxidize	I/Iro
		Heating value:		inf. 38 000 k	J/Kg

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Kettenschmiermittel Plus

Version: 2 Latest revision: 08. 02. 2022 Date of issue: 08. 01. 2018 Page: 7/(12)

SECTION 10 Stability and reactivity

10.1	Reactivity:	Dangerous reactivity not known.
10.2	Chemical stability:	No decomposition if stored and handled properly.
10.3	Possibility of hazardous reactions:	Not known.
10.4	Conditions to avoid:	Direct heat or ignition sources.
10.5	Incompatible materials:	Strong oxidizing agents.
10.6	Hazardous decomposition products:	No dangerous decomposition products are formed under
		normal conditions. Hazardous combustion products: See
		Section 5.

SECTION 11 Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: Based on available data, the classification criteria are not met

Oral: Dermal:	LD ₅₀ (rat) LD ₅₀ (rabbit)	> 2000 mg/kg > 2000 mg/kg	(based on components) (based on components)
Components:			
Distillates (petroleum),	solvent-dewaxed heavy pa	ıraffinic (CAS: 6474	2-65-0)
Oral:	LD_{50} (rat)	> 5000 mg/kg	(literature data)
Dermal:	LD ₅₀ (rabbit)	>2000 mg/kg	(literature data)
Inhalation:	LC_{50} (rat)	>5.53 mg/L/4 h	(literature data)
Residual oils (petroleun	ı), solvent-dewaxed (CAS:	· 64742-62-7)	
Oral:	LD_{50} (rat)	>5000 mg/kg	OECD 401
Dermal:	LD ₅₀ (rabbit)	> 5000 mg/kg	OECD 402
Inhalation:	LC_{50} (rat)	>5,53 mg/L/4 h	OECD 403
Distillates (petroleum),	solvent-dewaxed light par	affinic (CAS: 64742	-56-9)
Oral:	LD_{50} (rat)	> 5000 mg/kg	(literature data)
Dermal:	LD ₅₀ (rabbit)	>2000 mg/kg	(literature data)
Inhalation:	LC_{50} (rat)	> 5.53 mg/L/4 h	(literature data)

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Kettenschmiermittel Plus

Version: 2

Latest revision: 08. 02. 2022

Date of issue: 08.01.2018

Page: 8/(12)

Skin corrosion/irritation: Serious eye damage/irritation: Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity: STOT-single exposure: STOT-repeated exposure: Aspiration hazard:

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Respiratory or skin sensitisation: Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

11.2 Information on other hazards No data.

SECTION 12 Ecological information

12.1	Toxicity	No data fo	or the produ	ct.	
	Components:				
	Distillates (petroleum), solvent-dewaxed h	eavy paraff	finic (CAS: 6	4742-6	5-0)
	Fishes:	LC ₅₀			(literature data)
	Daphnia:	EC ₅₀	>100	mg/L	(literature data)
	Other aquatic organisms:	EC_{50}	>100	mg/L	(literature data)
	Algae:	ErC_{50}	>100	mg/L	(literature data)
	Other living beings:	TLM	>1	mg/L	(literature data)
	Residual oils (petroleum), solvent-dewaxed	d (CAS: 647	742-62-7)		
	Fishes (Pimephales promelas):	LL_{50}	>100	mg/L	(96 h) (OECD 203)
	Fishes:	NOEL	≥ 100	mg/L	
	Daphnia (Daphnia magna):	EL_{50}	$> 10\ 000$	mg/L	(48 h) (OECD 202)
	Daphnia:	NOEL		mg/L	
	Daphnia:	NOEL	10	mg/L	(21 days) (OECD
					211)
	Gammarus pulex:	LL50	$> 10\ 000$	mg/L	(96 h) (OECD 202)
	Aquatic invertebrates:	NOEL	\geq 10 000	mg/L	
	Algae				
	(Pseudokirchneriella subcapitata):	NOEL	≥100	mg/L	(72 h) (OECD 201)
	Activated sludge	NOEL	1.02		(0(1))
	(Photobacterium phosphoreum):	NOEL	1.93	mg/L	(96 h)
	Distillates (petroleum), solvent-dewaxed la	ight paraffir	1ic (CAS: 64	4742-56	-9)
	Fish:	LC_{50}			
	Other aquatic organisms:	EC_{50}			
	Algae:	ErC_{50}	>100		
	Crustacea:	NOEC	>1	mg/L	

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Kettenschmiermittel Plus

Version: 2 Latest revision: 08. 02. 2022 Date of issue: 08. 01. 2018 Page: 9/(12)

12.2 Persistence and degradability Biodegradability:	No data available. Hydrocarbons are inherently degradable.
12.3 Bioaccumulative potential	No data available.
12.4 Mobility in soil: Mobility in water:	Absorbs in soil. Floats on water.
12.5 Results of PBT and vPvB assessment	Does not contain PBT and vPvB substances.
12.6 Endocrine disrupting properties	The mixture does not contain any substance with endocrine disrupting properties.
12.7 Other adverse effects	
Heavy metal content:	None.
PCT, PCB and other chlorinated	
hydrocarbons:	None.
Environmental effects:	Large spills may be hazardous to the environment. Spills may form a film on water surfaces causing impaired oxygen transfer.
Water hazard class (German):	WGK 1 (Classification by AwSV)

SECTION 13 Disposal considerations

13.1 Waste treatment methods Product disposal:

Wastes of the product or used oil should be treated as hazardous waste. Waste Identification Code: 13 02 05* Mineral-based non-chlorinated engine, gear and lubricating oils.

Recommended waste treatment method: incineration

Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Kettenschmiermittel Plus

 Version: 2
 Latest revision: 08. 02. 2022
 Date of issue: 08. 01. 2018
 Page: 10/(12)

SECTION 14 Transport information

	Land transport: Road/ Railway	ADR/RID:	Not classified.
14.1	UN number or ID number:		Not classified.
14.2	UN proper shipping name:		Not classified.
14.3	Transport hazard class(es):		Not classified.
	Packing group:		Not classified.
14.5	Environmental hazards:		Not classified.
14.6	Special precautions for user:		Not classified.
	Waterways: Inland waterways/ Sea transport	ADN/IMDG:	Not apply to the product.
	mana water ways, bed transport		not apply to the product.
	Air transport: ICAO / IATA:		Not apply to the product.

SECTION 15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2020/878/EU) and to Regulation (EC) 1272/2008. Seveso category: not classified.
- 15.2 Chemical safety assessment. not available

SECTION 16 Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

CMR COD

CSA

CSR

DMEL DNEL

ECHA

ELINCS

ErC50

IATA IMDG

LCx

LDx

Ecx

Edx

ES IARC

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Kettenschmiermittel Plus

- Version: 2 Latest revision: 08. 02. 2022 Date of issue: 08. 01. 2018
- Page: 11/(12)

Classification for mixtures and used evaluation method according to regulation 1272/2008/EC (CLP) Not classified. The full text of each relevant H-phrase and Hazard classes and cat. in Section 3.: H304 May be fatal if swallowed and enters airways. Aspiration hazard Category 1 Asp. Tox. 1 Legend: European Agreement concerning the International Carriage of Dangerous Goods by Inland ADN Waterways ADR European Agreement concerning the International Carriage of Dangerous Goods by Road Acute Toxicity Estimate ATE BCF **Bioconcentration Factor** Biological Oxygen Demand BOD Body Weight Bw Classification and Labelling C&L Chemical Abstracts Service CAS Classification, Labelling and Packaging CLP

Carcinogenic, Mutagenic or toxic to Reproduction

European List of Notified Chemical Substances EC50 in terms of reduction of growth rate;

International Agency for Research on Cancer International Air Transport Association

International Maritime Dangerous Goods

Chemical Oxygen Demand

Chemical Safety Report Derived Minimal Effect Level

Derived No Effect Level

Effective Dose x%

Exposure Scenario

Lethal Dose x%

Lethal Concentration x%

Chemical Safety Assessment

European Chemicals Agency

Effective Concentration x%

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Kettenschmiermittel Plus

Version: 2 Latest revision: 08. 02. 2022 Date of issue: 08. 01. 2018 Page: 12/(12)

LOAEC	Lowest Observed Adverse Effect Concentration		
LOAEL	Lowest Observed Adverse Effect Level		
LOEC	Lowest Observed Effect Concentration		
LOEL	Lowest Observed Effect Level		
NOEC	No observed effect concentration		
NOEL	No observed effect level		
NLP	No-Longer Polymer		
NOAEL	No Observed Adverse Effect Level		
OECD	Organisation for Economic Cooperation and Development		
PBT	Persistent Bioaccumulative and Toxic		
PNEC	Predicted No-Effect Concentration		
REACH	Registration, Evaluation, Authorisation and Restriction of Che		
RID	Regulations concerning the International Carriage of Dangerou	us Goods by Rail	
SVHC	Substance of Very High Concern		
UVCB	substance of unknown or variable composition, complex reacti	on products or biolo	ogical material
VOC	Volatile organic compounds		
vPvB	Very Persistent and very Bio-accumulative		
vPvB		Date	Version