according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile UTTO JD Plus 80W

Version: 3 Latest revision: 09. 05. 2022 Date of issue: 08. 01. 2018 Page: 1/(13)

SECTION 1 Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier: A.Z. Meisterteile UTTO JD Plus 80W
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses: universal tractor oil (UTTO).
 Uses advised against: application other than the above.
- 1.3 Details of the supplier of the safety data sheet:

Trader identification: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: 06 1 270 8700 Fax: 06 1 270 8799 E-mail: cs@unixauto.com Technical information: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: 06 1 270 8700 Fax: 06 1 270 8799 E-mail: cs@unixauto.com

Responsible for SDS: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: 06 1 270 8700 Fax: 06 1 270 8799 E-mail: cs@unixauto.com

1.4 Emergency telephone number

Emergency telephone (on workdays: 07-15²⁰ h (CET)): +36 1 270 8700 Health Toxicological Information Service (ETTSZ 1097 Budapest, Albert Flórián st. 2-6.) Tel.: +36 80 201 199 (0-24 h, free number, can only be called from Hungary). +36 1 476 6464 (0-24 h, can be called for a normal fee - also from abroad) National Health Toxicological Information Service:

SECTION 2 Hazards identification

 Classification of the substance or mixture Hazard Class and Category: Hazard statement: Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile UTTO JD Plus 80W

Version: 3 Latest revision: 09. 05. 2022 Date of issue: 08. 01. 2018 Page: 2/(13)

2.2 Label elements

Trade name: A.Z. Meisterteile UTTO JD Plus 80W Product identification: Hazardous component(s): Not required. GHS Pictogram: Signal word: Not required. Hazard statement: H412 Harmful to aquatic life with long lasting effects. Supplemental hazard information: -Precautionary statements - General: -Precautionary statements – Prevention: P273 Avoid release to the environment. Precautionary statements - Response: -Precautionary statements - Storage: -Precautionary statements – Disposal: Dispose of contents/container in accordance with national regulation. P501 Other liabilities for labelling: Tactile warning of danger: Not required. Transport classification: see section 14. 2.3 Other hazards The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006, at a concentration of 0.1% or more. The mixture does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile UTTO JD Plus 80W

Version: 3 Latest revision: 09. 05. 2022 Date of issue: 08. 01. 2018 Page: 3/(13)

SECTION 3 Composition/information on ingredients

3.2 Mixtures Chemical description: Mixture of refined mineral base oils containing additives.

Component(s) / Hazardous component(s):

Name	EC number	CAS number	Hazard classes and cat.	Hazard statements	Conc. %(m/m)
Distillates (petroleum), solvent-dewaxed heavy paraffinic* REACH Registr. Nr.: 01-2119471299-27	265-169-7	64742-65-0	(Note L)	-	max.85
Distillates (petroleum), hydrotreated heavy paraffinic* REACH Registr. Nr.: 01-2119484627-25	265-157-1	64742-54-7	(Note L)	-	max.30
Distillates (petroleum), solvent-dewaxed light paraffinic REACH Registr. Nr.: 01-2119480132-48	265-159-2	64742-56-9	Asp. Tox. 1 (Note L)	H304	max.6.0
Mineral oil raffinate mixture**		mixture	Asp. Tox. 1	H304	max.4.0
Phenol, (tetrapropenyl) derivatives REACH Registr. Nr.: no data	616-100-8	74499-35-7	Skin Corr. 1C Eye Dam. 1 Repr. 1B Aquatic Acute 1 Aquatic Chronic 1	H314 H318 H360F H400 (M=10) H410 (M=10)	max.0.04

*: with exposure limit

**The mixture contains one or more of the following substances: CAS: 64742-55-8; 64742-54-7; 72623-86-0.

Note L:

The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method"Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

The full text of each relevant H- phrase, Hazard classes and cat. see in Section 16.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile UTTO JD Plus 80W

Version: 3 Latest revision: 09. 05. 2022 Date of issue: 08. 01. 2018 Page: 4/(13)

SECTION 4 First aid measures

- 4.1 Description of first aid measures
 - General information: Never give anything by mouth to an unconscious person, or never induce vomiting.
 - Inhalation: Remove the affected person to fresh air. If rapid recovery does not occur, obtain medical attention.
 - Skin contact: Remove contaminated clothing. Wash skin with large amounts of water, use soap. In case of persistent irritation, get medical attention.
 - Eye contact: Flush eyes with plenty of water for 10-15 minutes. In case of persistent irritation, get medical attention.
 - Ingestion: If swallowed, give water. Do not induce vomiting. Get medical attention.

Protection of first-aid person: No individual specifications.

- 4.2 Most important symptoms and effects, both acute and delayed Prolonged and/or repeated contact may cause irritation on skin or in eyes depending on individual sensitivity.
- 4.3 Indication of any immediate medical attention and special treatment needed Not required.

SECTION 5 Fire-fighting measures

- Fire hazards: Combustible.
- 5.1 Extinguishing mediaSuitable extinguishing media: Foam, carbon dioxide, dry chemical powder.

Unsuitable extinguishing media: Full water jet.

5.2 Special hazards arising from the substance or mixture Hazardous combustion products:

On burning, carbon dioxide, carbon monoxide, sulphur oxides, phosphor oxides, various hydrocarbons and soot can be formed.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile UTTO JD Plus 80W

Version: 3 Latest revision: 09. 05. 2022 Date of issue: 08. 01. 2018

Page: 5/(13)

5.3 Advice for fire-fighters
 Special protective equipment:
 According to the existing fire-fighting regulations. Respiratory protection.

Further information:

Collect contaminated fire fighting water separately. It must not enter the sewage system. Contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Personal precautions: see Section 8.
 Danger of slipping on leaked out/spilled product.
- 6.2 Environmental precautions: Confine spills to prevent material from entering sewers, watercourses, drains and into soil Notify relevant authority.

6.3 Methods and material for containment and cleaning up

On soil: All kind of ignition sources should be remove. Recover free liquid by pumping. Contain the rest or small quantities with sand, earth or other suitable absorbents. Dispose of according to local regulations.

- On water: Confine the spillage. Remove from surface by skimming or suitable absorbents. Notify local authorities according to regulations.
- 6.4 Reference to other sections Personal precautions: see section 8. Waste treatment methods: see section 13.

SECTION 7 Handling and storage

7.1 Precautions for safe handling

Keep general measures applied for normal operations with lubricants and flammable liquids.
Keep away from radiant heat and open flame.
Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists.
Ensure washing facilities after working hours and before breaks.
Take off contaminated clothing and wash it before reuse.
When using do not eat, drink or smoke. Avoid splashing the product.
Handling temperature: not known.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile UTTO JD Plus 80W

Version: 3 Latest revision: 09. 05. 2022 Date of issue: 08. 01. 2018 Page: 6/(13)

7.2 Conditions for safe storage, including any incompatibilities
 Storage facilities must comply with regulations for storing of flammable liquids.
 Store in dry, well ventilated place in original, closed containers.
 Keep away from radiant heat, open flame and strong oxidizing agents.
 Storage temperature: max. 40°C.

7.3 Specific end use(s) Universal tractor oil (UTTO).

SECTION 8 Exposure controls / personal protection

8.1 Control parameters:

Mineral oil mist: TWA: **5 mg/m³**; STEL: 10 mg/m³, for oil mist, vapour excluded (ACGIH).

Method of testing, recommended: NIOSH 5026

8.2 Exposure controls

Engineering control measures: Not required.

Personal protection:

(a) Ey	ye/face protection	Where splashing is possible, wear safety glasses (EN 166).
(b) Sk	kin protection	
(i)	Hand protection	Oil resistant gloves (EN 374, Breakthrough time > 480 min, PK power level: 6; PR flow rate: 0).
		Note: Manufacturer's directions for use and the conditions of application should be observed.
(ii) Other	Protective clothing (oil resistant).
(c) Re	espiratory protection	Under normal conditions not required. In case of exceeded exposure-limits respiratory protection with particle-filter is recommended.
(d) Th	nermal hazards	No data.
(u) 11		i to duiu.
Enviro	onmental exposure controls:	

Do not discharge into drains/surface waters/groundwater.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile UTTO JD Plus 80W

Version: 3

Latest revision: 09.05.2022

Date of issue: 08.01.2018

Page: 7/(13)

SECTION 9 Physical and chemical properties

	a)	Physical state:	liquid
	b)	Colour:	blue, clear
	c)	Odour:	characteristic
	d)	Melting point/freezing point (Pour point) (ISO 3016):	typ36°C
	e)	Boiling point or initial boiling point and boiling range	
	,	(DIN 51356):	not available
	f)	Flammability:	combustible
	g)	Lower and upper explosion limit:	not explosive
	h)	Flash point (COC) (EN ISO 2592):	typ. 210°C
	i)	Auto-ignition temperature:	not available
	j)	Decomposition temperature:	not available
	k)	pH:	not applicable
	1)	Kinematic viscosity (EN ISO 3104)	
		at 40°C:	typ. 58.9 mm ² /s
		at 100°C	typ. $10.2 \text{ mm}^2/\text{s}$
	m)	Solubility	
		Solubility in water:	practically insoluble in water
		Solubility in other solvents:	gasoline, kerosene, toluene, etc
	n)	Partition coefficient n-octanol/water (log value):	not available
	0)	Vapour pressure at 20°C:	negligible
	p)	Density and/or relative density at 15°C (DIN EN ISO	
	•	12185):	typ. $0.870 - 0.890 \text{ g/cm}^3$
	q)	Relative vapour density:	not available
	r)	Particle characteristics:	not available
2	Oth	er information	
		Oxidizing properties:	not oxidize
		Heating value:	inf. 38 000 kJ/kg

SECTION 10 Stability and reactivity

10.1 Reactivity: Dangerous reactivity not known. 10.2 Chemical stability: No decomposition if stored and handled properly. 10.3 Possibility of hazardous reactions: Not known.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Page: 8/(13)

Trade name:A.Z. Meisterteile UTTO JD Plus 80WVersion: 3Latest revision: 09. 05. 2022Date of issue: 08. 01. 2018

10.5	Conditions to avoid: Incompatible materials: Hazardous decompositio	n products:	-	zing ager 1s decom	its. position pro	ducts are formed under mbustion products: See		
	FION 11 Toxicologic				N. 1070/2	000		
11.1	11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008Acute toxicity: Based on available data, the classification criteria are not met							
	2		,					
	Oral: Dermal:	LD_{50} (rat) LD_{50} (rab)		> 2000 > 2000	mg/kg mg/kg	(based on components) (based on components)		
	Components: Distillates (petroleum), se Oral: Dermal: Inhalation:	olvent- $dewaLD_{50} (rat)LD_{50} (rab)LC_{50} (rat)$) obit)	> 5000 > 2000		-65-0) (literature data) (literature data) (literature data)		
	Distillates (petroleum), h Oral: Dermal: Inhalation:	ydrotreated LD_{50} (rat) LD_{50} (rab LC_{50} (rat)	bit)	inic (CAS > 2000 > 2000 > 5000	mg/kg mg/kg	7) OECD 401 OECD 402 OECD 403		
	Distillates (petroleum), se Oral: Dermal: Inhalation:	LD_{50} (rat) LD_{50} (rat) LD_{50} (rab) LC_{50} (rat)) obit)	> 5000 > 2000		56-9) (literature data) (literature data) (literature data)		
	Phenol, (tetrapropenyl) a Oral: Dermal:		74499-35-7))	2200	mg/kg mg/kg	OECD 401 OECD 402		
	Skin corrosion/irritation: Serious eye damage/irrita Respiratory or skin sensit Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity: STOT-single exposure: STOT-repeated exposure: Aspiration hazard:	tion: Ba tisation: Ba Ba Ba Ba Ba Sa Ba	ased on availa ased on availa ased on availa ased on availa ased on availa ased on availa ased on availa	ble data, ble data, ble data, ble data, ble data, ble data, ble data,	the classific the classific the classific the classific the classific the classific the classific	ation criteria are not met. ation criteria are not met.		
	Information on other haz The mixture does not concentration of 0.1% or	contain an	y substance v	with end	ocrine disr	apting properties, at a		

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile UTTO JD Plus 80W

Version: 3 Latest revision: 09. 05. 2022 Date of issue: 08. 01. 2018

Page: 9/(13)

SECTION 12 Ecological information

12.1	Toxicity	Harmful to a	quatic lif	e with lor	ng lasting effects.
	Components: Distillates (petroleum), solvent-dewaxed h	• • •			
	Fishes:	LC_{50}	>100	mg/L	(literature data)
	Daphnia:	EC_{50}	>100	mg/L	(literature data)
	Other aquatic organisms:	EC_{50}	>100	mg/L	(literature data)
	Algae:	ErC_{50}	>100	mg/L	(literature data)
	Other living beings:	TLM	>1	mg/L	(literature data)
	Distillates (petroleum), hydrotreated heav	y paraffinic (C	CAS: 6474	42-54-7)	
	Fishes:			mg/L	96 h (OECD 203)
	Daphnia:		>100	mg/L	48 h (OECD 202)
	Algae:		>100	mg/L	72 h (OECD 201)
	Distillates (petroleum), solvent-dewaxed la	ight paraffinic	(CAS: 64	4742-56-	9)
	Fish:	LC ₅₀	>100	mg/L	
	Other aquatic organisms:	EC ₅₀	>100	mg/L	
	Algae:	ErC_{50}	>100	mg/L	
	Crustacea:	NOEC	> 1	mg/L	
	Phenol, (tetrapropenyl) derivatives (CAS:	74499-35-7)			
	Fish (Fat-headed carp):	LC ₅₀	40	mg/L	96 h
	Daphnia:	EC_{50}	0.037	mg/L	48 h
	Crustacea (Mysidopsis Bahia):	EC_{50}	> 0.58	mg/L	96 h
	Daphnia:	EC_{50}	0.0079	mg/L	21 days
	Daphnia:	NOEC	0.0037	mg/L	21 days
	Algae:	EC_{50}	0.36	mg/L	72 h
	Microorganisms (activated sludge):	EC_{50}	>1000	mg/L	0.1 day
12.2	Persistence and degradability Biodegradability:	No data avail No data avail			
	Phenol, (tetrapropenyl) derivatives (CAS: 74499-35-7)	25 % (28 day	vs, OECE	T G 301	B)
12.3	Bioaccumulative potential	No data avail	lable.		
12.4	Mobility in soil: Mobility in water:	Absorbs in so Floats on wat			

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile UTTO JD Plus 80W

Version: 3 Latest revision: 09. 05. 2022

022 Date of issue: 08. 01. 2018

Page: 10/(13)

12.5 Results of PBT and vPvB assessment	Does not contain PBT and vPvB substances, at a concentration of 0.1% or more.
12.6 Endocrine disrupting properties	The mixture does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.
12.7 Other adverse effects Heavy metal content: PCT, PCB and other chlorinated	None.
hydrocarbons:	None.
Environmental effects:	Large spills may be hazardous to the environment. Spills may form a film on water surfaces causing impaired oxygen transfer.
Water hazard class (German):	WGK 2 (Classification by AwSV)

SECTION 13 Disposal considerations

13.1 Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste. Waste Identification Code: 13 02 05* Mineral-based non-chlorinated engine, gear and lubricating oils.

Recommended waste treatment method: incineration

Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile UTTO JD Plus 80W

Version: 3 Latest revision: 09. 05. 2022 Date of issue: 08. 01. 2018 Page: 11/(13)

SECTION 14 Transport information

L	and transport: Road/ Railway	ADR/RID:	Not classified.				
14.1. 14.2. 14.3. 14.4. 14.5. 14.6.	UN number or ID number: UN proper shipping name: Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user:		Not classified. Not classified. Not classified. Not classified. Not classified. Not classified.				
v	Waterways:						
	Inland waterways/ Sea transport	ADN/IMDG:	Not apply to the product.				
Air transport:		ICAO / IATA:	Not apply to the product.				

SECTION 15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2020/878/EU) and to Regulation (EC) 1272/2008. Seveso category: not classified.
- 15.2 Chemical safety assessment. not available

SECTION 16 Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile UTTO JD Plus 80W

Version: 3

Latest revision: 09. 05. 2022

2 Date of issue: 08. 01. 2018

Page: 12/(13)

٦

H304 H314 H318 H360F H400 H410 Asp. Tox. 1 Skin Corr. 1B Eye Dam. 1	May by Causes Causes May d Very to Very to Aspira Skin co Seriou	<i>Jazard classes and cat., H- phrase in Section 3.:</i> e fatal if swallowed and enters airways. s severe skin burns and eye damage. s serious eye damage. amage fertility. oxic to aquatic life. oxic to aquatic life with long lasting effects. tion hazard Category 1 orrosion/irritation Category 1B s eye damage/eye irritation Category 1
H314 H318 H360F H400 H410 Asp. Tox. 1 Skin Corr. 1B Eye Dam. 1	Causes Causes May d Very to Very to Aspira Skin co Seriou	s severe skin burns and eye damage. s serious eye damage. amage fertility. oxic to aquatic life. oxic to aquatic life with long lasting effects. tion hazard Category 1 orrosion/irritation Category 1B
H318 H360F H400 H410 Asp. Tox. 1 Skin Corr. 1B Eye Dam. 1	Causes May d Very to Very to Aspira Skin co Seriou	s serious eye damage. amage fertility. oxic to aquatic life. oxic to aquatic life with long lasting effects. tion hazard Category 1 orrosion/irritation Category 1B
H360F H400 H410 Asp. Tox. 1 Skin Corr. 1B Eye Dam. 1	May d Very to Very to Aspira Skin co Seriou	amage fertility. oxic to aquatic life. oxic to aquatic life with long lasting effects. tion hazard Category 1 orrosion/irritation Category 1B
H400 H410 Asp. Tox. 1 Skin Corr. 1B Eye Dam. 1	Very to Very to Aspira Skin co Seriou	oxic to aquatic life. oxic to aquatic life with long lasting effects. tion hazard Category 1 orrosion/irritation Category 1B
H410 Asp. Tox. 1 Skin Corr. 1B Eye Dam. 1	Very to Very to Aspira Skin co Seriou	oxic to aquatic life. oxic to aquatic life with long lasting effects. tion hazard Category 1 orrosion/irritation Category 1B
Asp. Tox. 1 Skin Corr. 1B Eye Dam. 1	Very to Aspira Skin co Seriou	oxic to aquatic life with long lasting effects. tion hazard Category 1 orrosion/irritation Category 1B
Skin Corr. 1B Eye Dam. 1	Skin co Seriou	orrosion/irritation Category 1B
Skin Corr. 1B Eye Dam. 1	Skin co Seriou	orrosion/irritation Category 1B
•	Seriou	č i
•		s cyc dunnago, cyc nintation Category i
Repr. 1B		ductive toxicity Category 1B
Aquatic Acute 1	-	lous to the aquatic environment, Acute Category 1
Aquatic Chronic 1		lous to the aquatic environment, Chronic Category 1
	European Agree Waterways	ement concerning the International Carriage of Dangerous Goods by Inland
		ement concerning the International Carriage of Dangerous Goods by Road
	Acute Toxicity	
	Bioconcentratio	
	BiologicalOxy	gen Demand
	Body Weight	17 1 11'
	Classification and Chemical Abstr	
		Labelling and Packaging
		Autagenic or toxic to Reproduction
COD (Chemical Oxyg	en Demand
	Chemical Safet	
	Chemical Safet	
	Derived Minima Derived No Eff	
	European Chem	
	Effective Conce	
Edx H	Effective Dose	x% f Notified Chemical Substances

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile UTTO JD Plus 80W

Version: 3 Latest revision: 09. 05. 2022 Date of issue: 08. 01. 2018 Page: 13/(13)

ErC50 ES	EC50 in terms of reduction of growth rate; Exposure Scenario					
IARC	International Agency for Research on Cancer					
IATA	International Air Transport Association					
IMDG	International Maritime Dangerous Goods					
LCx	Lethal Concentration x%					
LDx Lethal Dose x%						
LOAE	C Lowest Observed Adverse Effect Concentration					
LOAE	Lowest Observed Adverse Effect Level					
LOEC	Lowest Observed Effect Concentration					
LOEL	Lowest Observed Effect Level					
NOEC	No observed effect concentration					
NOEL	No observed effect level					
NLP	No-Longer Polymer					
NOAE		No Observed Adverse Effect Level				
OECD		Organisation for Economic Cooperation and Development				
PBT	Persistent Bioaccumulative and Toxic					
PNEC Predicted No-Effect Concentration						
REAC	8					
RID Regulations concerning the International Carriage of Dangerous Goods						
SVHC	Substance of Very High Concern					
UVCB	substance of unknown or variable composition, complex	reaction products or b	iological materials			
VOC	Volatile organic compounds					
vPvB	Very Persistent and very Bio-accumulative					
Revision In	dicators:					
Section	Subject of change	Date	Version			
1-16	Revision modification according to 2020/878/EU	08.02.2022	2			
-	Full revision due to composition change					
2.3	Other hazards	09.05.2022	3			
11.2	Information on other hazards	07.03.2022	5			
12.6	Endocrine disrupting properties					