

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile Kühlerfrostschutz KFS 11-35**

Version: 2 Latest revision: 24. 06. 2022 Date of issue: 13. 11. 2017 Page: 1/(12)

SECTION 1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier:

A.Z. Meisterteile Kühlerfrostschutz KFS 11-35

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: coolant, ready to use

Uses advised against: no data

1.3 Details of the supplier of the safety data sheet:

Trader identification:

UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57.

Tel.: 06 1 270 8700

Fax: 06 1 270 8799

E-mail: cs@unixauto.com

Technical information:

UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57.

Tel.: 06 1 270 8700

Fax: 06 1 270 8799

E-mail: cs@unixauto.com

Responsible for SDS:

UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57.

Tel.: 06 1 270 8700

Fax: 06 1 270 8799

E-mail: cs@unixauto.com

1.4 Emergency telephone number

Emergency telephone (on workdays: 07-15²⁰ h (CET)): +36 1 270 8700

Health Toxicological Information Service (ETTSZ 1097 Budapest, Albert Flórián st. 2-6.)

Tel.: +36 80 201 199 (0-24 h, free number, can only be called from Hungary).

+36 1 476 6464 (0-24 h, can be called for a normal fee - also from abroad)

National Health Toxicological Information Service:

SECTION 2 Hazards identification

2.1 Classification of the substance or mixture

Hazard Class and Category:

Acute Tox. 4

STOT RE 2

Hazard statement:

H302 Harmful if swallowed.

H373 May cause damage to kidneys through prolonged or repeated exposure.

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Kühlerfrostschutz KFS 11-35**

Version: 2

Latest revision: 24. 06. 2022

Date of issue: 13. 11. 2017

Page: 2/(12)

2.2 Label elements

Product identification: Trade name: **A.Z. Meistererteile Kühlerfrostschutz KFS 11-35**

Hazardous component(s): Ethanediol

GHS Pictogram:



Signal word:

Warning

Hazard statement:

H302 Harmful if swallowed

H373 May cause damage to kidneys through prolonged or repeated exposure.

Supplemental hazard information: -

Precautionary statements – General:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of the reach of children.

Precautionary statements - Prevention

P260 Do not breathe mist, vapours, spray.

P264 Wash exposed skin areas thoroughly after handling

P270 Do not eat, drink or smoke when using this product.

Precautionary statements - Response

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

Precautionary statements – Storage: -

Precautionary statements - Disposal

P501 Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger: in case of distribution for population.

Transport classification: see section 14.

2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006, at a concentration of 0.1% or more.

The mixture does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile Kühlerfrostschutz KFS 11-35**

Version: 2 Latest revision: 24. 06. 2022 Date of issue: 13. 11. 2017 Page: 3/(12)

SECTION 3 Composition/information on ingredients

3.2 Mixtures

Chemical description: Mixture of water, ethanediol, colorific and other additives.

Component(s) / Hazardous component(s):

Name	EC number	CAS number	Hazard classes and cat.	Hazard statements	Conc. % (m/m)
Ethanediol REACH Registr. Nr.: 01-2119456816-28	203-473-3	107-21-1	Acute Tox. 4 STOT RE 2	H302 H373	40 - 55
Methyl-1H-benzotriazole REACH Registr. Nr.: 01-2119979081-35	249-596-6	29385-43-1	Acute Tox. 4 Repr. 2 Aquatic Chronic 2	H302 H361d H411	0.05 - <0.13
Potassium - (2-benzothiazylthio)acetate REACH Registr. Nr.: no data	-	-	Acute Tox. 4 Eye Dam. 1 Repr. 2 Aquatic Chronic 3	H302 H318 H361 H412	0.05 - <0.13

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

SECTION 4 First aid measures

4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never induce vomiting.

Inhalation: Remove exposed person to fresh air if adverse effects are observed. If breathing has stopped, apply artificial respiration. If breathing is labored, administer oxygen. Get medical attention.

Skin contact: Wash immediately with soap and water. If symptoms persist (redness, swelling, pain, blister) get medical attention.

Eye contact: Flush immediately with plenty of running water for at least 15 minutes, holding the eyelids open. Rest the eyes at least 30 minutes. If symptoms persist (redness, burning pain, dim-red sight, swelling) get medical attention.

Ingestion: Wash out the mouth immediately with water. Give plenty of water. Do not induce vomiting! If vomiting occur spontaneously, lower head below waist to prevent fluid entering the lungs. Get medical attention.

Protection of first-aid person: No individual specifications.

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile Kühlerfrostschutz KFS 11-35**

Version: 2

Latest revision: 24. 06. 2022

Date of issue: 13. 11. 2017

Page: 4/(12)

4.2 Most important symptoms and effects, both acute and delayed
Harmful if swallowed.

4.3 Indication of any immediate medical attention and special treatment need
If swallowed, immediate medical attention is required: 2 hours, gastrolavage, etc.

SECTION 5 Fire-fighting measures

Fire hazards:
Combustible.

5.1 Extinguishing media

Suitable extinguishing media:

According to the existing fire-fighting regulations: Powder, alcohol resistant foam, water, CO₂.

Unsuitable extinguishing media:

No data.

5.2 Special hazards arising from the mixture or substance

Hazardous combustion products:

On burning hazardous gases and vapours (carbon-dioxide, carbon-monoxide, other organic compounds) can be formed.

5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations. Self-contained breathing apparatus.

Further information:

Cool containers and surroundings exposed to fire with water spray.

Vapours of ethanediol ethylene glycol heavier than air and form explosive mixture with air.

SECTION 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: see Section 8.

6.2 Environmental precautions:

Prevent spills from entering into natural water, soil and drains by containing the liquid. Notify relevant authority.

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile Kühlerfrostschutz KFS 11-35**

Version: 2

Latest revision: 24. 06. 2022

Date of issue: 13. 11. 2017

Page: 5/(12)

6.3 Methods and material for containment and cleaning up

- On soil: Exclude source of ignition. Adequate ventilation required in enclosed areas. Contain spilled liquid with sand, earth or other suitable absorbents. Recover free liquid by pumping. Dispose of according to local regulations. Clean up with large amount of water the contaminated area.
- On water: Notify local authorities according to regulations.

6.4 Reference to other sections

- Personal precautions: see section 8.
Waste treatment methods: see section 13.

SECTION 7 Handling and storage

7.1 Precautions for safe handling

- Keep general measures applied for normal operations with chemicals and flammable liquids. Adequate ventilation required.
Keep material away from and open flame. No smoking.
Avoid contact with skin and eyes, inhalation of vapours.
Ensure washing facilities after working hours and before breaks.
Take off contaminated clothing and wash it before reuse.
Do not wear rings, watches or similar apparel that could entrap the material and cause a skin reaction.
Handling temperature: no data

7.2 Conditions for safe storage, including any incompatibilities

- Storage facilities must comply with regulations for storing of chemicals and flammable liquids.
Keep material away from heat, sparks, and open flame. Store in cool, dry, well-ventilated area, in original, tightly closed containers.
Keep out of the reach of children. Keep away from food, drink.
Unsuitable storage materials are: not recommended using plated or galvanized iron or steel containers.
Storage temperature: -35 – +30°C

7.3 Specific end use(s)

- Coolant, ready to use.

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Kühlerfrostschutz KFS 11-35**

Version: 2 Latest revision: 24. 06. 2022 Date of issue: 13. 11. 2017 Page: 6/(12)

SECTION 8 Exposure controls / personal protection

8.1 Control parameters:

Ethane-1,2-diol (CAS: 107-21-1)

Long-term exposure limit (8-hour TWA reference period): 20 ppm / 52 mg/m³

Short-term exposure limit (15-minute reference period): 40 ppm / 104 mg/m³

8.2 Exposure controls

Engineering control measures:

Not required.

Personal protection:

- | | |
|----------------------------|---|
| (a) Eye/face protection | Protective goggles or face shield (EN 166). |
| (b) Skin protection | |
| (i) Hand protection | Protective gloves (chemical resistant) (EN 374). Material: nitrile, neoprene, butyl viton. Layer thickness: min. 0.38 mm. Breakthrough time: min. 480 min.
Note: Manufacturer's directions for use and the conditions of application should be observed. |
| (ii) Other | Protective clothing, possibly chemical resistant protective boots. |
| (c) Respiratory protection | Under normal use conditions, respirator is not usually required. Use approved breathing apparatus if vapours, mists and aerosols are generated or recommended exposure limits are exceeded. |
| (d) Thermal hazards | Heat-resistant protective clothing if necessary. |

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

SECTION 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

- | | |
|--|---------------------|
| a) Physical state: | liquid |
| b) Colour: | blue, bright, clear |
| c) Odour: | mild |
| d) Melting point/freezing point (Pour point) (ISO 3016): | not available |
| e) Boiling point or initial boiling point and boiling range (ASTM D 1120): | typ. 105°C |
| f) Flammability: | combustible |
| g) Lower and upper explosion limit: | not available |

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile Kühlerfrostschutz KFS 11-35**

Version: 2 Latest revision: 24. 06. 2022 Date of issue: 13. 11. 2017 Page: 7/(12)

- | | |
|---|-------------------------------|
| h) Flash point (COC) (EN ISO 2592): | typ. 120°C |
| i) Auto-ignition temperature: | not available |
| j) Decomposition temperature: | not available |
| k) pH (ASTM D 1287): | typ. 8.3 |
| l) Kinematic viscosity (EN ISO 3104) | |
| at 40°C: | not available |
| at 100°C: | not available |
| m) Solubility | |
| Solubility in water: | soluble in all proportion |
| Solubility in other solvents: | not available |
| n) Partition coefficient n-octanol/water (log value): | not available |
| o) Vapour pressure at 20°C: | not available |
| p) Density and/or relative density at 20°C (ASTM D 1122): | 1.06 - 1.10 g/cm ³ |
| q) Relative vapour density: | not available |
| r) Particle characteristics: | not available |

9.2 Other information

Crystallization point (1:1) (ASTM D 1177): typ. -37°C

SECTION 10 Stability and reactivity

- | | |
|--|---|
| 10.1 Reactivity: | Dangerous reactivity not known. |
| 10.2 Chemical stability: | No decomposition if stored and handled properly. |
| 10.3 Possibility of hazardous reactions: | Not known. |
| 10.4 Conditions to avoid: | Direct heat or ignition sources. |
| 10.5 Incompatible materials: | Strong oxidizing agents. |
| 10.6 Hazardous decomposition products: | No dangerous decomposition products are formed under normal conditions. Hazardous combustion products: See Section 5. |
| Note: | Vapours of ethanediol heavier than air and form explosive mixture with air. |

SECTION 11 Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: Harmful if swallowed.

Ethanediol (CAS: 107-21-1)

Oral:	LD ₅₀ (cat)	1600 mg/kg
Dermal:	LD ₅₀ (mouse)	> 3500 mg/kg
Inhalation:	LC ₅₀ (rat)	> 2.5 mg/L/6 h

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile Kühlerfrostschutz KFS 11-35**

Version: 2 Latest revision: 24. 06. 2022 Date of issue: 13. 11. 2017 Page: 8/(12)

Methyl-1H-benzotriazole (CAS: 29385-43-1)

Oral:	LD ₅₀ (rat)	720 mg/kg
Dermal:	LD ₅₀ (rabbit)	> 2000 mg/kg/24 h

Skin corrosion/irritation:	Based on available data, the classification criteria are not met.
Serious eye damage/irritation:	Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation:	Based on available data, the classification criteria are not met.
Germ cell mutagenicity:	Based on available data, the classification criteria are not met.
Carcinogenicity:	Based on available data, the classification criteria are not met.
Reproductive toxicity:	Based on available data, the classification criteria are not met.
STOT-single exposure:	Based on available data, the classification criteria are not met.
STOT-repeated exposure:	May cause damage to kidneys through prolonged or repeated exposure.
Aspiration hazard:	Based on available data, the classification criteria are not met.

11.2 Information on other hazards

The mixture does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.

SECTION 12 Ecological information

12.1 Toxicity

No data available for the preparation.

Components:

Ethanediol (CAS: 107-21-1)

Fishes (<i>Pimephales promelas</i>):	LC ₅₀	72860 mg/L/96 h
Daphnia magna:	EC ₅₀	> 100 mg/L/48 h

Methyl-1H-benzotriazole (CAS: 29385-43-1)

Algae (<i>Pseudokirchneriella subcapitata</i>):	ErC ₅₀	75 mg/L	72 h
Crustaceans (<i>Daphnia galeata</i>):	EC ₅₀	8.58 mg/L	48 h
Crustaceans (<i>Daphnia galeata</i>):	EC ₁₀	0.4 mg/L	21 days
Crustaceans (<i>Arcartia tonsa</i>):	LC ₅₀	55 mg/L	48 h
Fish (<i>Danio rerio</i>):	LC ₅₀	180 mg/L	72 h

12.2 Persistence and degradability

Biodegradability:

Readily degradable. (literature data)

Ethanediol (CAS: 107-21-1)

90% (10 days, OECD 301 A); Readily biodegradable.

12.3 Bioaccumulative potential

Ethanediol (CAS: 107-21-1)

Has low bioaccumulation (ethylene glycol)
-1.36

12.4 Mobility in soil:

Large spills to soil can contaminate groundwater.

Mobility in water:

In water is fully dissolved.

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile Kühlerfrostschutz KFS 11-35**

Version: 2

Latest revision: 24. 06. 2022

Date of issue: 13. 11. 2017

Page: 9/(12)

12.5 Results of PBT and vPvB assessment	Does not contain PBT and vPvB substances, at a concentration of 0.1% or more.
12.6 Endocrine disrupting properties	The mixture does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.
12.7 Other adverse effects	
Biological oxygen demand:	<i>Ethandiol:</i> BOD: 0.81 g/g (literature data)
Chemical oxygen demand:	<i>Ethandiol:</i> COD: 1.29 g/g (literature data)
Heavy metal content:	None.
PCT, PCB and other chlorinated hydrocarbons:	None.
Effects on activated sludge:	The product can be disposed in wastewater treatment plant – biological stage of treatment (activation) after dilution in the ratio 1:1000 and after approval of relevant authority and manager of the sewer.
Environmental effects:	Do not empty into waterways without disposal.
Water hazard class (German):	WGK 1 (Classification by AwSV)

SECTION 13 Disposal considerations

13.1 Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 16 01 14*

Antifreeze fluids containing dangerous substances.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations.

It is the responsibility of the user to know all relevant national and local regulations.

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile Kühlerfrostschutz KFS 11-35**

Version: 2 Latest revision: 24. 06. 2022 Date of issue: 13. 11. 2017 Page: 10/(12)

SECTION 14 Transport information

Land transport:

Road/ Railway ADR/RID: Not classified.

- 14.1. UN number or ID number: Not classified.
14.2. UN proper shipping name: Not classified.
14.3. Transport hazard class(es): Not classified.
14.4. Packing group: Not classified.
14.5. Environmental hazards: Not classified.
14.6. Special precautions for user: Not classified.

Waterways:

Inland waterways/ Sea transport ADN/IMDG: Not apply to the product.

Air transport: ICAO / IATA: Not apply to the product.

SECTION 15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2020/878/EU) and to Regulation (EC) 1272/2008.
Seveso category: not classified.
- 15.2 Chemical safety assessment.
not available

SECTION 16 Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.
The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Classification for mixtures and used evaluation method according to regulation 1272/2008/EC (CLP)

Acute Tox. 4	H302	calculated method
STOT RE 2	H373	calculated method

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile Kühlerfrostschutz KFS 11-35**

Version: 2

Latest revision: 24. 06. 2022

Date of issue: 13. 11. 2017

Page: 11/(12)

The full text of each relevant H- phrase and Hazard classes and cat. in Section 3.:

H302	Harmful if swallowed.
H318	Causes serious eye damage.
H361	Suspected of damaging fertility or the unborn child.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Acute Tox. 4	Acute toxicity Category 4
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Repr. 2	Reproductive toxicity Category 2
STOT RE 2	Specific target organ toxicity – repeated exposure Category 2
Aquatic Chronic 2	Hazardous to the aquatic environment Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, Chronic Category 3

Legend:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BOD	Biological Oxygen Demand
Bw	Body Weight
C&L	Classification and Labelling
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
CMR	Carcinogenic, Mutagenic or toxic to Reproduction
COD	Chemical Oxygen Demand
CSA	Chemical Safety Assessment
CSR	Chemical Safety Report
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
ECHA	European Chemicals Agency
Ec _x	Effective Concentration x%
Ed _x	Effective Dose x%
ELINCS	European List of Notified Chemical Substances
ErC50	EC50 in terms of reduction of growth rate;
ES	Exposure Scenario

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile Kühlerfrostschutz KFS 11-35**

Version: 2

Latest revision: 24. 06. 2022

Date of issue: 13. 11. 2017

Page: 12/(12)

IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LCx	Lethal Concentration x %
LDx	Lethal Dose x %
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern
UVCB	substance of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative

Revision Indicators:

Section	Subject of change	Date	Version
1-16	Revision modification according to 2020/878/EU Full revision due to composition change	24. 06. 2022	2