according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Page: 1/(13)

Trade name: A.Z. Meisterteile Motorenöl MT-8V 0W-30

Version: 2 Latest revision: 30. 06. 2022 Date of issue: 02. 11. 2017

SECTION 1 Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier: A.Z. Meisterteile Motorenöl MT-8V 0W-30
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses: synthetic motor oil Uses advised against: application other than the above.
- 1.3 Details of the supplier of the safety data sheet:

Trader identification: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: +36 1 270 8700 Fax: +36 1 270 8799 E-mail: cs@unixauto.com Technical information: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: +36 1 270 8700 Fax: +36 1 270 8799 E-mail: cs@unixauto.com

Responsible for SDS: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: +36 1 270 8700 Fax: +36 1 270 8799 E-mail: cs@unixauto.com

1.4 Emergency telephone number

Emergency telephone (07-15²⁰ h): +36 34 526 210 (CET) on workdays Health Toxicological Information Service (ETTSZ 1097 Budapest, Albert Flórián st. 2-6.) Tel.: +36 80 201 199 (0-24 h, free number, can only be called from Hungary). +36 1 476 6464 (0-24 h, can be called for a normal fee - also from abroad) National Health Toxicological Information Service:

SECTION 2 Hazards identification

2.1 Classification of the substance or mixture Hazard Class and Category: Hazard statement: Not classified. -

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-8V 0W-30

Version: 2 Latest revision: 30. 06. 2022 Date of issue: 02. 11. 2017

Page: 2/(13)

| 2.2 | Label elements | | | | | |
|---|---|--|--|--|--|--|
| | Product identification: Trade name: A.Z. Meisterteile Motorenöl MT-8V 0W-30 | | | | | |
| | Hazardous component(s): - | | | | | |
| | GHS Pictogram:not requiredSignal word:not required | | | | | |
| | Hazard statement: not required | | | | | |
| | Supplemental hazard information:EUH208Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.EUH210Safety data sheet available on request. | | | | | |
| | Precautionary statements – General: | | | | | |
| | Precautionary statements – Prevention:P273Avoid release to the environment. | | | | | |
| Precautionary statements – Response: - | | | | | | |
| | Precautionary statements – Storage: | | | | | |
| | Precautionary statements – Disposal: P501 Dispose of contents/container in accordance with national regulation. | | | | | |
| | Other liabilities for labelling: Tactile warning of danger: Not required. Transport classification: see section 14. | | | | | |
| 2.3 | Other hazards The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006, at a concentration of 0.1% or more. The mixture does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more. | | | | | |

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-8V 0W-30

Version: 2 Latest revision: 30. 06. 2022 Date of issue: 02. 11. 2017

Page: 3/(13)

SECTION 3 Composition/information on ingredients

3.2 Mixtures

Chemical description: Mixture of refined mineral base oils, hydrotreated neutral oil and synthetic oil containing additives.

Component(s) / Hazardous component(s):

| Name | EC | CAS | Hazard classes and | Hazard | Conc. |
|---------------------------|-----------|------------|--------------------|------------|-----------|
| Name | number | number | cat. | statements | %(m/m) |
| Distillates (petroleum) | 265-157-1 | 64742-54-7 | Asp.Tox.1 | H304 | max.30 |
| hydrotreated heavy | | | (Note L) | | |
| paraffinic | | | | | |
| REACH Registr. Nr.: | | | | | |
| 01-2119484627-25 | | | | | |
| 1-Decene Homopolymer | 500-183-1 | 68037-01-4 | Asp.Tox.1 | H304 | max.30 |
| Hydrogenated | | | (Note L) | | |
| REACH Registr. Nr.: | | | | | |
| 01-2119486452-34 | | | | | |
| Base oil-unspecified, | 276-738-4 | 72623-87-1 | - | - | max.10 |
| hydrotreated neutral oil- | | | (Note L) | | |
| based, C20-C50 | | | | | |
| REACH Registr. Nr.: | | | | | |
| 01-2119474889-13 | | | | | |
| Bis(nonylphenyl)amine | 253-249-4 | 36878-20-3 | Aquatic Chronic 4 | H413 | max.2.5 |
| REACH Registr. Nr.: | | | - | | |
| 01-2119488911-28 | | | | | |
| C14-16-18 Alkylphenol | 931-468-2 | | Skin Sens. 1B | H317 | 0.1-<0.25 |
| REACH Registr. Nr.: | | | Aquatic Chronic 4 | H413 | |
| no data | | | | | |

*: with exposure limit

Note L:

The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Page: 4/(13)

Trade name: A.Z. Meisterteile Motorenöl MT-8V 0W-30

Version: 2 Latest revision: 30. 06. 2022 Date of issue: 02. 11. 2017

SECTION 4 First aid measures

- 4.1 Description of first aid measures
 - General information: Never give anything by mouth to an unconscious person, or never induce vomiting.
 - Inhalation: Remove the affected person to fresh air. If rapid recovery does not occur, obtain medical attention.
 - Skin contact: Wash skin with large amounts of water, use soap. In case of persistent irritation, get medical attention.
 - Eye contact: Flush eyes with plenty of water for 10-15 minutes. In case of persistent irritation, get medical attention.
 - Ingestion: If swallowed, rinse mouth and then give water. Do not induce vomiting. Case of indisposition gets medical attention.

Protection of first-aid person: No individual specifications.

- 4.2 Most important symptoms and effects, both acute and delayed Skin: cause sensibilization, irritation. Eyes: causes eye irritation.
- 4.3 Indication of any immediate medical attention and special treatment needed Applying symptomatic treatment.

SECTION 5 Fire-fighting measures

Fire hazards: Combustible.

5.1 Extinguishing media Suitable extinguishing media: Foam, carbon dioxide, dry chemical powder.

> Unsuitable extinguishing media: Full water jet.

5.2 Special hazards arising from the substance or mixture Hazardous combustion products:

On burning, carbon monoxide, carbon dioxide, sulphur oxides, phosphor oxides, nitrogen oxides, various hydrocarbons, toxic pyrolysis products and soot can be formed.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-8V 0W-30

Version: 2 Latest revision: 30. 06. 2022 Date of issue: 02. 11. 2017

Page: 5/(13)

5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations. Respiratory protection.

Further information:

Collect contaminated fire fighting water separately. It must not enter the sewage system. Contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Personal precautions: see Section 8.
- 6.2 Environmental precautions:

Confine spills to prevent material from entering sewers, watercourses, drains and into soil. Notify relevant authority.

6.3 Methods and material for containment and cleaning up

On soil: All kind of ignition sources should be removed. Contain spilled liquid with sand, earth, diatomaceous earth, acid binding or other suitable absorbents. Recover free liquid by pumping. Dispose of according to local regulations.

On water: Confine the spillage. Remove from surface by skimming or suitable absorbents. Notify local authorities according to regulations.

6.4 Reference to other sections Personal precautions: see section 8. Waste treatment methods: see section 13.

SECTION 7 Handling and storage

7.1 Precautions for safe handling

Keep general measures applied for normal operations with lubricants and flammable liquids. Sufficient ventilation should be provided. Keep away from radiant heat and open flame. Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists.

Ensure washing facilities after working hours and before breaks.

Take off contaminated clothing and wash it before reuse.

When using do not eat, drink or smoke. Avoid splashing the product.

Handling temperature: max. 120 °C

Note: Higher temperatures can result in an exothermic decomposition of the ZDDP releasing hydrogen sulphide and odourous alkyl mercaptans. If decomposition is suspected, or if the product has been overheated, do not open container.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-8V 0W-30

Version: 2 Latest revision: 30. 06. 2022 Date of issue: 02. 11. 2017

Page: 6/(13)

- 7.2 Conditions for safe storage, including any incompatibilities
 Storage facilities must comply with regulations for storing of flammable liquids.
 Store in dry, well-ventilated place in original, closed containers.
 Keep away from radiant heat, open flame and strong oxidizing agents.
 Storage separates from food, drink, forage.
 Storage temperature: max. 40°C
- 7.3 Specific end use(s) Synthetic motor oil.

SECTION 8 Exposure controls / personal protection

8.1 Control parameters:

Mineral oil mist: TWA: **5 mg/m³**; STEL: 10 mg/m³, for oil mist, vapour excluded (ACGIH).

Method of testing, recommended: NIOSH 5026

8.2 Exposure controls

Engineering control measures: Preventing overheating.

Personal protection:

| (a) | Eye/face protection | Where splashing is possible, wear safety glasses (EN 166). |
|-----|------------------------|---|
| (b) | Skin protection | |
| | (i) Hand protection | Oil resistant gloves (EN 374, Breakthrough time >480 min, PK power level: 6; PR flow rate: 0). |
| | | Note: Manufacturer's directions for use and the conditions of application should be observed. |
| | (ii) Other | Protective clothing (oil resistant). |
| (c) | Respiratory protection | Breathing apparatus not required. In case of exceeded exposure-limits respiratory protection is recommended (EN 141). |
| (d) | Thermal hazards | No data. |
| _ | | |

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-8V 0W-30

Version: 2 Latest revision: 30.06.2022 Date of issue: 02. 11. 2017 Page: 7/(13)

SECTION 9 Physical and chemical properties

| 9.1 | Info | ormation on basic physical and ch | emical properties | | |
|-------------------------------------|-----------------------------|-------------------------------------|--|-----------------------------------|--|
| <i>)</i> .1 | a) | Physical state: | enneur properties | liquid | |
| | b) | Colour: | | bright, clear | |
| | c) | Odour: | | characteristic | |
| | | Melting point/freezing point (Po | ur point) (ISO 3016): | typ45°C | |
| | e) | Boiling point or initial boiling po | - | 57F. 10 0 | |
| | - / | (DIN 51356): | 6 6 | not available | |
| | f) | Flammability: | | combustible | |
| | g) | Lower and upper explosion limit | | not explosive | |
| | | Flash point (COC) (EN ISO 2592 | | typ. 240°C | |
| | i) | Auto-ignition temperature: | , | not available | |
| | j) | Decomposition temperature: | | not available | |
| | k) | pH: | | not applicable | |
| | l) | Kinematic viscosity (EN ISO 31 | | | |
| | | | at 40°C: | typ. 60.6 mm ² /s | |
| | | | at 100°C: | typ. 12.2 mm ² /s | |
| | m) | 5 | | | |
| | | Solubility in water: | | practically insoluble in water | |
| | | Solubility in other solvents: | | gasoline, kerosene, toluene, etc. | |
| | , | Partition coefficient n-octanol/w | ater (log value): | not available | |
| | | Vapour pressure at 20°C: | | negligible | |
| | | Density and/or relative density a | $t 15^{\circ}C$ (EN ISO 12185): | - | |
| | - | Relative vapour density: | | not available | |
| | r) | Particle characteristics: | | not available | |
| 9.2 | Oth | er information | | | |
| | | Oxidizing properties: | | not oxidize | |
| | | Heating value: | | inf. 38 000 kJ/kg | |
| | | | | | |
| SECTION 10 Stability and reactivity | | | | | |
| 10.1 | Rea | ctivity: | Dangerous reactivity no | | |
| | | mical stability: | No decomposition if sto | ored and handled properly. | |
| | | sibility of hazardous reactions: | Not known. | | |
| 10.4 | 10.4 Conditions to avoid: D | | Direct heat or ignition sources, high temperature. | | |

10.5 Incompatible materials:

Direct heat or ignition sources, high temperature. Strong oxidizing agents.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-8V 0W-30

Version: 2 Latest revision: 30. 06. 2022 Date of issue: 02. 11. 2017 Page: 8/(13)

10.6 Hazardous decomposition products: No dangerous decomposition products are formed under normal conditions. In case of thermal decomposition hydrogen sulphide gas can be formed. Hazardous combustion products: See Section 5.

SECTION 11 Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity: Based on available data, the classification criteria are not met

| Components: |
|-------------|
|-------------|

| Components. | | | | | |
|--|---------------------------|--------------|-------------------|---------------------------|--|
| Distillates (petroleum), hydrotreated heavy paraffinic (CAS: 64742-54-7) | | | | | |
| Oral: | LD_{50} (rat) | > 2000 | mg/kg | OECD 401 | |
| Dermal: | LD ₅₀ (rabbit) | > 2000 | mg/kg | OECD 402 | |
| Inhalation: | LC_{50} (rat) | > 5000 | mg/m ³ | OECD 403 | |
| 1-Decene Homopolymer | Hydrogenated (CAS: 680 |)37-01-4) | | | |
| Oral: | LD_{50} (rat) | > 5000 | mg/kg | | |
| Dermal: | LD_{50} (rat) | > 2000 | mg/kg | | |
| Inhalation: | LC_{50} (rat) | > 5.2 | mg/l | | |
| Lubricating oils (petrole | um), C20-50, hydrotreate | ed neutral | oil-based (C | AS: 72623-87-1) | |
| Oral: | LD_{50} (rat) | > 5000 | mg/kg | | |
| Dermal: | LD ₅₀ (rabbit) | > 2000 | mg/kg | | |
| Inhalation: | LC_{50} (rat) | > 5.53 | mg/L | | |
| Bis(nonylphenyl)amine (| CAS: 36878-20-3) | | | | |
| Oral: | LD_{50} (rat) | > 5000 | mg/kg | OECD 401 | |
| Dermal: | LD_{50} (rat) | >2000 | mg/kg | OECD 402 | |
| Skin corrosion/irritation: Based on available data, the classification criteria are not met. | | | | | |
| Serious eye damage/irritation: Based on available data, the classification criteria are not met. | | | | | |
| Respiratory or skin sensitisation: Based on available data, the classification criteria are not met. | | | | | |
| Germ cell mutagenicity: | Based on availab | ole data, tl | he classificat | ion criteria are not met. | |
| Carcinogenicity: | | | | ion criteria are not met. | |
| Reproductive toxicity: | Based on availab | ole data, tl | he classificati | ion criteria are not met. | |
| | | | | | |

Reproductive toxicity: STOT-single exposure: STOT-repeated exposure: Aspiration hazard:

11.2 Information on other hazards

The mixture does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-8V 0W-30

Version: 2 Latest revision: 30. 06. 2022 Date of issue: 02. 11. 2017

Page: 9/(13)

SECTION 12 Ecological information 12.1 Toxicity No data for the product. Components: Distillates (petroleum), hydrotreated heavy paraffinic (CAS: 64742-54-7) Fish: >1000 mg/L 96 h (OECD 203) Daphnia: >100 mg/L 48 h (OECD 202) Algae: >100 mg/L 72 h (OECD 201) 1-Decene Homopolymer Hydrogenated (CAS: 68037-01-4) Fish (Oncorhynchus mykiss): >1000 mg/L LC_{50} (4 h) EC_{50} >1000 mg/L Daphnia (Daphnia magna): (48 h) Daphnia (Daphnia magna): >125 mg/L EC_{50} (21 day)NOEC Daphnia (Daphnia magna): 125 mg/L (21 day)Algae (Scenedesmus quadricauda): >1000 mg/L (3 h) LC_{50} Algae (Scenedesmus quadricauda): >1000 mg/L NOEC (3 h)Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (CAS: 72623-87-1) Fishes: > 100 mg/L LC_{50} Bis(nonylphenyl)amine (CAS: 36878-20-3) Fishes (Danio rerio): (96 h) (OECD 203) LC_{50} >100 mg/L Daphnia (Daphnia magna): >100 mg/L (48 h) (OECD 202) EC_{50} Algae (Desmodesmus subspicatus): EC₅₀ >100 mg/L (72 h) (OECD 201) 12.2 Persistence and degradability No data available. **Biodegradability:** Hydrocarbons are inherently degradable. 12.3 Bioaccumulative potential No data available. 12.4 Mobility in soil: Absorbs in soil. Mobility in water: Floats on water. 12.5 Results of PBT and vPvB Does not contain PBT and vPvB substances, at a assessment concentration of 0.1% or more. 12.6 Endocrine disrupting properties The mixture does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-8V 0W-30

Version: 2 Latest revision: 30. 06. 2022 Date of issue: 02. 11. 2017

Page: 10/(13)

| 12 | 7 Other adverse effectsHeavy metal content:PCT, PCB and other chlorinated | None. |
|----|---|--|
| | hydrocarbons: Environmental effects: | None. Large spills may be hazardous to the environment. Spills may form a film on water surfaces causing |
| | Water hazard class (German): | impaired oxygen transfer. WGK 1 (Classification by AwSV) |

SECTION 13 Disposal considerations

13.1 Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 13 02 05* Mineral-based non-chlorinated engine, gear and lubricating oils.

Waste Identification Code: 13 02 06* Synthetic engine, gear and lubricating oils.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10* packaging containing residues of or contaminated by dangerous substances

Disposal must be in compliance with national and local regulations.

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-8V 0W-30

Version: 2 Latest revision: 30. 06. 2022 Date of issue: 02. 11. 2017

Page: 11/(13)

SECTION 14 Transport information

| | Land transport: | | | | | |
|-------|---------------------------------|--------------|---------------------------|--|--|--|
| | Road/Railway | ADR/RID: | Not classified. | | | |
| 14.1. | UN number or ID number: | | Not classified. | | | |
| 14.2. | UN proper shipping name: | | Not classified. | | | |
| 14.3. | Transport hazard class(es): | | Not classified. | | | |
| 14.4. | Packing group: | | Not classified. | | | |
| 14.5. | Environmental hazards: | | Not classified. | | | |
| 14.6. | Special precautions for user: | | Not classified. | | | |
| | Waterways: | | | | | |
| | Inland waterways/ Sea transport | ADN/IMDG: | Not apply to the product. | | | |
| | Air transport: | ICAO / IATA: | Not apply to the product. | | | |

SECTION 15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2020/878/EU) and to Regulation (EC) 1272/2008. Seveso category: not classified.
- 15.2 Chemical safety assessment. not available

SECTION 16 Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-8V 0W-30

Version: 2 Latest revision: 30. 06. 2022 Date of issue: 02. 11. 2017

Page: 12/(13)

| H3 H3 | 04 17 13 | elevant H- phrase and Hazard classes and cat. in Section 3.: May be fatal if swallowed and enters airways. May cause an allergic skin reaction. May cause long lasting harmful effects to aquatic life. |
|----------|---|--|
| H3 | 17 13 | May cause an allergic skin reaction. |
| H4 | T 1 | |
| Ski | p. Tox. 1 in Sens. 1B uatic Chronic 4 | Aspiration hazard Category 1 Respiratory/skin sensitization Category 1B Hazardous to the aquatic environment, Chronic Category 4 |
| Leg | gend: | |
| AD | N Europe Waterv | ean Agreement concerning the International Carriage of Dangerous Goods by Inland |
| AD | | an Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATI | 1 | Foxicity Estimate |
| BC | | centration Factor |
| BO | | calOxygen Demand |
| Bw | | |
| C& | | ication and Labelling |
| CA | | cal Abstracts Service |
| CLI | | ication, Labelling and Packaging (1272/2008/EC) |
| CM | | ogenic, Mutagenic or toxic to Reproduction |
| CO | | cal Oxygen Demand |
| CSA | | cal Safety Assessment |
| CSI | | cal Safety Report |
| DM DN | | d Minimal Effect Level d No Effect Level |
| ECI | | can Chemicals Agency |
| Ecx | 1 | ve Concentration x% |
| ErC | | n terms of reduction of growth rate |
| Edx | | ve Dose x% |
| EC | | an Community |
| EC | | an Community number |
| | | an List of Notified Chemical Substances |
| ES | | are Scenario |
| IAF | | tional Agency for Research on Cancer |
| IAT | | tional Air Transport Association |
| IM | DG Interna | tional Maritime Dangerous Goods |

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Page: 13/(13)

Trade name: A.Z. Meisterteile Motorenöl MT-8V 0W-30

Version: 2 Latest revision: 30. 06. 2022 Date of issue: 02. 11. 2017

| LCx LDx LOAH LOAH LOEC LOEL NOEC NOEI NLP NOAH OECI PBT PNEC PBT PNEC PBT REAC RID SVHC UVCI | ELLowest Observed Adverse Effect LevelCLowest Observed Effect ConcentrationLowest Observed Effect LevelNo observed effect concentrationLowest Observed effect levelNo-Longer PolymerELNo Observed Adverse Effect LevelOOrganisation for Economic Cooperation and DevelopmentPersistent Bioaccumulative and ToxicPredicted No-Effect Concentration parts/millionCHRegistration, Evaluation, Authorisation and Restriction of Ch Regulations concerning the International carriage of DangeroCSubstance of Very High Concern | ous Goods by Rail | ological | | |
|---|--|-------------------|----------|--|--|
| Revision Indicators: | | | | | |
| Section | Subject of change | Date | Version | | |
| 1-16 | I-16 Full revision due to composition change Revision modification according to 2020/878/EU | | 2 | | |