

DINITROL 482

Revision date: 17.03.2022

Product code: 20429

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

DINITROL 482

UFI:

SXJT-11EE-W00A-DE40

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Anti-corrosive coating

Uses advised against

No further relevant information available.

1.3. Details of the supplier of the safety data sheet

| Company name: | DINOL GmbH | |
|--------------------------|---|--------------------------------|
| Street: | Pyrmonter Strasse 76 | |
| Place: | D-32676 Luegde | |
| Telephone: | + 49 (0) 5281 982980 | Telefax: + 49 (0) 5281 9829860 |
| e-mail: | msds@dinol.com | |
| Contact person: | Labor | |
| Responsible Department: | msds@dinol.com | |
| 1.4. Emergency telephone | Giftnotruf Berlin: +49 30 30686 700 (Beratung | in Deutsch und Englisch) |

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Flam. Liq. 2; H225 STOT SE 3; H336 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics Hydrocarbons, C9, aromatics nal word: Danger

Signal word: Pictograms:

Hazard statements

| H225 | Highly flammable liquid and vapour. |
|------|--|
| H336 | May cause drowsiness or dizziness. |
| H411 | Toxic to aquatic life with long lasting effects. |

Precautionary statements

| Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No |
|---|
| smoking. |
| Take action to prevent static discharges. |
| Wear protective gloves and eye/face protection. |
| |



according to UK REACH Regulation

| DINITROL 482 | | | | | | |
|---------------------------|--|--------------|--|--|--|--|
| Revision date: 17.03.2022 | Product code: 20429 | Page 2 of 11 | | | | |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. | | | | | |
| P403+P235 | Store in a well-ventilated place. Keep cool. | | | | | |
| P405 | Store locked up. | | | | | |
| Special labelling of cert | tain mixtures | | | | | |
| EUH066 | Repeated exposure may cause skin dryness or cracking. | | | | | |
| Labelling of packages v | where the contents do not exceed 125 ml | | | | | |
| Signal word: | Danger | | | | | |
| Pictograms: | | | | | | |

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

| CAS No | Chemical name | Quantity | | |
|-------------|---------------------------------------|---------------------------------------|---------------------|-------------|
| | EC No | Index No | REACH No | |
| | Classification (GB CLP Regulation | on) | | |
| | Hydrocarbons, C7-C9, n-alkanes | , isoalkanes, cyclics | | 45 - < 50 % |
| | 920-750-0 | | 01-2119473851-33 | |
| | Flam. Liq. 2, STOT SE 3, Asp. T | H304 H411 | | |
| 128601-23-0 | Hydrocarbons, C9, aromatics | 1 - < 5 % | | |
| | 918-668-5 | | 01-2119455851-35 | |
| | Flam. Liq. 3, STOT SE 3, STOT H411 | SE 3, Asp. Tox. 1, Aquatic Chronic 2; | H226 H335 H336 H304 | |
| 108-32-7 | propylene carbonate | | 1 - < 5 % | |
| | 203-572-1 | 607-194-00-1 | | |
| | Eye Irrit. 2; H319 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity | | | | |
|-------------|--|---|-------------|--|--|--|--|
| | Specific Conc | ecific Conc. Limits, M-factors and ATE | | | | | |
| | 920-750-0 | Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics | 45 - < 50 % | | | | |
| | dermal: LD50 = >2800 mg/kg; oral: LD50 = >5000 mg/kg | | | | | | |
| 128601-23-0 | 918-668-5 | Hydrocarbons, C9, aromatics | 1 - < 5 % | | | | |
| | inhalation: LC50 = 10,2 mg/l (vapours); dermal: LD50 = >2000 mg/kg; oral: LD50 = >6800 mg/kg | | | | | | |
| 108-32-7 | 203-572-1 | propylene carbonate | 1 - < 5 % | | | | |
| | dermal: LD50 | = > 23800 mg/kg; oral: LD50 = 34600 mg/kg | | | | | |

Further Information

Hydrocarbons meet the requirements for not being classified as carcinogenic (<0,1% benzene alt<3% (w/w) DMSO extract (IP 346)).

SECTION 4: First aid measures

DINITROL 482

Revision date: 17.03.2022

Product code: 20429

Page 3 of 11

4.1. Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

After inhalation

Remove casualty to fresh air and keep warm and at rest.

After contact with skin

Change contaminated clothing.

After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Call a physician immediately. Put victim at rest, cover with a blanket and keep warm.

4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3. Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) Extinguishing powder. Water spray jet alcohol resistant foam.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

No further relevant information available.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove persons to safety. Wear personal protection equipment.

For emergency responders

For further specification, refer to section 8 of the SDS.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).



according to UK REACH Regulation

DINITROL 482

Revision date: 17.03.2022

Product code: 20429

Page 4 of 11

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Provide adequate ventilation. Clear contaminated areas thoroughly. Do not rinse down with water.

Other information

No information available.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation as well as local exhaustion at critical locations. Use only in well-ventilated areas.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

Advice on general occupational hygiene

The usual precautionary measures are to be adhered to when handling chemicals. Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place.

Hints on joint storage

Not required.

Further information on storage conditions

Keep container tightly closed in a cool, well-ventilated place.

7.3. Specific end use(s)

No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to UK REACH Regulation

DINITROL 482

Revision date: 17.03.2022

Product code: 20429

Page 5 of 11

DNEL/DMEL values

| CAS No | Substance | | | | | |
|--------------------------|-----------------------------|----------------|----------|-----------------|--|--|
| DNEL type | | Exposure route | Effect | Value | | |
| 128601-23-0 | Hydrocarbons, C9, aromatics | | | | | |
| Worker DNEL | , long-term | inhalation | systemic | 150 mg/m³ | | |
| Worker DNEL | , long-term | dermal | systemic | 25 mg/kg bw/day | | |
| Consumer DN | IEL, long-term | inhalation | systemic | 32 mg/m³ | | |
| Consumer DN | IEL, long-term | dermal | systemic | 11 mg/kg bw/day | | |
| Consumer DNEL, long-term | | oral | systemic | 11 mg/kg bw/day | | |
| , | | | | | | |

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Individual protection measures, such as personal protective equipment

Eye/face protection

Eye glasses with side protection (EN 166)

Hand protection

Recommended glove articles FKM (fluoro rubber), Breakthrough time:: 480 min. NBR (Nitrile rubber), Breakthrough time:: 480 min. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Protective gloves have to be replaced at the first sign of deterioration. Protect skin by using skin protective cream.

Skin protection

Wear anti-static footwear and clothing

Respiratory protection

Work in well-ventilated zones or use proper respiratory protection. gas filtering equipment (EN 141)., Filter material/medium: A

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state: | Liquid |
|------------------|----------------|
| Colour: | black |
| Odour: | characteristic |
| Odour threshold: | not determined |

Changes in the physical state

Melting point/freezing point:

Test method

not determined

٦



Safety Data Sheet

according to UK REACH Regulation

| Revision date: 17.03.2022 | DINITROL 482 Product code: 20429 | | Page 6 of |
|--|-------------------------------------|-------------------|-----------|
| Boiling point or initial boiling point and | 106-140 °C | | |
| boiling range: | | | |
| Softening point: | not determined | | |
| Flash point: | 0° 6 | | |
| Flammability | | | |
| Solid/liquid: | not applicable | | |
| Gas: | not applicable | | |
| Explosive properties not explosive. | | | |
| Lower explosion limits: | 0,9 vol. % | | |
| Upper explosion limits: | 7 vol. % | | |
| Auto-ignition temperature: | >200 °C | | |
| Self-ignition temperature | | | |
| Solid: Gas: | not applicable not applicable | | |
| Decomposition temperature: | not determined | | |
| pH-Value: | not determined | | |
| Viscosity / dynamic: | not determined | | |
| Viscosity / kinematic: | not determined | | |
| Flow time: (at 20 °C) | 45 s | 6 DIN EN ISO 2431 | |
| Water solubility: | Immiscible | | |
| Solubility in other solvents not determined | | | |
| Partition coefficient n-octanol/water: | not determined | | |
| Vapour pressure: (at 20 °C) | 20 hPa | | |
| Vapour pressure: (at 50 °C) | 111 hPa | | |
| Density (at 20 °C): | 1,09 g/cm³ | DIN 51757 | |
| Relative vapour density: | not determined | | |
| Particle characteristics: | not applicable | | |
| 2. Other information | | | |
| Information with regard to physical hazard classes Sustaining combustion: | No data available | | |
| Oxidizing properties not determined | | | |
| Other safety characteristics | | | |
| Solvent content: | 34,8 % | | |
| Solid content: | 66,2 % | | |
| Further Information | | | |
| No information available. | | | |

10.1. Reactivity

No further relevant information available.

DINITROL 482

Revision date: 17.03.2022

Product code: 20429

Page 7 of 11

DINOL GmbH

10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

No further relevant information available.

10.5. Incompatible materials

No further relevant information available.

10.6. Hazardous decomposition products

Carbon monoxide

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | | | | |
|-------------|-------------------------|-----------------------------|--------------|---------|--------|--------|--|--|
| | Exposure route | Dose | | Species | Source | Method | | |
| | Hydrocarbons, C7-C9, n- | alkanes, isoa | lkanes, cycl | ics | | | | |
| | oral | LD50 mg/kg | >5000 | 4 | | | | |
| | dermal | LD50 mg/kg | >2800 | 7 | | | | |
| 128601-23-0 | Hydrocarbons, C9, aroma | Hydrocarbons, C9, aromatics | | | | | | |
| | oral | LD50 mg/kg | >6800 | Rat | | | | |
| | dermal | LD50 mg/kg | >2000 | Rabbit | | | | |
| | inhalation (4 h) vapour | LC50 | 10,2 mg/l | Rat | | | | |
| 108-32-7 | propylene carbonate | | | _ | | | | |
| | oral | LD50 mg/kg | 34600 | Rat | GESTIS | | | |
| | dermal | LD50 mg/kg | > 23800 | Rabbit | GESTIS | | | |

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics)

STOT-repeated exposure

Repeated exposure may cause skin dryness or cracking.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards



DINITROL 482

Revision date: 17.03.2022

Product code: 20429

Page 8 of 11

Endocrine disrupting properties

Endocrine disrupting potential No information available.

Further information

There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

| CAS No | Chemical name | | | | | | | |
|-------------|--------------------------|-----------------------------|----------|-----------|--|--------|--------|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method | |
| 128601-23-0 | Hydrocarbons, C9, aromat | Hydrocarbons, C9, aromatics | | | | | | |
| | Acute fish toxicity | LC50 | 9,2 mg/l | | Oncorhynchus mykiss (Rainbow trout) | | | |
| | Acute algae toxicity | ErC50 | 2,9 mg/l | | Pseudokirchneriella subcapitata | | | |
| | Acute crustacea toxicity | EC50 | 3,2 mg/l | | Daphnia magna (Big water flea) | | | |

12.2. Persistence and degradability

No further relevant information available.

12.3. Bioaccumulative potential

No further relevant information available.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|----------|---------------------|---------|
| 108-32-7 | propylene carbonate | -0,41 |

12.4. Mobility in soil

No further relevant information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No further relevant information available.

Further information

There are no data available on the mixture itself.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not mix with other wastes. Do not allow to enter into surface water or drains.

List of Wastes Code - residues/unused products

080111 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish containing organic solvents or other hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging



according to UK REACH Regulation

DINITROL 482

Revision date: 17.03.2022

Product code: 20429

Page 9 of 11

080111 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish containing organic solvents or other hazardous substances; hazardous waste

Contaminated packaging

Dispose of waste according to applicable legislation.

SECTION 14: Transport information

Land transport (ADR/RID)

| <u>14.1. UN number or ID number:</u> | UN 1139 |
|--|---------------------|
| 14.2. UN proper shipping name: | COATING SOLUTION |
| 14.3. Transport hazard class(es): | 3 |
| | |
| 14.4. Packing group: | II |
| Hazard label: | 3 |
| | |
| | |
| | $\langle - \rangle$ |
| | 3 |
| Classification code: | F1 |
| | |
| Special Provisions: | 640D |
| Limited quantity: | 5 L |
| Excepted quantity: | E2 |
| Transport category: | 2 |
| Hazard No: | 33 |
| Tunnel restriction code: | D/E |
| runner restriction code. | DIE |
| Inland waterways transport (ADN) | |
| 14.1. UN number or ID number: | UN 1139 |
| 14.2. UN proper shipping name: | Coating solution |
| | 0 |
| 14.3. Transport hazard class(es): | 3 |
| 14.4. Packing group: | II |
| Hazard label: | 3 |
| | |
| | |
| | $\langle - \rangle$ |
| | 3 |
| | |
| Classification code: | F1 |
| Special Provisions: | 640D |
| Limited quantity: | 5 L |
| Excepted quantity: | E2 |
| Marine transport (IMDG) | |
| | |
| <u>14.1. UN number or ID number:</u> | UN 1139 |
| 14.2. UN proper shipping name: | COATING SOLUTION |
| 14.3. Transport hazard class(es): | 3 |
| 14.4. Packing group: | Ш |
| Hazard label: | |
| | 3 |
| | , she |
| | |
| | |
| | 3 |
| Marine pollutant: | yes |
| Special Provisions: | _ |
| Limited quantity: | 5 L |
| Excepted quantity: | E2 |
| | |
| EmS: | F-E, S-E |
| Povision No: 1.1 Poplagos version: 1.0 | GR EN |



| DINITROL 482 | | |
|---|---|---------------|
| Revision date: 17.03.2022 | Product code: 20429 | Page 10 of 11 |
| Air transport (ICAO-TI/IATA-DGR) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label: | UN 1139 COATING SOLUTION 3 II 3 | |
| Special Provisions: Limited quantity Passenger: Passenger LQ: Excepted quantity: IATA-packing instructions - Passenger: IATA-max. quantity - Passenger: IATA-packing instructions - Cargo: IATA-max. quantity - Cargo: | A3 1 L Y341 E2 353 5 L 364 60 L | |
| 14.5. Environmental hazards | | |
| ENVIRONMENTALLY HAZARDOUS: | Yes | |
| Danger releasing substance: | Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics | |
| Warning : flammable liquids <u>14.7. Maritime transport in bulk according to</u> not applicable Other applicable information Tansport classification ADR/IMGD is b For other packaging untis different class | ased on packaging >30ltr(IMDG), >450ltr(ADR). | |
| SECTION 15: Regulatory information | | |
| | lations/legislation specific for the substance or mixture | |
| EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 40 2004/42/EC (VOC): | 34,80 % | |
| Information according to 2012/18/EU (SEVESO III): Additional information: | 379,3 g/l E2 Hazardous to the Aquatic Environment P5c | |
| Additional information | | |
| Observe in addition any national regula Directive 98/24/EC of 7 April 1998 on t chemical agents at work | ations! he protection of the health and safety of workers from the risks related to | 0 |
| National regulatory information | | |
| Employment restrictions: | Observe restrictions to employment for juveniles according to the 'juve work protection guideline' (94/33/EC). Observe employment restriction under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. | าร |



| DINITROL 482 | |
|--------------|--|
|--------------|--|

Revision date: 17.03.2022

Product code: 20429

Page 11 of 11

Water hazard class (D):

2 - obviously hazardous to water

Additional information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,4,6,8,9,11,12,13,14,15.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

| Classification | Classification procedure |
|-------------------------|--------------------------|
| Flam. Liq. 2; H225 | On basis of test data |
| STOT SE 3; H336 | Calculation method |
| Aquatic Chronic 2; H411 | Calculation method |

Relevant H and EUH statements (number and full text)

| H225 | Highly flammable liquid and vapour. |
|--------|---|
| H226 | Flammable liquid and vapour. |
| H304 | May be fatal if swallowed and enters airways. |
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |
| H336 | May cause drowsiness or dizziness. |
| H411 | Toxic to aquatic life with long lasting effects. |
| EUH066 | Repeated exposure may cause skin dryness or cracking. |
| | |

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)