according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Scheibenreiniger MT-SR Winter/Blueberry

 Version: 2
 Latest revision: 29.09.2022
 Date of issue: 09.10.2017
 Page: 1/(12)

## SECTION 1 Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier: A.Z. Meisterteile Scheibenreiniger MT-SR Winter/Blueberry
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses: winter screenwash Uses advised against: application other than the above.
- 1.3 Details of the supplier of the safety data sheet:

Trader identification: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: 06 1 270 8700 Fax: 06 1 270 8799 E-mail: cs@unixauto.com Technical information: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: 06 1 270 8700 Fax: 06 1 270 8799 E-mail: cs@unixauto.com

Responsible for SDS: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: 06 1 270 8700 Fax: 06 1 270 8799 E-mail: cs@unixauto.com

1.4 Emergency telephone number

Emergency telephone (on workdays: 07-15<sup>20</sup> h (CET)): +36 1 270 8700 Health Toxicological Information Service (ETTSZ 1097 Budapest, Albert Flórián st. 2-6.) Tel.: +36 80 201 199 (0-24 h, free number, can only be called from Hungary). +36 1 476 6464 (0-24 h, can be called for a normal fee - also from abroad) National Health Toxicological Information Service:

# SECTION 2 Hazards identification

2.1Classification of the substance or mixture<br/>Hazard Class and Category:<br/>Flam. Liq. 3Hazard statement:<br/>H226Hazard statement:<br/>H226Hazard statement:<br/>H226

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



# Trade name:A.Z. Meisterteile Scheibenreiniger MT-SR Winter/BlueberryVersion: 2Latest revision: 29.09.2022Date of issue: 09.10.2017Page: 2/(12)

2.2	Label element	S		
	Product identi	fication:	Trade name:	A.Z. Meisterteile Scheibenreiniger MT-SR Winter/Blueberry
	Hazardous con	mponents:	-	
	GHS Pictogram	m:		
	Signal word:		Warning	
	Hazard statem <b>H226</b>		ole liquid and vaj	pour.
	Supplemental	hazard info	ormation: -	
	Precautionary <b>P102</b>		- General: of reach of child	dren.
	Precautionary P210 P233	Keep awas sources.		t surfaces, sparks, open flames and other ignition osed.
	Precautionary P303 + P361 -	+ <b>P353</b> IF		nir): Take off immediately all contaminated clothing. ter/shower.
	Precautionary <b>P403 + P235</b>		-	place. Keep cool.
	Precautionary <b>P501</b>		1	ainer in accordance with national regulation.
	Transport c By regulatio Contains: p	ning of dar lassificatio on No 648/ parfumes (L	nger: in case of on: see section 14 /2004/EC on dete Linalool)	

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



#### Trade name: A.Z. Meisterteile Scheibenreiniger MT-SR Winter/Blueberry

 Version: 2
 Latest revision: 29.09.2022
 Date of issue: 09.10.2017
 Page: 3/(12)

#### 2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006, at a concentration of 0.1% or more. Formation of explosive air/steam mixtures is possible.

#### SECTION 3 Composition/information on ingredients

#### 3.2 Mixtures

Chemical description: Mixture of water, alcohols, monoethylene glycol, tenside, flavour, colorific and other additives.

Component(s) / Hazardous component(s):

Name	EC	CAS	Hazard classes	Hazard	Conc.
Name	number	number	and cat.	statements	%(m/m)
Ethanol*	200-578-6	64-17-5	Flam.Liq.2	H225	max.33
REACH Registr. Nr.:			Eye Irrit. 2	H319	
01-2119457610-43			-		
Propan-2-ol*	200-661-7	67-63-0	Flam.Liq.2	H225	max. 3.0
REACH Registr. Nr.:			Eye Irrit. 2	H319	
01-2119457558-25			STOT SE 3	H336	
Ethanediol	203-473-3	107-21-1	Acute Tox.4	H302	max.1.5
REACH Registr. Nr.:			STOT RE 2	H373	
01-2119456816-28					

\* Specific concentration limit: Eye Irrit. 2, C >= 50%

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

#### **SECTION 4** First aid measures

4.1 Description of first aid measures

General	Never give anything by mouth to an unconscious person, or never induce
information:	vomiting. Place patient in recovery position.
	Unconscious patient, place in recovery position.
Inhalation:	Remove exposed person to fresh air and keep warm. If breathing is difficult, apply artificial respiration or administer oxygen. Get medical attention.
Skin contact:	Wash with soap and water. Remove contaminated clothing.
Eye contact:	Flush immediately with plenty of running water for at least 15 minutes,
	holding the eyelids open. Get medical attention.
Ingestion:	Give plenty of water! Get immediately medical attention.
Protection of first	st-aid person: No individual specifications.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



## Trade name: A.Z. Meisterteile Scheibenreiniger MT-SR Winter/Blueberry

Version: 2 Latest revision: 29. 09. 2022 Date of issue: 09. 10. 2017 Page: 4/(12)

- 4.2 Most important symptoms and effects, both acute and delayed Ingestion: headache, confusion, dizziness, loss of consciousness. Inhalation: cough, headache, fatigue, somnolence. After skin contact: dehydration of the skin. In case of eye contact: redness, pain.
- 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

## **SECTION 5** Fire-fighting measures

Fire hazards: Flammable liquid and vapour.

 5.1 Extinguishing media Suitable extinguishing media: Alcohol resistant foam, dry chemical, water spray, CO<sub>2</sub>.

Unsuitable extinguishing media: No data.

5.2 Special hazards arising from the substance or mixture Hazardous combustion products: On burning carbon-monoxide can be formed.

# 5.3 Advice for fire-fighters

Special protective equipment: Accordance with current regulations. Recommend wearing self-contained breathing apparatus.

Further information:

Cool containers exposed to fire with water spray from save distance. Formation of explosive air/steam mixtures is possible.

## SECTION 6 Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures Personal precautions: see Section 8.
 Sufficient ventilation should be provided.
 All kind of ignition sources should be removed. Do not smoke.
 Avoid contact with skin, eyes. Avoid breathing of vapours.

## 6.2 Environmental precautions: Prevent spills from entering into natural water, soil and drains by containing the liquid. Notify relevant authority.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name:A.Z. Meisterteile Scheibenreiniger MT-SR Winter/BlueberryVersion: 2Latest revision: 29.09.2022Date of issue: 09.10.2017Page: 5/(12)

## 6.3 Methods and material for containment and cleaning up

On soil: Exclude source of ignition. Adequate ventilation required in enclosed areas. Recover free liquid by pumping. Contain spilled liquid with sand, earth or other suitable absorbents. Dispose of according to local regulations. Clean up with large amount of water the contaminated area.

- On water: Notify local authorities according to regulations.
- 6.4 Reference to other sections Personal precautions: see section 8. Waste treatment methods: see section 13.

# SECTION 7 Handling and storage

- 7.1 Precautions for safe handling
  - Keep general measures applied for normal operations with chemicals and flammable liquids. Adequate ventilation required.
    - Keep material away from and open flame. No smoking.
    - Take precautionary measures against static discharges.
    - Avoid contact with skin and eyes. Avoid breathing of vapours.
    - Ensure washing facilities after working hours and before breaks. Take off contaminated clothing, wash with warm water and soap.
  - When using do not eat or drink and do not smoke.
  - Handling temperature: no data
- 7.2 Conditions for safe storage, including any incompatibilities
   Store in cool, well-ventilated area, in original, tightly closed containers.
   Keep out of the reach of children. Keep away from food, drink.
   Storage temperature: max. 35°C.
- 7.3 Specific end use(s) Winter screenwash.

# SECTION 8 Exposure controls / personal protection

8.1 Control parameters:

## Propan-2-ol (CAS: 67-63-0)

Long-term exposure limit (8-hour TWA reference period): 400 ppm/999 mg/m<sup>3</sup> Short-term exposure limit (15-minute reference period): 500 ppm/1250 mg/m<sup>3</sup>

## *Ethane-1,2-diol* (*CAS:* 107-21-1)

Long-term exposure limit (8-hour TWA reference period): 20 ppm / 52 mg/m<sup>3</sup> Short-term exposure limit (15-minute reference period): 40 ppm / 104 mg/m<sup>3</sup>

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Scheibenreiniger MT-SR Winter/Blueberry

Version: 2 Latest revision: 29. 09. 2022 Date of issue: 09. 10. 2017 Page: 6/(12)

#### *Ethanol (CAS: 64-17-5)* Long-term exposure limit (8-hour TWA

Long-term exposure limit (8-hour TWA reference period):  $1000\,ppm\,/\,1920\,mg/m^3$ 

8.2 Exposure controls

Engineering control measures:

Adequate ventilation.

#### Personal protection:

(a)	Eye/face protection	Where splashing is possible, wear safety glasses (EN 166).
(b)	Skin protection	
	(i) Hand protection	Protective gloves, chemical resistant (EN 374).
		Note: Manufacturer's directions for use and the conditions of
		application should be observed.
	(ii) Other	Protective clothing.
(c)	Respiratory protection	Under normal conditions not required. In case of exceeded exposure-limits respiratory protection with particle-filter is
		recommended.
(d)	Thermal hazards	No data.

## Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

# SECTION 9 Physical and chemical properties

	110	i hysical and chemical properties	
9.1	Inf	ormation on basic physical and chemical properties	
	a)	Physical state:	liquid
	b)	Colour:	blue
	c)	Odour:	fragrance of blueberry
	d)	Melting point/freezing point (Dropping point) (ISO	
		3016):	not available
	e)	Boiling point or initial boiling point and boiling range	
		(DIN 51356):	not available
	f)	Flammability:	Flammable liquid and vapour.
	g)	Lower and upper explosion limit:	However, formation of explosive
			air/steam mixtures is possible.
			3.5 tf% / 15.0 tf%
	h)	Flash point (COC) (EN ISO 2592):	29°C
	i)	Auto-ignition temperature:	not self-igniting
	j)	Decomposition temperature:	not available
	k)	pH:	not available
	1)	Kinematic viscosity (EN ISO 3104)	
		at 40°C:	not available
		at 100°C	not available

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Scheibenreiniger MT-SR Winter/Blueberry

 Version: 2
 Latest revision: 29. 09. 2022
 Date of issue: 09. 10. 2017
 Page: 7/(12)

	n)	Solubility Solubility in water: Solubility in other solvents: Partition coefficient n-octanol/w Vapour pressure at 20°C: Density and/or relative density a Relative vapour density: Particle characteristics:		soluble in all proportion not available not available not available typ. 0.953 g/cm <sup>3</sup> not available not available	
9.2	Oth	er information Crystallization point (ASTM D 1	177):	-23°C	
10.1 10.2 10.3 10.4 10.5	Rea Che Pos Con Inc	<b>N 10</b> Stability and reactivity activity: emical stability: ssibility of hazardous reactions: nditions to avoid: ompatible materials: zardous decomposition products:	Not known. Direct heat or ignition se Strong oxidizing agents No dangerous decompo	ored and handled properly.	
SEC	тю	N 11 Toxicological informat	ion		
11.1	Inf	ormation on hazard classes as defi	ned in Regulation (EC) N	lo 1272/2008	
	Acute toxicity: Based on available data, the classification criteria are not met				

Components: <i>Ethanol (CAS: 64-17-5)</i> Oral (OECD 401): Inhalation (OECD 403):	$LD_{50}$ (rat) $LC_{50}$ (rat)	7060 mg/kg 20000 ppm/10 h	
Propan-2-ol (CAS: 67-63-0) Oral: Dermal:	LD <sub>50</sub> (rat) LD <sub>50</sub> (rat)	>2000 mg/kg >2000 mg/kg	
<i>Ethanediol (CAS: 107-21-1)</i> Oral: Dermal: Inhalation:	$LD_{50}$ (cat) $LD_{50}$ (mouse) $LC_{50}$ (rat)	1600 mg/kg >3500 mg/kg >2.5 mg/L/6 h	

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Scheibenreiniger MT-SR Winter/Blueberry

 Version: 2
 Latest revision: 29. 09. 2022
 Date of issue: 09. 10. 2017
 Page: 8/(12)

Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity: STOT-single exposure: STOT-repeated exposure:	Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.
SECTION 12 Ecological informat	ion
12.1 Toxicity	No data available for the preparation.
Components: Ethanol (CAS: 64-17-5) Fish toxicity: Daphnia toxicity: Algae toxicity: Propan-2-ol (CAS: 67-63-0) Fish toxicity: Daphnia toxicity: Algae toxicity:	$\begin{array}{llllllllllllllllllllllllllllllllllll$
<i>Ethanediol (CAS: 107-21-1)</i> Fishes (Pimephales promelas): Crustacea (Daphnia magna):	$ \begin{array}{cccc} LC_{50} & 72860 & mg/L/96 \ h \\ EC_{50} & >100 & mg/kg/48 \ h \end{array} $
<ul><li>12.2 Persistence and degradability Biodegradability:</li><li><i>Propan-2-ol (CAS: 67-63-0)</i></li></ul>	Biodegradability of surfactants comply with the criteria of regulation 648/2004/EG. >70% 10 days
12.3 Bioaccumulative potential <i>Ethanol (CAS: 64-17-5)</i> <i>Propan-2-ol (CAS: 67-63-0)</i>	No data available. log Kow= -0.35; BCF: 3.2 log Pow= 0.074
12.4 Mobility in soil: Mobility in water:	No data. Soluble in water, evaporates from the water surface

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Scheibenreiniger MT-SR Winter/Blueberry

 Version: 2
 Latest revision: 29.09.2022
 Date of issue: 09.10.2017
 Page: 9/(12)

12.5 Results of PBT and vPvB assessment	Does not contain PBT and vPvB substances, at a concentration of $0.1\%$ or more.
12.6 Endocrine disrupting properties	The mixture does not contain any substance with endocrine disrupting properties.
12.7 Other adverse effects	
Biological oxygen demand:	No data.
Chemical oxygen demand:	No data.
Environmental effects:	May be harmful to aquatic organisms.
Water hazard class (German):	WGK 1 (Classification by AwSV)

#### SECTION 13 Disposal considerations

13.1 Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste. Waste Identification Code: 07 01 04\* Other organic solvents, washing liquids and mother liquors.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: no data

Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10\*

Packaging containing residues of or contaminated by dangerous substances.

Recommended waste treatment method: Empty containers can be reused after cleaning with water.

Disposal must be in compliance with national and local regulations.

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name:A.Z. Meisterteile Scheibenreiniger MT-SR Winter/BlueberryVersion: 2Latest revision: 29.09.2022Date of issue: 09.10.2017Page: 10/(12)

## SECTION 14 Transport information

Land transport:

UN number or ID number:		1170
UN proper shipping name:		ETHANOL SOLUTION
Transport hazard class(es):		3
Classification code:		F1
Packing group:		III
Labels:		3
Environmental hazards:		not dangerous
Special precautions for user:		
Hazard identification Number:		30
Vaterways:		
Inland waterways/ Sea transport	ADN/IMDG:	Not apply to the product.
Air transport:	ICAO / IATA:	Not apply to the product.
	UN proper shipping name: Transport hazard class(es): Classification code: Packing group: Labels: Environmental hazards: Special precautions for user: Hazard identification Number: Vaterways:	UN proper shipping name: Transport hazard class(es): Classification code: Packing group: Labels: Environmental hazards: Special precautions for user: Hazard identification Number: Vaterways: Inland waterways/ Sea transport ADN/IMDG:

## SECTION 15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2020/878/EU) and to Regulation (EC) 1272/2008. Seveso category: P5.c.
- 15.2 Chemical safety assessment. not available

## SECTION 16 Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name:A.Z. Meisterteile Scheibenreiniger MT-SR Winter/BlueberryVersion: 2Latest revision: 29.09.2022Date of issue: 09.10.2017Page: 11/(12)

(CLP) Elam Lig 2	H226 tost data				
Flam. Liq. 3	H226 test data				
The full text of	each relevant Hazard classes and cat., H-phrase in Section 3.:				
H225	Highly flammable liquid and vapour.				
H302	Harmful if swallowed.				
H319	Causes serious eye irritation.				
H336	May cause drowsiness or dizziness.				
H373	May cause damage to organs through prolonged or repeated exposure thro				
	prolonged or repeated exposure.				
Flam. Liq. 2	Flammable liquid Category 2				
Acute Tox. 4	Acute toxicity Category 4				
Eye Irrit. 2	Serious eye damage/eye irritation Category 2.				
STOT SE 3	Specific target organ toxicity — single exposure Category 3				
STOT RE 2	Specific target organ toxicity – repeated exposure Category 2				
STOT RE 2					
STOT RE 2 Legend: ADN ADR	Specific target organ toxicity – repeated exposure Category 2 European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways European Agreement concerning the International Carriage of Dangerous Goods by Road				
STOT RE 2 Legend: ADN ADR ATE	Specific target organ toxicity – repeated exposure Category 2 European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways European Agreement concerning the International Carriage of Dangerous Goods by Road Acute Toxicity Estimate				
STOT RE 2 Legend: ADN ADR ATE BCF	Specific target organ toxicity – repeated exposure Category 2 European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways European Agreement concerning the International Carriage of Dangerous Goods by Road Acute Toxicity Estimate Bioconcentration Factor				
STOT RE 2 Legend: ADN ADR ATE BCF BOD	Specific target organ toxicity – repeated exposure Category 2 European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways European Agreement concerning the International Carriage of Dangerous Goods by Road Acute Toxicity Estimate Bioconcentration Factor Biological Oxygen Demand				
STOT RE 2 Legend: ADN ADR ATE BCF BOD Bw	Specific target organ toxicity – repeated exposure Category 2 European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways European Agreement concerning the International Carriage of Dangerous Goods by Road Acute Toxicity Estimate Bioconcentration Factor BiologicalOxygen Demand Body Weight				
STOT RE 2 Legend: ADN ADR ATE BCF BOD Bw C&L	Specific target organ toxicity – repeated exposure Category 2 European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways European Agreement concerning the International Carriage of Dangerous Goods by Road Acute Toxicity Estimate Bioconcentration Factor Biological Oxygen Demand Body Weight Classification and Labelling				
STOT RE 2 Legend: ADN ADR ATE BCF BOD Bw C&L CAS	Specific target organ toxicity – repeated exposure Category 2 European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways European Agreement concerning the International Carriage of Dangerous Goods by Road Acute Toxicity Estimate Bioconcentration Factor Biological Oxygen Demand Body Weight Classification and Labelling Chemical Abstracts Service				
STOT RE 2 Legend: ADN ADR ATE BCF BOD Bw C&L CAS CLP	Specific target organ toxicity – repeated exposure Category 2 European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways European Agreement concerning the International Carriage of Dangerous Goods by Road Acute Toxicity Estimate Bioconcentration Factor Biological Oxygen Demand Body Weight Classification and Labelling Chemical Abstracts Service Classification, Labelling and Packaging				
STOT RE 2 Legend: ADN ADR ATE BCF BOD Bw C&L CAS CLP CMR COD	Specific target organ toxicity – repeated exposure Category 2 European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways European Agreement concerning the International Carriage of Dangerous Goods by Road Acute Toxicity Estimate Bioconcentration Factor Biological Oxygen Demand Body Weight Classification and Labelling Chemical Abstracts Service Classification, Labelling and Packaging Carcinogenic, Mutagenic or toxic to Reproduction Chemical Oxygen Demand				
STOT RE 2 Legend: ADN ADR ATE BCF BOD Bw C&L CAS CLP CMR COD CSA	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways European Agreement concerning the International Carriage of Dangerous Goods by Road Acute Toxicity Estimate Bioconcentration Factor Biological Oxygen Demand Body Weight Classification and Labelling Chemical Abstracts Service Classification, Labelling and Packaging Carcinogenic, Mutagenic or toxic to Reproduction Chemical Oxygen Demand Chemical Safety Assessment				
STOT RE 2 Legend: ADN ADR ATE BCF BOD Bw C&L CAS CLP CMR COD CSA CSR	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways European Agreement concerning the International Carriage of Dangerous Goods by Road Acute Toxicity Estimate Bioconcentration Factor Biological Oxygen Demand Body Weight Classification and Labelling Chemical Abstracts Service Classification, Labelling and Packaging Carcinogenic, Mutagenic or toxic to Reproduction Chemical Oxygen Demand Chemical Safety Assessment Chemical Safety Report				
STOT RE 2 Legend: ADN ADR ATE BCF BOD Bw C&L CAS CLP CMR COD CSA CSR DMEL	Specific target organ toxicity – repeated exposure Category 2 European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways European Agreement concerning the International Carriage of Dangerous Goods by Road Acute Toxicity Estimate Bioconcentration Factor Biological Oxygen Demand Body Weight Classification and Labelling Chemical Abstracts Service Classification, Labelling and Packaging Carcinogenic, Mutagenic or toxic to Reproduction Chemical Safety Assessment Chemical Safety Report Derived Minimal Effect Level				
STOT RE 2 Legend: ADN ADR ATE BCF BOD Bw C&L CAS CLP CMR COD CSA CSR	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways European Agreement concerning the International Carriage of Dangerous Goods by Road Acute Toxicity Estimate Bioconcentration Factor Biological Oxygen Demand Body Weight Classification and Labelling Chemical Abstracts Service Classification, Labelling and Packaging Carcinogenic, Mutagenic or toxic to Reproduction Chemical Oxygen Demand Chemical Safety Assessment Chemical Safety Report				

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Scheibenreiniger MT-SR Winter/Blueberry

Version: 2 Latest revision: 29.09.2022 Date of issue: 09.10.2017 Page: 12/(12)

Edx	Effective Dose x%					
ELINC						
ErC50	EC50 in terms of reduction of growth rate;					
ES IARC	Exposure Scenario					
IARC	International Agency for Research on Cancer					
IATA	International Air Transport Association International Maritime Dangerous Goods					
LCx		LethalConcentrationx%				
LDx	Lethal Dose x%					
LOAE						
LOAEI						
LOEC	Lowest Observed Effect Concentration					
LOEL	Lowest Observed Effect Level					
NOEC	No observed effect concentration					
NOEL	No observed effect level	No observed effect level No-Longer Polymer No Observed Adverse Effect Level Organisation for Economic Cooperation and Development Persistent Bioaccumulative and Toxic Predicted No-Effect Concentration Registration, Evaluation, Authorisation and Restriction of Chemicals				
NLP						
NOAE						
OECD						
PBT	Persistent Bioaccumulative and Toxic					
PNEC	Predicted No-Effect Concentration					
REAC						
RID		Regulations concerning the International Carriage of Dangerous Goods by Rail				
SVHC		Substance of Very High Concern substance of unknown or variable composition, complex reaction products or biological materials				
UVCB						
VOC	Volatile organic compounds					
vPvB	Very Persistent and very Bio-accumulative					
Revision In	licators:					
Section	Subject of change	Date	Version			
1-16	Revision modification according to 2020/878/EU Full revision due to composition change	29.09.2022	2			