according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Schmierfett EP2

Version: 2 Latest revision: 30. 09. 2022 Date of issue: 13. 11. 2017 Page: 1/(13)

### SECTION 1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier:

#### A.Z. Meisterteile Schmierfett EP2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: grease with lithium thickener Uses advised against: application other than the above.

1.3 Details of the supplier of the safety data sheet:

Trader identification: Technical information:

UNIX Autó és Alkatrészkereskedelmi Kft.
H-1139 Budapest, Frangepán u. 55-57.
UNIX Autó és Alkatrészkereskedelmi Kft.
H-1139 Budapest, Frangepán u. 55-57.

Tel.: +36 1 270 8700

Fax: +36 1 270 8799

E-mail: cs@unixauto.com

Tel.: +36 1 270 8700

Fax: +36 1 270 8799

E-mail: cs@unixauto.com

Responsible for SDS:

UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57.

Tel.: +36 1 270 8700 Fax: +36 1 270 8799 E-mail: cs@unixauto.com

1.4 Emergency telephone number

Emergency telephone (on workdays: 07-15<sup>20</sup> h (CET)): +36 1 270 8700

Health Toxicological Information Service (ETTSZ 1097 Budapest, Albert Flórián st. 2-6.)

Tel.: +36 80 201 199 (0-24 h, free number, can only be called from Hungary). +36 1 476 6464 (0-24 h, can be called for a normal fee - also from abroad)

National Health Toxicological Information Service:

#### SECTION 2 Hazards identification

2.1 Classification of the substance or mixture

Hazard Class and Category: Hazard statement:

Not classified.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Schmierfett EP2

Version: 2 Latest revision: 30. 09. 2022 Date of issue: 13. 11. 2017 Page: 2/(13)

### 2.2 Label elements

Product identification: Trade name: A.Z. Meisterteile Schmierfett EP2

Hazardous component(s): -

Pictogram: not required Signal word: not required

Hazard statement:

not required

Supplemental hazard information: -

Precautionary statements – General: -

Precautionary statements – Prevention:

**P273** Avoid release to the environment.

Precautionary statements – Response: -

Precautionary statements – Storage: -

Precautionary statements – Disposal:

**P501** Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger: Not required.

Transport classification: see section 14.

#### 2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006, at a concentration of 0.1% or more.

The mixture does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.

### **SECTION 3** Composition/information on ingredients

#### 3.2 Mixtures

Chemical description: Mineral oil based consistent lubricant containing lithium soap and

additives.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Schmierfett EP2

Version: 2 Latest revision: 30. 09. 2022 Date of issue: 13. 11. 2017 Page: 3/(13)

### Component(s) / Hazardous component(s):

Name	EC	CAS	Hazard classes and	Hazard	Conc.
Turre	number	number	cat.	statements	%(m/m)
Distillates (petroleum),	265-169-7	64742-65-0	-	-	max.90
solvent-dewaxed heavy			(Note L)		
paraffinic*					
REACH Registr. Nr.:					
01-2119471299-27					
Residual oils (petroleum),	265-166-0	64742-62-7	-	-	max.40
solvent-dewaxed			(Note L)		
REACH Registr. Nr.:					
01-2119480472-38					
Distillates (petroleum),	265-155-0	64742-52-5	-	-	max.30
hydrotreated heavy			(Note L)		
naphthenic					
REACH Registration Nr.:					
01-2119467170-45					
Zinc alkyl	272-028-3	68649-42-3	Skin Irrit. 2	H315	max. 1.2
dithiophosphate**			Eye Dam. 1	H318	
REACH Registr. Nr.:			Aquatic Chronic 2	H411	
01-2120742271-64					

<sup>\*:</sup> with exposure limit

Eye Dam. 1; : C > 10 %; Eye Irrit. 2; :  $5 \% \le C \le 10 \%$ .

#### Note L:

The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

The full text of each relevant H-phrase and Hazard classes and cat. see in Section 16.

#### **SECTION 4** First aid measures

4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never

induce vomiting.

Inhalation: Remove the affected person to fresh air. Seek medical attention.

<sup>\*\*</sup>Specific concentration limit: Skin Irrit. 2; :  $C \ge 5$  %;

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Schmierfett EP2

Version: 2 Latest revision: 30. 09. 2022 Date of issue: 13. 11. 2017 Page: 4/(13)

Skin contact: Remove contaminated clothing. Wash with plenty amount of water, using soap.

In case of persistent irritation, get medical advice.

Eye contact: Flush eyes with large amounts of water for at least 15 minutes. Get medical

attention.

Ingestion: If swallowed, give drink salted lukewarm water. Induce vomiting. Get medical

attention.

Protection of first-aid person: No individual specifications.

4.2 Most important symptoms and effects, both acute and delayed

Prolonged and/or repeated contact may cause irritation on skin or in eyes depending on individual sensitivity.

4.3 Indication of any immediate medical attention and special treatment needed Not required.

### **SECTION 5** Fire-fighting measures

Fire hazards:

Combustible.

5.1 Extinguishing media

Suitable extinguishing media:

Sand, carbon dioxide, dry chemical powder.

Unsuitable extinguishing media:

Full water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products:

On burning, carbon monoxide, carbon dioxide, sulphur oxides, phosphor oxides, various hydrocarbons and soot can be formed.

5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations.

Further information:

Collect contaminated fire-fighting water separately. It must not enter the sewage system.

Contaminated extinguishing water must be disposed of in accordance with official regulations.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Schmierfett EP2

Version: 2 Latest revision: 30. 09. 2022 Date of issue: 13. 11. 2017 Page: 5/(13)

#### **SECTION 6** Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: see Section 8.

Danger of slipping on leaked out/spilled product.

6.2 Environmental precautions:

Confine spills to prevent material from entering sewers, watercourses, drains and into soil Notify relevant authority.

6.3 Methods and material for containment and cleaning up

On soil: Take up spilled product with shovel or scoop. Residuals should be cleaned

up with cloths and/or sawdust. Dispose of the collected material as hazardous

waste, according to local regulations.

On water: Confine the spillage. Remove from surface by skimming. Notify local

authorities according to regulations.

6.4 Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

### **SECTION 7** Handling and storage

7.1 Precautions for safe handling

General measures for handling lubricant greases should be observed.

Avoid splashing the product.

Avoid contact with skin and eyes.

Ensure washing facilities after working hours and before breaks.

Take off contaminated or oil-soaked clothing immediately, wash with warm water and soap.

After splashing floor may be slippery, use care to avoid falling, contain spills immediately.

When using do not eat, drink or smoke.

Handling temperature: not available.

7.2 Conditions for safe storage, including any incompatibilities

Store in dry, well ventilated place in original, tightly closed containers.

Keep away from direct heat, ignition sources and strong oxidizing agents.

Recommended storage temperature: max. 45°C.

7.3 Specific end use(s)

Grease with lithium thickener.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Schmierfett EP2

Version: 2 Latest revision: 30. 09. 2022 Date of issue: 13. 11. 2017 Page: 6/(13)

### **SECTION 8** Exposure controls / personal protection

8.1 Control parameters: -

Mineral oil mist: TWA: 5 mg/m<sup>3</sup>; STEL: 10 mg/m<sup>3</sup>, for oil mist, vapour excluded

(ACGIH).

Method of testing, recommended: NIOSH 5026

8.2 Exposure controls

Engineering control measures:

Not required.

Personal protection:

(a) Eye/face protection Tightly fitting safety goggles (EN 166).

(b) Skin protection

(i) Hand protection Oil resistant gloves (EN 374, Breakthrough time > 480 min,

PK power level: 6; PR flow rate: 0).

Note: Manufacturer's directions for use and the conditions of

application should be observed. Protective clothing (oil resistant).

(ii) Other Protective clothing (oil resistant).(c) Respiratory protection Breathing apparatus not required.

(d) Thermal hazards No data.

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

### **SECTION 9** Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Physical state: consistent

b) Colour: brown, homogenous

c) Odour: characteristic

d) Melting point/freezing point (Pour point) (ISO

3016): not available

e) Boiling point or initial boiling point and boiling

range (DIN 51356): not available

f) Flammability: combustible

g) Lower and upper explosion limit: not explosive

h) Flash point (COC) (EN ISO 2592): > 200°C (base oil)

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Schmierfett EP2

Version: 2 Latest revision: 30. 09. 2022 Date of issue: 13. 11. 2017 Page: 7/(13)

i) Auto-ignition temperature: not available
 j) Decomposition temperature: not available
 k) pH: not applicable

1) Kinematic viscosity at (DIN EN ISO 3104):

40°C: not available 100°C not available

m) Solubility

Solubility in water: practically insoluble in water

Solubility in other solvents:

n) Partition coefficient n-octanol/water (log value):
not available
not available
not available
not available
negligible
p) Density and/or relative density at 15°C:
0.895 g/cm³

q) Relative vapour density: not available r) Particle characteristics: not available

9.2 Other information

Oxidizing properties: not oxidize Dropping point (ISO 2176): typ. 195°C

Penetration after working – 60 c, at 25°C

(0,1 mm) (ISO 2137): typ. 280

### **SECTION 10** Stability and reactivity

10.1 Reactivity: Dangerous reactivity not known.

10.2 Chemical stability: No decomposition if stored and handled properly.

10.3 Possibility of hazardous reactions: Not known.

10.4 Conditions to avoid: Direct heat or ignition sources.10.5 Incompatible materials: Strong oxidizing agents.

10.6 Hazardous decomposition products: No dangerous decomposition products are formed under

normal conditions. Hazardous combustion products: See

Section 5.

### SECTION 11 Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity: Based on available data, the classification criteria are not met

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Schmierfett EP2

Version: 2 Latest revision: 30. 09. 2022 Date of issue: 13. 11. 2017 Page: 8/(13)

Oral:  $LD_{50}$  (rat) > 2000 mg/kg (based on components) Dermal:  $LD_{50}$  (rabbit) > 2000 mg/kg (based on components)

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS: 64742-65-0)

Oral:  $LD_{50}$  (rat) >5000 mg/kg (literature data) Dermal:  $LD_{50}$  (rabbit) >2000 mg/kg (literature data) Inhalation:  $LC_{50}$  (rat) >5.53 mg/L/4 h (literature data)

Residual oils (petroleum), solvent-dewaxed (CAS: 64742-62-7)

Distillates (petroleum), hydrotreated heavy naphthenic (CAS: 64742-52-5):

Oral:  $LD_{50}$  (rat) > 5000 mg/kg (API 1986a) Dermal:  $LD_{50}$  (rabbit) > 5000 mg/kg (API 1982) Inhalation:  $LC_{50}$  (rat) > 5.53 mg/L (4 h) (EMBSI 1988a)

Zinc alkyl dithiophosphate (CAS: 68649-42-3):

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Serious eye damage/irritation: Respiratory or skin sensitisation: Based on available data, the classification criteria are not met. Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met. STOT-single exposure: Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. STOT-repeated exposure: Aspiration hazard: Based on available data, the classification criteria are not met.

### 11.2 Information on other hazards

The mixture does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.

#### **SECTION 12** Ecological information

12.1 Toxicity No data for the product.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Schmierfett EP2

Version: 2 Latest revision: 30. 09. 2022 Date of issue: 13. 11. 2017 Page: 9/(13)

Components:
Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS: 64742-65-0)

Fishes:  $LC_{50}$ > 100 mg/L(literature data) Daphnia:  $EC_{50}$ > 100 mg/L(literature data) Other aquatic organisms:  $EC_{50}$ > 100 mg/L(literature data) > 100 mg/L(literature data) Algae:  $ErC_{50}$ Other living beings: TLM > 1 mg/L(literature data)

# Residual oils (petroleum), solvent-dewaxed (CAS: 64742-62-7)

Fishes (Pimephales promelas): > 100 mg/L96 h (OECD 203)  $LL_{50}$ Fishes: NOEL  $\geq 100 \text{ mg/L}$ > 10000 mg/LDaphnia (Daphnia magna): (8 h (OECD 202)  $EL_{50}$ Daphnia:  $\geq 1000 \text{ mg/L}$ NOEL Daphnia: 21 days (OECD 211) NOEL 10 mg/L96 h (OECD 202) Gammarus pulex: > 10000 mg/L $LL_{50}$ Aquatic invertebrates: > 10000 mg/LNOEL Algae (Pseudokirchneriella subcapitata): **NOEL**  $\geq 100 \text{ mg/L}$ 72 h (OECD 201) Activated sludge

(Photobacterium phosphoreum): NOEL

NOEL 1.93 mg/L 96 h

# Distillates (petroleum), hydrotreated heavy naphthenic (CAS: 64742-52-5):

Fishes: > 100 mg/L96 h  $LL_{50}$ Algae: NOEL > 100 mg/L72 h Aquatic invertebrates:  $> 10\,000$  mg/L 96 h  $EL_{50}$ Aquatic invertebrates: **NOEL** 10 mg/L 21 days

### 12.2 Persistence and degradability

Biodegradability: Hydrocarbons are inherently degradable.

### 12.3 Bioaccumulative potential No data for the product.

Distillates (petroleum), hydrotreated

heavy naphthenic (CAS: 64742-52-5): Log Pow: 2 – 6; BCF: <500 (low)

### 12.4 Mobility in soil: Soil is not mobile.

Distillates (petroleum), hydrotreated

heavy naphthenic (CAS: 64742-52-5): Log Kow: > 3.0

Mobility in water: Floats on water. Does not form continuous layer.

### 12.5 Results of PBT and vPvB assessment Does not contain PBT and vPvB substances, at a

concentration of 0.1% or more.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Schmierfett EP2

Version: 2 Latest revision: 30. 09. 2022 Date of issue: 13. 11. 2017 Page: 10/(13)

12.6 Endocrine disrupting properties The mixture does not contain any substance with

endocrine disrupting properties, at a concentration of

0.1% or more.

12.7 Other adverse effects

Heavy metal content: None.

PCT, PCB and other chlorinated

hydrocarbons: None.

Environmental effects: Harmful to aquatic life with long lasting effects.

Water hazard class (German): WGK 1 (Classification by AwSV)

### **SECTION 13** Disposal considerations

#### 13.1 Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 12 01 12\*

Spent waxes and fats.

Disposal must be in compliance with national and local regulations.

### Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10\*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

### **SECTION 14** Transport information

Land transport:

Road/Railway ADR/RID: Not classified.

14.1. UN number or ID number: Not classified.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Schmierfett EP2

Version: 2 Latest revision: 30. 09. 2022 Date of issue: 13. 11. 2017 Page: 11/(13)

14.2. UN proper shipping name: Not classified.14.3. Transport hazard class(es): Not classified.

14.4. Packing group: Not classified.14.5. Environmental hazards: Not classified.

14.6. Special precautions for user: Not classified.

Waterways:

Inland waterways/ Sea transport ADN/IMDG: Not apply to the product.

Air transport: ICAO / IATA: Not apply to the product.

### **SECTION 15** Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture. This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2020/878/EU) and to Regulation (EC) 1272/2008.

Seveso category: not classified.

15.2 Chemical safety assessment.

not available

#### **SECTION 16** Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 (CLP)

Not classified.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Schmierfett EP2

Version: 2 Latest revision: 30. 09. 2022 Date of issue: 13. 11. 2017 Page: 12/(13)

The full text of each relevant Hazard classes and cat. and H-phrase in Section 3.:

H315 Causes skin irritation.
H318 Causes serious eve damage.

H411 Toxic to aquatic life with long lasting effects.

Skin Irrit. 2 Skin corrosion/irritation Category 2

Eye Dam. 1 Serious eye damage/eye irritation Category

Aquatic Chronic 2 Hazardous to the aquatic environment, Chronic Category 2

Legend:

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE Acute Toxicity Estimate
BCF Bioconcentration Factor
BOD Biological Oxygen Demand

Bw Body Weight

C&L Classification and Labelling CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (1272/2008/EC)
CMR Carcinogenic, Mutagenic or toxic to Reproduction

COD Chemical Oxygen Demand
CSA Chemical Safety Assessment
CSR Chemical Safety Report
DMEL Derived Minimal Effect Level
DNEL Derived No Effect Level
ECHA European Chemicals Agency
Ecx Effective Concentration x%

ErC50 EC50 in terms of reduction of growth rate

Edx Effective Dose x% European Community

EC number European Community number

ELINCS European List of Notified Chemical Substances

ES Exposure Scenario

IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

LCx Lethal Concentration x%

LDx Lethal Dose x%

LOAEC Lowest Observed Adverse Effect Concentration

LOAEL Lowest Observed Adverse Effect Level LOEC Lowest Observed Effect Concentration

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Schmierfett EP2

Version: 2 Latest revision: 30. 09. 2022 Date of issue: 13. 11. 2017 Page: 13/(13)

LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts/million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern
UVCB	substance of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative

## **Revision Indicators:**

Section	Subject of change	Date	Version
1-16	Full revision due to composition change Revision modification according to 2020/878/EU	30. 09. 2022	2