

Version: 2.0	Revision Date: 19	0.06.2020	Print Date: 25/10/2022		
Conforms to EU Regulation 1907/2006/EC as amended SDSGHS_HU SECTION 1: Identification of the substance/mixture and of the company/undertaking					
1.1 Product identifier Trade name	: No data av	vailable			
Product code	: 891920				
	1.2 Relevant identified uses of the substance or mixture and uses advised against Recommended use : Coolant and antifreeze.				
1.3 Details of the supplier of sheet Ellis Enterprises B.V., an affil Wieldrechtseweg 39 3316 BG Dordrecht Netherlands +31 (0)78 654 3500 (in the N	iate of Valvoline	1.4 Emergency telepho +1-800-VALVOLINE (+1 contact your local emerg +36 80 201 199			
contact your local CSR conta		Product Information +31 (0)78 654 3500 (in the contact your local CSR of			
SDS@valvoline.com					

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Specific target organ toxicity - repeated exposure, Category 2, Kidney	H373: May cause damage to organs through prolonged or repeated exposure if swallowed.

2.2 Label elements

UFI

6K92-CPWF-Q307-UEA4

Labelling (REGULATION (EC) No 1272/2008)

:



Version: 2.0	Revision Date: 19.0	06.2020 Print Date: 25/10/2022
Hazard pictograms		
Signal word	: Warning	
Hazard statements	: H373	May cause damage to organs (Kidney) through prolonged or repeated exposure if swallowed.
	H302	Harmful if swallowed.
Supplemental Hazard Statements	: EUH066	Repeated exposure may cause skin dryness or cracking.
Precautionary statements	: Prevention:	
	P270	Do not eat, drink or smoke when using this product.
	P264	Wash skin thoroughly after handling.
	P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
	Response:	
	P314	Get medical advice/ attention if you feel unwell.
	P301 + P312 +	P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
	Disposal:	
	P501	Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label: Ethanediol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. Additional advice No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components



Version: 2.0	Revision Date: 19.06.2020		Print Date: 25/10/2022
Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)
Ethanediol	107-21-1 203-473-3 01-2119456816-28-xxxx	Acute Tox.4; H302 STOT RE2; H373	>= 90,00 - <= 100,00
Dipotassium adipate	19147-16-1 242-838-1	Eye Irrit.2; H319	>= 1,00 - < 2,50

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Do not leave the victim unattended. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
If inhaled	 If symptoms persist, call a physician. If unconscious, place in recovery position and seek medical advice. If breathed in, move person into fresh air.
In case of skin contact	: First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
In case of eye contact	 If eye irritation persists, consult a specialist. Protect unharmed eye. Remove contact lenses. Flush eyes with water as a precaution.
If swallowed	 If symptoms persist, call a physician. Never give anything by mouth to an unconscious person. Do not give milk or alcoholic beverages. Rinse mouth with water. Obtain medical attention.
4.2 Most important symptom	s and effects, both acute and delayed
Symptoms	: No symptoms known or expected.
Risks	: Repeated exposure may cause skin dryness or cracking.
	3 / 19



Version: 2.0	Revision Date: 19.06.2020	Print Date: 25/10/2022
	May cause damage to organs t exposure if swallowed. Harmful if swallowed.	hrough prolonged or repeated
4.3 Indication of any immediate	medical attention and special trea	itment needed
Treatment	: No hazards which require spec	ial first aid measures.
SECTION 5: Firefighting mea	sures	
5.1 Extinguishing media		
Suitable extinguishing media	: Dry chemical Carbon dioxide (CO2) Foam Water spray Use extinguishing measures th circumstances and the surroun	at are appropriate to local ding environment.
Unsuitable extinguishing media	: High volume water jet	
5.2 Special hazards arising from	the substance or mixture	
Specific hazards during firefighting	: Do not allow run-off from fire fig courses.	ghting to enter drains or water
Hazardous combustion products	: No hazardous combustion proc	ducts are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	: In the event of fire, wear self-co	ontained breathing apparatus.
Specific extinguishing methods	: Product is compatible with stan	idard fire-fighting agents.
Further information	: Standard procedure for chemic	al fires.

SECTION 6: Accidental release measures



Version: 2.0	Revision Date: 19.06.2020	Print Date: 25/10/2022	
6.1 Personal precautions, prot	ective equipment and emergency pro	ocedures	
Personal precautions	: Persons not wearing protective e from area of spill until clean-up h Comply with all applicable federa	as been completed.	
6.2 Environmental precautions	i		
Environmental precautions	: If the product contaminates rivers respective authorities.		
	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.		
6.3 Methods and material for c	ontainment and cleaning up		
Methods for cleaning up	: Keep in suitable, closed containe	ers for disposal.	
C 4 Defense to other costion	_		

6.4 Reference to other sections

For further information see Section 8 and Section 13 of the safety data sheet.

SECTION 7: Handling and storage

7.1 Precautions for safe ha	ndling
Advice on safe handling	 Dispose of rinse water in accordance with local and national regulations. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Container hazardous when empty. Do not smoke. Do not breathe vapours/dust.
Advice on protection ag fire and explosion	ainst : Normal measures for preventive fire protection.
Hygiene measures	: When using do not smoke. When using do not eat or drink. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe sto	age, including any incompatibilities
Requirements for storage areas and containers	e : Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s)

Other data

: No decomposition if stored and applied as directed.



Version: 2.0

Revision Date: 19.06.2020

Print Date: 25/10/2022

Specific use(s)

: No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Ethanediol	107-21-1	TWA	20 ppm 52 mg/m3	2000/39/EC
		STEL	40 ppm 104 mg/m3	2000/39/EC
		TWA	52 mg/m3	HU OEL
		STEL	104 mg/m3	HU OEL

8.2 Exposure controls

Engineering measures

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Eye protection	Not required under normal conditions of use. Wear splash- proof safety goggles if material could be misted or splashed into eyes.
Hand protection	
Remarks	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Skin and body protection	Choose body protection according to the amount and concentration of the dangerous substance at the work place. Safety shoes Impervious clothing Wear as appropriate:
Respiratory protection	No personal respiratory protective equipment normally required.



Version: 2.0

Revision Date: 19.06.2020

Print Date: 25/10/2022

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	violet
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	ca. 8,4
Melting point/freezing point	:	-34 °C
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	ca. 1,129 g/cm3 (15 °C)
Solubility(ies) Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Decomposition temperature	:	No data available



Version: 2.0	Revision Date: 19.06.2020	Print Date: 25/10/2022
Viscosity Viscosity, dynamic Viscosity, kinematic	No data availableNot applicable	
Oxidizing properties	: No data available	
9.2 Other information Self-ignition	: No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions Hazardous reactions : Product will not undergo hazardous polymerization. 10.4 Conditions to avoid Conditions to avoid : excessive heat **10.5 Incompatible materials** Materials to avoid : Peroxides Zinc Sulphur compounds Strong bases strong alkalis Strong acids sodium Oxidizing agents Lead aluminum

10.6 Hazardous decomposition products

Hazardous decomposition	: No hazardous decomposition products are known.
products	

Alkali metals Aldehydes

Alkaline earth metals



Version: 2.0

Revision Date: 19.06.2020

Print Date: 25/10/2022

SECTION 11: Toxicological information 11.1 Information on toxicological effects Information on likely routes of : Ingestion Eye Contact exposure Skin contact Inhalation Acute toxicity Harmful if swallowed. **Product:** Acute oral toxicity : Acute toxicity estimate : 540,15 mg/kg Method: Calculation method **Components:** ETHYLENE GLYCOL: Acute oral toxicity : LD0 (Human): estimated 1,56 g/kg Assessment: The component/mixture is classified as acute oral toxicity, category 4. Acute inhalation toxicity : LC50 (Rat): 10,9 mg/l Exposure time: 1 h Test atmosphere: dust/mist Assessment: No adverse effect has been observed in acute inhalation toxicity tests. Acute dermal toxicity : LD50 (Rabbit): 9.530 mg/kg Acute toxicity (other routes of : LD50 (Rat): 5.010 mg/kg Application Route: Intraperitoneal administration) LD50 (Rat): 3.260 mg/kg **Application Route: Intravenous Components:** Dipotassium adinate:

Dipotacolum adipato.	
Acute oral toxicity	: LD50 (Rat): 5.560 mg/kg
	Method: OECD Test Guideline 401
	Remarks: Information given is based on data obtained from



Version: 2.0	Revision Date: 19.06.2020	Print Date: 25/10/2022
	similar substances.	
Acute inhalation toxicity	: LC0 (Rat): > 7,7 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Remarks: No mortality observed at t Information given is based on data of substances.	
Acute dermal toxicity	: (Rabbit): 7.940 mg/kg Remarks: Information given is based similar substances.	d on data obtained from

Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

Product:

Result: Repeated exposure may cause skin dryness or cracking.

Components:

ETHYLENE GLYCOL:

Species: Rabbit Result: No skin irritation

Dipotassium adipate:

Species: Rabbit Result: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: Unlikely to cause eye irritation or injury.

Components:

ETHYLENE GLYCOL:

Result: Slight, transient irritation

Dipotassium adipate:

Result: Slightly to moderately irritating to eyes

Remarks: Information given is based on data obtained from similar substances.



Version: 2.0

Revision Date: 19.06.2020

Print Date: 25/10/2022

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Components:

ETHYLENE GLYCOL: Test Type: Maximisation Test Species: Guinea pig Assessment: Does not cause skin sensitisation.

Dipotassium adipate:

Test Type: Local lymph node assay Species: Mouse Assessment: Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Components:

ETHYLENE GLYCOL:

Genotoxicity in vitro	: Test Type: Ames test Test species: Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative
Dipotassium adipate:	
Genotoxicity in vitro	 Test Type: in vitro assay Test species: Chinese hamster lung cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Remarks: Information given is based on data obtained from similar substances. Test Type: Ames test Test species: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Remarks: Information given is based on data obtained from similar substances.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.



Version: 2.0

Revision Date: 19.06.2020

Print Date: 25/10/2022

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs (Kidney) through prolonged or repeated exposure if swallowed.

Components:

ETHYLENE GLYCOL:

Exposure routes: Ingestion Target Organs: Kidney Assessment: May cause damage to organs through prolonged or repeated exposure.

Aspiration toxicity

Not classified based on available information.

Further information

Product: Remarks: No data available

SECTION 12: Ecological information

12.1 Toxicity

EthanediolToxicity to fish: LC50 (Lepomis macrochirus (Bluegill sunfish)): 27.540 mg/l Exposure time: 96 h Test Type: static testLC50 (Pimephales promelas (fathead minnow)): 8.050 mg/l Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates: LC50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 48 h Test Type: static testToxicity to algae: EC50 (Pseudokirchneriella subcapitata (green algae)): 6.500 - 13.000 mg/l End point: Growth inhibition Exposure time: 7 DaysToxicity to fish (Chronic toxicity): NOEC: 32.000 mg/l Exposure time: 7 d	Components:	
Exposure time: 96 h Test Type: static testLC50 (Pimephales promelas (fathead minnow)): 8.050 mg/l Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates: LC50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 48 h Test Type: static testToxicity to algae: EC50 (Pseudokirchneriella subcapitata (green algae)): 6.500 - 13.000 mg/l End point: Growth inhibition Exposure time: 7 DaysToxicity to fish (Chronic toxicity): NOEC: 32.000 mg/l Exposure time: 7 d	Ethanediol	
Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates: LC50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 48 h Test Type: static testToxicity to algae: EC50 (Pseudokirchneriella subcapitata (green algae)): 6.500 - 13.000 mg/l End point: Growth inhibition Exposure time: 7 DaysToxicity to fish (Chronic toxicity): NOEC: 32.000 mg/l Exposure time: 7 d	Toxicity to fish	Exposure time: 96 h
aquatic invertebratesExposure time: 48 h Test Type: static testToxicity to algae:EC50 (Pseudokirchneriella subcapitata (green algae)): 6.500 - 13.000 mg/l End point: Growth inhibition Exposure time: 7 DaysToxicity to fish (Chronic toxicity):NOEC: 32.000 mg/l Exposure time: 7 d		
13.000 mg/l End point: Growth inhibition Exposure time: 7 Days Toxicity to fish (Chronic toxicity) Image: Note of the second seco		Exposure time: 48 h
toxicity) Exposure time: 7 d	Toxicity to algae	13.000 mg/l End point: Growth inhibition
Species: Pimephales promelas (fathead minnow)		
12/19		



Revision Date: 19.06.2020	Print Date: 25/10/2022
: NOEC: 24.000 mg/l Exposure time: 7 d Species: Daphnia magna (Water	flea)
: LC0 (Brachydanio rerio (zebrafis Exposure time: 96 h Test Type: static test Remarks: Information given is ba similar substances.	
: EC50 (Daphnia magna (Water fle Exposure time: 48 h Method: OECD Test Guideline 2	
: EC50 (Selenastrum capricornutu Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 2 Remarks: Information given is ba similar substances.	01
NOEC (Selenastrum capricornut Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 2 Remarks: Information given is ba similar substances.	01
: EC50 (activated sludge): 4.747 n Exposure time: 3 h Test Type: Static Method: OECD Test Guideline 2 Remarks: Information given is ba similar substances.	09
: NOEC: 6,3 mg/l Exposure time: 21 d Species: Daphnia magna (Water Method: OECD Test Guideline 2 Remarks: Information given is ba similar substances.	11
	 NOEC: 24.000 mg/l Exposure time: 7 d Species: Daphnia magna (Water LC0 (Brachydanio rerio (zebrafis Exposure time: 96 h Test Type: static test Remarks: Information given is basimilar substances. EC50 (Daphnia magna (Water flat Exposure time: 48 h Method: OECD Test Guideline 2 EC50 (Selenastrum capricornutu Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 2 Remarks: Information given is basimilar substances. NOEC (Selenastrum capricornutu Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 2 Remarks: Information given is basimilar substances. NOEC (Selenastrum capricornut Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 2 Remarks: Information given is basimilar substances. EC50 (activated sludge): 4.747 m Exposure time: 3 h Test Type: Static Method: OECD Test Guideline 2 Remarks: Information given is basimilar substances. MOEC: 6,3 mg/l Exposure time: 21 d Species: Daphnia magna (Water Method: OECD Test Guideline 2 Remarks: Information given is basimilar substances.

12.2 Persistence and degradability

Components:



Version: 2.0	Revision Date: 19.06.2020	Print Date: 25/10/2022
Ethanediol		
Biodegradability	: Result: Readily biodegradable. Biodegradation: 90 - 100 % Exposure time: 10 d Method: OECD Test Guideline 301	
Dipotassium adipate		
Biodegradability	: Result: Readily biodegradable. Biodegradation: 83 % Exposure time: 30 d Method: OECD Test Guideline 301D Remarks: Information given is based on similar substances.	data obtained from

12.3 Bioaccumulative potential

Components:

Ethanediol	
Bioaccumulation Partition coefficient: n- octanol/water	 Species: Crayfish (Procambarus) Exposure time: 61 d Concentration: 1000 mg/l Bioconcentration factor (BCF): 0,27 Method: Flow through log Pow: -1,36
Dipotosojum odipoto	
Dipotassium adipate	
Bioaccumulation	: Bioconcentration factor (BCF): 3,1 Remarks: Information given is based on data obtained from similar substances.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:



Version: 2.0	Revision Date: 19.06.2020	Print Date: 25/10/2022
Additional ecological information	: No data available	
SECTION 13: Disposal co	nsiderations	
13.1 Waste treatment method	ds	
Product	: Send to a licensed waste manag Do not contaminate ponds, wate chemical or used container.	

Do not dispose of waste into sewer.

Contaminated packaging	 Do not re-use empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal. Dispose of as unused product. Empty remaining contents.
------------------------	--

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.



Version: 2.0

Revision Date: 19.06.2020

Print Date: 25/10/2022

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legisla Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	-
Regulation (EC) No 850/2004 on persistent organic pollutants	: Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	: Not applicable
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	: Not applicable
Seveso III: Directive 2012/18/EU of the European Parlia	ment and of the Council on the control of

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Other regulations:

Young people under 18 years old are not allowed to work with this product according to the EU Directive 94/33/EC on the protection of young people at work.

44/2000. (XII 27) Ministry of health dangerous substances and preparations dangerous for certain procedures and arrangements for activities 2000 XXV. Law on chemical safety

The components of this pro	duc	are reported in the following inventories:
DSL	:	This product contains one or several components that are not on the Canadian DSL and have annual quantity limits.



Version: 2.0	Revision Date: 19.06.2020	Print Date: 25/10/2022
AICS	: Not in compliance with the inventory	
ENCS	: Not in compliance with the inventory	
KECI	: Not in compliance with the inventory	
PICCS	: Not in compliance with the inventory	
IECSC	: On the inventory, or in compliance with	th the inventory
TCSI	: On the inventory, or in compliance with	th the inventory
TSCA	: Not On TSCA Inventory	

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Further information

Internal information : 000000276877

Full text of H-Statements

H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure if swallowed.
Other information	: The information accumulated herein is believed to be accurate

but is not warranted to be whether originating with the



Version: 2.0

Revision Date: 19.06.2020

Print Date: 25/10/2022

company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department ('+31 (0)78 654 3500).

Sources of key data used to compile the Safety Data Sheet Valvoline internal data including own and sponsored test reports The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet : ACGIH : American Conference of Industrial Hygienists **BEI : Biological Exposure Index** CAS : Chemical Abstracts Service (Division of the American Chemical Society). CMR : Carcinogenic, Mutagenic or Toxic for Reproduction FG : Food grade GHS : Globally Harmonized System of Classification and Labeling of Chemicals. H-statement : Hazard Statement IATA : International Air Transport Association. IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA). ICAO : International Civil Aviation Organization ICAO-TI (ICAO): Technical Instructions by the "International Civil Aviation Organization" IMDG : International Maritime Code for Dangerous Goods ISO : International Organization for Standardization logPow : octanol-water partition coefficient LCxx : Lethal Concentration, for xx percent of test population LDxx : Lethal Dose, for xx percent of test population. ICxx : Inhibitory Concentration for xx of a substance Ecxx : Effective Concentration of xx N.O.S.: Not Otherwise Specified OECD : Organization for Economic Co-operation and Development **OEL** : Occupational Exposure Limit P-Statement : Precautionary Statement PBT : Persistent, Bioaccumulative and Toxic **PPE : Personal Protective Equipment** STEL : Short-term exposure limit STOT : Specific Target Organ Toxicity TLV : Threshold Limit Value TWA : Time-weighted average vPvB : Very Persistent and Very Bioaccumulative

WEL : Workplace Exposure Level



Version: 2.0

Revision Date: 19.06.2020

Print Date: 25/10/2022

ABM : Water Hazard Class for the Netherlands ADR : Agreement concerning the International Carriage of Dangerous Goods by Road. ADNR: Regulation for the Carriage of Dangerous Substances on the Rhine CLP : Classification, Labelling and Packaging CSA : Chemical Safety Assessment CSR : Chemical Safety Report DNEL : Derived No Effect Level. EINECS : European Inventory of Existing Commercial Chemical Substances. ELINCS : European List of Notified Chemical Substances PEC : Predicted Effect Concentration **PEL : Permissible Exposure Limits** PNEC : Predicted No Effect Concentration R-phrase : Risk phrase REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals RID : Regulation Concerning the International Transport of Dangerous Goods by Rail S-phrase: Safety phrase WGK : German Water Hazard Class