

Version: 2.0	Revision Date: 28	3.05.2021	Print Date: 25/10/2022
Conforms to EU Regulation 190 SECTION 1: Identification			pany/undertaking
1.1 Product identifier Trade name	: No data av	vailable	
Product code	: 896261		
<ul> <li>1.2 Relevant identified u Recommended use</li> <li>1.3 Details of the supplie sheet</li> </ul>	: Coolant and a		one number
Ellis Enterprises B.V., an a Wieldrechtseweg 39 3316 BG Dordrecht Netherlands +31 (0)78 654 3500 (in the			gency telephone number at
contact your local CSR cor		Product Information +31 (0)78 654 3500 (in contact your local CSR	
SDS@valvoline.com			

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Specific target organ toxicity - repeated exposure, Category 2, Kidney	H373: May cause damage to organs through prolonged or repeated exposure if swallowed.

#### 2.2 Label elements

UFI

VPT6-4PN4-Y30M-SVTV

Labelling (REGULATION (EC) No 1272/2008)

:



Version: 2.0	Revision D	ate: 28.05.2021	Print Date: 25/10/2022	
Hazard pictograms				
Signal word	: Warning	)		
Hazard statements	: H302 H373		allowed. amage to organs (Kidney) nged or repeated exposure if	
Precautionary statements	: <b>Prevent</b> P260 P264 P270	Do not breath vapours/ spra Wash skin th	ne dust/ fume/ gas/ mist/ ay. oroughly after handling. rink or smoke when using this	
	Respon	product. I <b>se:</b>		
	P301 +		LOWED: Call a POISON ctor if you feel unwell. Rinse	
	P314	Get medical a unwell.	advice/ attention if you feel	
	<b>Dispos</b> a P501	Dispose of co	ontents/ container to an ste disposal plant.	

Hazardous components which must be listed on the label: Ethanediol

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. **Additional advice** No information available.

# SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

#### Hazardous components

Chemical name	CAS-No.	Classification	Concentration (%)
	EC-No.	(REGULATION (EC)	
	Registration number	No 1272/2008)	



ersion: 2.0	Revision Date: 28.0	5.2021	Print Date: 25/10/202		
Ethanediol	107-21-1 203-473-3 01-2119456816-28-xxxx	Acute Tox.4; H302 STOT RE2; H373	>= 90,00 - <= 100,00		
sodium benzoate	532-32-1	Eye Irrit.2; H319	>= 2,50 - < 5,00		
disodium tetraborate pentahydrate	12179-04-3 215-540-4 01-2119490790-32-xxxx	Repr.1B; H360FD	>= 2,50 - < 5,00		

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

	General advice	:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
	If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
	In case of skin contact	:	First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
	In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.
	If swallowed	:	Obtain medical attention. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
4.2	Most important symptoms and	le	ffects, both acute and delayed
	Symptoms	:	No symptoms known or expected.
	Risks	:	Harmful if swallowed. May cause damage to organs through prolonged or repeated



Version: 2.0	Revision Date: 28.05.2021	Print Date: 25/10/2022
	exposure if swallowed.	
4.3 Indication of any immediate	medical attention and special treatm	nent needed
Treatment	: No hazards which require special	first aid measures.
SECTION 5: Firefighting mea	sures	
5.1 Extinguishing media		
Suitable extinguishing media	: Use extinguishing measures that circumstances and the surroundir Water spray Foam Carbon dioxide (CO2) Dry chemical	
Unsuitable extinguishing media	: High volume water jet	
5.2 Special hazards arising from	the substance or mixture	
Specific hazards during firefighting	<ul> <li>If product is heated above its flash sufficient to support combustion. and may travel along the ground a lights, other flames and ignition so point of release. Do not allow run-off from fire fight courses.</li> </ul>	Vapors are heavier than air and be ignited by heat, pilot ources at locations near the
Hazardous combustion products	: No hazardous combustion produc	ets are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	: In the event of fire, wear self-cont	ained breathing apparatus.
Specific extinguishing methods	: Product is compatible with standa	ard fire-fighting agents.
Further information	: Fire residues and contaminated fi be disposed of in accordance with	



Version: 2.0

Revision Date: 28.05.2021

Print Date: 25/10/2022

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protect	tive equipment and emergency procedures
Personal precautions	: Use personal protective equipment. Ensure adequate ventilation. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Comply with all applicable federal, state, and local regulations.
6.2 Environmental precautions	
Environmental precautions	<ul> <li>Prevent product from entering drains.</li> <li>Prevent further leakage or spillage if safe to do so.</li> <li>If the product contaminates rivers and lakes or drains inform respective authorities.</li> </ul>
6.3 Methods and material for cor	ntainment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For further information see Section 8 and Section 13 of the safety data sheet.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling	<ul> <li>Do not breathe vapours/dust.</li> <li>Do not smoke.</li> <li>Container hazardous when empty.</li> <li>Avoid exposure - obtain special instructions before use.</li> <li>Avoid contact with skin and eyes.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>For personal protection see section 8.</li> <li>Dispose of rinse water in accordance with local and national regulations.</li> </ul>
Advice on protection against fire and explosion	Normal measures for preventive fire protection.
Hygiene measures	Wash hands before breaks and at the end of workday. When using do not eat or drink. When using do not smoke.



Version: 2.0	Revision Date: 28.05.2021	Print Date: 25/10/2022
7.2 Conditions for safe storage	e, including any incompatibilities	
Requirements for storage areas and containers	: Keep container tightly closed in a place. Observe label precautions.	
Other data	: No decomposition if stored and a	pplied as directed.
7.3 Specific end use(s)		
Specific use(s)	: No data available	

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Ethanediol	107-21-1	TWA	20 ppm 52 mg/m3	2000/39/EC
		STEL	40 ppm 104 mg/m3	2000/39/EC
		TWA	52 mg/m3	HU OEL
		CEIL	104 mg/m3	HU OEL

#### 8.2 Exposure controls

#### **Engineering measures**

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipme	ent
Eye protection	: Not required under normal conditions of use. Wear splash- proof safety goggles if material could be misted or splashed into eyes.
Hand protection	
Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Skin and body protection	: Wear as appropriate: Impervious clothing
	6/19



Version: 2.0	Revision Date: 28.05.2021	Print Date: 25/10/2022	
Respiratory protection	Safety shoes Choose body protection according concentration of the dangerous su : No personal respiratory protective required.	ubstance at the work place.	
	In the case of vapour formation us approved filter.	se a respirator with an	

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	7,2
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	122 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	1,1 g/cm3 (20 °C)



Version: 2.0	Revision Date: 28.05.2021	Print Date: 25/10/2022	
Solubility(ies) Water solubility	: soluble		
Solubility in other solvents	:		
	No data available		
Partition coefficient: n- octanol/water	: No data available		
Decomposition temperature	: No data available		
Viscosity Viscosity, dynamic	: No data available		
Viscosity, kinematic	: No data available		
Oxidizing properties	: No data available		
<b>9.2 Other information</b> Self-ignition	: No data available		

## **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

No decomposition if stored and applied as directed.

#### **10.2 Chemical stability**

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions Hazardous reactions Product will not undergo hazardous polymerization. 10.4 Conditions to avoid conditions to avoid excessive heat 10.5 Incompatible materials Materials to avoid Aldehydes

Materials to avoid : Aldehydes Alkali metals Alkaline earth metals metal hydrides Strong acids strong alkalis



Version: 2.0

Revision Date: 28.05.2021

Print Date: 25/10/2022

Strong oxidizing agents strong reducing agents Sulphur compounds

#### **10.6 Hazardous decomposition products**

Hazardous decomposition : No hazardous decomposition products are known. products

## **SECTION 11: Toxicological information**

11.1 Information on toxicological	eff	ects
Information on likely routes of exposure	:	Inhalation Skin contact Eye Contact Ingestion
Acute toxicity Harmful if swallowed.		
<u>Product:</u> Acute oral toxicity	:	Acute toxicity estimate : 510,2 mg/kg Method: Calculation method
<u>Components:</u> ETHYLENE GLYCOL:		
Acute oral toxicity	•	LD0 (Human): estimated 1,56 g/kg
		Assessment: The component/mixture is classified as acute oral toxicity, category 4.
Acute inhalation toxicity	:	LC50 (Rat): 10,9 mg/l Exposure time: 1 h Test atmosphere: dust/mist Assessment: No adverse effect has been observed in acute inhalation toxicity tests.
Acute dermal toxicity	:	LD50 (Rabbit): 9.530 mg/kg
Acute toxicity (other routes of administration)	:	LD50 (Rat): 5.010 mg/kg Application Route: Intraperitoneal
		LD50 (Rat): 3.260 mg/kg



Version: 2.0

Revision Date: 28.05.2021

Print Date: 25/10/2022

Application Route: Intravenous

## Components:

BORATES, TETRA SODIUM SALTS, PENTAHYDRATE:		
Acute oral toxicity	: LD50 (Rat): 3.200 - 3.400 mg/kg	
Acute inhalation toxicity	: LC50 (Rat): > 2,0 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: Not classified as acutely toxic by inhalation under GHS.	

#### Skin corrosion/irritation

Not classified based on available information.

#### **Components:**

ETHYLENE GLYCOL:

Species: Rabbit Result: No skin irritation

BORATES, TETRA SODIUM SALTS, PENTAHYDRATE: Result: No skin irritation

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Product:

Remarks: Unlikely to cause eye irritation or injury.

#### **Components:**

#### ETHYLENE GLYCOL:

Result: Slight, transient irritation

#### SODIUM BENZOATE:

Method: OECD Test Guideline 405 Result: Irritating to eyes.

#### BORATES, TETRA SODIUM SALTS, PENTAHYDRATE:

Species: Rabbit Result: Slight, transient irritation

#### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.



Version: 2.0

Revision Date: 28.05.2021

Print Date: 25/10/2022

#### Components:

ETHYLENE GLYCOL: Test Type: Maximisation Test Species: Guinea pig Assessment: Does not cause skin sensitisation.

BORATES, TETRA SODIUM SALTS, PENTAHYDRATE: Assessment: Does not cause skin sensitisation.

#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

ETHYLENE GLYCOL:

Genotoxicity in vitro

: Test Type: Ames test Test species: Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative

#### Carcinogenicity

Not classified based on available information.

#### **Reproductive toxicity**

Not classified based on available information.

#### Components:

#### BORATES, TETRA SODIUM SALTS, PENTAHYDRATE:

	:	Clear evidence of adverse effects on sexual function and
Assessment		fertility, and/or on development, based on animal experiments

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

May cause damage to organs (Kidney) through prolonged or repeated exposure if swallowed.

#### Components:

#### **ETHYLENE GLYCOL:**

Exposure routes: Ingestion Target Organs: Kidney Assessment: May cause damage to organs through prolonged or repeated exposure.

#### Aspiration toxicity

Not classified based on available information.



Version: 2.0

Revision Date: 28.05.2021

Print Date: 25/10/2022

#### Further information

Product:

Remarks: No data available

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Components:**

Ethanediol	
Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): 27.540 mg/l Exposure time: 96 h Test Type: static test
	LC50 (Pimephales promelas (fathead minnow)): 8.050 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: LC50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 48 h Test Type: static test
Toxicity to algae	: EC50 (Pseudokirchneriella subcapitata (green algae)): 6.500 - 13.000 mg/l End point: Growth inhibition Exposure time: 7 Days
Toxicity to fish (Chronic toxicity)	: NOEC: 32.000 mg/l Exposure time: 7 d Species: Pimephales promelas (fathead minnow)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 24.000 mg/l Exposure time: 7 d Species: Daphnia magna (Water flea)
sodium benzoate Ecotoxicology Assessment	
Short-term (acute) aquatic hazard	: Not classified based on available information.
Long-term (chronic) aquatic hazard	: Not classified based on available information.
disodium tetraborate pentahyd	
Toxicity to daphnia and other	: EC50 (Daphnia magna (Water flea)): > 100 mg/l



ersion: 2.0	Revision Date: 28.05.2021	Print Date: 25/10/2022
aquatic invertebrates	Exposure time: 48 h Remarks: Information refers to the	main component.
Toxicity to algae	: NOEC (Selenastrum capricornutur End point: Growth inhibition Exposure time: 72 h Remarks: Information refers to the	
Toxicity to fish (Chronic toxicity)	: NOEC: 37,7 mg/l Exposure time: 34 d Species: Danio rerio (zebra fish) Remarks: Information refers to the	main component.
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 40 mg/l Exposure time: 21 d Species: Daphnia (water flea) Remarks: Information refers to the	main component.

## 12.2 Persistence and degradability

## Components:

Ethanediol	
Biodegradability :	Result: Readily biodegradable. Biodegradation: 90 - 100 % Exposure time: 10 d Method: OECD Test Guideline 301
disodium tetraborate pentahydra	te
Biodegradability :	Result: The methods for determining biodegradability are not applicable to inorganic substances.

## 12.3 Bioaccumulative potential

## Components:

Ethanediol		
Bioaccumulation	: Species: Crayfish (Procambarus) Exposure time: 61 d Concentration: 1000 mg/l Bioconcentration factor (BCF): 0,27 Method: Flow through	
Partition coefficient: n- octanol/water	: log Pow: -1,36	
disodium tetraborate pentahy	/drate	
Bioaccumulation	: Remarks: Does not bioaccumulate.	



Version: 2.0

Revision Date: 28.05.2021

Print Date: 25/10/2022

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### 12.6 Other adverse effects

Additional ecological	: No data available
information	

#### **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

Product	<ul> <li>Do not dispose of waste into sewer.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Send to a licensed waste management company.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Empty containers should be taken to an approved waste handling site for recycling or disposal.</li> <li>Do not re-use empty containers.</li> </ul>

#### **SECTION 14: Transport information**

#### 14.1 UN number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good



Version: 2.0

Revision Date: 28.05.2021

Print Date: 25/10/2022

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

#### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture			
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable		
Regulation (EC) No 850/2004 on persistent organic pollutants	: Not applicable		
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable		
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: BORATES, TETRA SODIUM SALTS, PENTAHYDRATE		
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	: Not applicable		
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	<ul> <li>Conditions of restriction for the following entries should be considered: BORATES, TETRA SODIUM SALTS, PENTAHYDRATE (Number on list 30)</li> </ul>		

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.



Version: 2.0

Revision Date: 28.05.2021

Print Date: 25/10/2022

Not applicable

#### Other regulations:

Young people under 18 years old are not allowed to work with this product according to the EU Directive 94/33/EC on the protection of young people at work.

2000 XXV. Law on chemical safety

44/2000. (XII 27) Ministry of health dangerous substances and preparations dangerous for certain procedures and arrangements for activities

The components of this product are reported in the following inventories:					
DSL	:	All components of this product are on the Canadian DSL			
AICS	:	On the inventory, or in compliance with the inventory			
ENCS	:	On the inventory, or in compliance with the inventory			
KECI	:	On the inventory, or in compliance with the inventory			
PICCS	:	On the inventory, or in compliance with the inventory			
IECSC	:	On the inventory, or in compliance with the inventory			
TCSI	:	On the inventory, or in compliance with the inventory			
TSCA	:	On TSCA Inventory			

#### Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

#### 15.2 Chemical safety assessment

No data available

## **SECTION 16: Other information**



Version: 2.0

Revision Date: 28.05.2021

Print Date: 25/10/2022

Further information Internal information : 000000278509

#### **Full text of H-Statements**

H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H360FD	May damage fertility. May damage the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure if swallowed.

Other information : The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department ('+31 (0)78 654 3500).

Sources of key data used to compile the Safety Data Sheet

Valvoline internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS : Chemical Abstracts Service (Division of the American Chemical Society).

- CMR : Carcinogenic, Mutagenic or Toxic for Reproduction
- FG : Food grade

GHS : Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement

IATA : International Air Transport Association.

IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization

ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"

IMDG : International Maritime Code for Dangerous Goods

ISO : International Organization for Standardization

logPow : octanol-water partition coefficient

LCxx : Lethal Concentration, for xx percent of test population



Version: 2.0

Revision Date: 28.05.2021

Print Date: 25/10/2022

LDxx : Lethal Dose, for xx percent of test population. ICxx : Inhibitory Concentration for xx of a substance Ecxx : Effective Concentration of xx N.O.S.: Not Otherwise Specified OECD : Organization for Economic Co-operation and Development OEL : Occupational Exposure Limit P-Statement : Precautionary Statement PBT : Persistent , Bioaccumulative and Toxic PPE : Personal Protective Equipment STEL : Short-term exposure limit STOT : Specific Target Organ Toxicity TLV : Threshold Limit Value TWA : Time-weighted average vPvB : Very Persistent and Very Bioaccumulative WEL : Workplace Exposure Level

ABM : Water Hazard Class for the Netherlands ADR : Agreement concerning the International Carriage of Dangerous Goods by Road. ADNR: Regulation for the Carriage of Dangerous Substances on the Rhine CLP : Classification, Labelling and Packaging CSA : Chemical Safety Assessment CSR : Chemical Safety Report DNEL : Derived No Effect Level. EINECS : European Inventory of Existing Commercial Chemical Substances. ELINCS : European List of Notified Chemical Substances PEC : Predicted Effect Concentration **PEL : Permissible Exposure Limits PNEC : Predicted No Effect Concentration** R-phrase : Risk phrase REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals RID : Regulation Concerning the International Transport of Dangerous Goods by Rail S-phrase: Safety phrase WGK : German Water Hazard Class