

Version: 10.0 Revision Date: 24.09.2021 Print Date: 25/10/2022

Conforms to EU Regulation 1907/2006/EC as amended. - SDSGHS\_HU

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : No data available

Product code : 866944

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Engine, gear & lubricating oil.

1.3 Details of the supplier of the safety data sheet

Ellis Enterprises B.V., an affiliate of Valvoline

Wieldrechtseweg 39 3316 BG Dordrecht

Netherlands

+31 (0)78 654 3500 (in the Netherlands), or contact your local CSR contact person

contact your lood oon contact per

**1.4 Emergency telephone number** +1-800-VALVOLINE (+1-800-825-8654), or

contact your local emergency telephone number at

+36 80 201 199

**Product Information** 

+31 (0)78 654 3500 (in the Netherlands), or contact your local CSR contact person

SDS@valvoline.com

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard,

H412: Harmful to aquatic life with long lasting

effects.

#### 2.2 Label elements

Category 3

## Labelling (REGULATION (EC) No 1272/2008)

Hazard statements : H412 Harmful to aquatic life with long lasting

effects.

Precautionary statements : P101 If medical advice is needed, have product

container or label at hand.



Version: 10.0 Revision Date: 24.09.2021 Print Date: 25/10/2022

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

Prevention:

P273 Avoid release to the environment.

Disposal:

P501 Dispose of contents/ container to an

approved waste disposal plant.

## **Additional Labelling:**

EUH208 Contains Di-tert-butyl polysulfide, Amines, C10-14-tert-alkyl. May produce an

allergic reaction.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## Additional advice

No information available.

# **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

# **Hazardous components**

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)
Di-tert-butyl polysulfide	68937-96-2 273-103-3 01-2119540515-43-xxxx	Skin Sens.1B; H317 Aquatic Chronic3; H412	>= 2,50 - < 5,00
METHACRYLATE COPOLYMER		Eye Irrit.2; H319	>= 1,00 - < 2,50
Amines, C10-14-tert- alkyl	701-175-2	Acute Tox.4; H302 Acute Tox.2; H330 Acute Tox.3; H311 Skin Corr.1B; H314 Eye Dam.1; H318 Skin Sens.1A; H317 Aquatic Acute1; H400 Aquatic Chronic1; H410	>= 0,10 - < 0,25
(Z)-octadec-9-	1213789-63-9	Acute Tox.4; H302	>= 0,10 - < 0,25
enylamine, C16-18-	01-2119473797-19-xxxx	Skin Corr.1B; H314	



Version: 10.0 Revision Date: 24.09.2021 Print Date: 25/10/2022

(even numbered, saturated and unsaturated)- alkylamines		Eye Dam.1; H318 STOT SE3; H335 STOT RE2; H373 Asp. Tox.1; H304 Aquatic Acute1; H400 Aquatic Chronic1; H410	
Substances with a workp	lace exposure limit :		
Distillates (Petroleum),	64742-54-7		>= 70,00 - < 80,00
Hydrotreated Heavy	01-2119484627-25-xxxx		
Paraffinic			

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice : No hazards which require special first aid measures.

If inhaled : If breathed in, move person into fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : First aid is not normally required. However, it is

recommended that exposed areas be cleaned by washing

with soap and water.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

If swallowed : Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No symptoms known or expected.

# 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No hazards which require special first aid measures.



Version: 10.0 Revision Date: 24.09.2021 Print Date: 25/10/2022

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Water spray

Foam

Carbon dioxide (CO2)

Dry chemical

## 5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: No hazardous combustion products are known

# 5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Specific extinguishing

methods

: Product is compatible with standard fire-fighting agents.

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Comply with all applicable federal, state, and local regulations.

## 6.2 Environmental precautions

**Environmental precautions** : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.



Version: 10.0 Revision Date: 24.09.2021 Print Date: 25/10/2022

# 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For further information see Section 8 and Section 13 of the safety data sheet.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Advice on safe handling : Smoking, eating and drinking should be prohibited in the

application area.

For personal protection see section 8.

Advice on protection against

fire and explosion

: Normal measures for preventive fire protection.

Hygiene measures : General industrial hygiene practice.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Advice on common storage : No materials to be especially mentioned.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : No data available

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

## **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		
Distillates (Petroleum),	64742-54-7	TWA (Mist)	5 mg/m3	HU OEL



Version: 10.0 Revision Date: 24.09.2021 Print Date: 25/10/2022

Hydrotreated Heavy		Mist	
Paraffinic			

## 8.2 Exposure controls

#### **Engineering measures**

General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

## Personal protective equipment

Eye protection : Not required under normal conditions of use. Wear splash-

proof safety goggles if material could be misted or splashed

into eyes.

Hand protection

Remarks : Nitrile rubber butyl-rubber

Skin and body protection : Wear as appropriate:

Safety shoes

Respiratory protection : No personal respiratory protective equipment normally

required.

No personal respiratory protective equipment normally

required.

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : amber

Odour : oily

Odour Threshold : No data available

pH : Not applicable

Pour point : <-27 °C

Boiling point/boiling range : No data available



Version: 10.0 Revision Date: 24.09.2021 Print Date: 25/10/2022

Flash point : 216 °C

Method: Pensky-Martens closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 0,88 g/cm3 (15,6 °C)

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : ca. 132,8 mm2/s (40 °C)

Oxidizing properties : No data available

9.2 Other information

Self-ignition : No data available

# **SECTION 10: Stability and reactivity**



Version: 10.0 Revision Date: 24.09.2021 Print Date: 25/10/2022

## 10.1 Reactivity

No decomposition if stored and applied as directed.

## 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : Product will not undergo hazardous polymerization.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

#### 10.6 Hazardous decomposition products

Hazardous decomposition

products

: No hazardous decomposition products are known.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Information on likely routes of : Inhalation

exposure

Skin contact **Eve Contact** Ingestion

#### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute inhalation toxicity : Acute toxicity estimate : > 20 mg/l

> Exposure time: 4 h Test atmosphere: vapour Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate : > 2.000 mg/kg

Method: Calculation method

**Components:** 

**OLEFINSULFIDE:** 

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg



Version: 10.0 Revision Date: 24.09.2021 Print Date: 25/10/2022

Method: OECD Test Guideline 401

Assessment: The substance or mixture has no acute oral

toxicity

Remarks: No mortality observed at this dose.

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: No mortality observed at this dose.

## **Components:**

Amines, C10-14-tert-alkyl:

Acute oral toxicity : LD50 Oral (Rat, male and female): 612 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Assessment: The component/mixture is classified as acute

oral toxicity, category 4.

Acute inhalation toxicity : LC50 (Rat, male and female): Exposure time: 4 h

Test atmosphere: vapour

Method: OECD Test Guideline 403

GLP: yes

Assessment: The component/mixture is classified as acute

inhalation toxicity, category 2.

Acute dermal toxicity : LD50 (Rat, male and female): 251 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The component/mixture is classified as acute

dermal toxicity, category 3.

#### **Components:**

(Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines:

Acute oral toxicity : LD50 (Rat): 1.689 mg/kg

Method: OECD Test Guideline 401

Remarks: Information given is based on data obtained from

similar substances.

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

Remarks: No mortality observed at this dose.

Information given is based on data obtained from similar

substances.

## **Components:**



Version: 10.0 Revision Date: 24.09.2021 Print Date: 25/10/2022

**HEAVY PARAFFINIC DISTILLATE:** 

Acute oral toxicity : LD50 (Rat): > 15 g/kg

Acute dermal toxicity : LD50 (Rabbit): > 5 g/kg

Skin corrosion/irritation

Not classified based on available information.

Components: OLEFINSULFIDE:

Result: Mild skin irritation

METHACRYLATE COPOLYMER:

Result: No skin irritation

Amines, C10-14-tert-alkyl:

Species: Rabbit

Result: Corrosive after 3 minutes to 1 hour of exposure

GLP: yes

(Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines:

Species: Rabbit

Result: Corrosive after 3 minutes to 1 hour of exposure

Remarks: Information given is based on data obtained from similar substances.

**HEAVY PARAFFINIC DISTILLATE:** 

Result: Slight, transient irritation

Serious eye damage/eye irritation

Not classified based on available information.

**Product:** 

Remarks: Unlikely to cause eye irritation or injury.

**Components:** 

**OLEFINSULFIDE:** 

Result: Slight, transient irritation

**METHACRYLATE COPOLYMER:** 

Result: Irritating to eyes.

Amines, C10-14-tert-alkyl:

Species: Rabbit

Method: No information available.

Result: Corrosive

GLP: yes



Version: 10.0 Revision Date: 24.09.2021 Print Date: 25/10/2022

(Z)

# (Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines:

Species: Rabbit Result: Corrosive

Remarks: Information given is based on data obtained from similar substances.

#### **HEAVY PARAFFINIC DISTILLATE:**

Result: No eye irritation

## Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

**Product:** 

Assessment: Does not cause skin sensitisation.

## **Components:**

#### **OLEFINSULFIDE:**

Test Type: Maximisation Test

Species: Guinea pig

Assessment: The product is a skin sensitiser, sub-category 1B.

Method: OECD Test Guideline 406

## Amines, C10-14-tert-alkyl:

Test Type: Buehler Test Exposure routes: Dermal Species: Guinea pig

Assessment: The product is a skin sensitiser, sub-category 1A.

Method: Buehler Test

GLP: yes

## (Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines:

Assessment: Does not cause skin sensitisation.

Remarks: Information given is based on data obtained from similar substances.

# Germ cell mutagenicity

Not classified based on available information.

#### Components:

#### **OLEFINSULFIDE:**

Genotoxicity in vitro : Test Type: in vitro assay

Result: Positive results were obtained in some in vitro tests.

Genotoxicity in vivo : Test Type: Micronucleus test

Test species: Mouse Cell type: Bone marrow



Version: 10.0 Revision Date: 24.09.2021 Print Date: 25/10/2022

Method: OECD Test Guideline 474

Result: negative

# (Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines:

Genotoxicity in vitro : Test Type: Ames test

Test species: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

Remarks: Information given is based on data obtained from

similar substances.

## Carcinogenicity

Not classified based on available information.

#### **Components:**

#### **HEAVY PARAFFINIC DISTILLATE:**

Carcinogenicity - : Classified based on DMSO extract content < 3% (Regulation

Assessment (EC) 1272/2008, Annex VI, Part 3, Note L)

#### Reproductive toxicity

Not classified based on available information.

## STOT - single exposure

Not classified based on available information.

#### **Components:**

# (Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines:

Exposure routes: Inhalation
Target Organs: Respiratory Tract

Assessment: The substance or mixture is classified as specific target organ toxicant, single

exposure, category 3 with respiratory tract irritation.

#### STOT - repeated exposure

Not classified based on available information.

#### Components:

#### (Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines:

Exposure routes: Ingestion

Target Organs: Liver, Immune system, Gastro-intestinal system

Assessment: The substance or mixture is classified as specific target organ toxicant, repeated

exposure, category 2.

#### **Aspiration toxicity**

Not classified based on available information.

#### Components:



Version: 10.0 Revision Date: 24.09.2021 Print Date: 25/10/2022

## (Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

#### **HEAVY PARAFFINIC DISTILLATE:**

No aspiration toxicity classification

#### **Further information**

**Product:** 

Remarks: No data available

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### Components:

Di-tert-butyl polysulfide Ecotoxicology Assessment

Short-term (acute) aquatic : Harmful to aquatic life.

hazard

Long-term (chronic) aquatic : Harmful to aquatic life with long lasting effects.

hazard

Amines, C10-14-tert-alkyl Ecotoxicology Assessment

Short-term (acute) aquatic : Very toxic to aquatic life.

hazard

Acute aquatic toxicity Category 1; Very toxic to aquatic life.

Long-term (chronic) aquatic

hazard

: Very toxic to aquatic life with long lasting effects.

Chronic aquatic toxicity Category 1; Very toxic to aquatic life with long lasting effects.

(Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines

Toxicity to fish : LC50 (Fish): estimated 0,06 mg/l

Exposure time: 96 h

Remarks: Information given is based on data obtained from

similar substances.



Version: 10.0 Revision Date: 24.09.2021 Print Date: 25/10/2022

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 0,98 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Remarks: Information given is based on data obtained from

similar substances.

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 0,083 mg/l

End point: Growth inhibition

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

Remarks: Information given is based on data obtained from

similar substances.

M-Factor (Short-term (acute)

aquatic hazard)

: 10

M-Factor (Long-term

(chronic) aquatic hazard)

10

Distillates (Petroleum), Hydrotreated Heavy Paraffinic

: LL50 (Fish): > 100 mg/l Toxicity to fish

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EL50 (Aquatic invertebrates): > 10.000 mg/l

Exposure time: 48 h

Toxicity to algae : EL50 (Algae, algal mat (Algae)): > 100 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic

toxicity)

: NOEC: 10 mg/l Species: Fish

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

: NOEC: 10 mg/l

Species: Aquatic invertebrates

**Ecotoxicology Assessment** 

Short-term (acute) aquatic

hazard

: Not classified based on available information.

Long-term (chronic) aquatic

hazard

: Not classified based on available information.



Version: 10.0 Revision Date: 24.09.2021 Print Date: 25/10/2022

## 12.2 Persistence and degradability

## **Components:**

Di-tert-butyl polysulfide

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 13 % Exposure time: 28 d

Method: OECD Test Guideline 301B

(Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines

Biodegradability : Result: Readily biodegradable.

Biodegradation: 66 % Exposure time: 28 d

Method: Regulation (EC) No. 440/2008, Annex, C.4-C Remarks: Information given is based on data obtained from

similar substances.

## 12.3 Bioaccumulative potential

## Components:

Amines, C10-14-tert-alkyl

Partition coefficient: n- : log Pow: 2,9 (20 °C)

octanol/water

(Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines

Partition coefficient: n- : log Pow: estimated 6 - 8

octanol/water

Distillates (Petroleum), Hydrotreated Heavy Paraffinic Partition coefficient: n- : log Pow: Expected > 7

octanol/water

# 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

#### **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher..

## 12.6 Other adverse effects

#### **Product:**



Version: 10.0 Revision Date: 24.09.2021 Print Date: 25/10/2022

Additional ecological information

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to aquatic life with long lasting effects.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

# **SECTION 14: Transport information**

#### 14.1 UN number

Not regulated as a dangerous good

## 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

## 14.4 Packing group

Not regulated as a dangerous good

### 14.5 Environmental hazards

Not regulated as a dangerous good

## 14.6 Special precautions for user

Not applicable

# 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

# **SECTION 15: Regulatory information**



Version: 10.0 Revision Date: 24.09.2021 Print Date: 25/10/2022

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1005/2009 on substances that

deplete the ozone layer

: Not applicable

Regulation (EC) No 850/2004 on persistent organic

pollutants

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and

import of dangerous chemicals

Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

Conditions of restriction for the following entries should be

considered:

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC (Number on list 28)

(Number on list 28)

Directive 96/82/EC does not apply

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

#### Other regulations:

2000 XXV. Law on chemical safety

44/2000. (XII 27) Ministry of health dangerous substances and preparations dangerous for certain procedures and arrangements for activities

#### The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL



Version: 10.0 Revision Date: 24.09.2021 Print Date: 25/10/2022

**AICS** On the inventory, or in compliance with the inventory

**ENCS** Not in compliance with the inventory

**KECI** On the inventory, or in compliance with the inventory

**PICCS** On the inventory, or in compliance with the inventory

**IECSC** On the inventory, or in compliance with the inventory

**TCSI** On the inventory, or in compliance with the inventory

**TSCA** On TSCA Inventory

#### **Inventories**

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

## 15.2 Chemical safety assessment

No data available

#### **SECTION 16: Other information**

#### **Further information**

Internal information: R0524399

#### **Full text of H-Statements**

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H335 May cause respiratory irritation.



Version: 10.0 Revision Date: 24.09.2021 Print Date: 25/10/2022

H373 May cause damage to organs through prolonged or repeated exposure

if swallowed.

**H400** Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

Other information : The information accumulated herein is believed to be accurate

but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department

('+31 (0)78 654 3500).

Sources of key data used to compile the Safety Data Sheet

Valvoline internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet:

ACGIH: American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS: Chemical Abstracts Service (Division of the American Chemical Society).

CMR: Carcinogenic, Mutagenic or Toxic for Reproduction

FG: Food grade

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement: Hazard Statement

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization

ICAO-TI (ICAO): Technical Instructions by the "International Civil Aviation Organization"

IMDG: International Maritime Code for Dangerous Goods

ISO: International Organization for Standardization

logPow: octanol-water partition coefficient

LCxx: Lethal Concentration, for xx percent of test population

LDxx: Lethal Dose, for xx percent of test population. ICxx: Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx N.O.S.: Not Otherwise Specified

OECD : Organization for Economic Co-operation and Development

OEL: Occupational Exposure Limit



Version: 10.0 Revision Date: 24.09.2021 Print Date: 25/10/2022

P-Statement: Precautionary Statement PBT: Persistent, Bioaccumulative and Toxic

PPE: Personal Protective Equipment STEL: Short-term exposure limit STOT: Specific Target Organ Toxicity

TLV: Threshold Limit Value TWA: Time-weighted average

vPvB: Very Persistent and Very Bioaccumulative

WEL: Workplace Exposure Level

ABM: Water Hazard Class for the Netherlands

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

ADNR: Regulation for the Carriage of Dangerous Substances on the Rhine

CLP: Classification, Labelling and Packaging

CSA: Chemical Safety Assessment **CSR**: Chemical Safety Report DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

**ELINCS**: European List of Notified Chemical Substances

PEC: Predicted Effect Concentration PEL: Permissible Exposure Limits PNEC: Predicted No Effect Concentration

R-phrase: Risk phrase

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail

S-phrase: Safety phrase

WGK: German Water Hazard Class