

Version: 1.0	Revision Date: 23.01.2020		Print Date: 25/10/2022	
Conforms to EU Regulation 190 SECTION 1: Identification o			pany/undertaking	
1.1 Product identifier Trade name	: No data av	vailable		
Product code	: 892652			
1.2 Relevant identified us Recommended use	es of the substance : Lubricant	or mixture and uses ac	lvised against	
1.3 Details of the supplier sheet Ellis Enterprises B.V., an aff Wieldrechtseweg 39 3316 BG Dordrecht Netherlands +31 (0)78 654 3500 (in the l	iliate of Valvoline	1.4 Emergency teleph +1-800-VALVOLINE (+ contact your local emer +36 80 201 199		
contact your local CSR contact person		Product Information +31 (0)78 654 3500 (in contact your local CSR		
SDS@valvoline.com				

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Not a hazardous substance or mixture.

Additional Labelling:

EUH210	Safety data sheet available on request.
EUH208	Contains Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts,
	Naphthenic acids, bismuth salts. May produce an allergic reaction.



Version: 1.0

Revision Date: 23.01.2020

Print Date: 25/10/2022

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. **Additional advice**

No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)
Phosphorodithioic acid, mixed O,O-bis(2- ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts	85940-28-9 01-2119521201-61-xxxx	Skin Irrit.2; H315 Eye Irrit.2; H319 Aquatic Chronic2; H411	>= 1,00 - < 2,50
Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	939-603-7 01-2119978241-36-xxxx	Skin Sens.1B; H317	>= 0,50 - < 1,00
Naphthenic acids, bismuth salts	85736-59-0 288-470-5 01-2120769500-56-xxxx	Eye Irrit.2; H319 Skin Sens.1B; H317	>= 0,10 - < 0,50
Substances with a workp	lace exposure limit :		
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5 265-155-0 01-2119467170-45-xxxx		>= 10,00 - < 15,00

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: No hazards which require special first aid measures.
If inhaled	: If symptoms persist, call a physician. If unconscious, place in recovery position and seek medical



Version: 1.0	Revision Date: 23.01.2020	Print Date: 25/10/2022
	advice. If breathed in, move person into fresh ai	r.
In case of skin contact	: Wash contaminated clothing before re-u If on skin, rinse well with water. Remove contaminated clothing. If irritati medical attention.	
In case of eye contact	: If eye irritation persists, consult a specia Protect unharmed eye. Remove contact lenses. Flush eyes with water as a precaution.	ilist.
If swallowed	: If symptoms persist, call a physician. Never give anything by mouth to an unc Do not give milk or alcoholic beverages.	
4.2 Most important symptoms ar	nd effects, both acute and delayed	
Symptoms	: No symptoms known or expected.	
•	medical attention and special treatment n	
Treatment	: No hazards which require special first a	la measures.
SECTION 5: Firefighting meas	sures	
5.1 Extinguishing media		
Suitable extinguishing media	 Dry chemical Carbon dioxide (CO2) Foam Water spray Use extinguishing measures that are ap circumstances and the surrounding enviro 	
Unsuitable extinguishing media	: High volume water jet	
5.2 Special hazards arising from	the substance or mixture	
Specific hazards during firefighting	: Do not allow run-off from fire fighting to courses.	enter drains or water
Hazardous combustion	: Oxides of phosphorus	
	3 / 17	



Version: 1.0	Revision Date: 23.01.2020	Print Date: 25/10/2022
products	carbon dioxide and carbon monoxide	
5.3 Advice for firefighters Special protective equipment for firefighters	: In the event of fire, wear self-contained b	preathing apparatus.
Specific extinguishing methods	: Product is compatible with standard fire-	fighting agents.
Further information	: Standard procedure for chemical fires.	

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Use personal protective equipment. Comply with all applicable federal, state, and local regulations.
6.2 Environmental precautions Environmental precautions	: Prevent further leakage or spillage if safe to do so.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: Keep in suitable, closed containers for disposal.
	Soak up with inert absorbent material (e.g. sand, silica gel,
	acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 8 and Section 13 of the safety data sheet.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling: Dispose of rinse water in accordance with local and national
regulations.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the
application area.
Avoid contact with skin and eyes.



Version: 1.0	Revision Date: 23.01.2020	Print Date: 25/10/2022
Advice on protection against fire and explosion	: Normal measures for preventive fir	e protection.
Hygiene measures	: When using do not smoke. When using do not smoke. When using before breaks and at	5
7.2 Conditions for safe storage,	including any incompatibilities	
Requirements for storage areas and containers	: Keep container tightly closed in a c place.	lry and well-ventilated
Other data	: No decomposition if stored and ap	plied as directed.
7.3 Specific end use(s)		
Specific use(s)	: No data available	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	CEIL (Mist)	5 mg/m3 Mist	HU OEL

8.2 Exposure controls

Engineering measures

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Eye protection

: Not required under normal conditions of use. Wear splashproof safety goggles if material could be misted or splashed into eyes.

Hand protection

Remarks

: The suitability for a specific workplace should be discussed with the producers of the protective gloves.



Version: 1.0	Revision Date: 23.01.2020	Print Date: 25/10/2022
Skin and body protection	: Choose body protection according to the concentration of the dangerous substanc Safety shoes Impervious clothing Wear as appropriate:	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	paste
Odour	:	oily
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	> 240 °C Method: Cleveland open cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	ca. 0,9 g/cm3 (20 °C)
Solubility(ies) Water solubility	:	immiscible



Version: 1.0	Revision Date: 23.01.2020	Print Date: 25/10/2022
Solubility in other solvents	: No data available	
Partition coefficient: n- octanol/water	: No data available	
Decomposition temperature	: No data available	
Viscosity Viscosity, dynamic	: No data available	
Viscosity, kinematic	: > 100 mm2/s (40 °C)	
Oxidizing properties	: No data available	
9.2 Other information Self-ignition	: No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	: Product will not undergo hazardous polymerization.
---------------------	--

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition : No hazardous decomposition products are known. products

SECTION 11: Toxicological information



ersion: 1.0	Revision Date: 23.01.2020	Print Date: 25/10/2022
1.1 Information on toxicologic	cal effects	
Information on likely routes of exposure		
Acute toxicity		
Not classified based on avai	lable information.	
Components: Phosphorodithioic acid, m Acute oral toxicity	iixed O,O-bis(2-ethylhexyl and iso-Bu : LD50 (Rat): 2.570 - 3.700 mg/kg	and iso-Pr) esters, zinc salts
Acute inhalation toxicity	: LC50 (Rat): > 2,3 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: Not classified as act under GHS. Remarks: No mortality observed a	
Acute dermal toxicity	: LD50 (Rabbit): > 20.000 mg/kg	
Components: Naphthenic acids, bismuth Acute oral toxicity	n salts: : LD50 (Rat, female): > 2.000 mg/k Method: OECD Test Guideline 42 Assessment: No adverse effect h oral toxicity tests.	23
Acute dermal toxicity	 LD50 (Rabbit): > 3.160 mg/kg Method: OECD Test Guideline 40 Assessment: No adverse effect h dermal toxicity tests. 	
<u>Components:</u> DISTILLATES (PETROLEU Acute oral toxicity	M), HYDROTREATED HEAVY NAPHT : LD50 (Rat): > 5 g/kg	A:
Acute inhalation toxicity	 LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 40 Assessment: Not classified as act under GHS. 	



Version: 1.0	Revision Date: 23.01.2020	Print Date: 25/10/2022	
Acute dermal toxicity	 LD50 (Rabbit): > 2.000 mg/kg Assessment: Not classified as acutely to absorption under GHS. Remarks: No mortality observed at this d 		

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: Repeated exposure may cause skin dryness or cracking.

Remarks: May irritate skin.

Components:

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts: Species: Rabbit Result: Irritating to skin.

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Result: Slight, transient irritation

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTA:

Species: Rabbit Result: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

Components:

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts: Species: Rabbit Result: Irritating to eyes.

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts: Result: Slight, transient irritation

Naphthenic acids, bismuth salts: Result: Irritating to eyes.

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTA:

Species: Rabbit Result: Slight, transient irritation



Version: 1.0

Revision Date: 23.01.2020

Print Date: 25/10/2022

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Components:

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts: Test Type: Buehler Test Species: Guinea pig Assessment: Does not cause skin sensitisation. Method: OECD Test Guideline 406

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Assessment: The product is a skin sensitiser, sub-category 1B.

Naphthenic acids, bismuth salts:

Assessment: The product is a skin sensitiser, sub-category 1B.

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTA:

Species: Guinea pig Assessment: Does not cause skin sensitisation. Method: OECD Test Guideline 406

Germ cell mutagenicity

Not classified based on available information.

Components:

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts:

- Genotoxicity in vitro : Test Type: Test specie
- : Test Type: Ames test Test species: Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative

Carcinogenicity

Not classified based on available information.

Components:

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTA:

Carcinogenicity -:Classified based on DMSO extract content < 3% (Regulation
(EC) 1272/2008, Annex VI, Part 3, Note L)

Reproductive toxicity

Not classified based on available information.



Version: 1.0

Revision Date: 23.01.2020

Print Date: 25/10/2022

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:			
	D-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts LL50 (Oncorhynchus mykiss (rainbow trout)): 4,5 mg/l Exposure time: 96 h Test Type: semi-static test Remarks: Information given is based on data obtained from similar substances.		
Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia magna (Water flea)): 5,4 mg/l Exposure time: 48 h Test Type: static test Test substance: WAF		
Toxicity to algae :	(Selenastrum capricornutum (green algae)): 2,1 mg/l End point: Growth inhibition Exposure time: 96 h Test Type: static test Test substance: WAF		
Distillates (petroleum), hydrotreated heavy naphthenic			
	LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 203		
Toxicity to daphnia and other :	EL50 (Daphnia magna (Water flea)): > 10.000 mg/l		



Version: 1.0	Revision Date: 23.01.2020	Print Date: 25/10/2022
aquatic invertebrates	Exposure time: 48 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 202	
Toxicity to algae	 NOEL (Pseudokirchneriella subcapitata 100 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 201 	(green algae)): >=
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEL: 10 mg/l Exposure time: 21 d Species: Daphnia (water flea) Test Type: semi-static test Test substance: WAF Method: OECD Test Guideline 211	
12.2 Persistence and degradabilit	у	
<u>Components:</u>		
Phosphorodithioic acid, mixed Biodegradability	 O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) Result: Not readily biodegradable. Biodegradation: 1,5 % Exposure time: 28 d Method: OECD Test Guideline 301B Remarks: Information given is based on similar substances. 	
Naphthenic acids, bismuth salt Biodegradability	s : Result: Inherently biodegradable	
Distillates (petroleum), hydrotre Biodegradability	eated heavy naphthenic : Result: Inherently biodegradable Biodegradation: 31 % Exposure time: 28 d Method: OECD Test Guideline 301F	
12.3 Bioaccumulative potential		

Components:

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts			
Partition coefficient: n-	: log Pow: 8,8		
octanol/water	Remarks: QSAR		



Version: 1.0	Revision Date: 23.01.2020	Print Date: 25/10/2022
Naphthenic acids, bismuth Partition coefficient: n- octanol/water	salts : log Pow: 5 (20 °C)	
12.4 Mobility in soil No data available		
12.5 Results of PBT and vPvE	assessment	
Product:		
Assessment	 This substance/mixture contains r to be either persistent, bioaccumu very persistent and very bioaccun 0.1% or higher 	llative and toxic (PBT), or
12.6 Other adverse effects		
Product: Additional ecological information	: No data available	

SECTION 13: Disposal considerations

Product	 Send to a licensed waste management company. Do not contaminate ponds, waterways or ditches with chemical or used container. Do not dispose of waste into sewer.
Contaminated packaging	 Do not re-use empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal. Dispose of as unused product. Empty remaining contents.

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good



Version: 1.0

Revision Date: 23.01.2020

Print Date: 25/10/2022

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1	Safety, health and environmental regulations/legisla	tion	specific for the substance or mixture
	Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
	Regulation (EC) No 850/2004 on persistent organic pollutants	:	Not applicable
	REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable
	REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
	Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	:	Not applicable
	REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	:	Not applicable
	14 / 17		



Version: 1.0

Revision Date: 23.01.2020

Print Date: 25/10/2022

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Other regulations:

44/2000. (XII 27) Ministry of health dangerous substances and preparations dangerous for certain procedures and arrangements for activities 2000 XXV. Law on chemical safety

The components of this pro DSL	odu :	ct are reported in the following inventories: This product contains one or several components that are not on the Canadian DSL and have annual quantity limits.
AICS	:	Not in compliance with the inventory
ENCS	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
TCSI	:	Not in compliance with the inventory
TSCA	:	Not On TSCA Inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

15.2 Chemical safety assessment

No data available



Version: 1.0

Revision Date: 23.01.2020

Print Date: 25/10/2022

Further information

Internal information : 000000276221

Full text of H-Statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

Other information : The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department ('+31 (0)78 654 3500).

Sources of key data used to compile the Safety Data Sheet

Valvoline internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS : Chemical Abstracts Service (Division of the American Chemical Society).

CMR : Carcinogenic, Mutagenic or Toxic for Reproduction

FG : Food grade

GHS : Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement

IATA : International Air Transport Association.

IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization

ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"

IMDG : International Maritime Code for Dangerous Goods

ISO : International Organization for Standardization

logPow : octanol-water partition coefficient

LCxx : Lethal Concentration, for xx percent of test population

16/17



Version: 1.0

Revision Date: 23.01.2020

Print Date: 25/10/2022

LDxx : Lethal Dose, for xx percent of test population. ICxx : Inhibitory Concentration for xx of a substance Ecxx : Effective Concentration of xx N.O.S.: Not Otherwise Specified OECD : Organization for Economic Co-operation and Development OEL : Occupational Exposure Limit P-Statement : Precautionary Statement PBT : Persistent , Bioaccumulative and Toxic PPE : Personal Protective Equipment STEL : Short-term exposure limit STOT : Specific Target Organ Toxicity TLV : Threshold Limit Value TWA : Time-weighted average vPvB : Very Persistent and Very Bioaccumulative WEL : Workplace Exposure Level

ABM : Water Hazard Class for the Netherlands ADR : Agreement concerning the International Carriage of Dangerous Goods by Road. ADNR: Regulation for the Carriage of Dangerous Substances on the Rhine CLP : Classification, Labelling and Packaging CSA : Chemical Safety Assessment CSR : Chemical Safety Report DNEL : Derived No Effect Level. EINECS : European Inventory of Existing Commercial Chemical Substances. ELINCS : European List of Notified Chemical Substances PEC : Predicted Effect Concentration **PEL : Permissible Exposure Limits PNEC : Predicted No Effect Concentration** R-phrase : Risk phrase REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals RID : Regulation Concerning the International Transport of Dangerous Goods by Rail S-phrase: Safety phrase WGK : German Water Hazard Class