

:

Page: 1

Revision Date: 24.06.2019

Print Date: 25.10.2022

SDS Number: 000000197928 Version: 2.0

No data VE18320

> Conforms to EU Regulation 1907/2006/EC as amended. - SDSGHS_HU SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

No data available

1.2 Relevant identified uses of the substance or mixture and uses advised against Recommended use : Hydraulic oil

1.3 Details of the supplier of the safety data sheet Ellis Enterprises B.V., an affiliate of Valvoline Wieldrechtseweg 39 3316 BG Dordrecht Netherlands	1.4 Emergency telephone number +1-800-VALVOLINE (+1-800-825-8654), or contact your local emergency telephone number at 06 80 20 11 99, 06 1 476 6464
+31 (0)78 654 3500 (in the Netherlands), or contact your local CSR contact person	Product Information +31 (0)78 654 3500 (in the Netherlands), or contact your local CSR contact person
SDS@valvoline.com	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4

H332: Harmful if inhaled.

Aspiration hazard, Category 1

H304: May be fatal if swallowed and enters airways.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms :



May be fatal if swallowed and enters



Revision Date: 24.06.2019

Print Date: 25.10.2022 S Number: 000000197928

	SDS Number: 000000197928
	Version: 2.0

No data VE18320

	H332	airways. Harmful if inhaled.
Precautionary statements :	P101	If medical advice is needed, have product
	P102	container or label at hand. Keep out of reach of children.
	Prevention:	
	P271	Use only outdoors or in a well-ventilated area.
	Response:	
	P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
	P331	Do NOT induce vomiting.
	Storage:	
	P405	Store locked up.
	Disposal:	
	P501	Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

1-DECENE, DIMER, HYDROGENATED

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based White mineral oil

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. **Additional advice** No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)
1-DECENE, DIMER, HYDROGENATED	68649-11-6 500-228-5 01-2119493069-28-xxxx	Acute Tox.4; H332 Asp. Tox.1; H304	>= 70,00 - < 80,00
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil- based	72623-86-0 276-737-9	Asp. Tox.1; H304	>= 15,00 - < 25,00



For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures				
General advice :	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later. Do not leave the victim unattended.			
If inhaled :	Move to fresh air. IF INHALED: Call a POISON CENTER/ doctor if you feel unwell. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice.			
In case of skin contact :	First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.			
In case of eye contact :	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.			
If swallowed :	Obtain medical attention. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.			
4.2 Most important symptoms and effects, both acute and delayed				
Symptoms :	No symptoms known or expected.			
Risks :	May be fatal if swallowed and enters airways. Harmful if inhaled.			
4.3 Indication of any immediate medical attention and special treatment needed				
Treatment :	No hazards which require special first aid measures.			

SECTION 5: Firefighting measures



Revision Date: 24.06.2019

Print Date: 25.10.2022 SDS Number: 000000197928

Version: 2.0

No data VE18320

5.1 Extinguishing media

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray Foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing	:	High volume water jet

media

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting	 If product is heated above its flash point it will produce vapors sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the point of release. Do not allow run-off from fire fighting to enter drains or water courses. 	
Hazardous combustion products	: carbon dioxide and carbon monoxide Hydrocarbons Hydrogen chloride gas	
5.3 Advice for firefighters		
-	: In the event of fire, wear self-contained breathing apparatus.	
Specific extinguishing methods	: Product is compatible with standard fire-fighting agents.	
Further information	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.	

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

: Use personal protective equipment.
Ensure adequate ventilation.
Persons not wearing protective equipment should be excluded
from area of spill until clean-up has been completed.
Comply with all applicable federal, state, and local regulations.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.



Revision Date: 24.06.2019

Print Date: 25.10.2022 SDS Number: 000000197928

No data	Version: 2.0
VE18320	

Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel,
	acid binder, universal binder, sawdust).
	Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For further information see Section 8 and Section 13 of the safety data sheet.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	Avoid formation of aerosol. Provide sufficient air exchange and/or exhaust in work rooms. Do not breathe vapours/dust. Do not smoke. Container hazardous when empty. Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8. Dispose of rinse water in accordance with local and national regulations.
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Wash hands before breaks and at the end of workday. When using do not eat or drink. When using do not smoke.
7.2	Conditions for safe storage, ir	nclu	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions.
	Other data	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	No data available



Revision Date: 24.06.2019

Print Date: 25.10.2022 SDS Number: 000000197928

	Version: 2.0

8.1 Control parameters

No data VE18320

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

1-DECENE, DIMER, HYDROGENATED	: End Use: Workers
HYDROGENATED	Exposure routes: Inhalation
	Potential health effects: Acute systemic effects
	Value: 60 mg/m3Acute toxicity
	End Use: Consumer use
	Exposure routes: Inhalation
	Potential health effects: Acute systemic effects
	Value: 50 mg/m3Acute toxicity

8.2 Exposure controls

Engineering measures

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Eye protection	Not required under normal conditions of use. Wear splash- proof safety goggles if material could be misted or splashed into eyes.
Hand protection	
Remarks	Nitrile rubber
	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Skin and body protection	Wear as appropriate: Impervious clothing Safety shoes Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Respiratory protection	In the case of vapour formation use a respirator with an approved filter.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	dark green



Revision Date: 24.06.2019

SAFETY DATA SHEET	Revision Date: 24.06.20
	Print Date: 25.10.202
	SDS Number: 00000019792
No data	Version: 2
VE18320	

Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	Not applicable
Pour point	:	-60 °C
Boiling point/boiling range	:	> 300 °C
Flash point	:	160 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	6,5 %(V)
Lower explosion limit / Lower flammability limit	:	0,6 %(V)
Vapour pressure	:	< 0,001 hPa
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	ca. 0,825 g/cm3 (20 °C)
Solubility(ies) Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Ignition temperature	:	235 °C
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	19 mm2/s (40 °C)
Explosive properties	:	Not explosive



Revision Date: 24.06.2019

	Print Date: 25.10.2022
	SDS Number: 000000197928
No data	Version: 2.0
VE18320	

Oxidizing properties : No data available

9.2 Other information

Self-ignition

: not auto-flammable

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reaction	ns
Hazardous reactions :	Product will not undergo hazardous polymerization.
10.4 Conditions to avoid	
Conditions to avoid :	excessive heat
	Exposure to sunlight.
10.5 Incompatible materials	
Materials to avoid :	Iron
	steel
	Strong acids
	Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition	: No hazardous decomposition products are known.
products	

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of exposure : Inhalation Skin contact Eye Contact Ingestion

Acute toxicity

Harmful if inhaled.

Product:



Revision Date: 24.06.2019

Print Date: 25.10.2022

SDS Number: 000000197928 Version: 2.0

VCI3I011. 2.0

Acute inhalation toxicity : Acute toxicity estimate : 2 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method

Components:

No data

VE18320

1-DECENE, DIMER, HYDROGENATED:

	OGENATED.
Acute oral toxicity	: LD50 (Rat): > 5.000 mg/kg
Acute inhalation toxicity	 LC50 (Rat): > 1,81 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 GLP: yes Assessment: The component/mixture is classified as acute inhalation toxicity, category 4.
Acute dermal toxicity	 LD50 (Rabbit): > 3.000 mg/kg Method: OECD Test Guideline 402 Assessment: No adverse effect has been observed in acute dermal toxicity tests.

Components:

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based:Acute oral toxicity: LD50 (Rat): > 5.000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

1-DECENE, DIMER, HYDROGENATED:

```
Species: Rabbit
```

Result: Slight, transient irritation

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based: Result: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: Unlikely to cause eye irritation or injury.

Components:

1-DECENE, DIMER, HYDROGENATED: Species: Rabbit Result: No eye irritation



SAFETY DATA SHEET

Print Date: 25.10.2022 SDS Number: 000000197928

No data

Version: 2.0

VE18320

ш Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based: Result: No eye irritation

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Components:

1-DECENE, DIMER, HYDROGENATED:

Test Type: Maximisation Test Species: Guinea pig Method: OECD Test Guideline 406

Germ cell mutagenicity

Not classified based on available information.

Components:

1-DECENE, DIMER, HYDROGENATED:

Genotoxicity in vitro	: Test Type: Ames test Test species: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative GLP: yes
Genotoxicity in vivo	: Test Type: In vivo micronucleus test Test species: Mouse Method: OECD Test Guideline 474 Result: negative GLP: yes

Carcinogenicity

Not classified based on available information.

Components:

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based:

Carcinogenicity -	:	Classified based on DMSO extract content < 3% (Regulation
Assessment		(EC) 1272/2008, Annex VI, Part 3, Note L)

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Version: 2.0



Revision Date: 24.06.2019

Print Date: 25.10.2022 SDS Number: 000000197928

No data VE18320 SUS NUMber: 0

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

1-DECENE, DIMER, HYDROGENATED:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Further information

Product:

Remarks: Solvents may degrease the skin.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1-DECENE, DIMER, HYDROGE	
Toxicity to fish	: LL50 (Oncorhynchus mykiss (rainbow trout)): > 1.000 mg/l Exposure time: 96 h Test Type: semi-static test Test substance: WAF Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Daphnia magna (Water flea)): > 1.000 mg/l Exposure time: 48 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae	: EL50 (Scenedesmus capricornutum (fresh water algae)): > 1.000 mg/l Exposure time: 72 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 201 GLP: yes

12.2 Persistence and degradability

Components:

1-DECENE, DIMER, HYDROG	I E	NATED
Biodegradability	:	Result: Inherently biodegradable

Version: 2.0



Revision Date: 24.06.2019

Print Date: 25.10.2022 SDS Number: 000000197928

No data VE18320

> Biodegradation: 15 % Exposure time: 28 d Method: OECD Test Guideline 301D GLP: yes

12.3 Bioaccumulative potential

Components:

1-DECENE, DIMER, HYDROGENATEDPartition coefficient: n-: log Pow: > 6,5octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., May cause long lasting harmful effects to aquatic life.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14: Transport information



Revision Date: 24.06.2019

Print Date: 25.10.2022 SDS Number: 000000197928

Version: 2.0

14.1 UN number

No data VE18320

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable
Regulation (EC) No 850/2004 on persistent organic pollutants	: Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	: Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	: Not applicable

Revision Date: 24.06.2019



Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Other regulations : 2000 XXV. Law on chemical safety 44/2000. (XII 27) Ministry of health dangerous substances and preparations dangerous for certain procedures and arrangements for activities

The components of this product are reported in the following inventories:

TSCA :	On TSCA Inventory
DSL	All components of this product are on the Canadian DSL
AICS	On the inventory, or in compliance with the inventory
ENCS	Not in compliance with the inventory
KECI	On the inventory, or in compliance with the inventory
IECSC	Not in compliance with the inventory
PICCS	Not in compliance with the inventory
TCSI	Not in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Further information

Revision Date: 24.06.2019

Full text of H-Statements

H304	May be fatal if swallowed and enters airways.
H332	Harmful if inhaled.



Revision Date: 24.06.2019

Print Date: 25.10.2022 SDS Number: 000000197928

No data

VE18320

Other information : The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department ('+31 (0)78 654 3500).

Sources of key data used to compile the Safety Data Sheet Valvoline internal data including own and sponsored test reports The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet : ACGIH : American Conference of Industrial Hygienists **BEI : Biological Exposure Index** CAS : Chemical Abstracts Service (Division of the American Chemical Society). CMR : Carcinogenic, Mutagenic or Toxic for Reproduction FG : Food grade GHS : Globally Harmonized System of Classification and Labeling of Chemicals. H-statement : Hazard Statement IATA : International Air Transport Association. IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA). ICAO : International Civil Aviation Organization ICAO-TI (ICAO): Technical Instructions by the "International Civil Aviation Organization" IMDG : International Maritime Code for Dangerous Goods ISO : International Organization for Standardization logPow : octanol-water partition coefficient LCxx : Lethal Concentration, for xx percent of test population LDxx : Lethal Dose, for xx percent of test population. ICxx : Inhibitory Concentration for xx of a substance Ecxx : Effective Concentration of xx N.O.S.: Not Otherwise Specified OECD : Organization for Economic Co-operation and Development **OEL** : Occupational Exposure Limit P-Statement : Precautionary Statement PBT : Persistent, Bioaccumulative and Toxic **PPE : Personal Protective Equipment** STEL : Short-term exposure limit STOT : Specific Target Organ Toxicity TLV : Threshold Limit Value TWA : Time-weighted average vPvB : Very Persistent and Very Bioaccumulative WEL : Workplace Exposure Level



Revision Date: 24.06.2019

Print Date: 25.10.2022 SDS Number: 000000197928

No data VE18320 Version: 2.0

ABM : Water Hazard Class for the Netherlands ADR : Agreement concerning the International Carriage of Dangerous Goods by Road. ADNR: Regulation for the Carriage of Dangerous Substances on the Rhine CLP : Classification, Labelling and Packaging CSA : Chemical Safety Assessment CSR : Chemical Safety Report DNEL : Derived No Effect Level. EINECS : European Inventory of Existing Commercial Chemical Substances. ELINCS : European List of Notified Chemical Substances PEC : Predicted Effect Concentration **PEL : Permissible Exposure Limits** PNEC : Predicted No Effect Concentration R-phrase : Risk phrase REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals RID : Regulation Concerning the International Transport of Dangerous Goods by Rail S-phrase: Safety phrase WGK : German Water Hazard Class