

Version: 3.0	Revision Date: 11	.02.2020	Print Date: 25/10/2022
Conforms to EU Regulation 19 SECTION 1: Identification			mpany/undertaking
1.1 Product identifier Trade name	: No data av	vailable	
Product code	: 795881		
1.2 Relevant identified u Recommended use	: Lubricating oil	ls	_
1.3 Details of the supplie sheet Ellis Enterprises B.V., an a Wieldrechtseweg 39 3316 BG Dordrecht Netherlands +31 (0)78 654 3500 (in the	ffiliate of Valvoline	1.4 Emergency telep +1-800-VALVOLINE (contact your local eme +36 80 201 199	
contact your local CSR co		Product Information +31 (0)78 654 3500 (in contact your local CSF	
SDS@valvoline.com			

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard,	H412: Harmful to aquatic life with long lasting
Category 3	effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)				
Hazard statements	: H412	Harmful to aquatic life with long lasting effects.		
Precautionary statements	: P103 P102	Read carefully and follow all instructions. Keep out of reach of children.		



Version: 3.0	Revision Date: 11.	Revision Date: 11.02.2020	
	P101	If medical advice is r container or label at	needed, have product hand.
	Prevention:		
	P273 Disposal:	Avoid release to the	environment.
	P501	Dispose of contents/ approved waste disp	

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. **Additional advice**

No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7 265-157-1 01-2119484627-25-xxxx	Asp. Tox.1; H304	>= 80,00 - < 90,00
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0 265-169-7 01-2119471299-27-xxxx	Asp. Tox.1; H304	>= 2,50 - < 5,00
2,6-di-tert-butylphenol	128-39-2 204-884-0 01-2119490822-33-xxxx	Skin Irrit.2; H315 Aquatic Acute1; H400 Aquatic Chronic1; H410	>= 0,25 - < 0,50

For explanation of abbreviations see section 16.

SECTION 4: First aid measures



ersion: 3.0	Revision Date: 11.02.2020	Revision Date: 11.02.2020 Print Date: 25/10/202	
1 Description of first aid me	easures		
General advice	: No hazards which require special	l first aid measures.	
If inhaled	If unconscious, place in recovery advice.	If breathed in, move person into fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.	
In case of skin contact	: First aid is not normally required. recommended that exposed area with soap and water.		
In case of eye contact	: Remove contact lenses. Protect unharmed eye.		
If swallowed	 Do not give milk or alcoholic beven Never give anything by mouth to If symptoms persist, call a physic 	an unconscious person.	
2 Most important symptoms	and offects both south and delayed		
Symptoms 3 Indication of any immedia	s and effects, both acute and delayed : No symptoms known or expected te medical attention and special treatm : No bozords which require special	nent needed	
Symptoms	: No symptoms known or expected	nent needed	
Symptoms 3 Indication of any immedia Treatment	: No symptoms known or expected te medical attention and special treatm : No hazards which require special	nent needed	
Symptoms 3 Indication of any immedia Treatment	: No symptoms known or expected te medical attention and special treatm : No hazards which require special	nent needed	
Symptoms 3 Indication of any immedia	: No symptoms known or expected te medical attention and special treatm : No hazards which require special	nent needed	
Symptoms 3 Indication of any immedia Treatment ECTION 5: Firefighting m	: No symptoms known or expected te medical attention and special treatm : No hazards which require special easures	nent needed I first aid measures. are appropriate to local	
Symptoms 3 Indication of any immedia Treatment ECTION 5: Firefighting media Suitable extinguishing media	: No symptoms known or expected ate medical attention and special treatm : No hazards which require special easures dia : Use extinguishing measures that circumstances and the surroundin Water spray Foam Carbon dioxide (CO2) Dry chemical	nent needed I first aid measures. are appropriate to local	
Symptoms 3 Indication of any immedia Treatment ECTION 5: Firefighting media Suitable extinguishing media	 No symptoms known or expected te medical attention and special treatm No hazards which require special easures Use extinguishing measures that circumstances and the surroundin Water spray Foam Carbon dioxide (CO2) 	nent needed I first aid measures. are appropriate to local ng environment.	



Version: 3.0	Revision Date: 11.02.2020	Print Date: 25/10/2022
5.3 Advice for firefighters		
Special protective equipment for firefighters	: In the event of fire, wear self-contained	breathing apparatus.
Specific extinguishing methods	: Product is compatible with standard fire	e-fighting agents.
Further information	: Fire residues and contaminated fire ext be disposed of in accordance with loca	0 0

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Comply with all applicable federal, state, and local regulations.
6.2 Environmental precautions	
Environmental precautions	 Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for co	ntainment and cleaning up
Methods for cleaning up	: Keep in suitable, closed containers for disposal.
6.4 Reference to other sections For further information see Se	ection 8 and Section 13 of the safety data sheet.
SECTION 7: Handling and sto	brage
7.1 Precautions for safe handling	g
Advice on safe handling	 Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8.
Advice on protection against fire and explosion	: Normal measures for preventive fire protection.



Version: 3.0	Revision Date: 11.02.2020	Print Date: 25/10/2022
Hygiene measures	: General industrial hygiene practice.	
7.2 Conditions for safe storage,	including any incompatibilities	
Requirements for storage areas and containers	: Containers which are opened must be kept upright to prevent leakage.	carefully resealed and
Advice on common storage	: No materials to be especially mentione	ed.
Other data	: No decomposition if stored and applied	as directed.
7.3 Specific end use(s)		
Specific use(s)	: No data available	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	CEIL (Mist)	5 mg/m3 Mist	HU OEL
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	CEIL (Mist)	5 mg/m3 Mist	HU OEL

8.2 Exposure controls

Engineering measures

General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Eye protection

: Not required under normal conditions of use. Wear splashproof safety goggles if material could be misted or splashed into eyes.

Hand protection



Version: 3.0	Revision Date: 11.02.2020	Print Date: 25/10/2022
Remarks	: Nitrile rubber butyl-rubber	
Skin and body protection	: Wear as appropriate: Safety shoes	
Respiratory protection	: No personal respiratory protective equired.	ipment normally

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	amber
Odour	:	oily
Odour Threshold	:	No data available
рН	:	Not applicable
Pour point	:	< -33 °C
Boiling point/boiling range	:	not determined
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	ca. 0,85 g/cm3 (15 °C)



Revision Date: 11.02.2020	Print Date: 25/10/2022
: insoluble	
s : No data available	
: No data available	
: No data available	
: No data available	
: ca. 46 mm2/s (40 °C)	
: No data available	
: No data available	
No data available	
	 insoluble No data available ca. 46 mm2/s (40 °C) No data available No data available

SECTION 10: Stability and reactivity

10.1 Reactivity	
No decomposition if stored and a	oplied as directed.
10.2 Chemical stability	
Stable under recommended stora	ge conditions.
10.3 Possibility of hazardous reaction	ons
Hazardous reactions :	Product will not undergo hazardous polymerization.
10.4 Conditions to avoid	
Conditions to avoid :	None known.
10.5 Incompatible materials	
Materials to avoid :	Strong oxidizing agents
10.6 Hazardous decomposition proc	lucts
Hazardous decomposition : products	No hazardous decomposition products are known.



Version: 3.0

Revision Date: 11.02.2020

Print Date: 25/10/2022

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of	:	Inhalation
exposure		Skin contact
		Eye Contact
		Ingestion

Acute toxicity

Not classified based on available information.

Components:

HEAVY PARAFFINIC DIS	TILLATE:	
Acute oral toxicity	: LD50 (Rat): > 15 g/kg	
Acute dermal toxicity	: LD50 (Rabbit): > 5 g/kg	

Components:

DISTILLATES (PETROLEUM),	SOLVENT	DEWAXED	HEAVY F	PARAFFINIC:	

Acute oral toxicity	: LD50 (Rat): $> 5.000 \text{ mg/kg}$
Acute dermal toxicity	: LD50 (Rabbit): > 5.000 mg/kg

Components:

2,6-DI-TERT-BUTYLPHENOL:		
Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg
Acute dermal toxicity	:	Assessment: Not classified as acutely toxic by dermal absorption under GHS.

Skin corrosion/irritation

Not classified based on available information.

Components:

HEAVY PARAFFINIC DISTILLATE:

Result: Slight, transient irritation

DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC: Result: Slight, transient irritation

2,6-DI-TERT-BUTYLPHENOL: Species: Rabbit



Version: 3.0

Revision Date: 11.02.2020

Print Date: 25/10/2022

Method: OECD Test Guideline 404 Result: Irritating to skin.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: Unlikely to cause eye irritation or injury.

Components:

HEAVY PARAFFINIC DISTILLATE:

Result: No eye irritation

DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC: Result: Slight, transient irritation

2,6-DI-TERT-BUTYLPHENOL:

Species: Rabbit Method: OECD Test Guideline 405 Result: Slight, transient irritation

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Components:

2,6-DI-TERT-BUTYLPHENOL:

Test Type: Maximisation Test Species: Guinea pig Assessment: Does not cause skin sensitisation. Method: OECD Test Guideline 406

Germ cell mutagenicity

Not classified based on available information.

Components:

G

2,6-DI-TERT-BUTYLPHENOL:

Genotoxicity in vitro : Test Type: Ames test Test species: Salmonella typhimurium Metabolic activation: with and without metabolic activation			
Result: negative	Senotoxicity in vitro	Test species: Salmonella typhimurium Metabolic activation: with and without metabolic act	ivation

Carcinogenicity

Not classified based on available information.



Version: 3.0

Revision Date: 11.02.2020

Print Date: 25/10/2022

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Components:

HEAVY PARAFFINIC DISTILLATE: May be fatal if swallowed and enters airways.

DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC: May be fatal if swallowed and enters airways.

Further information

Product:

Remarks: No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

Distillates (petroleum), hydrotre	eate	ed heavy paraffinic
Toxicity to fish	:	LL50 (Fish): > 100 mg/l
		Exposure time: 96 h
Toxicity to daphnia and other	:	EL50 (Aquatic invertebrates): > 10.000 mg/l
aquatic invertebrates		Exposure time: 48 h
		$\Box = \Box = (A a = a a = b = a + (A a = a)), A = (A a = a + b)$
Toxicity to algae	÷	EL50 (Algae, algal mat (Algae)): > 100 mg/l
		Exposure time: 72 h
Toxicity to fish (Chronic	:	NOEC: 10 mg/l
toxicity)		Species: Fish
.,		
Toxicity to daphnia and other	:	NOEC: 10 mg/l
aquatic invertebrates		Species: Aquatic invertebrates
(Chronic toxicity)		



Version: 3.0

.....

Revision Date: 11.02.2020

Print Date: 25/10/2022

2,6-di-tert-butylphenol Toxicity to fish : LC50 (Danio rerio (zebra fish)): 13 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 LC50 (Oncorhynchus mykiss (rainbow trout)): > 0,1 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,45 mg/l Exposure time: 48 h Test Type: flow-through test Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 3,6 mg/l Exposure time: 72 h Test Type: static test M-Factor (Short-term (acute) toxicity) : 1 Toxicity to fish (Chronic toxicity) : NOEC: 0,30 mg/l Exposure time: 14 d Species: Pimephales promelas (fathead minnow) Test Type: flow-through test M-Factor (Long-term (chronic) aquatic hazard) : 1		
Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203LC50 (Oncorhynchus mykiss (rainbow trout)): > 0,1 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203Toxicity to daphnia and other aquatic invertebrates: EC50 (Daphnia magna (Water flea)): 0,45 mg/l Exposure time: 48 h Test Type: flow-through testToxicity to algae: EC50 (Pseudokirchneriella subcapitata (green algae)): 3,6 mg/l Exposure time: 72 h Test Type: static testM-Factor (Short-term (acute) aquatic hazard): 1Toxicity to fish (Chronic toxicity): NOEC: 0,30 mg/l Exposure time: 14 d Species: Pimephales promelas (fathead minnow) Test Type: flow-through testM-Factor (Long-term: 1		
Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203Toxicity to daphnia and other aquatic invertebrates: EC50 (Daphnia magna (Water flea)): 0,45 mg/l Exposure time: 48 h Test Type: flow-through testToxicity to algae: EC50 (Pseudokirchneriella subcapitata (green algae)): 3,6 mg/l 	Toxicity to fish	Exposure time: 96 h Test Type: static test
aquatic invertebratesExposure time: 48 h Test Type: flow-through testToxicity to algae:EC50 (Pseudokirchneriella subcapitata (green algae)): 3,6 mg/l Exposure time: 72 h 		Exposure time: 96 h Test Type: semi-static test
mg/l Exposure time: 72 h Test Type: static testM-Factor (Short-term (acute) : 1 aquatic hazard)Toxicity to fish (Chronic 		Exposure time: 48 h
aquatic hazard) Toxicity to fish (Chronic toxicity) : NOEC: 0,30 mg/l Exposure time: 14 d Species: Pimephales promelas (fathead minnow) Test Type: flow-through test M-Factor (Long-term : 1	Toxicity to algae	mg/l Exposure time: 72 h
toxicity)Exposure time: 14 d Species: Pimephales promelas (fathead minnow) Test Type: flow-through testM-Factor (Long-term: 1		: 1
		Exposure time: 14 d Species: Pimephales promelas (fathead minnow)
		: 1

12.2 Persistence and degradability

Components:

2,6-di-tert-butylphenol	
Biodegradability	: Result: Not readily biodegradable. Biodegradation: 12 - 24 % Exposure time: 28 d
	Method: OECD Test Guideline 302C

12.3 Bioaccumulative potential

Components:

2,6-di-tert-butylphenol	
Bioaccumulation	: Species: Green algae (Chlorella fusca vacuolata) Exposure time: 24 h



Version: 3.0	Revision Date: 11.02.2020	Print Date: 25/10/2022
Partition coefficient: n- octanol/water	Concentration: 0,05 mg/l Bioconcentration factor (BCF): 800 Method: Static Species: Carp (Leuciscus idus mel Exposure time: 3 d Concentration: 0,037 mg/l Bioconcentration factor (BCF): 660 Method: Renewal : log Pow: 4,92	anotus)
12.4 Mobility in soil No data available		
12.5 Results of PBT and vPvB assessment		
Product: Assessment	 This substance/mixture contains not to be either persistent, bioaccumula very persistent and very bioaccumu 0.1% or higher 	ative and toxic (PBT), or
12.6 Other adverse effects		
Product: Additional ecological information	: An environmental hazard cannot be unprofessional handling or disposa with long lasting effects.	
SECTION 13: Disposal considerations		
13.1 Waste treatment methods Product	: The product should not be allowed courses or the soil.	to enter drains, water
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Empty containers should be taken handling site for recycling or dispos	

SECTION 14: Transport information



Version: 3.0

Revision Date: 11.02.2020

Print Date: 25/10/2022

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legisla	tion specific for the substance or mixture
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable
Regulation (EC) No 850/2004 on persistent organic pollutants	: Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	: Not applicable
12 / 16	



Version: 3.0

Revision Date: 11.02.2020

Print Date: 25/10/2022

REACH - Restrictions on the manufacture, placing on : Not applicable the market and use of certain dangerous substances, preparations and articles (Annex XVII)

Directive 96/82/EC does not apply

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Other regulations:

44/2000. (XII 27) Ministry of health dangerous substances and preparations dangerous for certain procedures and arrangements for activities 2000 XXV. Law on chemical safety

The components of this product are reported in the following inventories:		
DSL	: All components of this product are on the Canadian DSL	
AICS	: On the inventory, or in compliance with the inventory	
ENCS	: On the inventory, or in compliance with the inventory	
KECI	: On the inventory, or in compliance with the inventory	
PICCS	: On the inventory, or in compliance with the inventory	
IECSC	: On the inventory, or in compliance with the inventory	
TCSI	: On the inventory, or in compliance with the inventory	
TSCA	: On TSCA Inventory	

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)



Version: 3.0

Revision Date: 11.02.2020

Print Date: 25/10/2022

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Further information

Internal information : 000000213269

Full text of H-Statem	ients
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
Other information	: The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department

(+31 (0)78 654 3500).

Sources of key data used to compile the Safety Data Sheet Valvoline internal data including own and sponsored test reports The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet : ACGIH : American Conference of Industrial Hygienists BEI : Biological Exposure Index CAS : Chemical Abstracts Service (Division of the American Chemical Society). CMR : Carcinogenic, Mutagenic or Toxic for Reproduction FG : Food grade GHS : Globally Harmonized System of Classification and Labeling of Chemicals. H-statement : Hazard Statement IATA : International Air Transport Association.

IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).



Version: 3.0

Revision Date: 11.02.2020

Print Date: 25/10/2022

ICAO: International Civil Aviation Organization ICAO-TI (ICAO): Technical Instructions by the "International Civil Aviation Organization" IMDG : International Maritime Code for Dangerous Goods ISO : International Organization for Standardization logPow : octanol-water partition coefficient LCxx : Lethal Concentration, for xx percent of test population LDxx : Lethal Dose, for xx percent of test population. ICxx : Inhibitory Concentration for xx of a substance Ecxx : Effective Concentration of xx N.O.S.: Not Otherwise Specified OECD : Organization for Economic Co-operation and Development **OEL** : Occupational Exposure Limit P-Statement : Precautionary Statement PBT : Persistent, Bioaccumulative and Toxic **PPE** : Personal Protective Equipment STEL : Short-term exposure limit STOT : Specific Target Organ Toxicity TLV : Threshold Limit Value TWA : Time-weighted average vPvB : Very Persistent and Very Bioaccumulative WEL : Workplace Exposure Level ABM : Water Hazard Class for the Netherlands ADR : Agreement concerning the International Carriage of Dangerous Goods by Road. ADNR: Regulation for the Carriage of Dangerous Substances on the Rhine CLP : Classification, Labelling and Packaging CSA : Chemical Safety Assessment CSR : Chemical Safety Report DNEL : Derived No Effect Level. EINECS : European Inventory of Existing Commercial Chemical Substances. ELINCS : European List of Notified Chemical Substances **PEC : Predicted Effect Concentration PEL : Permissible Exposure Limits PNEC : Predicted No Effect Concentration** R-phrase : Risk phrase REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals RID : Regulation Concerning the International Transport of Dangerous Goods by Rail S-phrase: Safety phrase

WGK : German Water Hazard Class