

Version: 4.0 Revision Date: 02.02.2021 Print Date: 25/10/2022

Conforms to EU Regulation 1907/2006/EC as amended. - SDSGHS HU

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : No data available

Product code : 872775

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Engine, gear & lubricating oil.

# 1.3 Details of the supplier of the safety data sheet

Ellis Enterprises B.V., an affiliate of Valvoline

Wieldrechtseweg 39 3316 BG Dordrecht

Netherlands

+31 (0)78 654 3500 (in the Netherlands), or contact your local CSR contact person

#### 1.4 Emergency telephone number

+1-800-VALVOLINE (+1-800-825-8654), or contact your local emergency telephone number at

+36 80 201 199

#### **Product Information**

+31 (0)78 654 3500 (in the Netherlands), or contact your local CSR contact person

SDS@valvoline.com

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### **Additional Labelling:**

EUH210 Safety data sheet available on request.



Version: 4.0 Revision Date: 02.02.2021 Print Date: 25/10/2022

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **Additional advice**

No information available.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

# **Hazardous components**

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)			
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7 265-157-1 01-2119484627-25-xxxx	Asp. Tox.1; H304	>= 15,00 - < 25,00			
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8 265-158-7 01-2119487077-29-xxxx	Asp. Tox.1; H304	>= 2,50 - < 5,00			
Phenol, 2,2'- polythiobis[4-C8-30- alkyl derivs., calcium salts, overbased	90480-91-4 291-829-9 01-2119524004-56-xxxx	Aquatic Chronic4; H413	>= 1,00 - < 2,50			
Substances with a workplace exposure limit :						
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7		>= 60,00 - < 70,00			
Distillates (Petroleum), Hydrotreated Heavy Paraffinic	64742-54-7 01-2119484627-25-xxxx		>= 5,00 - < 10,00			
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0 265-169-7 01-2119471299-27-xxxx		>= 2,50 - < 5,00			

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**



Version: 4.0 Revision Date: 02.02.2021 Print Date: 25/10/2022

#### 4.1 Description of first aid measures

General advice : No hazards which require special first aid measures.

If inhaled : If breathed in, move person into fresh air.

If unconscious, place in recovery position and seek medical

advice

If symptoms persist, call a physician.

In case of skin contact : First aid is not normally required. However, it is

recommended that exposed areas be cleaned by washing

with soap and water.

In case of eye contact : Protect unharmed eye.

Remove contact lenses.

If swallowed : If symptoms persist, call a physician.

Never give anything by mouth to an unconscious person.

Do not give milk or alcoholic beverages.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No symptoms known or expected.

# 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No hazards which require special first aid measures.

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Water spray

Foam

Carbon dioxide (CO2)

Dry chemical

# 5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: carbon dioxide and carbon monoxide



Revision Date: 02.02.2021 Print Date: 25/10/2022 Version: 4.0

5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Specific extinguishing

methods

: Product is compatible with standard fire-fighting agents.

Further information : Standard procedure for chemical fires.

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Comply with all applicable federal, state, and local regulations.

6.2 Environmental precautions

**Environmental precautions** : Prevent further leakage or spillage if safe to do so.

# 6.3 Methods and material for containment and cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel, Methods for cleaning up

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For further information see Section 8 and Section 13 of the safety data sheet.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Advice on protection against

fire and explosion

: Normal measures for preventive fire protection.

Hygiene measures : General industrial hygiene practice.



Version: 4.0 Revision Date: 02.02.2021 Print Date: 25/10/2022

# 7.2 Conditions for safe storage, including any incompatibilities

Advice on common storage : No materials to be especially mentioned.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : No data available

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	TWA (Mist)	5 mg/m3 Mist	HU OEL
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	TWA (Mist)	5 mg/m3 Mist	HU OEL
Distillates (Petroleum), Hydrotreated Heavy Paraffinic	64742-54-7	TWA (Mist)	5 mg/m3 Mist	HU OEL
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	CEIL (Mist)	5 mg/m3 Mist	HU OEL
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	CEIL (Mist)	5 mg/m3 Mist	HU OEL

#### 8.2 Exposure controls

#### **Engineering measures**

General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

# Valvoline, M

# **SAFETY DATA SHEET**

Version: 4.0 Revision Date: 02.02.2021 Print Date: 25/10/2022

Personal protective equipment

Eye protection : Not required under normal conditions of use. Wear splash-

proof safety goggles if material could be misted or splashed

into eyes.

Skin and body protection : Safety shoes

Wear as appropriate:

Respiratory protection : No personal respiratory protective equipment normally

required.

No personal respiratory protective equipment normally

required.

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : amber

Odour : oily

Odour Threshold : No data available

pH : Not applicable

Pour point : < -33 °C

Boiling point/boiling range : No data available

Flash point : 229 °C

Method: Cleveland open cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available



Version: 4.0 Revision Date: 02.02.2021 Print Date: 25/10/2022

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : ca. 0,870 g/cm3 (15,6 °C)

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : < 6.800 mPa.s (-25 °C)

Viscosity, kinematic : ca. 88 mm2/s (40 °C)

Oxidizing properties : No data available

9.2 Other information

Self-ignition : No data available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

Hazardous reactions : Product will not undergo hazardous polymerization.

10.4 Conditions to avoid

Conditions to avoid : excessive heat

#### 10.5 Incompatible materials



Version: 4.0 Revision Date: 02.02.2021 Print Date: 25/10/2022

Materials to avoid : Strong oxidizing agents

#### 10.6 Hazardous decomposition products

Hazardous decomposition

products

: No hazardous decomposition products are known.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Information on likely routes of : Inhalation

exposure

Skin contact

Eye Contact Ingestion

#### **Acute toxicity**

Not classified based on available information.

#### Components:

#### **HEAVY PARAFFINIC DISTILLATE:**

Acute oral toxicity : LD50 (Rat): > 15 g/kg

Acute dermal toxicity : LD50 (Rabbit): > 5 g/kg

#### **Components:**

## HYDROTREATED HEAVY PARAFFINIC BASE OIL:

Acute oral toxicity : LD50 (Rat): > 15 g/kg

Acute dermal toxicity : LD50 (Rabbit): > 5 g/kg

# **Components:**

# **HEAVY PARAFFINIC DISTILLATE:**

Acute oral toxicity : LD50 (Rat): > 15 g/kg

Acute dermal toxicity : LD50 (Rabbit): > 5 g/kg

### **Components:**

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg



Version: 4.0 Revision Date: 02.02.2021 Print Date: 25/10/2022

#### Skin corrosion/irritation

Not classified based on available information.

#### **Components:**

#### **HEAVY PARAFFINIC DISTILLATE:**

Result: Slight, transient irritation

# HYDROTREATED LIGHT PARAFFINIC DISTILLATE:

Result: Slight, transient irritation

#### **CALCIUM BRANCED CHAIN ALKYL PHENATE SULFIDE:**

Result: Slight, transient irritation

#### HYDROTREATED HEAVY PARAFFINIC BASE OIL:

Result: Slight, transient irritation

#### **HEAVY PARAFFINIC DISTILLATE:**

Result: Slight, transient irritation

#### Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Result: Slight, transient irritation

#### Serious eye damage/eye irritation

Not classified based on available information.

# **Product:**

Result: No eye irritation

Remarks: Unlikely to cause eye irritation or injury.

# Components:

#### **HEAVY PARAFFINIC DISTILLATE:**

Result: No eye irritation

#### **HYDROTREATED LIGHT PARAFFINIC DISTILLATE:**

Result: Slight, transient irritation

#### **CALCIUM BRANCED CHAIN ALKYL PHENATE SULFIDE:**

Result: Slight, transient irritation

#### HYDROTREATED HEAVY PARAFFINIC BASE OIL:

Result: No eye irritation

#### **HEAVY PARAFFINIC DISTILLATE:**

Result: No eye irritation



Print Date: 25/10/2022 Version: 4.0 Revision Date: 02.02.2021

# Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Result: Slight, transient irritation

#### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

#### Components:

# Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Test Type: Buehler Test Species: Guinea pig

Assessment: Does not cause skin sensitisation.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### Components:

#### **HYDROTREATED LIGHT PARAFFINIC DISTILLATE:**

: Classified based on DMSO extract content < 3% (Regulation Carcinogenicity -

Assessment (EC) 1272/2008, Annex VI, Part 3, Note L)

# HYDROTREATED HEAVY PARAFFINIC BASE OIL:

Carcinogenicity -Classified based on DMSO extract content < 3% (Regulation

Assessment (EC) 1272/2008, Annex VI, Part 3, Note L)

#### **HEAVY PARAFFINIC DISTILLATE:**

: Classified based on DMSO extract content < 3% (Regulation Carcinogenicity -

Assessment (EC) 1272/2008, Annex VI, Part 3, Note L)

#### Reproductive toxicity

Not classified based on available information.

# STOT - single exposure

Not classified based on available information.

# STOT - repeated exposure

Not classified based on available information.

#### **Aspiration toxicity**

Not classified based on available information.

#### **Components:**

#### **HEAVY PARAFFINIC DISTILLATE:**

May be fatal if swallowed and enters airways.



Revision Date: 02.02.2021 Print Date: 25/10/2022 Version: 4.0

#### HYDROTREATED LIGHT PARAFFINIC DISTILLATE:

May be fatal if swallowed and enters airways.

#### **HEAVY PARAFFINIC DISTILLATE:**

No aspiration toxicity classification

#### Distillates (petroleum), solvent-dewaxed heavy paraffinic:

No aspiration toxicity classification

#### **Further information**

**Product:** 

Remarks: No data available

# **SECTION 12: Ecological information**

# 12.1 Toxicity

# **Components:**

Distillates (petroleum), hydrotreated heavy paraffinic

Toxicity to fish : LL50 (Fish): > 100 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EL50 (Aquatic invertebrates): > 10.000 mg/l

Exposure time: 48 h

Toxicity to algae : EL50 (Algae, algal mat (Algae)): > 100 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic

toxicity)

NOEC 10 mg/l Species: Fish

Toxicity to daphnia and other : NOEC: 10 mg/l

aquatic invertebrates (Chronic toxicity)

Species: Aquatic invertebrates

Phenol, 2,2'-polythiobis[4-C8-30-alkyl derivs., calcium salts, overbased

**Ecotoxicology Assessment** 

: May cause long lasting harmful effects to aquatic life. Long-term (chronic) aquatic

hazard

Distillates (petroleum), hydrotreated heavy paraffinic

**Ecotoxicology Assessment** 



Revision Date: 02.02.2021 Print Date: 25/10/2022 Version: 4.0

Short-term (acute) aquatic

hazard

: Not classified based on available information.

Long-term (chronic) aquatic

hazard

: Not classified based on available information.

Distillates (Petroleum), Hydrotreated Heavy Paraffinic

: LL50 (Fish): > 100 mg/l Toxicity to fish

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EL50 (Aquatic invertebrates): > 10.000 mg/l

Exposure time: 48 h

Toxicity to algae : EL50 (Algae, algal mat (Algae)): > 100 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic

toxicity)

NOEC 10 mg/l

Species: Fish

Toxicity to daphnia and other : NOEC: 10 mg/l

aquatic invertebrates

(Chronic toxicity)

Species: Aquatic invertebrates

Ecotoxicology Assessment

Short-term (acute) aquatic

: Not classified based on available information.

Long-term (chronic) aquatic

hazard

: Not classified based on available information.

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

> Exposure time: 96 h Test Type: static test Test substance: WAF

aquatic invertebrates

Toxicity to daphnia and other : EL50 (Daphnia magna (Water flea)): > 10.000 mg/l

Exposure time: 48 h Test Type: static test Test substance: WAF

: NOEL (Pseudokirchneriella subcapitata (algae)): >= 100 mg/l Toxicity to algae

End point: Growth inhibition

Exposure time: 72 h Test Type: static test Test substance: WAF



Version: 4.0 Revision Date: 02.02.2021 Print Date: 25/10/2022

#### 12.2 Persistence and degradability

#### **Components:**

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Biodegradability : Result: Inherently biodegradable

Method: OECD Test Guideline 301F

#### 12.3 Bioaccumulative potential

#### **Components:**

Distillates (Petroleum), Hydrotreated Heavy Paraffinic

Partition coefficient: n- : log Pow: Expected > 7

octanol/water

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

# 12.6 Other adverse effects

## **Product:**

Additional ecological

information

: No data available

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Contaminated packaging : Empty remaining contents.

# **SECTION 14: Transport information**

# 14.1 UN number

Not regulated as a dangerous good



Version: 4.0 Revision Date: 02.02.2021 Print Date: 25/10/2022

# 14.2 UN proper shipping name

Not regulated as a dangerous good

# 14.3 Transport hazard class(es)

Not regulated as a dangerous good

# 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

# 14.6 Special precautions for user

Not applicable

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

# **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1005/2009 on substances that

deplete the ozone layer

: Not applicable

Regulation (EC) No 850/2004 on persistent organic

pollutants

: Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 649/2012 of the European

Parliament and the Council concerning the export and

import of dangerous chemicals

: Not applicable



Revision Date: 02.02.2021 Print Date: 25/10/2022 Version: 4.0

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

: Conditions of restriction for the following entries should be considered:

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC (Number on list 28)

(Number on list 28)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

#### Other regulations:

44/2000. (XII 27) Ministry of health dangerous substances and preparations dangerous for certain procedures and arrangements for activities 2000 XXV. Law on chemical safety

#### The components of this product are reported in the following inventories:

DSL This product contains one or several components that are not

on the Canadian DSL and have annual quantity limits.

Not in compliance with the inventory **AICS** 

**ENCS** Not in compliance with the inventory

**KECI** Not in compliance with the inventory

**PICCS** On the inventory, or in compliance with the inventory

**IECSC** Not in compliance with the inventory

**TCSI** Not in compliance with the inventory

**TSCA** Not On TSCA Inventory

#### **Inventories**



Version: 4.0 Revision Date: 02.02.2021 Print Date: 25/10/2022

AICS (Australia), AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

#### 15.2 Chemical safety assessment

No data available

#### **SECTION 16: Other information**

#### **Further information**

Internal information: 000000273861

#### **Full text of H-Statements**

H304 May be fatal if swallowed and enters airways.

H413 May cause long lasting harmful effects to aquatic life.

Other information : The information accumulated herein is believed to be accurate

but is not warranted to be whether originating with the

company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department

('+31 (0)78 654 3500).

Sources of key data used to compile the Safety Data Sheet Valvoline internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet:

ACGIH: American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS: Chemical Abstracts Service (Division of the American Chemical Society).

CMR: Carcinogenic, Mutagenic or Toxic for Reproduction

FG: Food grade

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement



Revision Date: 02.02.2021 Version: 4.0 Print Date: 25/10/2022

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization

ICAO-TI (ICAO): Technical Instructions by the "International Civil Aviation Organization"

IMDG: International Maritime Code for Dangerous Goods ISO: International Organization for Standardization

logPow: octanol-water partition coefficient

LCxx: Lethal Concentration, for xx percent of test population

LDxx: Lethal Dose, for xx percent of test population. ICxx: Inhibitory Concentration for xx of a substance

Ecxx: Effective Concentration of xx N.O.S.: Not Otherwise Specified

OECD: Organization for Economic Co-operation and Development

**OEL**: Occupational Exposure Limit P-Statement: Precautionary Statement PBT: Persistent, Bioaccumulative and Toxic

PPE: Personal Protective Equipment STEL: Short-term exposure limit STOT: Specific Target Organ Toxicity

TLV: Threshold Limit Value TWA: Time-weighted average

vPvB: Very Persistent and Very Bioaccumulative

WEL: Workplace Exposure Level

ABM: Water Hazard Class for the Netherlands

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

ADNR: Regulation for the Carriage of Dangerous Substances on the Rhine

CLP: Classification, Labelling and Packaging

**CSA**: Chemical Safety Assessment **CSR**: Chemical Safety Report DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

**ELINCS**: European List of Notified Chemical Substances

PEC: Predicted Effect Concentration PEL: Permissible Exposure Limits

PNEC: Predicted No Effect Concentration

R-phrase: Risk phrase

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail

S-phrase: Safety phrase

WGK: German Water Hazard Class