

Version: 10.0	Revision Date: 02	2.02.2021	Print Date: 25/10/2022
Conforms to EU Regulation 19 SECTION 1: Identification			pany/undertaking
1.1 Product identifier Trade name	: No data av	vailable	
Product code	: 872296		
Recommended use 1.3 Details of the supplices sheet	: Engine, gear of the safety data	1.4 Emergency telepho +1-800-VALVOLINE (+1	one number -800-825-8654), or
Ellis Enterprises B.V., an Wieldrechtseweg 39 3316 BG Dordrecht Netherlands +31 (0)78 654 3500 (in th		+36 80 201 199	gency telephone number at
contàct your local CSR co		Product Information +31 (0)78 654 3500 (in t contact your local CSR	, .
SDS@valvoline.com			

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Not a hazardous substance or mixture.

Additional Labelling:

EUH210 Safety data sheet available on request.



Version: 10.0

Revision Date: 02.02.2021

Print Date: 25/10/2022

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. **Additional advice**

No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7 265-157-1 01-2119484627-25-xxxx	Asp. Tox.1; H304	>= 15,00 - < 25,00
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8 265-158-7 01-2119487077-29-xxxx	Asp. Tox.1; H304	>= 15,00 - < 25,00
Zinc alkyldithiophosphate	68649-42-3 272-028-3 01-2119493635-27-xxxx	Skin Irrit.2; H315 Eye Dam.1; H318 Aquatic Chronic2; H411	>= 1,00 - < 2,50
CALCIUM LONG- CHAIN ALKYLPHENATE SULFIDE	122384-87-6	Aquatic Chronic4; H413	>= 1,00 - < 2,50
Substances with a workp	place exposure limit :		
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7		>= 40,00 - < 50,00
Distillates (Petroleum), Hydrotreated Heavy Paraffinic	64742-54-7 01-2119484627-25-xxxx		>= 15,00 - < 25,00
Distillates (petroleum), hydrotreated heavy paraffinic			>= 5,00 - < 10,00

For explanation of abbreviations see section 16.



Version: 10.0

Revision Date: 02.02.2021

Print Date: 25/10/2022

SECTION 4: First aid measures

4.1 Description of first aid measures				
General advice :	No hazards which require special first aid measures.			
If inhaled :	If breathed in, move person into fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.			
In case of skin contact :	Wash contaminated clothing before re-use. If on skin, rinse well with water. Remove contaminated clothing. If irritation develops, get medical attention.			
In case of eye contact :	If eye irritation persists, consult a specialist. Protect unharmed eye. Remove contact lenses. Flush eyes with water as a precaution.			
If swallowed :	Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.			
4.2 Most important symptoms and e	ffects, both acute and delayed			
Symptoms :	No symptoms known or expected.			
4.3 Indication of any immediate med	ical attention and special treatment needed			
•	No hazards which require special first aid measures.			

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
	Water spray
	Foam
	Carbon dioxide (CO2)
	Dry chemical



Version: 10.0	Revision Date: 02.02.2021	Print Date: 25/10/2022
Unsuitable extinguishing media	: High volume water jet	
5.2 Special hazards arising fro	om the substance or mixture	
Specific hazards during firefighting	: Do not allow run-off from fire fig courses.	hting to enter drains or water
Hazardous combustion products	: carbon dioxide and carbon mon	oxide
5.3 Advice for firefighters		
Special protective equipment for firefighters	nt : In the event of fire, wear self-co	ntained breathing apparatus.
Specific extinguishing methods	: Product is compatible with stand	dard fire-fighting agents.
Further information	: Standard procedure for chemica	al fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Use personal protective equipment. Comply with all applicable federal, state, and local regulations.
6.2 Environmental precautions Environmental precautions	:	Prevent further leakage or spillage if safe to do so.
6.3 Methods and material for con Methods for cleaning up	tai :	nment and cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For further information see Section 8 and Section 13 of the safety data sheet.

SECTION 7: Handling and storage



SAFETY DATA SHEET

Version: 10.0	Revision Date: 02.02.2021	Print Date: 25/10/2022
7.1 Precautions for safe handlir	ng	
Advice on safe handling	 Dispose of rinse water in accordar regulations. For personal protection see sectio Smoking, eating and drinking shou application area. Avoid contact with skin and eyes. 	n 8.
Advice on protection against fire and explosion	: Normal measures for preventive fi	re protection.
Hygiene measures	: When using do not smoke. When Wash hands before breaks and at	
7.2 Conditions for safe storage,	, including any incompatibilities	
Requirements for storage areas and containers	: Keep container tightly closed in a place.	dry and well-ventilated
Other data	: No decomposition if stored and ap	plied as directed.
7.3 Specific end use(s)		
Specific use(s)	: No data available	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	TWA (Mist)	5 mg/m3 Mist	HU OEL
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	TWA (Mist)	5 mg/m3 Mist	HU OEL
Distillates (Petroleum), Hydrotreated Heavy Paraffinic	64742-54-7	TWA (Mist)	5 mg/m3 Mist	HU OEL



Version: 10.0	Revision Date: 02.02.2021		Print D	Print Date: 25/10/2022	
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	CEIL (Mist)	5 mg/m3 Mist	HU OEL	
Distillates (petroleum), hydrotreated heavy paraffinic		CEIL (Mist)	5 mg/m3 Mist	HU OEL	

8.2 Exposure controls

Engineering measures

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipmen		
Eye protection	Not required under normal conditions of use. Wear splash- proof safety goggles if material could be misted or splashed into eyes.	
Hand protection		
Remarks	Nitrile rubber butyl-rubber	
	The suitability for a specific workplace should be discussed with the producers of the protective gloves.	
Skin and body protection	Choose body protection according to the amount and concentration of the dangerous substance at the work place Safety shoes Impervious clothing Wear as appropriate:	-
Respiratory protection	No personal respiratory protective equipment normally required.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	amber
Odour	:	oily



:	No data available	
:		
	Not applicable	
•	-33 °C	
:	not determined	
:	224 °C Method: Cleveland open cup	
:	Not applicable	
:	No data available	
er :	No data available	
er :	No data available	
:	No data available	
:	No data available	
:	No data available	
:	ca. 0,869 g/cm3 (15,6 °C)	
:	insoluble	
s :	No data available	
:	No data available	
:	No data available	
:	< 7.000 mPa.s (-25 °C)	
:	94 mm2/s (40 °C)	
:	No data available	
	: : er : : : : :	 -33 °C not determined 224 °C Method: Cleveland open cup Not applicable No data available So data available No data available No data available So data available No data available No data available No data available No data available So data available No data available

9.2 Other information



/ersion: 10.0	Revision Date: 02.02.2021	Print Date: 25/10/2022
Self-ignition	: No data available	
SECTION 10: Stability and re	eactivity	
0.1 Reactivity		
No decomposition if stored a	nd applied as directed.	
0.2 Chemical stability		
Stable under recommended	storage conditions.	
10.3 Possibility of hazardous re	actions	
Hazardous reactions	: Product will not undergo hazard	dous polymerization.
0.4 Conditions to avoid		
Conditions to avoid	: excessive heat	
0.5 Incompatible materials		
Materials to avoid	: Strong oxidizing agents	
0.6 Hazardous decomposition	products	
Hazardous decomposition products	: No hazardous decomposition p	products are known.
SECTION 11: Toxicological i	nformation	
11.1 Information on toxicologic	al effects	
Information on likely routes o	f : Inhalation Skin contact	
exposure	Eye Contact	
	Ingestion	
Acute toxicity		
Not classified based on avail	able information.	
Components:		
HEAVY PARAFFINIC DIST	LLATE: LD50 (Rat): > 15 g/kg	
	: LD50 (Rabbit): > 5 g/kg	
Acute dermal toxicity		



Version: 10.0	Revision Date: 02.02.2021	Print Date: 25/10/2022
Components:		
ZINC DIALKYL DITHIOPH	OSPHATE:	
Acute oral toxicity	: LD50 (Rat): > 2.000 - 5.000 mg/k	٢g
Acute dermal toxicity	: LD50 (Rabbit): > 2.000 mg/kg Assessment: Not classified as ac absorption under GHS.	cutely toxic by dermal
Components:		
HYDROTREATED HEAVY	PARAFFINIC BASE OIL:	
Acute oral toxicity	: LD50 (Rat): > 15 g/kg	
Acute dermal toxicity	: LD50 (Rabbit): > 5 g/kg	
<u>Components:</u> HEAVY PARAFFINIC DIST		
	: LD50 (Rat): > 15 g/kg	
	: LD50 (Rabbit): > 5 g/kg	
Skin corrosion/irritation Not classified based on ava	ilable information.	
Components:		
HEAVY PARAFFINIC DIST Result: Slight, transient irrita		
HYDROTREATED LIGHT	PARAFFINIC DISTILLATE:	
Result: Slight, transient irrita		
ZINC DIALKYL DITHIOPH	OSPHATE:	
Result: Severe skin irritation	٦	
CALCIUM LONG-CHAIN A	LKYLPHENATE SULFIDE:	
Result: Slight, transient irrita	ation	
HYDROTREATED HEAVY	PARAFFINIC BASE OIL:	
Result: Slight, transient irrita	ation	
HEAVY PARAFFINIC DIST		
Result: Slight, transient irrita	ation	
HEAVY PARAFFINIC DIST		
Result: Slight, transient irrita	ation	



Version: 10.0

Revision Date: 02.02.2021

Print Date: 25/10/2022

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result: No eye irritation

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

Components:

HEAVY PARAFFINIC DISTILLATE: Result: No eye irritation

HYDROTREATED LIGHT PARAFFINIC DISTILLATE: Result: Slight, transient irritation

ZINC DIALKYL DITHIOPHOSPHATE:

Result: Slight, transient irritation

Result: Risk of serious damage to eyes.

CALCIUM LONG-CHAIN ALKYLPHENATE SULFIDE:

Result: Slight, transient irritation

HYDROTREATED HEAVY PARAFFINIC BASE OIL: Result: No eye irritation

HEAVY PARAFFINIC DISTILLATE: Result: No eye irritation

HEAVY PARAFFINIC DISTILLATE:

Result: Slight, transient irritation

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Components:

HYDROTREATED LIGHT PARAFFINIC DISTILLATE:

Carcinogenicity -Assessment : Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L)



Version: 10.0	Revision Date: 02.02.2021	Print Date: 25/10/2022		
HYDROTREATED HEAVY	HYDROTREATED HEAVY PARAFFINIC BASE OIL:			
Carcinogenicity - Assessment	: Classified based on DMSO extra (EC) 1272/2008, Annex VI, Part 3			
HEAVY PARAFFINIC DIST	ILLATE:			
Carcinogenicity - Assessment	: Classified based on DMSO extra (EC) 1272/2008, Annex VI, Part 3	· · · · ·		
HEAVY PARAFFINIC DIST	ILLATE:			
Carcinogenicity - Assessment	: Classified based on DMSO extra (EC) 1272/2008, Annex VI, Part 3			
Reproductive toxicity Not classified based on avai	lable information.			
STOT - single exposure Not classified based on avai	lable information.			
STOT - repeated exposure Not classified based on available information.				
Aspiration toxicity Not classified based on available information.				
Product:				
No aspiration toxicity classification				
Components:				
HEAVY PARAFFINIC DIST				
May be fatal if swallowed an	lu enters anways.			
HYDROTREATED LIGHT P	PARAFFINIC DISTILLATE:			
May be fatal if swallowed an				
HEAVY PARAFFINIC DIST				
No aspiration toxicity classifi	Ication			
Further information				
Product:				
Remarks: No data available				

SECTION 12: Ecological information



Version: 10.0

Revision Date: 02.02.2021

Print Date: 25/10/2022

12.1 Toxicity

Components:		
Distillates (petroleum), hydrotre	: LL50 (Fish): > 100 mg/l	
Toxicity to fish	Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Aquatic invertebrates): > 10.000 mg/l Exposure time: 48 h	
Toxicity to algae	: EL50 (Algae, algal mat (Algae)): > 100 mg/l Exposure time: 72 h	
Toxicity to fish (Chronic toxicity)	: NOEC: 10 mg/l Species: Fish	
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 10 mg/l Species: Aquatic invertebrates	
Zinc alkyldithiophosphate Ecotoxicology Assessment		
Short-term (acute) aquatic hazard	: Toxic to aquatic life.	
Long-term (chronic) aquatic hazard	: Toxic to aquatic life with long lasting effects.	
CALCIUM LONG-CHAIN ALKY Ecotoxicology Assessment	/LPHENATE SULFIDE	
Long-term (chronic) aquatic hazard	: May cause long lasting harmful effects to aquatic life.	
Distillates (petroleum), hydrotre Ecotoxicology Assessment		
Short-term (acute) aquatic hazard	: Not classified based on available information.	
Long-term (chronic) aquatic hazard	: Not classified based on available information.	
Distillates (Petroleum), Hydrotreated Heavy Paraffinic		
Toxicity to fish	: LL50 (Fish): > 100 mg/l Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Aquatic invertebrates): > 10.000 mg/l Exposure time: 48 h	



Version: 10.0	Revision Date: 02.02.2021	Print Date: 25/10/2022
Toxicity to algae	: EL50 (Algae, algal mat (Algae)): > 1 Exposure time: 72 h	00 mg/l
Toxicity to fish (Chronic toxicity)	: NOEC: 10 mg/l Species: Fish	
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 10 mg/l Species: Aquatic invertebrates	
Ecotoxicology Assessment		
Short-term (acute) aquatic hazard	: Not classified based on available in	formation.
Long-term (chronic) aquatic hazard	: Not classified based on available in	formation.
12.2 Persistence and degradabil	it.v	
No data available	ity	
12.3 Bioaccumulative potential		
Components: Zinc alkyldithiophosphate		
Partition coefficient: n- octanol/water	: Remarks: No data available	

Distillates (Petroleum), Hydrotreated Heavy Paraffinic Partition coefficient: n- : log Pow: Expected > 7 octanol/water

12.4 Mobility in soil

I

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment	 This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or
	very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Additional ecological

: No data available



Version: 10.0

Revision Date: 02.02.2021

Print Date: 25/10/2022

information

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 Send to a licensed waste management company. Do not contaminate ponds, waterways or ditches with chemical or used container. Do not dispose of waste into sewer.
Contaminated packaging	 Do not re-use empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal. Dispose of as unused product. Empty remaining contents.

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.



Version: 10.0

Revision Date: 02.02.2021

Print Date: 25/10/2022

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legisle Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	-
Regulation (EC) No 850/2004 on persistent organic pollutants	: Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	: ZINC DIALKYL DITHIOPHOSPHATE
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	 Conditions of restriction for the following entries should be considered: DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC (Number on list 28) (Number on list 28)

Directive 96/82/EC does not apply

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Other regulations:

44/2000. (XII 27) Ministry of health dangerous substances and preparations dangerous for certain procedures and arrangements for activities 2000 XXV. Law on chemical safety



Version: 10.0	Revision Date: 02.02.2021	Print Date: 25/10/2022	
The components of this product are reported in the following inventories: DSL : All components of this product are on the Canadian DSL			
AICS	: On the inventory, or in compliance with	the inventory	
ENCS	: On the inventory, or in compliance with	the inventory	
KECI	: On the inventory, or in compliance with	the inventory	
PICCS	: On the inventory, or in compliance with	the inventory	
IECSC	: On the inventory, or in compliance with	the inventory	
TCSI	: On the inventory, or in compliance with	the inventory	
TSCA	: Not On TSCA Inventory		

Inventories

AICS (Australia), AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Further information

Internal information : R0517060

Full text of H-Statements

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H411	Toxic to aquatic life with long lasting effects.



SAFETY DATA SHEET

Version: 10.0	Revision Date: 02.02.2021	Print Date: 25/10/2022
H413	May cause long lasting harmful effects to	aquatic life.
Other information	: The information accumulated he but is not warranted to be wheth company or not. Recipients are of need that the information is cu to their circumstances. This SD Valvoline's Environmental Healt ('+31 (0)78 654 3500).	ner originating with the advised to confirm in advance urrent, applicable, and suitable S has been prepared by
Valvoline internal data	eed to compile the Safety Data Sheet including own and sponsored test reports rs regional agreements implementing harm	onised classification for labelling
sheet : ACGIH : American Cor BEI : Biological Expose CAS : Chemical Abstra CMR : Carcinogenic, M FG : Food grade GHS : Globally Harmo H-statement : Hazard S IATA : International Air IATA-DGR : Dangerou ICAO : International Ci ICAO-TI (ICAO) : Tecl IMDG : International M ISO : International M ISO : International Org logPow : octanol-water LCxx : Lethal Concenter LDxx : Lethal Dose, for ICXX : Inhibitory Conce Ecxx : Effective Conce N.O.S.: Not Otherwise	acts Service (Division of the American Chem Autagenic or Toxic for Reproduction nized System of Classification and Labeling Statement Transport Association. s Goods Regulation by the "International Air vil Aviation Organization hnical Instructions by the "International Civil aritime Code for Dangerous Goods anization for Standardization r partition coefficient ration, for xx percent of test population r xx percent of test population. entration for xx of a substance ntration of xx Specified or Economic Co-operation and Developmen sposure Limit	nical Society). of Chemicals. Transport Association" (IATA). Aviation Organization"

PBT : Persistent , Bioaccumulative and Toxic

PPE : Personal Protective Equipment

STEL : Short-term exposure limit



Version: 10.0

Revision Date: 02.02.2021

Print Date: 25/10/2022

STOT : Specific Target Organ Toxicity TLV : Threshold Limit Value TWA : Time-weighted average vPvB : Very Persistent and Very Bioaccumulative WEL : Workplace Exposure Level

ABM : Water Hazard Class for the Netherlands ADR : Agreement concerning the International Carriage of Dangerous Goods by Road. ADNR: Regulation for the Carriage of Dangerous Substances on the Rhine CLP : Classification, Labelling and Packaging CSA : Chemical Safety Assessment **CSR** : Chemical Safety Report DNEL : Derived No Effect Level. EINECS : European Inventory of Existing Commercial Chemical Substances. ELINCS : European List of Notified Chemical Substances **PEC : Predicted Effect Concentration** PEL : Permissible Exposure Limits PNEC : Predicted No Effect Concentration R-phrase : Risk phrase REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals RID : Regulation Concerning the International Transport of Dangerous Goods by Rail S-phrase: Safety phrase WGK : German Water Hazard Class