

| Version: 3.0 | Revision Date: 05.10.2022 | Print Date: 25/10/2022 |
|--|--|-------------------------------|
| | 2006/EC as amended SDSGHS_HU the substance/mixture and of the | |
| 1.1 Product identifier | | |
| Product name | : No data available | |
| Product code | : 872551 | |
| 1.2 Relevant identified uses of | he substance or mixture and uses ad | vised against |
| Use of the substance/mixture | e : Engine, gear & lubricating oil. | |
| 1.3 Details of the supplier of the | e safety data sheet | |
| Company | Ellis Enterprises B.V., an affiliate o Wieldrechtseweg 39 3316 BG Dordrecht Netherlands | f Valvoline |
| Telephone | : +31 (0)78 654 3500 (in the Nether CSR contact person | lands), or contact your local |
| E-mail address | : SDS@valvoline.com | |
| 1.4 Emergency telephone numl +1-800-VALVOLINE (+1-800 | | |
| , or contact your local emerg | ency telephone number at +36 80 201 1 | 99 |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.



Version: 3.0

Revision Date: 05.10.2022

Print Date: 25/10/2022

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling

EUH208 Contains C14-16-18 Alkyl phenol, Magnesium carbonate fumarate hydroxide, monoalkyl(C10-13) benzene sulfonate, monopolybutenylbenzene sulfonate complexes. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

| Chemical name | CAS-No. EC-No. Index-No. Registration number | Classification | Concentration (% w/w) |
|--|--|-------------------|--------------------------|
| DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC | 64742-54-7 265-157-1 649-467-00-8 01-2119484627-25- xxxx | Asp. Tox. 1; H304 | >= 2,5 - < 5 |
| LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED | 72623-87-1 276-738-4 649-483-00-5 01-2119474889-13- xxxx | Asp. Tox. 1; H304 | >= 1 - < 2,5 |
| DISTILLATES (PETROLEUM), | 64742-65-0 | Asp. Tox. 1; H304 | >= 1 - < 2,5 |



| /ersion: 3.0 Re | evision Date: 05.10.2022 | Print I | Date: 25/10/2022 |
|---|--|--|------------------|
| SOLVENT-DEWAXED HEAVY PARAFFINIC | 265-169-7 649-474-00-6 01-2119471299-27- xxxx | | |
| CATALYTIC DE WAXED HEAVY PARAFFINIC OIL (PETROLEUM | | Asp. Tox. 1; H304 | >= 1 - < 2,5 |
| Distillates (petroleum), solvent- dewaxed light paraffinic | 64742-56-9 265-159-2 649-469-00-9 | Asp. Tox. 1; H304 | >= 1 - < 2,5 |
| C14-16-18 Alkyl phenol | Not Assigned 01-2119498288-19- xxxx | Skin Sens. 1B; H317 STOT RE 2; H373 (Liver) | >= 1 - < 2,5 |
| Reaction products of Benzeneamine, N-phenyl- with nonene (branched) | 36878-20-3 253-249-4 01-2119488911-28- xxxx | Aquatic Chronic 4; H413 | >= 1 - < 2,5 |
| DITHIOPHOSPHORIC ACID, O,O'-DIISOOCTYL ESTER, ZINC SALT | 28629-66-5 249-109-7 01-2119953278-28- xxxx | Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 2; H411 | >= 1 - < 2,5 |
| Magnesium carbonate fumarate hydroxide, monoalkyl(C10-13) benzene sulfonate, monopolybutenylbenzene sulfonate complexes | 252312-98-4 | Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Chronic 3; H412 | >= 0,1 - < 0,25 |
| Substances with a workplace exp | | 1 | 1 |
| DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC | 64742-54-7 265-157-1 649-467-00-8 | | >= 80 - < 90 |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

| General advice | : | Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. |
|----------------|---|--|
| If inhaled | : | If unconscious, place in recovery position and seek medical advice. |



| Version: 3.0 | Re | evision Date: 05.10.2022 | Print Date: 25/10/2022 |
|---|------|--|------------------------|
| | | If symptoms persist, call a physician. | |
| In case of skin contact | : | If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes. | |
| In case of eye contact | : | Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a special | st. |
| If swallowed | : | Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unco If symptoms persist, call a physician. Take victim immediately to hospital. | nscious person. |
| 4.2 Most important symptoms a | nd e | effects, both acute and delayed | |
| Symptoms | : | No symptoms known or expected. | |
| 4.3 Indication of any immediate | me | dical attention and special treatment ne | eded |
| Treatment | : | No hazards which require special first aid | |
| | | Treat symptomatically. | |
| | | | |
| SECTION 5: Firefighting mea | sur | es | |
| 5.1 Extinguishing media Unsuitable extinguishing media | : | High volume water jet | |
| 5.2 Special hazards arising from | the | e substance or mixture | |
| Hazardous combustion products | : | carbon dioxide and carbon monoxide Nitrogen oxides (NOx) | |
| 5.3 Advice for firefighters | | | |
| Special protective equipment for firefighters | : | Wear self-contained breathing apparatus necessary. | for firefighting if |

Further information : Standard procedure for chemical fires.



Version: 3.0

SAFETY DATA SHEET

 Revision Date: 05.10.2022
 Print Date: 25/10/2022

 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

| Personal precautions | : | Use personal protective equipment. |
|-------------------------------|---|------------------------------------|
| 6.2 Environmental precautions | | |

| Environmental precautions | : | Prevent product from entering drains. |
|---------------------------|---|---|
| | | Prevent further leakage or spillage if safe to do so. |
| | | If the product contaminates rivers and lakes or drains inform |
| | | respective authorities. |

6.3 Methods and material for containment and cleaning up

| Methods for cleaning up | : | Soak up with inert absorbent material (e.g. sand, silica gel, |
|-------------------------|---|---|
| | | acid binder, universal binder, sawdust). |
| | | Keep in suitable, closed containers for disposal. |

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

| Advice on safe handling | : | Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations. |
|---|---|--|
| Advice on protection against fire and explosion | : | Normal measures for preventive fire protection. |
| Hygiene measures | : | When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. |



| Version: 3.0 | Re | evision Date: 05.10.2022 | Print Date: 25/10/2022 |
|---|--------|--|----------------------------|
| 7.2 Conditions for safe storage | e, inc | luding any incompatibilities | |
| Requirements for storage areas and containers | : | Keep container tightly closed in a place. Electrical installations / wor with the technological safety stand | king materials must comply |
| Further information on storage stability | : | No decomposition if stored and a | oplied as directed. |
| 7.3 Specific end use(s) Specific use(s) | | No data available | |

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

| Components | CAS-No. | Value type (Form of exposure) | Control parameters | Basis | | |
|--|---|-------------------------------|--|----------|--|--|
| DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC | 64742-54-7 | TWA (Mist) | 5 mg/m3 | HU OEL | | |
| | Substances w | hich have a health h | commended in SCOEL/SUM azard after PROLONGED ex nber of hours per week | cposure. | | |
| DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC | 64742-54-7 | TWA (Mist) | 5 mg/m3 | HU OEL | | |
| | Further information: Limit value recommended in SCOEL/SUM/163/2011, Substances which have a health hazard after PROLONGED exposure. Corrected value = TWA x 40 / number of hours per week | | | | | |
| LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED | 72623-87-1 | TWA (Mist) | 5 mg/m3 | HU OEL | | |
| | Substances w | hich have a health h | commended in SCOEL/SUM azard after PROLONGED ex mber of hours per week | | | |



| Version: 3.0 | Revision Date: 05.10.2022 | | | int Date: 25/10/2022 | | |
|---|---|----------------------|---|----------------------|--|--|
| DISTILLATES (PETROLEUM), SOLVENT- DEWAXED HEAVY PARAFFINIC | 64742-65-0 | TWA (Mist) | 5 mg/m3 | HU OEL | | |
| | Substances w | hich have a health h | commended in SCOEL azard after PROLONG mber of hours per week | ED exposure. | | |
| CATALYTIC DE WAXED HEAVY PARAFFINIC OIL (PETROLEUM) | 64742-70-7 | TWA (Mist) | 5 mg/m3 | HU OEL | | |
| | Further information: Limit value recommended in SCOEL/SUM/163/2011, Substances which have a health hazard after PROLONGED exposure. Corrected value = TWA x 40 / number of hours per week | | | | | |
| Distillates (petroleum), solvent-dewaxed light paraffinic | 64742-56-9 | TWA (Mist) | 5 mg/m3 | HU OEL | | |
| | Further information: Limit value recommended in SCOEL/SUM/163/2011,Substances which have a health hazard after PROLONGED exposure.Corrected value = TWA x 40 / number of hours per week | | | | | |

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name | Environmental Compartment | Value |
|---|---------------------------|-------------|
| DITHIOPHOSPHORIC ACID, O,O'-DIISOOCTYL ESTER, ZINC SALT | Sewage treatment plant | 3 mg/l |
| | Fresh water sediment | 0,21 mg/kg |
| | Marine sediment | 0,021 mg/kg |
| | Soil | 0,04 mg/kg |

8.2 Exposure controls

| Personal protective equipment | | | |
|-------------------------------|---|---|--|
| Eye protection | : | Eye wash bottle with pure water Tightly fitting safety goggles | |
| Hand protection | | | |
| Remarks | : | The suitability for a specific workplace should be discussed with the producers of the protective gloves. | |
| Skin and body protection | : | Impervious clothing Choose body protection according to the amount and | |
| | | 7 / 29 | |



cup

| Version: 3.0 | Revision Date: 05.10.2022 | Print Date: 25/10/2022 |
|------------------------|--|------------------------|
| Respiratory protection | concentration of the dangerous substanceNo personal respiratory protective equips required. | · |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Physical state | : | liquid |
|---|---|---|
| Colour | : | amber |
| Odour | : | oily |
| Odour Threshold | : | No data available |
| Pour point | : | < -39,00 °C |
| Boiling point/boiling range | : | > 225,00 °C |
| Flammability | : | No data available |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Flash point | : | 208 °C Method: Pensky-Martens closed |
| Decomposition temperature | : | No data available |
| рН | : | Not applicable |
| Viscosity Viscosity, dynamic | : | No data available |
| Viscosity, kinematic | : | 53,4 mm2/s (40 °C) |
| Solubility(ies) Water solubility | : | insoluble |
| Solubility in other solvents | : | No data available |



| Version: 3.0 | Revision Date: 05.10.2022 | Print Date: 25/10/2022 |
|--|---------------------------------------|------------------------|
| | | |
| Partition coefficient: n- octanol/water | : Not applicable | |
| Vapour pressure | : 25 hPa Calculated Vapor Pressure | |
| Relative density | : ca. 0,852 | |
| Density | : 0,8486 g/cm3 (15,6 °C) | |
| Bulk density | : Not applicable | |
| Relative vapour density | : No data available | |
| 9.2 Other information | | |
| Oxidizing properties | : No data available | |
| Self-ignition | : No data available | |
| Evaporation rate | : Not applicable | |

SECTION 10: Stability and reactivity

10.1 Reactivity

| No decomposition if stored and applied as directed. | | | | | |
|--|---|--|--|--|--|
| 10.2 Chemical stability | | | | | |
| No decomposition if stored a | No decomposition if stored and applied as directed. | | | | |
| 10.3 Possibility of hazardous reactions | | | | | |
| Hazardous reactions | : No decomposition if stored and applied as directed. | | | | |
| 10.4 Conditions to avoid Conditions to avoid | : excessive heat | | | | |
| 10.5 Incompatible materials Materials to avoid | : Strong bases Strong oxidizing agents | | | | |



Version: 3.0

Revision Date: 05.10.2022

Print Date: 25/10/2022

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

ш

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

| Acute oral toxicity | : | LD50 (Rat): > 15 g/kg |
|--|---|-------------------------|
| Acute oral toxicity Acute dermal toxicity | : | LD50 (Rabbit): > 5 g/kg |

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

| Acute oral toxicity | : LD50 (Rat): > 5.000 mg/kg |
|---------------------------|---|
| Acute inhalation toxicity | LC50 (Rat): > 5,58 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: No mortality observed at this dose. |
| Acute dermal toxicity | : LD50 (Rabbit): > 5.000 mg/kg Remarks: No mortality observed at this dose. |

DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC:

| Acute oral toxicity | : | LD50 (Rat): > 5.000 mg/kg |
|--|---|------------------------------|
| Acute oral toxicity Acute dermal toxicity | : | LD50 (Rabbit): > 5.000 mg/kg |

CATALYTIC DE WAXED HEAVY PARAFFINIC OIL (PETROLEUM):

| Acute oral toxicity | : | LD50 (Rat): > 2.000 mg/kg Assessment: The substance or mixture has no acute oral toxicity Remarks: The toxicological data has been taken from products of similar composition. |
|-----------------------|---|--|
| Acute dermal toxicity | : | LD50 (Rabbit): > 2.000 mg/kg Assessment: The substance or mixture has no acute dermal |
| | | 10 / 29 |



| ersion: 3.0 | Revision Date: 05.10.2022 | Print Date: 25/10/2022 |
|------------------------------|---|--------------------------|
| | toxicity Remarks: The toxicological data h products of similar composition. | nas been taken from |
| Distillates (petroleum), sol | Ivent-dewaxed light paraffinic: | |
| Acute oral toxicity | : LD50 (Rat): > 5.000 mg/kg | |
| Acute inhalation toxicity | : LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or m inhalation toxicity | ixture has no acute |
| Acute dermal toxicity | : LD50 (Rabbit): > 5.000 mg/kg | |
| C14-16-18 Alkyl phenol: | | |
| Acute oral toxicity | : LD50 (Rat): > 2.000 mg/kg Assessment: The substance or m toxicity | ixture has no acute oral |
| Acute dermal toxicity | : LD50 (Rat): > 2.000 mg/kg Assessment: The substance or m toxicity Remarks: No mortality observed a | |
| Reaction products of Benz | zeneamine, N-phenyl- with nonene (br | anched): |
| Acute oral toxicity | : LD50 (Rat): > 5.000 mg/kg Remarks: No mortality observed a | at this dose. |
| Acute dermal toxicity | LD50 (Rat): > 2.000 mg/kg Assessment: The substance or m toxicity Remarks: The toxicological data h products of similar composition. | |

Magnesium carbonate fumarate hydroxide, monoalkyl(C10-13) benzene sulfonate, monopolybutenylbenzene sulfonate complexes:

| Acute oral toxicity | : | LD50 (Rat): > 2.000 mg/kg |
|-----------------------|---|---|
| Acute dermal toxicity | : | LD50 (Rat): > 2.000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity |

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:



| rsion: 3.0 | Revision Date: 05.10.2022 | Print Date: 25/10/20 |
|--|---|----------------------|
| Acute oral toxicity | : LD50 (Rat): > 15 g/kg | |
| Acute dermal toxicity | : LD50 (Rabbit): > 5 g/kg | |
| Skin corrosion/irritation | | |
| Not classified based on av | vailable information. | |
| Product: | | |
| Remarks | : May cause skin irritation in su | sceptible persons. |
| Remarks | : May cause skin irritation and/ | or dermatitis. |
| Components: | | |
| DISTILLATES (PETROLI | EUM), HYDROTREATED HEAVY PAP | RAFFINIC: |
| Assessment | : Slight, transient irritation | |
| Result | : Slight, transient irritation | |
| LUBRICATING OILS, PE | TROLEUM, C20-50, HYDROTREATE | D: |
| Species | : Rabbit | |
| Result | : No skin irritation | |
| | | |
| DISTILLATES (PETROLI | EUM), SOLVENT-DEWAXED HEAVY | PARAFFINIC: |
| Assessment | : Slight, transient irritation | PARAFFINIC: |
| · · | <i>P</i> . | PARAFFINIC: |
| Assessment Result | Slight, transient irritationSlight, transient irritation | |
| Assessment Result CATALYTIC DE WAXED | Slight, transient irritation Slight, transient irritation HEAVY PARAFFINIC OIL (PETROLI | |
| Assessment Result CATALYTIC DE WAXED | Slight, transient irritationSlight, transient irritation | |
| Assessment Result CATALYTIC DE WAXED Result | Slight, transient irritation Slight, transient irritation HEAVY PARAFFINIC OIL (PETROLI | |
| Assessment Result CATALYTIC DE WAXED Result Distillates (petroleum), s | Slight, transient irritation Slight, transient irritation HEAVY PARAFFINIC OIL (PETROLI Slight, transient irritation solvent-dewaxed light paraffinic: Rabbit | |
| Assessment Result CATALYTIC DE WAXED Result Distillates (petroleum), s | Slight, transient irritation Slight, transient irritation HEAVY PARAFFINIC OIL (PETROLI Slight, transient irritation solvent-dewaxed light paraffinic: | |
| Assessment Result CATALYTIC DE WAXED Result Distillates (petroleum), s Species Result | Slight, transient irritation Slight, transient irritation HEAVY PARAFFINIC OIL (PETROLI Slight, transient irritation solvent-dewaxed light paraffinic: Rabbit | |
| Assessment Result CATALYTIC DE WAXED Result Distillates (petroleum), s Species Result C14-16-18 Alkyl phenol: | Slight, transient irritation Slight, transient irritation HEAVY PARAFFINIC OIL (PETROLI Slight, transient irritation solvent-dewaxed light paraffinic: Rabbit Slight, transient irritation | |
| Assessment Result CATALYTIC DE WAXED Result Distillates (petroleum), s Species Result | Slight, transient irritation Slight, transient irritation HEAVY PARAFFINIC OIL (PETROLI Slight, transient irritation solvent-dewaxed light paraffinic: Rabbit | |
| Assessment Result CATALYTIC DE WAXED Result Distillates (petroleum), s Species Result C14-16-18 Alkyl phenol: Method | Slight, transient irritation Slight, transient irritation HEAVY PARAFFINIC OIL (PETROLI Slight, transient irritation solvent-dewaxed light paraffinic: Rabbit Slight, transient irritation | |
| Assessment Result CATALYTIC DE WAXED Result Distillates (petroleum), s Species Result C14-16-18 Alkyl phenol: Method Result Reaction products of Be | Slight, transient irritation Slight, transient irritation HEAVY PARAFFINIC OIL (PETROLI : Slight, transient irritation Slight, transient irritation Solvent-dewaxed light paraffinic: Rabbit Slight, transient irritation OECD Test Guideline 431 No skin irritation | EUM): |
| Assessment Result CATALYTIC DE WAXED Result Distillates (petroleum), s Species Result C14-16-18 Alkyl phenol: Method Result Reaction products of Be Species | Slight, transient irritation Slight, transient irritation HEAVY PARAFFINIC OIL (PETROLI : Slight, transient irritation Slight, transient irritation Solvent-dewaxed light paraffinic: Rabbit Slight, transient irritation OECD Test Guideline 431 No skin irritation enzeneamine, N-phenyl- with nonenearies | EUM): |
| Assessment Result CATALYTIC DE WAXED Result Distillates (petroleum), s Species Result C14-16-18 Alkyl phenol: Method Result Reaction products of Be | Slight, transient irritation Slight, transient irritation HEAVY PARAFFINIC OIL (PETROLI Slight, transient irritation solvent-dewaxed light paraffinic: Rabbit Slight, transient irritation OECD Test Guideline 431 No skin irritation enzeneamine, N-phenyl- with nonene Rabbit Mild skin irritation | EUM): |



| rsion: 3.0 | Revision Date: 05.10.2022 | Print Date: 25/10/2 |
|--------------------------------|--|-----------------------------------|
| DITHIOPHOSPHOR | IC ACID, 0,0'-DIISOOCTYL ESTER, ZIN | IC SALT: |
| Result | : Skin irritation | |
| | ate fumarate hydroxide, monoalkyl(C1) enzene sulfonate complexes: | 0-13) benzene sulfonate, |
| Species | : Rabbit | |
| Result | : Irritating to skin. | |
| DISTILLATES (PET | ROLEUM), HYDROTREATED HEAVY P | ARAFFINIC: |
| Assessment | Slight, transient irritation | - |
| Result | : Slight, transient irritation | |
| Serious eye damag | e/eve irritation | |
| | on available information. | |
| Product: | | |
| Result | : No eye irritation | |
| Remarks | : Vapours may cause irritatio and the skin. | n to the eyes, respiratory system |
| Components: | | |
| DISTILLATES (PET | ROLEUM), HYDROTREATED HEAVY P | ARAFFINIC: |
| Assessment | : No eye irritation | |
| Result | : No eye irritation | |
| I UBRICATING OIL | S, PETROLEUM, C20-50, HYDROTREAT | (FD· |
| Species | : Rabbit | |
| Result | : No eye irritation | |
| | | |
| DISTILLATES (PET Assessment | ROLEUM), SOLVENT-DEWAXED HEAV : Slight, transient irritation | |
| Result | Slight, transient irritation | |
| | | |
| | XED HEAVY PARAFFINIC OIL (PETRO | LEUM): |
| Result | : Slight, transient irritation | |
| | um), solvent-dewaxed light paraffinic: | |
| | In solvent-newayed light harattinic' | |



| Version: 3.0 | Revision Date: 05.10.2022 | Print Date: 25/10/2022 |
|--|--|------------------------|
| Result | : Slight, transient irritation | |
| | | |
| C14-16-18 Alkyl phenol: | D. L. K | |
| Species Result | RabbitSlight, transient irritation | |
| | | |
| Reaction products of Benze | neamine, N-phenyl- with nonene (branche | d): |
| Species | Rabbit | |
| Result | : Slight, transient irritation | |
| Remarks | : The toxicological data has been taken from composition. | om products of similar |
| | composition. | |
| DITHIOPHOSPHORIC ACID | 0,0'-DIISOOCTYL ESTER, ZINC SALT: | |
| Result | : Corrosive | |
| - | | |
| Magnesium carbonate fuma monopolybutenylbenzene s | rate hydroxide, monoalkyl(C10-13) benzer ulfonate complexes: | ne sulfonate, |
| Species | : Rabbit | |
| Result | : Slight, transient irritation | |
| / | | |
| |), HYDROTREATED HEAVY PARAFFINIC: | |
| Assessment Result | No eye irritation No eye irritation | |
| rtoout | | |
| Respiratory or skin sensitis | ation | |
| Skin sensitisation | | |
| Not classified based on availa | ole information. | |
| Respiratory sensitisation | | |
| Not classified based on availa | ole information. | |
| Product: | | |
| Assessment | : Does not cause skin sensitisation. | |
| Remarks | : Based on similar product. | |
| . temanto | | |
| Components: | | |
| LUBRICATING OILS, PETRO | LEUM, C20-50, HYDROTREATED: | |
| Test Type | : Buehler Test | |
| Species | : Guinea pig | |
| Assessment | Does not cause skin sensitisation. | |



| Version: 3.0 | Revision Date: 05.10.2022 | Print Date: 25/10/2022 |
|------------------------|---------------------------------------|------------------------|
| Distillates (petroleur | n), solvent-dewaxed light paraffinic: | |
| Test Type Species | : Buehler Test | |
| Species | : Guinea pig | |
| Assessment | Does not cause skin sensitisation. | |
| Method | : OECD Test Guideline 406 | |

C14-16-18 Alkyl phenol:

| Test Type Species Assessment Method | : Local lymph node assay |
|--|--|
| Species | : Mouse |
| Assessment | : The product is a skin sensitiser, sub-category 1B. |
| Method | : OECD Test Guideline 429 |

Reaction products of Benzeneamine, N-phenyl- with nonene (branched):

| Species Assessment | : Guinea pig |
|-----------------------|--|
| Assessment | Does not cause skin sensitisation. |
| Method | : OECD Test Guideline 406 |
| Method Remarks | The toxicological data has been taken from products of similar |
| | composition. |

DITHIOPHOSPHORIC ACID, 0,0'-DIISOOCTYL ESTER, ZINC SALT:

| Assessment | |
|------------|--|
|------------|--|

Does not cause skin sensitisation.

Magnesium carbonate fumarate hydroxide, monoalkyl(C10-13) benzene sulfonate,

| monopolybutenylbenzene sulfonate complexes: | | |
|---|--|--|
| Test Type | Maximisation Test | |
| Test Type Species Assessment | : Guinea pig | |
| Assessment | The product is a skin sensitiser, sub-category 1B. | |

: OPPTS 870.2600

Germ cell mutagenicity

Not classified based on available information.

Components:

Method

C14-16-18 Alkyl phenol:

| Genotoxicity in vitro : | Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative |
|-------------------------|--|
|-------------------------|--|

Reaction products of Benzeneamine, N-phenyl- with nonene (branched):

| Genotoxicity in vitro | : | Test Type: Ames test Test system: Salmonella typhimurium |
|-----------------------|---|---|
| | | |



| ersion: 3.0 | Revision Date: 05.10.2022 | Print Date: 25/10/20 |
|---|---|---------------------------|
| | Metabolic activation: with and wit Result: negative | hout metabolic activation |
| | nate fumarate hydroxide, monoalkyl(C10-13) enzene sulfonate complexes: | benzene sulfonate, |
| Genotoxicity in vitro | : Test Type: Ames test Test system: Salmonella typhimu Metabolic activation: with and wit Result: negative | |
| Carcinogenicity Not classified based | on available information. | |
| Components: | | |
| DISTILLATES (PET | ROLEUM), HYDROTREATED HEAVY PARAF | FINIC: |
| Carcinogenicity - Assessment | : Classified based on DMSO extra (EC) 1272/2008, Annex VI, Part 3 | |
| LUBRICATING OIL | S, PETROLEUM, C20-50, HYDROTREATED: | |
| Carcinogenicity - Assessment | : Classified based on DMSO extra (EC) 1272/2008, Annex VI, Part 3 | |
| DISTILLATES (PET | ROLEUM), SOLVENT-DEWAXED HEAVY PA | RAFFINIC: |
| Carcinogenicity - Assessment | : Classified based on DMSO extra (EC) 1272/2008, Annex VI, Part 3 | |
| CATALYTIC DE W | AXED HEAVY PARAFFINIC OIL (PETROLEUM | Л): |
| Carcinogenicity - Assessment | : Classified based on DMSO extra (EC) 1272/2008, Annex VI, Part 3 | |
| Distillates (petrole | um), solvent-dewaxed light paraffinic: | |
| Carcinogenicity - Assessment | : Classified based on DMSO extra (EC) 1272/2008, Annex VI, Part 3 | |
| DISTILLATES (PET | ROLEUM), HYDROTREATED HEAVY PARAF | FINIC: |
| Carcinogenicity - Assessment | : Classified based on DMSO extra (EC) 1272/2008, Annex VI, Part 3 | |
| Reproductive toxic | itv | |



Version: 3.0

Revision Date: 05.10.2022

Print Date: 25/10/2022

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

C14-16-18 Alkyl phenol:

| Target Organs | : Liver |
|---------------|---|
| Assessment | The substance or mixture is classified as specific target organ |
| | toxicant, repeated exposure, category 2. |

Aspiration toxicity

Not classified based on available information.

Components:

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

May be fatal if swallowed and enters airways.

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

May be fatal if swallowed and enters airways.

DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC:

May be fatal if swallowed and enters airways.

CATALYTIC DE WAXED HEAVY PARAFFINIC OIL (PETROLEUM):

May be fatal if swallowed and enters airways.

Distillates (petroleum), solvent-dewaxed light paraffinic:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Version: 3.0

SAFETY DATA SHEET

Print Date: 25/10/2022

| | | 1 mil Dato: 20, 10,202 |
|---|--|------------------------|
| | | |
| Further information | | |
| Product: | | |
| Remarks | : No data available | |
| | | |
| SECTION 12: Ecological info | mation | |
| 2.1 Toxicity | | |
| Product: | | |
| Ecotoxicology Assessment | | |
| Acute aquatic toxicity | : Not classified based on available | information. |
| Chronic aquatic toxicity | : Not classified based on available | information. |
| Components: | | |
| DISTILLATES (PETROLEUN | I), HYDROTREATED HEAVY PARAF | FINIC: |
| Toxicity to fish | : LL50 (Fish): > 100 mg/l Exposure time: 96 h | |
| Toxicity to daphnia and other aquatic invertebrates | : EL50 (Aquatic invertebrates): > 1 Exposure time: 48 h | 0.000 mg/l |
| Toxicity to algae/aquatic plants | : EL50 (Algae, algal mat (Algae)): Exposure time: 72 h | > 100 mg/l |

Revision Date: 05.10.2022

| Toxicity to fish (Chronic toxicity) | : | NOEC: 10 mg/l Species: Fish |
|--|---|---|
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC: 10 mg/l Species: Aquatic invertebrates |

Ecotoxicology Assessment

| Acute aquatic toxicity | : | Not classified based on available information. |
|--------------------------|---|--|
| Chronic aquatic toxicity | : | Not classified based on available information. |

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:



| sion: 3.0 | Revision Date: 05.10.2022 | Print Date: 25/10/202 |
|--|--|-----------------------|
| Toxicity to fish | : LL50 (Pimephales promelas (fath Exposure time: 96 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 20 Remarks: No toxicity at the limit of | 03 |
| Toxicity to daphnia and other aquatic invertebrates | : EL50 (Daphnia magna (Water fle Exposure time: 48 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 20 | |
| Toxicity to algae/aquatic plants | : NOEL (Pseudokirchneriella subc 100 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 24 | |
| Toxicity to fish (Chronic toxicity) | : NOELR: >= 1.000 mg/l Exposure time: 14 d Species: Oncorhynchus mykiss (| rainbow trout) |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEL: 10 mg/l Exposure time: 21 d Species: Daphnia (water flea) Test substance: WAF Method: OECD Test Guideline 2 | 11 |

Ecotoxicology Assessment

| Acute aquatic toxicity | : | Not classified based on available information. |
|--------------------------|---|--|
| Chronic aquatic toxicity | : | Not classified based on available information. |

DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC:

| Acute aquatic toxicity | : Not classified based on available information. | |
|--------------------------|--|--|
| Chronic aquatic toxicity | : Not classified based on available information. | |



Version: 3.0

SAFETY DATA SHEET

Print Date: 25/10/2022

| Ecotoxicology Assessment | |
|---|---|
| Acute aquatic toxicity | Not classified based on available information. |
| Chronic aquatic toxicity | Not classified based on available information. |
| Distillates (petroleum), solver | nt-dewaxed light paraffinic: |
| Toxicity to fish | : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 203 |
| Toxicity to daphnia and other a aquatic invertebrates | : EL50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 48 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 202 |
| Toxicity to algae/aquatic : plants | NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 201 |
| Toxicity to daphnia and other a aquatic invertebrates | : NOEL: 10 mg/l Exposure time: 21 d |

Revision Date: 05.10.2022

| I oxicity to daphnia and other | NOEL: 10 mg/l |
|--------------------------------|-------------------------------------|
| aquatic invertebrates | Exposure time: 21 d |
| (Chronic toxicity) | Species: Daphnia magna (Water flea) |
| | Test Type: semi-static test |
| | Test substance: WAF |
| | Method: OECD Test Guideline 211 |
| | |

Ecotoxicology Assessment

| Acute aquatic toxicity | : | Not classified based on available information. |
|--------------------------|---|--|
| Chronic aquatic toxicity | : | Not classified based on available information. |

C14-16-18 Alkyl phenol:

| Test substance: WAF | Toxicity to fish | : LC50 (Cyprinus carpio (Carp)): > 100 mg/l Exposure time: 96 h Test Type: static test Test substance: WAF | |
|---------------------|------------------|---|--|
|---------------------|------------------|---|--|



| Version: 3.0 | Revision Date: 05.10.2022 | Print Date: 25/10/2022 |
|---|---|------------------------|
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): > Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 | 100 mg/l |
| Toxicity to algae/aquatic plants | : EC50 (Pseudokirchneriella subcapitata End point: Growth inhibition Exposure time: 72 h Test Type: static test Test substance: WAF | (algae)): > 100 mg/l |
| Ecotoxicology Assessment | | |
| Acute aquatic toxicity | : Not classified based on available inform | ation. |
| Chronic aquatic toxicity | : Not classified based on available inform | ation. |
| Reaction products of Benze | neamine, N-phenyl- with nonene (branche | ed): |
| Toxicity to fish | : LC50 (Danio rerio (zebra fish)): > 100 m Exposure time: 96 h Test Type: static test Remarks: The toxicological data has be products of similar composition. | |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): > Exposure time: 48 h Test Type: static test Test substance: WAF | 100 mg/l |
| Toxicity to algae/aquatic plants | : EC50 (Pseudokirchneriella subcapitata End point: Growth inhibition Exposure time: 72 h Test Type: static test | (algae)): 600 mg/l |
| Ecotoxicology Assessment | | |
| Acute aquatic toxicity | : Not classified based on available inform | ation. |

DITHIOPHOSPHORIC ACID, 0,0'-DIISOOCTYL ESTER, ZINC SALT:

| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 3,8 mg/l Exposure time: 96 h | |
|-------------------------------|---|---|--|
| Toxicity to daphnia and other | : | EC50 (Daphnia magna (Water flea)): 510 mg/l | |
| | | 21 / 29 | |

Chronic aquatic toxicity : Chronic aquatic toxicity Category 4; May cause long lasting harmful effects to aquatic life.



SAFETY DATA SHEET

| Version: 3.0 | Re | Revision Date: 05.10.2022 Print Date: 25/10/20 | |
|--|----|--|------------------------|
| aquatic invertebrates | | Exposure time: 48 h | |
| Toxicity to algae/aquatic plants | : | EC50 (Scenedesmus quadricauda (Gree Exposure time: 72 h | n algae)): 410 mg/l |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC: 0,4 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) | |
| Ecotoxicology Assessment | | | |
| Acute aquatic toxicity | : | Acute aquatic toxicity Category 2; Toxic t | to aquatic life. |
| Chronic aquatic toxicity | : | Chronic aquatic toxicity Category 2; Toxic long lasting effects. | c to aquatic life with |
| Magnesium carbonate fuma monopolybutenylbenzene s | | e hydroxide, monoalkyl(C10-13) benzen onate complexes: | e sulfonate, |
| Toxicity to fish | : | LL50 (Oncorhynchus mykiss (rainbow tro Exposure time: 96 h Test Type: semi-static test Test substance: WAF Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubi The toxicological data has been taken fro composition. | lity |
| Toxicity to daphnia and other aquatic invertebrates | : | EL50 (Daphnia magna (Water flea)): 50 m Exposure time: 48 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 202 | mg/l |
| Toxicity to algae/aquatic plants | : | EL50 (Pseudokirchneriella subcapitata (g End point: Growth inhibition Exposure time: 72 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 201 Remarks: The toxicological data has bee products of similar composition. | |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOELR: 100 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: semi-static test Test substance: WAF | |



| Version: 3.0 | Revision Date: 05.10.2022 | Print Date: 25/10/2022 |
|--------------------------|--|------------------------|
| | Method: OECD Test Guideline 211 | |
| Ecotoxicology Assessment | | |
| Acute aquatic toxicity | : Acute aquatic toxicity Category 3; Harmf | ul to aquatic life. |
| Chronic aquatic toxicity | : Chronic aquatic toxicity Category 3; Harr with long lasting effects. | nful to aquatic life |

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Ecotoxicology Assessment

| Acute aquatic toxicity | : | Not classified based on available information. |
|--------------------------|---|--|
| Chronic aquatic toxicity | : | Not classified based on available information. |

12.2 Persistence and degradability

Components:

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

| Biodegradability | : | Result: Not readily biodegradable. Biodegradation: 2 - 4 % Exposure time: 28 d |
|------------------|---|--|
| | | Method: OECD Test Guideline 301B |

Distillates (petroleum), solvent-dewaxed light paraffinic:

| Biodegradability | : | Result: Inherently biodegradable. Biodegradation: 31 % |
|------------------|---|---|
| | | Exposure time: 28 d |
| | | Method: OECD Test Guideline 301B |

C14-16-18 Alkyl phenol:

| Biodegradability | : | Result: Readily biodegradable. Remarks: Expert judgement |
|------------------|---|---|
|------------------|---|---|

Reaction products of Benzeneamine, N-phenyl- with nonene (branched):

Magnesium carbonate fumarate hydroxide, monoalkyl(C10-13) benzene sulfonate, monopolybutenylbenzene sulfonate complexes:



| Version: 3.0 | Revision Date: 05.10.2022 | Print Date: 25/10/2022 | | | |
|--|---|---|--|--|--|
| Biodegradability | : Result: Not readily biodegradable. Biodegradation: 23 % Exposure time: 28 d Method: OECD Test Guideline 301B Remarks: The toxicological data has b products of similar composition. | een taken from | | | |
| 12.3 Bioaccumulative potential | | | | | |
| Components: | | | | | |
| C14-16-18 Alkyl phenol: | | | | | |
| Partition coefficient: n- octanol/water | : log Pow: > 7,2 | | | | |
| Reaction products of Benz | eneamine, N-phenyl- with nonene (brancl | hed): | | | |
| Partition coefficient: n- octanol/water | : log Pow: > 7,5 | | | | |
| Magnesium carbonate fumarate hydroxide, monoalkyl(C10-13) benzene sulfonate, monopolybutenylbenzene sulfonate complexes: | | | | | |
| Partition coefficient: n- octanol/water | : log Pow: > 5,1 (20 °C) Method: OECD Test Guideline 107 | | | | |
| 12.4 Mobility in soil No data available | | | | | |
| 12.5 Results of PBT and vPvB a | ssessment | | | | |
| Product: | | | | | |
| Assessment | : This substance/mixture contains no co to be either persistent, bioaccumulativ very persistent and very bioaccumulat 0.1% or higher. | e and toxic (PBT), or | | | |
| 12.6 Endocrine disrupting properties | | | | | |
| Product: | | | | | |
| Assessment | The substance/mixture does not conta considered to have endocrine disruptir to REACH Article 57(f) or Commission (EU) 2017/2100 or Commission Regul levels of 0.1% or higher. | ng properties according Delegated regulation | | | |



| Version: 3.0 | Revision Date: 05.10.2022 | Print Date: 25/10/2022 | |
|--|---------------------------|------------------------|--|
| 12.7 Other adverse effects | | | |
| Product: Additional ecological information | : No data available | | |

SECTION 13: Disposal considerations

| 13.1 Waste treatment methods | | |
|------------------------------|---|---|
| Product | : | Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company. |
| Contaminated packaging | : | Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. |

SECTION 14: Transport information

14.1 UN number or ID number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.



Version: 3.0

Revision Date: 05.10.2022

Print Date: 25/10/2022

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

| REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) | : Not applicable | | | | |
|---|--|--|--|--|--|
| REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). | : Not applicable | | | | |
| Regulation (EC) No 1005/2009 on substances that deplete the ozone layer | : Not applicable | | | | |
| Regulation (EU) 2019/1021 on persistent organic pollutants (recast) | : Not applicable | | | | |
| REACH - List of substances subject to authorisation (Annex XIV) | : Not applicable | | | | |
| Seveso III: Directive 2012/18/EU of the Not applicable European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. | | | | | |
| emissions (integrated po | f 24 November 2010 on industrial ollution prevention and control) unds (VOC) content: 6,02 % | | | | |
| Other regulations: 2000 XXV. Law on chemical safety 44/2000. (XII 27) Ministry of health dangerous substances and preparations dangerous for certain procedures and arrangements for activities | | | | | |
| The components of this product are reported in the following inventories: | | | | | |

| | 26 / 29 |
|------|---|
| AIIC | : Not in compliance with the inventory |
| TSCA | : All substances listed as active on the TSCA inventory |
| TCSI | : Not in compliance with the inventory |



| Version: 3.0 | Revision Date: 05.10.2022 | Print Date: 25/10/2022 |
|--------------|--|------------------------|
| DSL | : All components of this product are o | n the Canadian DSL |
| ENCS | : Not in compliance with the inventory | |
| ISHL | : Not in compliance with the inventory | |
| KECI | : On the inventory, or in compliance w | ith the inventory |
| PICCS | : On the inventory, or in compliance w | vith the inventory |
| IECSC | : Not in compliance with the inventory | |
| NZIoC | : On the inventory, or in compliance w | vith the inventory |
| TECI | : Not in compliance with the inventory | |

15.2 Chemical safety assessment

No data available

Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

SECTION 16: Other information

Full text of H-Statements

| H304 | : | May be fatal if swallowed and enters airways. | | | | |
|----------------------------------|---|--|--|--|--|--|
| H315 | : | Causes skin irritation. | | | | |
| H317 | : | May cause an allergic skin reaction. | | | | |
| H318 | : | Causes serious eye damage. | | | | |
| H373 | : | May cause damage to organs through prolonged or repeated | | | | |
| | | exposure. | | | | |
| H411 | : | Toxic to aquatic life with long lasting effects. | | | | |
| H412 | : | Harmful to aquatic life with long lasting effects. | | | | |
| H413 | : | May cause long lasting harmful effects to aquatic life. | | | | |
| Full text of other abbreviations | | | | | | |
| Aquatic Chronic | : | Long-term (chronic) aquatic hazard | | | | |
| Asp. Tox. | : | Aspiration hazard | | | | |
| Eye Dam. | : | Serious eye damage | | | | |
| Skin Irrit. | : | Skin irritation | | | | |
| Skin Sens. | : | Skin sensitisation | | | | |
| STOT RE | : | Specific target organ toxicity - repeated exposure | | | | |
| 27 / 20 | | | | | | |



| Version: 3.0 | Revision Date: 05.10.2022 | Print Date: 25/10/2022 |
|--------------|--|------------------------|
| HU OEL | : Hungary. Occupational Exposure Lin Permissible concentration values | nits - Annex 1: |
| HU OEL / TWA | : Mean concentration | |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number: ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk: IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Internal information : 00000098054

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

HU / EN



Version: 3.0

Revision Date: 05.10.2022

Print Date: 25/10/2022