

Version: 4.2 Revision Date: 19.05.2020 Print Date: 25/10/2022

Conforms to EU Regulation 1907/2006/EC as amended. - SDSGHS_HU

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : No data available

Product code : 890608

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Additive

1.3 Details of the supplier of the safety data sheet

Ellis Enterprises B.V., an affiliate of Valvoline

Wieldrechtseweg 39 3316 BG Dordrecht

Netherlands

+31 (0)78 654 3500 (in the Netherlands), or contact your local CSR contact person

+36 80 201 199

Product Information

+31 (0)78 654 3500 (in the Netherlands), or contact your local CSR contact person

contact your local emergency telephone number at

1.4 Emergency telephone number +1-800-VALVOLINE (+1-800-825-8654), or

SDS@valvoline.com

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

Aspiration hazard, Category 1 H304: May be fatal if swallowed and enters

airways.

2.2 Label elements

UFI : 57RC-KS2X-U00G-KPKA

Labelling (REGULATION (EC) No 1272/2008)



Version: 4.2 Revision Date: 19.05.2020 Print Date: 25/10/2022

Hazard pictograms





Signal word : Danger

Hazard statements : H304 May be fatal if swallowed and enters

airways.

H319 Causes serious eye irritation.

Supplemental Hazard

Statements

EUH066 Repeated exposure may cause skin

dryness or cracking.

Precautionary statements : P101 If medical advice is needed, have product

container or label at hand.

P102 Keep out of reach of children.

Prevention:

P280 Wear eye protection/ face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a

POISON CENTER/ doctor.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with

water for several minutes. Remove contact lenses, if present and easy to do. Continue

insing.

P331 Do NOT induce vomiting.

Disposal:

P501 Dispose of contents/ container to an

approved waste disposal plant.

Hazardous components which must be listed on the label:

Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Additional advice

No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures



Version: 4.2 Revision Date: 19.05.2020 Print Date: 25/10/2022

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)
Hydrocarbons, C12- C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics	920-107-4 01-2119453414-43-xxxx	Asp. Tox.1; H304	>= 80,00 - < 90,00
Sulfonic acids, petroleum, sodium salts	68608-26-4 271-781-5 01-2119527859-22-xxxx	Eye Irrit.2; H319	>= 5,00 - < 10,00
Zinc alkyldithiophosphate	68649-42-3 272-028-3	Skin Irrit.2; H315 Eye Dam.1; H318 Aquatic Chronic2; H411	>= 1,00 - < 2,50

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later.

Do not leave the victim unattended.

If inhaled : Move to fresh air.

If breathed in, move person into fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Remove contaminated clothing. If irritation develops, get

medical attention.

If on skin, rinse well with water.

Wash contaminated clothing before re-use.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

If swallowed : Obtain medical attention.



Revision Date: 19.05.2020 Print Date: 25/10/2022 Version: 4.2

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No symptoms known or expected.

Risks : Repeated exposure may cause skin dryness or cracking.

Causes serious eye irritation.

May be fatal if swallowed and enters airways.

Causes serious eye irritation.

May be fatal if swallowed and enters airways.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No hazards which require special first aid measures.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Water spray Foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: No hazardous combustion products are known

5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.



Version: 4.2 Revision Date: 19.05.2020 Print Date: 25/10/2022

Specific extinguishing

methods

: Product is compatible with standard fire-fighting agents.

Further information : Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Comply with all applicable federal, state, and local regulations.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For further information see Section 8 and Section 13 of the safety data sheet.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.

Do not smoke.

Container hazardous when empty. Avoid contact with skin and eyes.

Smoking, eating and drinking should be prohibited in the

application area.

For personal protection see section 8.

Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against : Normal measures for preventive fire protection.



Version: 4.2 Revision Date: 19.05.2020 Print Date: 25/10/2022

fire and explosion

Hygiene measures : Wash hands before breaks and at the end of workday. When

using do not eat or drink. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

: Keep container tightly closed in a dry and well-ventilated

place. Observe label precautions.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Eye protection : Wear chemical splash goggles when there is the potential for

exposure of the eyes to liquid, vapor or mist.

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Wear as appropriate:

Impervious clothing Safety shoes

Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

SECTION 9: Physical and chemical properties

Valvoline...

SAFETY DATA SHEET

Revision Date: 19.05.2020 Print Date: 25/10/2022 Version: 4.2

9.1 Information on basic physical and chemical properties

Appearance liquid

Colour light brown

Odour solvent-like

Odour Threshold No data available

рΗ No data available

Melting point/freezing point No data available

Initial boiling point and boiling :

range

Flash point : > 100 °C

Evaporation rate No data available

Flammability (solid, gas) No data available

Upper explosion limit / Upper

flammability limit

8 %(V)

Lower explosion limit / Lower : 0,5 %(V)

flammability limit

No data available Vapour pressure

Relative vapour density No data available

Relative density No data available

Density ca. 0,817 g/cm3 (20 °C)

Solubility(ies)

Water solubility insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Ignition temperature > 150 °C



Version: 4.2 Revision Date: 19.05.2020 Print Date: 25/10/2022

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

9.2 Other information

Self-ignition : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Product will not undergo hazardous polymerization.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

Hazardous decomposition

products

: No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of : Inhalation

exposure

Inhalation Skin contact

Eye Contact Ingestion



Version: 4.2 Revision Date: 19.05.2020 Print Date: 25/10/2022

Acute toxicity

Not classified based on available information. Not classified based on available information.

Components:

Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.951 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Components:

SODIUM PETROLEUM SULFONATE:

Acute oral toxicity : LD50 (Rat): > 5 g/kg

LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Remarks: Information given is based on data obtained from

similar substances.

Acute inhalation toxicity : LC50 (Rat): > 1,9 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The component/mixture is classified as acute

inhalation toxicity, category 5.

Remarks: No mortality observed at this dose.

Information given is based on data obtained from similar

substances.

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Remarks: No mortality observed at this dose.

Information given is based on data obtained from similar

substances.

Components:

ZINC DIALKYL DITHIOPHOSPHATE:

Acute oral toxicity : LD50 (Rat): > 2.000 - 5.000 mg/kg



Version: 4.2 Revision Date: 19.05.2020 Print Date: 25/10/2022

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Assessment: Not classified as acutely toxic by dermal

absorption under GHS.

Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

Not classified based on available information.

Product:

Remarks: May cause skin irritation in susceptible persons.

Components:

Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics:

Result: Slight, transient irritation

SODIUM PETROLEUM SULFONATE:

Species: Rabbit

Result: Slight, transient irritation

Remarks: Information given is based on data obtained from similar substances.

ZINC DIALKYL DITHIOPHOSPHATE:

Result: Irritating to skin.

Serious eye damage/eye irritation

Causes serious eye irritation. Causes serious eye irritation.

Product:

Remarks: Causes serious eye irritation.

Components:

Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics:

Result: Slight, transient irritation

SODIUM PETROLEUM SULFONATE:

Species: Rabbit

Result: Irritating to eyes.

Remarks: Information given is based on data obtained from similar substances.

ZINC DIALKYL DITHIOPHOSPHATE:

Result: Corrosive



Version: 4.2 Revision Date: 19.05.2020 Print Date: 25/10/2022

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Components:

SODIUM PETROLEUM SULFONATE:

Assessment: Does not cause skin sensitisation.

Remarks: Information given is based on data obtained from similar substances.

ZINC DIALKYL DITHIOPHOSPHATE:

Assessment: Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information. Not classified based on available information.

Components:

SODIUM PETROLEUM SULFONATE:

Genotoxicity in vitro : Test Type: Ames test

Test species: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

Remarks: Information given is based on data obtained from

similar substances.

Carcinogenicity

Not classified based on available information. Not classified based on available information.

Reproductive toxicity

Not classified based on available information. Not classified based on available information.

STOT - single exposure

Not classified based on available information. Not classified based on available information.

STOT - repeated exposure

Not classified based on available information. Not classified based on available information.

Aspiration toxicity

May be fatal if swallowed and enters airways. May be fatal if swallowed and enters airways.

Components:



Print Date: 25/10/2022 Version: 4.2 Revision Date: 19.05.2020

Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks: Solvents may degrease the skin.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): > 1.000 mg/l

> Exposure time: 96 h Test Type: semi-static test Test substance: WAF

Remarks: Information given is based on data obtained from

similar substances.

aquatic invertebrates

Toxicity to daphnia and other : EL50 (Daphnia magna (Water flea)): > 1.000 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Remarks: Information given is based on data obtained from

similar substances.

Sulfonic acids, petroleum, sodium salts

: LL50 (Pimephales promelas (fathead minnow)): > 1.000 mg/l Toxicity to fish

Exposure time: 96 h Test Type: Renewal Test substance: WAF

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 1.000 mg/l

Exposure time: 48 h Test Type: static test Test substance: WAF

Remarks: Information given is based on data obtained from

similar substances.

Toxicity to algae : NOEC (Pseudokirchneriella subcapitata (green algae)): >

Valvoline,

SAFETY DATA SHEET

Version: 4.2 Revision Date: 19.05.2020 Print Date: 25/10/2022

1.000 mg/l

End point: Growth inhibition Exposure time: 72 h Test Type: static test Test substance: WAF

Remarks: Information given is based on data obtained from

similar substances.

Zinc alkyldithiophosphate Ecotoxicology Assessment

Short-term (acute) aquatic

hazard

: Toxic to aquatic life.

Long-term (chronic) aquatic

hazard

: Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Components:

Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Biodegradation: 67,6 %

Exposure time: 28 d

Method: OECD Test Guideline 301F

Remarks: Information given is based on data obtained from similar substances., Readily biodegradable, The 10 day time

window criterion is not fulfilled.

Sulfonic acids, petroleum, sodium salts

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 8 % Exposure time: 28 d

Method: OECD Test Guideline 301D

Remarks: Information given is based on data obtained from

similar substances.

Zinc alkyldithiophosphate

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 1,5 % Exposure time: 28 d

12.3 Bioaccumulative potential

Components:

Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Partition coefficient: n-

octanol/water

: log Pow: 3 - 6



Version: 4.2 Revision Date: 19.05.2020 Print Date: 25/10/2022

Sulfonic acids, petroleum, sodium salts

Partition coefficient: n- : log Pow: Calculated > 10

octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

12.6 Other adverse effects

Product:

Additional ecological

information

: No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good



Version: 4.2 Revision Date: 19.05.2020 Print Date: 25/10/2022

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1005/2009 on substances that

deplete the ozone layer

: Not applicable

Regulation (EC) No 850/2004 on persistent organic

pollutants

: Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

: Not applicable

Regulation (EC) No 649/2012 of the European

Parliament and the Council concerning the export and

import of dangerous chemicals

: ZINC DIALKYL DITHIOPHOSPHATE

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

: Not applicable



Version: 4.2 Revision Date: 19.05.2020 Print Date: 25/10/2022

E2

Regulation (EC) No. 648/2004, as amended

: 30 % and more: Aliphatic hydrocarbons

Other regulations:

44/2000. (XII 27) Ministry of health dangerous substances and preparations dangerous for certain procedures and arrangements for activities 2000 XXV. Law on chemical safety

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

ENCS : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : Not in compliance with the inventory

TSCA : On TSCA Inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

15.2 Chemical safety assessment

No data available

SECTION 16: Other information



Version: 4.2 Revision Date: 19.05.2020 Print Date: 25/10/2022

Further information

Internal information: 000000272883

Full text of H-Statements

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Other information : The information accumulated herein is believed to be accurate

but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department

('+31 (0)78 654 3500).

Sources of key data used to compile the Safety Data Sheet Valvoline internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH: American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS: Chemical Abstracts Service (Division of the American Chemical Society).

CMR: Carcinogenic, Mutagenic or Toxic for Reproduction

FG: Food grade

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization

ICAO-TI (ICAO): Technical Instructions by the "International Civil Aviation Organization"

IMDG: International Maritime Code for Dangerous Goods

ISO: International Organization for Standardization

logPow: octanol-water partition coefficient



Version: 4.2 Revision Date: 19.05.2020 Print Date: 25/10/2022

LCxx: Lethal Concentration, for xx percent of test population

LDxx: Lethal Dose, for xx percent of test population. ICxx: Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx N.O.S.: Not Otherwise Specified

OECD: Organization for Economic Co-operation and Development

OEL : Occupational Exposure Limit
P-Statement : Precautionary Statement
PBT : Persistent , Bioaccumulative and Toxic

PPE: Personal Protective Equipment STEL: Short-term exposure limit STOT: Specific Target Organ Toxicity

TLV: Threshold Limit Value TWA: Time-weighted average

vPvB: Very Persistent and Very Bioaccumulative

WEL: Workplace Exposure Level

ABM: Water Hazard Class for the Netherlands

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

ADNR: Regulation for the Carriage of Dangerous Substances on the Rhine

CLP: Classification, Labelling and Packaging

CSA: Chemical Safety Assessment CSR: Chemical Safety Report DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

ELINCS: European List of Notified Chemical Substances

PEC: Predicted Effect Concentration
PEL: Permissible Exposure Limits
PNEC: Predicted No Effect Concentration

R-phrase: Risk phrase

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail

S-phrase: Safety phrase

WGK: German Water Hazard Class