

:

Revision Date: 16.11.2018

Print Date: 25.10.2022

SDS Number: 000000274794

No data. 887052 Version: 1.1

Conforms to EU Regulation 1907/2006/EC as amended. - SDSGHS_HU SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

No data available

1.2 Relevant identified uses of the substance or mixture and uses advised against Recommended use : Lubricant

 1.3 Details of the supplier of the safety data sheet Ellis Enterprises B.V., an affiliate of Valvoline Wieldrechtseweg 39 3316 BG Dordrecht Netherlands 	1.4 Emergency telephone number +1-800-VALVOLINE (+1-800-825-8654), or contact your local emergency telephone number at 06 80 20 11 99, 06 1 476 6464
+31 (0)78 654 3500 (in the Netherlands), or contact your local CSR contact person	Product Information +31 (0)78 654 3500 (in the Netherlands), or contact your local CSR contact person
SDS@valvoline.com	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Aerosols, Category 1	H222: Extremely flammable aerosol.
	H229: Pressurised container: May burst if heated.
Specific target organ toxicity - single exposure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.
Long-term (chronic) aquatic hazard, Category 2	H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



Revision Date: 16.11.2018

Print Date: 25.10.2022

SDS Number: 000000274794 Version: 1.1

No	data.
887	052

Hazard pictograms



Signal word	:	Danger	
Hazard statements	:	H222 H229 H336 H411	Extremely flammable aerosol. Pressurised container: May burst if heated. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
Supplemental Hazard Statements	:	EUH066	Repeated exposure may cause skin dryness or cracking.
Precautionary statements	:	P101	If medical advice is needed, have product container or label at hand.
		P102	Keep out of reach of children.
		Prevention:	
		P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		P211	Do not spray on an open flame or other ignition source.
		P251	Do not pierce or burn, even after use.
		P260	Do not breathe spray.
		Storage:	
		P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.
		Disposal:	-
		P501	Dispose of contents/container in accordance with local regulation.

Hazardous components which must be listed on the label: Pentane

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. **Additional advice** No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Valvoline.	Page: 3
SAFETY DATA SHEET	Revision Date: 16.11.2018
	Print Date: 25.10.2022
	SDS Number: 000000274794
No data.	Version: 1.1
887052	

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)
Pentane	109-66-0 203-692-4 01-2119459286-30-xxxx	Flam. Liq.1; H224 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411	>= 40,00 - < 50,00
copper	7440-50-8	Acute Tox.4; H302 Aquatic Acute1; H400 Aquatic Chronic2; H411	>= 2,50 - < 5,00
Substances with a work			
Butane	106-97-8 203-448-7 01-2119474691-32-xxxx	Flam. Gas1; H220 Press. GasLiquefied gas; H280	>= 10,00 - < 15,00

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	 Move out of dangerous area. Call a POISON CENTRE or doctor/physician if exposed or you feel unwell. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	 Move to fresh air. If unconscious, place in recovery position and seek medical advice. Consult a physician after significant exposure.
In case of skin contact	: First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
In case of eye contact	 Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.
If swallowed	: Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.



Revision Date: 16.11.2018

Print Date: 25.10.2022

SDS Number: 000000274794 Version: 1.1

No data. 887052

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	: No symptoms known or expected.	
Risks	: May cause drowsiness or dizziness. Repeated exposure may cause skin dryness or cracking.	

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	: No hazards which require special first aid measures.
-----------	--

SECTION 5: Firefighting measures

5.1 Extinguishing media	
Suitable extinguishing media	 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray Foam Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	: High volume water jet
5.2 Special hazards arising from th	e substance or mixture
Specific hazards during firefighting	 Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite explosively. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: carbon dioxide and carbon monoxide Hydrocarbons
5.3 Advice for firefighters	
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.
Specific extinguishing methods	: Product is compatible with standard fire-fighting agents.
Further information	: Fire residues and contaminated fire extinguishing water must



Version: 1.1

Revision Date: 16.11.2018

Print Date: 25.10.2022 SDS Number: 000000274794

No data.

887052

be disposed of in accordance with local regulations. Use a water spray to cool fully closed containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Evacuate personnel to safe areas.
	Remove all sources of ignition.
	Ensure adequate ventilation.
	Beware of vapours accumulating to form explosive
	concentrations. Vapours can accumulate in low areas.
	Persons not wearing protective equipment should be excluded
	from area of spill until clean-up has been completed.
	Comply with all applicable federal, state, and local regulations.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

6.4 Reference to other sections

For further information see Section 8 and Section 13 of the safety data sheet.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Open drum carefully as content may be under pressure. Provide sufficient air exchange and/or exhaust in work rooms. Do not breathe vapours/dust. Do not smoke. Container hazardous when empty. Take precautionary measures against static discharges. Avoid exposure - obtain special instructions before use. Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8. Dispose of rinse water in accordance with local and national regulations.
Advice on protection against fire and explosion	:	Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from open flames, hot surfaces and sources of ignition. Use



Print Date: 25.10.2022 SDS Number: 000000274794

Version: 1.1

No data. 887052

7.3

only explosion-proof equipment.

Hygiene measures : Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	: BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. No smoking.
Other data	: No decomposition if stored and applied as directed.
3 Specific end use(s)	· No doto ovoilable

Specific use(s)

: No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Pentane	109-66-0	TWA	1.000 ppm 3.000 mg/m3	2006/15/EC
		TWA	2.950 mg/m3	HU OEL
		STEL	11.800 mg/m3	HU OEL
Butane	106-97-8	TWA	2.350 mg/m3	HU OEL
		STEL	9.400 mg/m3	HU OEL
copper	7440-50-8	TWA	1 mg/m3	HU OEL
		TWA (Fumes)	0,1 mg/m3 Fumes	HU OEL
		STEL	4 mg/m3	HU OEL
		STEL (Fumes)	0,4 mg/m3 Fumes	HU OEL



Revision Date: 16.11.2018

Print Date: 25.10.2022 SDS Number: 000000274794

Version: 1.1

No data. 887052

8.2 Exposure controls

Engineering measures

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipme	nt
Eye protection	: Not required under normal conditions of use. Wear splash- proof safety goggles if material could be misted or splashed into eyes.
Hand protection	
Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Skin and body protection	: Wear as appropriate: Impervious clothing Safety shoes Flame-resistant clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Respiratory protection	 In the case of vapour formation use a respirator with an approved filter. In the case of dust or aerosol formation use respirator with an approved filter.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	aerosol
Colour	:	copper
Odour	:	solvent-like
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	Not applicable
Flash point	:	Not applicable





 SAFETY DATA SHEET
 Revision Date: 16.11.2018

 Print Date: 25.10.2022
 Print Date: 25.10.2022

 SDS Number: 000000274794
 SDS Number: 000000274794

 No data.
 Version: 1.1

 887052
 Version: 1.1

	Evaporation rate	:	No data available
	Flammability (solid, gas)	:	No data available
	Upper explosion limit / Upper flammability limit	:	10,9 %(V)
	Lower explosion limit / Lower flammability limit	:	1,4 %(V)
	Vapour pressure	:	8 hPa (20 °C)
	Relative vapour density	:	No data available
	Relative density	:	No data available
	Density	:	0,81 g/cm3 (20 °C)
	Solubility(ies) Water solubility	:	immiscible
	Solubility in other solvents	:	No data available
	Partition coefficient: n- octanol/water	:	No data available
	Ignition temperature	:	285 °C
	Decomposition temperature	:	No data available
	Viscosity Viscosity, dynamic	:	No data available
	Viscosity, kinematic	:	No data available
	Oxidizing properties	:	No data available
9.2	Other information Self-ignition	:	not auto-flammable

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.



Print Date: 25.10.2022 SDS Number: 000000274794

Version: 1.1

No data. 887052

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions						
Hazardous reactions	: Vapours may form explosive mixture with air.					
10.4 Conditions to avoid						
Conditions to avoid	: None known.					
	Heat, flames and sparks.					
10.5 Incompatible materials						
Materials to avoid	: Acids					
	Alkali metals Amines					
	Oxidizing agents					
	strong bases					
	strong reducing agents					
10.6 Hazardous decomposition products						
	Nuclear sector of the sector o					

Hazardous decomposition	: No hazardous decomposition products are known.
products	

SECTION 11: Toxicological information

11.1 Information on toxicological Information on likely routes of exposure			
Acute toxicity Not classified based on availab	ble information.		
Product:			
Acute oral toxicity	: Acute toxicity estimate : > 2.000 mg/kg Method: Calculation method		
Components:			
PENTANE NORMAL:			
Acute oral toxicity	 LD50 (Rat): > 2.000 mg/kg Assessment: Not classified as acutely toxic by ingestion under GHS. Remarks: No mortality observed at this dose. 		



Revision Date: 16.11.2018

Print Date: 25.10.2022 SDS Number: 000000274794

	SDS Number: 000000274794
No data.	Version: 1.1
887052	

Acute inhalation toxicity	 LC50 (Rat): > 20 mg/l Exposure time: 4 h Test atmosphere: vapour Assessment: No adverse effect has been observed in acute inhalation toxicity tests.
<u>Components:</u> Copper: Acute oral toxicity	: LD50 (Rat): > 300 mg/kg
	Method: OECD Test Guideline 423
Acute inhalation toxicity	: LC50 (Rat): > 5,11 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 436
Acute dermal toxicity	 LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: No adverse effect has been observed in acute dermal toxicity tests.
Components:	
BUTANE NORMAL: Acute inhalation toxicity	: LC50 (Mouse): 680 mg/l Exposure time: 2 h
	LC50 (Rat): > 50000 ppm Exposure time: 2 h Test atmosphere: gas

Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

Components:

PENTANE NORMAL:

Result: Slight, transient irritation

Result: Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: Unlikely to cause eye irritation or injury.

Components: PENTANE NORMAL:

Version: 1.1



Revision Date: 16.11.2018

Print Date: 25.10.2022 SDS Number: 000000274794

No data. 887052

Result: Slight, transient irritation

Copper:

Result: Slight, transient irritation

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Components:

BUTANE NORMAL: Genotoxicity in vitro

: Test Type: Ames test Test species: Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause drowsiness or dizziness.

Components:

PENTANE NORMAL:

Assessment: May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.


Components:

PENTANE NORMAL: May be fatal if swallowed and enters airways.

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.



SECTION 12: Ecological information

12.1 Toxicity

Components:	
Pentane Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 4,26 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 48 h
Toxicity to algae	: ErC50 (Pseudokirchneriella subcapitata (green algae)): 10,7 mg/l Exposure time: 72 h
copper Ecotoxicology Assessment Short-term (acute) aquatic hazard	: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard	: Toxic to aquatic life with long lasting effects.
Butane Toxicity to fish	: Remarks: No toxicity at the limit of solubility QSAR
Toxicity to daphnia and other aquatic invertebrates	 EC50 (Daphnia magna (Water flea)): Expected > 10 - < 100 mg/l Exposure time: 48 h Remarks: QSAR
Toxicity to algae	: EC50 (green algae): Expected 7,7 mg/l Exposure time: 96 h Remarks: QSAR

12.2 Persistence and degradability

Components:		
Pentane		
Biodegradability	:	Result: Readily biodegradable.
		Biodegradation: 87 %
		Exposure time: 28 d
		Method: OECD Test Guideline 301F

Butane



SAFETY DATA SHEET	Revision Date: 16.11.2018
	Print Date: 25.10.2022
	SDS Number: 000000274794
No data.	Version: 1.1
887052	

Biodegradability

: Result: Readily biodegradable. Remarks: Information given is based on data obtained from similar substances.

12.3 Bioaccumulative potential

Components:

Pentane Partition coefficient: n- octanol/water	: log Pow: 3,39
Butane Partition coefficient: n-	: log Pow: 2,89

12.4 Mobility in soil

octanol/water

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher
	on , o or mground

12.6 Other adverse effects

Additional ecological	: An environmental hazard cannot be excluded in the event of
information	unprofessional handling or disposal., Toxic to aquatic life.,
	Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	 Empty remaining contents. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

Valvoline	Page: 14
SAFETY DATA SHEET	Revision Date: 16.11.2018
	Print Date: 25.10.2022
	SDS Number: 000000274794
No data.	Version: 1.1
887052	

SECTION 14: Transport information

14.1 UN number

ADN	:	UN 1950
ADR	:	UN 1950
RID	:	UN 1950
IMDG	:	UN 1950
ΙΑΤΑ	:	UN 1950
14.2 UN proper shipping name		
ADN	:	AEROSOLS
ADR	:	AEROSOLS
RID	:	AEROSOLS
IMDG	:	AEROSOLS
ΙΑΤΑ	:	AEROSOLS
14.3 Transport hazard class(es)		
ADN	:	2
ADR	:	2
RID	:	2
IMDG	:	2.1
ΙΑΤΑ	:	2.1
14.4 Packing group		
ADN		
Packing group	:	Not assigned by regulation
Classification Code Labels	:	5F 2.1
ADR		
Packing group Classification Code	:	Not assigned by regulation 5F
Labels	÷	əf 2.1
Tunnel restriction code	:	(D)
RID		
Packing group Classification Code	÷	Not assigned by regulation 5F
Hazard Identification Number	:	23
Labels	:	2.1
IMDG		

Version: 1.1



Revision Date: 16.11.2018

Print Date: 25.10.2022 SDS Number: 000000274794

No data. 887052

Packing group Labels EmS Code	:	Not assigned by regulation 2.1 F-D, S-U
IATA (Cargo) Packing instruction (cargo aircraft)	:	203
Packing instruction (LQ) Packing group Labels	:	Y203 Not assigned by regulation Flammable gas
IATA (Passenger) Packing instruction	:	203

Packing instruction (passenger aircraft) Packing instruction (LQ)

Packing instruction (LQ)	:	Y203
Packing group	:	Not assigned by regulation
Labels	:	Flammable gas

14.5 Environmental hazards

ADN Environmentally hazardous	:	no
ADR Environmentally hazardous	:	no
RID Environmentally hazardous	:	no
IMDG Marine pollutant	:	no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1005/2009 on substances that	: Not applicable
deplete the ozone layer	

Regulation (EC) No 850/2004 on persistent organic : Not applicable



	Print Date: 25.10.2022
	SDS Number: 000000274794
No data.	Version: 1.1
887052	

pollutants

REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	: Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 57).	: Not applicable
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	: Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P3a	FLAMMABLE AEROSOLS	Quantity 1 150 t	Quantity 2 500 t
18	Liquefied extremely flammable gases (including LPG) and natural gas	50 t	200 t
E2	ENVIRONMENTAL HAZARDS	200 t	500 t

Other regulations	 2000 XXV. Law on chemical safety 44/2000. (XII 27) Ministry of health dangerous substances and preparations dangerous for certain procedures and arrangements for activities
	preparations dangerous for certain procedures and

Young people under 18 years old are not allowed to work with this product according to the EU Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:		
DSL :	This product contains one or several components that are not on the Canadian DSL and have annual quantity limits.	
AICS	Not in compliance with the inventory	
ENCS	Not in compliance with the inventory	
KECI	Not in compliance with the inventory	
PICCS	Not in compliance with the inventory	
40/40		





Print Date: 25.10.2022

SDS Number: 000000274794 Version: 1.1

No data. 887052

IECSCNot in compliance with the inventoryTCSINot in compliance with the inventoryTSCANot On TSCA Inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Further information

Revision Date: 16.11.2018

Full text of H-Statements

H220	Extremely flammable gas.
H224	Extremely flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Other information: The information accumulated herein is believed to be accurate
but is not warranted to be whether originating with the
company or not. Recipients are advised to confirm in advance
of need that the information is current, applicable, and suitable
to their circumstances. This SDS has been prepared by
Valvoline's Environmental Health and Safety Department
('+31 (0)78 654 3500).

Sources of key data used to compile the Safety Data Sheet Valvoline internal data including own and sponsored test reports The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

1



Print Date: 25.10.2022 SDS Number: 000000274794

No data.	Version: 1.1
887052	

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS : Chemical Abstracts Service (Division of the American Chemical Society).

CMR : Carcinogenic, Mutagenic or Toxic for Reproduction

FG : Food grade

GHS : Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement

IATA : International Air Transport Association.

IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization

ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"

IMDG : International Maritime Code for Dangerous Goods

ISO : International Organization for Standardization

logPow : octanol-water partition coefficient

LCxx : Lethal Concentration, for xx percent of test population

LDxx : Lethal Dose, for xx percent of test population.

ICxx : Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx

N.O.S.: Not Otherwise Specified

OECD : Organization for Economic Co-operation and Development

OEL : Occupational Exposure Limit

P-Statement : Precautionary Statement

PBT : Persistent , Bioaccumulative and Toxic

PPE : Personal Protective Equipment

STEL : Short-term exposure limit

STOT : Specific Target Organ Toxicity

TLV : Threshold Limit Value

TWA : Time-weighted average


vPvB : Very Persistent and Very Bioaccumulative

WEL : Workplace Exposure Level

ABM : Water Hazard Class for the Netherlands ADR : Agreement concerning the International Carriage of Dangerous Goods by Road. ADNR: Regulation for the Carriage of Dangerous Substances on the Rhine CLP : Classification, Labelling and Packaging CSA : Chemical Safety Assessment CSR : Chemical Safety Report DNEL : Derived No Effect Level. EINECS : European Inventory of Existing Commercial Chemical Substances. ELINCS : European List of Notified Chemical Substances PEC : Predicted Effect Concentration PEL : Permissible Exposure Limits PNEC : Predicted No Effect Concentration

R-phrase : Risk phrase

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals



RID : Regulation Concerning the International Transport of Dangerous Goods by Rail S-phrase: Safety phrase WGK : German Water Hazard Class