

Version: 5.0	Revision Date: 20	.12.2021	Print Date: 25/10/2022	
Conforms to EU Regulation 1907/2006/EC as amended SDSGHS_HU SECTION 1: Identification of the substance/mixture and of the company/undertaking				
1.1 Product identifier Trade name	: No data av	vailable		
Product code	: 872597			
1.2 Relevant identified use Recommended use	: Engine, gear	& lubricating oil.		
 1.3 Details of the supplier of sheet Ellis Enterprises B.V., an affilit Wieldrechtseweg 39 3316 BG Dordrecht Netherlands +31 (0)78 654 3500 (in the Notest Statest States	iate of Valvoline	1.4 Emergency telepho +1-800-VALVOLINE (+1- contact your local emerg +36 80 201 199		
contact your local CSR conta		Product Information +31 (0)78 654 3500 (in the contact your local CSR c		
SDS@valvoline.com				

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Not a hazardous substance or mixture.

Additional Labelling:

EUH210	Safety data sheet available on request.
EUH208	Contains Benzenesulfonic acid methyl-, mono C20-26 branched alkyl derivs.,
	calcium salt, Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl



Version: 5.0

Revision Date: 20.12.2021

Print Date: 25/10/2022

derivs., calcium salts. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. **Additional advice**

No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)
AMINES, POLYETHYLENEPOLY -, REACTION PRODUCTS WITH 1,3- DIOXOLAN-2-ONE AND SUCCINIC ANHYDRIDE MONOPOLYISOBUTE NYL DERIVS.	147880-09-9 604-611-9	Aquatic Chronic4; H413	>= 5,00 - < 10,00
bis(nonylphenyl)amine	36878-20-3 253-249-4 01-2119488911-28-xxxx	Aquatic Chronic4; H413	>= 1,00 - < 2,50
Lubricating Oils (Petroleum), C20-50, Hydrotreated Neutral Oil-Based	72623-87-1 276-738-4 01-2119474889-13-xxxx	Asp. Tox.1; H304	>= 1,00 - < 2,50
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil- based	72623-86-0 276-737-9	Asp. Tox.1; H304	>= 1,00 - < 2,50
Benzenesulfonic acid methyl-, mono C20-26 branched alkyl derivs., calcium salt	722503-69-7	Skin Sens.1; H317 Aquatic Chronic4; H413	>= 0,50 - < 1,00
Benzenesulfonic acid, methyl-, mono-C20-24- branched alkyl derivs., calcium salts	722503-68-6	Skin Sens.1B; H317 Aquatic Chronic4; H413	>= 0,50 - < 1,00



Version: 5.0	Revision Date: 20.12	2.2021	Print Date: 25/10/2022
Substances with a work	place exposure limit :		
Lubricating oils (petroleum), C20-50,	72623-87-1 276-738-4 01-2119474889-13-xxxx		>= 70,00 - < 80,00
based Distillates (Petroleum),	64742-54-7		>= 1,00 - < 2,50
Hydrotreated Heavy Paraffinic	01-2119484627-25-xxxx		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Do not leave the victim unattended.
If inhaled	 If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of eye contact	 Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.
If swallowed	 Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
4.2 Most important symptoms	and effects, both acute and delayed
Symptoms	: No symptoms known or expected.
4.3 Indication of any immediate	e medical attention and special treatment needed
Treatment	: No hazards which require special first aid measures.
	Treat symptomatically.

SECTION 5: Firefighting measures



Version: 5.0	Revision Date: 20.12.2021	Print Date: 25/10/2022
5.1 Extinguishing media		
5.2 Special hazards arising fror	n the substance or mixture	
Hazardous combustion products	: Nitrogen oxides (NOx) carbon dioxide and carbon monoxide	
5.3 Advice for firefighters		
Special protective equipment for firefighters	 Wear self-contained breathing apparatune necessary. 	is for firefighting if
Further information	: Standard procedure for chemical fires. Use extinguishing measures that are an circumstances and the surrounding env	• •

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.2 Environmental precautions

Environmental precautions	: If the product contaminates rivers and lakes or drains inform
	respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	 For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
Advice on protection against fire and explosion	: Normal measures for preventive fire protection.
Hygiene measures	: General industrial hygiene practice.



Version: 5.0	Revision Date: 20.12.2021	Print Date: 25/10/2022
7.2 Conditions for safe storage	including any incompatibilities	
Requirements for storage areas and containers	: Electrical installations / working m the technological safety standards	
Advice on common storage	: No materials to be especially mer	tioned.
Other data	: No decomposition if stored and ap	oplied as directed.
7.3 Specific end use(s)		
Specific use(s)	: No data available	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil- based	72623-87-1	TWA (Mist)	5 mg/m3 Mist	HU OEL
Distillates (Petroleum), Hydrotreated Heavy Paraffinic	64742-54-7	TWA (Mist)	5 mg/m3 Mist	HU OEL
Lubricating Oils (Petroleum), C20-50, Hydrotreated Neutral Oil-Based	72623-87-1	TWA (Mist)	5 mg/m3 Mist	HU OEL

8.2 Exposure controls

Personal protective equipment

Eye protection	: Safety glasses
Hand protection	
Remarks	: Nitrile rubber butyl-rubber
Skin and body protection	: Protective suit



Version: 5.0	Revision Date: 20.12.2021	Print Date: 25/10/2022
Respiratory protection	: No personal respiratory protective equip required.	ment normally

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	amber
Odour	:	oily
Odour Threshold	:	No data available
рН	:	Not applicable
Pour point	:	< -39 °C
Boiling point/boiling range	:	No data available
Flash point	:	205 °C Method: Cleveland open cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	ca. 0,854 g/cm3 (15,6 °C)
Bulk density	:	Not applicable
Solubility(ies) Water solubility	:	insoluble



Version: 5.0	Revision Date: 20.12.2021	Print Date: 25/10/2022
Solubility in other solvents	: No data available	
Partition coefficient: n- octanol/water	: No data available	
Decomposition temperature	: No data available	
Viscosity Viscosity, dynamic	: No data available	
Viscosity, kinematic	: ca. 72 mm2/s (40 °C)	
Oxidizing properties	: No data available	
9.2 Other information Self-ignition	: No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	: Stable under recommended storage conditions. No hazards to be specially mentioned.
10.4 Conditions to avoid Conditions to avoid	: No data available
10.5 Incompatible materials Materials to avoid	: Strong oxidizing agents

Not applicable

10.6 Hazardous decomposition products

Hazardous decomposition	: No hazardous decomposition products are known.
products	



Version: 5.0

Revision Date: 20.12.2021

Print Date: 25/10/2022

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	: Acute toxicity estimate : > 2.000 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate : > 20 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate : > 2.000 mg/kg Method: Calculation method

Components:

ZENEAMINE, N-PHENYL- W/ NONENE (BRANCHED):
: LD50 (Rat): > 5.000 mg/kg Remarks: No mortality observed at this dose.
Remarks. No monality observed at this dose.
: LD50 (Rat): > 2.000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: The toxicological data has been taken from
products of similar composition.

Components:

Lubricating Oils (Petroleum),	C20-50, Hydrotreated Neutral Oil-Based:
Acute oral toxicity	: LD50 (Rat): > 5.000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 5,58 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: No mortality observed at this dose.
Acute dermal toxicity	: LD50 (Rabbit): > 5.000 mg/kg Remarks: No mortality observed at this dose.



Version: 5.0

Revision Date: 20.12.2021

Print Date: 25/10/2022

Components:

	C15-30, hydrotreated neutral oil-based:
Acute oral toxicity	: LD50 (Rat): > 5.000 mg/kg

Components:

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

Acute oral toxicity	: LD50 (Rat): > 5.000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 5,58 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: No mortality observed at this dose.
Acute dermal toxicity	: LD50 (Rabbit): > 5.000 mg/kg Remarks: No mortality observed at this dose.

Components:

HEAVY PARAFFINIC DISTILLATE:		
Acute oral toxicity	: LD50 (Rat): > 15 g/kg	
Acute dermal toxicity	: LD50 (Rabbit): > 5 g/kg	

Skin corrosion/irritation

Not classified based on available information.

Components:

REACTION PROD. OF BENZENEAMINE, N-PHENYL- W/ NONENE (BRANCHED):

Species: Rabbit

Result: Mild skin irritation

Remarks: The toxicological data has been taken from products of similar composition.

Lubricating Oils (Petroleum), C20-50, Hydrotreated Neutral Oil-Based:

Species: Rabbit Result: No skin irritation

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based: Result: No skin irritation

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

Species: Rabbit Result: No skin irritation

HEAVY PARAFFINIC DISTILLATE:



Version: 5.0

Revision Date: 20.12.2021

Print Date: 25/10/2022

Result: Slight, transient irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

REACTION PROD. OF BENZENEAMINE, N-PHENYL- W/ NONENE (BRANCHED):

Species: Rabbit Result: Slight, transient irritation Remarks: The toxicological data has been taken from products of similar composition.

Lubricating Oils (Petroleum), C20-50, Hydrotreated Neutral Oil-Based:

Species: Rabbit Result: No eye irritation

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based: Result: No eye irritation

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

Species: Rabbit Result: No eye irritation

HEAVY PARAFFINIC DISTILLATE:

Result: No eye irritation

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitisation.

Components:

REACTION PROD. OF BENZENEAMINE, N-PHENYL- W/ NONENE (BRANCHED):

Species: Guinea pig

Assessment: Does not cause skin sensitisation.

Method: OECD Test Guideline 406

Remarks: The toxicological data has been taken from products of similar composition.

Lubricating Oils (Petroleum), C20-50, Hydrotreated Neutral Oil-Based:

Test Type: Buehler Test Species: Guinea pig Assessment: Does not cause skin sensitisation.

Benzenesulfonic acid methyl-, mono C20-26 branched alkyl derivs., calcium salt: Assessment: May cause sensitisation by skin contact.



Version: 5.0

ш

Revision Date: 20.12.2021

Print Date: 25/10/2022

Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts: Assessment: The product is a skin sensitiser, sub-category 1B.

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

Test Type: Buehler Test Species: Guinea pig Assessment: Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Components:

REACTION PROD. OF BENZENEAMINE, N-PHENYL- W/ NONENE (BRANCHED):

Genotoxicity in vitro	: Test Type: Ames test Test species: Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative
Carcinogenicity Not classified based on av	ailable information.
O	

Components:

components.		
	, C2	0-50, Hydrotreated Neutral Oil-Based:
Carcinogenicity -		Classified based on DMSO extract content < 3% (Regulation
Assessment		(EC) 1272/2008, Annex VI, Part 3, Note L)
Lubricating oils (petroleum)	C1/	5-30 bydrotreated neutral oil-based:

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based:

Carcinogenicity -	(Classified based on DMSO extract content < 3% (Regulation
Carcinogenicity - Assessment	((EC) 1272/2008, Annex VI, Part 3, Note L)

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

Carcinogenicity -	Classified based on DMSO extract content < 3% (Regulation
Assessment	(EC) 1272/2008, Annex VI, Part 3, Note L)

HEAVY PARAFFINIC DISTILLATE:

Carcinogenicity -	:	Classified based on DMSO extract content < 3% (Regulation
Carcinogenicity - Assessment		(EC) 1272/2008, Annex VI, Part 3, Note L)

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.



Version: 5.0

Revision Date: 20.12.2021

Print Date: 25/10/2022

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Components:

Lubricating Oils (Petroleum), C20-50, Hydrotreated Neutral Oil-Based: May be fatal if swallowed and enters airways.

LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED: No aspiration toxicity classification

HEAVY PARAFFINIC DISTILLATE:

No aspiration toxicity classification

Further information

Product:

Remarks: No data available

SECTION 12: Ecological information

12.1 Toxicity

Product: Ecotoxicology Assessment Short-term (acute) aquatic hazard	: Not classified based on available information.
Long-term (chronic) aquatic hazard	: Not classified based on available information.
	DLY-, REACTION PRODUCTS WITH 1,3-DIOXOLAN-2-ONE AND OPOLYISOBUTENYL DERIVS.
Long-term (chronic) aquatic hazard	: May cause long lasting harmful effects to aquatic life.
bis(nonylphenyl)amine	
Toxicity to fish	: LC50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Test Type: static test

12/21



Version: 5.0	Revision Date: 20.12.2021	Print Date: 25/10/2022
	Remarks: The toxicological data happed products of similar composition.	as been taken from
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea Exposure time: 48 h Test Type: static test Test substance: WAF)): > 100 mg/l
Toxicity to algae	: EC50 (Pseudokirchneriella subcap End point: Growth inhibition Exposure time: 72 h Test Type: static test	itata (algae)): 600 mg/l
	C20-50, Hydrotreated Neutral Oil-Based	
Toxicity to fish	: LL50 (Pimephales promelas (fathe Exposure time: 96 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of	
	Remarks. No toxicity at the limit of	Solubility
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Daphnia magna (Water flea) Exposure time: 48 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 202	
Toxicity to algae	: NOEL (Pseudokirchneriella subcar 100 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 201	
Toxicity to fish (Chronic toxicity)	: NOELR: >= 1.000 mg/l Exposure time: 14 d Species: Oncorhynchus mykiss (ra	inbow trout)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEL: 10 mg/l Exposure time: 21 d Species: Daphnia (water flea) Test substance: WAF Method: OECD Test Guideline 211	
Ecotoxicology Assessment		
Short-term (acute) aquatic hazard	: Not classified based on available ir	nformation.
	13 / 21	



/ersion: 5.0	Revision Date: 20.12.2021	Print Date: 25/10/2022
Long-term (chronic) aquatic hazard	: Not classified based on available i	nformation.
Lubricating oils (petroleum), C Ecotoxicology Assessment	C15-30, hydrotreated neutral oil-based	
Short-term (acute) aquatic hazard	: Not classified based on available i	nformation.
Long-term (chronic) aquatic hazard	: Not classified based on available i	nformation.
Benzenesulfonic acid methyl- Ecotoxicology Assessment	, mono C20-26 branched alkyl derivs.,	calcium salt
Long-term (chronic) aquatic hazard	: May cause long lasting harmful eff	ects to aquatic life.
Benzenesulfonic acid, methyl Ecotoxicology Assessment	-, mono-C20-24-branched alkyl derivs.,	calcium salts
	: May cause long lasting harmful eff	iects to aquatic life.
Lubricating oils (petroleum), C Toxicity to fish	C20-50, hydrotreated neutral oil-based : LL50 (Pimephales promelas (father Exposure time: 96 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of	3
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Daphnia magna (Water flea Exposure time: 48 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 202	
Toxicity to algae	: NOEL (Pseudokirchneriella subcar 100 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 20'	
Toxicity to fish (Chronic toxicity)	: NOELR: Calculated >= 1.000 mg/l Exposure time: 14 d Species: Oncorhynchus mykiss (ra	

14 / 21



rsion: 5.0	Revision Date: 20.12.2021	Print Date: 25/10/202
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEL: 10 mg/l Exposure time: 21 d Species: Daphnia (water flea) Test substance: WAF Method: OECD Test Guideline 211	
Ecotoxicology Assessment		
Short-term (acute) aquatic hazard	: Not classified based on available in	formation.
Long-term (chronic) aquatic hazard	: Not classified based on available in	formation.
Distillates (Petroleum), Hydrot	eated Heavy Paraffinic	
Toxicity to fish	: LL50 (Fish): > 100 mg/l	
	Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Aquatic invertebrates): > 10.0 Exposure time: 48 h	000 mg/l
Toxicity to algae	: EL50 (Algae, algal mat (Algae)): > Exposure time: 72 h	100 mg/l
Toxicity to fish (Chronic toxicity)	: NOEC: 10 mg/l Species: Fish	
Toxicity to daphnia and other		
aquatic invertebrates (Chronic toxicity)	Species: Aquatic invertebrates	
Ecotoxicology Assessment		
Short-term (acute) aquatic hazard	: Not classified based on available in	formation.
Long-term (chronic) aquatic hazard	: Not classified based on available in	formation.

12.2 Persistence and degradability

Components:

bis(nonylphenyl)amine	
Biodegradability	: Result: Not readily biodegradable. Biodegradation: 0 % Exposure time: 28 d Method: OECD Test Guideline 301B

Lubricating Oils (Petroleum), C20-50, Hydrotreated Neutral Oil-Based



Version: 5.0	Revision Date: 20.12.2021	Print Date: 25/10/2022
Biodegradability	: Result: Not readily biodegradable. Biodegradation: 2 - 4 % Exposure time: 28 d Method: OECD Test Guideline 301B	
Lubricating oils (petroleum	n), C20-50, hydrotreated neutral oil-based	
Biodegradability	: Result: Not readily biodegradable. Biodegradation: 2 - 4 % Exposure time: 28 d Method: OECD Test Guideline 301B	
Diodegradability	Biodegradation: 2 - 4 % Exposure time: 28 d	

12.3 Bioaccumulative potential

Components:

bis(nonylphenyl)amine		
Partition coefficient: n- octanol/water	: log Pow: > 7,5	
Distillates (Petroleum), Hy	drotreated Heavy Paraffinic	
Partition coefficient: n- octanol/water	: log Pow: Expected > 7	

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

D	I-	4 .
Pro	σαι	ict:

Assessment	: This substance/mixture contains no components considered
	to be either persistent, bioaccumulative and toxic (PBT), or
	very persistent and very bioaccumulative (vPvB) at levels of
	0.1% or higher.

12.6 Other adverse effects

Product:	
Further information	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Additional ecological information	: No data available



Version: 5.0

Revision Date: 20.12.2021

Print Date: 25/10/2022

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Contaminated packaging

: Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legisl	ation specific for the substance or mixture
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable



Version: 5.0	Revision Date: 20.12	2.2021 Print Date: 25/10/2022	?
Regulation (EC) N deplete the ozone	o 1005/2009 on substances that layer	: Not applicable	
Regulation (EU) 2 pollutants (recast)	019/1021 on persistent organic	: Not applicable	
	ons on the manufacture, placing o e of certain dangerous substance es (Annex XVII)		
	Directive 96/82/E	EC does not apply	
	ve 2012/18/EU of the European P zards involving dangerous substa Not applicable	Parliament and of the Council on the control of ances.	
Volatile organic co	emissions (integr	5/EU of 24 November 2010 on industrial rated pollution prevention and control) compounds (VOC) content: 85 %	
Other regulations 2000 XXV. Law or 44/2000. (XII 27) M certain procedures	h chemical safety	stances and preparations dangerous for	
The components TCSI	of this product are reported in : Not in complianc	the following inventories: ce with the inventory	
TSCA	: All substances lis	sted as active on the TSCA inventory	
AIIC	: Not in complianc	ce with the inventory	
DSL	: All components of	of this product are on the Canadian DSL	
ENCS	: Not in complianc	ce with the inventory	
ISHL	: Not in complianc	ce with the inventory	



Version: 5.0	Revision Date: 20.12.2021	Print Date: 25/10/2022
KECI	· On the inventory, or in compliance with the	
REGI	: On the inventory, or in compliance with the	
PICCS	: On the inventory, or in compliance with the	ie inventory
NZIoC	: Not in compliance with the inventory	
IECSC	: Not in compliance with the inventory	
TECI	: Not in compliance with the inventory	

Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Further information

Internal information : R0517092

Full text of H-Statements

H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H413	May cause long lasting harmful effects to aquatic life.

compa of nee to thei Valvoli	formation accumulated herein is believed to be accurate not warranted to be whether originating with the any or not. Recipients are advised to confirm in advance d that the information is current, applicable, and suitable r circumstances. This SDS has been prepared by ine's Environmental Health and Safety Department 0)78 654 3500).
---------------------------------------	---



Version: 5.0

Revision Date: 20.12.2021

Print Date: 25/10/2022

Sources of key data used to compile the Safety Data Sheet Valvoline internal data including own and sponsored test reports The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS : Chemical Abstracts Service (Division of the American Chemical Society).

CMR : Carcinogenic, Mutagenic or Toxic for Reproduction

FG : Food grade

GHS : Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement

IATA : International Air Transport Association.

IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization

ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"

IMDG : International Maritime Code for Dangerous Goods

ISO : International Organization for Standardization

logPow : octanol-water partition coefficient

LCxx : Lethal Concentration, for xx percent of test population

LDxx : Lethal Dose, for xx percent of test population.

ICxx : Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx

N.O.S.: Not Otherwise Specified

OECD : Organization for Economic Co-operation and Development

OEL : Occupational Exposure Limit

P-Statement : Precautionary Statement

PBT : Persistent , Bioaccumulative and Toxic

PPE : Personal Protective Equipment

STEL : Short-term exposure limit

STOT : Specific Target Organ Toxicity

TLV : Threshold Limit Value

TWA : Time-weighted average

vPvB : Very Persistent and Very Bioaccumulative

WEL : Workplace Exposure Level

ABM : Water Hazard Class for the Netherlands ADR : Agreement concerning the International Carriage of Dangerous Goods by Road. ADNR: Regulation for the Carriage of Dangerous Substances on the Rhine CLP : Classification, Labelling and Packaging CSA : Chemical Safety Assessment



Version: 5.0

Revision Date: 20.12.2021

Print Date: 25/10/2022

CSR : Chemical Safety Report DNEL : Derived No Effect Level. EINECS : European Inventory of Existing Commercial Chemical Substances. ELINCS : European List of Notified Chemical Substances PEC : Predicted Effect Concentration PEL : Permissible Exposure Limits PNEC : Predicted No Effect Concentration R-phrase : Risk phrase REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals RID : Regulation Concerning the International Transport of Dangerous Goods by Rail S-phrase: Safety phrase WGK : German Water Hazard Class