

Version: 2.0	Revision Date: 22	2.04.2020	Print Date: 25/10/2022
Conforms to EU Regulation 190 SECTION 1: Identification c			npany/undertaking
1.1 Product identifier Trade name	: No data av	vailable	
Product code	: 887048		
1.2 Relevant identified us Recommended use	es of the substance : Lubricant	e or mixture and uses a	dvised against
1.3 Details of the supplier sheet Ellis Enterprises B.V., an af Wieldrechtseweg 39 3316 BG Dordrecht Netherlands +31 (0)78 654 3500 (in the	filiate of Valvoline	1.4 Emergency telepl +1-800-VALVOLINE (- contact your local eme +36 80 201 199	
contact your local CSR con		Product Information +31 (0)78 654 3500 (ir contact your local CSF	
SDS@valvoline.com			

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) Aerosols, Category 1 H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated. Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

2.2 Label elements

UFI

1XE2-8KWU-NT4E-4AFY

Labelling (REGULATION (EC) No 1272/2008)

÷



Version: 2.0	Revision Date: 22	2.04.2020 Print Date: 25/10/2022
Hazard pictograms		(!)
Signal word	: Danger	
Hazard statements	: H222 H229 H317	Extremely flammable aerosol. Pressurised container: May burst if heated. May cause an allergic skin reaction.
Supplemental Hazard Statements	: EUH066	Repeated exposure may cause skin dryness or cracking.
Precautionary statements	: P101 P102 Prevention: P210 P211	If medical advice is needed, have product container or label at hand. Keep out of reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source.
	P251 P280 Storage: P410 + P412 Disposal: P501	Do not pierce or burn, even after use. Wear protective gloves. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label: Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. **Additional advice**

No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures



Version: 2.0 Revision Date: 22.04.2020 Print Date: 25/10/2022
Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)
Hydrocarbons, C10- C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	918-481-9 01-2119457273-39-xxxx	Asp. Tox.1; H304	>= 40,00 - < 50,00
Propane	74-98-6 200-827-9 01-2119486944-21-xxxx	Flam. Gas1; H220 Press. GasLiquefied gas; H280	>= 15,00 - < 25,00
Isobutane	75-28-5 200-857-2 01-2119485395-27-xxxx	Flam. Gas1; H220 Press. GasLiquefied gas; H280	>= 5,00 - < 10,00
Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	939-603-7 01-2119978241-36-xxxx	Skin Sens.1B; H317	>= 1,00 - < 2,50
Substances with a workp	place exposure limit :		
Butane	106-97-8 203-448-7 01-2119474691-32-xxxx	Flam. Gas1; H220 Press. GasLiquefied gas; H280	>= 10,00 - < 15,00

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	 If breathed in, move person into fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	 Remove contaminated clothing. If irritation develops, get medical attention. If on skin, rinse well with water. First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing



Version: 2.0	Revision Date: 22.04.2020	Print Date: 25/10/2022
	with soap and water. Wash contaminated clothing before	re-use.
In case of eye contact	 Flush eyes with water as a precaution Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specific consult consult a specific consult cons	
If swallowed	: Do not give milk or alcoholic beverage Never give anything by mouth to an If symptoms persist, call a physician.	unconscious person.
4.2 Most important symptoms a	nd effects, both acute and delayed	
Symptoms	: No symptoms known or expected.	
Risks	: May cause an allergic skin reaction. Repeated exposure may cause skin	dryness or cracking.
4.3 Indication of any immediate	medical attention and special treatmen	t needed
Treatment	: No hazards which require special firs	st aid measures.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray Foam Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	: High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during	: Never use welding or cutting torch on or near drum (even
firefighting	empty) because product (even just residue) can ignite
	explosively.
	Beware of vapours accumulating to form explosive
	concentrations. Vapours can accumulate in low areas.
	Do not allow run-off from fire fighting to enter drains or water
	0 0



Version: 2.0	Revision Date: 22.04.2020	Print Date: 25/10/2022
Hazardous combustion products	courses. : carbon dioxide and carbon monoxide Hydrocarbons	
5.3 Advice for firefighters Special protective equipment for firefighters	: In the event of fire, wear self-contained b	reathing apparatus.
Specific extinguishing methods	: Product is compatible with standard fire-	ighting agents.
Further information	: Fire residues and contaminated fire extin be disposed of in accordance with local r Use a water spray to cool fully closed co	egulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

	Personal precautions	:	Evacuate personnel to safe areas. Remove all sources of ignition. Use personal protective equipment. Ensure adequate ventilation. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Comply with all applicable federal, state, and local regulations.
6.2 E	invironmental precautions		

Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

6.4 Reference to other sections

For further information see Section 8 and Section 13 of the safety data sheet.

SECTION 7: Handling and storage



Version: 2.0	rsion: 2.0 Revision Date: 22.04.2020 Print Date: 25/1	
7.1 Precautions for safe handlin	g	
Advice on safe handling	 Open drum carefully as content may be under pressure. Provide sufficient air exchange and/or exhaust in work rooms. Do not breathe vapours/dust. Do not smoke. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Container hazardous when empty. Take precautionary measures against static discharges. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8. Dispose of rinse water in accordance with local and national regulations. 	
Advice on protection against fire and explosion	: Take necessary action to avoid static e (which might cause ignition of organic from open flames, hot surfaces and so only explosion-proof equipment.	vapours). Keep away
Hygiene measures	: Wash hands before breaks and at the	end of workday.
7.2 Conditions for safe storage,	including any incompatibilities	
Requirements for storage areas and containers	: BEWARE: Aerosol is pressurized. Kee exposure and temperatures over 50 °C or throw into fire even after use. Do no red-hot objects. Keep container tightly well-ventilated place. Containers which carefully resealed and kept upright to p Observe label precautions. No smokin	C. Do not open by force of spray on flames or closed in a dry and n are opened must be prevent leakage.
Other data	: No decomposition if stored and applied	d as directed.
7.3 Specific end use(s) Specific use(s)	: No data available	

SECTION 8: Exposure controls/personal protection



Version: 2.0

Revision Date: 22.04.2020

Print Date: 25/10/2022

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Butane	106-97-8	TWA	2.350 mg/m3	HU OEL
		STEL	9.400 mg/m3	HU OEL

8.2 Exposure controls

Engineering measures

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Eye protection	 Not required under normal conditions of use. Wear splash- proof safety goggles if material could be misted or splashed into eyes.
Hand protection	
Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Skin and body protection	: Wear as appropriate: Impervious clothing Safety shoes Flame-resistant clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place. Discard gloves that show tears, pinholes, or signs of wear.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	aerosol
Colour	:	brown
Odour	:	solvent-like
Odour Threshold	:	No data available



Version: 2.0	Re	vision Date: 22.04.2020	Print Date: 25/10/2022
рН	:	No data available	
Melting point/freezing point	:	No data available	
Initial boiling point and boiling range	:	Not applicable	
Flash point	:	Not applicable	
Evaporation rate	:	No data available	
Flammability (solid, gas)	:	No data available	
Upper explosion limit / Upper flammability limit	:	10,9 %(V)	
Lower explosion limit / Lower flammability limit	:	0,6 %(V)	
Vapour pressure	:	8 hPa (20 °C)	
Relative vapour density	:	No data available	
Relative density	:	No data available	
Density	:	0,69 g/cm3 (20 °C)	
Solubility(ies) Water solubility	:	immiscible	
Solubility in other solvents	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Ignition temperature	:	> 200 °C	
Decomposition temperature	:	No data available	
Viscosity Viscosity, dynamic	:	No data available	
Viscosity, kinematic	:	No data available	
Oxidizing properties	:	No data available	

9.2 Other information



Version, 2.0	Devision Date: 22.04.2020	Drivet Deter 25/40/2022
Version: 2.0	Revision Date: 22.04.2020	Print Date: 25/10/2022
Self-ignition	: not auto-flammable	
SECTION 10: Stability and re	eactivity	
10.1 Reactivity No decomposition if stored a	and applied as directed.	
10.2 Chemical stability Stable under recommended		
10.3 Possibility of hazardous re		
Hazardous reactions	: Vapours may form explosive mi	xture with air.
10.4 Conditions to avoid		
Conditions to avoid	: None known.	
	Heat, flames and sparks.	
10.5 Incompatible materials		
Materials to avoid	: Strong oxidizing agents	
10.6 Hazardous decomposition	products	
Hazardous decomposition products	: No hazardous decomposition pr	roducts are known.
SECTION 11: Toxicological i	nformation	
11.1 Information on toxicologic	al effects	
Information on likely routes of exposure		
Acute toxicity Not classified based on avai	lable information.	
Components:		
	-alkanes, isoalkanes, cyclics, < 2% a	aromatics:
Acute oral toxicity	: LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 4	01



/ersion: 2.0	Revision Date: 22.04.2020	Print Date: 25/10/2022
	Remarks: Information given is bas similar substances.	sed on data obtained from
Acute inhalation toxicity	: LD50 (Rat): > 5.000 mg/m3 Exposure time: 8 h Method: OECD Test Guideline 40	13
Acute dermal toxicity	: LD50 (Rabbit): >= 3.160 mg/kg Method: OECD Test Guideline 40 Assessment: Not classified as act absorption under GHS.	
Components:		
PROPANE: Acute inhalation toxicity	: LC50 (Rat): 1.237 mg/l Exposure time: 2 h Test atmosphere: gas Assessment: Not classified as act under GHS. Remarks: Information given is bas similar substances.	
Components: ISOBUTANE:		
Acute inhalation toxicity	: LC50 (Mouse, male): 520400 ppn Exposure time: 2 h Test atmosphere: gas	n
Components:		
BUTANE NORMAL: Acute inhalation toxicity	: LC50 (Mouse): 680 mg/l Exposure time: 2 h	
	LC50 (Rat): > 50000 ppm Exposure time: 2 h Test atmosphere: gas	
Skin corrosion/irritation		
	use skin dryness or cracking.	
Product: Result: Repeated exposure	may cause skin dryness or cracking.	

Remarks: May cause skin irritation in susceptible persons.



Version: 2.0

Revision Date: 22.04.2020

Print Date: 25/10/2022

Components:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics: Result: No skin irritation

Result: Repeated exposure may cause skin dryness or cracking.

ISOBUTANE: Result: No skin irritation

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts: Result: Slight, transient irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: Unlikely to cause eye irritation or injury.

Components:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics: Result: No eye irritation

ISOBUTANE:

Result: No eye irritation

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts: Result: Slight, transient irritation

Respiratory or skin sensitisation

Skin sensitisation: May cause an allergic skin reaction. Respiratory sensitisation: Not classified based on available information.

Product:

Remarks: May cause allergic skin reaction.

Components:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics: Assessment: Did not cause sensitisation on laboratory animals.

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts: Assessment: The product is a skin sensitiser, sub-category 1B.

Germ cell mutagenicity

Not classified based on available information.



Version: 2.0	Revision Date: 22.04.2020	Print Date: 25/10/2022
Components:		
	alkanes, isoalkanes, cyclics, < 2% aroma	tics:
Genotoxicity in vitro	: Test Type: in vitro assay Result: negative	
PROPANE:		
Genotoxicity in vitro	: Test Type: Ames test Test species: Salmonella typhimurium Metabolic activation: with and without r Result: negative Remarks: Information given is based o similar substances.	
ISOBUTANE:		
Genotoxicity in vitro	: Test Type: Chromosome aberration test Test species: Human lymphocytes Metabolic activation: with and without r Method: OECD Test Guideline 473 Result: negative GLP: yes	
	: Test Type: Ames test Metabolic activation: with and without r Result: negative	netabolic activation
Genotoxicity in vivo	: Test Type: in vivo assay Test species: Drosophila melanogaster Result: negative Remarks: Information given is based o similar substances.	
	Test Type: In vivo micronucleus test Test species: Rat Method: OECD Test Guideline 474 Result: negative Remarks: Information given is based o similar substances.	n data obtained from
BUTANE NORMAL: Genotoxicity in vitro	: Test Type: Ames test Test species: Salmonella typhimurium Metabolic activation: with and without r Result: negative	netabolic activation

Carcinogenicity

Not classified based on available information.



Version: 2.0

Revision Date: 22.04.2020

Print Date: 25/10/2022

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:

Species: Rat NOAEL: >= 1.000 mg/l Application Route: Oral Method: OECD Test Guideline 422

Aspiration toxicity

Not classified based on available information.

Components:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics: May be fatal if swallowed and enters airways.

Further information

Product:

Remarks: No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

	es, isoalkanes, cyclics, < 2% aromatics	
Toxicity to fish	LL50 (Oncorhynchus mykiss (rainbow trout)): > 1.00 Exposure time: 96 h	0 mg/l
	Test Type: semi-static test	
	Test substance: WAF	
	Method: OECD Test Guideline 203	
Taulaita ta dan bula and ath an		
Toxicity to daphnia and other aquatic invertebrates	EL50 (Daphnia magna (Water flea)): > 1.000 mg/l Exposure time: 48 h	
aquatio invertebrates		



Version: 2.0	Revision Date: 22.04.2020	Print Date: 25/10/2022
	Test Type: static test Test substance: WAF Method: OECD Test Guideline 20	2
Toxicity to algae	 EL50 (Pseudokirchneriella subcap mg/l Exposure time: 72 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 20 	
Butane		
Toxicity to fish	: Remarks: No toxicity at the limit of QSAR	f solubility
Toxicity to daphnia and other aquatic invertebrates	 EC50 (Daphnia magna (Water flea mg/l Exposure time: 48 h Remarks: QSAR 	a)): Expected > 10 - < 100
Toxicity to algae	: EC50 (green algae): Expected 7,7 Exposure time: 96 h Remarks: QSAR	′ mg/l

12.2 Persistence and degradability

Components:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Biodegradability	: Inoculum: activated sludge Result: Readily biodegradable. Biodegradation: 80 % Exposure time: 28 d Method: OECD Test Guideline 301F
Butane Biodegradability	 Result: Readily biodegradable. Remarks: Information given is based on data obtained from similar substances.

12.3 Bioaccumulative potential

Components:		
Propane		
Partition coefficient: n- octanol/water	: log Pow: 2,36	
Isobutane		
	11/01	



Version: 2.0	Revision Date: 22.04.2020	Print Date: 25/10/2022
Partition coefficient: n- octanol/water	: log Pow: 2,76	
Butane Partition coefficient: n- octanol/water	: log Pow: 2,89	
12.4 Mobility in soil No data available		
12.5 Results of PBT and vPvB	assessment	
Product:		
Assessment	 This substance/mixture contains r to be either persistent, bioaccumu very persistent and very bioaccum 0.1% or higher 	lative and toxic (PBT), or
12.6 Other adverse effects		
Product:		
Additional ecological information	: An environmental hazard cannot unprofessional handling or dispos	
SECTION 13: Disposal cons	iderations	

13.1 Waste treatment methods

Product	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	 Empty remaining contents. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

14.1 UN number



Version: 2.0	Revision Date: 22.04.2020	Print Date: 25/10/2022
ADN	: UN 1950	
ADR	: UN 1950	
RID	: UN 1950	
IMDG	: UN 1950	
ΙΑΤΑ	: UN 1950	
14.2 UN proper shipping name		
ADN	: AEROSOLS	
ADR	: AEROSOLS	
RID	: AEROSOLS	
IMDG	: AEROSOLS	
ΙΑΤΑ	: AEROSOLS	
14.3 Transport hazard class(es)		
ADN	: 2	
ADR	: 2	
RID	: 2	
IMDG	: 2.1	
ΙΑΤΑ	: 2.1	
14.4 Packing group		
ADN Packing group Classification Code Labels	 Not assigned by regulation 5F 2.1 	
ADR Packing group Classification Code Labels Tunnel restriction code	 Not assigned by regulation 5F 2.1 (D) 	
RID Packing group Classification Code Hazard Identification Number Labels	Not assigned by regulation5F	
IMDG Packing group Labels	Not assigned by regulation2.1	



Version: 2.0	Revision Date: 22.04.2020	Print Date: 25/10/2022
EmS Code	: F-D, S-U	
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels	 203 Y203 Not assigned by regulation Flammable Gas 	
IATA (Passenger) Packing instruction (passenger aircraft) Packing instruction (LQ) Packing group Labels	 203 Y203 Not assigned by regulation Flammable Gas 	
14.5 Environmental hazards		
ADN Environmentally hazardous	: no	
ADR Environmentally hazardous	: no	
RID Environmentally hazardous	: no	
IMDG Marine pollutant	: no	

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1005/2009 on substances that : Not applicable deplete the ozone layer



Version: 2.0	Revision Date: 22.04.2020	F	Print Date: 25/10/2022
Regulation (EC) No 850/2004 o pollutants	n persistent organic : I	Not applicable	
REACH - List of substances sul (Annex XIV)	bject to authorisation : I	Not applicable	
REACH - Candidate List of Sub Concern for Authorisation (Artic		Not applicable	
Regulation (EC) No 649/2012 o Parliament and the Council con import of dangerous chemicals	•	Not applicable	
REACH - Restrictions on the m the market and use of certain d preparations and articles (Anne	angerous substances,	Not applicable	
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.			cil on the control of
P3a	FLAMMABLE AEROSOLS	Quantity 1 150 t	Quantity 2 500 t

18Liquefied extremely50 t200 tflammable gases (including LPG) and natural gas	r Ja	FLAMINABLE AEROSOLS	150 1	500 1
	18	flammable gases (including	50 t	200 t

Other regulations:

2000 XXV. Law on chemical safety 44/2000. (XII 27) Ministry of health dangerous substances and preparations dangerous for certain procedures and arrangements for activities

Young people under 18 years old are not allowed to work with this product according to the EU Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:		
DSL	:	This product contains one or several components that are not on the Canadian DSL and have annual quantity limits.
AICS	:	Not in compliance with the inventory



Version: 2.0	Revision Date: 22.04.2020	Print Date: 25/10/2022
ENCS	: Not in compliance with the inventory	
KECI	: Not in compliance with the inventory	
PICCS	: Not in compliance with the inventory	
IECSC	: Not in compliance with the inventory	
TCSI	: Not in compliance with the inventory	
TSCA	: Not On TSCA Inventory	

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Further information

Internal information : 000000274774

Full text of H-Staten	nents
H220	Extremely flammable gas.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
Other information	 The information accumulated herein is believed to

: The information accumulated herein is believed to be accurate
but is not warranted to be whether originating with the
company or not. Recipients are advised to confirm in advance
of need that the information is current, applicable, and suitable
to their circumstances. This SDS has been prepared by



Version: 2.0

Revision Date: 22.04.2020

Print Date: 25/10/2022

Valvoline's Environmental Health and Safety Department ('+31 (0)78 654 3500).

Sources of key data used to compile the Safety Data Sheet Valvoline internal data including own and sponsored test reports The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport. List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet : ACGIH : American Conference of Industrial Hygienists **BEI : Biological Exposure Index** CAS : Chemical Abstracts Service (Division of the American Chemical Society). CMR : Carcinogenic, Mutagenic or Toxic for Reproduction FG : Food grade GHS : Globally Harmonized System of Classification and Labeling of Chemicals. H-statement : Hazard Statement IATA : International Air Transport Association. IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA). ICAO : International Civil Aviation Organization ICAO-TI (ICAO): Technical Instructions by the "International Civil Aviation Organization" IMDG : International Maritime Code for Dangerous Goods ISO : International Organization for Standardization logPow : octanol-water partition coefficient LCxx : Lethal Concentration, for xx percent of test population LDxx : Lethal Dose, for xx percent of test population. ICxx : Inhibitory Concentration for xx of a substance Ecxx : Effective Concentration of xx N.O.S.: Not Otherwise Specified OECD : Organization for Economic Co-operation and Development **OEL** : Occupational Exposure Limit P-Statement : Precautionary Statement PBT : Persistent, Bioaccumulative and Toxic **PPE : Personal Protective Equipment** STEL : Short-term exposure limit STOT : Specific Target Organ Toxicity

TLV : Threshold Limit Value

TWA : Time-weighted average

vPvB : Very Persistent and Very Bioaccumulative

WEL : Workplace Exposure Level

ABM : Water Hazard Class for the Netherlands



Version: 2.0

Revision Date: 22.04.2020

Print Date: 25/10/2022

ADR : Agreement concerning the International Carriage of Dangerous Goods by Road. ADNR: Regulation for the Carriage of Dangerous Substances on the Rhine CLP : Classification, Labelling and Packaging CSA : Chemical Safety Assessment CSR : Chemical Safety Report DNEL : Derived No Effect Level. EINECS : European Inventory of Existing Commercial Chemical Substances. ELINCS : European List of Notified Chemical Substances PEC : Predicted Effect Concentration PEL : Permissible Exposure Limits PNEC : Predicted No Effect Concentration R-phrase : Risk phrase REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals RID : Regulation Concerning the International Transport of Dangerous Goods by Rail S-phrase: Safety phrase WGK : German Water Hazard Class