according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-Truck 15W-40

Version: 3 Latest revision: 05. 12. 2022 Date of issue: 24. 10. 2017 Page: 1/(13)

SECTION 1 Identification of the mixture/substance and of the company/undertaking

1.1 Product identifier:

A.Z. Meisterteile Motorenöl MT-Truck 15W-40

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses: multigrade heavy duty engine oil Uses advised against: application other than the above.

1.3 Details of the supplier of the safety data sheet:

Trader identification: Technical information:

UNIX Autó és Alkatrészkereskedelmi Kft.
H-1139 Budapest, Frangepán u. 55-57.
UNIX Autó és Alkatrészkereskedelmi Kft.
H-1139 Budapest, Frangepán u. 55-57.

Tel.: +36 1 270 8700 Tel.: +36 1 270 8700
Fax: +36 1 270 8799 Fax: +36 1 270 8799
E-mail: cs@unixauto.com E-mail: cs@unixauto.com

Responsible for SDS:

UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57.

Tel.: +36 1 270 8700 Fax: +36 1 270 8799 E-mail: cs@unixauto.com

1.4 Emergency telephone number

Emergency telephone (07-15²⁰ h): +36 1 270 8700 (CET) on workdays Health Toxicological Information Service (ETTSZ 1097 Budapest, Albert Flórián st. 2-6.) Tel.: +36 80 201 199 (0-24 h, free number, can only be called from Hungary).

+36 1 476 6464 (0-24 h, can be called for a normal fee - also from abroad)

SECTION 2 Hazards identification

2.1 Classification of the substance or mixture

Hazard Class and Category: Hazard statement:

Not classified.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-Truck 15W-40

Version: 3 Latest revision: 05. 12. 2022 Date of issue: 24. 10. 2017 Page: 2/(13)

2.2 Label elements

Product identification: Trade name: A.Z. Meisterteile Motorenöl MT-Truck 15W-40

Hazardous components:

GHS Pictogram: not required Signal word: not required

Hazard statement: **not required**

Supplemental hazard information:

EUH210 Safety data sheet available on request.

Precautionary statements – General: -

Precautionary statements – Prevention:

P273 Avoid release to the environment.

Precautionary statements – Response: -

Precautionary statements - Storage: -

Precautionary statements – Disposal:

P501 Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger: Not required.

Transport classification: see section 14.

2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006, at a concentration of 0.1% or more.

The mixture does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-Truck 15W-40

Version: 3 Latest revision: 05. 12. 2022 Date of issue: 24. 10. 2017 Page: 3/(13)

SECTION 3 Composition/information on ingredients

3.2 Mixtures

Chemical description: Mixture of refined mineral oils with additives.

Component(s) / Hazardous component(s):

Name	EC number	CAS number	Hazard classes and cat.	Hazard statements	Conc. %(m/m)
Distillates (petroleum), solvent- dewa xed heavy paraffinic* REACH Registr. Nr.: 01-2119471299-27	265-169-7	64742-65-0	(Note L)	-	<100
Distillates (petroleum), solvent- dewa xed light paraffinic REACH Registr. Nr: 01-2119480132-48	265-159-2	64742-56-9	Asp. Tox. 1 (Note L)	H304	max.10
Residual oils (petroleum), solvent- dewa xed REACH Registr. Nr.: 01-2119480472-38	265-166-0	64742-62-7	- (Note L)	-	max.7.0

^{*:} with exposure limit

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

SECTION 4 First aid measures

4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never

induce vomiting.

Inhalation: Remove the affected person to fresh air. In case of complaints, call medical

attention.

Skin contact: Wash skin with large amounts of water, use soap. In case of complaints, get

medical attention.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-Truck 15W-40

Version: 3 Latest revision: 05. 12. 2022 Date of issue: 24. 10. 2017 Page: 4/(13)

Eye contact: Flush eyes with plenty of water for 10-15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. In case of complaints, get medical

attention.

Ingestion: If swallowed, give water. Do not induce vomiting. Get medical attention.

Protection of first-aid person: No individual specifications.

4.2 Most important symptoms and effects, both acute and delayed

Prolonged and/or repeated contact may cause irritation on skin or in eyes depending on

individual sensitivity.

4.3 Indication of any immediate medical attention and special treatment needed

Not required.

SECTION 5 Fire-fighting measures

Fire hazards:

Combustible.

5.1 Extinguishing media

Suitable extinguishing media:

Foam, carbon dioxide, dry chemical powder, water fog (trained personnel only)

Unsuitable extinguishing media:

Full water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products:

On burning, carbon dioxide, carbon monoxide, sulphur oxide, phosphor oxides various hydrocarbons and soot can be formed.

5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations. Respiratory protection.

Further information:

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Contaminated extinguishing water must be disposed of in accordance with official regulations.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-Truck 15W-40

Version: 3 Latest revision: 05. 12. 2022 Date of issue: 24. 10. 2017 Page: 5/(13)

SECTION 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: see Section 8.

Danger of slipping on leaked out/spilled product.

6.2 Environmental precautions:

Confine spills to prevent material from entering sewers, watercourses, drains and into soil Notify relevant authority.

6.3 Methods and material for containment and cleaning up

On soil: All kind of ignition sources should be removed. Contain spilled liquid with

sand, earth or other suitable absorbents. Recover free liquid by pumping.

Dispose of according to local regulations.

On water: Confine the spillage. Remove from surface by skimming or suitable

absorbents. Notify local authorities according to regulations.

6.4 Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

SECTION 7 Handling and storage

7.1 Precautions for safe handling

Keep general measures applied for normal operations with lubricants.

Keep away from radiant heat and open flame.

Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists.

Wash hands before breaks and at the end of work.

Take off contaminated clothing and wash it before reuse.

When using, do not eat, drink or smoke. Avoid splashing the product.

Handling temperature: not known.

7.2 Conditions for safe storage, including any incompatibilities

Storage facilities must comply with regulations for storing of flammable liquids.

Store in dry, well ventilated place in original, closed containers.

Keep away from radiant heat, open flame and strong oxidizing agents.

Storage temperature: max. 40°C.

7.3 Specific end use(s)

Multigrade heavy duty engine oil.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-Truck 15W-40

Version: 3 Latest revision: 05. 12. 2022 Date of issue: 24. 10. 2017 Page: 6/(13)

SECTION 8 Exposure controls / personal protection

8.1 Control parameters:

Mineral oil mist: TWA: 5 mg/m³; STEL: 10 mg/m³, for oil mist, vapour excluded

(ACGIH).

Method of testing, recommended: NIOSH 5026

8.2 Exposure controls

Engineering control measures:

Not required.

Personal protection:

(a) Eye/face protection Where splashing is possible, wear safety glasses (EN 166).

(b) Skin protection

(i) Hand protection Oil resistant gloves (EN 374, Breakthrough time > 480 min,

PK power level: 6; PR flow rate: 0).

Note: Manufacturer's directions for use and the conditions of

application should be observed.

(ii) Other Protective clothing (oil resistant).

(c) Respiratory protection Under normal conditions not required. In case of exceeded

exposure-limits respiratory protection with particle-filter is

recommended

(d) Thermal hazards No data.

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

SECTION 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Physical state: liquid

b) Colour: brown, clear

c) Odour: characteristic

d) Melting point/freezing point (Pour point) (ISO

3016): typ. -29°C

e) Boiling point or initial boiling point and boiling

range (DIN 51356): not available

f) Flammability: combustible

g) Lower and upper explosion limit: not explosive

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-Truck 15W-40

Version: 3 Latest revision: 05. 12. 2022 Date of issue: 24. 10. 2017 Page: 7/(13)

h) Flash point (COC) (EN ISO 2592): typ. 220°C
i) Auto-ignition temperature: not available
j) Decomposition temperature: not available
k) pH: not applicable

l) Kinematic viscosity at (DIN EN ISO 3104):

40°C: typ. 104.2 mm²/s 100°C typ. 13.8 mm²/s

m) Solubility

Solubility in water: practically insoluble in water Solubility in other solvents: gasoline, kerosene, toluene, etc.

n) Partition coefficient n-octanol/water (log value): not available o) Vapour pressure at 20°C: negligible

p) Density and/or relative density at 15°C: 0.875 – 0.895 g/cm³ q) Relative vapour density: 0.875 – 0.895 g/cm³

r) Particle characteristics: not available

9.2 Other information

Oxidizing properties: not oxidize Heating value: inf. 38 000 kJ/kg

SECTION 10 Stability and reactivity

10.1 Reactivity: Dangerous reactivity not known.

10.2 Chemical stability: No decomposition if stored and handled properly.

10.3 Possibility of hazardous reactions: Not known.

10.4 Conditions to avoid: Direct heat or ignition sources.

10.5 Incompatible materials: Strong oxidizing agents.

10.6 Hazardous decomposition products: No dangerous decomposition products are formed under

normal conditions. Hazardous combustion products: See

Section 5.

SECTION 11 Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity: Based on available data, the classification criteria are not met

> Oral: LD_{50} (rat) > 2000 mg/kg (based on components) Dermal: LD_{50} (rabbit) > 2000 mg/kg (based on components)

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-Truck 15W-40

Version: 3 Latest revision: 05. 12. 2022 Date of issue: 24. 10. 2017 Page: 8/(13)

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS: 64742-65-0)

Oral: LD_{50} (rat) > 5000 mg/kg (literature data) Dermal: LD_{50} (rabbit) > 2000 mg/kg (literature data) Inhalation: LC_{50} (rat) > 5.53 mg/L (4 h) (literature data)

Distillates (petroleum), solvent-dewaxed light paraffinic (CAS: 64742-56-9)

Oral: LD_{50} (rat) > 5000 mg/kg (literature data) Dermal: LD_{50} (rabbit) > 2000 mg/kg (literature data) Inhalation: LC_{50} (rat) > 5.53 mg/L (4 h) (literature data)

Residual oils (petroleum), solvent-dewaxed (CAS: 64742-62-7)

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Serious eye damage/irritation: Respiratory or skin sensitisation: Based on available data, the classification criteria are not met. Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met. STOT-single exposure: Based on available data, the classification criteria are not met. STOT-repeated exposure: Based on available data, the classification criteria are not met. Aspiration hazard: Based on available data, the classification criteria are not met.

11.2 Information on other hazards

The mixture does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.

SECTION 12 Ecological information

12.1 Toxicity No data for the product.

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS: 64742-65-0)

Fishes: LC_{50} > 100 mg/L(literature data) Daphnia: EC_{50} > 100 mg/L(literature data) Other aquatic organisms: > 100 mg/L(literature data) EC_{50} Algae: ErC_{50} > 100 mg/L(literature data) Other living beings: TLM (literature data) >1 mg/L

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-Truck 15W-40

Version: 3 Latest revision: 05. 12. 2022 Date of issue: 24. 10. 2017 Page: 9/(13)

Distillates (petroleum), solvent-dewaxed light paraffinic (CAS: 64742-56-9)

Fishes: LC_{50} > 100 mg/L Other aquatic organisms: EC_{50} > 100 mg/L Algae: ErC_{50} > 100 mg/L Crustaceans: NOEC >1 mg/L

Residual oils (petroleum), solvent-dewaxed (CAS: 64742-62-7)

Fishes (Pimephales promelas): LL_{50} >100 mg/L 96 h (OECD 203)

Fishes: NOEL ≥100 mg/L

Daphnia (Daphnia magna): EL_{50} >10 000 mg/L 48 h (OECD 202)

Daphnia: NOEL ≥1 000 mg/L

Daphnia: NOEL 10 mg/L 21 days (OECD 211)

Gammarus pulex: LL_{50} >10 000 mg/L 96 h (OECD 202)

Aquatic invertebrates: NOEL ≥10 000 mg/L

Algae (Pseudokirchneriella

subcapitata): NOEL ≥100 mg/L 72 h (OECD 201)

Activated sludge

(Photobacterium phosphoreum): NOEL 1.93 mg/L 96 h

12.2 Persistence and degradability No data available.

Biodegradability: Hydrocarbons are inherently degradable.

12.3 Bioaccumulative potential No data available.

12.4 Mobility in soil Absorbs in soil.

Mobility in water: Floats on water.

12.5 Results of PBT and vPvB assessment Does not contain PBT and vPvB substances, at a

concentration of 0.1% or more.

12.6 Endocrine disrupting properties The mixture does not contain any substance with

endocrine disrupting properties, at a concentration of

0.1% or more.

12.7 Other adverse effects

Heavy metal content: None.

PCT, PCB and other chlorinated

hydrocarbons: None.

Environmental effects: Large spills may be hazardous to the environment.

Spills may form a film on water surfaces causing

impaired oxygen transfer.

Water hazard class (German): WGK 1 (Classification by AwSV)

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-Truck 15W-40

Version: 3 Latest revision: 05. 12. 2022 Date of issue: 24. 10. 2017 Page: 10/(13)

SECTION 13 Disposal considerations

13.1 Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 13 02 05*

Mineral-based non-chlorinated engine, gear and lubricating oils.

Disposal must be in compliance with national and local regulations.

Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

SECTION 14 Transport information

Land transport:

Road/Railway ADR/RID: Not classified.

14.1 UN number or ID number:

14.2 UN proper shipping name:
14.3 Transport hazard class(es):
14.4 Packing group:
14.5 Environmental hazards:
14.6 Special precautions for user:
Not classified.
Not classified.
Not classified.
Not classified.

Waterways:

Inland waterways/ Sea transport ADN/IMDG: Not apply to the product.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-Truck 15W-40

Version: 3 Latest revision: 05. 12. 2022 Date of issue: 24. 10. 2017 Page: 11/(13)

Air transport: ICAO / IATA: Not apply to the product.

SECTION 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture. This safety data sheet has been prepared according to Regulation (EC) No 1907/2006

(mod.: 2020/878/EU) and to Regulation (EC) 1272/2008.

Seveso category: not classified.

15.2 Chemical safety assessment.

not available

SECTION 16 Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 (CLP)

Not classified.

The full text of each relevant Hazard classes and cat., H-phrase in Section 3.:

H304 May be fatal if swallowed and enters airways.

Asp. Tox. 1 Aspiration hazard Category 1

Legend:

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-Truck 15W-40

Version: 3 Latest revision: 05. 12. 2022 Date of issue: 24. 10. 2017 Page: 12/(13)

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE Acute Toxicity Estimate
BCF Bioconcentration Factor
BOD Biological Oxygen Demand

Bw Body Weight

C&L Classification and Labelling CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (1272/2008/EC)
CMR Carcinogenic, Mutagenic or toxic to Reproduction

COD Chemical Oxygen Demand
CSA Chemical Safety Assessment
CSR Chemical Safety Report
DMEL Derived Minimal Effect Level
DNEL Derived No Effect Level
ECHA European Chemicals Agency
Ecx Effective Concentration x%

ErC50 EC50 in terms of reduction of growth rate

Edx Effective Dose x% European Community

EC number European Community number

ELINCS European List of Notified Chemical Substances

ES Exposure Scenario

IARC International Agency for Research on Cancer
IATA International Air Transport Association
IMDG International Maritime Dangerous Goods

LCx Lethal Concentration x%

LDx Lethal Dose x%

LOAEC Lowest Observed Adverse Effect Concentration

LOAEL Lowest Observed Adverse Effect Level LOEC Lowest Observed Effect Concentration

LOEL Lowest Observed Effect Level NOEC No observed effect concentration

NOEL No observed effect level NLP No-Longer Polymer

NOAEL No Observed Adverse Effect Level

OECD Organisation for Economic Cooperation and Development

PBT Persistent Bioaccumulative and Toxic
PNEC Predicted No-Effect Concentration

ppm parts/million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Regulations concerning the International carriage of Dangerous Goods by Rail

SVHC Substance of Very High Concern

UVCB substance of unknown or variable composition, complex reaction products or biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bio-accumulative

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile Motorenöl MT-Truck 15W-40

Version: 3 Latest revision: 05. 12. 2022 Date of issue: 24. 10. 2017 Page: 13/(13)

Revision Indicators:					
Section	Subject of change	Date	Version		
2.2	Label elements	31.01.2020	2		
3	Composition/information on ingredients				
11	Toxicological information				
12	Ecological information				
1-16	Full revision due to composition change Revision modification according to 2020/878/EU	05. 12. 2022	3		