

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Motorenöl MT-10 Racing 10W-60**

Version: 2      Latest revision: 19. 12. 2022      Date of issue: 03. 11. 2017      Page: 1/(14)

## SECTION 1 Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier:

**A.Z. Meistererteile Motorenöl MT-10 Racing 10W-60**

UFI:K4X0-20R3-D00Q-31MA

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: synthetic motor oil

Uses advised against: application other than the above.

### 1.3 Details of the supplier of the safety data sheet:

#### Trader identification:

UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57.

Tel.: 06 1 270 8700

Fax: 06 1 270 8799

E-mail: cs@unixauto.com

#### Technical information:

UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57.

Tel.: 06 1 270 8700

Fax: 06 1 270 8799

E-mail: cs@unixauto.com

#### Responsible for SDS:

UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57.

Tel.: 06 1 270 8700

Fax: 06 1 270 8799

E-mail: cs@unixauto.com

### 1.4 Emergency telephone number

Emergency telephone (on workdays: 07-15<sup>20</sup> h (CET)): +36 1 270 8700

Health Toxicological Information Service (ETTSZ 1097 Budapest, Albert Flórián st. 2-6.)

Tel.: +36 80 201 199 (0-24 h, free number, can only be called from Hungary).

+36 1 476 6464 (0-24 h, can be called for a normal fee - also from abroad)

National Health Toxicological Information Service:

## SECTION 2 Hazards identification

### 2.1 Classification of the substance or mixture

Hazard Class and Category:

Skin Sens. 1

Hazard statement:

H317 May cause an allergic skin reaction.

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Motorenöl MT-10 Racing 10W-60**

Version: 2

Latest revision: 19. 12. 2022

Date of issue: 03. 11. 2017

Page: 2/(14)

## 2.2 Label elements

Product identification: Trade name: **A.Z. Meistererteile Motorenöl MT-10 Racing 10W-60**

Hazardous component(s): C14-16-18 Alkyl phenol

GHS Pictogram:



Signal word: **Warning**

Hazard statement:

**H317** May cause an allergic skin reaction.

Supplemental hazard information: -

Precautionary statements – General: -

Precautionary statements – Prevention:

**P273** Avoid release to the environment

**P280** Wear protective gloves, protective clothing.

Precautionary statements – Response:

**P302 + P352** IF ON SKIN: Wash with plenty of soap and water.

Precautionary statements – Storage: -

Precautionary statements – Disposal:

**P501** Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger: Not required.

Transport classification: see section 14.

## 2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006, at a concentration of 0.1% or more.

The mixture does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Motorenöl MT-10 Racing 10W-60**

Version: 2      Latest revision: 19. 12. 2022      Date of issue: 03. 11. 2017      Page: 3/(14)

## SECTION 3      Composition/information on ingredients

### 3.2 Mixtures

Chemical description:      Mixture of refined mineral base oils and synthetic base oil containing additives.

Component(s) / Hazardous component(s):

Name	EC number	CAS number	Hazard classes and cat.	Hazard statements	Conc. % (m/m)
Distillates (petroleum), solvent-dewaxed heavy paraffinic* REACH Registr. Nr.: 01-2119471299-27	265-169-7	64742-65-0	- (Note L)	-	max. 90
Distillates (petroleum), hydrotreated heavy paraffinic* REACH Registr. Nr.: 01-2119484627-25	265-157-1	64742-54-7	- (Note L)	-	max. 60
Distillates (petroleum), hydrotreated heavy paraffinic REACH Registr. Nr.: 01-2119484627-25	265-157-1	64742-54-7	Asp. Tox. 1 (Note L)	H304	max. 10
Distillates (petroleum), solvent-dewaxed light paraffinic REACH Registr. Nr.: 01-2119480132-48	265-159-2	64742-56-9	Asp. Tox. 1 (Note L)	H304	max. 10
1-Decene Homopolymer Hydrogenated REACH Registr. Nr.: 01-2119486452-34	500-183-1	68037-01-4	- (Note L)	-	max. 10
Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)** REACH Registr. Nr.: 01-2119543726-33	298-577-9	93819-94-4	Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 2	H315 H318 H411	max. 1.4
Bis(nonylphenyl)amine REACH Registr. Nr.: 01-2119488911-28	253-249-4	36878-20-3	Aquatic Chronic 4	H413	max. 1.4
C14-16-18 Alkylphenol REACH Registr. Nr.: 01-2119498288-19	931-468-2	-	Skin Sens. 1B Aquatic Chronic 4	H317 H413	max. 1.4

\*: with exposure limit

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Motorenöl MT-10 Racing 10W-60**

Version: 2

Latest revision: 19. 12. 2022

Date of issue: 03. 11. 2017

Page: 4/(14)

\*\* Specific concentration limit: Eye Dam. 1; : 12.5 % < C ≤ 100 %;  
Skin Irrit. 2; : 6.25 % ≤ C ≤ 100 %; Eye Irrit. 2; : 10 % < C ≤ 12.5 %

## Note L:

The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 (“Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method” Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

## SECTION 4 First aid measures

### 4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never induce vomiting.

Inhalation: Remove the affected person to fresh air. If rapid recovery does not occur, obtain medical attention.

Skin contact: Remove contaminated clothing. Wash skin with large amounts of water, use soap. In case of persistent irritation, get medical attention.

Eye contact: Flush eyes with plenty of water for 10-15 minutes. In case of persistent irritation, get medical attention.

Ingestion: If swallowed, give water. **Do not** induce vomiting. Get medical attention.

Protection of first-aid person: No individual specifications.

### 4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

### 4.3 Indication of any immediate medical attention and special treatment needed

Not required.

## SECTION 5 Fire-fighting measures

Fire hazards:

Combustible.

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Motorenöl MT-10 Racing 10W-60**

Version: 2

Latest revision: 19. 12. 2022

Date of issue: 03. 11. 2017

Page: 5/(14)

## 5.1 Extinguishing media

Suitable extinguishing media:

Foam, carbon dioxide, dry chemical powder.

Unsuitable extinguishing media:

Full water jet.

## 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products:

On burning, carbon monoxide, carbon dioxide, sulphur oxides, phosphor oxide, zinc-oxide, various hydrocarbons and soot can be formed.

## 5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations. Respiratory protection.

Further information:

Collect contaminated firefighting water separately. It must not enter the sewage system.

Contaminated extinguishing water must be disposed of in accordance with official regulations.

## SECTION 6 Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: see Section 8.

Danger of slipping on leaked out/spilled product.

### 6.2 Environmental precautions:

Confine spills to prevent material from entering sewers, watercourses, drains and into soil

Notify relevant authority.

### 6.3 Methods and material for containment and cleaning up

On soil: All kind of ignition sources should be removed. Recover free liquid by pumping. Contain the rest or small quantities with sand, earth or other suitable absorbents. Dispose of according to local regulations.

On water: Confine the spillage. Remove from surface by skimming or suitable absorbents. Notify local authorities according to regulations.

### 6.4 Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Motorenöl MT-10 Racing 10W-60**

Version: 2

Latest revision: 19. 12. 2022

Date of issue: 03. 11. 2017

Page: 6/(14)

## SECTION 7 Handling and storage

### 7.1 Precautions for safe handling

Keep general measures applied for normal operations with lubricants and flammable liquids.  
Keep away from radiant heat and open flame.  
Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists.  
Ensure washing facilities after working hours and before breaks.  
Take off contaminated clothing and wash it before reuse.  
When using do not eat, drink or smoke. Avoid splashing the product.  
Handling temperature: not known.

### 7.2 Conditions for safe storage, including any incompatibilities

Storage facilities must comply with regulations for storing of flammable liquids.  
Store in dry, well-ventilated place in original, closed containers.  
Keep away from radiant heat, open flame and strong oxidizing agents.  
Storage temperature: max. 40°C.

### 7.3 Specific end use(s)

Synthetic motor oil.

## SECTION 8 Exposure controls / personal protection

### 8.1 Control parameters:

**Mineral oil mist:** TWA: **5 mg/m<sup>3</sup>**; STEL: 10 mg/m<sup>3</sup>, for oil mist, vapour excluded (ACGIH).

Method of testing, recommended: NIOSH 5026

### 8.2 Exposure controls

Engineering control measures:

Not required.

Personal protection:

(a) Eye/face protection Where splashing is possible, wear safety glasses (EN 166).

(b) Skin protection

(i) Hand protection Oil resistant gloves (EN 374, Breakthrough time > 480 min, PK power level: 6; PR flow rate: 0).

Note: Manufacturer's directions for use and the conditions of application should be observed.

(ii) Other Protective clothing (oil resistant).

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile Motorenöl MT-10 Racing 10W-60**

Version: 2

Latest revision: 19. 12. 2022

Date of issue: 03. 11. 2017

Page: 7/(14)

(c) Respiratory protection Under normal conditions it is not necessary. In case of exceeded exposure-limits respiratory protection with particle-filter is recommended.

(d) Thermal hazards No data.

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

## SECTION 9 Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- |  |  |
|--|--|
| a) Physical state:   | liquid                                 |
| b) Colour:   | brown, bright, clear                   |
| c) Odour:  | characteristic                         |
| d) Melting point/freezing point (Pour point) (ISO 3016):                 | typ. -33°C                             |
| e) Boiling point or initial boiling point and boiling range (DIN 51356): | not available                          |
| f) Flammability:   | combustible                            |
| g) Lower and upper explosion limit:                                      | not explosive                          |
| h) Flash point (COC) (EN ISO 2592):                                      | typ. 240°C                             |
| i) Auto-ignition temperature:  | not available                          |
| j) Decomposition temperature:  | not available                          |
| k) pH:   | not applicable                         |
| l) Kinematic viscosity (EN ISO 3104)                                     |  |
|  | at 40°C: typ. 161 mm <sup>2</sup> /s   |
|  | at 100°C: typ. 23.9 mm <sup>2</sup> /s |
| m) Solubility  |  |
| Solubility in water:   | practically insoluble in water         |
| Solubility in other solvents:  | gasoline, kerosene, toluene, etc.      |
| n) Partition coefficient n-octanol/water (log value):                    | not available                          |
| o) Vapour pressure at 20°C:  | negligible                             |
| p) Density and/or relative density at 15°C (DIN EN ISO 12185):           | 0.845 - 0.865 g/cm <sup>3</sup>        |
| q) Relative vapour density:  | not available                          |
| r) Particle characteristics:   | not available                          |

### 9.2 Other information

- |                       |                   |
|-----------------------|-------------------|
| Oxidizing properties: | not oxidize       |
| Heating value:        | inf. 38 000 kJ/kg |

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Motorenöl MT-10 Racing 10W-60**

Version: 2

Latest revision: 19. 12. 2022

Date of issue: 03. 11. 2017

Page: 8/(14)

## SECTION 10 Stability and reactivity

- 10.1 Reactivity: Dangerous reactivity not known.  
10.2 Chemical stability: No decomposition if stored and handled properly.  
10.3 Possibility of hazardous reactions: Not known.  
10.4 Conditions to avoid: Direct heat or ignition sources.  
10.5 Incompatible materials: Strong oxidizing agents.  
10.6 Hazardous decomposition products: No dangerous decomposition products are formed under normal conditions. Hazardous combustion products: See Section 5.

## SECTION 11 Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: Based on available data, the classification criteria are not met.

Components:

*Distillates (petroleum), hydrotreated heavy paraffinic (CAS: 64742-54-7)*

Oral:	LD <sub>50</sub> (rat)	> 2000 mg/kg	(OECD 401)
Dermal:	LD <sub>50</sub> (rabbit)	> 2000 mg/kg	(OECD 402)
Inhalation:	LC <sub>50</sub> (rat)	> 5000 mg/m <sup>3</sup>	(OECD 403)

*1-Decene Homopolymer Hydrogenated (CAS: 68037-01-4)*

Oral:	LD <sub>50</sub> (rat)	> 5000 mg/kg	
Dermal:	LD <sub>50</sub> (rat)	> 2000 mg/kg	
Inhalation:	LC <sub>50</sub> (rat)	> 5.2 mg/L	

*Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS: 64742-65-0)*

Oral:	LD <sub>50</sub> (rat)	> 5000 mg/kg	(literature data)
Dermal:	LD <sub>50</sub> (rabbit)	> 2000 mg/kg	(literature data)
Inhalation:	LC <sub>50</sub> (rat)	> 5.53 mg/L (4 h)	(literature data)

*Distillates (petroleum), solvent-dewaxed light paraffinic (CAS: 64742-56-9)*

Oral:	LD <sub>50</sub> (rat)	> 5000 mg/kg	(literature data)
Dermal:	LD <sub>50</sub> (rabbit)	> 2000 mg/kg	(literature data)
Inhalation:	LC <sub>50</sub> (rat)	> 5.53 mg/L (4 h)	(literature data)

*Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (CAS: 93819-94-4)*

Oral:	LD <sub>50</sub> (rat)	2600 mg/kg	
Dermal:	LD <sub>50</sub> (rabbit)	> 3160 mg/kg	(OECD 402)
Inhalation:	LC <sub>50</sub> (rat)	> 2.0 mg/L (1 h)	(OECD 403)

*Bis(nonylphenyl)amine (CAS: 36878-20-3)*

Oral:	LD <sub>50</sub> (rat)	> 5000 mg/kg	(OECD 401)
Dermal:	LD <sub>50</sub> (rat)	> 2000 mg/kg	(OECD 402)



# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Motorenöl MT-10 Racing 10W-60**

Version: 2      Latest revision: 19. 12. 2022      Date of issue: 03. 11. 2017      Page: 9/(14)

Skin corrosion/irritation:	Based on available data, the classification criteria are not met.
Serious eye damage/irritation	Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation:	May cause an allergic skin reaction.
Germ cell mutagenicity:	Based on available data, the classification criteria are not met.
Carcinogenicity:	Based on available data, the classification criteria are not met.
Reproductive toxicity:	Based on available data, the classification criteria are not met.
STOT-single exposure:	Based on available data, the classification criteria are not met.
STOT-repeated exposure:	Based on available data, the classification criteria are not met.
Aspiration hazard:	Based on available data, the classification criteria are not met.

## 11.2 Information on other hazards

The mixture does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.

## SECTION 12 Ecological information

### 12.1 Toxicity

No data for the product.

#### Components:

##### *Distillates (petroleum), hydrotreated heavy paraffinic (CAS: 64742-54-7)*

Fish:	> 1000 mg/L	96 h (OECD 203)
Daphnia:	> 100 mg/L	48 h (OECD 202)
Algae:	> 100 mg/L	72 h (OECD 201)

##### *1-Decene Homopolymer Hydrogenated (CAS: 68037-01-4)*

Fish ( <i>Oncorhynchus mykiss</i> ):	LC <sub>50</sub>	> 1000 mg/L	4 h
Daphnia ( <i>Daphnia magna</i> ):	EC <sub>50</sub>	> 1000 mg/L	48 h
Daphnia ( <i>Daphnia magna</i> ):	EC <sub>50</sub>	> 125 mg/L	21 days
Daphnia ( <i>Daphnia magna</i> ):	NOEC	125 mg/L	21 days
Algae ( <i>Scenedesmus quadricauda</i> ):	LC <sub>50</sub>	> 1000 mg/L	3 h
Algae ( <i>Scenedesmus quadricauda</i> ):	NOEC	> 1000 mg/L	3 h

##### *Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS: 64742-65-0)*

Fishes:	LC <sub>50</sub>	> 100 mg/L	(literature data)
Daphnia:	EC <sub>50</sub>	> 100 mg/L	(literature data)
Other aquatic organisms:	EC <sub>50</sub>	> 100 mg/L	(literature data)
Algae:	ErC <sub>50</sub>	> 100 mg/L	(literature data)
Other living beings:	TLM	> 1 mg/L	(literature data)

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Motorenöl MT-10 Racing 10W-60**

Version: 2

Latest revision: 19. 12. 2022

Date of issue: 03. 11. 2017

Page: 10/(14)

*Distillates (petroleum), solvent-dewaxed light paraffinic (CAS: 64742-56-9)*

Fishes:	LC <sub>50</sub>	> 100 mg/L
Other aquatic organisms:	EC <sub>50</sub>	> 100 mg/L
Algae:	ErC <sub>50</sub>	> 100 mg/L
Crustacea:	NOEC	> 1 mg/L

*Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (CAS: 93819-94-4)*

Fish (Oncorhynchus mykiss):	LC <sub>50</sub>	4.5 mg/L	96 h (OECD 203)
Daphnia magna:	EL <sub>50</sub>	5.4 mg/L	48 h (OECD 202)
Algae (Selenastrum capricornutum):	EbC <sub>50</sub>	2.1 mg/L	96 h (OECD 201)

*Bis(nonylphenyl)amine (CAS: 36878-20-3)*

Fishes (Danio rerio):	LC <sub>50</sub>	> 100 mg/L	96 h (OECD 203)
Daphnia (Daphnia magna):	EC <sub>50</sub>	> 100 mg/L	48 h (OECD 202)
Algae (Desmodesmus subspicatus):	EC <sub>50</sub>	> 100 mg/L	72 h (OECD 201)

## 12.2 Persistence and degradability

No data available.

Biodegradability:

Hydrocarbons are inherently degradable.

*Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (CAS: 93819-94-4)*

1.5% (28 days, OECD 301B, 10 mg/L, aerobic, activated sludge) Not readily biodegradable.

## 12.3 Bioaccumulative potential

No data available.

*Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (CAS: 93819-94-4)*

Log Pow: 0.9 (23°C)

## 12.4 Mobility in soil

Absorbs in soil.

Mobility in water:

Floats on water.

## 12.5 Results of PBT and vPvB assessment

Does not contain PBT and vPvB substances, at a concentration of 0.1% or more.

## 12.6 Endocrine disrupting properties

The mixture does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.

## 12.7 Other adverse effects

Heavy metal content:

None.

PCT, PCB and other chlorinated hydrocarbons:

None.

Environmental effects:

Large spills may be hazardous to the environment. Spills may form a film on water surfaces causing impaired oxygen transfer.

Water hazard class (German):

WGK 1 (Classification by AwSV)

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Motorenöl MT-10 Racing 10W-60**

Version: 2

Latest revision: 19. 12. 2022

Date of issue: 03. 11. 2017

Page: 11/(14)

## SECTION 13 Disposal considerations

### 13.1 Waste treatment methods

#### Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 13 02 05\*

Mineral-based non-chlorinated engine, gear and lubricating oils.

Waste Identification Code: 13 02 06\*

Synthetic engine, gear and lubricating oils.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

#### Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10\*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

#### Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

## SECTION 14 Transport information

#### Land transport:

Road/ Railway ADR/RID: Not classified.

14.1. UN number or ID number: Not classified.

14.2. UN proper shipping name: Not classified.

14.3. Transport hazard class(es): Not classified.

14.4. Packing group: Not classified.

14.5. Environmental hazards: Not classified.

14.6. Special precautions for user: Not classified.

#### Waterways:

Inland waterways/ Sea transport ADN/IMDG: Not apply to the product.

Air transport: ICAO / IATA: Not apply to the product.

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Motorenöl MT-10 Racing 10W-60**

Version: 2

Latest revision: 19. 12. 2022

Date of issue: 03. 11. 2017

Page: 12/(14)

## SECTION 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2020/878/EU) and to Regulation (EC) 1272/2008.

Seveso category: not classified.

15.2 Chemical safety assessment.

Not available.

## SECTION 16 Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Classification for mixtures and used evaluation method according to regulation 1272/2008/EC (CLP)

Skin Sens. 1                      H317      calculation method

*The full text of each relevant H- phrase and Hazard classes and cat. in Section 3.:*

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
Asp. Tox. 1	Aspiration hazard Category 1
Skin Irrit. 2	Skin corrosion/irritation Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, Chronic Category 2
Aquatic Chronic 4	Hazardous to the aquatic environment, Chronic Category 4

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Motorenöl MT-10 Racing 10W-60**

Version: 2

Latest revision: 19. 12. 2022

Date of issue: 03. 11. 2017

Page: 13/(14)

## Legend:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BOD	Biological Oxygen Demand
Bw	Body Weight
C&L	Classification and Labelling
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
CMR	Carcinogenic, Mutagenic or toxic to Reproduction
COD	Chemical Oxygen Demand
CSA	Chemical Safety Assessment
CSR	Chemical Safety Report
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
ECHA	European Chemicals Agency
Ec <sub>x</sub>	Effective Concentration x%
Ed <sub>x</sub>	Effective Dose x%
ELINCS	European List of Notified Chemical Substances
ErC <sub>50</sub>	EC <sub>50</sub> in terms of reduction of growth rate;
ES	Exposure Scenario
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC <sub>x</sub>	Lethal Concentration x%
LD <sub>x</sub>	Lethal Dose x%
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern
UVCB	substance of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Motorenöl MT-10 Racing 10W-60**

Version: 2

Latest revision: 19. 12. 2022

Date of issue: 03. 11. 2017

Page: 14/(14)

## Revision Indicators:

Section	Subject of change	Date	Version
1-16	Revision modification according to 2020/878/EU Full revision due to composition change	19. 12. 2022	2