according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Trade name: A. Z. Meisterteile Getriebeöl DSG dual-clutch gearbox oil

Version: 2 Latest revision: 19. 12. 2022 Date of issue: 11. 03. 2016 Page: 1/(15)

SECTION 1 Identification of the substance/mixture and of the company/undertaking

Technical information:

Tel.: 06 1 270 8700

Fax: 06 1 270 8799

E-mail: cs@unixauto.com

UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57.

1.1 Product identifier:

A. Z. Meisterteile Getriebeöl DSG dual-clutch gearbox oil

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: dual-clutch gearbox oil

Uses advised against: application other than the above.

1.3 Details of the supplier of the safety data sheet:

Trader identification:

UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57.

Tel.: 06 1 270 8700 Fax: 06 1 270 8799

F '1 @ ' .

E-mail: cs@unixauto.com

Responsible for SDS:

UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57.

Tel.: 06 1 270 8700 Fax: 06 1 270 8799

E-mail: cs@unixauto.com

1.4 Emergency telephone number

Emergency telephone (on workdays: 07-15²⁰ h (CET)): +36 1 270 8700

Health Toxicological Information Service (ETTSZ 1097 Budapest, Albert Flórián st. 2-6.)

Tel.: $+36\,80\,201\,199$ (0-24 h, free number, can only be called from Hungary).

+36 1 476 6464 (0-24 h, can be called for a normal fee - also from abroad)

National Health Toxicological Information Service:

SECTION 2 Hazards identification

2.1 Classification of the substance or mixture

Hazard Class and Category: Hazard statement:

Not classified.

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Trade name: A. Z. Meisterteile Getriebeöl DSG dual-clutch gearbox oil

Version: 2 Latest revision: 19. 12. 2022 Date of issue: 11. 03. 2016 Page: 2/(15)

2.2 Label elements

Product identification: Trade name: A. Z. Meisterteile Getriebeöl DSG dual-clutch

gearbox oil

Hazardous components:

GHS Pictogram: Not required. Signal word: Not required.

Hazard statement: **Not required.**

Supplemental hazard information:

EUH208 Contains 2-ethylhexyl methacrylate, and C14-18 alpha-olefin epoxide,

reaction products with boric acid. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

Supplemental hazard information: -

Precautionary statements - General: -

Precautionary statements – Prevention:

P273 Avoid release to the environment.

Precautionary statements – Response: -

Precautionary statements – Storage: -

Precautionary statements – Disposal:

P501 Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger: Not required.

Transport classification: see section 14.

2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006, at a concentration of 0.1% or more.

The mixture does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Trade name: A. Z. Meisterteile Getriebeöl DSG dual-clutch gearbox oil

Version: 2 Latest revision: 19. 12. 2022 Date of issue: 11. 03. 2016 Page: 3/(15)

SECTION 3 Composition/information on ingredients

3.2 Mixtures

Chemical description: Mixture of refined mineral base oils containing additives.

Component(s) / Hazardous component(s):

Name	EC	CAS	Hazard classes and	Hazard	Conc.
I what as time a sile (not us levum)	number 276-738-4	number 72623-87-1	cat. Asp. Tox. 1	statements H304	%(m/m) max 75
Lubricating oils (petroleum), C20-50, hydrotreated neutral	270-736-4	12023-81-1	(Note L)	П304	max /3
oil-based			(Note L)		
REACH Registr. Nr.:					
01-2119474889-13					
Distillates (petroleum),	265-157-1	64742-54-7	Asp. Tox. 1	H304	max 45
hydrotreated heavy paraffinic	203-137-1	04742-34-7	(Note L)	11304	max 43
REACH Registr. Nr.:			(Note E)		
01-2119484627-25					
Mineral oil raffinate**	_	mixture	Asp. Tox. 1	H304	max.15
REACH Registr. Nr.:		mintare	(Note L)	11301	mun. 15
no data			(= /		
Isooctadecanoic acid,	272-225-4	68784-17-8	Skin Irrit. 2	H315	max 1.5
reaction products with			Eye Irrit. 2	H319	
tetra ethylenepentamine			· ·		
REACH Registr. Nr.:					
01-2119960832					
Reaction products of	253-249-4	36878-20-3	Aquatic Chronic 4	H413	max 1.5
Benzeneamine, N-phenyl-					
with nonane (branched)					
REACH Registr. Nr.:					
01-2119488911-28					
1,3,4-Thiadiazolidine-2,5-	293-927-7	91648-65-6	Aquatic Chronic 3	H412	max 1.5
dithione, reaction products					
with hydrogen peroxide and					
tert-nonanethiol					
REACH Registr. Nr.:					
01-211976351-35	020 500 2		G1 : G 1 D	11017	0.2
C14-18 alpha-olefin epoxide,	939-580-3	-	Skin Sens. 1B	H317	max 0.3
reaction products with boric acid					
REACH Registr. Nr.: 01-2119976364-28					
Ethanol, 2,2'-iminobis-, N-	620-540-6	1218787-32-6	Acute Tox. 4	H302	max. 0.3
(C16-18 and C18-unsatd.	020-340-0	1210/0/-32-0	Skin Corr. 1C	H302 H314	111a A. U.J
alkyl) derivs.			Eye Dam 1	H318	
REACH Registr. Nr.:			Aquatic Acute 1	H400 (M=10)	
01-2119510877-33			Aquatic Chronic 2	H411	
01 211/0100// 00			1 quatic Cinoine 2	11.111	

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Trade name: A. Z. Meisterteile Getriebeöl DSG dual-clutch gearbox oil

Version: 2 Latest revision: 19. 12. 2022 Date of issue: 11. 03. 2016 Page: 4/(15)

Name	EC	CAS	Hazard classes and	Hazard	Conc.
Name	number	number	cat.	statements	%(m/m)
2-ethylhexyl methacrylate	211-708-6	688-84-6	Skin Irrit. 2	H315	max 0.3
REACH Registr. Nr.:			Skin Sens. 1	H317	
01-2119490166-35			Eye Irrit. 2	H319	
			STOT SE 3	H335	
			Aquatic Chronic 3	H412	

^{*:} with exposure limit

EC 265-157-1/REACH Registr. Nr.: 01-2119484627-25;

EC 265-169-7/REACH Registr. Nr.: 01-2119471299-27;

EC 265-158-7/REACH Registr. Nr.: 01-2119487077-29;

EC 265-159-2/REACH Registr. Nr.: 01-2119480132-48.

Note L:

The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

The full text of each relevant H-phrase, Hazard classes and cat. see in Section 16.

SECTION 4 First aid measures

4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never

induce vomiting.

Inhalation: Remove the affected person to fresh air. If rapid recovery does not

occur, obtain medical attention.

Skin contact: Remove contaminated clothing. Wash skin with large amounts of water,

use soap. In case of persistent irritation, get medical attention.

Eye contact: Flush eyes with plenty of water for 10-15 minutes. In case of persistent

irritation, get medical attention.

Ingestion: If swallowed, give water. Do not induce vomiting. Get medical

attention.

Protection of first-aid person: No individual specifications.

^{**}The mixture contains one or more of the following substances

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Trade name: A. Z. Meisterteile Getriebeöl DSG dual-clutch gearbox oil

Version: 2 Latest revision: 19. 12. 2022 Date of issue: 11. 03. 2016 Page: 5/(15)

4.2 Most important symptoms and effects, both acute and delayed May produce an allergic reaction.

4.3 Indication of any immediate medical attention and special treatment needed Not required.

SECTION 5 Fire-fighting measures

Fire hazards:

Combustible.

5.1 Extinguishing media

Suitable extinguishing media:

Foam, carbon dioxide, dry chemical powder.

Unsuitable extinguishing media:

Full water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products:

On burning, carbon dioxide, carbon monoxide, nitrogen oxides, sulphur oxides, various hydrocarbons and soot can be formed.

5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations.

Further information:

Collect contaminated firefighting water separately. It must not enter the sewage system. Contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: see Section 8.

Danger of slipping on leaked out/spilled product.

6.2 Environmental precautions:

Confine spills to prevent material from entering sewers, watercourses, drains and into soil Notify relevant authority.

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Trade name: A. Z. Meisterteile Getriebeöl DSG dual-clutch gearbox oil

Version: 2 Latest revision: 19. 12. 2022 Date of issue: 11. 03. 2016 Page: 6/(15)

6.3 Methods and material for containment and cleaning up

On soil: All kind of ignition sources should be removed. Recover free liquid by

pumping. Contain the rest or small quantities with sand, earth or other

suitable absorbents. Dispose of according to local regulations.

On water: Confine the spillage. Remove from surface by skimming or suitable

absorbents. Notify local authorities according to regulations.

6.4 Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

SECTION 7 Handling and storage

7.1 Precautions for safe handling

Keep general measures applied for normal operations with lubricants and flammable liquids.

Keep away from radiant heat and open flame.

Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists.

Ensure washing facilities after working hours and before breaks.

Take off contaminated clothing and wash it before reuse.

When using do not eat, drink or smoke. Avoid splashing the product.

Handling temperature: not known

7.2 Conditions for safe storage, including any incompatibilities

Storage facilities must comply with regulations for storing of flammable liquids.

Store in dry, well-ventilated place in original, closed containers.

Keep away from radiant heat, open flame and strong oxidizing agents.

Storage temperature: max. 40°C

7.3 Specific end use(s)

Dual-clutch gearbox oil.

SECTION 8 Exposure controls / personal protection

8.1 Control parameters:

Mineral oil mist: TWA: 5 mg/m³; STEL: 10 mg/m³, for oil mist, vapour excluded

(ACGIH).

Method of testing, recommended: NIOSH 5026

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Trade name: A. Z. Meisterteile Getriebeöl DSG dual-clutch gearbox oil

Version: 2 Latest revision: 19. 12. 2022 Date of issue: 11. 03. 2016 Page: 7/(15)

8.2 Exposure controls

Engineering control measures:

Not required.

Personal protection:

(a) Eye/face protection Where splashing is possible, wear safety glasses (EN 166).

(b) Skin protection

(i) Hand protection Oil resistant gloves (EN 374, Breakthrough time > 480

min, PK power level: 6; PR flow rate: 0).

Note: Manufacturer's directions for use and the conditions

of application should be observed.

(ii) Other Protective clothing (oil resistant).

(c) Respiratory protection Under normal conditions it is not necessary. In case of

exceeded exposure-limits respiratory protection with particle-

filter is recommended.

(d) Thermal hazards No data.

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

SECTION 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Physical state: liquid

b) Colour: yellow, clear, bright

c) Odour: characteristic

d) Melting point/freezing point (Pour point) (ISO 3016): typ. -42°C

e) Boiling point or initial boiling point and boiling range

(DIN 51356): not available

f) Flammability: combustible

g) Lower and upper explosion limit: not explosive

h) Flash point (COC) (EN ISO 2592): typ. 200°C not available

j) Decomposition temperature: not available

k) pH: not applicable

1) Kinematic viscosity (EN ISO 3104)

at 40°C: typ. 35.0 mm²/s at 100°C typ. 7.1 mm²/s

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Trade name: A. Z. Meisterteile Getriebeöl DSG dual-clutch gearbox oil

Version: 2 Latest revision: 19. 12. 2022 Date of issue: 11. 03. 2016 Page: 8/(15)

m) Solubility

Solubility in water: practically insoluble in water Solubility in other solvents: gasoline, kerosene, toluene, etc.

n) Partition coefficient n-octanol/water (log value): not available o) Vapour pressure at 20°C: negligible

p) Density and/or relative density at 15°C (DIN EN ISO

Density and/or relative density at 15°C (DIN EN 180

12185): app. 0.852 g/cm³
q) Relative vapour density: not available
r) Particle characteristics: not available

9.2 Other information

Oxidizing properties: not oxidize
Heating value: inf. 38 000 kJ/kg

SECTION 10 Stability and reactivity

10.1 Reactivity: Dangerous reactivity not known.

10.2 Chemical stability: No decomposition if stored and handled properly.

10.3 Possibility of hazardous reactions: Not known.

10.4 Conditions to avoid: Direct heat or ignition sources.

10.5 Incompatible materials: Strong oxidizing agents.

10.6 Hazardous decomposition products: No dangerous decomposition products are formed under

normal conditions. Hazardous combustion products: See

Section 5.

SECTION 11 Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: Based on available data, the classification criteria are not met.

Components:

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (CAS: 72623-87-1)

 $\begin{array}{lll} \text{Oral:} & LD_{50} \ (\text{rat}) & > 5000 \ \text{mg/kg} \\ \text{Dermal:} & LD_{50} \ (\text{rabbit}) & > 2000 \ \text{mg/kg} \\ \text{Inhalation:} & LC_{50} \ (\text{rat}) & > 5.53 \ \text{mg/L} \end{array}$

Distillates (petroleum), hydrotreated heavy paraffinic (CAS: 64742-54-7)

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Trade name: A. Z. Meisterteile Getriebeöl DSG dual-clutch gearbox oil

Version: 2 Latest revision: 19. 12. 2022 Date of issue: 11. 03. 2016 Page: 9/(15)

Based on available data, the classification criteria are not met. Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/irritation Respiratory or skin sensitisation: Based on available data, the classification criteria are not met. Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met. STOT-single exposure: Based on available data, the classification criteria are not met. STOT-repeated exposure: Based on available data, the classification criteria are not met. Aspiration hazard: Based on available data, the classification criteria are not met.

11.2 Information on other hazards

The mixture does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.

SECTION 12 Ecological information

12.1 Toxicity No data for the product.

Components:

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (CAS: 72623-87-1)

Fishes $LC_{50} > 100 \text{ mg/L}$

Distillates (petroleum), hydrotreated heavy paraffinic (CAS: 64742-54-7)

 $\begin{array}{lll} Fishes & > 1000 \;\; mg/L & 96 \; h \; (OECD \; 203) \\ Daphnia: & > 100 \;\; mg/L & 48 \; h \; (OECD \; 202) \\ Algae: & > 100 \;\; mg/L & 72 \; h \; (OECD \; 201) \\ \end{array}$

Isooctadecanoic acid, reaction products with tetraethylenepentamine (CAS: 68784-17-8)

Fish (Fat-headed carp): LC_{50} > 1000 mg/L96 h Daphnia (Daphnia magna): > 1000 mg/L48 h EC_{50} Daphnia (Daphnia magna): EC_{50} > 32 mg/L21 days Daphnia (Daphnia magna): NOEC 32 mg/L21 days Algae: 96 h EC_{50} 94 mg/L Daphnia (Daphnia magna): **NOEC** 23 mg/L 96 h Sludge: > 1000 mg/L EC_{50} 0,1 day

Reaction products of Benzeneamine, N-phenyl-with nonane (branched) (CAS: 36878-20-3)

Fish (Danio rerio): LC_{50} > 100 mg/L96 h > 100 mg/LDaphnia (Daphnia magna): EC_{50} 48 h Algae: EC_{50} 600 mg/L 72 h Sludge: > 1000 mg/L $0,1 \, day$ EC_{50}

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Trade name: A. Z. Meisterteile Getriebeöl DSG dual-clutch gearbox oil

Version: 2 Latest revision: 19. 12. 2022 Date of issue: 11. 03. 2016 Page: 10/(15)

	1,3,4-Thiadiazolidine-2,5- dithione, i	reaction	products w	ith hydro	ogen peroxide and tert-	
	nonanethiol (CAS: 91648-65-6)	- ~	4000	~	0.44	
	Fish (Fat-headed carp):	LC_{50}	> 1000		96 h	
	Fish (Fat-headed carp):	NOEC		mg/L	96 h	
	Daphnia (Daphnia magna):	EC_{50}		mg/L	48 h	
	Daphnia (Daphnia magna):	NOEC		mg/L	48 h	
	Algae:	EC_{50}	> 100	_	72 h	
	Algae:	NOEC		mg/L	72 h	
	Pseudomonas putida:	EC_{50}	> 8000	mg/L	0,7 day	
	C14-18 alpha-olefin epoxide, reactio	n produ	cts with boi	ic acid (EC: 939-580-3)	
	Fish (Oncorhynchus mykiss):	LC_{50}	> 100	mg/L	96 h	
	Daphnia (Daphnia magna):	EC_{50}	> 100	mg/L	48 h	
	Daphnia (Daphnia magna):	NOEC	100	mg/L	48 h	
	Daphnia (Daphnia magna):	EC_{50}	20	mg/L	21 days	
	Daphnia (Daphnia magna):	NOEC	10	mg/L	21 days	
	Algae (Selenastrum capricomutum):	EC_{50}	> 100	mg/L	96 h	
	Sludge:	EC_{50}	> 10000	mg/L	0,1 day	
	Ethanol, 2,2'-iminobis-, N-(C16-18 a	nd C18-	unsatd. alk	vl) deriv	s. (CAS: 1218787-32-6)	
	Fish (Danio rerio):	LC_{50}		mg/L	96 h	
	Daphnia (Daphnia magna):	EC_{50}	0.043	_	48 h	
	Daphnia (Daphnia magna):	EC_{10}	0.0107	_	21 days	
	Algae			C	Ž	
	(Pseudokirchneriella subcapitat):	EC_{50}	0.0538	mg/L	72 h	
	Algae			· ·		
	(Pseudokirchneriella subcapitat):	NOEC	0.0156	mg/L	72 h	
	Sludge:	EC_{50}		mg/L	3 h	
	2-ethylhexyl methacrylate (CAS: 688	-81-6)				
	Fish (Red killifish):	LC ₅₀	2.78	mg/L	96 h	
	Daphnia (Daphnia magna):	EC_{50}	0.105	-	21 days	
	Daphnia (Daphnia magna):	NOEC	0.105		21 days	
				•	•	
12.2	Persistence and degradability		data for th			
	Biodegradability:	-	drocarbon	s are inho	erently degradable.	
	Isooctadecanoic acid, reaction produ					
	, I		rbon dioxi			
	68784-17-8)		3 days, OE	CD TG 3	01 B)	
	Reaction products of Benzeneamine			_		
	phenyl-with nonane (branched) (CAS: Carbon dioxide emission 0%					
	36878-20-3)	(28	3 days, OE	CD TG 3	01 B)	

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Trade name: A. Z. Meisterteile Getriebeöl DSG dual-clutch gearbox oil

Version: 2 Latest revision: 19, 12, 2022 Date of issue: 11, 03, 2016 Page: 11/(15)

1.3.4-Thiadiazolidine-2.5- dithione, reaction products with hydrogen peroxide and tertnonanethiol (CAS: 91648-65-6)

C14-18 alpha-olefin epoxide, reaction Dissolved organic carbon (DOC) 17.3% (28 days, products with boric acid (EC: 939-580-3)

Oxygen-poor state 2% (28 days, OECD TG 301 C)

Dissolved organic carbon (DOC) 26.7% (28 days,

Mixed)

No data available.

Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkvl) derivs. (CAS:

1218787-32-6) 2-ethylhexyl methacrylate (CAS: 688-84-6) Oxygen-poor state 63% (28 days, OECD TG 301 D) Oxygen-poor state 88% (28 days, OECD TG 301 C)

12.3 Bioaccumulative potential

Isooctadecanoic acid, reaction products tetraethylenepentamine 68784-17-8)

Log Kow: > 9.36 (measured value)

BCF: 1584.89 (measured value)

Log Kow: 9.4 (measured value)

Log Kow: 9.4 (calculated value)

Reaction products of Benzeneamine, Nphenyl-with nonane (branched) (CAS: 36878-20-3)

1,3,4-Thiadiazolidine-2,5- dithione, reaction products with hydrogen peroxide and tertnonanethiol (CAS: 91648-65-6)

C14-18 alpha-olefin epoxide, reaction products with boric acid (EC: 939-580-3) Ethanol, 2,2'-iminobis-, N-(C16-18 and

C18-unsatd. alkyl) derivs.

1218787-32-6)

(CAS: BCF: 110.2 (calculated value)

Log Kow: 3.6

2-ethylhexyl methacrylate (CAS: 688-84-6) BCF: 37 (calculated value)

12.4 Mobility in soil: Absorbs in soil. Mobility in water: Floats on water.

12.5 Results of PBT and vPvB assessment

Does not contain PBT and vPvB substances, at a

concentration of 0.1% or more.

12.6 Endocrine disrupting properties

The mixture does not contain any substance with endocrine disrupting properties, at a concentration of

0.1% or more.

12.7 Other adverse effects

Heavy metal content:

PCT, PCB and other chlorinated

hydrocarbons:

None.

None.

Water hazard class (German):

WGK 1 (Classification by AwSV)

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Trade name: A. Z. Meisterteile Getriebeöl DSG dual-clutch gearbox oil

Version: 2 Latest revision: 19. 12. 2022 Date of issue: 11. 03. 2016 Page: 12/(15)

SECTION 13 Disposal considerations

13.1 Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 13 02 05*

Mineral-based non-chlorinated engine, gear and lubricating oils.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

SECTION 14 Transport information

Land transport:

Road/Railway ADR/RID: Not classified. 14.1. UN number or ID number: Not classified. 14.2. UN proper shipping name: Not classified. Transport hazard class(es): 14.3. Not classified. 14.4. Packing group: Not classified. 14.5. Environmental hazards: Not classified. 14.6. Special precautions for user: Not classified.

Waterways:

Inland waterways/ Sea transport ADN/IMDG: Not apply to the product.

Air transport: ICAO / IATA: Not apply to the product.

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Trade name: A. Z. Meisterteile Getriebeöl DSG dual-clutch gearbox oil

Version: 2 Latest revision: 19. 12. 2022 Date of issue: 11. 03. 2016 Page: 13/(15)

SECTION 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2020/878/EU) and to Regulation (EC) 1272/2008.

Seveso category: not classified.

15.2 Chemical safety assessment.

Not available.

SECTION 16 Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract. The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Classification for mixtures and used evaluation method according to regulation 1272/2008/EC (CLP)

Not classified.

H302

The full text of each relevant H-phrase and Hazard classes and cat. in Section 3.:

Harmful if swallowed.

H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Trade name: A. Z. Meisterteile Getriebeöl DSG dual-clutch gearbox oil

Version: 2 Latest revision: 19. 12. 2022 Date of issue: 11. 03. 2016 Page: 14/(15)

Acute Tox. 4 Acute toxicity Category 4
Asp. Tox. 1 Aspiration hazard Category 1

Skin Corr. 1C
Skin corrosion/irritation Category 1C
Skin Irrit. 2
Skin corrosion/irritation Category 2
Skin Sens. 1
Eye Dam. 1
Serious eye damage/eye irritation Category 1
Eye Irrit. 2
Serious eye damage/eye irritation Category 2

STOT SE 3

Aquatic Acute 1

Aquatic Chronic 2

Aquatic Chronic 3

Aquatic Chronic 4

Aquatic Chronic 4

Specific target organ toxicity — single exposure Category 3

Hazardous to the aquatic environment, Acute Category 1

Hazardous to the aquatic environment, Chronic Category 3

Hazardous to the aquatic environment, Chronic Category 4

Legend:

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE Acute Toxicity Estimate
BCF Bioconcentration Factor
BOD Biological Oxygen Demand

Bw Body Weight

C&L Classification and Labelling CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging

CMR Carcinogenic, Mutagenic or toxic to Reproduction

COD Chemical Oxygen Demand
CSA Chemical Safety Assessment
CSR Chemical Safety Report
DMEL Derived Minimal Effect Level
DNEL Derived No Effect Level
ECHA European Chemicals Agency
Ecx Effective Concentration x%

Edx Effective Dose x%

ELINCS European List of Notified Chemical Substances ErC50 EC50 in terms of reduction of growth rate;

ES Exposure Scenario

IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

LCx Lethal Concentration x %

LDx Lethal Dose x%

LOAEC Lowest Observed Adverse Effect Concentration

LOAEL Lowest Observed Adverse Effect Level

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC



Trade name: A. Z. Meisterteile Getriebeöl DSG dual-clutch gearbox oil

Version: 2 Latest revision: 19. 12. 2022 Date of issue: 11. 03. 2016 Page: 15/(15)

LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern
UVCB	substance of unknown or variable composition, complex reaction products or biological mater
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative

Revision Indicators:

Section	Subject of change	Date	Version
1-16	Revision modification according to 2020/878/EU Full revision due to composition change	19. 12. 2022	2