

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile Anti-Fog Spray**

Version: 1

Latest revision: -

Date of issue: 12. 12. 2022

Page: 1/(12)

SECTION 1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier:

A.Z. Meisterteile Anti-Fog Spray

UFI: J4N8-5RVS-Q124-ETUS

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Anti-Fog Spray. For industrial, professional and residential use.

Uses advised against: application other than the above.

1.3 Details of the supplier of the safety data sheet:

Distributor Details:

UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57.

Tel.: +36 1 270 8700

Fax: +36 1 270 8799

E-mail: cs@unixauto.com

It is related to the use of the product technical information:

UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57.

Tel.: +36 1 270 8700

Fax: +36 1 270 8799

E-mail: cs@unixauto.com

Responsible for SDS:

UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57.

Tel.: +36 1 270 8700

Fax: +36 1 270 8799

E-mail: cs@unixauto.com

1.4 Emergency telephone number

Emergency telephone (07-15²⁰ h): +36 1 270 8700 (CET) on workdays

Health Toxicological Information Service (ETTSZ 1097 Budapest, Albert Flórián st. 2-6.)

Tel.: +36 80 201 199 (0-24 h, free number, can only be called from Hungary).

+36 1 476 6464 (0-24 h, can be called for a normal fee - also from abroad)

SECTION 2 Hazards identification

2.1 Classification of the substance or mixture

Hazard Class and Category:

Aerosol 1

Aerosol 1

Hazard statement:

H222 Extremely flammable aerosol

H229 Pressurized container: may burst if heated.

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Anti-Fog Spray**

Version: 1

Latest revision: -

Date of issue: 12. 12. 2022

Page: 2/(12)

2.2 Label elements

Product identification: Trade name: **A.Z. Meistererteile Anti-Fog Spray**

Hazardous components: -

GHS Pictogram:



Signal word: **Danger**

Hazard statement:

H222 Extremely flammable aerosol

H229 Pressurized container: may burst if heated.

Supplemental hazard information: -

Precautionary statements – General:

P102 Keep out of reach of children.

Precautionary statements – Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing spray.

P273 Avoid release to the environment.

Precautionary statements – Response: -

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Precautionary statements – Storage:

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.

Precautionary statements – Disposal:

P501 Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger: Not required.

Transport classification: see section 14.

2.3 Other hazards

Formation of explosive gas/vapour/air mixture is possible.

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006.

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Anti-Fog Spray**

Version: 1

Latest revision: -

Date of issue: 12. 12. 2022

Page: 3/(12)

SECTION 3 Composition/information on ingredients

3.2 Mixtures

Chemical description: Mixtures of the following substances and non-hazardous substances with propellant gas.

Component(s) / Hazardous component(s):

Name	EC number	CAS number	Hazard classes and cat.	Hazard statements	Conc. % (m/m)
Butane* REACH Registr. Nr.: 01-2119474691-32	203-448-7	106-97-8	Flam. Gas 1 Press. Gas	H220 H280	max. 60
Isobutane* REACH Registr. Nr.: 01-2119485395-27	200-857-2	75-28-5	Flam. Gas 1 Press. Gas	H220 H280	max. 60
Ethanol REACH Registr. Nr.: 01-2119457610-43	200-578-6	64-17-5	Flam. Liq. 2	H225	max. 50
Propane REACH Registr. Nr.: 01-2119486944-21	200-827-9	74-98-6	Flam. Gas 1 Press. Gas	H220 H280	max. 20
Isopropyl alcohol REACH Registr. Nr.: 01-2119457558-25	200-661-7	67-63-0	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3	H225 H319 H336	<1.0
Ethyl methyl ketone REACH Registr. Nr.: 01-2119457290-43	201-159-0	78-93-3	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3	H225 H319 H336 EUH066	<1.0

*Butadiene content: <0.1%

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

SECTION 4 First aid measures

4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never induce vomiting.

Inhalation: Remove exposed person to fresh air. In case of complaints, get medical advice.

Skin contact: Remove contaminated clothing. Wash skin with large amounts of water, use soap. In case of persistent irritation, contact a doctor.

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Anti-Fog Spray**

Version: 1

Latest revision: -

Date of issue: 12. 12. 2022

Page: 4/(12)

Eye contact: Flush eyes with plenty of water for 10-15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of persistent irritation, contact a doctor.

Ingestion: Not possible under normal conditions. When happened, rinse mouth with water. Do not induce vomiting (danger of aspiration). Get medical attention.

Protection of first-aid person: It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation.

4.2 Most important symptoms and effects, both acute and delayed

In case of ingestion: nausea, vomiting if large amounts are swallowed, kidney damage.
May irritate the respiratory system if inhaled.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Symptoms may be delayed for several hours.
If swallowed, consult a doctor.
Show the MSDS or label to the physician.

SECTION 5 Fire-fighting measures

Fire hazards:
Explosive.

5.1 Extinguishing media

Suitable extinguishing media:

Alcohol-resistant foam, carbon dioxide, dry chemical powder, water spray.

Unsuitable extinguishing media:

Full water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products:

On burning hazardous gases and vapours (carbon-dioxide, carbon-monoxide can be formed).

5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations. Self-contained breathing apparatus.

Further information:

Formation of explosive gas/vapour/air mixture is possible.

Use water spray just to cool down surfaces exposed to fire.

Collect contaminated fire-fighting water separately. It must not enter the sewage system.

Contaminated extinguishing water must be disposed of in accordance with official regulations.

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Anti-Fog Spray**

Version: 1

Latest revision: -

Date of issue: 12. 12. 2022

Page: 5/(12)

SECTION 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: see Section 8.

Keep persons not involved in rescue at a distance.

Sufficient ventilation should be provided.

Keep away from sources of ignition – No smoking.

Use non-sparking tools.

Avoid contact with skin, clothing and eyes, inhalation of gas, vapour, aerosol.

6.2 Environmental precautions:

Prevent spills from entering into natural water, soil and drains by containing the liquid. All kind of ignition sources should be removed. Do not smoke. Notify relevant authority.

6.3 Methods and material for containment and cleaning up

Exclude source of ignition. Adequate ventilation required in enclosed areas.

Keep away from sources of ignition.

Contain spilled liquid with sand, earth and place in suitable containers for disposal (dangerous waste).

6.4 Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

SECTION 7 Handling and storage

7.1 Precautions for safe handling

Keep general measures applied for normal operations with chemicals and extremely flammable aerosols.

Adequate ventilation or local exhaust must be provided.

Keep away from sources of ignition – No smoking.

Product can form flammable/explosive vapour-air mixtures.

Keep away from heat, sparks, open flames, hot surfaces.

Keep container in vertical position avoiding falls and strokes.

Use explosion-proof and non-sparking tools.

Do not pierce or burn, even after use.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C.

Avoid accumulating electrostatic charge.

Avoid contact with skin, clothing and eyes, inhalation of gas, vapour, aerosol.

Wash hands before breaks and at end of work.

Take off contaminated clothing and wash it before reuse.

When using do not eat or drink.

Handling temperature: no data.

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Anti-Fog Spray**

Version: 1

Latest revision: -

Date of issue: 12. 12. 2022

Page: 6/(12)

7.2 Conditions for safe storage, including any incompatibilities

Keep general measures applied for storage of flammable and explosive materials.

Store in dry, well-ventilated place in original, closed containers.

Keep away from direct sunshine, direct heat or ignition sources and strong oxidizing agents.

Storage temperature: no data.

7.3 Specific end use(s)

Anti-Fog Spray. For industrial, professional and residential use.

SECTION 8 Exposure controls / personal protection

8.1 Control parameters:

Substance	CAS number	Workplace exposure limit				Comments
		long term exposure limit (8- hr)		short term exposure limit (15- min.)		
		ppm	mg/m ³	ppm	mg/m ³	
<i>Butane</i>	106-97-8	600	1450	750	1810	Carc
<i>Ethanol</i>	64-17-5	1000	1920	-	-	-
<i>Isopropyl alcohol</i>	67-63-0	400	999	50	1250	-
<i>Ethyl methyl ketone</i>	78-93-3	200	600	300	899	Sk, BMGV

8.2 Exposure controls

Engineering control measures:

Maintain suitable ventilation of the working place.

Personal protection:

- (a) Eye/face protection Protective goggles or face shield if splashes may occur (EN 166).
- (b) Skin protection
- (i) Hand protection Protective gloves (EN 374).
Note: Manufacturer's directions for use and the conditions of application should be observed.
- (ii) Other Protective clothing.
- (c) Respiratory protection Under normal conditions it is not necessary. In case of exceeded exposure-limits respiratory protection with particle-filter is recommended.
- (d) Thermal hazards No data.

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Anti-Fog Spray**

Version: 1

Latest revision: -

Date of issue: 12. 12. 2022

Page: 7/(12)

SECTION 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

- | | |
|--|--|
| a) Physical state: | aerosol (active ingredient: liquid, under pressure) |
| b) Colour: | colorless |
| c) Odour: | characteristic |
| d) Melting point/freezing point: | not available |
| e) Boiling point or initial boiling point and boiling range: | not available |
| f) Flammability: | Extremely flammable aerosol |
| g) Lower and upper explosion limit: | Non-explosive, but the formation of an explosive gas/vapour/air mixture is possible. |
| h) Flash point: | not available |
| i) Auto-ignition temperature: | not available |
| j) Decomposition temperature: | not available |
| k) pH: | not available |
| l) Kinematic viscosity | |
| at 40°C: | not available |
| at 100°C: | not available |
| m) Solubility | |
| Solubility in water: | soluble in water |
| Solubility in other solvents: | not available |
| n) Partition coefficient n-octanol/water (log value): | not available |
| o) Vapour pressure: | not available |
| p) Density and/or relative density: | not available |
| q) Relative vapour density: | not available |
| r) Particle characteristics: | not available |

9.2 Other information

No data available.

SECTION 10 Stability and reactivity

- | | |
|--|--|
| 10.1 Reactivity: | Dangerous reactivity not known. |
| 10.2 Chemical stability: | No decomposition if stored and handled properly. |
| 10.3 Possibility of hazardous reactions: | Not known. |

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Anti-Fog Spray**

Version: 1

Latest revision: -

Date of issue: 12. 12. 2022

Page: 8/(12)

- | | | |
|------|-----------------------------------|---|
| 10.4 | Conditions to avoid: | High temperature (over 50°C), ignition source, heat source, open flame, direct sunlight, electrostatic charging. |
| 10.5 | Incompatible materials: | Oxidizing agents, acids and alkalis. |
| 10.6 | Hazardous decomposition products: | No dangerous decomposition products are formed under normal conditions. Hazardous combustion products: See Section 5. |

SECTION 11 Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: Based on available data, the classification criteria are not met

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

11.2 Information on other hazards

No data available.

SECTION 12 Ecological information

12.1 Toxicity No data.

12.2 Persistence and degradability No data.

Biodegradability: No data.

12.3 Bioaccumulative potential No data.

12.4 Mobility in soil No data.

Mobility in water: Soluble in water

12.5 Results of PBT and vPvB assessment Does not contain PBT and vPvB substances.

12.6 Endocrine disrupting properties No data.

12.7 Other adverse effects Do not allow to enter sewers, surface water or ground water.

Water hazard class (German): No data.

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Anti-Fog Spray**

Version: 1

Latest revision: -

Date of issue: 12. 12. 2022

Page: 9/(12)

SECTION 13 Disposal considerations

13.1 Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 16 05 04*

Gases in pressure containers (including halons) containing dangerous substances.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration (liquid).

Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 04

Metallic packaging.

Waste Identification Code: 15 01 11*

Metallic packaging containing a dangerous solid porous matrix (for example asbestos), including empty pressure containers.

Recommended waste treatment method: The material of the clean packaging material can be recycled.

Disposal must be in compliance with national and local regulations.

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

SECTION 14 Transport information

Land transport:

Road/ Railway

ADR/RID:

14.1 UN number or ID number:

1950

14.2 UN proper shipping name:

AEROSOLS

14.3 Transport hazard class(es):

2 (classification code: 5F)

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Anti-Fog Spray**

Version: 1

Latest revision: -

Date of issue: 12. 12. 2022

Page: 10/(12)

14.4 Packing group:	-
14.5 Environmental hazards:	not dangerous for the environment
Marine pollutant:	no
14.6 Special precautions for user:	
Labels:	2.1
Limited and excepted quantities:	1 L
Tunnel restriction code:	D

SECTION 15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2020/878/EU) and to Regulation (EC) 1272/2008.
Seveso category: P3.a.
- 15.2 Chemical safety assessment.
not available

SECTION 16 Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Classification for mixtures and used evaluation method according to regulation 1272/2008/EC (CLP)

Aerosol 1 H222 + H229 calculation method (based on flammable components)

The full text of each relevant Hazard classes and cat. and H- phrase in Section 3.:

H220	Extremely flammable gas
H225	Highly flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Anti-Fog Spray**

Version: 1

Latest revision: -

Date of issue: 12. 12. 2022

Page: 11/(12)

Flam. Gas 1	Flammable gas Category 1
Flam. Liq. 2	Flammable liquid Category 2
Press Gas	Compressed gas
Asp. Tox. 1	Aspiration hazard Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
STOT SE 3	Specific target organ toxicity — single exposure Category 3

Legend:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BOD	Biological Oxygen Demand
Bw	Body Weight
C&L	Classification and Labelling
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging (1272/2008/EC)
CMR	Carcinogenic, Mutagenic or toxic to Reproduction
COD	Chemical Oxygen Demand
CSA	Chemical Safety Assessment
CSR	Chemical Safety Report
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
ECHA	European Chemicals Agency
Ec _x	Effective Concentration x%
Ed _x	Effective Dose x%
ELINCS	European List of Notified Chemical Substances
ErC50	EC50 in terms of reduction of growth rate;
ES	Exposure Scenario
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC _x	Lethal Concentration x%
LD _x	Lethal Dose x%
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level

SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meistererteile Anti-Fog Spray**

Version: 1

Latest revision: -

Date of issue: 12. 12. 2022

Page: 12/(12)

OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern
UVCB	substance of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative

Revision Indicators:

Section	Subject of change	Date	Version