

#### SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE 5W30 Synthetic

Valvoline<sup>™</sup> ALL CLIMATE 5W30 Synthetic Blend Motor Oil

Version: 12.0

Revision Date: 24.07.2023

Print Date: 24/07/2023

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	Valvoline™ ALL CLIMATE 5W30 Synthetic Blend Motor Oil
Product code	:	872286
1.2 Relevant identified uses of th	ne s	substance or mixture and uses advised against
Use of the substance/mixture	:	Engine, gear & lubricating oil.
1.3 Details of the supplier of the	saf	ety data sheet
Company	:	Ellis Enterprises B.V., an affiliate of Valvoline Global Operations Wieldrechtseweg 39 3316 BG Dordrecht Netherlands
Telephone	:	+31 (0)78 654 3500 (in the Netherlands), or contact your local CSR contact person
E-mail address of person responsible for the SDS	:	SDS@valvolineglobal.com
1.4 Emergency telephone number	ər	

+1-800-VALVOLINE (+1-800-825-8654)

, or contact your local emergency telephone number at +36 80 201 199

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE 5W30 Synthetic Blend Motor Oil

Version: 12.0

Revision Date: 24.07.2023

Print Date: 24/07/2023

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

#### Additional Labelling

EUH210 Safety data sheet available on request.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Index-No.		· · · ·
	Registration number		
LUBRICATING OILS,	72623-87-1	Asp. Tox. 1; H304	>= 70 - < 80
PETROLEUM, C20-50,	276-738-4		
HYDROTREATED	649-483-00-5		
	01-2119474889-13-		
	хххх		
HYDROTREATED LIGHT	64742-55-8	Asp. Tox. 1; H304	>= 2,5 - < 5
PARAFFINIC DISTILLATE	265-158-7		
	649-468-00-3		
	01-2119487077-29-		
	XXXX		
DISTILLATES (PETROLEUM),	64742-65-0	Asp. Tox. 1; H304	>= 1 - < 2,5
SOLVENT-DEWAXED HEAVY	265-169-7		
PARAFFINIC	649-474-00-6		



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE 5W30 Synthetic Blend Motor Oil

sion: 12.0	Revision Date: 24.07.2023	Print D	Date: 24/07/2023
	01-2119471299-27- xxxx		
Phenol, dodecyl-, sulfurize carbonates, calcium salts, overbased	ed, 68784-26-9	Aquatic Chronic 4; H413	>= 1 - < 2,5
PHOSPHORODITHIOIC A MIXED O,O-BIS(1,3- DIMETHYLBUTYL AND IS ESTERS, ZINC SALTS	283-392-8	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 2; H411	>= 1 - < 2,5
		specific concentration limit Skin Irrit. 2; H315 >= 6,25 % Eye Dam. 1; H318 >= 12,5 % Eye Irrit. 2; H319 >= 10,0 %	
Substances with a workpla	ace exposure limit :		
DISTILLATES (PETROLE HYDROTREATED HEAV PARAFFINIC	UM), 64742-54-7		>= 5 - < 10
Distillates, petroleum, solv refined heavy paraffinic			>= 1 - < 2,5

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	: Don	ot leave the victim unattended.
If inhaled	advid	conscious, place in recovery position and seek medical ce. nptoms persist, call a physician.
In case of skin contact	: If ski	n irritation persists, call a physician.



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE 5W30 Synthetic Blend Motor Oil

Version: 12.0	Revision Date: 24.07.2023 Print Date: 2	4/07/2023
	If on skin, rinse well with water. If on clothes, remove clothes.	
In case of eye contact	<ul> <li>Flush eyes with water as a precaution.</li> <li>Remove contact lenses.</li> <li>Protect unharmed eye.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a specialist.</li> </ul>	
If swallowed	<ul> <li>Keep respiratory tract clear.</li> <li>Do not give milk or alcoholic beverages.</li> <li>Never give anything by mouth to an unconscious persol</li> <li>If symptoms persist, call a physician.</li> </ul>	on.
4.2 Most important symptoms	and effects, both acute and delayed	
Symptoms	: No symptoms known or expected.	
4.3 Indication of any immedia	e medical attention and special treatment needed	
Treatment	: No hazards which require special first aid measures.	

Treat symptomatically.

# **SECTION 5: Firefighting measures**

<b>5.1 Extinguishing media</b> Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.		
Unsuitable extinguishing media	:			
5.2 Special hazards arising from the substance or mixture         Hazardous combustion       :       carbon dioxide and carbon monoxide         products       :       sulfur oxides				
<ul><li>5.3 Advice for firefighters</li><li>Special protective equipment for firefighters</li><li>Further information</li></ul>	:	Wear self-contained breathing apparatus for firefighting if necessary. Standard procedure for chemical fires.		
		1/26		



#### SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE 5W30 Synthetic

Blend Motor Oil

Version: 12.0

Revision Date: 24.07.2023

Print Date: 24/07/2023

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protect Personal precautions		e equipment and emergency procedures Use personal protective equipment.
6.2 Environmental precautions		
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for cor	ntaiı	nment and cleaning up
Methods for cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling	:	Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage : Keep container tightly closed in a dry and well-ventilated



#### SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE 5W30 Synthetic Blend Motor Oil

Version: 12.0	Revision Date: 24.07.2023	Print Date: 24/07/2023
areas and containers	place. Electrical installations / work with the technological safety standa	• • • • • •
Further information on storage stability	: No decomposition if stored and app	lied as directed.
7.3 Specific end use(s) Specific use(s)	: No data available	

# SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis			
LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED	72623-87-1	TWA (Mist)	5 mg/m3	HU OEL			
			commended in SCOEL/SUM				
			azard after PROLONGED ex	kposure.			
			mber of hours per week				
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	64742-54-7	TWA (Mist)	5 mg/m3	HU OEL			
	Further inform	Further information: Limit value recommended in SCOEL/SUM/163/2011,					
	Substances which have a health hazard after PROLONGED exposure. Corrected value = TWA x 40 / number of hours per week						
HYDROTREATED LIGHT PARAFFINIC DISTILLATE	64742-55-8	TWA (Mist)	5 mg/m3	HU OEL			
	Further information: Limit value recommended in SCOEL/SUM/163/2011, Substances which have a health hazard after PROLONGED exposure. Corrected value = TWA x 40 / number of hours per week						
DISTILLATES (PETROLEUM),	64742-65-0	TWA (Mist)	5 mg/m3	HU OEL			



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE 5W30 Synthetic Blend Motor Oil

Version: 12.0	Revision Date: 24.07.2023 P			Print Date: 24/07/2023
SOLVENT- DEWAXED HEAVY PARAFFINIC				
	Substances w	nation: Limit value re /hich have a health h ue = TWA x 40 / nu	azard after PROLO	NGED exposure.
Distillates, petroleum, solvent- refined heavy paraffinic	64741-88-4	TWA (Mist)	5 mg/m3	HUOEL
	Further information: Limit value recommended in SCOEL/SUM/163/2011, Substances which have a health hazard after PROLONGED exposure. Corrected value = TWA x 40 / number of hours per week			

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased	Workers	Inhalation	Long-term systemic effects	7,05 mg/m3
	Workers	Inhalation	Acute systemic effects	167 mg/m3
	Workers	Dermal	Long-term systemic effects	2,08 mg/kg
	Workers	Dermal	Acute systemic effects	80 mg/kg
	Consumer use	Inhalation	Long-term systemic effects	1,74 mg/m3
	Consumer use	Inhalation	Acute systemic effects	0,167 mg/m3
	Consumer use	Dermal	Long-term systemic effects	1,04 mg/kg
	Consumer use	Dermal	Acute systemic effects	40 mg/kg
	Consumer use	Oral	Long-term systemic effects	0,5 mg/kg

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased	Sewage treatment plant	100 mg/l
	Marine sediment	3480 mg/kg
	Fresh water sediment	43500 mg/kg



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE 5W30 Synthetic Blend Motor Oil

Version: 12.0	Revision Date: 24.07.2023	Print Date: 24/07/2023
	Soil	8850 mg/kg
8.2 Exposure controls		
Personal protective equi	pment	
Eye/face protection	: Eye wash bottle with pure water Tightly fitting safety goggles	r
Hand protection Material Break through time Glove thickness Directive	<ul> <li>neoprene, nitrile rubber</li> <li>&gt;= 240 min</li> <li>&gt;= 0,35 mm</li> <li>Equipment should conform to E</li> </ul>	N 374
Remarks	: The selected protective gloves I specifications of Regulation (EL EN 374 derived from it. Gloves replaced if there is any indicatio breakthrough. Please observe t permeability and breakthrough t the supplier of the gloves. Also specific local conditions under v such as the danger of cuts, abra The data about break through ti standard values! The exact breat material has to be obtained from protective glove. The suitability for a specific wor with the producers of the protect	J) 2016/425 and the standard should be discarded and on of degradation or chemical the instructions regarding time which are provided by take into consideration the which the product is used, asion, and the contact time. ime/strength of material are ak through time/strength of n the producer of the kplace should be discussed
Skin and body protection	: Impervious clothing Choose body protection accord concentration of the dangerous	ing to the amount and substance at the work place.
Respiratory protection	: No personal respiratory protecti required.	ive equipment normally

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	amber



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE 5W30 Synthetic Blend Motor Oil

Version: 12.0	Revis	sion Date: 24.07.2023	Print Date: 24/07/2023
Odour	: 0	bily	
Odour Threshold	: 1	No data available	
Melting point/freezing point	: 1	No data available	
Boiling point/boiling range	: 1	No data available	
Flammability	: 1	No data available	
Upper explosion limit / Upper flammability limit	: 1	No data available	
Lower explosion limit / Lower flammability limit	: 1	No data available	
Flash point		200 °C Method: Pensky-Martens closed cup	
Decomposition temperature	: 1	No data available	
рН	: 1	Not applicable	
Viscosity Viscosity, dynamic		< 6.400 mPa.s (-30 °C) No data available	
Viscosity, kinematic	: 7	72 mm2/s (40 °C)	
Solubility(ies) Water solubility	: i	insoluble	
Solubility in other solvents	: 1	No data available	
Partition coefficient: n- octanol/water	: 1	No data available	
Vapour pressure	: 1	No data available	
Relative density	: 1	No data available	
Density		ca. 0,856 g/cm3 No data available	
Bulk density	: 1	No data available	



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE 5W30 Synthetic Blend Motor Oil

Version: 12.0	Revision Date: 24.07.2023	Print Date: 24/07/2023
Relative vapour density	: No data available	
<b>9.2 Other information</b> Oxidizing properties Self-ignition	<ul><li>No data available</li><li>No data available</li></ul>	
Evaporation rate	: No data available	

## **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

No decomposition if stored and applied as directed.

#### **10.2 Chemical stability**

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

#### 10.4 Conditions to avoid

Conditions to avoid : excessive heat

#### 10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

#### **10.6 Hazardous decomposition products**

No hazardous decomposition products are known.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### Components:

#### LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE 5W30 Synthetic Blend Motor Oil

sion: 12.0	Revision Date: 24.07.2023	Print Date: 24/07/202
Acute oral toxicity	: LD50 (Rat): > 5.000 mg/k	<g< td=""></g<>
Acute inhalation toxicity	: LC50 (Rat): > 5,58 mg/l Exposure time: 4 h Test atmosphere: dust/m Assessment: The substa inhalation toxicity Remarks: No mortality ob	nce or mixture has no acute
Acute dermal toxicity	: LD50 (Rabbit): > 5.000 m Remarks: No mortality ob	
DISTILLATES (PETROLEI	M), SOLVENT-DEWAXED HE	AVY PARAFFINIC:
Acute oral toxicity	: LD50 (Rat): > 5.000 mg/k	κg
Acute dermal toxicity	: LD50 (Rabbit): > 5.000 m	ng/kg
Phenol, dodecyl-, sulfuriz	ed, carbonates, calcium salts,	overbased:
Acute oral toxicity	: LD50 (Rat): > 5.000 mg/k	<g< td=""></g<>
Acute dermal toxicity	: LD50 (Rabbit): > 5.000 m	ng/kg
PHOSPHORODITHIOIC A	ID, MIXED O,O-BIS(1,3-DIME	THYLBUTYL AND ISO-PR) ESTERS
	: LC50 (Rat): > 2,3 mg/l Exposure time: 4 h Test atmosphere: vapour	
ZINC SALTS:	<ul> <li>LC50 (Rat): &gt; 2,3 mg/l Exposure time: 4 h Test atmosphere: vapour Assessment: The substa inhalation toxicity</li> <li>LD50 (Rat): &gt; 2.000 mg/ł</li> </ul>	nce or mixture has no acute
<b>ZINC SALTS:</b> Acute inhalation toxicity Acute dermal toxicity	<ul> <li>LC50 (Rat): &gt; 2,3 mg/l Exposure time: 4 h Test atmosphere: vapour Assessment: The substa inhalation toxicity</li> <li>LD50 (Rat): &gt; 2.000 mg/k Assessment: The substa</li> </ul>	nce or mixture has no acute kg nce or mixture has no acute dermal
<b>ZINC SALTS:</b> Acute inhalation toxicity Acute dermal toxicity	<ul> <li>: LC50 (Rat): &gt; 2,3 mg/l Exposure time: 4 h Test atmosphere: vapour Assessment: The substation inhalation toxicity</li> <li>: LD50 (Rat): &gt; 2.000 mg/k Assessment: The substationary</li> </ul>	nce or mixture has no acute kg nce or mixture has no acute dermal
ZINC SALTS: Acute inhalation toxicity Acute dermal toxicity DISTILLATES (PETROLEU	<ul> <li>LC50 (Rat): &gt; 2,3 mg/l Exposure time: 4 h Test atmosphere: vapour Assessment: The substation inhalation toxicity</li> <li>LD50 (Rat): &gt; 2.000 mg/k Assessment: The substation toxicity</li> <li>M), HYDROTREATED HEAVY</li> </ul>	nce or mixture has no acute kg nce or mixture has no acute dermal
ZINC SALTS: Acute inhalation toxicity Acute dermal toxicity DISTILLATES (PETROLEU Acute oral toxicity Acute dermal toxicity	<ul> <li>: LC50 (Rat): &gt; 2,3 mg/l Exposure time: 4 h Test atmosphere: vapour Assessment: The substation inhalation toxicity</li> <li>: LD50 (Rat): &gt; 2.000 mg/k Assessment: The substation toxicity</li> <li>: M), HYDROTREATED HEAVY : LD50 (Rat): &gt; 15 g/kg</li> </ul>	nce or mixture has no acute kg nce or mixture has no acute dermal
ZINC SALTS: Acute inhalation toxicity Acute dermal toxicity DISTILLATES (PETROLEU Acute oral toxicity Acute dermal toxicity	<ul> <li>: LC50 (Rat): &gt; 2,3 mg/l Exposure time: 4 h Test atmosphere: vapour Assessment: The substation toxicity</li> <li>: LD50 (Rat): &gt; 2.000 mg/k Assessment: The substation toxicity</li> <li>: LD50 (Rat): &gt; 100 mg/k</li> <li>: LD50 (Rat): &gt; 15 g/kg</li> <li>: LD50 (Rat): &gt; 15 g/kg</li> <li>: LD50 (Rabbit): &gt; 5 g/kg</li> </ul>	nce or mixture has no acute (g nce or mixture has no acute dermal <b>PARAFFINIC:</b>



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE 5W30 Synthetic Blend Motor Oil

sion: 12.0	Revision Date: 24.07.2023	Print Date: 24/07/202
	Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance o inhalation toxicity Remarks: No mortality observe	
Acute dermal toxicity	: LD50 (Rabbit): > 5.000 mg/kg Remarks: No mortality observe	ed at this dose.
Skin corrosion/irritation		
Not classified based on av	vailable information.	
Product:		
Remarks	: May cause skin irritation and/o	or dermatitis.
Components:		
LUBRICATING OILS, PE	TROLEUM, C20-50, HYDROTREATED	D:
Species	: Rabbit	
Result	: No skin irritation	
HYDROTREATED LIGHT	PARAFFINIC DISTILLATE:	
Assessment	: Slight, transient irritation	
Result	: Slight, transient irritation	
DISTILLATES (PETROLI	EUM), SOLVENT-DEWAXED HEAVY I	PARAFFINIC:
Assessment	: Slight, transient irritation	
Result	: Slight, transient irritation	
Phenol, dodecyl-, sulfur	ized, carbonates, calcium salts, over	based:
Species	: Rabbit	based:
-		based:
Species Result	: Rabbit	
Species Result PHOSPHORODITHIOIC	: Rabbit : No skin irritation	
Species Result PHOSPHORODITHIOIC ZINC SALTS:	: Rabbit : No skin irritation ACID, MIXED O,O-BIS(1,3-DIMETHYL	
Species Result PHOSPHORODITHIOIC ZINC SALTS: Species Result	: Rabbit : No skin irritation ACID, MIXED O,O-BIS(1,3-DIMETHYL : Rabbit	BUTYL AND ISO-PR) ESTERS
Species Result PHOSPHORODITHIOIC ZINC SALTS: Species Result	<ul> <li>Rabbit</li> <li>No skin irritation</li> </ul> ACID, MIXED O,O-BIS(1,3-DIMETHYL <ul> <li>Rabbit</li> <li>Irritating to skin.</li> </ul>	BUTYL AND ISO-PR) ESTERS



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE 5W30 Synthetic Blend Motor Oil

Version: 12.0

Revision Date: 24.07.2023

Print Date: 24/07/2023

#### Distillates, petroleum, solvent-refined heavy paraffinic:

Species	:	Rabbit
Result	:	No skin irritation

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Product:

Result	: No eye irritation
Remarks	: Vapours may cause irritation to the eyes, respiratory system and the skin.

#### Components:

#### LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

Species	:	Rabbit
Result	:	No eye irritation

#### HYDROTREATED LIGHT PARAFFINIC DISTILLATE:

Assessment	:	Slight, transient irritation
Result	:	Slight, transient irritation

#### DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC:

Assessment	:	Slight, transient irritation
Result	:	Slight, transient irritation

#### Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased:

Species	:	Rabbit
Result	:	No eye irritation

# PHOSPHORODITHIOIC ACID, MIXED O,O-BIS(1,3-DIMETHYLBUTYL AND ISO-PR) ESTERS, ZINC SALTS:

Species	: Rabbit
Result	: Corrosive

#### DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Assessment	:	No eye irritation
Result	:	No eye irritation



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE 5W30 Synthetic Blend Motor Oil

Version: 12.0

Revision Date: 24.07.2023

Print Date: 24/07/2023

#### Distillates, petroleum, solvent-refined heavy paraffinic:

	-		
Species		:	Rabbit
Result		:	No eye irritation

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### **Components:**

#### LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

Test Type	:	Buehler Test
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.

#### Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased:

Test Type Species Assessment	:	Maximisation Test Guinea pig Does not cause skin sensitisation.
Test Type Assessment	:	Human Repeat Insult Patch Testing (HRIPT) Does not cause skin sensitisation.

# PHOSPHORODITHIOIC ACID, MIXED O,O-BIS(1,3-DIMETHYLBUTYL AND ISO-PR) ESTERS, ZINC SALTS:

Test Type	:	Buehler Test
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406

#### Distillates, petroleum, solvent-refined heavy paraffinic:

Test Type	:	Buehler Test
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.

#### Germ cell mutagenicity

Not classified based on available information.



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE 5W30 Synthetic Blend Motor Oil

Version: 12.0

Revision Date: 24.07.2023

Print Date: 24/07/2023

#### **Components:**

#### Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased:

Genotoxicity in vitro	: Test Type: Ames test
	Test system: Salmonella typhimurium
	Metabolic activation: with and without metabolic activation
	Result: negative

# PHOSPHORODITHIOIC ACID, MIXED O,O-BIS(1,3-DIMETHYLBUTYL AND ISO-PR) ESTERS, ZINC SALTS:

Genotoxicity in vitro	: Test Type: Ames test
	Test system: Salmonella typhimurium
	Metabolic activation: with and without metabolic activation
	Result: negative

#### Carcinogenicity

Not classified based on available information.

#### **Components:**

#### LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

Carcinogenicity -	:	Classified based on DMSO extract content < 3% (Regulation
Assessment		(EC) 1272/2008, Annex VI, Part 3, Note L)

#### HYDROTREATED LIGHT PARAFFINIC DISTILLATE:

Carcinogenicity -	:	Classified based on DMSO extract content < 3% (Regulation
Assessment		(EC) 1272/2008, Annex VI, Part 3, Note L)

#### DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC:

Carcinogenicity -	:	Classified based on DMSO extract content < 3% (Regulation
Assessment		(EC) 1272/2008, Annex VI, Part 3, Note L)

#### DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Carcinogenicity -	:	Classified based on DMSO extract content < 3% (Regulation
Assessment		(EC) 1272/2008, Annex VI, Part 3, Note L)

#### Distillates, petroleum, solvent-refined heavy paraffinic:

Carcinogenicity -	:	Classified based on DMSO extract content < 3% (Regulation
Assessment		(EC) 1272/2008, Annex VI, Part 3, Note L)



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE 5W30 Synthetic Blend Motor Oil

Version: 12.0

Revision Date: 24.07.2023

Print Date: 24/07/2023

# Reproductive toxicity

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

### **STOT - repeated exposure** Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### Components:

#### LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:

May be fatal if swallowed and enters airways.

#### HYDROTREATED LIGHT PARAFFINIC DISTILLATE:

May be fatal if swallowed and enters airways.

#### DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC:

May be fatal if swallowed and enters airways.

#### DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

No aspiration toxicity classification

#### **11.2 Information on other hazards**

#### Endocrine disrupting properties

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### Further information

#### Product:

Remarks

: No data available



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE 5W30 Synthetic Blend Motor Oil

Version: 12.0

Revision Date: 24.07.2023

Print Date: 24/07/2023

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product:		
Ecotoxicology Assessment		
Acute aquatic toxicity	:	Not classified based on available information.
Chronic aquatic toxicity	:	Not classified based on available information.
Components:		
LUBRICATING OILS, PETRO	DLE	UM, C20-50, HYDROTREATED:
Toxicity to fish	:	LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 48 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	NOELR: >= 1.000 mg/l Exposure time: 14 d Species: Oncorhynchus mykiss (rainbow trout)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEL: 10 mg/l Exposure time: 21 d Species: Daphnia (water flea) Test substance: WAF Method: OECD Test Guideline 211



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE 5W30 Synthetic Blend Motor Oil

sion: 12.0	Re	evision Date: 24.07.2023	Print Date: 24/07/2023
Ecotoxicology Assessment			
Acute aquatic toxicity	:	Not classified based on available information	ition.
Chronic aquatic toxicity	:	Not classified based on available information	ition.
HYDROTREATED LIGHT PA	RA	FFINIC DISTILLATE:	
Ecotoxicology Assessment			
Acute aquatic toxicity	:	Not classified based on available information	ition.
Chronic aquatic toxicity	:	Not classified based on available information	ation.
DISTILLATES (PETROLEUM)	), S	OLVENT-DEWAXED HEAVY PARAFFIN	IIC:
Ecotoxicology Assessment			
Acute aquatic toxicity	:	Not classified based on available information	ition.
Chronic aquatic toxicity	:	Not classified based on available information	ation.
Phenol, dodecyl-, sulfurized,	, ca	arbonates, calcium salts, overbased:	
Toxicity to fish	:	LC50 (Pimephales promelas (fathead mi Exposure time: 96 h Test Type: semi-static test Test substance: WAF	
		Remarks: No toxicity at the limit of solubi	lity
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): > 1 Exposure time: 48 h Test Type: static test	0 mg/l
		Test substance: WAF	
		Remarks: No toxicity at the limit of solubi	lity
Toxicity to algae/aquatic plants	:	NOELR (Pseudokirchneriella subcapitata point: Growth inhibition Exposure time: 96 h Test Type: static test Test substance: WAF Remarks: No toxicity at the limit of solubi	
Ecotoxicology Assessment			
Acute aquatic toxicity	:	Not classified based on available information	ition.
Chronic aquatic toxicity	:	May cause long lasting harmful effects to	aquatic life.



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE 5W30 Synthetic Blend Motor Oil

Version: 12.0

Revision Date: 24.07.2023

Print Date: 24/07/2023

PHOSPHORODITHIOIC ACIE ZINC SALTS:	), N	IIXED 0,0-BIS(1,3-DIMETHYLBUTYL AND ISO-PR) ESTERS,
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0,4 mg/l End point: Reproduction Test Exposure time: 28 d Species: Daphnia magna (Water flea) Test substance: WAF Method: OECD Test Guideline 211
Ecotoxicology Assessment		
Acute aquatic toxicity	:	Not classified based on available information.
Chronic aquatic toxicity	:	Not classified based on available information.
DISTILLATES (PETROLEUM	I), F	IYDROTREATED HEAVY PARAFFINIC:
Toxicity to fish	:	LL50 (Fish): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Aquatic invertebrates): > 10.000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EL50 (Algae, algal mat (Algae)): > 100 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	:	NOEC: 10 mg/l Species: Fish
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 10 mg/l Species: Aquatic invertebrates
Ecotoxicology Assessment		
Acute aquatic toxicity	:	Not classified based on available information.
Chronic aquatic toxicity	:	Not classified based on available information.
Distillates, petroleum, solve	nt-	refined heavy paraffinic:
Toxicity to fish	:	LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE 5W30 Synthetic Blend Motor Oil

Toxicity to daphnia and other aquatic invertebrates       :       EL50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 48 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 202         Toxicity to algae/aquatic plants       :       NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 201         Toxicity to fish (Chronic :       :       NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 201         Toxicity to fish (Chronic :       :       NOELR: Calculated >= 1.000 mg/l Exposure time: 14 d Species: Oncorhynchus mykiss (rainbow trout)         Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)       :       NOEL: 10 mg/l Exposure time: 21 d Species: Daphnia (water flea) Test substance: WAF Method: OECD Test Guideline 211         Ecotoxicology Assessment Acute aquatic toxicity       :       Not classified based on available information.         Chronic aquatic toxicity       :       Not classified based on available information.         Chronic aquatic toxicity       :       Not classified based on available information.         Chronic aquatic toxicity       :       Not classified based on available information.         Chronic aquatic toxicity       :       Not classified based on available information.         LUBRICATING OILS, PETRO	Version: 12.0	Revis	sion Date: 24.07.2023	Print Date: 24/07/2023
plants       100 mg/l         End point: Growth inhibition         Exposure time: 72 h         Test Type: static test         Test substance: WAF         Method: OECD Test Guideline 201         Toxicity to fish (Chronic       :         toxicity)       :         Toxicity to daphnia and other       :         aquatic invertebrates       :         (Chronic toxicity)       :         NOEL: 10 mg/l       :         Exposure time: 21 d       :         (Chronic toxicity)       :         Persistance: WAF       :         Method: OECD Test Guideline 211       :         Ecotoxicology Assessment       :         Acute aquatic toxicity       :       Not classified based on available information.         Chronic aquatic toxicity       :       Not classified based on available information.         12.2 Persistence and degradability       :       Not classified based on available information.         12.2 Persistence and degradability       :       Result: Not readily biodegradable.         Biodegradability       :       Result: Not readily biodegradable.         Biodegradability       :       Result: Not readily biodegradable.         Biodegradability       :       Result: Not readil		E T T	xposure time: 48 h est Type: static test est substance: WAF	0.000 mg/l
toxicity)Exposure time: 14 d Species: Oncorhynchus mykiss (rainbow trout)Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity): NOEL: 10 mg/l Exposure time: 21 d Species: Daphnia (water flea) Test substance: WAF Method: OECD Test Guideline 211Ecotoxicology Assessment Acute aquatic toxicity: Not classified based on available information.Chronic aquatic toxicity: Not classified based on available information.12.2 Persistence and degradability: Not classified based on available information.UBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED: Biodegradability: Result: Not readily biodegradable. Biodegradabilityidegradability: Result: Not readily biodegradable. BiodegradabilityWethod: OECD Test Guideline 301B		1 E T T	00 mg/l and point: Growth inhibition exposure time: 72 h est Type: static test est substance: WAF	green algae)): >=
aquatic invertebrates (Chronic toxicity)       Exposure time: 21 d Species: Daphnia (water flea) Test substance: WAF Method: OECD Test Guideline 211         Ecotoxicology Assessment Acute aquatic toxicity       :         Not classified based on available information.         Chronic aquatic toxicity       :         Not classified based on available information.         Chronic aquatic toxicity       :         Not classified based on available information.         12.2 Persistence and degradability         Components:         LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:         Biodegradability       :         Result: Not readily biodegradable. Biodegradability         Biodegradability       :         Result: Not readily biodegradable. Biodegradation: 2 - 4 % Exposure time: 28 d Method: OECD Test Guideline 301B		E	xposure time: 14 d	trout)
Acute aquatic toxicity       : Not classified based on available information.         Chronic aquatic toxicity       : Not classified based on available information.         12.2 Persistence and degradability       :         Components:       :         LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:         Biodegradability       : Result: Not readily biodegradable.         Biodegradation: 2 - 4 %       : Exposure time: 28 d         Method: OECD Test Guideline 301B       : Hethod: OECD Test Guideline 301B	aquatic invertebrates	E S T	xposure time: 21 d pecies: Daphnia (water flea) est substance: WAF	
Chronic aquatic toxicity : Not classified based on available information. <b>12.2 Persistence and degradability</b> <u>Components:</u> <u>LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:</u> Biodegradability : Result: Not readily biodegradable. Biodegradability : Result: Not readily biodegradable. Biodegradation: 2 - 4 % Exposure time: 28 d Method: OECD Test Guideline 301B	Ecotoxicology Assessment			
12.2 Persistence and degradability <u>Components:</u> LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:         Biodegradability       : Result: Not readily biodegradable.         Biodegradability       : Result: Not readily biodegradable.         Biodegradation: 2 - 4 %       : Exposure time: 28 d         Method: OECD Test Guideline 301B	Acute aquatic toxicity	: N	lot classified based on available informa	tion.
Components:         LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED:         Biodegradability       : Result: Not readily biodegradable.         Biodegradability       : Result: Not readily biodegradable.         Biodegradation:       2 - 4 %         Exposure time:       28 d         Method:       OECD Test Guideline 301B	Chronic aquatic toxicity	: N	lot classified based on available informa	tion.
LUBRICATING OILS, PETROLEUM, C20-50, HYDROTREATED: Biodegradability : Result: Not readily biodegradable. Biodegradation: 2 - 4 % Exposure time: 28 d Method: OECD Test Guideline 301B	12.2 Persistence and degradabil	ity		
Biodegradability : Result: Not readily biodegradable. Biodegradation: 2 - 4 % Exposure time: 28 d Method: OECD Test Guideline 301B	Components:			
Biodegradation: 2 - 4 % Exposure time: 28 d Method: OECD Test Guideline 301B	LUBRICATING OILS, PETRO	LEUN	M, C20-50, HYDROTREATED:	
Phenol dodecyl- sulfurized carbonates calcium salts overbased	Biodegradability	B E	liodegradation: 2 - 4 % Exposure time: 28 d	
	Phenol, dodecyl-, sulfurized	, carb	onates, calcium salts, overbased:	
Biodegradability : Result: Not readily biodegradable. Biodegradation: < 10 % Exposure time: 28 d Method: Modified Sturm Test	Biodegradability	B E	liodegradation: < 10 % Exposure time: 28 d	

20 / 26



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE 5W30 Synthetic Blend Motor Oil

Version: 12.0

Revision Date: 24.07.2023

Print Date: 24/07/2023

Remarks: The toxicological data has been taken from products of similar composition.

PHOSPHORODITHIOIC ACID, MIXED 0,0-BIS(1,3-DIMETHYLBUTYL AND ISO-PR) ESTERS, ZINC SALTS:

Biodegradability : Result: Not readily biodegradable. Biodegradation: 1,5 % Exposure time: 28 d Method: OECD Test Guideline 301B

#### Distillates, petroleum, solvent-refined heavy paraffinic:

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 2 - 4 %
	Exposure time: 28 d
	Method: OECD Test Guideline 301B

#### 12.3 Bioaccumulative potential

#### **Components:**

Phenol, dodecyl-, sulfurized,	Ca	arbonates, calcium salts, overbased:
Partition coefficient: n-	:	log Pow: 9,5
octanol/water		

# PHOSPHORODITHIOIC ACID, MIXED 0,0-BIS(1,3-DIMETHYLBUTYL AND ISO-PR) ESTERS, ZINC SALTS:

Partition coefficient: n- : log Pow: 0,56 octanol/water

#### DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Partition coefficient: n-	: log Pow: Expected > 7
octanol/water	

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment	: This substance/mixture contains no components considered
	to be either persistent, bioaccumulative and toxic (PBT), or
	very persistent and very bioaccumulative (vPvB) at levels of
	0.1% or higher.



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE 5W30 Synthetic Blend Motor Oil

Version: 12.0

Revision Date: 24.07.2023

Print Date: 24/07/2023

#### 12.6 Endocrine disrupting properties

Product:		
Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects		
Product:		
Additional ecological information	:	No data available

#### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods		
Product	:	Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

## **SECTION 14: Transport information**

### 14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA_P	:	Not regulated as a dangerous good



according to Regulation (EC) No. 1907/2006 Valvoline<sup>™</sup> ALL CLIMATE 5W30 Synthetic Blend Motor Oil

Version: 12.0	Revision	Date: 24.07.2023	Print Date: 24/07/2023
14.2 UN proper shipping name			
ADN	: Not re	egulated as a dangerous good	
ADR	: Not re	egulated as a dangerous good	
RID	: Not re	egulated as a dangerous good	
IMDG	: Not re	egulated as a dangerous good	
IATA_P	: Not re	egulated as a dangerous good	
14.3 Transport hazard class(es)			
ADN	: Not re	egulated as a dangerous good	
ADR	: Not re	egulated as a dangerous good	
RID	: Not re	egulated as a dangerous good	
IMDG	: Not re	egulated as a dangerous good	
IATA_P	: Not re	egulated as a dangerous good	
14.4 Packing group			
ADN	: Not re	egulated as a dangerous good	
ADR	: Not re	egulated as a dangerous good	
RID	: Not re	egulated as a dangerous good	
IMDG	: Not re	egulated as a dangerous good	
IATA (Cargo)	: Not re	egulated as a dangerous good	
IATA_P (Passenger)	: Not re	egulated as a dangerous good	
14.5 Environmental hazards			

#### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Not applicable

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

## **SECTION 15: Regulatory information**



KECI

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE 5W30 Synthetic Blend Motor Oil

Version: 12.0	Revision Date: 24.07.20	)23	Print Date: 24/07/2023
15.1 Safety, health and enviro	nmental regulations/legis	lation	specific for the substance or mixture
REACH - Restrictions on the market and use of certa mixtures and articles (Anne	ne manufacture, placing on ain dangerous substances,	:	Conditions of restriction for the following entries should be considered: Number on list 75 If you intend to use this product as tattoo ink, please contact your vendor.
REACH - Candidate List of Concern for Authorisation (		:	Not applicable
Regulation (EC) No 1005/2 deplete the ozone layer	009 on substances that	:	Not applicable
Regulation (EU) 2019/1021 pollutants (recast)	on persistent organic	:	Not applicable
REACH - List of substance (Annex XIV)	s subject to authorisation	:	Not applicable
Seveso III: Directive 2012/ European Parliament and c control of major-accident had dangerous substances.	of the Council on the	Not	applicable
Other regulations:			
2000 XXV. Law on chemica 44/2000. (XII 27) Ministry o certain procedures and arra	f health dangerous substan	ces ar	nd preparations dangerous for
The components of this p TCSI	oroduct are reported in the : On the inventory, or		wing inventories: npliance with the inventory
TSCA	: All substances listed	l as ac	ctive on the TSCA inventory
AIIC	: Not in compliance w	vith the	e inventory
DSL	: All components of th	nis pro	duct are on the Canadian DSL
ENCS	: On the inventory, or	in cor	npliance with the inventory

: On the inventory, or in compliance with the inventory

24 / 26



#### SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Valvoline<sup>™</sup> ALL CLIMATE 5W30 Synthetic Blend Motor Oil

Version: 12.0	Revision Date: 24.07.2023	Print Date: 24/07/2023
PICCS	: On the inventory, or in compliance v	vith the inventory
IECSC	: On the inventory, or in compliance v	vith the inventory
NZIoC	: On the inventory, or in compliance v	vith the inventory

#### 15.2 Chemical safety assessment

## No data available

## Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

#### **SECTION 16: Other information**

Full text of H-Statements		
H304	:	May be fatal if swallowed and enters airways.
H315	:	Causes skin irritation.

11010	
H318	: Causes serious eye damage.
H411	: Toxic to aquatic life with long lasting effects.
H413	: May cause long lasting harmful effects to aquatic life.

#### Full text of other abbreviations

Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Asp. Tox.	:	Aspiration hazard
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
HU OEL	:	Hungary. Occupational Exposure Limits - Annex 1: Permissible concentration values
HU OEL / TWA	:	Mean concentration

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Valvoline<sup>™</sup> ALL CLIMATE 5W30 Synthetic Blend Motor Oil

Version: 12.0

Revision Date: 24.07.2023

Print Date: 24/07/2023

International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory: LC50 - Lethal Concentration to 50 % of a test population: LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature: SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations: vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Internal information : 000000264677

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

HU / EN