according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile chain lube

Version: 2 Previous Issue / Date of last revision (manufacturers): -/ 08. 12. 2022 Date of issue: 30. 06. 2020 Page: 1/(12) Date revision: 31. 08. 2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier **A.Z. Meisterteile chain lube** UFI: PMXV-XH3P-442V-E69M
- 1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses: maintenance product for residential and professional use. Uses advised against: application other than the above.
- 1.3. Details of the supplier of the safety data sheet:

Distributor Details: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: +36 1 270 8700 Fax: +36 1 270 8799 E-mail: cs@unixauto.com It is related to the use of the product technical information: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: +36 1 270 8700 Fax: +36 1 270 8799 E-mail: cs@unixauto.com

Responsible for SDS: UNIX Autó és Alkatrészkereskedelmi Kft. H-1139 Budapest, Frangepán u. 55-57. Tel.: +36 1 270 8700 Fax: +36 1 270 8799 E-mail: cs@unixauto.com

1.4. Emergency telephone number Emergency telephone (07-15²⁰ h): +36 1 270 8700 (CET) on workdays Health Toxicological Information Service (ETTSZ 1097 Budapest, Albert Flórián út 2-6.) Tel.: +36 80 201 199 (0-24 h, free number, can only be called from Hungary). +36 1 476 6464 (0-24 h, can be called for a normal fee - also from abroad)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture				
		Hazard Class and Category:	Hazard	statement:
		Aerosol 1	H222	Extremely flammable aerosol
		Aerosol 1	H229	Pressurized container: may burst if heated.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile chain lube

Version: 2 Previous Issue / Date of last revision D (manufacturers): - / 08. 12. 2022 D

Date of issue: 30. 06. 2020 Page: 2/(12) Date revision: 31. 08. 2023

2.2. Label elements Product identification: Trade name: A.Z. Meisterteile chain lube Hazardous components: **GHS** Pictogram: Signal word: Danger Hazard statement: H222 Extremely flammable aerosol Pressurized container: may burst if heated. H229 Supplemental hazard information: -Precautionary statements – General: Keep out of reach of children. P102 Precautionary statements – Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition P210 sources. No smoking. Do not spray on an open flame or other ignition source. P211 Do not pierce or burn, even after use. P251 Avoid breathing spray. **P261** P271 Use only outdoors or in a well-ventilated area Precautionary statements – Response: P304 + P340IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305 + P351 +IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. **P338** Precautionary statements - Storage: P410 + P412Protect from sunlight. Do no expose to temperatures exceeding 50°C/ 122°F. Precautionary statements – Disposal: P501 Dispose of contents/container in accordance with national regulation. Other liabilities for labelling: Tactile warning of danger and child-resistant fastening: Not required. Transport classification: see section 14.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile chain lube

Version: 2 Previous Issue / Date of last revision (manufacturers): -/ 08. 12. 2022 Date of issue: 30. 06. 2020 Page: 3/(12) Date revision: 31. 08. 2023

2.3. Other hazards

Product can form explosive gas/vapour/air mixtures.

Results of PBT and vPvB assessment: Does not contain PBT and vPvB substances. Endocrine disrupting properties: no data.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical description:

Mixtures of the following substances and non-hazardous substances with propellant gas.

Component(s) / Hazardous component(s):

Name	EC number	CAS number	Hazard classes and cat.	Hazard statements	Conc. %(m/m)
Propane REACH Registr. Nr.: 01-2119486944-21	200-827-9	74-98-6	Flam. Gas 1 Press. Gas	H220 H280	
Butane* REACH Registr. Nr.: 01-2119474691-32	203-448-7	106-97-8	Flam. Gas 1 Press. Gas	H220 H280	50-70
Isobutane* REACH Registr. Nr.: 01-2119485395-27	200-857-2	75-28-5	Flam. Gas. 1 Press. Gas.	H220 H280	

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never induce vomiting.

- Inhalation: Remove exposed person to fresh air. In case of complaints, get medical advice.
- Skin contact:Remove contaminated clothing. Wash skin with large amounts of water, use
soap. In case of persistent irritation, contact a doctor.
- Eye contact: Flush eyes with plenty of water for 10-15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of persistent irritation, contact a doctor.
- Ingestion: Not possible under normal conditions. When happened, rinse mouth with water. Do not induce vomiting (aspiration hazard). Get medical attention.

Protection of first-aid person: It may be hazardous to the person providing aid to give mouth-tomouth resuscitation.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile chain lube

Version: 2 Previous Issue / Date of last revision (manufacturers): - / 08. 12. 2022 Date of issue: 30. 06. 2020 Page: 4/(12) Date revision: 31. 08. 2023

- 4.2. Most important symptoms and effects, both acute and delayed Inhalation: irritation in the respiratory tract. Ingestion: digestive tract irritation, vomiting, diarrhea.
- 4.3. Indication of any immediate medical attention and special treatment needed Symptomatic treatment. Show safety data sheet or label to doctor.

SECTION 5: Fire-fighting measures

Fire hazards: Extremely flammable aerosol.

 5.1. Extinguishing media
 Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, water spray.

Unsuitable extinguishing media:

Full water jet. They could cause splattering, and spread the fire. Simultaneous use of foam and water on the same surface is to be avoided as water destroys the foam.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

In case of combustion carbon monoxide, carbon dioxide, nitrogen oxide, various hydrocarbons and soot can be formed.

5.3. Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations. Self-contained breathing apparatus.

Further information:

Use water spray just to cool down surfaces exposed to fire.

Collect contaminated fire-fighting water separately. It must not enter the sewage system. Contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures Personal precautions: see Section 8. Keep persons not involved in rescue at a distance. Sufficient ventilation should be provided. Keep away from sources of ignition – No smoking. Avoid contact with skin, clothing and eyes, inhalation of gas, vapour, aerosol.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile chain lube

Version: 2 Previous Issue / Date of last revision (manufacturers): - / 08. 12. 2022

Date of issue: 30. 06. 2020 Page: 5/(12) Date revision: 31. 08. 2023

6.2. Environmental precautions:

Prevent spills from entering into natural water, soil and drains by containing the liquid. All kind of ignition sources should be removed. Do not smoke. Notify relevant authority.

6.3. Methods and material for containment and cleaning up Exclude source of ignition. Adequate ventilation required in enclosed areas. Keep away from sources of ignition. Use non-sparking tools. Contain spilled liquid with sand, earth or other neutral material and place in suitable containers for disposal (dangerous waste).

6.4. Reference to other sections Personal precautions: see section 8. Waste treatment methods: see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep general measures applied for normal operations with chemicals and extremely flammable aerosols. Adequate ventilation or local exhaust must be provided. Keep away from sources of ignition - No smoking. Product can form flammable/explosive gas/vapour/air mixtures. Keep container in vertical position avoiding falls and strokes. Use explosion-proof and non-sparking tools. Do not pierce or burn, even after use. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Avoid to accumulate electrostatic charge. Avoid contact with skin, clothing and eyes, inhalation of gas, vapour, aerosol. Wash hands before breaks and at end of work. Take off contaminated clothing and wash it before reuse. When using do not eat or drink. Handling temperature: no data. Conditions for safe storage, including any incompatibilities 7.2. Keep general measures applied for storage of flammable and explosive materials. Store in dry, well-ventilated place in original, closed containers. Keep away from strong oxidizing agents, mineral acids, alkalis. Keep away from food, drink and feed. Keep out of reach of children.

Storage temperature: max. 35°C.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile chain lube

Version: 2 Previous Issue / Date of last revision (manufacturers): -/ 08. 12. 2022 Date of issue: 30. 06. 2020 Page: 6/(12) Date revision: 31. 08. 2023

7.3. Specific end use(s)

Maintenance product for residential and professional use.

SECTION 8: Exposure controls / personal protection

- 8.1. Control parameters
- 8.2. Exposure controls

No component to be indicated.

Engineering control measures: Adequate ventilation.

Personal protection:

(a)	Eye/fa	ce protection	Protective goggles with side shields or face shield if splashes may occur (EN 166).
(b)	Skin p	rotection	
	(i)	Hand protection	Protective gloves (EN 374).
		-	Note: Manufacturer's directions for use and the conditions of application should be observed.
	(ii)	Other	Protective clothing.
(c)	Respir	atory protection	In case of vapor or aerosol formation, a respirator with a suitable filter (A) is required.
(d)	Therm	al hazards	No data.

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

a)	Physical state:	aerosol (active ingredient: liquid, under pressure)
b)	Colour:	yellowish brown
c)	Odour:	oil
d)	Melting point/freezing point:	-187.6 – -138.3°C (propellant gas)
e)	Boiling point or initial boiling point and boiling range	
	(DIN 51356):	-104 – -60°C (propellant gas)
f)	Flammability:	Extremely flammable aerosol

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



	de na sion: 2	Previous Issue / Date of last revision I	Date of issue: 30. 06. 2020 Page: 7/(12)
		(manufacturers): - / 08. 12. 2022 I	Date revision: 31. 08. 2023
	g)	Lower and upper explosion limit:	Product is not explosive. However, formation of explosive air/steam mixtures is possible Data for denatured alcohol: lower: 3.5 vol% / upper: 15.0 vol%
	h)	Flash point (Cirkan C 220, ISO 25952):	260°C
	i)	Auto-ignition temperature:	287-537°C (propellant gas)
	j)	Decomposition temperature:	not available
	k)	pH:	not available
	1)	Kinematic viscosity (Cirkan C 220, ISO 3104	
		at 40°C:	220 mm ² /s
	m)	Solubility	
		Solubility in water:	not soluble
			24.4-60.4 mg/L (propellant gas)
	,	Solubility in other solvents:	soluble in organic solvents.
	n)	Partition coefficient n-octanol/water (log value)	
	0)	Vapour pressure:	50°C: <1200 kPa
		Densite and/an alteria lancite at 2000	-15°C: >150 kPa
	p)	Density and/or relative density at 20°C:	$0.0 \approx 2 m^3$
	a)	Relative vapour density:	$\sim 0.9 \text{ g/cm}^3$ not available
	q) r)	Particle characteristics:	not available
	/		
9.2.	Othe	r information	
		No data available.	

10.1. Reactivity	Dangerous reactivity not known.
10.2. Chemical stability	No decomposition if stored and handled properly.
10.3. Possibility of hazardous reactions	Strong oxidizing agents.
10.4. Conditions to avoid	High temperature (over 50°C), ignition source, heat source,
	open flame, spark, direct sunlight, electrostatic charging.
10.5. Incompatible materials	Oxidizing agents, alkalis.
	Data about the propellant: May form explosive mixture with
	nitrates and other oxidizing agents (e.g. chlorates,
	perchlorates, liquid oxygen).

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



accor	rding to regulation 1907/2006/EC	C (REACH) ar	nd 1272/2008/EC	Meisterteile ®
Trad	le name: A.Z. Meisterteil	e chain lube		
Versi	ion: 2 Previous Issue / Date (manufacturers): -/0		Date of issue: 30. 06. Date revision: 31. 08.	E ()
10.6.	Hazardous decomposition produ		conditions. Hazardous c	oducts are formed under ombustion products: See
SECT	FION 11: Toxicological info	rmation		
11.1.	Information on hazard classes a	as defined in R	egulation (EC) No 1272/	/2008
	Acute toxicity: Based on availa	ble data, the c	lassification criteria are r	not met
	Components: <i>Propane (CAS: 74-98-6)</i> Inhalation: LC ₅₀ (reference)	at)	1443 mg/L/4 h	(literature data)
	Butane (CAS: 106-97-8) Inhalation: LC ₅₀ (r	at)	658 mg/L/4 h	(literature data)
	<i>Isobutane (CAS: 75-28-5)</i> Inhalation: LC ₅₀ (n	nouse)	974 mg/L/4 h	
	Skin corrosion/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity: STOT-single exposure: STOT-repeated exposure: Aspiration hazard:	Based on Based on Based on Based on Based on Based on Based on	available data, the classif available data, the classif	fication criteria are not me fication criteria are not me
11.2.	Information on other hazards Endocrine disrupting properties	s: no data.		
SECT	FION 12: Ecological inform	ation		
12.1.	Toxicity		No data available for th	ne product.
	Components: Propane (CAS: 74-98-6)			
	Fish:	LC ₅₀	49.47 mg/L	(literature data)
	Other aquatic organisms: Algae:	LC_{50} EC ₅₀	27.14 mg/L 11.89 mg/L/72 h	(literature data) (literature data)

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



	le name ion: 2	e: A.Z. Meisterteil Previous Issue / Date (manufacturers): -/0	of last revision	on Date o	f issue: 30. 06. evision: 31. 08.	0 ()
	Putana	e (CAS: 106-97-8)				
	Fish		LC_{50}	24.11	mg/L	(literature data)
		er aquatic organisms:	LC_{50}		mg/L	(literature data)
	Alg		EC_{50}		mg/L/96 h	(literature data)
	Isobuto	ane (CAS: 75-28-5)				
	Fish		LC_{50}	27.98	mg/L	(literature data)
	Oth	er aquatic organisms:	LC50		mg/L	(literature data)
	Alg	ae:	EC50	89.57	mg/L/96 h	(literature data)
12.2.		ence and degradability gradability:	Ν	lo data avai	ilable for the pr	oduct.
12.3.	Propar Butane	umulative potential ne (CAS: 74-98-6) e (CAS: 106-97-8) nne (CAS: 75-28-5)	I I	.og Kow: 1 .og Kow: 1	ilable for the pr .09-2.8 (literatu .09-2.8 (literatu .09-2.8 (literatu	ure data) ure data)
12.4.		ty in soil		lo data.		
	Mobili	ty in water:	ľ	lo data.		
12.5.	Results	s of PBT and vPvB asses	ssment I	Does not con	ntain PBT and	vPvB substances.
12.6.	Endocr	rine disrupting properties	s 1	lo data.		
12.7.	Other a	adverse effects				
	Enviro	nmental effects:	S	pills may	•	dous to the environment n water surfaces causing
	Water	hazard class (German):		No data.		

SECTION 13: Disposal considerations

13.1. Waste treatment methods
 Product disposal:
 Wastes of the product or used oil should be treated as hazardous waste.
 Waste Identification Code: 16 05 04*
 Gases in pressure containers (including halons) containing dangerous substances.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile chain lube

Version: 2

Previous Issue / Date of last revision (manufacturers): - / 08. 12. 2022

Date of issue: 30. 06. 2020 Page: 10/(12) Date revision: 31. 08. 2023

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10*

Packaging containing residues of or contaminated by dangerous substances

Disposal must be in compliance with national and local regulations.

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

SECTION 14: Transport information

	-	
14.1.	UN number or ID number	1950
14.2.	UN proper shipping name	AEROSOLS
14.3.	Transport hazard class(es)	2 (classification code: 5F)
14.4.	Packing group	-
14.5.	Environmental hazards	no
	Marine pollutant:	no
14.6.	Special precautions for user	
	Labels:	2.1
	Tunnel restriction code:	2 (D)
14.7.	Maritime transport in bulk according to IMO instruments	not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2020/878/EU) and to Regulation (EC) 1272/2008. Seveso category: P3.a.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile chain lube

Version: 2 Previous Issue / Date of last revision (manufacturers): -/ 08. 12. 2022 Date of issue: 30. 06. 2020 Page: 11/(12) Date revision: 31. 08. 2023

15.2. Chemical safety assessment. not available

SECTION 16: Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Classification for mixtures and used evaluation method according to regulation 1272/2008/EC(CLP)Aerosol 1H222calculation method (based on flammable components)

Aerosol 1	H229	calculation method (based on flammable components)

The full text of each relevant Hazard classes and cat. and H- phrase in Section 3.:

H220	Extremely flammable gas
H280	Contains gas under pressure; may explode if heated.
Flam. Gas 1	Flammable gas Category 1
Press Gas	Compressed gas

Legend:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland
	Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BOD	Biological Oxygen Demand
Bw	Body Weight
C&L	Classification and Labelling

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



٦

Trade name: A.Z. Meisterteile chain lube

Version: 2 Previous Issue / Date of last revision (manufacturers): - / 08. 12. 2022 Date of issue: 30. 06. 2020 Page: 12/(12) Date revision: 31. 08. 2023

CAS	Chemical Abstracts Service			
CLP		Classification, Labelling and Packaging (1272/2008/EC)		
CMR		Carcinogenic, Mutagenic or toxic to Reproduction		
COD	Chemical Oxygen Demand			
CSA	Chemical Safety Assessment			
CSR		Chemical Safety Report		
DME				
DNEI	Derived No Effect Level			
ECHA				
Ecx	Effective Concentration x%			
Edx	Effective Dose x%			
ELIN	CS European List of Notified Chemical Substances			
ErC50	EC50 in terms of reduction of growth rate;			
ES	Exposure Scenario			
IARC	International Agency for Research on Cancer			
IATA	1			
IMDO	International Maritime Dangerous Goods			
LCx	Lethal Concentration x%	Lethal Concentration x%		
LDx	Lethal Dose x%	Lethal Dose x%		
LOAI	C Lowest Observed Adverse Effect Concentration	Lowest Observed Adverse Effect Concentration		
LOAI	L Lowest Observed Adverse Effect Level			
LOEO	Lowest Observed Effect Concentration	Lowest Observed Effect Concentration		
LOEI	Lowest Observed Effect Level	Lowest Observed Effect Level		
NOE	No observed effect concentration	No observed effect concentration		
NOEI	No observed effect level	No observed effect level		
NLP	No-Longer Polymer			
NOA	EL No Observed Adverse Effect Level	No Observed Adverse Effect Level		
OECI	Organisation for Economic Cooperation and Develop	Organisation for Economic Cooperation and Development		
PBT	Persistent Bioaccumulative and Toxic	Persistent Bioaccumulative and Toxic		
PNEC	Predicted No-Effect Concentration	Predicted No-Effect Concentration		
REAG	CH Registration, Evaluation, Authorisation and Restrictio	Registration, Evaluation, Authorisation and Restriction of Chemicals		
RID	Regulations concerning the International Carriage of	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SVH	Substance of Very High Concern	Substance of Very High Concern		
UVC	3 substance of unknown or variable composition, comp	substance of unknown or variable composition, complex reaction products or biological material		
VOC	Volatile organic compounds			
vPvB Very Persistent and very Bio-accumulative				
evision Ind	icators:			
Section	Subject of change	Date	Version	
1-16	Revision modification according to 2020/878/EU.	31. 08. 2023	2	
	Full revision due to composition change.			