according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



It is related to the use of the product

UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57.

technical information:

Tel.: +36 1 270 8700

Fax: +36 1 270 8799 E-mail: cs@unixauto.com

Trade name: **A.Z. Meisterteile silicone spray**

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 1/(12)

(manufacturers): 30. 06. 2020 / 14. 10. 2022 Date revision: 12. 09. 2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

A.Z. Meisterteile silicone spray UFI: C7YV-FHXF-942A-2KD2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: maintenance product for residential and professional use.

Uses advised against: application other than the above.

1.3. Details of the supplier of the safety data sheet:

Distributor Details:

UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57.

Tel.: +36 1 270 8700

Fax: +36 1 270 8799

E-mail: cs@unixauto.com

Responsible for SDS:

UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57.

Tel.: +36 1 270 8700

Fax: +36 1 270 8799

E-mail: cs@unixauto.com

1.4. Emergency telephone number

Emergency telephone (07-15²⁰ h): +36 1 270 8700 (CET) on workdays

Health Toxicological Information Service (ETTSZ 1097 Budapest, Albert Flórián út 2-6.)

Tel.: +36 80 201 199 (0-24 h, free number, can only be called from Hungary).

+36 1 476 6464 (0-24 h, can be called for a normal fee - also from abroad)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Hazard Class and Category: Hazard statement:

Aerosol 1 H222 Extremely flammable aerosol

Aerosol 1 H229 Pressurized container: may burst if heated.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile silicone spray**

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 2/(12)

(manufacturers): 30. 06. 2020 / 14. 10. 2022 Date revision: 12. 09. 2023

2.2. Label elements

Product identification: Trade name: **A.Z. Meisterteile silicone spray**

Hazardous components: -

GHS Pictogram:

Signal word: **Danger**

Hazard statement:

H222 Extremely flammable aerosol

H229 Pressurized container: may burst if heated.

Supplemental hazard information: -

Precautionary statements – General:

P102 Keep out of reach of children.

Precautionary statements – Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing spray.

Precautionary statements – Response:

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Precautionary statements – Storage:

P410 + **P412** Protect from sunlight. Do no expose to temperatures exceeding 50°C/122°F.

Precautionary statements – Disposal:

P501 Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger and child-resistant fastening: Not required.

Transport classification: see section 14.

2.3. Other hazards

Product can form flammable/explosive gas/vapour/air mixtures.

Results of PBT and vPvB assessment: The criteria for PBT or vPvB substances are not met.

Endocrine disrupting properties: no data.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile silicone spray**

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 3/(12)

(manufacturers): 30. 06. 2020 / 14. 10. 2022 Date revision: 12. 09. 2023

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical description: Mixtures of the following substances and non-hazardous substances

with propellant gas.

Component(s) / Hazardous component(s):

Name	EC	CAS	Hazard classes and	Hazard	Conc.
	number	number	cat.	statements	%(m/m)
Propane	200-827-9	74-98-6	Flam. Gas 1	H220	
REACH Registr. Nr.:			Press. Gas	H280	
01-2119486944-21					
Butane*	203-448-7	106-97-8	Flam. Gas 1	H220	
REACH Registr. Nr.:			Press. Gas	H280	80-90
01-2119474691-32					
Isobutane*	200-857-2	75-28-5	Flam. Gas. 1	H220	
REACH Registr. Nr.:			Press. Gas.	H280	
01-2119485395-27					

^{*1,3-}butadiene: <0,1 %

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never

induce vomiting.

Inhalation: Remove exposed person to fresh air. In case of complaints, get medical

advice.

Skin contact: Remove contaminated clothing. Wash skin with large amounts of water, use

soap. In case of persistent irritation, contact a doctor.

Eye contact: Flush eyes with plenty of water for 10-15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. In case of persistent irritation,

contact a doctor.

Ingestion: Not possible under normal conditions. When happened, rinse mouth with

water. Do not induce vomiting (aspiration hazard). Get medical attention.

Protection of first-aid person: It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation of larger quantity of the vapours may cause respiratory irritation.

Propellant gas: In higher concentration the propellant may cause asphyxia and oxygen deficiency.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment. Show safety data sheet or label to doctor.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile silicone spray**

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 4/(12)

(manufacturers): 30. 06. 2020 / 14. 10. 2022 Date revision: 12. 09. 2023

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Carbon dioxide, alcohol-resistant foam, dry chemical powder, water spray/water mist.

Unsuitable extinguishing media:

Full water jet. They could cause splattering, and spread the fire.

Simultaneous use of foam and water on the same surface is to be avoided as water destroys the foam.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

In case of combustion carbon monoxide, carbon dioxide, nitrogen oxide, various hydrocarbons and soot can be formed.

5.3. Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations. Self-contained breathing apparatus.

Further information:

Use water spray just to cool down surfaces exposed to fire.

Collect contaminated fire-fighting water separately. It must not enter the sewage system.

Contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: see Section 8.

Keep persons not involved in rescue at a distance.

Sufficient ventilation should be provided.

Keep away from sources of ignition – No smoking.

Avoid contact with skin, clothing and eyes, inhalation of gas, vapour, aerosol.

6.2. Environmental precautions:

Prevent spills from entering into natural water, soil and drains by containing the liquid. All kind of ignition sources should be removed. Do not smoke. Notify relevant authority.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile silicone spray**

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 5/(12)

(manufacturers): 30. 06. 2020 / 14. 10. 2022 Date revision: 12. 09. 2023

6.3. Methods and material for containment and cleaning up

Exclude source of ignition. Adequate ventilation required in enclosed areas.

Keep away from sources of ignition. Use non-sparking tools.

Contain spilled liquid with sand, earth or other neutral material and place in suitable containers for disposal (dangerous waste).

6.4. Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep general measures applied for normal operations with chemicals and extremely flammable aerosols.

Adequate ventilation or local exhaust must be provided.

Keep away from sources of ignition – No smoking.

Product can form flammable/explosive gas/vapour/air mixtures.

Keep container in vertical position avoiding falls and strokes.

Use explosion-proof and non-sparking tools.

Do not pierce or burn, even after use.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C.

Avoid to accumulate electrostatic charge.

Avoid contact with skin, clothing and eyes, inhalation of gas, vapour, aerosol.

Wash hands before breaks and at end of work.

Take off contaminated clothing and wash it before reuse.

When using do not eat or drink.

Handling temperature: no data.

7.2. Conditions for safe storage, including any incompatibilities

Keep general measures applied for storage of flammable and explosive materials.

Store in dry, well-ventilated place in original, closed containers.

Keep away from direct sunshine, direct heat or ignition sources, electrostatic charging.

Keep away from strong oxidizing agents.

Keep away from food, drink and feed.

Keep out of reach of children.

Storage temperature: max. 35°C.

7.3. Specific end use(s)

Maintenance product for residential and professional use.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile silicone spray

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 6/(12)

> (manufacturers): 30, 06, 2020 / 14, 10, 2022 Date revision: 12, 09, 2023

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

8.2. Exposure controls

No component to be indicated.

Engineering control measures:

Adequate ventilation.

Personal protection:

(a) Eye/face protection Tightly fitting safety glasses or face shield if splashes may

occur (EN 166).

(b) Skin protection

(i) Hand protection Chemical resistant protective gloves (EN 374).

Note: Manufacturer's directions for use and the conditions of

application should be observed.

Protective clothing. Other (ii)

(c) Respiratory protection In case of vapor or aerosol formation, a respirator with a suitable

filter (A) is required.

(d) Thermal hazards No data.

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: aerosol (active ingredient: liquid,

under pressure)

colorless b) Colour: odorless

Odour: c)

Melting point/freezing point: not available Boiling point or initial boiling point and boiling range: not available e)

f) Flammability: Extremely flammable aerosol

Lower and upper explosion limit: Product is not explosive. However,

formation of explosive air/steam

mixtures is possible.

Flash point: not available

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile silicone spray**

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 7/(12)

(manufacturers): 30. 06. 2020 / 14. 10. 2022 Date revision: 12. 09. 2023

m) Solubility

Solubility in water:
Solubility in other solvents:

not available
n) Partition coefficient n-octanol/water (log value):
not available
vapour pressure:
not available
p) Density and/or relative density:
not available
q) Relative vapour density:
not available
r) Particle characteristics:
not available

9.2. Other information

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity Dangerous reactivity not known.

10.2. Chemical stability No decomposition if stored and handled properly.

10.3. Possibility of hazardous reactions Not known.

10.4. Conditions to avoid High temperature (over 50°C), ignition source, heat source,

open flame, spark, direct sunlight, electrostatic charging.

10.5. Incompatible materials Strong oxidizing agents.

10.6. Hazardous decomposition products No dangerous decomposition products are formed under

normal conditions. Hazardous combustion products: See

Section 5.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: Based on available data, the classification criteria are not met

Components:

Propane (CAS: 74-98-6):

Inhalation: LC_{50} (rat) 1443 mg/L/4 h (literature data)

Butane (CAS: 106-97-8):

Inhalation: LC_{50} (rat) 658 mg/L/4 h (literature data)

Isobutane (CAS: 75-28-5):

Inhalation: LC_{50} (mouse) 974 mg/L/4 h

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile silicone spray**

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 8/(12)

(manufacturers): 30. 06. 2020 / 14. 10. 2022 Date revision: 12. 09. 2023

Based on available data, the classification criteria are not met. Skin corrosion/irritation: Serious eye damage/irritation: Based on available data, the classification criteria are not met. Respiratory or skin sensitisation: Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Germ cell mutagenicity: Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met. STOT-single exposure: Based on available data, the classification criteria are not met. STOT-repeated exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure: Aspiration hazard:

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties: no data.

SECTION 12: Ecological information

12.1.	Toxicity	No data available for the product.
-------	----------	------------------------------------

Components:

Propane (CAS: 74-98-6):

Fish: LC_{50} 49.47 mg/L (literature data) Other aquatic organisms: LC_{50} 27.14 mg/L (literature data) Algae: EC_{50} 11.89 mg/L/72 h (literature data)

Butane (CAS: 106-97-8):

Fish: LC_{50} 24.11 mg/L (literature data) Other aquatic organisms: LC_{50} 14.22 mg/L (literature data) Algae: EC_{50} 7.71 mg/L/96 h (literature data)

Isobutane (CAS: 75-28-5):

Fish: LC_{50} 27.98 mg/L (literature data) Other aquatic organisms: LC_{50} 16.33 mg/L (literature data) Algae: EC_{50} 89.57 mg/L/96 h (literature data)

12.2. Persistence and degradability

Biodegradability: No data available for the product.

12.3. Bioaccumulative potential No data available for the product.

Propane (CAS: 74-98-6) Log Kow: 1.09-2.8 (literature data)

Butane (CAS: 106-97-8) Log Kow: 1.09-2.8 (literature data)

Isobutane (CAS: 75-28-5) Log Kow: 1.09-2.8 (literature data)

12.4. Mobility in soil No data.

Mobility in water: Not soluble.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile silicone spray**

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 9/(12)

(manufacturers): 30. 06. 2020 / 14. 10. 2022 Date revision: 12. 09. 2023

12.5. Results of PBT and vPvB assessment The criteria for PBT or vPvB substances are not met.

12.6. Endocrine disrupting properties No data.

12.7. Other adverse effects

Environmental effects: Do not allow to enter drains, watercourses, soil or

groundwater.

Water hazard class (German): No data.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 16 05 04*

Gases in pressure containers (including halons) containing dangerous substances.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration (charge without packaging)

Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10*

Packaging containing residues of or contaminated by dangerous substances

Disposal must be in compliance with national and local regulations.

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile silicone spray**

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 10/(12)

(manufacturers): 30. 06. 2020 / 14. 10. 2022 Date revision: 12. 09. 2023

SECTION 14: Transport information

14.1. UN number or ID number 1950

14.2. UN proper shipping name AEROSOLS

14.3. Transport hazard class(es) 2 (classification code: 5F)

14.4. Packing group -

14.5. Environmental hazards no Marine pollutant: no

14.6. Special precautions for user

Labels: 2.1
Tunnel restriction code: 2 (D)

14.7. Maritime transport in bulk according to IMO instruments not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2020/878/EU) and to Regulation (EC) 1272/2008. Seveso category: P3.a.

15.2. Chemical safety assessment. not available

SECTION 16: Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Classification for mixtures and used evaluation method according to regulation 1272/2008/EC

(CLP)

Aerosol 1 H222 calculation method (based on flammable components)
Aerosol 1 H229 calculation method (based on flammable components +

packaging)

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile silicone spray**

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 11/(12)

(manufacturers): 30. 06. 2020 / 14. 10. 2022 Date revision: 12. 09. 2023

The full text of each relevant Hazard classes and cat. and H-phrase in Section 3.:

H220 Extremely flammable gas

H280 Contains gas under pressure; may explode if heated.

Flam. Gas 1 Flammable gas Category 1

Press Gas Compressed gas

Legend:

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE Acute Toxicity Estimate
BCF Bioconcentration Factor
BOD Biological Oxygen Demand

Bw Body Weight

C&L Classification and Labelling CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (1272/2008/EC)
CMR Carcinogenic, Mutagenic or toxic to Reproduction

COD Chemical Oxygen Demand
CSA Chemical Safety Assessment
CSR Chemical Safety Report
DMEL Derived Minimal Effect Level
DNEL Derived No Effect Level
ECHA European Chemicals Agency
Ecx Effective Concentration x%

Edx Effective Dose x%

ELINCS European List of Notified Chemical Substances ErC50 EC50 in terms of reduction of growth rate;

ES Exposure Scenario

IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

LCx Lethal Concentration x%

LDx Lethal Dose x%

LOAEC Lowest Observed Adverse Effect Concentration

LOAEL Lowest Observed Adverse Effect Level LOEC Lowest Observed Effect Concentration

LOEL Lowest Observed Effect Level NOEC No observed effect concentration

NOEL No observed effect level NLP No-Longer Polymer

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: **A.Z. Meisterteile silicone spray**

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 12/(12)

(manufacturers): 30. 06. 2020 / 14. 10. 2022 Date revision: 12. 09. 2023

NOAEL No Observed Adverse Effect Level

OECD Organisation for Economic Cooperation and Development

PBT Persistent Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

SVHC Substance of Very High Concern

UVCB substance of unknown or variable composition, complex reaction products or biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bio-accumulative

Revision Indicators:

Section	Subject of change	Date	Version
1-16	Revision modification according to 2020/878/EU. Full revision due to composition change.	12. 09. 2023	2