according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile lock de-icer

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 1/(15)

(manufacturers): -/20.06.2022 Date revision: 31.10.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

A.Z. Meisterteile lock de-icer

UFI: 7QXV-EHT2-F42C-3HVP

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: maintenance product for residential and professional use.

Uses advised against: application other than the above.

1.3. Details of the supplier of the safety data sheet:

Distributor Details: It is related to the use of the product

UNIX Autó és Alkatrészkereskedelmi Kft. technical information:

H-1139 Budapest, Frangepán u. 55-57. UNIX Autó és Alkatrészkereskedelmi Kft.

Tel.: +36 1 270 8700 H-1139 Budapest, Frangepán u. 55-57.

Fax: +36 1 270 8799 Tel.: +36 1 270 8700 E-mail: cs@unixauto.com Fax: +36 1 270 8799

E-mail: cs@unixauto.com

Responsible for SDS:

UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57.

Tel.: +36 1 270 8700 Fax: +36 1 270 8799 E-mail: cs@unixauto.com

1.4. Emergency telephone number

Emergency telephone (07-15²⁰ h): +36 1 270 8700 (CET) on workdays

Health Toxicological Information Service (ETTSZ 1097 Budapest, Albert Flórián út 2-6.)

Tel.: +36 80 201 199 (0-24 h, free number, can only be called from Hungary). +36 1 476 6464 (0-24 h, can be called for a normal fee - also from abroad)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Hazard Class and Category: Hazard statement:

Aerosol 1 H222 Extremely flammable aerosol

Aerosol 1 H229 Pressurized container: may burst if heated.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile lock de-icer

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 2/(15)

(manufacturers): -/20.06.2022 Date revision: 31.10.2023

2.2. Label elements

Product identification: Trade name: A.Z. Meisterteile lock de-icer

Hazardous components: -

GHS Pictogram:

Signal word: **Danger**

Hazard statement:

H222 Extremely flammable aerosol

H229 Pressurized container: may burst if heated.

Supplemental hazard information:

EUH208 Contains Orange, sweet, ext.. May produce an allergic reaction.

Precautionary statements – General:

P102 Keep out of reach of children.

Precautionary statements – Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing spray.

P273 Avoid release to the environment.

Precautionary statements – Response:

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P314 Get medical advice/attention if you feel unwell.

Precautionary statements – Storage:

P410 + P412 Protect from sunlight. Do no expose to temperatures exceeding 50°C/122°F.

Precautionary statements – Disposal:

P501 Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger and child-resistant fastening: Not required.

Transport classification: see section 14.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile lock de-icer

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 3/(15)

(manufacturers): -/20.06.2022 Date revision: 31.10.2023

2.3. Other hazards

Product can form explosive gas/vapour/air mixtures.

Results of PBT and vPvB assessment: Does not contain PBT and vPvB substances.

Endocrine disrupting properties: no data.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical description: Mixtures of the following substances and non-hazardous substances

with propellant gas.

Component(s) / Hazardous component(s):

Name	EC	CAS	Hazard classes and	Hazard	Conc.
Name	number	number	cat.	statements	%(m/m)
Ethanol	200-578-6	64-17-5	Flam. Liq. 2	H225	40-50
REACH Registr. Nr.:					
01-2119457610-43					
Distillates (petroleum),	265-159-2	64742-56-9	Asp. Tox. 1	H304	10-20
solvent-dewaxed light			(Note L)		
paraffinic					
REACH Registr. Nr.:					
01-2119480132-48	265 160 5	64540 65 0			10
Distillates (petroleum),	265-169-7	64742-65-0	- (A)	-	max. 10
solvent-dewaxed heavy paraffinic			(Note L)		
REACH Registr. Nr.:					
01-2119471299-27					
Hydrocarbons, C10-C13, n-	918-481-9	_	Asp. Tox. 1	H304	10-15
alkanes, isoalkanes,	710 101 7		(Note J)	1100.	10 10
cyclics, <2% aromatics			(=)		
REACH Registr. Nr.:					
01-2119457273-39					
Distillates (petroleum),	265-158-7	64742-55-8	Asp. Tox. 1	H304	max. 4.0
hydrotreated light			(Note L)		
paraffinic*					
REACH Registr. Nr.:					
01-2119487077-29					
Isopropyl alcohol	200-661-7	67-63-0	Flam. Liq. 2	H225	<1.0
REACH Registr. Nr.:			Eye Irrit. 2.	H319	
01-2119457558-25			STOT SE 3	H336	
Butanone	201-159-0	78-93-3	Flam. Liq. 2	H225	<1.0
REACH Registr. Nr.:			Eye Irrit. 2	H319	
no data			STOT SE 3	H336	

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile lock de-icer

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 4/(15)

(manufacturers): - / 20. 06. 2022 Date revision: 31. 10. 2023

Name	EC	CAS	Hazard classes and Hazard		Conc.
Name	number	number	cat.	statements	%(m/m)
Orange, sweet, ext.	232-433-8	8028-48-6	Flam. Liq. 3	H226	< 0.15
REACH Registr. Nr.:			Asp. Tox. 1	H304	
01-2119493353-35			Skin Irrit. 2	H315	
			Skin Sens. 1	H317	
			Aquatic Chronic 2	H411	
Propellant gas-PB 4.2 T:	-	-	-	-	40-50
Propane	200-827-9	74-98-6	Flam. Gas 1	H220	-
REACH Registr. Nr.:			Press. Gas	H280	
01-2119486944-21					
Butane	203-448-7	106-97-8	Flam. Gas 1	H220	-
REACH Registr. Nr.:			Press. Gas	H280	
01-2119474691-32					
Isobutane*	200-857-2	75-28-5	Flam. Gas. 1	H220	-
REACH Registr. Nr.:			Press. Gas.	H280	
01-2119485395-27					

^{*1,3-}butadiene (CAS: 106-99-0) < 0.1%

Note J: The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w benzene (EINECS No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes.

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never

induce vomiting.

Inhalation: Remove exposed person to fresh air. In case of complaints, get medical

advice.

Skin contact: Remove contaminated clothing. Wash skin with large amounts of water, use

soap. In case of persistent irritation, contact a doctor.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile lock de-icer

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 5/(15)

(manufacturers): - / 20. 06. 2022 Date revision: 31. 10. 2023

Eye contact: Flush eyes with plenty of water for 10-15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. In case of persistent irritation,

contact a doctor.

Ingestion: Not possible under normal conditions. When happened, rinse mouth with

water. Do not induce vomiting (aspiration hazard). Get medical attention.

Protection of first-aid person: It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation of large amounts of vapor may cause respiratory irritation.

Propellant gas: In high concentrations, it has a suffocating effect, the lack of oxygen has fatal consequences.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment. Show safety data sheet or label to doctor.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Foam, carbon dioxide, dry chemical powder.

Unsuitable extinguishing media:

Full water jet. They could cause splattering and spread the fire.

Simultaneous use of foam and water on the same surface is to be avoided as water destroys the foam.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

In case of combustion carbon monoxide, carbon dioxide, various hydrocarbons and soot can be formed.

5.3. Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations. Self-contained breathing apparatus.

Further information:

Use water spray just to cool down surfaces exposed to fire.

Collect contaminated fire-fighting water separately. It must not enter the sewage system.

Contaminated extinguishing water must be disposed of in accordance with official regulations.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile lock de-icer

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 6/(15)

(manufacturers): -/20.06.2022 Date revision: 31.10.2023

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: see Section 8.

Keep persons not involved in rescue at a distance.

Sufficient ventilation should be provided.

Keep away from sources of ignition – No smoking.

Avoid contact with skin, clothing and eyes, inhalation of gas, vapour, aerosol.

Danger of slipping on leaked out/spilled product.

6.2. Environmental precautions:

Prevent spills from entering into natural water, soil and drains by containing the liquid. All kind of ignition sources should be removed. Do not smoke. Notify relevant authority.

6.3. Methods and material for containment and cleaning up

Exclude source of ignition. Adequate ventilation required in enclosed areas.

Keep away from sources of ignition. Use non-sparking tools.

Contain spilled liquid with sand, earth or other neutral material and place in suitable containers for disposal (dangerous waste).

6.4. Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep general measures applied for normal operations with chemicals and extremely flammable aerosols.

Adequate ventilation or local exhaust must be provided.

Keep away from sources of ignition – No smoking.

Product can form flammable/explosive gas/vapour/air mixtures.

Keep container in vertical position avoiding falls and strokes.

Use explosion-proof and non-sparking tools.

Do not pierce or burn, even after use.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C.

Take measures to prevent electrostatic charges.

Avoid contact with skin, clothing and eyes, inhalation of gas, vapour, aerosol.

Wash hands before breaks and at end of work.

Take off contaminated clothing and wash it before reuse.

When using do not eat or drink.

Handling temperature: no data.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile lock de-icer

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 7/(15)

(manufacturers): - / 20. 06. 2022 Date revision: 31. 10. 2023

7.2. Conditions for safe storage, including any incompatibilities

Keep general measures applied for storage of flammable and explosive materials.

Store in dry, well-ventilated place in original, closed containers.

Keep away from direct sunshine, direct heat or ignition sources, electrostatic charging and oxidizing agents.

Keep away from food, drink and feed.

Keep out of reach of children.

Storage temperature: max. 35°C.

7.3. Specific end use(s)

Maintenance product for residential and professional use.

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

	CAS number	Workplace exposure limit				
Substance		long therm exposure limit (8- hr)		short therm exposure limit (15- min.)		Comments
		mg/m ³	ppm	mg/m ³	ppm	
Butanone	78-93-3	600	200	900	300	-

8.2. Exposure controls

Engineering control measures:

Adequate ventilation.

Personal protection:

(a) Eye/face protection Where splashing is possible, wear tightly fitting safety glasses

(EN 166).

(b) Skin protection

(i) Hand protection Protective gloves (EN 374).

Note: Manufacturer's directions for use and the conditions of

application should be observed.

(ii) Other For regular use, impervious protective clothing should

(c) Respiratory protection In case of exceeded exposure-limits respiratory protection with

particle-filter is recommended.

(d) Thermal hazards No data.

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile lock de-icer

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 8/(15)

> (manufacturers): -/20.06.2022 Date revision: 31. 10. 2023

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: aerosol (active ingredient: liquid,

> under pressure) light yellow

b) Colour: Odour: characteristic, alcohol c)

d) Melting point/freezing point: not available

Boiling point or initial boiling point and boiling range: e) not available

Flammability: f) Extremely flammable aerosol Lower and upper explosion limit: Product is not explosive. However, g)

formation of explosive air/steam

mixtures is possible.

Flash point: not available h)

Auto-ignition temperature: i) not available Decomposition temperature: not available j)

not available

1) Kinematic viscosity: not available

m) Solubility

Solubility in water: miscible with water

Solubility in other solvents: not available Partition coefficient n-octanol/water (log value): not available n) Vapour pressure: not available 0)

p) Density and/or relative density: not available Relative vapour density: not available Particle characteristics: not available r)

9.2. Other information

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity Dangerous reactivity not known.

10.2. Chemical stability No decomposition if stored and handled properly.

10.3. Possibility of hazardous reactions Not known.

10.4. Conditions to avoid High temperature (over 50°C), ignition source, heat source,

open flame, spark, direct sunlight, electrostatic charging.

10.5. Incompatible materials Oxidizing agents, strong acids, alkalis.

10.6. Hazardous decomposition products No dangerous decomposition products are formed under

normal conditions. Hazardous combustion products: See

Section 5.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile lock de-icer

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 9/(15)

(manufacturers): - / 20. 06. 2022 Date revision: 31. 10. 2023

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: Based on available data, the classification criteria are not met

Components:

Ethanol (CAS: 64-17-5) (literature data)

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (EC: 918-481-9)

(literature data)

 $\begin{array}{lll} \text{Oral:} & \text{LD}_{50} \ (\text{rat}) & > 5000 \ \text{mg/kg} \\ \text{Dermal:} & \text{LD}_{50} \ (\text{rabbit}) & > 2000 \ \text{mg/kg} \\ \text{Inhalation:} & \text{LC}_{50} \ (\text{rat}) & > 5.2 \ \text{mg/L} \\ \end{array}$

Orange, sweet, ext. (CAS: 8028-48-6)

Oral: LD_{50} > 5000 mg/kg

Isopropyl alcohol (CAS: 67-63-0)

Oral: LD_{50} (rat) 5840 mg/kg (OECD 401) Dermal: LD_{50} (rabbit) 13900 mg/kg (OECD 402)

Propane (CAS: 74-98-6)

Inhalation: LC₅₀ (rat) 1443 mg/L/4 h (literature data)

Butane (CAS: 106-97-8)

Inhalation: LC₅₀ (rat) 658 mg/L/4 h (literature data)

Isobutane (CAS: 75-28-5)

Inhalation: LC₅₀ (mouse) 974 mg/L/4 h

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Serious eye damage/irritation: Respiratory or skin sensitisation: Based on available data, the classification criteria are not met. Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met. STOT-single exposure: Based on available data, the classification criteria are not met. STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile lock de-icer

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 10/(15)

(manufacturers): - / 20. 06. 2022 Date revision: 31. 10. 2023

11.2. Information on other hazards

Endocrine disrupting properties: no data.

SECTION 12: Ecological information

12.1. Toxicity Based on available data, the classification

criteria are not met.

Components:

Ethanol (CAS: 64-17-5) (literature data)

Leuciscus idus: LC $_{50}$ 8140 mg/L/48 h Daphnia magna: EC $_{50}$ > 7800 mg/L/48 h Algae: EC $_{50}$ 5000 mg/L/7 days

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (EC: 918-481-9)

(literature data)

Fish: LC_{50} 1-10 mg/L Other aquatic organisms: EC_{50} 1-10 mg/L Crustacea: EC_{50} 1-10 mg/L

Orange, sweet, ext. (CAS: 8028-48-6)

Freshwater fish: 5.65 mg/L

Isopropyl alcohol (CAS: 67-63-0)

Pimephales promelas: LC_{50} 9640 mg/L/96 h Daphnia magna: EC_{50} 10000 mg/L/48 h Green algae: EC_{50} 1800 mg/L/7 days Lactuca sativa: IC_{50} 2104 mg/kg/72 h

Propane (CAS: 74-98-6)

Fish: LC_{50} 49.47 mg/L (literature data) Other aquatic organisms: LC_{50} 27.14 mg/L (literature data) Algae: EC_{50} 11.89 mg/L/72 h (literature data)

Butane (CAS: 106-97-8)

Fish: LC_{50} 24.11 mg/L (literature data) Other aquatic organisms: LC_{50} 14.22 mg/L (literature data) Algae: EC_{50} 7.71 mg/L/96 h (literature data)

Isobutane (CAS: 75-28-5)

Fish: LC_{50} 27.98 mg/L (literature data) Other aquatic organisms: LC_{50} 16.33 mg/L (literature data) Algae: EC_{50} 8.57 mg/L/96 h (literature data)

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile lock de-icer

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 11/(15)

(manufacturers): -/20.06.2022 Date revision: 31.10.2023

12.2. Persistence and degradability

Biodegradability: No data available for the product.

Ethanol (CAS: 64-17-5): biodegradable

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (EC:

918-481-9): 80% (28 days)

Isopropyl alcohol (CAS: 67-63-0): 53% (5 days) easily biodegradable

12.3. Bioaccumulative potential No data available for the product.

Ethanol (CAS: 64-17-5): BCF: 0.66

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

(EC: 918-481-9): Log Pow: 2.1-6.0 (literature data);

Log Kow: >4; potentially bioaccumulative (literature

data)

Isopropyl alcohol (CAS: 67-63-0) Log Pow <1.0 (bioaccumulation not expected)

12.4. Mobility in soil No data.

Mobility in water: No data.

12.5. Results of PBT and vPvB assessment Does not contain PBT and vPvB substances.

12.6. Endocrine disrupting properties No data.

12.7. Other adverse effects

Water hazard class (German): No data.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 16 05 04*

Gases in pressure containers (including halons) containing dangerous substances.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile lock de-icer

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 12/(15)

> (manufacturers): -/20.06.2022 Date revision: 31. 10. 2023

Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10*

Packaging containing residues of or contaminated by dangerous substances

Disposal must be in compliance with national and local regulations.

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

SECTION 14: Transport information

14.1. UN number or ID number UN1950

14.2. UN proper shipping name AEROSOLS, flammable 14.3. Transport hazard class(es) 2 (classification code: 5F)

14.4. Packing group

Environmental hazards 14.5. not dangerous for the environment

Marine pollutant: no

Special precautions for user 14.6.

> Labels: 2.1 Tunnel restriction code: 2 (D)

14.7. Maritime transport in bulk according to IMO instruments not applicable.

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2020/878/EU) and to Regulation (EC) 1272/2008. Seveso category: P3.a.

15.2. Chemical safety assessment.

not available

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile lock de-icer

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 13/(15)

(manufacturers): -/20.06.2022 Date revision: 31.10.2023

SECTION 16: Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Classification for mixtures and used evaluation method according to regulation 1272/2008/EC

(CLP)

Aerosol 1 H222 calculation method (based on flammable components)
Aerosol 1 H229 calculation method (based on flammable components)

The full text of each relevant Hazard classes and cat. and H-phrase in Section 3.:

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

Flam. Gas 1 Flammable gas Category 1

Flam. Gas 1 Flammable gas Category 1 Flam. Liq. 2 Flammable liquid Category 2 Flam. Liq. 3 Flammable liquid Category 3

Press Gas Compressed gas

Asp. Tox. 1 Aspiration hazard Category 1

Skin Irrit. 2 Skin corrosion/irritation Category 2
Skin Sens. 1 Respiratory/skin sensitization Category 1
Eye Irrit. 2 Serious eye damage/eye irritation Category 2

STOT SE 3 Specific target organ toxicity — single exposure Category 3 Aquatic Chronic 2 Hazardous to the aquatic environment, Chronic Category 2

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile lock de-icer

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 14/(15)

(manufacturers): - / 20. 06. 2022 Date revision: 31. 10. 2023

Legend:

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE Acute Toxicity Estimate
BCF Bioconcentration Factor
BOD Biological Oxygen Demand

Bw Body Weight

C&L Classification and Labelling CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (1272/2008/EC)
CMR Carcinogenic, Mutagenic or toxic to Reproduction

COD Chemical Oxygen Demand
CSA Chemical Safety Assessment
CSR Chemical Safety Report
DMEL Derived Minimal Effect Level
DNEL Derived No Effect Level
ECHA European Chemicals Agency
Ecx Effective Concentration x%

Edx Effective Dose x%

ELINCS European List of Notified Chemical Substances EC50 EC50 in terms of reduction of growth rate;

ES Exposure Scenario

IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

LCx Lethal Concentration x%

LDx Lethal Dose x%

LOAEC Lowest Observed Adverse Effect Concentration

LOAEL Lowest Observed Adverse Effect Level LOEC Lowest Observed Effect Concentration

LOEL Lowest Observed Effect Level NOEC No observed effect concentration

NOEL No observed effect level NLP No-Longer Polymer

NOAEL No Observed Adverse Effect Level

OECD Organisation for Economic Cooperation and Development

PBT Persistent Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

SVHC Substance of Very High Concern

UVCB substance of unknown or variable composition, complex reaction products or biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bio-accumulative

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile lock de-icer

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 15/(15)

(manufacturers): -/20.06.2022 Date revision: 31.10.2023

Revision Indicators:					
Section	Subject of change	Date	Version		
1-16	Revision modification according to 2020/878/EU. Full revision due to composition change.	31. 10. 2023	2		