according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile universal spray

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 1/(14)

(manufacturers): -/11.11.2022 Date revision: 11.09.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

A.Z. Meisterteile universal spray

UFI: R9YV-YHMU-K42T-QWY4

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Lubricant for lubrication, protection, anti-corrosion, rust-removal of metal surfaces. For industrial, residential and professional use.

Uses advised against: application other than the above.

1.3. Details of the supplier of the safety data sheet:

Distributor Details:

UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57.

Tel.: +36 1 270 8700

Fax: +36 1 270 8799

E-mail: cs@unixauto.com

Technical information related to the use of the

product:

UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57.

Tel.: +36 1 270 8700

Fax: +36 1 270 8799 E-mail: cs@unixauto.com

Responsible for SDS:

UNIX Autó és Alkatrészkereskedelmi Kft.

H-1139 Budapest, Frangepán u. 55-57.

Tel.: +36 1 270 8700

Fax: +36 1 270 8799

E-mail: cs@unixauto.com

1.4. Emergency telephone number

Emergency telephone (07-15²⁰ h): +36 1 270 8700 (CET) on workdays

Health Toxicological Information Service (ETTSZ 1097 Budapest, Albert Flórián út 2-6.)

Tel.: +36 80 201 199 (0-24 h, free number, can only be called from Hungary). +36 1 476 6464 (0-24 h, can be called for a normal fee - also from abroad)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Hazard Class and Category: Hazard statement:

Aerosol 1 H222 Extremely flammable aerosol

Aerosol 1 H229 Pressurized container: may burst if heated.
Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

STOT SE 3 H336 May cause drowsiness or dizziness.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile universal spray

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 2/(14)

(manufacturers): -/11.11.2022 Date revision: 11.09.2023

2.2. Label elements

Product identification: Trade name: A.Z. Meisterteile universal spray

Hazardous components: Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cycloalkanes, < 2%

GHS Pictogram:

Danger

Signal word:

Hazard statement:

H222 Extremely flammable aerosol

H229 Pressurized container: may burst if heated.

H336 May cause drowsiness or dizziness.

Supplemental hazard information:

EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statements – General:

P102 Keep out of reach of children.

Precautionary statements – Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing spray.

P271 Use only outdoors or in a well-ventilated area.

Precautionary statements – Response:

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

P338 lenses, if present and easy to do. Continue rinsing.

Precautionary statements – Storage:

P410 + P412 Protect from sunlight. Do no expose to temperatures exceeding 50°C/122°F.

Precautionary statements – Disposal:

P501 Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger and child-resistant fastening: Not required.

Transport classification: see section 14.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile universal spray

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 3/(14)

(manufacturers): -/11.11.2022 Date revision: 11.09.2023

2.3. Other hazards

Product can form flammable/explosive gas/vapour/air mixtures.

Results of PBT and vPvB assessment: The criteria for PBT or vPvB substances are not met.

Endocrine disrupting properties: no data.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical description: Mixtures of the following substances and non-hazardous substances

with propellant gas.

Component(s) / Hazardous component(s):

Name	EC number	CAS number	Hazard classes and cat.	Hazard statements	Conc. %(m/m)
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cycloalkanes, < 2% REACH Registr. Nr.: 01-2119463258-33	919-857-5	-	Flam. Liq. 3 Asp. Tox. 1 STOT SE 3	H226 H304 H336 EUH066	50
Propane REACH Registr. Nr.: 01-2119486944-21	200-827-9	74-98-6	Flam. Gas 1 Press. Gas	H220 H280	
Butane* REACH Registr. Nr.: 01-2119474691-32	203-448-7	106-97-8	Flam. Gas 1 Press. Gas	H220 H280	apr. 50
Isobutane* REACH Registr. Nr.: 01-2119485395-27	200-857-2	75-28-5	Flam. Gas. 1 Press. Gas.	H220 H280	

^{*1,3} butadiene: <0,1%

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never

induce vomiting.

Inhalation: Remove exposed person to fresh air. In case of complaints, get medical

advice.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile universal spray

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 4/(14)

(manufacturers): -/11.11.2022 Date revision: 11.09.2023

Skin contact: Remove contaminated clothing. Wash skin with large amounts of water, use

soap. In case of persistent irritation, contact a doctor.

Eye contact: Flush eyes with plenty of water for 10-15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. In case of persistent irritation,

contact a doctor.

Ingestion: Not possible under normal conditions. When happened, rinse mouth with

water. Do not induce vomiting (aspiration hazard). Get medical attention.

Protection of first-aid person: It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation.

4.2. Most important symptoms and effects, both acute and delayed

Propellant gas: In high concentrations, it has a suffocating effect, the lack of oxygen has fatal consequences.

Charge: May cause eye irritation. If inhaled, headache, nausea, dizziness, irritation.

May be fatal if swallowed and enters airways.

Symptoms of poisoning may occur delayed/after many hours.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment. Show safety data sheet or label to doctor.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Dry chemical powder, carbon dioxide, foam, water spray.

Unsuitable extinguishing media:

Full water jet. They could cause splattering and spread the fire.

Simultaneous use of foam and water on the same surface is to be avoided as water destroys the foam.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

In case of combustion carbon monoxide, carbon dioxide, various hydrocarbons and soot can be formed.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile universal spray

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 5/(14)

(manufacturers): -/11.11.2022 Date revision: 11.09.2023

5.3. Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations. Self-contained breathing apparatus.

Further information:

Use water spray just to cool down surfaces exposed to fire.

Collect contaminated fire-fighting water separately. It must not enter the sewage system.

Contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: see Section 8.

Keep persons not involved in rescue at a distance.

Sufficient ventilation should be provided.

Keep away from sources of ignition – No smoking.

Avoid contact with skin, clothing and eyes, inhalation of gas, vapour, aerosol.

Danger of slipping on leaked out/spilled product.

6.2. Environmental precautions:

Prevent spills from entering into natural water, soil and drains by containing the liquid. All kind of ignition sources should be removed. Do not smoke. Notify relevant authority.

6.3. Methods and material for containment and cleaning up

Exclude source of ignition. Adequate ventilation required in enclosed areas.

Keep away from sources of ignition. Use non-sparking tools.

Contain spilled liquid with (dry sand, earth etc.) and place in suitable containers for disposal (dangerous waste).

6.4. Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep general measures applied for normal operations with chemicals and extremely flammable aerosols.

Adequate ventilation or local exhaust must be provided.

Keep away from sources of ignition – No smoking.

Product can form flammable/explosive gas/vapour/air mixtures.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile universal spray

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 6/(14)

(manufacturers): -/11.11.2022 Date revision: 11.09.2023

Keep container in vertical position avoiding falls and strokes.

Use explosion-proof and non-sparking tools.

Do not pierce or burn, even after use.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C.

Avoid to accumulate electrostatic charge.

Avoid contact with skin, clothing and eyes, inhalation of gas, vapour, aerosol.

Wash hands before breaks and at end of work.

Take off contaminated clothing and wash it before reuse.

When using do not eat or drink. Handling temperature: no data.

7.2. Conditions for safe storage, including any incompatibilities

Keep general measures applied for storage of flammable and explosive materials.

Store in dry, well-ventilated place in original, closed containers.

Keep away from direct sunshine, direct heat or ignition sources, electrostatic charging and strong acids, oxidizing agents.

Keep away from food, drink and feed.

Keep out of reach of children.

Storage temperature: max. 35°C.

7.3. Specific end use(s)

Lubricant for lubrication, protection, anti-corrosion, rust-removal of metal surfaces. For industrial, residential and professional use.

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

8.2. Exposure controls

Engineering control measures:

Adequate ventilation.

Personal protection:

(a) Eye/face protection Protective goggles with side shields or face shield if splashes

may occur (EN 166).

(b) Skin protection

(i) Hand protection Protective gloves (EN 374). Material: Nitrile rubber.

Note: Manufacturer's directions for use and the conditions of

application should be observed.

(ii) Other Long-sleeved protective clothing, protective shoes.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile universal spray

Version: 2 Date of issue: 30. 06. 2020 Previous Issue / Date of last revision Page: 7/(14)

> (manufacturers): -/11.11.2022 Date revision: 11. 09. 2023

(c) Respiratory protection In case of vapor or aerosol formation (A/P1 or A2/P2-3), a gas

mask with a combined filter is required (EN 141, 14387).

(d) Thermal hazards No data.

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

a) Physical state: aerosol (active ingredient: liquid,

under pressure)

light amber b) Colour:

characteristic Odour: c)

<-66°C (charge ASTM D97) Melting point/freezing point:

- 187.6 – -138.3°C (propellant gas)

176°C (760 Hgmm, charge) Boiling point or initial boiling point and boiling range:

-104 - -60°C (propellant gas)

f) Flammability: Extremely flammable aerosol g) Lower and upper explosion limit: Product is not explosive. However,

formation of a gas/vapour/air

mixture is possible. 0.6-8.0 Vol% (charge)

5-15 Vol% (propellant gas, literature

data)

-16°C (charge) h) Flash point:

287-537°C (propellant gas) Auto-ignition temperature: i)

Decomposition temperature: not available i) not available k) pH:

Kinematic viscosity: < 1 cSt (charge) 1)

m) Solubility

Solubility in water: insoluble in water

24.4-60.4 mg/L (propellant gas)

Solubility in other solvents: not available n) Partition coefficient n-octanol/water (log value): not available

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile universal spray

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 8/(14)

(manufacturers): -/11.11.2022 Date revision: 11.09.2023

o) Vapour pressure: $\leq 1600 \text{ kPa} (70^{\circ}\text{C, propellant gas})$

Density and/or relative density: Density: 0.817 g/cm³ (product)

 $\geq 0.505 \text{ g/cm}^3 (50^{\circ}\text{C, propellant gas})$

q) Relative vapour density: not available

Particle characteristics: not available

9.2. Other information

VOC: 67.2 %

SECTION 10: Stability and reactivity

10.1. Reactivity Dangerous reactivity not known.

10.2. Chemical stability No decomposition if stored and handled properly.

10.3. Possibility of hazardous reactions Formation of explosive gas/vapour/air mixture is possible.

10.4. Conditions to avoid High temperature (over 50°C), ignition source, heat source,

open flame, spark, direct sunlight, electrostatic charging.

10.5. Incompatible materials Strong oxidizing agents.

10.6. Hazardous decomposition products No dangerous decomposition products are formed under

normal conditions. Hazardous combustion products: See

Section 5.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: Based on available data, the classification criteria are not met

Components:

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cycloalkanes, < 2% (EC: 919-857-5):

 $\begin{array}{lll} & & LD_{50} \, (rat) & > 5000 \, \ mg/kg \\ Dermal: & & LD_{50} \, (rat) & > 5000 \, \ mg/kg \\ Inhalation: & & LC_{50} & > 5000 \, \ mg/m^3/8 \, h \end{array}$

Propane (CAS: 74-98-6):

Inhalation: LC_{50} (rat) 1443 mg/L/4 h (literature data)

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile universal spray

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 9/(14)

(manufacturers): -/11.11.2022 Date revision: 11.09.2023

Butane (CAS: 106-97-8):

Inhalation: LC_{50} (rat) 658 mg/L/4 h (literature data)

Isobutane (CAS: 75-28-5):

Inhalation: LC₅₀ (mouse) 974 mg/L/4 h

Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane (EC: 926-605-8):

Oral: LD_{50} (rat) > 5000 mg/kg (literature data) Dermal: LD_{50} (rabbit) > 2000 mg/kg (literature data) Inhalation (aerosol, dust, vapor): LC_{50} (rat) > 5.2 mg/L/4 h (literature data)

Poly(dimethyl) siloxane:

Oral: LD_{50} (rat) > 5000 mg/kg Dermal: LD_{50} (rat) > 2008 mg/kg

Skin corrosion/irritation:

Serious eye damage/irritation:

Respiratory or skin sensitisation:
Germ cell mutagenicity:

Carcinogenicity:

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

STOT-single exposure: May cause drowsiness or dizziness.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: May be fatal if swallowed and enters airways.

11.2. Information on other hazards

Endocrine disrupting properties: no data.

SECTION 12: Ecological information

12.1. Toxicity Based on available data, the classification criteria are not met.

Components:

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cycloalkanes, < 2% (EC: 919-857-5):

Fish (Oncorhynchus mykiss): > 1000 mg/L/96 h(OECD 203) LC_{50} Fish (Oncorhynchus mykiss): NOELR 0.13 mg/L/28 days (OSAR) Daphnia (Daphnia magna): EC_{50} > 1000 mg/L/48h(OECD 202) Daphnia (Daphnia magna): 0.23 mg/L/21 days NOELR (OSAR) Algae (Pseudokirchneriella subcapitata): > 1000 mg/L/72 h(OECD 201) ErC₅₀ > 1000 mg/L/72 hAlgae (Pseudokirchneriella subcapitata): EbC_{50} (OECD 201)

Algae (Paphidocelis subcapitata): NOELR 100 mg/L/72 h Algae (Pseudokirchneriella subcapitata): NOECR 3 mg/L/72 h

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile universal spray

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 10/(14)

(manufacturers): -/11.11.2022 Date revision: 11.09.2023

	Propaga (CAS, 74.09.6).				
	<i>Propane (CAS: 74-98-6):</i> Fish:	LC_{50}	40.47	mg/L	(literature data)
	Other aquatic organisms:	LC ₅₀ LC ₅₀		mg/L mg/L	(literature data)
	Algae:	EC_{50}		mg/L/72 h	(literature data)
	riigue.	LC30	11.07	ing/L//2 ii	(interacture data)
	Butane (CAS: 106-97-8):				
	Fish:	LC_{50}	24.11	mg/L	(literature data)
	Other aquatic organisms:	LC_{50}	14.22	mg/L	(literature data)
	Algae:	EC_{50}	7.71	mg/L/96 h	(literature data)
	Isobutane (CAS: 75-28-5):				
	Fish:	LC_{50}	27.98	mg/L	(literature data)
	Other aquatic organisms:	LC_{50}		mg/L	(literature data)
	Algae:	EC_{50}	8.57	mg/L/96 h	(literature data)
12.2.	Persistence and degradability				
12.2.	Biodegradability:				
	Charge:	80 % / 28 days (OECD 301 F)			
	2332801	00 / 01 20	, 5 (020	2011)	
12.3.	Bioaccumulative potential	No data available for the product.			
	Propane (CAS: 74-98-6):	1.09 - 2.8 (literature data)			
	Butane (CAS: 106-97-8):	1.09 - 2.8 (literature data)			
	Isobutane (CAS: 75-28-5):	1.09 - 2.8 (literature data)			
12.4.	Mobility in soil	No data.			
12000	Mobility in water:	No data.			
	•				
12.5.	Results of PBT and vPvB assessment	Does not contain PBT and vPvB substances.			
12.6	Endonino diamentino manantino	Ma data			
12.6.	Endocrine disrupting properties	No data.			
12.7.	Other adverse effects				
	Environmental effects:	Large spill	ls may be h	nazardous to th	e environment.
		Spills may	y form a f	ilm on water	surfaces causing
			xygen tran	sfer.	
	Water hazard class (German):	No data.			

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile universal spray

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 11/(14)

(manufacturers): -/11.11.2022 Date revision: 11.09.2023

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 16 05 04*

Gases in pressure containers (including halons) containing dangerous substances.

Disposal must be in compliance with national and local regulations.

Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10*

Packaging containing residues of or contaminated by dangerous substances

Disposal must be in compliance with national and local regulations.

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

SECTION 14: Transport information

Road/ Railway ADR/RID:

14.1. UN number or ID number14.2. UN proper shipping nameAEROSOLS

14.3. Transport hazard class(es) 2 (classification code: 5F)

14.4. Packing group

14.5. Environmental hazards not dangerous for the environment

Marine pollutant: no

14.6. Special precautions for user

Labels: 2.1
Tunnel restriction code: 2 (D)

14.7. Maritime transport in bulk according to IMO instruments not applicable.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile universal spray

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 12/(14)

(manufacturers): -/11.11.2022 Date revision: 11.09.2023

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2020/878/EU) and to Regulation (EC) 1272/2008.

Seveso category: P3.a.

15.2. Chemical safety assessment.

SECTION 16: Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Classification for mixtures and used evaluation method according to regulation 1272/2008/EC

(CI	LP)
$(\smile \mathbf{I}$	- ·

Aerosol 1	H222	calculation method (based on flammable components)
Aerosol 1	H229	calculation method (based on flammable components)
Asp. Tox. 1	H304	calculation method

Asp. Tox. 1 H304 calculation method STOT SE 3 H336 calculation method

The full text of each relevant Hazard classes and cat. and H-phrase in Section 3.:

H220	Extremely flammable gas
H226	Flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile universal spray

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 13/(14)

(manufacturers): - / 11. 11. 2022 Date revision: 11. 09. 2023

Flam. Gas 1 Flammable gas Category 1 Flam. Liq. 3 Flammable liquid Category 3

Press Gas Compressed gas

Asp. Tox. 1 Aspiration hazard Category 1

STOT SE 3 Specific target organ toxicity — single exposure Category 3

Legend:

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE Acute Toxicity Estimate
BCF Bioconcentration Factor
BOD Biological Oxygen Demand

Bw Body Weight

C&L Classification and Labelling CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (1272/2008/EC)
CMR Carcinogenic, Mutagenic or toxic to Reproduction

COD Chemical Oxygen Demand
CSA Chemical Safety Assessment
CSR Chemical Safety Report
DMEL Derived Minimal Effect Level
DNEL Derived No Effect Level
ECHA European Chemicals Agency
Ecx Effective Concentration x%

Edx Effective Dose x%

ELINCS European List of Notified Chemical Substances ErC50 EC50 in terms of reduction of growth rate;

ES Exposure Scenario

IARC International Agency for Research on Cancer
IATA International Air Transport Association
IMDG International Maritime Dangerous Goods

LCx Lethal Concentration x%

LDx Lethal Dose x%

LOAEC Lowest Observed Adverse Effect Concentration

LOAEL Lowest Observed Adverse Effect Level LOEC Lowest Observed Effect Concentration

LOEL Lowest Observed Effect Level NOEC No observed effect concentration

NOEL No observed effect level NLP No-Longer Polymer

NOAEL No Observed Adverse Effect Level

OECD Organisation for Economic Cooperation and Development

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: A.Z. Meisterteile universal spray

Version: 2 Previous Issue / Date of last revision Date of issue: 30. 06. 2020 Page: 14/(14)

(manufacturers): -/11.11.2022 Date revision: 11.09.2023

PBT Persistent Bioaccumulative and Toxic
PNEC Predicted No-Effect Concentration

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

SVHC Substance of Very High Concern

UVCB substance of unknown or variable composition, complex reaction products or biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bio-accumulative

Revision Indicators:

Section	Subject of change	Date	Version
1-16	Revision modification according to 2020/878/EU. Full revision due to composition change.	11. 09. 2023	2