Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

SAFETY DATA SHEET



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Product name	Castrol EDGE 0W-20 C5
Product code	469997-DE01
SDS #	469997
Product type	Liquid.
1.2 Relevant identified uses	s of the substance or mixture and uses advised against
Use of the substance/	Engine Oils.
mixture	For specific application advice see appropriate Technical Data Sheet or consult our company representative.
1.3 Details of the supplier of	of the safety data sheet
Supplier	Castrol Holdings Europe B.V.,
	d'Arcyweg 76, 3198NA
	Europoort Rotterdam
	Castrol CEE sp z.o.o,
	UI. Grzybowska 62,
	00 844 Warszawa
	+48 (0)800 121 4817
E-mail address	MSDSadvice@bp.com

 1.4 Emergency telephone number

 EMERGENCY
 Carechem: +44 (0) 1235 239 670 (24/7)

 TELEPHONE NUMBER

SECTION 2: Hazards identification

2.1 Classification of the substa	2.1 Classification of the substance or mixture		
Product definition	Mixture		
Classification according to Re Not classified.	egulation (EC) No. 1272/2008 [CLP/GHS]		

See sections 11 and 12 for more detailed information on health effects and symptoms and environmental hazards.

2.2 Label elements					
Signal word	No signal word.				
Hazard statements	No known significant effects or	critical hazar	ds.		
Precautionary statements					
Prevention	Not applicable.				
Response	Not applicable.				
Storage	Not applicable.				
Disposal	Not applicable.				
Hazardous ingredients	Not applicable.				
Supplemental label elements	Contains dihydro-3-(2-octadece Safety data sheet available on i		-dione. May pro	oduce an allergic read	ction.
EU Regulation (EC) No. 190	<u>7/2006 (REACH)</u>				
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	Not applicable.				
Product name Castrol EDGE ()W-20 C5		Product code	469997-DE01	Page: 1/11
Version 4 Date of issue	8 September 2023	Format	Hungary	Language	ENGLISH
Date of previous issue	21 November 2022.		(Hungary)		

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

SECTION 2: Hazards identification

Special packaging requireme	<u>nts</u>
Containers to be fitted with child-resistant fastenings	Not applicable.
Tactile warning of danger	Not applicable.
2.3 Other hazards	
Results of PBT and vPvB assessment	Product does not meet the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII.
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	Defatting to the skin. USED ENGINE OILS Used engine oil may contain hazardous components which have the potential to cause skin cancer. See Toxicological Information, section 11 of this Safety Data Sheet.

SECTION 3: Composition/information on ingredients

Mixture

3.2 Mixtures

Product definition

Highly refined base oil (IP 346 DMSO extract < 3%). Proprietary performance additives.

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
Distillates (petroleum), hydrotreated heavy paraffinic	REACH #: 01-2119484627-25 EC: 265-157-1 CAS: 64742-54-7 Index: 649-467-00-8	≥50 - ≤75	Asp. Tox. 1, H304	-	[1] [2]
Distillates (petroleum), hydrotreated heavy paraffinic	REACH #: 01-2119484627-25 EC: 265-157-1 CAS: 64742-54-7 Index: 649-467-00-8	≥10 - ≤25	Not classified.	-	[2]
Distillates (petroleum), solvent- dewaxed heavy paraffinic	REACH #: 01-2119471299-27 EC: 265-169-7 CAS: 64742-65-0 Index: 649-474-00-6	≤3	Not classified.	-	[2]
dihydro-3-(2-octadecenyl) furan-2,5-dione	REACH #: 01-2120120387-61 EC: 266-561-0 CAS: 67066-88-0	≤0.3	Skin Irrit. 2, H315 Skin Sens. 1B, H317	-	[1]

See Section 16 for the full text of the H statements declared above.

<u>Type</u>

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

	contact lenses. Get medical attention	l to ensure thorough rinsing. Check fo n.	r and remove any
Skin contact	0,0,1	water or use recognised skin cleanser ash clothing before reuse. Clean sho on develops.	
Inhalation	,	e of inhalation of decomposition produces of inhalation of decomposition produces of the set of the	,
Ingestion	Do not induce vomiting unless directe symptoms occur.	ed to do so by medical personnel. Get	medical attention if

Version 4	Date of issue	8 September 2023	Format	Hungary	Language	ENGLISH
Date of previo	ous issue	21 November 2022.		(Hungary)		

Suitable extinguishing mediaIn case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray.Unsuitable extinguishing mediaIn case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray.Unsuitable extinguishing mediaDo not use water jet. The use of a water jet may cause the fire to spread by splashing the burning product.5.2 Special hazards arising from the substance or mixture Hazards from the substance or mixtureIn a fire or if heated, a pressure increase will occur and the container may burst.Hazardous combustion productsCombustion products may include the following: carbon oxides (CO, CO2) (carbon monoxide, carbon dioxide) nitrogen oxides (NO, NO2 etc.)5.3 Advice for firefighters Special precautions for fire-fightersNo action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.Special protective equipment for fire-fightersFire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-		
See Section 11 for more detailed information on health effects and symptoms. Potential acute health effects Inhalation Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure. Ingestion No known significant effects or critical hazards. Skin contact Defatting to the skin. May cause skin dryness and irritation. Eye contact No known significant effects or critical hazards. Potential inhediate effects as well as chronic effects from short and long-term exposure Inhalation Overexposure to the inhalation of airborne droptets or aerosols may cause irritation of the respiratory tract. Ingestion Ingestion Origing quantities may cause and diarrhoea. Skin contact Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis. Eye contact Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis. Eye contact Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis. Eye contact Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis. Eye contact Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis. Eye contact Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis. Eye contact Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis. Eye contact Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis. Eye contact In ease of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. EECTION 5: Firefighting media In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray. Combustion products In a fire or if heated, a pressure increase will occur and the container may burst. E.2 Special hazards arising from the substance or mixture Hazards form the substance or mixture Hazards form the substance or	Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training.
Potential acute health effects Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure. Ingestion No known significant effects or critical hazards. Skin contact Defatting to the skin. May cause skin dryness and irritation. Delayed and immediate effects as well as chronic effects for critical hazards. Delayed and immediate effects as well as chronic effects from short and long-term exposure Inhalation Overexposure to the inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract. Ingestion Ingestion of large quantities may cause nausea and diarhoea. Skin contact Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis. Eye contact Potential risk of transient stinging or redness if accidental eye contact occurs. 3 Indication of any immediate medical attention and special treatment needed Notes to physician Treatment should in general be symptomatic and directed to relieving any effects. In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray. Stubable extinguishing media In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray. Consuston products In a fire or if heated, a pressure increase will occur and the container may burst. 2.2 Special hazards arising from the substance or mixture <t< td=""><td>.2 Most important symptom</td><td>s and effects, both acute and delayed</td></t<>	.2 Most important symptom	s and effects, both acute and delayed
Inhalation Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure. Ingestion No known significant effects or critical hazards. Skin contact Defatting to the skin. May cause skin dryness and irritation. Eye contact No known significant effects or critical hazards. Delayed and immediate effects as well as chronic effects from short and long-term exposure Inhalation Overexposure to the inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract. Ingestion Ingestion of large quantities may cause nausea and diarrhoea. Skin contact Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis. Eye contact Potential risk of transient stinging or redness if accidental eye contact occurs. 3 Indication of any immediate medical attention and special treatment needed Notes to physician Treatment should in general be symptomatic and directed to relieving any effects. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. SECTION 5: Firefighting media In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray. 41 Extinguishing media In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray.	See Section 11 for more deta	ailed information on health effects and symptoms.
Ingestion No known significant effects or critical hazards. Ingestion No known significant effects or critical hazards. Eye contact Defatting to the skin. May cause skin dryness and irritation. Eye contact No known significant effects or critical hazards. Delayed and immediate effects as well as chronic effects from short and long-term exposure Inhalation Overexposure to the inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract. Ingestion Ingestion of large quantities may cause nausea and diarrhoea. Skin contact Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis. Eye contact Polential risk of transient stinging or redness if accidental eye contact occurs. 3 Indication of any immediate medical attention and special treatment needed Notes to physician Treatment should in general be symptomatic and directed to relieving any effects. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. SECTION 5: Firefighting measures In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray. Media Unsuitable extinguishing In case of inheauter pit. The use of a water jet may cause the fire to spread by splashing the burning product. 2: Special hazards arising from the substance or mixtur	Potential acute health effects	
Skin contact Defatting to the skin. May cause skin dryness and irritation. Eye contact No known significant effects or critical hazards. Delayed and immediate effects as well as chronic effects from short and long-term exposure Inhalation Overexposure to the inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract. Ingestion Ingestion of large quantities may cause nausea and diarrhoea. Skin contact Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis. Eye contact Potential risk of transient stinging or redness if accidental eye contact occurs. 31 Indication of any immediate medical attention and special treatment needed Treatment should in general be symptomatic and directed to relieving any effects. In case of inhalation of decomposition products in a fire, symptorms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. SECTION 5: Firefighting measures In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray. Media Do not use water jet. The use of a water jet may cause the fire to spread by splashing the burning product. 52 Special hazards arising from the substance or mixture In a fire or if heated, a pressure increase will occur and the container may burst. 62 Special procautions for fire-fighters Combustion products may include the following: carbon oxides (CO, CO ₂) (carbon mono	Inhalation	
Eye contact No known significant effects or critical hazards. Delayed and immediate effects as well as chronic effects from short and long-term exposure Inhalation Overexposure to the inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract. Ingestion Ingestion of large quantities may cause nausea and diarrhoea. Skin contact Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis. Eye contact Potential risk of transient stinging or redness if accidental eye contact occurs. 3 Indication of any immediate medical attention and special treatment needed Treatment should in general be symptomatic and directed to relieving any effects. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. SECTION 5: Firefighting measures In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray. Bedia Do not use water jet. The use of a water jet may cause the fire to spread by splashing the burning product. 5.2 Special hazards arising from the substance or mixture In a fire or if heated, a pressure increase will occur and the container may burst. 4.2 Advice for firefighters No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. 5.3	Ingestion	No known significant effects or critical hazards.
Declayed and immediate effects as well as chronic effects from short and long-term exposure Inhalation Overexposure to the inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract. Ingestion Ingestion of large quantities may cause nausea and diarrhoea. Skin contact Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis. Eye contact Potential risk of transient stinging or redness if accidental eye contact occurs. 3 Indication of any immediate medical attention and special treatment needed Treatment should in general be symptomatic and directed to relieving any effects. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. SECTION 5: Firefighting measures In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray. Suitable extinguishing media In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray. 2: Special hazards arising from the substance or mixture In a fire or if heated, a pressure increase will occur and the container may burst. 4: Advice for firefighters Solate the scene by removing all personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. 3: Advice for firefighters No action shall be taken involving any personal risk or without suitable training. Pr	Skin contact	Defatting to the skin. May cause skin dryness and irritation.
Inhalation Overexposure to the inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract. Ingestion Ingestion of large quantities may cause nausea and diarrhoea. Skin contact Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis. Eye contact Potential risk of transient stinging or redness if accidental eye contact occurs. 31 Indication of any immediate medical attention and special treatment needed Treatment should in general be symptomatic and directed to relieving any effects. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. SECTION 5: Firefighting measures In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray. Unsuitable extinguishing media Unsuitable extinguishing media In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray. Unsuitable extinguishing media In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray. Unsuitable extinguishing media In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray. Sci Special hazards arising from the substance or mixture In a fire or if heated, a pressure increase will occur and the container may burst. Hazards from the substance or mixture In a fire or if heated, a pressure increase will occur and the container may burst.	Eye contact	No known significant effects or critical hazards.
respiratory tract.IngestionIngestion of large quantities may cause nausea and diarrhoea.Skin contactProlonged or repeated contact can defat the skin and lead to irritation and/or dermatitis.Eye contactPotential risk of transient stinging or redness if accidental eye contact occurs.3 Indication of any immediate medical attention and special treatment neededNotes to physicianTreatment should in general be symptomatic and directed to relieving any effects. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.SECTION 5: Firefighting measuresA Extinguishing mediaSuitable extinguishing mediaIn case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray.Do not use water jet. The use of a water jet may cause the fire to spread by splashing the burning product.A: 2 Special hazards arising from the substance or mixture Hazards from the substance or mixtureHazardous combustion productsCombustion products may include the following: carbon oxides (CO, CO) (carbon monoxide, carbon dioxide) nitrogen oxides (NO, NO ₂ etc.)A: 3 Advice for firefightersNo action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.Special protective equipment for fire-fightersFire-fighters should wear appropriate protective equipment and self-contained breathing aparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire- fighters (including helmets, protective boots and gloves) conforming to Europea	Delayed and immediate effec	ts as well as chronic effects from short and long-term exposure
Skin contact Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis. Eye contact Potential risk of transient stinging or redness if accidental eye contact occurs. 33 Indication of any immediate medical attention and special treatment needed In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. SECTION 5: Firefighting measures In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray. Statuable extinguishing media In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray. Do not use water jet. The use of a water jet may cause the fire to spread by splashing the burning product. Do not use water jet. The use of a water jet may cause the fire to spread by splashing the burning product. S2 Special hazards arising from the substance or mixture In a fire or if heated, a pressure increase will occur and the container may burst. Advice for firefighters Combustion products may include the following: carbon oxides (CO, CO ₂) (carbon monoxide, carbon dioxide) nitrogen oxides (NO, NO ₂ etc.) Advice for firefighters No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. Fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained breathing aparatus (SCBA) with a full face-piece operated in positive	Inhalation	
Eye contact Potential risk of transient stinging or redness if accidental eye contact occurs. 31 Indication of any immediate medical attention and special treatment needed Treatment should in general be symptomatic and directed to relieving any effects. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. SECTION 5: Firefighting measures In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray. Suitable extinguishing media In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray. Unsuitable extinguishing media Do not use water jet. The use of a water jet may cause the fire to spread by splashing the burning product. S2 Special hazards arising from the substance or mixture In a fire or if heated, a pressure increase will occur and the container may burst. Hazardous combustion products may include the following: carbon oxides (CO, CO ₂) (carbon monoxide, carbon dioxide) nitrogen oxides (NO, NO ₂ etc.) Sa Advice for firefighters Special procautions for fire-fighters No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. Fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained breathing aparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters will provide a basic level of protection for chemical incidents.	Ingestion	Ingestion of large quantities may cause nausea and diarrhoea.
3 Indication of any immediate medical attention and special treatment needed Notes to physician Treatment should in general be symptomatic and directed to relieving any effects. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. SECTION 5: Firefighting measures Statable extinguishing media Suitable extinguishing media In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray. Unsuitable extinguishing media Do not use water jet. The use of a water jet may cause the fire to spread by splashing the burning product. 5.2 Special hazards arising from the substance or mixture In a fire or if heated, a pressure increase will occur and the container may burst. Hazardous combustion products Combustion products may include the following: carbon oxides (CO, CO ₂) (carbon monoxide, carbon dioxide) nitrogen oxides (NO, NO ₂ etc.) 3.3 Advice for firefighters No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. Fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire- fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.	Skin contact	Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis.
Notes to physician Treatment should in general be symptomatic and directed to relieving any effects. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. SECTION 5: Firefighting measures Statistic extinguishing media Suitable extinguishing media Suitable extinguishing media Unsuitable extinguishing media Do not use water jet. The use of a water jet may cause the fire to spread by splashing the burning product. S2 Special hazards arising from the substance or mixture Hazardous combustion products may include the following: carbon oxides (CO, CO:) (carbon monoxide, carbon dioxide) nitrogen oxides (NO, NO ₂ etc.) S3 Advice for firefighters Special precautions for fire-fighters No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. Special protective equipment for fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire- fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.	Eye contact	Potential risk of transient stinging or redness if accidental eye contact occurs.
Notes to physician Treatment should in general be symptomatic and directed to relieving any effects. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. SECTION 5: Firefighting measures Statistic extinguishing media Suitable extinguishing media Suitable extinguishing media Unsuitable extinguishing media Do not use water jet. The use of a water jet may cause the fire to spread by splashing the burning product. S2 Special hazards arising from the substance or mixture Hazardous combustion products may include the following: carbon oxides (CO, CO:) (carbon monoxide, carbon dioxide) nitrogen oxides (NO, NO ₂ etc.) S3 Advice for firefighters Special precautions for fire-fighters No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. Special protective equipment for fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire- fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.		
In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. SECTION 5: Firefighting measures in case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray. In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray. Do not use water jet. The use of a water jet may cause the fire to spread by splashing the burning product. 2.2 Special hazards arising from the substance or mixture Hazards from the substance or mixture Hazardous combustion products 3.3 Advice for firefighters Special precautions for fire-fighters Special protective equipment for fire-fighters Special protective equipment for fire-fighters Special protective equipment for fire-fighters Special provide a basic level of protection for chemical incidents.		
S.1 Extinguishing media Suitable extinguishing media In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray. Media Do not use water jet. The use of a water jet may cause the fire to spread by splashing the burning product. S.2 Special hazards arising from the substance or mixture Hazards from the substance or mixture Hazardous combustion products In a fire or if heated, a pressure increase will occur and the container may burst. S.3 Advice for firefighters Combustion products may include the following: carbon oxides (CO, CO ₂) (carbon monoxide, carbon dioxide) nitrogen oxides (NO, NO ₂ etc.) S.3 Advice for firefighters No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. Special protective equipment for fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.	Notes to physician	In case of inhalation of decomposition products in a fire, symptoms may be delayed.
Suitable extinguishing mediaIn case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray.Unsuitable extinguishing mediaDo not use water jet. The use of a water jet may cause the fire to spread by splashing the burning product.5.2 Special hazards arising from the substance or mixture Hazards from the substance or mixtureIn a fire or if heated, a pressure increase will occur and the container may burst.Hazardous combustion productsCombustion products may include the following: carbon oxides (CO, CO2) (carbon monoxide, carbon dioxide) nitrogen oxides (NO, NO2 etc.)5.3 Advice for firefighters Special precautions for fire-fightersNo action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.Fire-fighters special protective equipment for fire-fightersFire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire- fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.	SECTION 5: Firefight	ing measures
mediaUnsuitable extinguishing mediaDo not use water jet. The use of a water jet may cause the fire to spread by splashing the burning product.5.2 Special hazards arising from the substance or mixture Hazards from the substance or mixtureIn a fire or if heated, a pressure increase will occur and the container may burst.Hazardous combustion productsCombustion products may include the following: carbon oxides (CO, CO ₂) (carbon monoxide, carbon dioxide) nitrogen oxides (NO, NO ₂ etc.)5.3 Advice for firefightersNo action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.Special protective equipment for fire-fightersFire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire- fighters, including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.	5.1 Extinguishing media	
mediaburning product.5.2 Special hazards arising from the substance or mixtureHazards from the substance or mixtureHazardous combustion productsHazardous combustion productsCombustion products may include the following: carbon oxides (CO, CO2) (carbon monoxide, carbon dioxide) nitrogen oxides (NO, NO2 etc.)5.3 Advice for firefightersSpecial precautions for fire-fightersSpecial protective equipment for fire-fightersSpecial protective equipment for fire-fighters <td></td> <td>In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray.</td>		In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray.
Hazards from the substance or mixtureIn a fire or if heated, a pressure increase will occur and the container may burst.Hazardous combustion productsCombustion products may include the following: carbon oxides (CO, CO2) (carbon monoxide, carbon dioxide) nitrogen oxides (NO, NO2 etc.)5.3 Advice for firefightersSpecial precautions for fire-fightersSpecial precautions for fire-fightersNo action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.Special protective equipment for fire-fightersFire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire- fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.		
substance or mixtureHazardous combustion productsCombustion products may include the following: carbon oxides (CO, CO2) (carbon monoxide, carbon dioxide) nitrogen oxides (NO, NO2 etc.)5.3 Advice for firefightersSpecial precautions for fire-fightersSpecial precautions for fire-fightersNo action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.Special protective equipment for fire-fightersFire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire- fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.	5.2 Special hazards arising fr	om the substance or mixture
productscarbon oxides (CO, CO2) (carbon monoxide, carbon dioxide) nitrogen oxides (NO, NO2 etc.)5.3 Advice for firefightersSpecial precautions for fire-fightersSpecial protective equipment for fire-fightersNo action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.Special protective equipment for fire-fightersFire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire- fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.		In a fire or if heated, a pressure increase will occur and the container may burst.
Special precautions for fire-fightersNo action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.Special protective equipment for fire-fightersFire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire- fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.		carbon oxides (CO, CO ₂) (carbon monoxide, carbon dioxide)
fire-fightersisolate the scene by removing all persons from the vicinity of the incident if there is a fire.Special protective equipment for fire-fightersFire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire- fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.	5.3 Advice for firefighters	
equipment for fire-fighters apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.		
SECTION 6: Accidental release measures		apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire- fighters (including helmets, protective boots and gloves) conforming to European standard EN
JEVITON V. AUTUETILAI TETEASE ITTEASUTES		tal ralazza mazcuras

6.1 Personal precautions, prote	ctive equipment and emergency procedures
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Floors may be slippery; use care to avoid falling. Put on appropriate personal protective equipment.
For emergency responders	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

ſ	Product name	Castrol EDGE)W-20 C5		Product code	469997-DE01	Page: 3/11
	Version 4	Date of issue	8 September 2023	Format	Hungary	Language	ENGLISH
	Date of previo	ous issue	21 November 2022.		(Hungary)		

SECTION 6: Accidental release measures

Small spill	Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	See Section 1 for emergency contact information. See Section 5 for firefighting measures. See Section 8 for information on appropriate personal protective equipment. See Section 12 for environmental precautions. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handlin	ng
Protective measures	Put on appropriate personal protective equipment.
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep away from heat and direct sunlight. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Store and use only in equipment/ containers designed for use with this product. Do not store in unlabelled containers.
Not suitable	Prolonged exposure to elevated temperature
7.3 Specific end use(s)	
Recommendations	See section 1.2 and Exposure scenarios in annex, if applicable.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits							
Product/ingredie	ent name	Exposure limit values					
Distillates (petroleum), hydrotre	eated heavy paraffinic	5/2020. (II. 6.) ITM Dec TWA: 5 mg/m ³ 8 hour			st		
Distillates (petroleum), hydrotre	eated heavy paraffinic	5/2020. (II. 6.) ITM Dec TWA: 5 mg/m³ 8 hour			st		
Distillates (petroleum), solvent- paraffinic	dewaxed heavy	5/2020. (II. 6.) ITM Dec					
		TWA: 5 mg/m ³ 8 hour	s. Issued/Revise	ed: 2/2020 Form: Mis	st		
Whilst specific OELs for certain vapour or dust produced. There guidance only.							
Recommended monitoring procedures	e made to monitoring sta atmospheres - Guidance comparison with limit va (Workplace atmosphere of exposure to chemical neres - General requiren emical agents) Reference hazardous substances v	e for the assessn lues and measur es - Guide for the and biological ag nents for the perf e to national guid	nent of exposure by rement strategy) Eu application and use gents) European Sta formance of procedu dance documents for	inhalation to ropean of procedures andard EN 482 ures for the			
Biological exposure indices							
Product/ingredient No exposure indices known.	name		Exposure i	indices			
Derived No Effect Level							
No DNELs/DMELs available.							
Predicted No Effect Concentr	<u>ation</u>						
Product name Castrol EDGE 0W	V-20 C5		Product code 4	469997-DE01	Page: 4/11		
Version 4 Date of issue 8	September 2023	Format	Hungary	Language	ENGLISH		
Date of previous issue 2	1 November 2022.		(Hungary)				

SECTION 8: Exposure controls/personal protection

21 November 2022.

Date of previous issue

No PNECs available

8.2 Exposure	controls				
Appropriate er controls	ngineering tection measure	Provide exhaust ventilation or othe concentrations below their respect All activities involving chemicals st exposures are adequately controlle after other forms of control measur Personal protective equipment sho kept in good condition and properly Your supplier of personal protective appropriate standards. For further The final choice of protective equip ensure that all items of personal pro-	ive occupational exposure limits. hould be assessed for their risks ed. Personal protective equipment res (e.g. engineering controls) has build conform to appropriate stand y maintained. re equipment should be consulted information contact your national poment will depend upon a risk as	to health, to e nt should only ave been suita dards, be suita d for advice or al organisation sessment. It is	nsure be considered bly evaluated. able for use, be n selection and for standards.
Hygiene meas		Wash hands, forearms and face th	oroughly after handling chemica	l producte be	fore eating
riygiene mea	Sules	smoking and using the lavatory an stations and safety showers are clo	d at the end of the working perio		
Respiratory p	rotection	In case of insufficient ventilation, w The correct choice of respiratory p conditions of work and use, and th should be developed for each inter therefore be chosen in consultation of the working conditions.	rotection depends upon the cher e condition of the respiratory equ nded application. Respiratory pro	micals being h uipment. Safet otection equipr	ty procedures ment should
Eye/face prote	ection	Safety glasses with side shields.			
Skin protectio	<u>on</u>				
Hand protec	tion	General Information:			
		Because specific work environmer should be developed for each inter depends upon the chemicals being provide protection for only a limited best chemically resistant gloves wi	nded application. The correct cho g handled, and the conditions of d time before they must be disca	oice of protect work and use. rded and repla	ive gloves Most gloves aced (even the
		Gloves should be chosen in consu a full assessment of the working co		icturer and tak	ing account of
		Recommended: Nitrile gloves. Breakthrough time:			
		Breakthrough time data are general and represent how long a glove ca is important when following breakth conditions are taken into account. technical information on breakthrou Our recommendations on the select	In be expected to provide effective hrough time recommendations the Always consult with your glove s ugh times for the recommended	ve permeation nat actual work upplier for up-	resistance. It place
		Continuous contact:			
		Gloves with a minimum breakthrou can be obtained. If suitable gloves are not available breakthrough times may be accept replacement regimes are determin	to offer that level of protection, g table as long as appropriate glov	gloves with sh	orter
		Short-term / splash protection:			
		Recommended breakthrough times It is recognised that for short-term, may commonly be used. Therefore be determined and rigorously follow	, transient exposures, gloves with e, appropriate maintenance and r		
		Glove Thickness:			
		For general applications, we recon	nmend gloves with a thickness ty	pically greate	r than 0.35 mm.
		It should be emphasised that glove resistance to a specific chemical, a on the exact composition of the glo	as the permeation efficiency of th	ne glove will be	e dependent l also be based
Product name	Castrol EDGE 0W	-20 C5	Product code 469997	7-DE01	Page: 5/11
Version 4	Date of issue 8	September 2023	Format Hungary	Language	ENGLISH

(Hungary)

SECTION 8: Exposure controls/personal protection

•	• •
	on consideration of the task requirements and knowledge of breakthrough times. Glove thickness may also vary depending on the glove manufacturer, the glove type and the glove model. Therefore, the manufacturers' technical data should always be taken into account to ensure selection of the most appropriate glove for the task.
	Note: Depending on the activity being conducted, gloves of varying thickness may be required for specific tasks. For example:
	• Thinner gloves (down to 0.1 mm or less) may be required where a high degree of manual dexterity is needed. However, these gloves are only likely to give short duration protection and would normally be just for single use applications, then disposed of.
	• Thicker gloves (up to 3 mm or more) may be required where there is a mechanical (as well as a chemical) risk i.e. where there is abrasion or puncture potential.
Skin and body	Use of protective clothing is good industrial practice. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Cotton or polyester/cotton overalls will only provide protection against light superficial contamination that will not soak through to the skin. Overalls should be laundered on a regular
	basis. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required.
<u>Refer to standards:</u>	Respiratory protection: EN 529 Gloves: EN 420, EN 374 Eye protection: EN 166 Filtering half-mask: EN 149 Filtering half-mask with valve: EN 405 Half-mask: EN 140 plus filter Full-face mask: EN 136 plus filter Particulate filters: EN 143 Gas/combined filters: EN 14387
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

Physical state	Liquid.					
	•					
Colour	Amber.					
Odour	Not available.					
Odour threshold	Not available.					
Melting point/freezing point	Not available.					
Initial boiling point and boiling range	Not available.					
Flammability	Not available.					
Lower and upper explosion limit	Not available.					
Flash point	Ø losed cup: >200°C (>3	92°F) [Pensky-M	Aartens ASTM	D 93]		
Auto-ignition temperature	Ingredient name	°C	°F	Method		
	pis(nonylphenyl)amine	440	824	EU A.15		
Decomposition temperature	Not available.					
pH	Not applicable.					
Kinematic viscosity	Kinematic: 43.5 mm²/s (4 Kinematic: 8.1 to 9 mm²/					
Solubility						
	Media	Result				
	water	Not soluble				
Product name Castrol EDGE 0W-20	C5		Product code	469997-DE01	Page: 6/11	
Version 4 Date of issue 8 Sep	otember 2023	Format	Hungary	Language	ENGLISH	
Date of previous issue 21 No	ovember 2022.		(Hungary)			

artition coefficient n-octanol/ Not applicable.

г

Partition coefficient n-octanol/	
water (log value)	
Vapour pressure	

Vapour pressure	Vapour Pressure at 20°C			ire at 20°C	Vapour pressure at 50°C		
	Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
	Fistillates (petroleum), hydrotreated heavy paraffinic	<0.08	<0.011	ASTM D 5191			
	Distillates (petroleum), hydrotreated heavy paraffinic	<0.08	<0.011	ASTM D 5191			
	Distillates (petroleum), solvent-dewaxed heavy paraffinic	<0.08	<0.011	ASTM D 5191			
	bis(nonylphenyl)amine	<0.01	<0.0013	EU A.4	0.0019	0.00025	EU A.4
Density and/or Relative density	<1000 kg/m³ (<1 g/	cm³) at 15	5°C	-			
Relative vapour density	Not available.						
Particle characteristics							
Median particle size 9.2 Other information	Not applicable.						
Evaporation rate	Not available.						
Explosive properties	Not available.						
Oxidising properties	Not available.						
Pour point	-42 °C						
SECTION 10: Stability an	d reactivity						
	o specific test data av aterials for additional			duct. Refer	to Condi	tions to av	void and Inco

10.2 Chemical stability	The product is stable.
10.3 Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerisation will not occur.
10.4 Conditions to avoid	Avoid all possible sources of ignition (spark or flame).
10.5 Incompatible materials	Reactive or incompatible with the following materials: oxidising materials.
10.6 Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on hazard cl Acute toxicity estimates Not available.	asses as defined in Regulation (EC) No 1272/2008				
Information on likely routes of exposure	Routes of entry anticipated: Dermal, Inhalation, Eyes.				
Potential acute health effects	<u>8</u>				
Inhalation	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.				
Ingestion	No known significant effects or critical hazards.				
Skin contact	Defatting to the skin. May cause skin dryness and irritation.				
Eye contact	No known significant effects or critical hazards.				
Symptoms related to the physical, chemical and toxicological characteristics					
Inhalation	No specific data.				
Ingestion	No specific data.				

ſ	Product name	Castrol EDGE (DW-20 C5		Product code 4	469997-DE	01	Page: 7/11
	Version 4	Date of issue	8 September 2023	Format	Hungary	L	anguage	ENGLISH
	Date of previo	us issue	21 November 2022.		(Hungary)			

SECTION 11: Toxicological information

Skin contact	Adverse symptoms may include the following:
	irritation
	dryness cracking
Eye contact	No specific data.
	ects as well as chronic effects from short and long-term exposure
Inhalation	Overexposure to the inhalation of airborne droplets or aerosols may cause irritation of the
	respiratory tract.
Ingestion	Ingestion of large quantities may cause nausea and diarrhoea.
Skin contact	Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis.
Eye contact	Potential risk of transient stinging or redness if accidental eye contact occurs.
Potential chronic health eff	ects
General	USED ENGINE OILS Combustion products resulting from the operation of internal combustion engines contaminate engine oils during use. Used engine oil may contain hazardous components which have the potential to cause skin cancer. Frequent or prolonged contact with all types and makes of used engine oil must therefore be avoided and a high standard of personal hygiene maintained.
Carcinogenicity	No known significant effects or critical hazards.
Mutagenicity	No known significant effects or critical hazards.
Developmental effects	No known significant effects or critical hazards.
Fertility effects	No known significant effects or critical hazards.

11.2.1 Endocrine disrupting properties				
Not available.				
Remarks - Endocrine disruptor - Health 11.2.2 Other information	Not available.			
Not available.				

SECTION 12: Ecological information

12.1 Toxicity

Environmental hazards

Not classified as dangerous

12.2 Persistence and degradability

Not expected to be rapidly degradable.

12.3 Bioaccumulative potential

This product is not expected to bioaccumulate through food chains in the environment.

12.4 Mobility in soil	
Soil/water partition coefficient (K _{oc})	Not available.
Mobility	Spillages may penetrate the soil causing ground water contamination.

12.5 Results of PBT and vPvB assessment

Product does not meet the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII.

12.6 Endocrine disrupting properties	Not available.
Remarks - Endocrine disruptor - Environment	Not available.
Other ecological information	Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer could also be impaired.
12.7 Other adverse effects	No known significant effects or critical hazards.

ſ	Product name Castrol EDGE 0W-20 C5			Product code 4	469997-D	E01	Page: 8/11	
	Version 4	Date of issue	8 September 2023	Format	Hungary		Language	ENGLISH
	Date of previo	ous issue	21 November 2022.		(Hungary)			

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal

Where possible, arrange for product to be recycled. Dispose of via an authorised person/ licensed waste disposal contractor in accordance with local regulations.

Hazardous waste Yes.

European waste catalogue (EWC)

Waste code Waste designation			
13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils		
However, deviation from the intended use and/or the presence of any potential contaminants may require an alternative waste			

disposal code to be assigned by the end user.

Packaging Methods of disposal Where possible, arrange for product to be recycled. Dispose of via an authorised person/ licensed waste disposal contractor in accordance with local regulations. Special precautions This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. References Commission 2014/955/EU Directive 2008/98/EC

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

14.6 Special precautions for Not available. user

14.7 Maritime transport in	Not available.
bulk according to IMO	
instruments	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

<u>Annex XIV</u>

None of the components are listed.

Substances of very high concern

None of the components are listed.

EU Regulation (EC) No. 1907/2006 (REACH)

Product name Castrol EDGE 0W-20 C5			Product code	469997-DE01	Page: 9/11		
	Version 4	Date of issue	8 September 2023	Format	Hungary	Language	ENGLISH
· ·		21 November 2022.		(Hungary)			

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

SECTION 15: Regulatory information

Version 4

Date of previous issue

Date of issue 8 September 2023

21 November 2022.

placing on the market	Not applicable.					
and use of certain						
dangerous substances,						
mixtures and articles						
Other regulations						
REACH Status	The company, as identified in Section 1, sells this product in the EU in compliance with the current requirements of REACH.					
United States inventory (TSCA 8b)	All components are active or exempted.					
Australia inventory (AIIC)	All components are listed or exempted.					
Canada inventory	All components are listed or exempted.					
China inventory (IECSC)	At least one component is not listed.					
Japan inventory (CSCL)	At least one component is not listed.					
Korea inventory (KECI)	All components are listed or exempted.					
Philippines inventory (PICCS)	At least one component is not listed.					
Taiwan Chemical Substances Inventory (TCSI)	All components are listed or exempted.					
Ozone depleting substance Not listed.	<u>s (1005/2009/EU)</u>					
Prior Informed Consent (PIC Not listed.	<u>C) (649/2012/EU)</u>					
Persistent Organic Pollutan Not listed.	<u>ts</u>					
EU - Water framework direct None of the components are I Seveso Directive						
This product is not controlled u	nder the Seveso Directive.					
References	Act No. XXV of 2000 on chemical safety Decree No. 25/2000 (IX.30.) EüM of the Ministry of Health on chemical safety at work plus amendments					
	Decree No. 44/2000 (XII.27.) EüM of the Ministry of Health on detailed arrangements for certain procedures, activities relating to dangerous substances and dangerous preparations plus					
15.2 Chemical safety assessment	procedures, activities relating to dangerous substances and dangerous preparations plus amendments 38/2009 (VII.7) The International Carriage of Dangerous Goods by the European Agreement					
assessment	procedures, activities relating to dangerous substances and dangerous preparations plus amendments 38/2009 (VII.7) The International Carriage of Dangerous Goods by the European Agreement (ADR) "A" and "B" on the application of national annex plus amendments A Chemical Safety Assessment has been carried out for one or more of the substances within this mixture. A Chemical Safety Assessment has not been carried out for the mixture itself.					
assessment SECTION 16: Other in	procedures, activities relating to dangerous substances and dangerous preparations plus amendments 38/2009 (VII.7) The International Carriage of Dangerous Goods by the European Agreement (ADR) "A" and "B" on the application of national annex plus amendments A Chemical Safety Assessment has been carried out for one or more of the substances within this mixture. A Chemical Safety Assessment has not been carried out for the mixture itself.					
assessment SECTION 16: Other in	procedures, activities relating to dangerous substances and dangerous preparations plus amendments 38/2009 (VII.7) The International Carriage of Dangerous Goods by the European Agreement (ADR) "A" and "B" on the application of national annex plus amendments A Chemical Safety Assessment has been carried out for one or more of the substances within this mixture. A Chemical Safety Assessment has not been carried out for the mixture itself.					
assessment SECTION 16: Other in	procedures, activities relating to dangerous substances and dangerous preparations plus amendments 38/2009 (VII.7) The International Carriage of Dangerous Goods by the European Agreement (ADR) "A" and "B" on the application of national annex plus amendments A Chemical Safety Assessment has been carried out for one or more of the substances within this mixture. A Chemical Safety Assessment has not been carried out for the mixture itself. Iformation ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by					
assessment SECTION 16: Other in	procedures, activities relating to dangerous substances and dangerous preparations plus amendments 38/2009 (VII.7) The International Carriage of Dangerous Goods by the European Agreement (ADR) "A" and "B" on the application of national annex plus amendments A Chemical Safety Assessment has been carried out for one or more of the substances within this mixture. A Chemical Safety Assessment has not been carried out for the mixture itself. Iformation ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate					
assessment SECTION 16: Other in	procedures, activities relating to dangerous substances and dangerous preparations plus amendments 38/2009 (VII.7) The International Carriage of Dangerous Goods by the European Agreement (ADR) "A" and "B" on the application of national annex plus amendments A Chemical Safety Assessment has been carried out for one or more of the substances within this mixture. A Chemical Safety Assessment has not been carried out for the mixture itself. ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment					
assessment SECTION 16: Other in	procedures, activities relating to dangerous substances and dangerous preparations plus amendments 38/2009 (VII.7) The International Carriage of Dangerous Goods by the European Agreement (ADR) "A" and "B" on the application of national annex plus amendments A Chemical Safety Assessment has been carried out for one or more of the substances within this mixture. A Chemical Safety Assessment has not been carried out for the mixture itself. Iformation ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment CSR = Chemical Safety Report					
assessment SECTION 16: Other in	procedures, activities relating to dangerous substances and dangerous preparations plus amendments 38/2009 (VII.7) The International Carriage of Dangerous Goods by the European Agreement (ADR) "A" and "B" on the application of national annex plus amendments A Chemical Safety Assessment has been carried out for one or more of the substances within this mixture. A Chemical Safety Assessment has not been carried out for the mixture itself. ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment					
assessment SECTION 16: Other in	procedures, activities relating to dangerous substances and dangerous preparations plus amendments 38/2009 (VII.7) The International Carriage of Dangerous Goods by the European Agreement (ADR) "A" and "B" on the application of national annex plus amendments A Chemical Safety Assessment has been carried out for one or more of the substances within this mixture. A Chemical Safety Assessment has not been carried out for the mixture itself. Iformation ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level					
assessment SECTION 16: Other in	procedures, activities relating to dangerous substances and dangerous preparations plus amendments 38/2009 (VII.7) The International Carriage of Dangerous Goods by the European Agreement (ADR) "A" and "B" on the application of national annex plus amendments A Chemical Safety Assessment has been carried out for one or more of the substances within this mixture. A Chemical Safety Assessment has not been carried out for the mixture itself. Iformation ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario					
	 procedures, activities relating to dangerous substances and dangerous preparations plus amendments 38/2009 (VII.7) The International Carriage of Dangerous Goods by the European Agreement (ADR) "A" and "B" on the application of national annex plus amendments A Chemical Safety Assessment has been carried out for one or more of the substances within this mixture. A Chemical Safety Assessment has not been carried out for the mixture itself. ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances 					

Format Hungary

(Hungary)

Language ENGLISH

SECTION 16: Other information

IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation [Regulation (EC) No. 1907/2006] RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SADT = Self-Accelerating Decomposition Temperature SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVCB = Complex hydrocarbon substance VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Varies = may contain one or more of the following 64741-88-4 / RRN 01-2119488706-23, 64741-89-5 / RRN 01-2119487067-30, 64741-95-3 / RRN 01-2119487081-40, 64741-96-4/ RRN 01-2119483621-38, 64742-01-4 / RRN 01-2119488707-21, 64742-44-5 / RRN 01-2119985177-24, 64742-45-6, 64742-52-5 / RRN 01-2119467170-45, 64742-53-6 / RRN 01-2119480375-34, 64742-54-7 / RRN 01-2119484627-25, 64742-55-8 / RRN 01-2119487077-29, 64742-56-9 / RRN 01-2119480132-48, 64742-57-0 / RRN 01-2119489287-22, 64742-58-1, 64742-62-7 / RRN 01-2119480472-38, 64742-63-8, 64742-65-0 / RRN 01-2119471299-27, 64742-70-7 / RRN 01-2119487080-42, 72623-85-9 / RRN 01-2119555262-43, 72623-86-0 / RRN 01-2119474878-16, 72623-87-1 / RRN 01-2119474889-13

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification		Justification			
Not classified.					
Full text of abbreviated H statements	H304 H315 H317	May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction.			
Full text of classifications [CLP/GHS]	Asp. Tox. 1 Skin Irrit. 2 Skin Sens. 1B	ASPIRATION HAZARD - Category 1 SKIN CORROSION/IRRITATION - Category 2 SKIN SENSITISATION - Category 1B			
<u>History</u>					
Date of issue/ Date of revision	08/09/2023.				
Date of previous issue Prepared by	21/11/2022. Product Stewardship				

✓ Indicates information that has changed from previously issued version.

Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.

Product name Castrol EDGE 0W-20 C5			Product code	469997-DE01	Page: 11/11	
Version 4	Date of issue	8 September 2023	Format	Hungary	Language	ENGLISH
Date of previo	ous issue	21 November 2022.		(Hungary)		