Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

SAFETY DATA SHEET



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Product name	Castrol Magnatec 5W-40 DPF
Product code	470734-BE02
SDS #	470734
Product type	Liquid.
1.2 Relevant identified uses	s of the substance or mixture and uses advised against
Use of the substance/ mixture	Automotive engine crankcase lubricant. For specific application advice see appropriate Technical Data Sheet or consult our company representative.
1.3 Details of the supplier of	of the safety data sheet
Supplier	Castrol Holdings Europe B.V., d'Arcyweg 76, 3198NA Europoort Rotterdam
	Castrol CEE sp z.o.o, UI. Grzybowska 62, 00 844 Warszawa
	+48 (0)800 121 4817
E-mail address	MSDSadvice@bp.com

 1.4 Emergency telephone number

 EMERGENCY
 Carechem: +44 (0) 1235 239 670 (24/7)

 TELEPHONE NUMBER

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture						
Product definition Mixture						
Classification according to Not classified.	Regulation (EC) No. 1272/2008 [C	<u>LP/GHS]</u>				

See sections 11 and 12 for more detailed information on health effects and symptoms and environmental hazards.

2.2 Label elements							
Signal word	No signal word.						
Hazard statements	No known significant effects or crit	ical hazar	ds.				
Precautionary statements							
Prevention	Not applicable.						
Response	Not applicable.						
Storage	Not applicable.						
Disposal	Not applicable.						
Hazardous ingredients	Not applicable.						
Supplemental label elements	Contains maleic anhydride. May pi Safety data sheet available on req		allergic reaction	n.			
EU Regulation (EC) No. 1907	7/2006 (REACH)						
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	Not applicable.						
Product name Castrol Magnate	ec 5W-40 DPF		Product code	470734-BE	02	Page: 1/11	
Version 2 Date of issue	8 September 2023	Format	Hungary	L	.anguage	ENGLISH	
Date of previous issue	3 April 2023.		(Hungary)				

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

SECTION 2: Hazards identification

Special packaging requirements						
Containers to be fitted with child-resistant fastenings	Not applicable.					
Tactile warning of danger	Not applicable.					
2.3 Other hazards						
Results of PBT and vPvB assessment	Product does not meet the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII.					
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.					
Other hazards which do not result in classification	Defatting to the skin. USED ENGINE OILS Used engine oil may contain hazardous components which have the potential to cause skin cancer. See Toxicological Information, section 11 of this Safety Data Sheet.					

SECTION 3: Composition/information on ingredients

Mixture

3.2 Mixtures

Product definition

Highly refined base oil (IP 346 DMSO extract < 3%). Proprietary performance additives.

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
Distillates (petroleum), hydrotreated heavy paraffinic	REACH #: 01-2119484627-25 EC: 265-157-1 CAS: 64742-54-7 Index: 649-467-00-8	≥50 - ≤75	Not classified.	-	[2]
Distillates (petroleum), hydrotreated heavy paraffinic	REACH #: 01-2119484627-25 EC: 265-157-1 CAS: 64742-54-7 Index: 649-467-00-8	≥25 - ≤50	Asp. Tox. 1, H304	-	[1] [2]
maleic anhydride	REACH #: 01-2119472428-31 EC: 203-571-6 CAS: 108-31-6 Index: 607-096-00-9	<0.001	Acute Tox. 4, H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Resp. Sens. 1, H334 Skin Sens. 1A, H317 STOT RE 1, H372 (respiratory system) (inhalation) EUH071	ATE [Oral] = 500 mg/ kg Skin Sens. 1, H317: C ≥ 0.001%	[1] [2]

See Section 16 for the full text of the H statements declared above.

This product does not contain any hazardous ingredients at or above regulated thresholds.

[1] Substance classified with a health or environmental hazard [2] Substance with a workplace exposure limit

SECTION 4: First aid measures

4.1 Description of first aid measures						
Eye contact	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Check for and remove any contact lenses. Get medical attention.					
Skin contact	Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if irritation develops.					
Inhalation	If inhaled, remove to fresh air. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Get medical attention if symptoms occur.					
Ingestion	Do not induce vomiting unless directed to do s symptoms occur.	so by medical pers	sonnel. Get medi	cal attention if		
Protection of first-aiders	No action shall be taken involving any person	al risk or without s	uitable training.			
Product name Castrol Magnatec	5W-40 DPF	Product code 470	734-BE02	Page: 2/11		
Version 2 Date of issue 8	September 2023 Format	Hungary	Language	ENGLISH		
Date of previous issue 3	April 2023.	(Hungary)				

SECTION 4: First aid measures

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

Potential acute health	effects
Inhalation	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Ingestion	No known significant effects or critical hazards.
Skin contact	Defatting to the skin. May cause skin dryness and irritation.
Eye contact	No known significant effects or critical hazards.
Delayed and immediate	e effects as well as chronic effects from short and long-term exposure
Inhalation	Overexposure to the inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.
Ingestion	Ingestion of large quantities may cause nausea and diarrhoea.
Skin contact	Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis.
Eye contact	Potential risk of transient stinging or redness if accidental eye contact occurs.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	Treatment should in general be symptomatic and directed to relieving any effects.
	In case of inhalation of decomposition products in a fire, symptoms may be delayed.
	The exposed person may need to be kept under medical surveillance for 48 hours.

SECTION 5: Firefighting measures

5.1 Extinguishing media	
Suitable extinguishing media	In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray.
Unsuitable extinguishing media	Do not use water jet. The use of a water jet may cause the fire to spread by splashing the burning product.
5.2 Special hazards arising fr	om the substance or mixture
Hazards from the substance or mixture	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	Combustion products may include the following: carbon oxides (CO, CO ₂) (carbon monoxide, carbon dioxide) nitrogen oxides (NO, NO ₂ etc.)

5.3 Advice for firefighters	
Special precautions for fire-fighters	No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, prote	ective equipment and emergency procedures
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Floors may be slippery; use care to avoid falling. Put on appropriate personal protective equipment.
For emergency responders	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for c	ontainment and cleaning up

Small spill			Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.				
	Product name	Castrol Magnate	ec 5W-40 DPF		Product code	470734-BE02	Page: 3/11
	Version 2	Date of issue	8 September 2023	Format	Hungary	Language	ENGLISH
	Date of previo	ous issue	3 April 2023.		(Hungary)		

SECTION 6: Accidental release measures

Large spill	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	See Section 1 for emergency contact information. See Section 5 for firefighting measures. See Section 8 for information on appropriate personal protective equipment. See Section 12 for environmental precautions. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe hand	dling
Protective measures	Put on appropriate personal protective equipment.
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep away from heat and direct sunlight. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Store and use only in equipment/ containers designed for use with this product. Do not store in unlabelled containers.
Not suitable	Prolonged exposure to elevated temperature.
7.3 Specific end use(s)	
Recommendations	See section 1.2 and Exposure scenarios in annex, if applicable.

SECTION 8: Exposure controls/personal protection

3 April 2023.

8.1 Control parameters

Occupational exposure limits

Date of previous issue

Product/ingredient name		Exposure limit values					
Distillates (petroleum), hydrotreated heavy paraffinic		5/2020. (II. 6.) ITM Decree (Hungary). [Oil (mineral)] TWA: 5 mg/m ³ 8 hours. Issued/Revised: 2/2020 Form: Mist					
Distillates (petroleum), hydrotreated heavy paraffinic			5/2020. (II. 6.) ITM Decree (Hungary). [Oil (mineral)] TWA: 5 mg/m ³ 8 hours. Issued/Revised: 2/2020 Form: Mist				
maleic anhydride		sensitiser. TWA: 0.08 mg/m ³ 8 h	5/2020. (II. 6.) ITM Decree (Hungary). Skin sensitiser. Inhalation sensitiser. TWA: 0.08 mg/m ³ 8 hours. Issued/Revised: 2/2020 PEAK: 0.08 mg/m ³ 15 minutes. Issued/Revised: 2/2020				
Whilst specific OELs for certain components may be s vapour or dust produced. Therefore, the specific OEL guidance only.							
Recommended monitoring procedures	Reference should be made to monitoring st EN 689 (Workplace atmospheres - Guidanc chemical agents for comparison with limit va Standard EN 14042 (Workplace atmospher for the assessment of exposure to chemical (Workplace atmospheres - General required measurement of chemical agents) Referen the determination of hazardous substances		e for the assessment o lues and measuremen s - Guide for the appli- and biological agents) nents for the performance to national guidance	of exposure by t strategy) Eu cation and use European St nce of procedu	inhalation to propean of procedures andard EN 482 pres for the		
Biological exposure indices							
Product/ingredient No exposure indices known.	t name		Exposure indice	es			
Derived No Effect Level No DNELs/DMELs available.							
Predicted No Effect Concentr No PNECs available	<u>ation</u>						
Product name Castrol Magnated	5W-40 DPF		Product code 470734	1-BE02	Page: 4/11		
Version 2 Date of issue 8	September 2023	Format	Hungary	Language	ENGLISH		

(Hungary)

SECTION 8: Exposure controls/personal protection

Date of previous issue 3 April 2023.

8.2 Exposure of	controls						
Appropriate en controls	ngineering	Provide exhaust ventilation or oth concentrations below their respect All activities involving chemicals s exposures are adequately control after other forms of control measu Personal protective equipment sh kept in good condition and proper Your supplier of personal protective appropriate standards. For further The final choice of protective equipment provide the formation of the personal personal protective ensure that all items of personal person	tive occupational exposure limit should be assessed for their risk led. Personal protective equipm ures (e.g. engineering controls) hould conform to appropriate sta- ity maintained. We equipment should be consul- er information contact your nation ipment will depend upon a risk start	ts. ks to health, to en hent should only have been suita andards, be suita ted for advice of onal organisation assessment. It is	ensure be considered ably evaluated. able for use, be n selection and n for standards.		
Individual prot	ection measure	<u>s</u>					
Hygiene meas	sures	Wash hands, forearms and face t smoking and using the lavatory and stations and safety showers are c	nd at the end of the working per	riod. Ensure that			
Respiratory p	rotection	In case of insufficient ventilation, The correct choice of respiratory p conditions of work and use, and the should be developed for each inter therefore be chosen in consultation of the working conditions.	protection depends upon the ch he condition of the respiratory e ended application. Respiratory p	nemicals being h equipment. Safet protection equip	ty procedures ment should		
Eye/face prote	ection	Safety glasses with side shields.					
<u>Skin protectio</u>	<u>n</u>						
Hand protect	tion	General Information:					
		Because specific work environme should be developed for each inte depends upon the chemicals bein provide protection for only a limite best chemically resistant gloves w	ended application. The correct on ig handled, and the conditions of ad time before they must be disc	choice of protect of work and use. carded and repla	tive gloves . Most gloves aced (even the		
		Gloves should be chosen in consi a full assessment of the working o		ıfacturer and tak	king account of		
		Recommended: Nitrile gloves. Breakthrough time:					
		Breakthrough time data are gener and represent how long a glove c is important when following break conditions are taken into account. technical information on breakthro Our recommendations on the sele	an be expected to provide effect through time recommendations . Always consult with your glove bugh times for the recommende	ctive permeation that actual work supplier for up-	i resistance. It kplace		
		Continuous contact:					
		Gloves with a minimum breakthro can be obtained. If suitable gloves are not available breakthrough times may be accep replacement regimes are determined	e to offer that level of protection otable as long as appropriate gl	n, gloves with sh	orter		
		Short-term / splash protection:					
		Recommended breakthrough time It is recognised that for short-term may commonly be used. Therefor be determined and rigorously follo	n, transient exposures, gloves w re, appropriate maintenance and				
		Glove Thickness:					
		For general applications, we recommend gloves with a thickness typically greater than 0.35 mr					
		It should be emphasised that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the glove material. Therefore, glove selection should also be based on consideration of the task requirements and knowledge of breakthrough times. Glove thickness may also vary depending on the glove manufacturer, the glove type and the glove model. Therefore, the manufacturers' technical data should always be taken into account					
Product name	Castrol Magnatec	5W-40 DPF	Product code 4707	34-BE02	Page: 5/11		
Version 2 Date of issue 8 September 2023		Format Hungary	Language	ENGLISH			

(Hungary)

SECTION 8: Exposure controls/personal protection

to ensure selection of the m	nost appropriate glove for the task.

Note: Depending on the activity being conducted, gloves of varying thickness may be required for specific tasks. For example:

• Thinner gloves (down to 0.1 mm or less) may be required where a high degree of manual dexterity is needed. However, these gloves are only likely to give short duration protection and would normally be just for single use applications, then disposed of.

• Thicker gloves (up to 3 mm or more) may be required where there is a mechanical (as well as a chemical) risk i.e. where there is abrasion or puncture potential.

Skin and body	Use of protective clothing is good industrial practice. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Cotton or polyester/cotton overalls will only provide protection against light superficial contamination that will not soak through to the skin. Overalls should be laundered on a regular basis. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required.
<u>Refer to standards:</u>	Respiratory protection: EN 529 Gloves: EN 420, EN 374 Eye protection: EN 166 Filtering half-mask: EN 149 Filtering half-mask with valve: EN 405 Half-mask: EN 140 plus filter Full-face mask: EN 136 plus filter Particulate filters: EN 143 Gas/combined filters: EN 14387
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

Physical state	Liquid.
Colour	Amber. [Light]
Odour	Not available.
Odour threshold	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flammability	Not available.
Lower and upper explosion limit	Not available.
Flash point	Closed cup: 203°C (397.4°F) [Pensky-Martens]
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
pH	Not applicable.
Kinematic viscosity	Kinematic: 75.5 mm²/s (75.5 cSt) at 40°C Kinematic: 12.8 to 16 mm²/s (12.8 to 16 cSt) at 100°C
Solubility	

	Media	Result
	water	Not soluble
Partition coefficient n-octanol/ water (log value)	Not applicable.	

Vapour pressure

Product name Castrol Magnatec 5W-40 DPF Product code 470734-BE02 Page: 6/11 Version 2 Language ENGLISH Date of issue 8 September 2023 **Format Hungary** (Hungary) 3 April 2023. Date of previous issue

SECTION 9: Physical and chemical properties

		Vapou	r Press	ure at 20°C	Vapo	our pres	sure at 50°C
	Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
	Distillates (petroleum), hydrotreated heavy paraffinic	<0.08	<0.011	ASTM D 5191			
	Distillates (petroleum), hydrotreated heavy paraffinic	<0.08	<0.011	ASTM D 5191			
Density and/or Relative density	<1000 kg/m³ (<1 g/	cm³) at 15	5°C	· ·			
Relative vapour density	Not available.						
Particle characteristics							
Median particle size	Not applicable.						
9.2 Other information							
Evaporation rate	Not available.						
Explosive properties	Not available.						
Oxidising properties	Not available.						
Pour point	-42 °C						
SECTION 10: Stability	and reactivity						
10.1 Reactivity	No specific test data av materials for additional			oduct. Refer	to Cond	itions to a	avoid and Inc
10.2 Chemical stability	The product is stable.						
10.3 Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerisation will not occur.						
10.4 Conditions to avoid	Avoid all possible source	ces of igni	ition (sp	ark or flame).			
10.5 Incompatible materials	Reactive or incompatib	le with the	e followi	ng materials:	oxidisin	g materia	ıls.
10.6 Hazardous	Under normal condition	is of stora	ge and	use, hazardo	us deco	mpositior	n products sh

10.6 HazardousUnder normal conditions of storage and use, hazardous decomposition productsdecomposition productsproduced.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity estimates

Product/ingredient name		Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
maleic anhydride		500	N/A	N/A	N/A	N/A
Information on likely Routes of entry anticip routes of exposure		ipated: Derm	al, Inhalatior	n, Eyes.		
Potential acute health effe	ects					
Inhalation	Exposure to decomposition products may cause a health hazard. Serious effects may delayed following exposure.					
Ingestion	ion No known significant effects or critical hazards.					
Skin contact Defatting to the skin. May cau			skin dryness	and irritation.		
Eye contact No known significant effect			tical hazards	3.		
Symptoms related to the	physical, chemical and to	xicological o	<u>haracterist</u>	<u>ics</u>		
Inhalation	No specific data.					
Ingestion	No specific data.					
Skin contact	Adverse symptoms n irritation dryness cracking	nay include th	ne following:			
Eye contact	No specific data.					
Product name Castrol Magr	natec 5W-40 DPF		I	Product code	470734-BE02	2 Pag
Version 2 Date of iss	ue 8 September 2023		Format H	lungary	Lai	nguage ENG
Date of previous issue 3 April 2023.			(Hungary)		

SECTION 11: Toxicological information

Delayed and immediate effe	cts as well as chronic effects from short and long-term exposure
Inhalation	Overexposure to the inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.
Ingestion	Ingestion of large quantities may cause nausea and diarrhoea.
Skin contact	Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis.
Eye contact	Potential risk of transient stinging or redness if accidental eye contact occurs.
Potential chronic health effe	ects
General	USED ENGINE OILS Combustion products resulting from the operation of internal combustion engines contaminate engine oils during use. Used engine oil may contain hazardous components which have the potential to cause skin cancer. Frequent or prolonged contact with all types and makes of used engine oil must therefore be avoided and a high standard of personal hygiene maintained.
Carcinogenicity	No known significant effects or critical hazards.
Mutagenicity	No known significant effects or critical hazards.
Developmental effects	No known significant effects or critical hazards.
Fertility effects	No known significant effects or critical hazards.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties				
Not available.				
Remarks - Endocrine disruptor - Health 11.2.2 Other information	Not available.			
Not available.				

SECTION 12: Ecological information

12.1 Toxicity

Environmental hazards

Not classified as dangerous

12.2 Persistence and degradability

Partially biodegradable.

12.3 Bioaccumulative potential

This product is not expected to bioaccumulate through food chains in the environment.

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	Not available.
Mobility	Spillages may penetrate the soil causing ground water contamination.

12.5 Results of PBT and vPvB assessment

Product does not meet the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII.

12.6 Endocrine disrupting properties	Not available.
Remarks - Endocrine disruptor - Environment	Not available.
Other ecological information	Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer could also be impaired.
12.7 Other adverse effects	No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment metho	ods		
Product			
Methods of disposal		oduct to be recycled. Dispose of via an auth ctor in accordance with local regulations.	orised person/
Hazardous waste	Yes.		
European waste catalogu	<u>ıe (EWC)</u>		
Product name Castrol Magn		Product code 470734 BE02	Page: 8/11

Product name Castrol Magnatec 5W-40 DPF			Product code	470734-BE02	Page: 8/11	
Version 2	Date of issue	8 September 2023	Format	Hungary	Language	ENGLISH
Date of previo	ous issue	3 April 2023.		(Hungary)		

SECTION 13: Disposal considerations

Waste code	Waste designation		
13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils		
However, deviation from the intended use and/or the presence of any potential contaminants may require an alternative wa disposal code to be assigned by the end user.			
Packaging			
Methods of disposal	Where possible, arrange for product to be recycled. Dispose of via an authorised person/ licensed waste disposal contractor in accordance with local regulations.		
Special precautions	This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.		
References	Commission 2014/955/EU		

SECTION 14: Transport information

Directive 2008/98/EC

	ADR/RID	ADN	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

14.6 Special precautions for Not available. **user**

14.7 Maritime transport in	Not available.
bulk according to IMO	
instruments	

SECTION 15: Regulatory information

	-				
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture					
EU Regulation (EC) No. 1907/2	<u>006 (REACH)</u>				
Annex XIV - List of substance	es subject to authorisation				
Annex XIV					
None of the components are li	isted.				
Substances of very high cor	<u>ncern</u>				
None of the components are	e listed.				
EU Regulation (EC) No. 1907/2	<u>006 (REACH)</u>				
Annex XVII - Restrictions Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles Other regulations					
REACH Status	The company, as identified in Section current requirements of REACH.	on 1, sells	s this product ir	n the EU in complianc	e with the
United States inventory (TSCA 8b)	All components are active or exemp	ted.			
Product name Castrol Magnatec	5W-40 DPF		Product code	470734-BE02	Page: 9/11
Version 2 Date of issue 8 S	September 2023	Format	Hungary	Language	ENGLISH
Date of previous issue 3	April 2023.		(Hungary)		

SECTION 15: Regulatory information

Australia inventory (AIIC)	All components are listed or exempted.			
Canada inventory	All components are listed or exempted.			
China inventory (IECSC)	At least one component is not listed.			
Japan inventory (CSCL)	All components are listed or exempted.			
Korea inventory (KECI)	All components are listed or exempted.			
Philippines inventory (PICCS)	At least one component is not listed.			
Taiwan Chemical All components are listed or exempted. Substances Inventory (TCSI)				
Ozone depleting substances	<u>s (1005/2009/EU)</u>			
Not listed.				
Prior Informed Consent (PIC	C) (649/2012/EU)			
Not listed.				
	4-			
Persistent Organic Pollutan Not listed.	<u>IS</u>			
EU - Water framework direc	tive - Priority substances			
None of the components are I	isted.			
Seveso Directive				
This product is not controlled up	nder the Seveso Directive.			
References	 Act No. XXV of 2000 on chemical safety Decree No. 25/2000 (IX.30.) EüM of the Ministry of Health on chemical safety at work plus amendments Decree No. 44/2000 (XII.27.) EüM of the Ministry of Health on detailed arrangements for certain procedures, activities relating to dangerous substances and dangerous preparations plus amendments 38/2009 (VII.7) The International Carriage of Dangerous Goods by the European Agreement (ADR) "A" and "B" on the application of national annex plus amendments 			
15.2 Chemical safety assessment	A Chemical Safety Assessment has been carried out for one or more of the substances within this mixture. A Chemical Safety Assessment has not been carried out for the mixture itself.			

SECTION 16: Other information

Abbreviations and acronyms	ADN = European Provisions concerning t	ne International C	arriage of Dangerous	Goods by		
	Inland Waterway		amage of Dangerous	, coode by		
	ADR = The European Agreement concern Road	ing the Internation	nal Carriage of Dang	erous Goods by		
	ATE = Acute Toxicity Estimate					
	BCF = Bioconcentration Factor					
	CAS = Chemical Abstracts Service					
	CLP = Classification, Labelling and Packa	aing Regulation [Regulation (FC) No.	1272/20081		
	CSA = Chemical Safety Assessment	99 · · · 9 · · · · [·	(<u>_</u>), (<u>_</u>), (<u>_</u>)			
	CSR = Chemical Safety Report					
	DMEL = Derived Minimal Effect Level					
	DNEL = Derived No Effect Level					
	EINECS = European Inventory of Existing	Commercial cher	mical Substances			
	ES = Exposure Scenario					
	EUH statement = CLP-specific Hazard statement					
	EWC = European Waste Catalogue					
	GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient					
	MARPOL = International Convention for t			1973 as		
	modified by the Protocol of 1978. ("Marpo					
	OECD = Organisation for Economic Co-operation and Development					
	PBT = Persistent, Bioaccumulative and T	oxic	•			
	PNEC = Predicted No Effect Concentration					
	REACH = Registration, Evaluation, Author	risation and Restr	riction of Chemicals F	Regulation		
	[Regulation (EC) No. 1907/2006]					
	RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail					
	RRN = REACH Registration Number	T				
	SADT = Self-Accelerating Decomposition					
Product name Castrol Magnated	5W-40 DPF	Product code	470734-BE02	Page: 10/11		
Version 2 Date of issue 8	September 2023 For	nat Hungary	Language	ENGLISH		
Date of previous issue 3	April 2023.	(Hungary)				

SECTION 16: Other information

SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVCB = Complex hydrocarbon substance VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Varies = may contain one or more of the following 64741-88-4 / RRN 01-2119488706-23, 64741-89-5 / RRN 01-2119487067-30, 64741-95-3 / RRN 01-2119487081-40, 64741-96-4/ RRN 01-2119483621-38, 64742-01-4 / RRN 01-2119488707-21, 64742-44-5 / RRN 01-2119985177-24, 64742-45-6, 64742-52-5 / RRN 01-2119467170-45, 64742-53-6 / RRN 01-2119480375-34, 64742-54-7 / RRN 01-2119484627-25, 64742-55-8 / RRN 01-2119487077-29, 64742-56-9 / RRN 01-2119480132-48, 64742-57-0 / RRN 01-2119489287-22, 64742-58-1, 64742-62-7 / RRN 01-2119480472-38, 64742-63-8, 64742-65-0 / RRN 01-2119471299-27, 64742-70-7 / RRN 01-2119487080-42, 72623-85-9 / RRN 01-2119555262-43, 72623-86-0 / RRN 01-2119474878-16, 72623-87-1 / RRN 01-2119474889-13

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

	Justification
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H372	Causes damage to organs through prolonged or repeated exposure.
EUH071	Corrosive to the respiratory tract.
Acute Tox. 4	ACUTE TOXICITY - Category 4
•	ASPIRATION HAZARD - Category 1
2	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
	RESPIRATORY SENSITISATION - Category 1
	SKIN CORROSION/IRRITATION - Category 1B
	SKIN SENSITISATION - Category 1A SPECIFIC TARGET ORGAN TOXICITY - REPEATED
STOLKET	EXPOSURE - Category 1
08/09/2023.	
03/04/2023.	
Product Stewardship	
	H304 H314 H317 H318 H334 H372 EUH071 Acute Tox. 4 Asp. Tox. 1 Eye Dam. 1 Resp. Sens. 1 Skin Corr. 1B Skin Sens. 1A STOT RE 1 08/09/2023. 03/04/2023.

Indicates information that has changed from previously issued version.

Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.

ſ	Product name Castrol Magnatec 5W-40 DPF			Product code 47	Page: 11/11		
	Version 2	Date of issue	8 September 2023	Format	Hungary	Language	ENGLISH
	Date of previo	ous issue	3 April 2023.		(Hungary)		